

WESLEY & CO. BIMBERRA, LONDON, W.1.

605879

Digitized by the Internet Archive
in 2026

https://archive.org/details/reportsfromcommi0013hous

REPORTS

FROM

COMMISSIONERS:

SEVENTEEN VOLUMES.

—*(1.)*—

BIRTHS, DEATHS, AND MARRIAGES (ENGLAND).

SUPPLEMENT TO TWENTY-FIFTH REPORT.

Session

7 *February* — 6 *July* 1865.

VOL. XIII.

REPORTS FROM COMMISSIONERS:

1865.

SEVENTEEN VOLUMES:—CONTENTS OF THE

FIRST VOLUME.

N.B.—*THE* Figures *at the* beginning of the line, *correspond with the* N° *at the foot of each* Report; *and the* Figures *at the* end of the line, *refer to the* MS. Paging *of the Volumes arranged for The House of Commons.*

BIRTHS, DEATHS AND MARRIAGES (ENGLAND):

[3542.] SUPPLEMENT to the TWENTY-FIFTH ANNUAL REPORT of the REGISTRAR GENERAL of BIRTHS, DEATHS, and MARRIAGES in *England* - - - - - - - - p. 1

SUPPLEMENT

TO THE

TWENTY-FIFTH ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN ENGLAND.

Presented to both Houses of Parliament by Command of Her Majesty.

REFORM CLUB
PALL MALL

LONDON:
PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.
FOR HER MAJESTY'S STATIONERY OFFICE.

7571. 1864.

CONTENTS.

PAGE

INTRODUCTION . . . . . iii–iv

I. THE RATE OF MORTALITY AND THE PROBABILITY OF DYING . iv–v

II. MORTALITY AT DIFFERENT STAGES OF LIFE (**1851–60**) :—

The Mortality of Infants . . . . . v–vii

Causes of Death in Infancy: Age 0—1 vii

Children under 5 *Years of Age*: 0—5 . . . . viii–ix

Mortality of Children (0—5) *in different Districts* . . . ix–xiv

Childhood: Age 5 *and under* 10 *Years*: 5—10 . . . xv

Boyhood: Age 10—15 *Years* . . . . . xv–xvi

Youth: Age 15—20 *and* 20—25 xvi

Reproductive Age: 25—35 xvii

Manhood: Age 35—45 . . . . . xvii–xviii

Manhood: Age 45—55 . . . . . xviii–xix

Maturity: Age 55—65 xix

Maturity: Age 65—75 . . . . . xix–xx

Ripeness: Age 75—85 xx

Old Age: Age 85 *and upwards* . . . . . xx–xxi

III. MORTALITY OF WOMEN OF THE CHILDBEARING AGE . . xxi–xxiii

IV. MORTALITY OF MEN IN LONDON AND IN SOME GREAT TOWNS . xxiii–xxiv

V. ANNUAL RATE OF MORTALITY AT ALL AGES WITHOUT DISTINCTION xxv

VI. THE LOSS OF LIFE IN DENSE TOWN DISTRICTS . . . xxvi–xxvii

VII. HOW FAR THE GENERAL RATE OF MORTALITY IS AFFECTED BY THE DEATHS AT DIFFERENT AGES . . . . . xxvii–xxviii

VIII. MORTALITY IN THE TWO DECENNIADS **1841–50** AND **1851–60** xxviii–xxxii

IX. MORTALITY OF CITIES ; RELATION BETWEEN DENSITY AND DEATH-RATE . . . . . xxxiii–xxxv

X. MORTALITY OF PERSONS IN DIFFERENT OCCUPATIONS . . xxxv–xxxvi

TABLES :—

Density of POPULATION and **Annual Mortality of Persons at All Ages** in the TWO DECENNIADS **1841–50** and **1851–60**, in the REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND . . . . . xxxvii–lviii

AVERAGE ANNUAL RATE of **Mortality** of **Males** and **Females** from **All Causes at Different Ages,** and from **Different Causes at All Ages,** in the **10** YEARS **1851–60,** in the REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND . . . lix–cxv

Mean Population 1851–61, and Deaths from Different Causes of Males and Females at Different Ages in the **10** YEARS **1851–60.** in the REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND 1–437

Deaths of **Males** at **Different Ages** from **5** YEARS AND UPWARDS, of **Different Occupations,** registered in ENGLAND and in each of the **11** REGISTRATION DIVISIONS in the TWO YEARS **1860–1** . 439–554

INDEX of DISTRICTS 555–558

INDEX of CERTAIN TOWNS 559

ALPHABETICAL INDEX 561–567

LETTER

TO

The Registrar-General on the Mortality in the Registration Districts of England during the **10 Years 1851–60**, by William Farr, Esq., M.D., F.R.S.

General Register Office,
Somerset House.

Sir,

This volume has been compiled to show in detail from the consecutive records of ten years the Causes of Death and the comparative salubrity of every part of England and Wales.

Your Annual Reports contain abstracts of the marriages and births, of the deaths, of the ages at death, and of the causes of death in all the districts, counties, and divisions of England and Wales during every successive year since civil registration commenced.

Thus the Annual Report, the Quarterly Report, and the Weekly Tables show, soon after the events have occurred, all the principal movements of the population of which knowledge is required for immediate administrative purposes.

The determination of the law of mortality requires an extensive area of observation, both in space and time, to eliminate accidental perturbations. And the causes affecting the life of children, of adults, and of old people,—of males and females,—of persons in different occupations, are so various that we can only hope to unravel their influence by a general analysis of the phenomena in different places through a series of years.

As helps towards this analysis several series of Tables have appeared in the Appendices to your Reports.

The division of the country for registration purposes is based upon the Poor Law Unions which have towns in their centre, and our calculations have gone generally to show the mortality in the districts of England and Wales. The Ninth Report showed the rates of mortality of males and females at each of seventeen periods of life, and at all ages, in the eleven Divisions, in 40 counties of England ; the three ridings of Yorkshire ; in North and South Wales ; and in 324 groups of districts. The calculations are founded upon the living at ages enumerated at the Census of 1841, and upon the deaths at the same ages in the seven years 1838–44.*

Again, the Sixteenth Report contains Tables of the density of the population, and of the annual mortality, during the ten years 1841–1851. The rates of mortality are deduced from the registered deaths in the ten years 1841–50, and from the populations enumerated at the Censuses of 1841 and 1851. The facts are printed in detail in the Thirteenth Report. The corresponding facts for the years 1851–60 will be found in the Twenty-third Report.

The present volume, in a Table (pp. xxxvii–lviii), shows the annual rate of mortality per 1000 in all the districts, counties, and divisions of England during each of the decenniads 1841–50 and 1851–60. It also exhibits in an elaborate series of Tables (pp. lix–cxv) the deaths and the rate of mortality among males and females of the ages under 5 years, 5–10, 10–15, 15–20, 20–25, 25–35, 35–45, 45–55, 55–65, 65–75, 75–85, 85 and upwards ; as well as the causes of death at all ages.

It is shown in the Introduction to the English Life Table that the mean of the population at the beginning and end of a period is somewhat above the mean numbers living through the period, when

* See Ninth Annual Report of Registrar-General.

the population of a district increases in geometrical progression, and that consequently when the deaths of such a district are divided by the living thus determined the quotient is rather too small ; * so the rate of mortality in the present series of Tables is slightly understated in the districts increasing in a geometrical ratio. The labour of obtaining the years of life by integration would have been beyond the compass of the force at our disposal ; and such errors as have been mentioned are of little practical importance in dealing with the limited numbers of even large districts, subject to various local disturbances from migration and other causes, and only yielding results approximating more or less to settled averages. Some inaccuracies in the statement of the ages also interfere with the results, but to a less extent than might at first be supposed ; † and they will not interfere essentially with the comparisons to be drawn between the rates of mortality in the various town and country districts of the kingdom.

In the large hospitals and lunatic asylums the mortality is so much higher than the mortality of the rest of the population that the mortality of the district deduced from the living and dying, including hospital patients, does not correctly express the mortality of the inhabitants of the place. We have not been able to eliminate this element of disturbance in the Tables of ages, but in the Table (pp. xl–lviii) this correction has been to some extent carried out. Local inquirers alone are in a condition to correct effectively local derangements.

I. The Rate of Mortality and the probability of Dying.

If on an average of years out of 1000 children born simultaneously, 149 die in the twelve months following the date of birth, the probability of dying is expressed by the fraction 0·149 : that is the *death-chance* of a new-born infant under the given law of mortality. As 851 of them survive, 0·851 is the fraction to express the probability of living ; it is the *life-chance*. Now ·851 + ·149 = 1 = life-chance + death-chance.

This probability is often expressed thus : the chances are 851 to 149 that a new-born child will live a year. The value of £1 payable if the child should live a year is 17*s*. (£·851) ; the value of £1 payable on the death of the child is 3*s*. (£·149) ; the chances in favour of life being greater than the chances in favour of death.

The lives may be looked at with a view to determine the persistency of the life-force ; which is such in the present case, that 851 live out of 1000 during one revolution of the earth ; at the age of 20 it is such that 992 out of 1000 men live a year. The proportions vary under varying conditions, but these variations do not accurately denote the vital force, which is only correctly measured on the *scale of mortality*.

The mortality is determined by the ratio which the deaths bear to the years of life. ‡ "The men living, and the time expressed in years, "multiplied into each other, produce the years of life with which the "deaths are compared. A year of life is the lifetime unit." It is represented by one person living through a year ; or by two persons living through half a year. A regiment of an average strength of 1000 men during three years represents 3000 years of life ; and if the deaths in the three years are 60, the rate of mortality is thus expressed: $m = \frac{60}{3000} = \cdot 02$; or the mortality is said to be at the rate of 2 per cent. per annum. The 100 years of life are a fixed quantity ; and as it is found that under various circumstances, and at different ages, the rate varies from 1 to 2, 3, 4, 5 up to 50, this scale serves to measure the life-force,

---

* See Introduction to English Life Table, pp. xiv to xx.

† See Introduction to English Life Table, page xxi, where the error and its natural correction are discussed.

‡ See Introduction to English Life Table, pp. xiv to xx.

or the complementary death-force, in the same way as the centigrade scale of the thermometer serves to measure heat.

A thermometer is not a convenient measure of heat unless at all temperatures it contains the same quantity of mercury, and unless each degree measures equal expansions of the mercury. If the mercury escapes, a correction is required to give the expansion of equal quantities of mercury at every degree of temperature. In observing with the barometer, the measure is adjusted at both ends, so as to give the exact height of the column above the mercury in its well.

So, to determine the rate of mortality on a strength of 1000 men joined by no recruits, it is necessary to take their mean strength during the whole period of observation; for if one man dies at the end of a week, 999 only remain afterwards exposed to risk, and if the numbers are reduced at variable intervals to 990, to 985, to 911, to 700, to 600, and so on, it is evident that the years of life in the same time will be less than the years of life in a regiment which obtains a recruit for every casualty. All that is required in such cases is to take the observations so as to give the true years of life; and the ratio which these years of life bear to the deaths is the exact measure of the mortality. It is evident, on the other hand, that such a measure is not supplied by a comparison of the deaths in a year, for example, to the living at the beginning of that year. The results by this method are only strictly comparable when the deaths are in the same proportion and occur in the same periods of the year.

By the English Life Table 1000 infants followed through their first year of age yield nearly 903 years of life; and the mortality is at the rate of $\frac{149}{903}$, or, more correctly, $\frac{149493}{902781} = \cdot 16559$. It is 16·559 per cent. per annum. The probability of dying is ·149493; and upon the erroneous assumption that this is the rate of mortality it would be 14·949 per cent. per annum; less by 1·610 than the true rate, with which it should never be confounded.

At other ages than the first year the rate of mortality serves to give the probability of living a year, and thus supplies the fundamental elements of a Life Table. The difference between the rate of mortality (m), and the probability of dying (p), becomes less in proportion as the two fractions diminish; for upon the hypothesis that the deaths in a year occur at equal intervals in the year, the relation of p and m is thus expressed:

$$p = \frac{1 - \frac{1}{2}m}{1 + \frac{1}{2}m} = \frac{2 - m.}{2 + m.}$$

II. Mortality at different Stages of Life.

The Mortality of Infants.

As there are difficulties in determining the ages of the oldest people in the population, so there are great difficulties in determining the rate of mortality among infants, from the want of exactly observed facts. The infants in the first year of life are to some extent mixed up with infants in the second year of age; and their numbers fluctuate from year to year, owing to fluctuations in the births, and the mortality from zymotic and other diseases, so that the years of infant life cannot be accurately deduced from decennial enumerations of the infants living at the date of the Census. Again, the mortality diminishes so rapidly after the date of birth, and at such various rates under different conditions, that it is necessary to subdivide the first year into months, and even days, to get results exactly comparable. The still-born children in England are not registered; and a certain number of infants that breathe for a short time are, it is believed, to save the burial fees, interred as the still-born are buried, and so escape registration. Upon the other hand, the deaths

of premature children born alive are registered; and they amounted to 45,814 out of 626,340 deaths of infants under 1 year of age in the six years (1858–63) that they have been distinguished from infants dying of debility (see Table I.) The recognized proportion is 7·315 per cent., so that to obtain the rate of mortality among children *born at the full term* of *nine months*, the premature children, if we had the means, should be struck out of the account both of the living and dying. This is impossible in the present state of statistical observation. But it happens that these deaths of premature children serve as probably more than a sufficient set-off against the infants of full term dying soon and escaping registration.

The age of man is reckoned from the date of birth; but before that date the fœtus has lived its intra-uterine life, and the instant in which the sperm-cell and germ-cell intermingle is the true time of the embryo's origin. Respecting the rate of embryonic mortality there is little definite information; but it is probable that as the mortality in the first year of breathing life rapidly increases as we proceed backwards from the twelfth to the third, second, and first month, the same law prevails during embryonic life, until we arrive at the destruction of an immense proportion of the spermatozoa and ova which are provided to secure the continuation of the species. This question well deserves the attention of the Obstetric Society, and is intimately connected with abortions, miscarriages, and still-births.*

The annexed Table (Table II.) from the English Life Table shows the estimated numbers of males and females surviving each month, and the annual rates of mortality in each month. It will be observed that the rate of mortality rapidly declines month by month; and that the mortality of boys in every month exceeds that of girls, so that at the end of the first year the number of boys does not greatly exceed the number of girls.

The mortality of infants in FRANCE was such in the first year as to reduce 1,000,000 to 820,065, according to the experience acquired by following the births in 1856–60 for the 12 months following. The deaths were 179,935, and the probability of dying 0·179935.

The French returns show the deaths in the first week of life; and by the returns of 1856 the mortality was at the rate of 154 per cent. per annum in the first seven days, 120 in the second seven days, and 54 in the sixteen days following. The mean births were 927,226; the deaths in the three periods were 27,002, 20,517, and 20,618, making 68,137 deaths

TABLE I.—**Deaths** of **Children** in the **First Year** of **Age** from **All Causes** and from **Premature Birth** in **England** and **Wales** in each of the Years **1858** to **1863.**

YEARS.	BOTH SEXES.		BOYS.		GIRLS.	
	ALL CAUSES.	PREMATURE BIRTH.	ALL CAUSES.	PREMATURE BIRTH.	ALL CAUSES.	PREMATURE BIRTH.
1858	103,837	7,306	57,816	4,141	46,021	3,165
1859	105,629	7,432	58,932	4,228	46,697	3,204
1860	100,984	7,642	56,892	4,328	44,092	3,314
1861	106,428	7,610	59,673	4,371	46,755	3,239
1862	101,373	7,704	56,960	4,290	44,413	3,414
1863	108,089	8,120	60,707	4,554	47,382	3,566

* Dr. Granville has the merit of having called attention to the importance of the subject. In his *Report of the Practice of Midwifery at the Westminster General Dispensary*, for 1818, he showed that of 400 pregnant married women who applied at the Dispensary 128 had miscarried within the previous ten years one time or more; in all 305 times. The 128 women had given birth during the same term of years to 556 live children, 305 dead embryos. 272 of the women had not miscarried at all; and Dr. Granville does not say to how many living children they had given birth. Of the 305 miscarriages, 185 occurred in the first 3 months of pregnancy, 65 in 3–6 months, and 55 in 6–8 months. (pp. 39–48.)

in the first month of life. So out of 1,000,000 births 29,121 die in the first week, 22,128 in the second week, and 22,236 in the sixteen days following.

In England and Wales the deaths of 2,374,379 infants in the first year of age were registered in the 26 years 1838–63 ; and of the number 1,329,287 were boys, 1,045,092 were girls.

996,630 deaths at the same age were registered in the ten years 1851–60 ; of boys 557,213, and of girls 439,417. Nearly 100,000 infants died annually ; in the proportion of about 56 boys to 44 girls.

Causes of Death in Infancy : Age 0—1.

The causes of death are necessarily obscure. The small organs are not fully developed, and the functions are often not easily explored. Of the subjective symptoms no information is supplied by the little patient.

When the zymotic diseases are fully developed they are distinguishable in infants. The Table (pp. 2 and 3) shows the number of deaths from the various species. Whooping-cough was fatal in infancy ; but the bowel complaints were nearly three times as fatal as whooping-cough. Thus in the ten years 5,027 boys and 4,114 girls died annually of diarrhœa, dysentery, or cholera. From all zymotic diseases, 11,442 boys and 9956 girls died annually. Of scrofula, phthisis, and hydrocephalus 3547 boys and 2723 girls died annually.

The convulsive diseases and other affections of the brain and spinal chord were fatal to 12,448 boys and 9171 girls of the first year of age annually. The diseases of the lungs were less fatal. 607 of the boys and 532 of the girls died by accidental or other violence yearly.

Nothing is known in our statistics about the still-born, as they are not at present registered, on the ground that it is difficult to distinguish them from abortions and miscarriages. But the difficulties are not insuperable; and in many ways the facilities of burying still-born children unregistered throw open the gate of temptation to crime.

TABLE II.—**Life Table** for **each Month** of the **First Year** of **Age** and **Annual Rate** of **Mortality per Cent.** of **Children** at **each Month under 1 Year** of **Age** in **England** and **Wales.**

AGE.	LIVING at 0 and at the end of each Month of Age.			DEATHS in each Month of Age.			ANNUAL RATE of MORTALITY per Cent. at each MONTH under 1 Year of Age.			AGE.
	$l_{\frac{x}{12}}$			$d_{\frac{x}{12}}$			$m_{\frac{x}{12}}$			
$\frac{x}{12}$ (Months.)	BOTH SEXES.	BOYS.	GIRLS.	BOTH SEXES.	BOYS.	GIRLS.	BOTH SEXES.	BOYS.	GIRLS.	$\frac{x}{12}$ (Months.)
0	1,000,000	511,745	488,255	46,503	26,787	19,716	57·132	64·501	49·455	0—
1	953,497	484,958	468,539	17,195	9,640	7,555	21·837	24·093	19·507	1—
2	936,302	475,318	460,984	12,178	6,758	5,420	15·710	17·184	14·192	2—
3	924,124	468,560	455,564	10,100	5,598	4,502	13·187	14·423	11·918	3—
4	914,024	462,962	451,062	9,550	5,220	4,330	12·604	13·869	11·306	4—
5	904,474	457,642	446,832	9,033	5,044	3,989	12·050	13·299	10·761	5—
6	895,441	452,598	442,843	8,547	4,771	3,776	11·509	12·717	10·276	6—
7	886,894	447,827	439,067	8,087	4,498	3,589	10·992	12·114	9·849	7—
8	878,807	443,329	435,478	7,657	4,229	3,428	10·501	11·502	9·484	8—
9	871,150	439,100	432,050	7,253	3,959	3,294	10·033	10·868	9·184	9—
10	863,897	435,141	428,756	6,872	3,691	3,181	9·584	10·222	8·936	10—
11	857,025	431,450	425,575	6,518	3,424	3,094	9·161	9·561	8·756	11—12
12	850,507	428,026	422,481	—	—	—	—	—	—	—

NOTE.—This Table was calculated from the Corrected Births and from the Deaths registered in the 17 Years 1838-1854 under 3 months, at 3 and under 6 months, and at 6 months and under 1 year (see Note to Table VII., p. xxiii of English Life Table). Of 1,000,000 Persons born, 953,497 were living at the end of the first month of age, 46,503 having died in the interval, of whom 26,787 were Males and 19,716 were Females ; 936,302 were living at the end of the second month, and the deaths in that month were 17,195, of whom 9,640 were Males and 7,555 were Females. The *Annual* Rate of Mortality per Cent. of Infants under 1 month was 57·132, viz., Males 64·501, Females 49·455, and so on for other Ages.

Children under Five Years of Age: 0—5.

NOTE.—The Rates in the text show the deaths to 100 living, unless another basis is indicated.

By the English Life Table, the mortality, it will be seen, decreases rapidly after the first year of life. The annual mortality of males per cent. in each of the first five years of age is 18·326, 6·680, 3·624, 2·416, and 1·799; of females 14·749, 6·436, 3·603, 2·450, and 1·785.

The mortality of males by the Life Table under five years of age is 7·014, of females 6·125. During the ten years, 1851–60, the mortality of males of ages (0–5) in somewhat different proportions was 7·243 per cent., of females 6·274 per cent. The proportions of the first and second year's children are higher in the increasing population than they are in the Life Table.

When the mortality by each cause is treated of, we may take, to avoid fractions, 1,000,000 males living a year for basis; then to that number the annual deaths of zymotic diseases were by small-pox 1047, typhus, typhia, and typhinia inclusive, 1401, measles 2847, whooping cough 3246, scarlatina 4311, diphtheria 431, cholera, diarrhœa, and dysentery 5625; making, with others, 22,420 deaths out of 1,000,000 boys by all zymotic diseases, against 21,772 out of the same number of girls. Whooping cough was more fatal to girls than it was to boys in the proportion of 4003 girls to 3246 boys; so was typhus or typhia; all the other zymotics were more fatal to boys than to girls.

Cancer was fatal to few children; and the deaths were probably from soft cancer (fungus hæmatodes). There were many deaths from scrofula and phthisis. Hydrocephalus killed boys in the proportion of 2915 to 2162 girls; other diseases of the brain in the proportion of 12,169 boys to 9479 girls. These brain diseases constitute a sixth part of the mortality of the young boys, and between one sixth and one seventh of the mortality of girls.

TABLE III.—**Average Annual Number of Deaths of Males by different Causes at certain Ages to 1,000,000 Males living of those Ages in England in the TEN YEARS 1851–60.**

Diseases.	PROPORTIONAL NUMBERS TO **1,000,000 living.** AGES.—**Males.**											
	0–5	5–10	10–15	15–20	20–25	25–35	35–45	45–55	55–65	65–75	75–85	85 and upwds.
All Causes	72,433	8,510	4,881	6,689	8,829	9,574	12,481	17,956	30,855	65,332	146,671	310,083
Small-pox	1,047	271	70	105	174	119	69	53	34	27	19	30
Measles	2,847	262	32	11	8	5	3	2	1	1	1	—
Scarlatina	4,311	1,985	461	146	67	39	30	20	15	10	8	—
Diphtheria	431	228	85	39	21	11	12	9	11	14	20	30
Whooping cough	3,246	133	6	1	1	1	·1	·3	·4	1	—	—
Typhus	1,401	937	687	858	850	673	649	779	1,043	1,563	1,740	1,471
Cholera, Diarrhœa, and Dysentery	5,625	233	111	113	180	241	319	492	938	2,230	4,927	7,690
Other Zymotic Diseases	3,512	463	179	204	207	324	518	714	1,084	1,941	3,320	4,603
Cancer	21	10	8	16	27	63	175	422	931	1,504	1,734	1,860
Scrofula and Tabes Mesenterica	2,066	312	250	228	212	160	115	126	143	185	122	91
Phthisis	1,329	525	763	2,397	4,055	4,034	4,005	3,330	3,333	2,389	977	549
Hydrocephalus	2,915	396	105	31	12	7	7	7	8	8	12	—
Diseases of the Brain	12,169	607	361	397	440	638	1,180	1,990	4,097	9,831	17,088	19,785
Diseases of the Heart and Dropsy	426	210	241	322	347	514	1,002	1,898	4,130	8,714	12,409	10,617
Diseases of the Lungs	11,296	585	221	333	545	772	1,524	3,092	6,516	13,416	21,088	25,608
Diseases of the Stomach and Liver	1,470	258	219	268	326	464	890	1,664	3,032	4,837	5,246	4,375
Diseases of the Kidneys	66	47	47	77	105	174	292	471	937	2,453	4,265	4,298
Diseases of Organs of Generation	5	1	1	·3	2	2	4	7	11	19	27	38
Diseases of the Joints	56	71	93	91	80	61	62	79	113	165	142	91
Diseases of the Skin	164	12	10	13	14	14	23	43	85	202	407	511
Violent Deaths	1,451	643	769	863	949	999	1,152	1,369	1,013	1,810	2,248	3,270
Other Causes *	16,579	291	162	174	207	259	450	889	2,680	14,012	70,871	225,166

The Table may be read thus:—Of 1,000,000 males living in England aged 25 and under 35, 9,574 died annually, on an average of the Ten Years 1851-60, viz., 119 by Small-pox, 673 by Typhus, 4,034 by Phthisis, 772 by Diseases of the Lungs, and so on for the other diseases.

* The diseases included under the head of "*Other Causes*" are Gout, Noma, Mortification, Premature Birth, Cyanosis, Spina Bifida, Other Malformations, Teething, Paramenia, Old Age, Atrophy and Debility, Sudden Deaths, and Causes not specified. The majority of deaths from these Causes are those of children and of persons of advanced ages. In the year 1860 the number of male children under 5 years of age referred to "*Other Causes*" amounted to 20,188, of males aged 65 and upwards 14,421, and of males of all other ages (5 and under 65) 2,998.

Convulsions in infancy is the capital head under which these affections accumulate. Like diarrhœa, convulsion is the result of teething, local irritations, poisons, zymotic action in the early stage, before the development of its characteristic symptoms. The nerve-force is thrown into motion by a great variety of causes; and the convulsion of the muscles is so striking a symptom that it overwhelms all others, some even more dangerous in their essence.

The heart and lungs—the great seats of the circulatory and respiratory systems—are intimately connected. Death ensues when the heart does not beat. The stoppage of the breath, or anything to prevent the access of oxygen and the expulsion of carbonic acid, is fatal. Thus from the affections of the respiratory system we have a mortality of 11,296 boys and 9499 girls per million. The lung and the brain diseases of girls are equally fatal.

The diseases of the digestive organs produced a mortality of 1470 boys and 1121 girls.

The maladies of the urinary organs, of the organs of generation, of the joints (excluding scrofula), and skin are rarely fatal in childhood.

The violent deaths are nearly as fatal as the idiopathic diseases of the digestive organs, for 1451 boys 1138 girls per million living died annually by violence.

Under other causes are included premature births, atrophy, and debility, malformations, teething, as well as cases in which the causes are unspecified. There are 16,579 annual deaths to a million boys, and 13,885 deaths to a million girls, from a group of causes, including malformations, premature birth, atrophy, debility, and other ill-defined developmental diseases.

Mortality of Children (0—5) in different districts.

Death in childhood is an unnatural event, inasmuch as the regular series of development of the human structure from the germ-cell to the perfect man in his prime, and in his last declining stage of existence, is

---

TABLE IV.—**Average Annual Number of Deaths of Females by different Causes at certain Ages to 1,000,000 Females living of those Ages in England** in the TEN YEARS 1851–60.

Diseases.	PROPORTIONAL NUMBERS TO **1,000,000 living.** AGES.—**Females.**											
	0–5	5–10	10–15	15–20	20–25	25–35	35–45	45–55	55–65	65–75	75–85	85 and upwds.
All Causes	62,744	8,418	5,056	7,385	8,530	9,925	12,147	15,198	27,007	58,656	134,338	289,558
Small-pox	1,021	243	76	81	91	68	37	23	14	10	9	20
Measles	2,749	288	44	15	10	8	4	2	2	1	2	—
Scarlatina	4,071	1,998	528	154	79	48	31	19	14	11	9	—
Diphtheria	430	280	124	44	19	15	12	10	9	11	12	15
Whooping-cough	4,003	215	14	2	·4	1	·4	·4	·4	·3	2	—
Typhus	1,434	1,077	878	1,026	781	627	597	647	888	1,279	1,435	1,273
Cholera, Diarrhœa, and Dysentery	4,899	224	101	109	171	271	372	473	926	2,157	4,675	7,394
Other Zymotic Diseases	3,165	453	179	170	172	204	278	381	683	1,549	2,663	3,685
Cancer	23	9	9	18	30	141	592	1,278	1,853	2,351	2,353	2,259
Scrofula and Tabes Mesenterica	1,773	253	214	189	132	120	106	108	136	146	114	69
Phthisis	1,281	620	1,292	3,515	4,289	4,575	4,175	3,120	2,383	1,635	754	474
Hydrocephalus	2,162	331	98	30	8	6	4	5	5	7	8	—
Diseases of the Brain	9,479	558	356	408	434	532	872	1,681	3,818	8,905	15,026	16,460
Diseases of the Heart and Dropsy	356	215	272	352	390	603	1,118	2,064	4,558	8,916	11,531	9,347
Diseases of the Lungs	9,499	607	240	342	413	582	1,049	2,062	5,027	11,016	17,648	21,796
Diseases of the Stomach and Liver	1,121	245	194	307	403	570	937	1,608	2,967	4,392	4,958	3,714
Diseases of the Kidneys, &c.	38	24	30	43	69	109	151	212	317	485	470	365
Ovarian Dropsy and Uterus	7	·3	2	15	46	98	208	290	310	315	256	158
Diseases of the Joints	53	53	62	61	39	44	56	62	92	121	101	84
Diseases of the Skin	157	9	8	8	8	12	22	31	75	191	319	404
Childbirth and Metria	—	—	·1	144	612	886	904	71	—	—	—	—
Violent Deaths	1,138	427	164	156	125	127	176	274	382	718	1,854	4,064
Other Causes	13,885	289	171	196	206	278	446	777	2,548	14,140	70,139	217,977

interrupted. But life at all ages depends upon so many conditions, and is exposed to so many risks, that out of given numbers living some die at every age, and we can only take for a practical standard the lowest authenticated rates of mortality.

TABLE V.— **Average Annual Number** of **Deaths** of **Males** by **different Causes** at **certain Ages** to **1,000,000 Deaths** of **Males** from **All Causes** in **England** in the TEN YEARS 1851–60.

Diseases.	PROPORTIONAL NUMBERS TO **1,000,000 Deaths** from **All Causes.** AGES.—**Males.**											
	0–5	5–10	10–15	15–20	20–25	25–35	35–45	45–55	55–65	65–75	75–85	85 and upwds.
All Causes	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
Small-pox	14,449	31,800	14,354	15,742	19,674	12,473	5,505	2,924	1,090	408	128	98
Measles	39,307	30,732	6,539	1,633	862	493	276	120	31	16	7	—
Scarlatina	59,511	233,318	94,426	21,767	7,566	4,073	2,417	1,111	483	150	54	—
Diphtheria	5,948	26,746	17,411	5,846	2,381	1,147	925	499	305	220	135	98
Whooping-cough	44,813	15,646	1,316	163	82	77	7	14	12	21	—	—
Typhus	19,337	110,104	140,647	128,333	96,265	70,266	51,960	43,373	33,801	23,923	11,864	4,744
Cholera, Diarrhœa, and Dysentery	77,663	27,423	22,655	16,917	20,413	25,170	25,577	27,402	30,408	34,138	33,595	24,800
Other Zymotic Diseases	48,489	54,370	36,584	30,487	23,451	33,794	41,525	39,767	35,145	29,715	22,632	14,845
Cancer	292	1,131	1,680	2,417	3,065	6,537	13,978	23,507	30,172	23,016	11,823	5,997
Scrofula and Tabes Mesenterica	28,524	36,684	51,283	34,014	24,011	16,731	9,205	7,009	4,626	2,834	834	295
Phthisis	18,345	61,718	156,399	358,432	459,228	421,391	320,869	213,310	108,018	36,569	6,659	1,770
Hydrocephalus	40,237	46,516	21,582	4,605	1,382	739	567	387	260	123	81	—
Diseases of the Brain	168,010	71,370	74,039	59,390	49,788	66,655	94,544	110,803	132,784	150,484	116,501	63,806
Diseases of the Heart and Dropsy	5,875	28,174	49,460	48,139	39,253	53,720	80,312	105,720	133,837	133,378	84,603	34,238
Diseases of the Lungs	155,947	68,758	45,209	50,148	61,677	80,599	122,128	172,207	214,414	205,346	143,777	82,584
Diseases of the Stomach and Liver	20,291	30,256	44,865	39,991	36,900	48,500	71,272	92,680	98,277	74,040	35,768	14,108
Diseases of the Kidneys	907	5,497	9,718	11,545	11,917	18,186	23,369	26,221	30,370	37,546	29,075	13,862
Diseases of Organs of Generation	68	63	142	49	246	169	313	408	347	284	182	123
Diseases of the Joints	774	8,288	19,092	13,553	9,057	6,321	4,938	4,415	3,666	2,522	969	295
Diseases of the Skin	2,258	1,459	2,004	1,911	1,601	1,478	1,805	2,383	2,768	3,097	2,778	1,647
Violent Deaths	20,034	75,546	157,472	129,003	107,443	104,368	92,299	76,230	52,287	27,707	15,328	10,544
Other Causes	228,921	34,401	33,123	25,915	23,738	27,113	36,209	49,510	86,839	214,463	483,207	726,146

The Table may be read thus :—Of 1,000,000 deaths of males aged 25 and under 35 in England annually, on an average of the Ten Years 1851–60, 12,473 were by Small-pox, 70,266 by Typhus, 421,391 by Phthisis, 80,599 by Diseases of the Lungs, and so on for the other diseases.

TABLE VI.— **Average Annual Number** of **Deaths** of **Females** by **different Causes** at **certain Ages** to **1,000,000 Deaths** of **Females** from **All Causes** in **England** in the TEN YEARS 1851–60.

Diseases.	PROPORTIONAL NUMBERS TO **1,000,000 Deaths** from **All Causes.** AGES.—**Females.**											
	0–5	5–10	10–15	15–20	20–25	25–35	35–45	45–55	55–65	65–75	75–85	85 and upwds.
All Causes	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
Small-pox	16,277	28,921	14,993	10,943	10,688	6,849	3,071	1,529	524	174	64	68
Measles	43,810	34,256	8,746	1,967	1,172	789	312	158	65	10	17	—
Scarlatina	64,888	237,324	104,395	20,851	9,249	4,320	2,570	1,220	537	185	64	—
Diphtheria	6,858	33,279	24,532	5,930	2,178	1,503	980	666	334	190	87	51
Whooping-cough	63,805	25,539	2,797	321	51	67	36	24	13	5	12	—
Typhus	22,859	127,997	173,667	138,904	91,507	63,132	49,128	42,600	32,865	21,814	10,685	4,395
Cholera, Diarrhœa, and Dysentery	78,079	26,380	20,010	14,789	20,001	27,275	30,641	31,118	34,286	36,780	34,800	25,534
Other Zymotic Diseases	50,449	53,870	35,320	22,993	20,115	20,568	22,923	25,040	25,290	26,411	19,820	12,726
Cancer	368	1,095	1,765	2,462	3,465	14,164	48,737	84,107	68,597	40,085	17,519	7,802
Scrofula and Tabes Mesenterica	28,264	30,080	42,262	25,528	15,529	12,114	8,764	7,182	5,035	2,496	850	238
Phthisis	20,419	73,601	255,533	476,031	502,758	461,025	343,750	205,261	88,251	27,867	5,614	1,635
Hydrocephalus	34,450	39,280	19,455	4,109	981	640	370	317	203	118	58	—
Diseases of the Brain	151,070	66,247	70,502	55,267	50,894	53,614	71,775	110,637	141,359	151,818	111,352	56,844
Diseases of the Heart and Dropsy	5,681	25,528	53,843	47,720	45,760	60,719	92,019	135,328	168,784	152,003	85,835	32,230
Diseases of the Lungs	151,398	72,055	47,537	46,248	48,397	58,670	86,326	135,694	186,139	187,799	131,371	75,275
Diseases of the Stomach and Liver	17,868	29,146	38,355	41,571	47,581	57,389	77,170	105,780	109,862	79,992	36,904	12,827
Diseases of the Kidneys	607	2,845	6,029	5,857	8,090	10,982	12,460	13,970	11,738	8,262	3,498	1,261
Ovarian Dropsy and Uterus	104	32	397	2,025	5,401	9,849	17,158	19,105	11,470	5,377	1,902	545
Diseases of the Joints	845	6,237	12,296	8,320	4,548	4,416	4,647	4,089	3,424	2,055	752	290
Diseases of the Skin	2,502	1,127	1,507	1,107	955	1,254	1,786	2,021	2,769	3,255	2,376	1,397
Childbirth and Metria	—	—	20	19,406	71,799	89,302	74,440	4,659	—	—	—	—
Violent Deaths	18,142	50,632	32,366	21,171	14,663	12,788	14,500	18,012	14,128	12,244	13,801	14,036
Other Causes	221,257	34,269	33,673	26,419	24,218	28,071	36,437	51,033	94,327	241,060	522,119	752,796

Thus in the 63 Healthy Districts of England the annual mortality of boys under five years of age was at the rate of 4·348, and of girls 3·720 per cent.; the mean being 4·034.

Twenty-eight districts have been selected, showing the low annual rate of mortality 3·348 for the mean of the rates of the two sexes: the boys dying at the rate 3·576, the girls at the rate 3·120.

TABLE VII.—**Numbers living** in 1861, and **Deaths** in 10 Years 1851–60 of Children **under 5 Years of Age,** in 28 DISTRICTS where the average annual Rate of MORTALITY of BOYS of that Age in the 10 Years was below 4 per Cent.

No. of District.	DISTRICTS.	LIVING under 5 Years of Age in 1861.		DEATHS of CHILDREN under 5 Years of Age in 10 Years 1851–60.	
		Males.	Females.	Males.	Females.
41	Farnborough	770	794	251	225
42	Hambledon	1002	959	362	298
82	East Grinstead	1021	957	382	351
89	Thakeham	518	550	167	196
95	Havant	423	457	170	148
100	Lymington	816	803	311	280
104	New Forest	899	856	344	312
113	Alresford	441	447	172	146
130	Easthampstead	501	485	169	138
291	Okehampton	1289	1221	506	438
292	Crediton	1340	1339	530	472
312	Scilly Islands	145	126	49	36
385	Tenbury	456	434	164	127
487	Sedburgh	276	296	101	95
536	Leyburn	621	637	250	189
557	Bellingham	420	398	112	82
562	Glendale	876	844	304	284
563	Rothbury	500	447	124	108
572	Bootle	389	357	134	90
574	West Ward	530	512	213	146
590	Narberth	1413	1460	584	518
593	Cardigan	1009	1052	433	388
594	Newcastle-in-Emlyn	1103	1120	422	344
595	Lampeter	614	626	233	192
598	Tregaron	745	735	272	205
616	Bala	367	343	118	107
617	Dolgelly	742	740	242	230
619	Pwllheli	1271	1194	509	421

TABLE VIII.—**Average Annual Rate of Mortality** per Cent. of CHILDREN **under 5 Years of Age** in the 10 Years 1851–1860 in 28 DISTRICTS where the MORTALITY of BOYS at that AGE was below 4 per Cent., **arranged in the Order of the Mean Mortality.**

No. of District.	DISTRICTS.	CHILDREN UNDER 5 YEARS OF AGE. MORTALITY PER CENT.		
		Both Sexes (Mean).	Boys.	Girls.
557	Bellingham	2·317	2·593	2·040
563	Rothbury	2·497	2·505	2·488
572	Bootle	2·980	3·481	2·479
616	Bala	3·052	3·073	3·031
312	Scilly Islands	3·065	3·403	2·727
617	Dolgelly	3·080	3·168	2·991
562	Glendale	3·220	3·255	3·184
487	Sedbergh	3·262	3·389	3·135
594	Newcastle-in-Emlyn	3·277	3·511	3·042
595	Lampeter	3·308	3·563	3·052
385	Tenbury	3·327	3·636	3·017
598	Tregaron	3·345	3·858	2·831
130	Easthampstead	3·361	3·682	3·040
536	Leyburn	3·370	3·823	2·917
113	Alresford	3·399	3·755	3·042
574	West Ward	3·419	3·894	2·944
95	Havant	3·488	3·846	3·120
42	Hambledon	3·494	3·755	3·232
89	Thakeham	3·500	3·193	3·806
41	Farnborough	3·572	3·786	3·358
593	Cardigan	3·620	3·812	3·428
100	Lymington	3·622	3·821	3·423
104	New Forest	3·625	3·764	3·486
619	Pwllheli	3·655	3·967	3·333
292	Crediton	3·672	3·903	3·440
291	Okehampton	3·713	3·901	3·524
590	Narberth	3·755	3·978	3·531
82	East Grinstead	3·760	3·809	3·710

The twenty-eight districts are found in all the regions of England and Wales, from the northern limits of Northumberland to the New Forest on the Southampton Waters.

The mortality was at the annual rate of 2·317 in Bellingham; 2·593 for boys, 2·040 for girls. This rate is slightly exceeded in the adjoining district of Rothbury, also on the border of Northumberland; and in Bootle north of the Duddon on the coast of Cumberland.

The mortality among the families of the British Peerage has been investigated with much care and ability by Mr. A. H. Bailey and Mr. A. Day.* They confined their investigation to the peers, the children of peers, and the children of the eldest sons of peers living in the present century. The numbers existing on December 31, 1855, were 4282; 2283 males, and 1999 females.

The mortality of peers' children under five years of age was at the rate of 2·069 per cent.; among boys under five years of age 2·227, girls 1·882.

The number of facts for the Peerage is small; as the deaths of boys were 274, of girls 196; or 470 in the aggregate. For Bellingham the deaths of boys in ten years were only 112, of girls 82; 194 in the aggregate. The districts of the lowest mortality are very thinly peopled, but there is no reason to suspect that any of the deaths are unregistered. And the mortality only proceeds gradually step by step up to 3·500 in many other districts.

Dr. Joseph John Fox, in a valuable paper on the vital statistics of the Society of Friends, found that by the returns in the "Annual Monitor" the mortality under five years of age in 1842–52 was at the rate for boys of 3·190, of girls 2·383†. This mortality differs little from the mortality of the peerage. Another return makes the mortality of the boys of Friends 5·598, of the girls 4·733.

The mortality of 1087 children of the clergy has been investigated by the Rev. John Hodgson, M.A., who procured returns in 1829 and 1858 from the parents; the mortality of the boys was at the rate of 3·729, of the girls at the rate of 2·302 in the years under observation; making the mean mortality of the sexes 3·027.‡

Very different are the rates of mortality among children in one hundred and fifty-one districts; where the lowest mortality among boys is at the rate of 7·084, and the highest at the rate of 13·741 per cent. annually. The mean mortality of the districts was for boys 8·593, for girls 7·432, for both sexes 8·013.

These mean rates are obtained by adding up the district rates, and dividing by the number of districts.

The population of children in the one hundred and fifty-one districts was 1,391,420 in 1861; and the annual deaths at the rate (3·348) of twenty-eight healthy districts (Table VIII.) would be 46,585; while at the mean rate (8·013) it would be 111,494. Thus there is an annual sacrifice of about 64,909 children's lives by various causes in one hundred and fifty-one districts of the kingdom.

The mean annual mortality of children under five years of age was 10·022 per cent. in Sheffield, 10·149 in East London (City), 10·203 in Coventry, 10·219 in Nottingham, 10·246 in Whitechapel, 10·277 in Leeds, 10·480 in Wolverhampton, 10·852 in St. Giles (London), 11·725 in Manchester District, and 13·198 in Liverpool District.

There is no doubt great negligence on the part of the parents, great ignorance of the conditions on which health depends, and great privation among the masses of the poor, but there is no reason to suspect that any

* Assurance Magazine, vol. ix., pp. 305–326.

† Journal of Stat. Society, vol. xxii. p. 219 and p. 220. Dr. Fox says this rate "is obviously much too low," and on that ground suspects that the returns are defective.

‡ Observations on the duration of life among the clergy by the Rev. John Hodgson, M.A., Table 4. p. 36.

great number of the infants in these districts fall victims to deliberate crime; yet the children of the idolatrous tribe who passed them through the fire to Moloch scarcely incurred more danger than is incurred by the children born in several districts of our large cities.

TABLE IX.—**Numbers living** in 1861, and **Deaths** in 10 Years 1851-60 of Children **under 5 Years of Age,** in 151 Districts where the average annual Rate of MORTALITY of Boys of that Age in the 10 Years was 7 per Cent. and upwards.

Number of District.	DISTRICTS.	LIVING under 5 Years of Age in 1861.		DEATHS of Children under 5 Years of Age in 10 Years 1851-60.	
		Males.	Females.	Males.	Females.
1	Kensington	10674	10857	6383	5648
2	Chelsea	3877	3867	3124	2689
3	St. George Hanover Square	4303	4360	2959	2531
4	Westminster	4157	4261	4048	3543
5	St. Martin-in-the-Fields	1135	1140	1141	962
6	St. James Westminster	1764	1803	1555	1451
7	Marylebone	9025	9249	8147	7111
9	Pancras	12610	12730	9195	8089
10	Islington	10559	10274	5946	5095
12	St. Giles	3007	3020	3410	2939
13	Strand	2484	2363	2307	1992
14	Holborn	2606	2662	2770	2518
15	Clerkenwell	4195	4352	3336	2987
16	St. Luke	3993	3941	3745	3298
17	East London	2324	2536	2710	2378
18	West London	1460	1536	1854	1600
19	London City	1970	2037	1843	1600
20	Shoreditch	9566	9400	7240	6212
21	Bethnal Green	8016	7864	6811	5804
22	Whitechapel	5101	5117	5483	4959
23	St. George-in-the-East	3353	3432	3264	3010
24*a*	Stepney	9186	9221	6976	6101
24*b*	Mile End Old Town				
25	Poplar	6004	6073	3658	3237
26	St. Saviour	2460	2458	2541	2284
27	St. Olave	1131	1140	1324	1120
28	Bermondsey	4526	4586	3578	3139
29	St. George Southwark	3667	3676	3482	3107
30	Newington	5802	5767	3917	3456
31	Lambeth	10877	11081	7659	7077
34	Rotherhithe	1805	1801	1221	1080
35	Greenwich	8764	8452	5446	4713
53	Hoo	179	208	158	123
54	Medway	3257	3142	2203	1900
65	Canterbury	894	900	588	484
69	Sheppey	1243	1298	798	655
85	Brighton	4441	4567	3363	2925
96	Portsea Island	6291	6263	4128	3646
105	Southampton	2978	2978	2225	1882
158	Oxford	1260	1201	918	757
165	Towcester	804	848	589	515
168	Northampton	2823	2793	2225	1949
171	Wellingborough	1754	1688	1145	995
180	Biggleswade	1750	1779	1278	1096
184	Luton	1977	2007	1413	1218
190	Ely	1521	1514	1198	963
191	North Witchford	1011	981	840	667
192	Whittlesey	516	469	412	369
193	Wisbech	2056	2195	1920	1538
222	Ipswich	2542	2396	1700	1504
228	Yarmouth	1935	1865	1557	1368
234	Norwich	4624	4678	3949	3312
246	Kings Lynn	924	927	785	706
282	Exeter	1920	1869	1459	1244
287	Plymouth	3803	3827	3218	2768
288	East Stonehouse	950	931	767	649
289	Stoke Damerel	2865	2884	2286	1979
310	Redruth	3949	3816	2792	2449
329	Bristol	3963	4027	3683	3143
330	Clifton	6021	6042	4039	3499
360	Shrewsbury	1522	1522	988	843
369	Newcastle under-Lyme	1822	1870	1280	1048
370	Wolstanton	4267	4235	3623	3153
371	Stoke-upon-Trent	5252	5216	4564	3876
372	Leek	1731	1669	1229	996
379	Wolverhampton	9770	9723	9470	8505
380	Walsall	4768	4803	4043	3501
381	West Bromwich	7534	7536	5876	5183
382	Dudley	10720	10692	9596	8630
383	Stourbridge	5457	5510	4129	3435
384	Kidderminster	1904	1985	1416	1233
387	Worcester	1918	1856	1261	1045
394	Birmingham	15292	15306	13563	12017
395	Aston	7615	7768	4800	4127
398	Nuneaton	870	862	677	551
399	Foleshill	1468	1486	1321	1103
400	Coventry	2738	2892	2784	2350
411	Blaby	943	982	760	574
412	Hinckley	1090	1164	863	747
415	Loughborough	1610	1573	1269	1070
417	Leicester	4545	4516	4255	3669
424	Holbeach	1132	1204	941	797
437	Mansfield	2088	2163	1427	1180
438	Basford	5596	5570	4031	3384
439	Radford	2109	2158	1913	1645
440	Nottingham	4917	4732	4417	3809
445	Derby	3425	3500	2666	2253
448	Chesterfield	4693	4756	2822	2320
451	Hayfield	2029	2014	1671	1355
452	Stockport	5864	5904	5671	5072
453	Macclesfield	3839	3748	3349	2710
456	Northwich	2419	2517	1716	1325
457	Congleton	2377	2319	1618	1340
461	Liverpool	17591	17247	22754	20713
462	West Derby	16614	16124	11389	9959
463	Prescot	5970	5847	3892	3437
465	Wigan	7318	7133	6221	5568
466	Warrington	3458	3355	2387	2108
467	Leigh	2594	2671	2173	1794
468	Bolton	9241	9100	8809	7507
469	Bury	6661	6678	5389	4583
470	Barton-upon-Irwell	2532	2562	1655	1465
471	Chorlton	11773	11533	9483	8145
472	Salford	7239	7286	6685	6017
473	Manchester	16403	16294	18961	17002
474	Ashton-under-Lyne	8702	8719	8625	7537
475	Oldham	7599	7733	6674	5695
476	Rochdale	5813	6000	4620	4037
477	Haslingden	4691	4756	3304	2816
478	Burnley	5136	5261	4072	3536
480	Blackburn	8776	8893	7523	6538
482	Preston	7413	7491	7286	6163
494	Keighley	2678	2789	2461	2038
496	Saddleworth	1197	1206	884	817
497	Huddersfield	9296	9438	6643	5677
498	Halifax	8485	8237	6876	5950
499	Bradford	13033	13304	13098	11289
500	Hunslet	7275	7401	6324	5525
501	Leeds	7787	7926	7665	6938
502	Dewsbury	6832	7024	5554	4682
503	Wakefield	3901	3776	2505	2175
504*a*	Pontefract	2509	2545	1619	1382
505	Barnsley	3572	3543	2629	2254
507	Ecclesall Bierlow	4761	4714	2891	2546
508	Sheffield	9714	9751	8938	7995
510	Doncaster	2598	2718	1698	1464
512	Goole	1088	1041	777	608
513	Selby	1117	1135	721	642
515	York	3793	3741	2837	2443
517	Howden	1047	1018	726	582
519	Sculcoates	3597	3551	2683	2268
520	Hull	3616	3730	3069	2728
541*a*	Stockton	6753	6561	4134	3609
541*b*	Hartlepool				
542	Auckland	4312	4073	2570	2279
545	Durham	5466	5332	3790	3265
546	Easington	2216	2136	1488	1233
547	Houghton-le-Spring	1656	1676	1116	867
549	Sunderland	6748	6667	5283	4724
550	South Shields	3435	3326	2402	2136
551	Gateshead	4720	4656	3420	3013
552	Newcastle-on-Tyne	7749	7464	6588	5825
553	Tynemouth	5755	5686	4018	3527
568	Carlisle	2913	2962	2059	1858
571	Whitehaven	2828	2754	1863	1654
578	Abergavenny	4719	4719	4019	3427
579	Pontypool	2191	2215	1630	1342
580	Newport	3709	3570	2459	2075
581	Cardiff	5571	5501	3416	3008
582	Merthyr Tydfil	8109	8162	7310	6276
601	Crickhowell	1475	1505	1353	1213

A strict investigation of all the circumstances of these children's lives might lead to important discoveries, and may suggest remedies for evils of which it is difficult to exaggerate the magnitude.

The weaklier lives, it is said, are, under this state of things, cut off; but it must also be borne in mind that many of the strongest children are wounded and are left weakly for life.

TABLE X.—**Average Annual Rate of Mortality** per Cent. of Children **under 5 Years of Age** in the 10 Years 1851–60, in 151 Districts where the MORTALITY of BOYS of that Age was 7 per Cent. and upwards, **arranged in the Order of the Mean Mortality.**

No. of District.	DISTRICTS.	CHILDREN UNDER 5 YEARS OF AGE. MORTALITY PER CENT. Both Sexes. (Mean)	Boys.	Girls.
65	Canterbury	6·333	7·084	5·582
547	Houghton-le-Spring	6·365	7·126	5·604
437	Mansfield	6·417	7·124	5·709
510	Doncaster	6·458	7·017	5·898
513	Selby	6·488	7·069	5·906
504*a*	Pontefract	6·489	7·018	5·959
384	Kidderminster	6·509	7·055	5·962
517	Howden	6·510	7·153	5·867
448	Chesterfield	6·520	7·249	5·790
456	Northwich	6·559	7·458	5·660
69	Sheppey	6·620	7·209	6·031
10	Islington	6·688	7·145	6·230
3	St. George Hanover Square	6·697	7·194	6·200
165	Towcester	6·711	7·148	6·273
360	Shrewsbury	6·723	7·292	6·153
503	Wakefield	6·730	7·155	6·304
1	Kensington	6·740	7·238	6·242
171	Wellingborough	6·747	7·201	6·293
387	Worcester	6·758	7·314	6·202
497	Huddersfield	6·760	7·306	6·213
457	Congleton	6·764	7·236	6·291
180	Biggleswade	6·819	7·417	6·220
411	Blaby	6·833	7·803	5·863
190	Ely	6·842	7·635	6·049
571	Whitehaven	6·845	7·152	6·538
35	Greenwich	6·870	7·295	6·445
470	Barton-upon-Irwell	6·871	7·294	6·448
310	Redruth	6·895	7·214	6·576
246	King's Lynn	6·920	7·235	6·604
579	Pontypool	6·922	7·366	6·477
372	Leek	6·923	7·453	6·393
424	Holbeach	6·924	7·745	6·103
53	Hoo	6·933	7·980	5·885
330	Clifton	6·937	7·415	6·459
580	Newport	6·944	7·422	6·466
546	Easington	6·948	7·385	6·510
191	North Witchford	6·956	7·742	6·170
222	Ipswich	6·959	7·256	6·661
54	Medway	6·996	7·455	6·536
184	Luton	7·034	7·568	6·499
568	Carlisle	7·040	7·393	6·686
96	Portsea Island	7·050	7·478	6·621
158	Oxford	7·051	7·531	6·571
512	Goole	7·067	7·872	6·262
398	Nuneaton	7·087	7·773	6·400
282	Exeter	7·141	7·683	6·599
415	Loughborough	7·151	7·672	6·629
395	Aston	7·166	7·764	6·567
496	Saddleworth	7·212	7·447	6·977
483	Prescot	7·237	7·631	6·843
369	Newcastle-under-Lyme	7·257	8·040	6·473
192	Whittlesey	7·268	7·574	6·962
25	Poplar	7·283	7·757	6·809
553	Tynemouth	7·321	7·697	6·944
507	Ecclesall Bierlow	7·328	7·811	6·844
438	Basford	7·343	7·937	6·748
541*a*	Stockton	7·357	7·806	6·908
541*b*	Hartlepool			
515	York	7·398	7·811	6·984
412	Hinckley	7·408	7·969	6·847
542	Auckland	7·412	7·748	7·075
9	Pancras	7·421	7·943	6·899
30	Newington	7·441	7·916	6·966
545	Durham	7·465	7·901	7·028
477	Haslingden	7·476	8·116	6·835
15	Clerkenwell	7·528	7·973	7·083
85	Brighton	7·548	8·098	6·998
31	Lambeth	7·563	7·910	7·215
559	South Shields	7·578	7·888	7·268
466	Warrington	7·600	7·981	7·219
193	Wisbech	7·613	8·513	6·707
519	Sculcoates	7·629	8·217	7·041
494	Keighley	7·632	8·399	6·864
383	Stourbridge	7·634	8·387	6·880
581	Cardiff	7·636	7·998	7·273
21	Bethnal Green	7·713	7·991	7·434
451	Hayfield	7·725	8·573	6·871
20	Shoreditch	7·733	8·276	7·189
498	Halifax	7·771	8·256	7·286
34	Rotherhithe	7·772	8·268	7·276
478	Burnley	7·790	8·405	7·174
551	Gateshead	7·810	8·281	7·338
24*a*	Stepney	7·843	8·368	7·317
24*b*	Mile end Old Town			
462	West Derby	7·851	8·290	7·412
469	Bury	7·874	8·527	7·221
453	Macclesfield	7·895	8·676	7·113
105	Southampton	7·958	8·604	7·272
19	London City	7·971	8·582	7·359
2	Chelsea	7·988	8·649	7·326
505	Barnsley	8·000	8·606	7·393
476	Rochdale	8·108	8·670	7·546
445	Derby	8·113	8·784	7·441
289	Stoke Damerel	8·169	8·796	7·542
467	Leigh	8·273	9·165	7·380
288	East Stonehouse	8·337	8·816	7·857
28	Bermondsey	8·341	8·959	7·722
228	Yarmouth	8·376	8·812	7·940
168	Northampton	8·391	9·011	7·771
578	Abergavenny	8·399	8·959	7·839
234	Norwich	8·421	9·229	7·612
399	Foleshill	8·486	9·395	7·576
549	Sunderland	8·489	8·910	8·067
502	Dewsbury	8·526	9·402	7·650
381	West Bromwich	8·529	9·117	7·940
7	Marylebone	8·542	9·232	7·851
500	Hunslet	8·554	9·153	7·954
520	Hull	8·562	9·145	7·979
601	Crickhowell	8·596	8·996	8·196
5	St. Martin-in-the-Fields	8·616	9·448	7·783
6	St. James Westminster	8·638	9·017	8·259
287	Plymouth	8·797	9·470	8·124
329	Bristol	8·814	9·507	8·121
471	Chorlton	8·854	9·497	8·210
13	Strand	8·999	9·558	8·439
465	Wigan	9·017	9·436	8·598
552	Newcastle-on-Tyne	9·111	9·444	8·777
480	Blackburn	9·125	9·806	8·444
4	Westminster	9·145	9·743	8·547
475	Oldham	9·153	9·985	8·321
371	Stoke-on-Trent	9·201	9·918	8·489
16	St. Luke	9·314	9·925	8·703
439	Radford	9·314	9·969	8·658
382	Dudley	9·349	9·841	8·857
452	Stockport	9·382	9·996	8·768
417	Leicester	9·387	10·050	8·723
370	Wolstanton	9·389	9·921	8·857
23	St. George-in-the-East	9·426	9·903	8·949
380	Walsall	9·436	10·128	8·744
394	Birmingham	9·448	10·029	8·866
468	Bolton	9·495	10·267	8·722
24	St. Saviour	9·618	10·151	9·085
27	St. Olave			
14	Holborn	9·653	10·099	9·206
29	St. George Southwark	9·659	10·195	9·122
482	Preston	9·756	10·604	8·907
472	Salford	9·759	10·327	9·190
499	Bradford	9·798	10·635	8·960
474	Ashton-under-Lyne	9·842	10·538	9·146
18	West London	9·917	10·674	9·159
582	Merthyr Tydfil	9·985	10·750	9·220
503	Sheffield	10·022	10·519	9·525
17	East London	10·149	10·878	9·419
400	Coventry	10·203	11·194	9·212
440	Nottingham	10·219	10·853	9·585
22	Whitechapel	10·246	10·669	9·822
501	Leeds	10·277	10·892	9·662
379	Wolverhampton	10·480	11·022	9·937
12	St. Giles	10·852	11·691	10·013
473	Manchester	11·725	12·380	11·070
461	Liverpool	13·198	13·741	12·654

Childhood: Age 5 and under 10 years: 5—10.

The child is at this age able to walk and to talk; his forces are greater, and his hold on life is firmer than it was. The rate of mortality declines with every year of age; and during the period of the ten years 1851–60 it was at the rate per cent. of ·851 for males, ·842 for females. The mean rate of mortality for the 25 years 1838–1862 was ·883 and ·876; so that in the years 1851–60 there is a reduction in the rate of mortality per cent. of boys ·032 and of girls ·034.

Zymotic diseases cause more than half (·451 boys and ·478 girls per cent.) of the mortality at this stage of childhood; and of the zymotic diseases, scarlatina and fever (typhus, typhia, and typhinia, including typhoid and infantile intermittent fever,) were much the most fatal. The mortality from scarlatina is less by half than it was in the previous age, but it remains much more fatal than small-pox, measles, whooping-cough, diarrhœa, and other maladies of this class. Diphtheria, which has now taken its place among the fatal diseases of England, in this respect resembles scarlatina.

Scrofula, tabes, phthisis, hydrocephalus, and diseases of the brain contribute largely to the mortality of this age; so do diseases of the lungs.

In one hundred and sixty-three districts the rate of mortality in both males and females was less than ·700; among boys it was ·388 in the district of Shipston-on-Stour, and ·398 in Bedale, ·435 in Cranbrook, ·492 in Sevenoaks, ·414 in Petworth, ·489 in South Stoneham, ·441 in Andover, ·411 in Ware, ·498 in Royston, ·470 in Henley, ·474 in Brixworth, ·499 in Shaftesbury, ·458 in the Scilly Islands, ·495 in Ludlow, ·483 in Martley, ·474 in Pershore, ·414 in Billesdon, ·476 in Leyburn, ·453 in Askrigg, ·446 in Reeth, ·469 in Bellingham, ·434 in Presteigne.

Among girls the lowest rates of mortality were recorded in the Scilly Islands ·299, Billesdon ·396, and Reeth ·348.

Very different rates of mortality prevailed in thirty-one districts, where the mortality of males and females exceeded 1·000 per cent.: the mortality of boys was 1·256 in Bristol, 1·277 in Manchester, 1·311 in Merthyr Tydfil, 1·367 in St. James' Westminster, 1·391 in St. Giles (London), and 1·457 in Liverpool. The mortality of females in the same districts was 1·014, 1·220, 1·314, 1·065, 1·083, and 1·433. To boys and girls of this age the Liverpool district was the most fatal.

Boyhood: Age 10—15 years.

This is the age of puberty; and the mortality decreasing from birth is at its lowest rate about the middle of the period; among boys the mortality in the ten years was at the rate of ·488, among girls at the rate of ·506 per cent. Among 1000 boys less than 5 die every year. As boys actually ill are not sent to public schools, an average of 1 death in 200 boys there would imply an exceptionally high rate of mortality.

The deaths of boys arise chiefly from injuries under the class of violence ·077, from consumption ·076, from fever ·069, and from scarlatina ·046.

Girls die much less frequently of violence, including burns, than boys; their mortality from this class of causes is only ·016. Upon the other hand they suffer much more than boys from consumption; which at this early age shows its predilection for their sex. How much organization, in-door life, and compression of the chest, interfering with the free action of the breathing organs, have to do with the excess of consumption in girls, it is difficult to say.

Of the salutary effects of free breathing in the open air there can be no doubt, and if they are studied, it is probable that among them will be found the reduction of the mortality by consumption from ·129 to a figure nearer that of boys, ·076, which is still much higher than it ought to be.

Fever, scarlatina, and diphtheria are more fatal to girls than boys.

The mortality of boys of the age 10–15 in all England is ·488; but there are ninety-five districts in which the mortality is below ·350; in the Stockbridge district their mortality was at the rate of ·198; in Catherington ·144; in Penrith ·220; in Easingwold and in Bedale ·215.

In Merthyr Tydfil the mortality of the boys was 1·089; at this age it is the highest rate in England. Sedbergh ·936, Abergavenny ·877, and Leek ·861 stand next on the list. The mortality exceeds ·700 in Macclesfield, Congleton, Wigan, Auckland, Easington, Houghton-le-Spring, Chester-le-Street, Neath, Llanelly, Aberayron, and Festiniog.

Occupation, at this age, plays a part in the mortality; and in the mining districts many of the boys are killed under ground.

Youth: Age 15–20 *and* 20–25.

Growth continues through the whole of these ages; and the body attains its full strength at 25, which is near the average age of first marriage in England.

Men are now exposed to the full influence of their occupations; but the effect is sometimes only developed later in life, as is the case in respect to Cornish miners.

The mortality after the age of 15 increases; thus proving that the vital tenacity of men is not proportional to their growth, size, vigor, or intelligence.

The mortality at the age 15–20 in all England is at the rate of ·669 per cent. for men, and ·738 for women; at the age of 20–25 the mortality is ·883 for men, and ·853 for women.

The zymotic diseases, which are exceedingly infectious, and occur only once in life, such as measles and whooping-cough, have generally been undergone before the age of 20. Scarlatina and diphtheria also subside as the persons remaining unaffected diminish. Small-pox is, however, more fatal at the age 20–25 than it was at 10–15, implying, perhaps, that vaccination was not so common 20 years as it was 15 years ago, rather than any diminution in the efficacy of vaccination as age advances. Fever is the most fatal zymotic disease at these ages; that it is more fatal than it is at the age 25–35, is due probably to the exposure of immigrants in the towns to the various forms of typhine, and to their subsequent comparative immunity from its effects. The mortality from fever of men of the two ages was ·086 and ·085; of women ·103 and ·078. Young girls are more exposed than young men to the sources of typhoid fever, which Dr. Murchison has aptly designated pythogenic fever. The mortality by violent deaths was ·086 and ·095 among men of these two ages; and only ·016 and ·013 among women. But one cause of death at these ages is peculiar to women; the mortality from childbirth, including metria or the fever of that name, is ·014 and ·061. These deaths thrown in do not compensate for the excess of deaths by violence among men; but phthisis is so much more prevalent among young women than it is among young men, that it more than compensates at 15–20 for the excessive deaths by violence among young men. The mortality by phthisis at the two ages was ·240 and ·406 for men, ·352 and ·429 for women. Half the deaths of young women at these ages are by consumption.

The mortality of males at the age 15–20 is lower than ·400 per cent. from all causes in thirty districts of the country, and exceeds ·800 in eighty-five districts. The mortality of districts is swollen at this age and the age following by deaths in hospitals, to which unmarried men often resort in great numbers. Several Welsh and other rural districts also figure here.

The mortality of males from all causes at the age 20–25 is below ·500 per cent. in twelve districts; and above 1·200 in 42 districts.

Reproductive Age: 25–35.

At this age 67 in 100 of the men are husbands and 67 in 100 of the women of England are wives, or 2 in 3; and a considerable proportion of them are parents. By early death 2 of 100 men are left widowers and 3 of 100 women are widows.

The mortality of men at this age is ·957 per cent., of women ·992 per cent. Fever is the chief zymotic disease; ·067 for men and ·063 for women; but the mortality by diarrhœa, dysentery, and cholera is growing greater; it is ·024 for men and ·027 for women. Phthisis is the great preponderating malady; the mortality by it was ·403 for men and ·458 for women. By violence the rate was ·100 for men, ·013 for women; but at this age childbirth induces a mortality of ·089; thus making the mortality under these two heads greater than the mortality of men by violence.

The diseases of the brain, of the heart, and of all the important organs begin to grow more fatal; but the organs give way much more frequently at later ages.

In thirty-three districts the mortality of men was at rates below ·650 per cent.; in Kettering the mortality was ·508, Thrapstone ·597, Evesham ·557, Pershore ·597, Billesdon ·573, Bourn ·545, Gainsborough ·579, Wetherby ·588, Tadcaster ·538, Pocklington ·562, Reeth ·569, Easington ·581, Longtown ·596.

The mortality exceeded the rate of 1·500 per cent. in eleven districts; it was 1·995 in Gravesend, 1·719 in the Scilly Islands, 1·547 in Aberayron, and 1·596 in Liverpool. The high mortality 2·010 in Barnet is due to a lunatic asylum; in Alverstoke, East Stonehouse, and the Medway, to hospitals.

Manhood: Age 35–45.

A large proportion of the men and women of this age are settled, are married, and have children. Their occupations for life are fixed, and the effects of workshops on health and disease are sometimes perceptible.

The mortality of men is at the rate of 1·248 per cent. The mortality by fever ·065 is lower than it is at any other age, as the number of susceptible persons has diminished, and the diminution is not yet counteracted by the high rate of mortality from advancing age among those attacked. Cholera, diarrhœa, and dysentery ·032 and other zymotic diseases (·052) are fatal to some extent; but by all zymotic diseases the mortality is ·160. Consumption is still the great fatal disease ·400; as to it a third of the deaths are referable. But the brain, heart, lungs, stomach, and kidneys show signs of wear; and the mortality from all the classes of monorganic diseases is double that of the previous period. Violent deaths kill at the rate of ·115; as like accidents grow more fatal.

The mortality of females 1·215 is not quite at so high a rate as the mortality of males; either in the class of zymotics, or in the brain, lung, and kidney diseases. The mortality by violence is only ·018 among females against ·115 among males; but this is nearly counterbalanced by the deaths of women from childbirth ·090, and ovarian dropsy ·021. Cancer, a terrible disease developing with years, now makes an impression in the catalogue of women's diseases; its mortality is for men ·018, for women ·059 per cent.

While the mortality of men in England was at the rate of 1·248 per cent. there were seventy-one districts in which the rate of mortality was below ·800. The rate was ·507 in Holsworthy, ·516 in Market Bosworth, and ·539 in Longtown.

The mortality exceeded 1·800 per cent. in twenty-five districts; nearly all of them in large towns, and nearly all of them containing large hospitals or large lunatic asylums, where many patients die at these ages, and at the three ages following.

The mortality of men in London, for example, at this age is 1·629 per cent.; and ·303 of that mortality, little less than a fifth of the whole, takes place in the great hospitals. The mortality of London women at the same age is only 1·281; and only ·127 per cent. of them die in the hospitals.

Manhood: Age 45–55.

At this age the intellect is developed and athletic power declines: the reproductive age in women is nearly over.

The mortality of men was at the rate of 1·796 per cent.; to which zymotic diseases, chiefly fever and cholera, contributed ·207; phthisis ·383; the chief increase arising under the heads of monorganic diseases of brain, heart, lungs, stomach, and kidneys, covering ·912 of the mortality. By violent deaths ·137 died.

Women, except a few, have past the child-bearing age; and the mortality from this cause is inconsiderable. From all causes it is 1·520 per cent.; comprising from consumption ·312, that of males being ·383; of brain and nerve diseases ·199 men and ·168 women die; of heart diseases and dropsy ·190 men and ·206 women; of diseases of lungs

Table XI.—**London 1861.**

AGES.	Total Deaths (*including* Deaths in Hospitals).		Deaths in Hospitals.		Deaths (excluding Deaths in Hospitals).		Proportion per Cent. of Deaths in Hospitals to Total Deaths.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
All Ages	33,105	32,146	2,450	1,378	30,655	30,768	7·401	4·287
0–	15,361	13,729	185	150	15,176	13,579	1·204	1·093
5–	1,236	1,228	97	75	1,139	1,153	7·848	6·107
10–	542	550	73	65	469	485	13·469	11·818
15–	709	702	157	125	552	577	22·144	17·806
20–	885	895	209	143	676	752	23·616	15·978
25–	2,075	2,083	484	216	1,591	1,867	23·325	10·370
35–	2,624	2,167	489	216	2,135	1,951	18·636	9·968
45–	2,608	2,273	386	171	2,222	2,102	14·801	7·523
55–	2,722	2,720	246	138	2,476	2,582	9·037	5·074
65–	2,487	2,932	106	55	2,381	2,877	4·262	1·876
75–	1,525	2,254	15	21	1,510	2,233	·984	·932
85 & upwds.	331	613	3	3	328	610	·906	·489

Table XII.—**London 1851–60.**

AGES.	Mortality to 100 of the Population of London (including Deaths in Hospitals).		Estimated* Mortality to 100 of the Population of London (excluding the Deaths in Hospitals).		Estimated Mortality in Hospitals to 100 of the Population of London.	
	Males.	Females.	Males.	Females.	Males.	Females.
All Ages	2·570	2·182	2·380	2·089	·190	·093
0–	8·311	7·295	8·211	7·215	·100	·080
5–	·970	·921	·894	·864	·076	·057
10–	·452	·415	·391	·366	·061	·049
15–	·625	·543	·487	·446	·138	·097
20–	·831	·648	·635	·544	·196	·104
25–	1·050	·875	·805	·785	·245	·090
35–	1·629	1·281	1·326	1·154	·303	·127
45–	2·408	1·806	2·103	1·670	·365	·136
55–	4·243	3·327	3·859	3·158	·884	·169
65–	8·522	6·959	8·159	6·829	·363	·130
75–	17·189	14·961	17·029	14·822	·169	·139
85 & upwards	31·441	28·892	31·156	28·750	·285	·142

* Note.—The estimated Mortality, *excluding* the Deaths in Hospitals, is obtained by diminishing the Mortality, *including* the Deaths of Hospitals, for the 10 years 1851-60 in the proportion which the total Deaths at each Age in London in 1861 bore to the Deaths, *excluding* the Deaths of Hospitals, in that year.

·309 men and ·206 women. It is probable that the excessive mortality of men at this age—such as miners—is from the bad air and dust which they breathe at work. The diseases of the urinary organs are more fatal to men; those of the generative organs, including ovarian dropsy, to women. Of cancer, the mortality is ·042 for men and ·128 for women.

A considerable portion of the higher mortality of men is due to the excess in their deaths by violence; by which the mortality is ·137 for men, and ·027 for women.

While the mortality of men in England is 1·796, there are twenty-three of its districts in which the rate of mortality is below 1·000; in Ringwood it is ·791, Holsworthy ·783, Caxton ·894, St. Faiths (Norwich) ·821, Malmesbury ·889, Winchcomb ·890, Billesdon ·828, Leyburn ·886, and Rhayader ·890.

Upon the other hand in twenty-six districts the annual mortality of men exceeded 2·600 per cent. Fifteen of the districts are in London; and the following five contain neither hospital nor lunatic asylum: St. James Westminster 2·631, St. Giles 3·031, London City 2·908, Whitechapel 3·082, and St. George-in-the-East 2·829.

The lunatic asylums at this age disturb the rate of mortality; thus the Colney Hatch County Asylum raises the mortality of men in Barnet, one of the healthiest districts of Middlesex, to 3·846 per cent.

The mortality of men in all London is at the rate of 2·468 per cent.; of which about ·365 is in the hospitals.

Maturity: Age, 55-65.

The mortality of men of this age was at the rate of 3·086 per cent.; to which zymotic diseases, including fever and cholera, contributed ·313; consumption ·333; diseases of the brain ·410, heart ·413, lungs ·662, stomach ·303, kidneys ·094.

The mortality of women was at the rate of 2·701 per cent. The zymotic diseases, consumption, brain affections, lung affections, stomach and kidney affections, were less fatal than in males. The rate of deaths by violence was ·038 in women, ·161 in men. Upon the other hand the rate by cancer was ·093 for men, ·185 for women; by diseases of the generative organs ·001 for men, and ·031 for women, including ovarian diseases.

In forty-nine districts the mortality of men was below 2·000, or less by 1·086 than the average; in Westhampnett 1·702, Kingsclere 1·757, Thingoe 1·460, Loddon 1·752, Depwade 1·653, Scilly Islands 1·505, Wheatenhurst 1·778, Longtown 1·741, Bootle 1·606.

To men of this age, Alston was the most fatal district in England; their mortality there was at the rate of 6·800 per cent.; then follow Reeth 5·060, the City of London 5·014, St. Giles, London, 5·243, Whitechapel, containing a Hospital, 5·483, Manchester 5·266, and Liverpool 5·350.

Maturity: Age 65-75.

The mortality of men at this period of life is more than double their mortality in the previous decenniad. In the ten years it was 6·533 per cent.; of which ·579 was by zymotic diseases; ·150 by cancer; ·239 by phthisis; ·983 by diseases of the brain, ·871 by diseases of the heart, 1·342 by lung diseases; ·484 by diseases of the digestive organs; ·245 by diseases of the urinary organs; making the aggregate mortality by local or monorganic diseases 3·964. The mortality by violence of various kinds was at the rate of ·181 per cent.

The mortality of women at this age was 5·866, or less by .667 than that of men. Fever was somewhat less fatal to them than to men; so also were phthisis, and all the pulmonary diseases. The mortality of women by kidney, &c. diseases was ·049, of men ·245; by violence, of women ·072, of men ·181. Upon the other hand, cancer killed women at the rate of ·235. Uterine and ovarian diseases at the rate of ·032.

In thirteen districts of England the mortality of men of the age 65–75 was below 4·000 per cent.; it was 3·548 in the Scilly Islands, Flegg 3·667, Rothbury 3·831, Easthampstead 4·427, Henstead 4·258, Thetford 4·444, Cricklade 4·467, Tetbury 4·369, Sedbergh 4·479, Easingwold 4·253, Brampton 4·142, Bridgend 4·487, Knighton 4·455.

In Alston the mortality at this age was 11·731 per cent.; in Reeth 9·524; and it exceeded 9·000 in twenty-one districts, including Alston and Reeth; namely, in thirteen London districts, in Birmingham, Liverpool, Manchester, Leeds, Sheffield, and Newcastle-upon-Tyne.

Ripeness: Age 75–85.

The mortality of men at this advanced age is at the rate of 14·667 per cent., of which nearly the half is by causes undistinguished; for the functional symptoms become obscure as age advances. Only 1·004 of the deaths were by recognized zymotic diseases, ·173 by cancer, ·098 by consumption. The chief mortality was by diseases of the brain 1·709, heart 1·241, lungs 2·109, stomach ·525, kidneys ·427. By violence ·225 died.

The mortality of women was at rate of 13·434 per cent.; cancer being more, phthisis less, fatal to women than it was in men; of the total mortality 5·031 was by monorganic diseases; while in men the mortality by these diseases was 6·067 per cent.

In descending to other districts the mortality was below 12·000 per cent. from all causes in fifty districts, and above 17·000 per cent. in seventy districts, including twenty-four London districts, and the districts of the chief large towns.

Old Age: Age 85 and upwards.

I have called this the monumental age; the cup of life is full of years; and the mortality of men is at the rate of 31·008, of women at the rate of 28·956 per cent. The forms of disease are imperfectly developed; the symptoms are obscure; and in three fourths of the cases the deaths are simply referred to age, and natural decay, or some of the maladies which have not been inserted in the synoptic Tables. Cholera

---

TABLE XIII.—**Average Annual Rate of Mortality per Cent. of Women aged 25–35,** and of **Children under 5 Years of Age,** in the Ten Years 1851–60; also the **proportional Number of Wives to 100 Women at the Ages 25–30 and 30–35,** as enumerated at the Census of 1861, in each of the REGISTRATION DIVISIONS of ENGLAND and WALES. (Arranged in the Order of Mortality of Women aged 25–35).

	REGISTRATION DIVISIONS.										
	LONDON.	SOUTH WESTERN.	WEST MIDLAND.	SOUTH EASTERN.	SOUTH MIDLAND.	EASTERN.	NORTHERN.	NORTH MIDLAND.	YORKSHIRE.	MONMOUTHSHIRE AND WALES.	NORTH WESTERN.
AVERAGE ANNUAL MORTALITY per Cent. of WOMEN aged 25–35, in the 10 Years 1851–60	·875	·890	·950	·965	·973	·999	1·037	1·050	1·067	1·071	1·114
	Mean – ·931						Mean – 1·068				
AVERAGE ANNUAL MORTALITY per Cent. of CHILDREN aged 0–5, in the Ten Years 1851–60 – Boys	8·311	5·634	7·556	5·487	6·229	6·084	6·938	6·835	7·965	6·194	9·366
Girls	7·295	4·867	6·547	4·669	5·246	5·187	6·156	5·779	6·887	5·417	8·203
	Mean { M. – 6·643 F. – 5·725						Mean { M. – 7·460 F. – 6·478				
	Mean – M. & F. 6·184						Mean – M. & F. 6·969				
WIVES to 100 WOMEN, as enumerated at the Census of 1861, aged – 25–30	57·58	57·16	64·86	58·97	61·52	63·23	65·61	62·91	64·52	61·25	61·18
30–35	69·17	70·53	76·04	70·82	73·45	74·80	75·90	75·03	75·59	74·24	2·20

did not disdain to destroy a certain number of these lingering lives ; some of the men were killed by violence ; some of the women were burnt by their clothes taking fire; and many died of recognized monorganic diseases of the brain and chest.

III. Mortality of Women of the Childbearing Age.

The age of 25–35 represents the period of life in which English women bear the greatest number of children, and it will be observed that the mortality of women at that age, from all causes, is nearly *one* per cent. (·992). Arranging the Eleven Divisions in reference to this point, they fall in the order shown in Table XIII.

Table XIV.—**Districts** where the **Average Annual Rate** of **Mortality** from **all Causes** in the 10 Years 1851–60 of **Females aged 25–35** was 1·200 per Cent. and upwards.

Number of District.	DISTRICTS.	Sex.	AGES. 15–	20–	25–	35–45
34	Rotherhithe	M.	·938	1·015	1·189	1·609
		F.	·589	1·022	1·229	1·301
53	Hoo	M.	·476	·763	1·390	1·327
		F.	·714	1·636	1·221	1·772
62	West Ashford	M.	·583	·982	·861	·937
		F.	·754	1·447	1·250	1·094
89	Thakeham	M.	·509	1·115	·762	1·014
		F.	1·447	1·434	1·621	1·013
103	Fordingbridge	M.	·615	1·157	·814	1·157
		F.	·796	·980	1·213	·941
117	Whitchurch	M.	·586	·868	1·131	1·101
		F.	·884	1·632	1·260	1·315
122	Faringdon	M.	·708	·893	·873	1·111
		F.	·872	1·039	1·258	1·353
125	Wallingford	M.	·499	·892	·940	1·077
		F.	·861	·906	1·229	1·196
152	Winslow	M.	·586	·806	·714	·872
		F.	1·049	1·108	1·331	1·202
154	Buckingham	M.	·608	·888	·855	1·120
		F.	1·145	1·055	1·287	1·325
171	Wellingborough	M.	·612	·714	·738	·705
		F.	·963	·995	1·216	1·460
189	Newmarket	M.	·586	·816	·918	1·046
		F.	·911	1·108	1·282	1·164
203	Tendring	M.	·799	·872	·694	·886
		F.	·937	1·061	1·204	1·365
207	Halstead	M.	·804	1·318	·868	·963
		F.	1·294	1·229	1·221	1·328
211	Risbridge	M.	·481	·849	·804	·844
		F.	1·108	1·197	1·325	1·042
214	Thingoe	M.	·535	·907	·905	·904
		F.	1·016	·888	1·326	1·192
221	Samford	M.	·758	1·043	·772	·819
		F.	1·077	1·526	1·234	1·353
251	Cricklade	M.	·546	·722	·653	1·033
		F.	1·029	·974	1·208	1·194
255	Marlborough	M.	·277	·623	1·151	·857
		F.	·752	·968	1·232	1·329
258	Bradford	M.	·637	1·111	1·025	1·218
		F.	·929	·913	1·299	·983
259	Westbury	M.	·671	1·025	·863	1·053
		F.	·766	1·101	1·223	1·090
312	Scilly Islands	M.	·862	1·333	1·719	·889
		F.	·538	1·058	1·200	1·361
342	Stow-on-the-Wold	M.	·349	·705	·711	·929
		F.	·602	·785	1·202	1·070
355	Cleobury Mortimer	M.	·725	·578	·775	·785
		F.	1·161	·904	1·331	·887
360	Shrewsbury *HL*	M.	·781	1·157	1·455	2·140
		F.	·824	·832	1·346	1·421
367	Stafford *HLL*	M.	·678	·829	1·365	1·792
		F.	1·094	·988	1·348	1·508
372	Leek	M.	·777	·764	1·028	1·053
		F.	1·310	1·211	1·262	1·238
415	Loughborough	M.	·588	·766	·881	·842
		F.	·976	1·039	1·219	1·337
416	Barrow-upon-Soar	M.	·538	·799	·864	·856
		F.	·868	1·097	1·201	1·213
438	Basford	M.	·665	·938	·673	·891
		F.	·965	1·203	1·252	1·205
439	Radford *L*	M.	·721	·896	·785	·967
		F.	·980	1·120	1·242	1·193
444	Shardlow	M.	·632	·823	·881	·840
		F.	·886	1·151	1·243	1·188
445	Derby *H*	M.	·846	1·045	1·033	1·298
		F.	·984	1·030	1·251	1·285
447	Ashborne	M.	·621	·955	·841	1·099
		F.	·735	·987	1·243	1·178
453	Macclesfield	M.	·945	1·009	·987	1·094
		F.	1·347	1·228	1·303	1·483
456	Northwich	M.	·708	·857	·869	1·189
		F.	·717	1·026	1·280	1·132
457	Congleton	M.	·885	1·054	·811	1·020
		F.	1·120	1·228	1·214	1·471
461	Liverpool *HH*	M.	·825	1·187	1·593	2·294
		F.	·716	·948	1·373	1·877
467	Leigh	M.	·981	1·008	·943	1·149
		F.	·862	1·037	1·281	1·376
473	Manchester *HL*	M.	·843	1·014	1·293	2·035
		F.	·785	·949	1·229	1·737
474	Ashton-under-Lyne	M.	·973	1·006	·987	1·281
		F.	1·005	1·040	1·226	1·510
478	Burnley	M.	·743	·806	·807	1·083
		F.	·906	1·102	1·251	1·317
479	Clitheroe	M.	·771	·859	·745	·959
		F.	·953	1·095	1·238	1·450
482	Preston	M.	·817	1·019	1·074	1·472
		F.	1·032	·943	1·208	1·539
489	Skipton	M.	·774	1·028	·803	·928
		F.	·948	1·225	1·279	1·127
490	Pateley Bridge	M.	·793	1·095	·696	·769
		F.	1·129	1·510	1·250	1·209
493	Otley	M.	·859	1·074	·897	1·093
		F.	1·056	1·239	1·260	1·353
494	Keighley	M.	1·018	1·046	·761	·997
		F.	1·201	1·282	1·238	1·316
496	Saddleworth	M.	·812	·768	·918	1·155
		F.	1·112	1·233	1·405	1·331
503	Wakefield *L*	M.	·884	1·019	1·163	1·668
		F.	·861	1·006	1·418	1·579
544	Weardale	M.	·624	·952	·811	1·239
		F.	·870	1·336	1·317	1·481
551	Gateshead *L*	M.	·725	·832	1·072	1·518
		F.	·735	·925	1·227	1·537
564	Alston	M.	·636	1·145	·856	1·497
		F.	·909	·941	1·225	1·381
572	Booth	M.	·525	·682	1·073	1·035
		F.	·679	·840	1·307	1·111
579	Pontypool	M.	·900	1·126	1·093	1·297
		F.	·763	1·061	1·217	1·304
582	Merthyr Tydfil	M.	1·137	1·463	1·319	1·413
		F.	·847	1·075	1·342	1·513
601	Crickhowell	M.	·931	·898	·913	1·094
		F.	·914	·968	1·500	1·257
607	Newtown	M.	·797	1·047	1·058	1·052
		F.	·986	1·300	1·290	1·426

The women of London (age 25–35) stand lowest on the scale of mortality; those of Lancashire Division highest. In general the mortality is lowest in the Southern and highest in the Northern and Welsh Divisions. For the sake of comparison the mortality of children under five years of age is added, as mothers and children are exposed in common to many causes of mortality. There is a frequent but not a constant relation between their rates of mortality. In the five divisions where the mean mortality of women was ·931, the mortality of children was 6·184; in the five divisions where the mortality of mothers was 1·068, the mortality of children was 6·969.

Absolutely the rate of mortality by childbirth is slightly higher (·090) among women of 35–45, than it is (·089) among women of 25–35, although at the younger age the greater proportional number of women bear children.

Exclusive of certain districts in which large lunatic asylums and hospitals disturb the results, there are 58 districts in which the mortality of women of 25–35 from all causes exceeds 1·200 per cent. The Table XIV. displays these cases, and gives in juxta-position the rates of mortality among males and females at the various ages from 15 to 45.

The mortality among women of the age 25–35 was 1·500 in Crickhowell; and this was due to a considerable extent to an excessive number of deaths in childbirth.

These most painful deaths of mothers are sometimes due to mismanagement, the result of ignorance in the women in attendance, or to contagious communication from one woman to another, through nurses or other channels.

In Crickhowell 56 women died of childbirth in ten years; when the number of births was 8808.

Our Tables do not show the total number of pregnant women who die; for a certain number of them are consumptive, or succumb under other fatal diseases. Examples will be found in the annexed list of the deaths in the three years 1854, 1855, and 1860.

List of Deaths among Mothers in Crickhowell.

———— ————, aged 35, wife of a miner, died of childbirth peritonitis, 3 days, (certified) on 22d February 1854 at Beaufort Hill. Informant, ———— ————; signed with a mark.

———— ————, aged 26, wife of a labourer, died from premature labour, (certified) on 25th February 1854 at Ty Catty. Informant, ———— ————; signed with a mark.

———— ————, aged 25, wife of an Independent minister, died of childbirth consumption, 6 months, (certified) on 24th February 1854 at Brynmawr. Informant, ———— ————.

———— ————, aged 30, wife of a gentleman, died of puerperal peritonitis, 6 days, (certified) on 18th February 1854 at Llanelly. Informant, ———— ————.

* ———— ————, aged 25, wife of a quarryman, died from premature confinement, peritonitis, phthisis, (certified) on 17th April 1854 at Llangunider. Informant, ———— ————; signed with a mark.

———— ————, aged 35, wife of a mason, died of flooding after childbirth, no medical attendant, on 20th June 1854 at Twyn. Informant, ———— ————; signed with a mark.

———— ————, aged 25, wife of a miner, died of disease of the heart. Died 2½ hours after confinement, (certified) on 2d July 1854 at Llangunider. Informant, ———— ————.

———— ————, aged 33, daughter of a labourer, died of metritis, 6 days post parturition; (certified) on 7th August 1854 at Brynmawr. Informant, ———— ————.

———— ————, aged 36, wife of a blocklayer, died of childbirth, 24 days puerperal fever, (certified) on 19th August 1854 at Llanelly. Informant ————.

———— ————, aged 27, wife of a miner, died from anæmia after confinement, 5 months, (certified) on 1st November 1854 at Beaufort Hill. Informant, ———— ————; signed with a mark.

———— ————, aged 30, wife of a puddler, died of childbirth, (not certified) on 8th January 1855 at Brynmawr. Informant, ———— ————.

---

* In these cases the women were delivered, but their deaths were caused by the disease named, to which heads they are referred in the general classification.

——— ———, aged 26, wife of a collier, died from partus followed by exhaustion, 8 hours, (certified) on 18th March 1855 at Brynmawr. Informant, ——— ———; signed with a mark.

——— ———, aged 30, wife of a miner, died from prostration from twin delivery, (certified) on 20th May 1855 at Llangunider. Informant, ——— ———; signed with a mark.

——— ———, aged 31, wife of a railman, died from hæmorrhage in childbirth, 6 hours, (certified) on 13th April 1855 at Brynmawr. Informant, ——— ———.

* ——— ———, aged 23, domestic servant, died of dropsy childbirth, (certified) on 6th June 1855 at Llangattock. Informant, ——— ———, master of the workhouse, Llangattock.

——— ———, aged 26, domestic servant, died of puerperal convulsions, 48 hours, (certified) 5th September 1855 at Beaufort. Informant, ——— ———.

——— ———, aged 32, wife of a blacksmith, died of uterine hæmorrhage, 4 weeks, convulsions during operation of turning, ¼ hour, (certified) on 20th August 1855 at Brynmawr. Informant, ——— ———; signed with a mark.

——— ———, aged 30, wife of a labourer, died of puerperal mania, (certified) on 29th September 1855 at Llanelly. Informant, ——— ———; signed with a mark.

——— ———, aged 40, wife of a labourer, died of childbirth, 16 days, peritonitis, 14 days, (certified) on 5th January 1860 at Brynmawr. Informant, ——— ———; signed with a mark.

——— ———, aged 34, wife of a labourer, died of puerperal fever, (certified) on 11th February 1860 at Crickhowell. Informant, ——— ———.

——— ———, aged 29, wife of an ironballer, died of puerperal peritonitis, 5 days, (certified) on 26th April 1860 at Brynmawr. Informant, ——— ———; signed with a mark.

——— ———, aged 35, wife of a coachman, died of childbirth, (not certified) on 28th April 1860 at Llanelly. Informant, ——— ———.

* ——— ———, aged 32, wife of an engineer, died of childbirth, 18 days, scarlatina, 16 days, (certified) on 4th July 1860 at Brynmawr. Informant, ——— ———; signed with a mark.

——— ———, aged 23, wife of a carpenter, died from debility after confinement, 3 weeks, (certified) on 1st July 1860 at Clydach Works. Informant, ——— ———.

* ——— ———, aged 21, wife of an ironfounder, died from miscarriage, 14 days, scarlatina maligna, 13 days, (certified) on 24th July 1860 at Brynmawr. Informant, ——— ———; signed with a mark.

——— ———, aged 27, wife of a miner, died from extreme exhaustion after confinement, (certified) on 10th October 1860 at Beaufort. Informant, ——— ———; signed with a mark.

——— ———, aged 25, wife of a miner, died of syncope after parturition, (certified) on 9th December 1860 at Brynmawr. Informant, ——— ———.

IV. Mortality of Men in London.

London is the head quarters of the learned professions, the arts, and the sciences, and is full of some of the cleverest workmen in the world. It is the greatest existing commercial emporium. Railways, roads, sea routes, rivers, and canals start from and end in London, which abounds in large numbers of all the carrying classes of warehousemen, porters,

Table XV.—**Mortality** of **Men** in the Ten Years 1851-61.

———	AGES.			
	25–35	35–45	45–55	55–65
Healthy Districts * - -	·818	·928	1·273	2·294
South Western Division -	·932	1·101	1·532	2·738
England and Wales - -	·957	1·248	1·796	3·085
London - - - - - -	1·050	1·629	2·468	4·243

* The mortality of the Healthy Districts relates to the Years 1849–53.

* In these cases the women were delivered, but their deaths were caused by the disease named, to which heads they are referred in the general classification.

messengers, and labourers. Of 726,805 men of the age of 20 and upwards living in London, only 17,810 were returned as of no stated profession or occupation.

It is to be deeply regretted that the mortality of this important and valuable class of men is high in London. It is not only much higher at every age than the mortality of women in London, and of men in the healthy districts, but higher than the mortality of men in the country generally, and higher than the mortality of men in any of the other ten divisions after the age of 25, when the full influence of life and labour in London is developed.

Thus at the age of 45–55 the mortality of London men is double that of men in the Healthy Districts.

Considerable numbers of men die in the workhouses of London.

Great numbers of men also die in the London Hospitals, as is shown in the Tables XI. and XII. of the deaths in and out of hospitals. A certain number of the persons dying in the London Hospitals come from other parts ; and certain numbers contract diseases in the wards ; but these cases probably do no more than compensate for the residents of London who leave it consumptive to die elsewhere. Two of the large Lunatic Asylums (Hanwell and Colney Hatch), in which many London lunatics die at the ages under 55, are beyond the precincts of the Metropolis.

To what then is the high mortality of London men in the working ages of life due? It is not want of work. Their hands and heads are sufficiently employed to insure exercise. The drainage of their dwellings, and their water supply, is in many districts scanty ; habits of ablution are not cultivated ; and their skin is often unclean. They live too frequently in crowded rooms, from which fresher air than they breathe is excluded. It is the same in the workshops, where the air is in many trades loaded with dust, which induces bronchitis. Workshops are sometimes ill constructed for the supply of air for breathing, and the men themselves throw obstacles in the way of ventilation. Spirits and other stimulants are by certain numbers—such as the publicans—taken to a fatal excess. These latter causes to some extent account for the excess in the mortality of men over the mortality of women.

The whole subject of the mortality of men in towns requires careful investigation. It is of national importance ; for the workmen in all large towns suffer as much and often more than the workmen of London.

TABLE XVI.—**Average Annual Rate of Mortality** per Cent. in **London** and in certain LARGE **Town Districts,** at different AGES, in the 10 Years 1851–60.

TOWN DISTRICTS, &c.	SEX.	AGES.						
		25-	35-	45-	55-	65-	75-	85 and upwards.
LONDON - -	M.	1·050	1·629	2·468	4·243	8·522	17·189	31·441
	F.	·875	1·281	1·806	3·327	6·959	14·961	28·892
BRISTOL - -	M.	1·417	1·961	2·960	4·404	8·184	17·306	33·243
	F.	·968	1·424	1·908	3·062	6·255	14·540	24·421
BIRMINGHAM -	M.	1·012	1·624	2·587	4·581	9·535	19·792	38·889
	F.	·985	1·372	1·908	3·523	7·344	17·445	34·545
LIVERPOOL - -	M.	1·596	2·294	3·311	5·350	10·635	19·847	28·333
	F.	1·373	1·877	2·686	4·647	8·509	15·686	29·286
MANCHESTER -	M.	1·293	2·035	3·170	5·266	10·066	19·528	44·255
	F.	1·229	1·737	2·716	4·476	8·420	16·607	30·784
LEEDS - - -	M.	1·116	1·686	2·459	4·718	9·287	21·331	38·421
	F.	1·164	1·386	1·956	3·722	7·759	15·849	31·224
SHEFFIELD - -	M.	1·031	1·445	2·543	4·694	9·680	20·595	34·000
	F.	1·081	1·405	1·947	3·682	8·216	16·361	38,500
NEWCASTLE-UPON-TYNE.	M.	1·239	1·719	2·731	4·923	9·056	17·680	37·813
	F.	1·185	1·562	1·968	3·408	7·430	15·585	35·152

V. Annual Rate of Mortality at all Ages without Distinction.

The mortality of the various populations of the world is generally stated as one in so many, or as so many per cent. per annum. The latter result is the ratio of the deaths at all ages to the living at all ages.

Now it is evident from the preceding Tables that the proportion of deaths to a given number living varies to a great extent with the ages of the living; in the first five years of age the mortality is at the rate of 7·243 per cent. for boys, at the age 10–15 it is ·488, at 55–65 it is 3·085, at 75–85 it is 14·667 per cent. The mortality of the two sexes also varies, so that, independently of other causes of variation, the mortality of different populations will differ according as they consist of numbers in various proportions at the ages at which the mortality is high or low.

When the population is sustained by an uniform annual number of births, the number living at each age is regulated solely by the law of mortality, reducing the numbers year by year, until each annual generation is extinguished.

The laws of mortality may vary infinitely, it is conceivable, so as to yield the same mean lifetime, and the same rate of mortality. Thus by the English Life Table 1,000,000 children born alive die off so as to leave survivors in every year of age up to the 109th, when the last of the generation dies off; the mean lifetime is 40·858, and 1 in 40·858, or 2·447 per cent. of the population so constituted die annually. If every one of the 1,000,000 children lived 40·858 years, and died at the end of the term, the mean lifetime would be 40·858 years, and it will be evident that the mortality would be at the rate of 1 in 40·858, or 2·447 per cent. per annum. Yet how different are all the circumstances? How different are the conditions of existence? How different is the law of mortality?

The rate of mortality in England was not 2·447, but 2·245 per cent. per annum, during the period when the facts were collected upon which the Table is based. Thus 1 in 44·54 died; while the mean lifetime was 40·858.

Assuming the prevalence of the same law of mortality, the rate calculated on the mean population, and the deaths at all ages, is lower in a rapidly increasing population than it is in a stationary population, because the mortality at all ages from about 4 to 54 is lower than the mean mortality of the whole normal population; and while a regular increase of population has the effect of increasing the proportion of children under 4 years of age, who die off quickly, it has also the effect of still further increasing the proportion of the living at the ages 4 to 54, and of diminishing the proportions of the old people, whose rate of mortality is high.

In the healthy districts of England the normal mortality is 2·059 for males, and 2·022 for females by the Life Table; while it is 1·772 for males and 1·733 for females, as deduced from the ratio of deaths at all ages to the living at all ages. This is the rate of 17 deaths per 1000 of the population, which is so often and so fairly quoted, as a standard of comparison applicable to increasing populations.

There is another disturbance of the proportions living at ages more or less mortal, by immigration and by emigration. Thus the general effect of immigration into towns is to reduce their rates of mortality, by increasing the proportion of the living at ages of less than the mean mortality of the people of the place. The bulk of the emigrants to towns from the country are probably in good health, but a certain number of sick resort to the town hospitals; upon the other hand, of the emigrants, some are consumptive, seeking health in the country and abroad, or returning home to die; but the emigrants are less numerous in the aggregate than immigrants, and so far have less effect on the mortality.

VI. The Loss of Life in dense Town Districts.

The population was so distributed in the thirty town districts (*see* Tables XVII. and XVIII.) that at the rates of mortality prevailing in the healthy districts at eleven different ages the annual deaths would have been 38,459 in the ten years 1851–60, when the mean population was 2,541,630. The annual rate of mortality in the two sexes would have been 15·13 per 1000. With the same distribution of population in respect to age and sex as existed in the healthy districts, the mortality would have been at the rate of 17·53

Table XVII.—**Mortality, &c.** of **Males** and **Females in 30 large Town Districts of England and Wales.***

Mean Population 1851 and 1861; Deaths in the 10 Years 1851–60; Average Annual Rate of Mortality per Cent.; and Number of Deaths that would have occurred in the 10 Years if the Mortality had been at the same rate as that which prevailed in the Healthy Districts, at the different Ages.

Ages.	Mean Population 1851 and 1861.		Deaths in the 10 Years 1851–60.		Deaths that would have occurred in the 10 Years at the different Ages, at Healthy District Rates.		Average Annual Rate of Mortality per Cent. in the 10 Years 1851–60.		Ages.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
All Ages	1,231,682	1,309,948	366,151	345,793	188,130	196,460	2·973	2·640	All Ages.
0–	167,980	167,829	179,837	159,153	73,030	62,440	10·706	9·483	0–
5–	139,887	140,471	15,963	15,356	9,430	9,860	1·141	1·093	5–
10–	127,500	127,656	7,456	6,784	4,890	6,130	·585	·531	10–
15–	243,043	271,357	21,815	21,992	16,800	20,750	·898	·810	15–
25–	201,530	220,109	23,791	24,834	16,480	19,670	1·181	1·128	25–
35–	153,042	161,533	25,917	24,154	14,200	16,120	1·693	1·495	35–
45–	104,807	111,928	27,110	22,528	13,340	13,340	2·587	2·013	45–
55–	59,253	62,089	25,811	23,952	13,590	13,430	4·356	3·858	55–
65–	26,385	34,135	22,673	24,772	14,470	17,040	8·593	7·257	65–
75–	7,434	11,285	13,058	17,525	9,530	13,390	17·565	15·529	75–
85&upwds.	821	1,556	2,720	4,743	2,370	4,290	33·130	30·482	85 &upwds.

* Comprising the districts of St. Giles, Holborn, East London, St. George-in-the-East, St. Saviour Southwark, St. Olave Southwark, and St. George Southwark in the metropolis; and the districts of Southampton, Yarmouth, Norwich, Salisbury, Exeter, Bristol, Wolverhampton, Birmingham, Leicester, Nottingham, Derby, Liverpool, Wigan, Bolton, Salford, Manchester, Ashton-under-Lyne, Preston, Leeds, Sheffield, Hull, Newcastle-upon-Tyne, and Merthyr Tydfil.

The Table may be read thus:—The mean male population enumerated in 1851 and 1861 of the age 25–35 in 30 large town districts of England and Wales was 201,530, the number of male deaths registered (25–35) in the 10 years was 23,791, and the average annual mortality per cent. was 1·181. If the mortality in these Town districts had been at the same rate, at the age 25–35, as that prevailing in the Healthy Districts, the male deaths at that age in the 10 years would have been 16,480 or 1,648 annually, instead of 23,791 in the 10 years or 2,379 annually, and so on for other ages.

Table XVIII.—**Deaths in 30 Large Town Districts** in the 10 Years 1851–60; and also the Deaths which would have occurred in the 10 Years if the Mortality had been at the same Rate as prevailed in the 63 Healthy Districts (1849–53).

Ages.	Deaths in 10 Years 1851–60.	Deaths which would have occurred in the 10 Years at Healthy District Rates.	Excess of Actual Deaths in 10 Years over Deaths at Healthy District Rates.
All Ages –	711,944	384,590	327,354
0– – –	338,990	135,470	203,520
5– – –	31,319	19,290	12,029
10– – –	14,240	11,020	3,220
15– – –	43,807	37,550	6,257
25– – –	48,625	36,150	12,475
35– – –	50,071	30,320	19,751
45– – –	49,638	26,680	22,958
55– – –	49,763	27,020	22,743
65– – –	47,445	31,510	15,935
75– – –	30,583	22,920	7,663
85 & upwards –	7,463	6,660	803

per 1000; while the rate of a normally constituted population under the same law of mortality would have been 20·41 per 1000.

The *actual* mortality deduced from the deaths and the population of the thirty districts was at the rate of 28·01 in 1000; and the corrected mortality would exceed this number.

In comparing the mortality of town and country districts together, without distinction of age, it must be borne in mind that the method is comparatively favourable to the towns, as the proportion of the masked mortality is in them greater than it is in the country districts.

The loss of life in the ten years under the sanitary arrangements existing is illustrated in the Table XVIII. Thus, at the rates prevailing at the several ages in the healthy districts, the annual deaths would have amounted in the thirty town districts to 38,459; but the actual average number of deaths was 71,194; there was consequently an annual excess of 32,735 deaths, which may be justly ascribed to the unfavourable sanitary conditions in which the people live and die.

VII. How far the general Rate of Mortality is affected by the Deaths at different Ages.

If we take the general mortality of the population from the English Life Table, it is at the rate of 24·47 per 1000 of the living at all ages; and the mortality is made up of deaths occurring at the ages shown in the annexed Table XIX.; that is 6·44 at the age 0–5, 2·52 at the age 5–25, and 6·62 at the age 65–85.

As the births increase every year in England, the population and the deaths in the earlier ages are in undue proportion; thus the general mortality, instead of 24·47 per 1000, becomes 22·45 for years 1838–54; but for ten years 1851–60 it was 22·17, and of the 22·17 deaths not less than 8·98 are children under 5 years of age, while only 3·70 are of the ages 65–85.

The general mortality, without distinction of age, is to a considerable extent made up of children's deaths, and its variation in different districts depends largely upon this element.

In the healthy districts, where the general mortality was at the rate of 17·53 deaths in 1000 living, 5·29 of the said deaths were of children under five years of age.

In thirty large town districts the general mortality was at the rate of 28·01 deaths to 1000 living; and 13·34 of the deaths were those of children under 5 years of age.

Table XIX.—**Proportion of Deaths at different Ages to 1,000 Living at all Ages.**

Ages.	English Life Table (1838-54).	England (1851-60).	30 Large Town Districts (1851-60).	63 Healthy Districts (1849-53).
All Ages –	24·47	22·17	28·01	17·53
0– – –	6·44	8·98	13·34	5·29
5– – –	2·52	3·00	3·52	2·65
25– – –	3·20	2·90	3·88	2·22
45– – –	4·75	3·07	3·91	2·46
65– – –	6·62	3·70	3·07	4·14
85 and upwards –	·94	·52	·29	·77

	All Ages.	0–5	5–25	25–45	45–65	65–85	85 & upwds.	
English Life Table	1,000,000 / 40,858,184	= 263,182 / 40,858,184	+ 102,773 / 40,858,184	+ 131,130 / 40,858,184	+ 193,886 / 40,858,184	+ 270,464 / 40,858,184	+ 38,565 / 40,858,184	= Deaths. Living.
	·02447	= ·00644	+ ·00252	+ ·00320	+ ·00475	+ ·00662	+ ·00094	= Rate of Mortality.

The total difference in the rates of mortality is 10·48; of which 8·05 is accounted for by the deaths under 5 years of age. (See Table XIX.) Of all England, and the healthy districts, the difference in the mortality is 22·17—17·53=4·64; of which the children's deaths account for 3·69= 8·98—5·29.

This principle must be borne in mind, as well as the disturbances which are produced by the increase of births, and by migration, by hospitals and by lunatic asylums, in studying the series of Tables (pp. xxxviii to lviii), exhibiting for each district the density of the population, and the rates of mortality per 1000 during each of the ten years 1841–50 and 1851–60; or the mean rate in the twenty years 1841–60.

The two long periods, each of ten years, and the size of the districts, justify us in instituting a comparison between their rates of mortality.

In the whole kingdom the mortality was near the same rate in each of the decenniads.

VIII. Mortality in the Two Decenniads 1841–50 and 1851–60.

Note.—The rates show the annual deaths to 1000 living; and, unless it is otherwise stated, those cited are for the last decenniad (1851–60).

In London the mortality fell from the annual rate of 25 in the first to 24 per 1000 in the second decenniad; in the South Midland Counties the rate also fell from 21 to 20; namely, from 20 to 19 in Hertford, 22 to 21 in Northampton, 22 to 20 in Huntingdon, 22 to 21 in Bedford, 23 to 21 in Cambridge. There was an evident reduction in the general mortality of the fen district.

The mortality of Cheshire and Lancashire declined sensibly from 27 in the first to 26 in 1000 in the second period.

The mortality in the Eastern Counties and in Wales was higher in the second than it was in the first decenniad. The particular districts which contributed to these results will be seen on examining the Table (pp. xxxviii to lviii).

In six divisions the mortality showed no sensible variation in the two decenniads.

I. *London.*—The mortality increased in Islington from 19 to 21, where the population has nearly doubled its density; from 26 to 28 in St. Giles, where the population is dense and stationary. In Stepney also the mortality increased from 25 to about 27; in Poplar from 22 to 24; in St. James Westminster from 22 to 23.

In the majority of London districts the mortality decreased; from 20 to 19 in Kensington, 27 to 26 in Chelsea, 27 to 26 in Westminster, 24 to 23 in St. Martin-in-the-Fields, 18 to 17 in Hampstead, 23 to 22 in Pancras, 24 to 23 in Clerkenwell, 29 to 25 in West London, 27 to 24 in Shoreditch, 25 to 23 in Bethnal Green, and 29 to 28 in Whitechapel. The decrease was considerable in nearly all the districts on the south side

Table XX.—**Proportion of Deaths at different Ages to 100 Deaths at all Ages.**

AGES.	England (1851-60).	30 Large Town Districts (1851 60).	63 Healthy Districts (1849-53).
All Ages –	100·00	100·00	100·00
0— – –	40·53	47·62	30·18
5— – –	13·51	12·55	15·10
25— – –	13·06	13·86	12·68
45— – –	13·84	13·96	14·03
65— – –	16·70	10·96	23·60
85 & upwards –	2·36	1·05	4·41

of the Thames, except in Wandsworth and Lewisham, where the population became much more dense in the second than it was in the first decenniad.

The cholera epidemic of 1854 was less fatal in London than that of 1849; and the water supply became of greatly improved quality. Health officers were appointed; and some sanitary improvements have been carried out.

The mortality of the several districts of London is greatly disturbed by the deaths in large hospitals and lunatic asylums; for which the corrections are difficult.

II. *South Eastern Division.*—There are many healthy districts in this division. The extra-metropolitan districts of Surrey have a mortality below 19, except Guildford (rate 19) and Richmond (20). In Kent, again, Bromley (16), Dartford (18), Sevenoaks (18), Cranbrook (17), East Ashford (18), Bridge (18), Blean (18), and Elham including Folkestone (18), experienced a low rate in the last ten years. The following are the unhealthiest districts; Hoo 25 (worse than it was), Maidstone 23, Canterbury 23. Sheppy is a remarkable instance of decrease; the mortality fell from 24 to 19.

In thirteen districts of Sussex the mortality did not in the last decenniad exceed 18; in Rye it was 20, Chichester 21, Brighton 22. The mortality of Brighton in the two decenniads was 21 and 22; it is denser and in a worse condition than it was. In eleven districts of Hampshire the rates were 17 or 18. It is gratifying to observe an improvement in Portsea Island and Alverstoke (including Portsmouth and Gosport), one of the chief naval stations of the country. The sanitary state of Southampton does not keep pace with its prosperity; the mortality rose from 23 to 24. There is an evident improvement in the health of Romsey; the mortality fell from 21 to 19. Easthampstead, 16, is the healthiest district in Berkshire; Cookham 18 and Wokingham 18 stand next in order of salubrity. Reading and Abingdon have the highest rates in the county; but the Reading rate has fallen from 24 to 22.

III. *South Midland Division.*—In Middlesex, the rate in Hendon is 18, Barnet 18 (excluding Colney Hatch Lunatic Asylum), and Edmonton 18; they were healthy; Uxbridge 22, and Brentford 22, suffered from nearly London rates. In Hertfordshire, Ware 18, Bishop Stortford 18, Hertford 17, and Hatfield 18, experienced low rates: Hertford was 20, and fell to 17. Eton, 18, stands alone in Bucks; where, however, the highest rates are in Amersham 22, Aylesbury 22, Winslow 22, and Buckingham 22. No district in Oxfordshire has a rate lower than 19 nor higher than 22. In Oxford district it is 22; but a part of the city, the Oxford Workhouse and the Radcliffe Infirmary, are in the Headington district, where the mortality was 22. The Cambridge rate was worse (23), and is now 20 actually better than the Oxford rate. The mortality fell in all the Cambridgeshire districts except one; in Ely from 23 to 21, North Witchford 27 to 21, Whittlesey 25 to 23, Wisbech 25 to 22. The mortality rate in no district of Northamptonshire is so low as 18; it is 19 in Oundle and 24 in Northampton. Traces of improvement are visible; so are they also in Huntingdonshire, where the county rate of mortality fell from 22 to 20. In the Bedford District the mortality was reduced from 23 to 20; in Woburn raised from 20 to 22.

IV. *Eastern Division.*—Epping (18) and Ongar (18) have the lowest rates, Orsett (21) and Colchester (22) the highest rate in Essex, where 20 is the ruling mortality. The mortality of Orsett and of Colchester was 24 in the previous decenniad. The mortality was not lower than 19 (Stow and Bosmere), nor higher than 22 (Bury St. Edmunds and Ipswich) in Suffolk. Norfolk took a wider range; the mortality was 18 in St. Faiths, 18 in Freebridge Lynn, 25 in Norwich, and 25 in Yarmouth, where the population is dense. The mortality increased in Yarmouth from 23 to 25, in Norwich from 24 to 25.

V. *South Western Division.*—The mortality in Wilts was 21 ; and in no district was it so low as 18. Salisbury presents a striking example of the reduction of a high to a lower rate of mortality. The mortality rate was 28 in the first, and 24 in the last ten years; the population remaining equally dense (·05 acre to a person). The full effect of the sanitary improvements do not appear in these tables. The mortality, Mr. Middleton shows in a pamphlet full of interest, was at the rate of 27 per 1000 before drainage (1841-9), and has been 20 since drainage (1856-64) was in operation.* The mortality was low in Dorsetshire: in Blandford 17, Wimborne 18, and Weymouth 18; Dorchester 21 and Bridport 21. In Devon the mortality was 20 ; in Exeter the mortality was 25 and 24 ; in Plymouth 25 and 24 ; in East Stonehouse and Devonport higher; but the naval hospital interferes with the determination. The mortality of the North Devon districts ranges generally from 17 to 19, but is somewhat higher in the latter than in the former period : so it was in the south in respect of Kingsbridge (17 to 18), and Plympton St. Mary (18 to 19) ; upon the other hand the rate fell in Newton Abbot, including Torquay and Dawlish, from 19 to 18. The mortality of Cornwall is at the rate of 20 ; in St. Columb the rate was 18, in the Scilly Islands 18, in Redruth 21, Penzance 21, St. Germans 21. The mortality of the miners is high at advanced ages, when it has been shown that the effects of deaths on the general mortality are obscurely marked.

In Somersetshire the rate was 20; in Dulverton 16, Williton 18, Wellington 18, Bedminster including a part of the city of Bristol 20.

VI. *West Midland Division.*—In the Bristol district it was 28 against the previous rate, 29; in Clifton 20 against 23, here evincing evident improvement. In Clifton proper the mortality probably does not exceed 18 in 1000; but the district includes a great number of parishes in unfavourable sanitary conditions.

Of the other districts of Gloucestershire, Thornbury (17), Westbury-on-Severn (18), Tetbury (18), Stow-on-the-Wold and Winchcombe (18), show the lowest rates, Stroud (22) and Gloucester (21) the highest rates of mortality. Of Herefordshire the rate is 20 ; Ledbury figuring at 18 ; Leominster and Hereford at 21. In Shropshire the general rate is 20 ; the districts ranging from Clun 18, Church Stretton 18, Cleobury Mortimer 18, Shiffnal 18, Atcham 18, to Madeley in the coal and iron districts 21, and Shrewsbury 24. The rate for Shiffnal was 21, Clun 20, and the other districts, except Atcham, exceeded 18 in the previous ten years.

In Staffordshire the mortality was 25 ; against 24 in the first ten years. Staffordshire became denser and less healthy. The mortality of no district fell below 20 ; Wolstanton rate was 26, Stoke-upon-Trent 26, Leek 24, Wolverhampton 28, Walsall 26, West Bromwich 24, and Dudley 26. Newcastle-under-Lyme exhibits the result of great improvements ; the mortality there fell from 26 to 23. No trace of improvement was visible in more districts than two, Stone and Stoke-upon-Trent. Worcestershire is healthy, and the mortality rate was for Tenbury 17, Martley 18, Pershore 17, Droitwich 18, King's Norton 17 ; the rate was 23 in Stourbridge, and 23 in Worcester, where it was before 24. The fair county of Warwick had two districts in which the mortality was 18 ; Meriden and Solihull. The rate was 23 in Nuneaton (it had been 27), 25 in Foleshill, 25 in Coventry (it had been 27), and 27 in the Birmingham district; in Aston, including a part of the borough, it was 21, and in King's Norton 17. Birmingham is on one of the healthiest sites in the kingdom, and is rendered insalubrious by bad local arrangements.

VII. *North Midland Division.*—The rate of Rutland is 18, Lincolnshire 19, Leicestershire 22, Nottinghamshire 22, Derbyshire 22. In Lincolnshire and Rutlandshire the mortality declined by one; in Nottinghamshire

* The benefits of sanitary reform as shown at Salisbury by A. B. Middleton. (Pap. read in Stat. Sect. of British Association at Bath, 1864.)

and Derbyshire rose by one, for there the population had grown denser. The mortality rate of Billesdon in the two decenniads was 18 and 16. It is an open district adjoining Leicester, where the mortality in the same periods was 27 and 25; the density originally great, at the same time increasing. The mortality of Lincoln was 21 and 20; in eight other districts of the county it was 19, in six districts 20, and in one, Holbeach, 21. The population of the Nottingham district is exceedingly dense, and the mortality is at the rate of 27 in 1000; that of Radford, including part of the town suburbs, is 25; while in Basford the rate is 23. The remarkable circumstance is, that in nearly all the districts of Nottinghamshire the mortality increased, and in only three of them the mortality rate was even so low as 19.

Derby was a dense district in the first, and grew denser in the second period; the mortality remained at the rate of 24 in 1000.

VIII. *North Western Division.*—This is the great seat of the cotton manufactures. The population, collected in small and large towns, was dense in the first period, and grew denser in the second period. The mortality is still high, but there are evidences of improvement; the rates were 27 and 26; namely, 23 and 22 for Cheshire, 28 and 26 for Lancashire. The mortality of Stockport, a tolerably dense district, was 25 and 26; of Macclesfield 26 and 25; of Congleton 22 and 23; in Great Boughton, including the city of Chester, 23 and 22 in the two decenniads. In Wirrall, including Birkenhead and New Brighton, the mortality was 20 and 19; thus presenting a favourable contrast to the Liverpool district, where the mortally declined from 36 to 33 in the two decenniads; and from 26 to 23 in West Derby, including the best part of the Liverpool Borough.

The Manchester district rates were 33 and 31; those of Chorlton, including part of the City of Manchester, were 25 and 24; while the Salford rates were 28 and 26. In Wigan the rates were 28 and 27; Bolton 27 and 27; Ashton 26 and 27; Preston 25 and 27. Of Garstang the mortality rate was as low as 16, and it is now 18; at Ulverston the rate rose from 18 to 20; the mortality of the Lancaster district remained 23 through the two periods.

IX. *Yorkshire.*—The rate was 23; the rate fell from 24 to 22 in the East Riding, rose from 23 to 24 in the West Riding. Sheffield is the southern dark centre of a fatal division of the West Riding, the rate of mortality there ranging from 27 to 28. Leeds is another dense centre of a region of high mortality; the mortality there was 28, Hunslet 24, Dewsbury 25, Bradford 26, Halifax 24. Of York the rate was 23; of Hull 25. Hull exhibits a great fall from 31 to 25 in the two decenniads; it is one of the districts where cholera was most fatal in the epidemic of 1849. Three districts of the North Riding experienced the rate of 18; one the rate of 17 per 1000; in others the rates ranged from 19 to 20; in Scarborough only it was so high as 21.

X. *Northern Division.*—The mortality was at the rate of 22 for the whole population; but the districts present the extreme range from 14 in Bellingham, 15 in Glendale and Rothbury, to 23 in Durham District, 23 in Tynemouth, 24 in South Shields, 25 in Sunderland, 26 in Gateshead, and 27 in Newcastle-upon-Tyne. The mortality is generally high in the county of Durham; while Northumberland, Cumberland, and Westmorland have some of the healthiest districts of England: Haltwhistle, Bellingham, Belford, Glendale and Rothbury, Brampton and Longtown, and Bootle experienced rates as low as 14, 15, 16, and 17.

XI. *Wales (including Monmouthshire).*—The mortality rate of Wales was 21, to which it rose from 20 in the first decenniad. The fatal coal and iron districts here, as in the north, stand out amidst the many healthier districts of the principality where the mortality rate ranged from 16 in Knighton to 18 in Llandovery, 18 in Newcastle-in-Emlyn, 18 in Lampeter, 18 in Tregaron, 18 in Builth, 18 in Rhayader, 18 in Corwen, 18 in Bala, 18 in Dolgelly, 18 in Pwllheli, and 18 in Conway. The mortality rate of the

last decenniad was, upon the other hand, 23 in Pontypool, 22 in Newport, 23 in Cardiff, 25 in Abergavenny, 25 in Crickhowell, and 29 in Merthyr Tydfil. In Crickhowell the mortality declined from 27 to 25; in ominous Merthyr it rose from the rate of 28 deaths to 29 deaths per 1000 of the people.

By means of the Table, of which I have given a rapid summary, a general conception can be formed of the rates of mortality to which the people of different districts are subject; and the Tables showing the mortality of males and females at different ages should also be consulted by the local authorities.

Note.—The rate of mortality from each form of disease at each age is easily calculated for males and females from the facts which are given in the Tables for each district. Thus, if the males of the age x be represented by l_x, and the annual deaths in the ten years 1851–60 by d_x, then the annual rate of mortality is thus determined by the simple rule of proportion—

$$l_x \;:\; d_x \;::\; 1 \;:\; m_x = \frac{d_x}{l_x}$$

The mean number of men living at the age 35 and under 45 in Birmingham at the censuses 1851 and 1861 was 11,322 $= l_x$, and the average annual number of deaths from phthisis was 62·4 $= d_x$†; consequently the mean annual rate of mortality by that disease is expressed thus:

$$11322 \;:\; 62{\cdot}4 \;::\; 1 \;:\; \frac{62{\cdot}4}{11322} = {\cdot}00551;$$

and multiplying by 100 we have the rate of mortality ·551 per cent.; or, multiplying by 1,000,000, it is 5510 per million. The whole Table may be dealt with by the same method, and thus a Table for Birmingham be obtained corresponding with that which is given at pp. viii and ix for all England.

TABLE XXI.—Showing the **Area, Mean Population, Density** and **Proximity** of **Population** of the **Districts** of **England** grouped in the **Order** of **their Mortality**, 1851–60.

Number of Districts.	Acres.	Mean Population, 1851–60.	Density and Proximity of Population, 1851–60.				Mortality.*
			Hectars to a Person.	Persons to a Square Kilometer.	Persons to a Square Mile.	Proximity or nearness of Person to Person in Meters.	Annual Deaths to 1000 living, 1851–60.
1	235,861	6,817	14·001	7	18	402	14
2	301,473	21,069	5·790	17	45	259	15
12	627,588	129,055	1·968	51	132	151	16
26	1,507,484	421,140	1·449	69	179	129	17
81	5,258,236	1,300,629	1·636	61	158	137	18
121	9,540,681	2,668,756	1·447	69	179	129	19
129	8,444,479	2,649,736	1·290	78	201	122	20
84	5,599,983	2,110,379	1·074	93	241	111	21
51	2,636,106	1,878,056	·568	176	456	81	22
40	1,514,137	1,845,790	·332	301	780	62	23
26	590,955	1,762,962	·136	737	1909	40	24
20	442,540	880,953	·203	492	1274	48	25
14	217,029	1,065,319	·082	1213	3142	31	26
13	212,694	1,085,675	·079	1261	3267	30	27
11	195,637	1,170,740	·068	1479	3830	28	28 up to 33
631	37,324,883	18,997,076	·795	126	326	96	22

NOTE.—In this Table the Districts of England are thrown into groups according to their respective rates of mortality. Thus, there was one District in which the average annual rate of mortality in the 10 years 1851–60 was 14 in 1000 living, and 129 Districts in which the mortality was 20 in 1000. This latter group comprises an area of 8,444,479 acres and a population of 2,649,736, being 1·290 Hectars to a person, 78 persons to a Square Kilometer, or 201 persons to a Square Mile; if the population was spread equally over this area their *proximity* to each other would be 122 Meters. The Meter is longer than the English yard. One Meter = 1·093633 yards or 39 inches and a fraction. A square of 100 meters to the side is a hectar (land measure), while a square of 1000 meters to the side is a square kilometer.

* The Mortality is uncorrected for Institutions.

---

† See pp. 280–281, District 394.

IX. Mortality of Cities; relation between Density and Death-rate.

It is well established that the mortality of the populations of cities is generally higher than the mortality of people in the country. And it has been shown in the annual Reports* that there is a constant relation between the density of the population and the mortality. This has been further tested by arranging all the districts in the order of their mortality during the ten years, and then determining the density of their population. The Table XXI. presents a summary view of the results.

The general mortality of the 631 districts ranged from a rate of 14 to 33 deaths in 1000 living. If the facts are arranged in five great groups, the following result is obtained.

Table XXII.—**Number** of **Males** aged 15 Years and upwards in the under-mentioned **Occupations living** at the Census of 1861, and the Number in the same **Occupations** who **died** in the Two Years 1860–61, at different Periods of Age.

Occupations.		Males.—Ages.								
		15 Years of Age and upwards.	15–25	25–35	35–45	45–55	55–65	65–75	75–85	85 and upwards.
All Males aged 15 Years and upwards in England	Living in 1861	6,188,503	1,818,140	1,395,977	1,141,338	845,506	564,536	303,966	106,036	13,004
	Deaths in 1860 and 1861	224,794	26,204	25,492	28,021	29,880	35,115	40,276	31,561	8,245
Tailors	Living in 1861	105,467	23,475	23,662	23,935	18,278	9,528	4,892	1,534	163
	Deaths in 1860 and 1861	4,212	425	550	617	681	627	678	505	129
Shoemakers	Living in 1861	201,781	50,756	44,940	39,948	31,482	20,767	10,274	3,357	357
	Deaths in 1860 and 1861	7,488	734	859	889	993	1,250	1,420	1,093	270
Farmers and Graziers	Living in 1861	226,957	5,459	29,023	47,636	52,133	47,443	31,001	12,541	1,721
	Deaths in 1860 and 1861	13,346	116	497	836	1,297	2,189	3,565	3,649	1,197
Carpenters and Joiners	Living in 1861	174,475	51,422	40,221	31,222	24,678	14,984	8,682	2,917	349
	Deaths in 1860 and 1861	5,745	573	625	612	761	840	1,207	886	241
Butchers	Living in 1861	63,278	19,349	14,861	11,552	8,423	5,557	2,661	792	83
	Deaths in 1860 and 1861	2,288	128	286	347	352	420	427	267	61
Persons engaged in the Wool, Cotton, Flax, and Silk Manufactures, including Weaver not otherwise described	Living in 1861	356,469	118,502	78,515	64,023	47,098	29,258	14,284	4,404	385
	Deaths in 1860 and 1861	13,264	1,771	1,429	1,540	1,747	2,159	2,487	1,801	330
Bakers and Confectioners	Living in 1861	53,757	16,581	12,665	10,134	7,116	4,579	2,108	524	50
	Deaths in 1860 and 1861	1,738	140	201	258	273	317	307	209	33
Inn and Hotel Keepers, Licensed Victuallers and Publicans, and Beersellers	Living in 1861	64,486	2,003	11,716	18,789	16,192	10,136	4,460	1,104	86
	Deaths in 1860 and 1861	3,970	32	305	707	910	832	646	449	89
Inn and Hotel Keepers, Licensed Victuallers, and Publicans, and Beersellers, *including* Wine and Spirit Merchants	Living in 1861	71,873	3,493	13,517	20,428	17,421	10,950	4,788	1,182	94
	Deaths in 1860 and 1861	4,352	62	357	781	973	899	713	471	96
Grocers	Living in 1861	71,323	20,717	15,235	13,599	10,196	7,063	3,484	958	71
	Deaths in 1860 and 1861	1,337	220	256	251	261	290	302	222	35
Grocers and Shopkeepers (including Chandler's Shopkeeper and Branch undefined)	Living in 1861	75,879	21,075	15,941	14,547	11,117	7,937	4,044	1,135	83
	Deaths in 1860 and 1861	2,096	226	276	270	301	334	365	280	44
Miners, viz., Coal, Iron, Copper, Tin, and Lead, and others connected with Mines	Living in 1861	290,438	107,550	77,286	51,156	31,008	16,035	5,949	1,358	96
	Deaths in 1860 and 1861	9,165	1,773	1,539	1,310	1,257	1,361	1,198	587	120
Persons engaged in the Iron, Copper, Lead, and Tin Manufactures	Living in 1861	121,769	45,661	34,775	21,603	11,924	5,563	1,803	398	42
	Deaths in 1860 and 1861	2,972	495	515	486	491	446	330	177	32
Labourers, &c., viz., Agricultural Labourers, Farm Servants, Farm Bailiffs, Shepherds, General Labourers, Railway Labourers, Navvies, Stone, Slate, and Limestone Quarriers, Brickmakers, and other Workers in Stone and Clay	Living in 1861	1,422,750	398,589	298,421	255,290	201,523	150,540	85,787	29,265	3,335
	Deaths in 1860 and 1861	49,385	3,775	4,726	5,090	5,634	7,378	10,207	9,342	2,733
Labourers, &c. as above, *including* Bricklayers and Masons	Living in 1861	1,583,449	440,106	339,104	287,267	224,965	164,823	92,559	31,101	3,524
	Deaths in 1860 and 1861	55,235	4,203	5,449	5,904	6,631	8,947	11,204	9,078	2,859
Blacksmiths	Living in 1861	103,887	35,169	23,852	18,478	12,944	7,949	4,060	1,301	134
	Deaths in 1860 and 1861	3,245	371	399	402	451	499	565	461	97

* See 5th Annual Report, pp. 419–425, and 16th Annual Report, p. xvi, on effects of density.

1. Where the mortality was 14, 15, or 16, the population was in the proportion of 86 persons to 1 square mile.

2. Where the mortality was 17, 18, or 19, the population was 172 persons to a square mile.

3. Where the mortality was 20, 21, or 22, the population was of the density expressed by 255 to a square mile.

4. Where the mortality was at the rate of 23, 24, or 25, the population was of the density expressed by 1128 to a square mile.

5. And where the rate of mortality was 26 and upwards, the average density was expressed by 3399 persons to a square mile.

Thus in these five groups there is a constant increase of mortality running parallel with the increase of density.

Not only is that the case in great groups, but the same law reigns over the two series of ratios—the ratio of deaths to the living and the ratio of the living to the area of land on which they dwell—when the groups are multiplied and the facts are subdivided so as to give rise to some disturbance; which almost invariably admits of explanation. For it happens when there is a discrepancy that the population is lodged on a small portion of the area of a wide district, and in that case the density of the part in which the people dwell is not accurately expressed by the method here employed. When the groups are larger, the effects of these perturbations are less visible, as the disturbing causes neutralize each other to some extent.

The population of the denser districts differs in many respects from that of the thinly peopled districts of the country; but there can be no doubt that mere proximity of the dwellings of the people does not necessarily involve a high rate of mortality. When any zymotic matter, such as varioline, scarlatinine, or typhine finds its way into a village or street, it is more likely to pass from house to house than it is where the people are brought less frequently into contact. The exhalations into

---

TABLE XXIII.—**Annual Mortality per Cent.** of **Males** aged 15 Years and upwards in the under-mentioned **Occupations,** in the Years 1860–61, at different Periods of Age, **arranged in the Order of Mortality at Age 45.**

MALES.—AGES.								
15–	25–	35–	OCCUPATIONS.	45–	55–	65–	75–	85 and upwards.
·721	·913	1·228	ALL ENGLAND - -	1·767	3·110	6·625	14·882	31·702
1·062	·856	·877	Farmers - - - -	1·244	2·307	5·750	14·548	34·776
·531	·840	·923	Grocers - - - -	1·280	2·053	4·334	11·587	24·648
·536	·866	·928	Grocers and Shopkeepers (including Chandler's Shopkeeper & Branch undefined)	1·354	2·104	4·513	12·335	26·506
·474	·792	·997	Labourers - - - -	1·398	2·617	5·949	15·961	40·975
·478	·803	1·038	Labourers, including Bricklayers and Masons -	1·474	2·714	6·052	16·041	40·565
·557	·777	·980	Carpenters - - - -	1·542	2·803	6·951	15·187	34·527
·723	·933	1·113	Shoemakers - - -	1·577	3·024	6·911	16·279	37·815
·527	·836	1·088	Blacksmiths - - -	1·742	3·139	6·958	17·717	36·194
·747	·910	1·203	Wool, Cotton, Flax, and Silk Manufacturers - -	1·855	3·690	8·706	20·447	42·857
·905	1·162	1·289	Tailors - - - -	1·863	3·290	6·930	16·460	39·571
·422	·794	1·273	Bakers - - - -	1·918	3·461	7·282	19·943	33·000
·824	·996	1·280	Miners - - - -	2·027	4·306	10·069	21·613	62·500
·542	·740	1·125	Metal Manufactures - -	2·059	4·009	9·151	22·236	38·095
·331	·962	1·502	Butchers - - - -	2·090	3·779	8·023	16·856	36·747
·887	1·321	1·912	Innkeepers, *including* Wine and Spirit Merchant -	2·793	4·105	7·446	19·924	51·064
·799	1·302	1·881	Innkeepers, *excluding* Wine and Spirit Merchant -	2·810	4·104	7·242	20·335	51·744

the air are thicker. But if an adequate water supply, and sufficient arrangements for drainage and cleansing are secured, as they can be by combination in towns, the evils which now make dense districts so fatal may be mitigated. Indeed some of the dense districts of cities are in the present day comparatively salubrious.

X. Mortality of Persons in different Occupations.

There is considerable difficulty in determining the mortality and the duration of life among men of all the professions, owing to the uncertainty in the naming of trades. But some occupations are well defined; and of those the mortality is shown in the annexed Tables (XXIII. and XXIV.)

As in the case of towns, so it may be said of men of unhealthy occupations; the mortality is susceptible of reduction by the investigation and removal of its causes.

Thus the miner may be protected from explosions; and to a large extent from underground injuries by greater care on his own part, and on the part of the managers and proprietors. He may be saved from the

---

Table XXIV.—**Annual Mortality per Cent.** of **Males** aged 15 Years and upwards in the under-mentioned **Occupations,** in the Years 1860–61, at different Periods of Age.

Occupations.	Males.—Ages.								
	15 Years of Age and upwards.	15—	25—	35—	45—	55—	65—	75—	85 and upwards.
	Annual Mortality per Cent.								
All Males aged 15 Years and upwards in England	1·816	·721	·913	1·228	1·767	3·110	6·625	14·882	31·702
Tailors	1·997	·905	1·162	1·289	1·863	3·290	6·930	16·460	39·571
Shoemakers	1·855	·723	·933	1·113	1·577	3·024	6·911	16·279	37·815
Farmers and Graziers	2·940	1·062	·856	·877	1·244	2·307	5·750	14·548	34·776
Carpenters and Joiners	1·646	·557	·777	·980	1·542	2·803	6·951	15·187	34·527
Butchers	1·808	·331	·962	1·502	2·090	3·779	8·023	16·856	36·747
Persons engaged in the Wool, Cotton, Flax, and Silk Manufactures, including Weaver, not otherwise described	1·866	·747	·910	1·203	1·855	3·690	8·706	20·447	42·857
Bakers and Confectioners	1·617	·422	·794	1·273	1·918	3·461	7·282	19·943	33·000
Inn and Hotel Keepers, Licensed Victuallers and Publicans, and Beersellers	3·078	·799	1·302	1·881	2·810	4·104	7·242	20·335	51·744
Inn and Hotel Keepers, Licensed Victuallers and Publicans, and Beersellers, *including* Wine and Spirit Merchants	3·028	·887	1·321	1·912	2·793	4·105	7·446	19·924	51·064
Grocers	1·288	·531	·840	·923	1·280	2·053	4·334	11·587	24·648
Grocers and Shopkeepers (including Chandler's Shopkeeper and Branch undefined)	1·381	·536	·866	·928	1·354	2·104	4·513	12·335	26·506
Miners, viz., Coal, Iron, Copper, Tin, and Lead, and others connected with Mines	1·578	·824	·996	1·280	2·027	4·306	10·069	21·613	62·500
Persons engaged in the Iron, Copper, Tin, and Lead Manufactures	1·220	·542	·740	1·125	2·059	4·009	9·151	22·236	38·095
Labourers, &c., viz., Agricultural Labourers, Farm Servants, Farm Bailiffs, Shepherds, General Labourers, Railway Labourers, Navvies, Stone, Slate, and Limestone Quarriers, Brickmakers, and other Workers in Stone and Clay	1·736	·474	·792	·997	1·398	2·617	5·949	15·961	40·975
Labourers, &c. as above, *including* Bricklayers and Masons	1·744	·477	·803	1·038	1·474	2·714	6·052	16·041	40·565
Blacksmiths	1·562	·527	·836	1·088	1·742	3·139	6·958	17·717	36·194

excessive fatigue of ladder climbing ; and if the mines were well ventilated, he would not break down by so early and premature an old age.

The publican has only to abstain from excesses in spirits and other strong drinks to live as long as other people.

I have the honour to be,
Sir,
Your very obedient servant,
WILLIAM FARR.

To
The Registrar-General.

DENSITY OF POPULATION AND ANNUAL MORTALITY

IN THE

TWO DECENNIADS 1841–50 AND 1851–60

IN THE

REGISTRATION DIVISIONS, COUNTIES, AND DISTRICTS OF

ENGLAND.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Registration Divisions, Counties, and Districts of England.

No.	Divisions and Registration Counties.	Density of Population. Acres to a Person. 1841-50	Density of Population. Acres to a Person. 1851-60	Annual Mortality. Deaths to 1000 Living. 1841-50	Annual Mortality. Deaths to 1000 Living. 1851-60	Annual Mortality. Deaths to 1000 Living. Mean of 20 Years 1841-60
	ENGLAND	2·21	1·96	22	22	22
	DIVISIONS.					
I.	LONDON	·04	·03	25	24	24
II.	SOUTH EASTERN COUNTIES	2·62	2·34	20	20	20
III.	SOUTH MIDLAND COUNTIES	2·69	2·53	21	20	20
IV.	EASTERN COUNTIES	2·98	2·85	20	21	21
V.	SOUTH WESTERN COUNTIES	2·82	2·74	20	20	20
VI.	WEST MIDLAND COUNTIES	1·91	1·69	22	22	22
VII.	NORTH MIDLAND COUNTIES	3·04	2·83	21	21	21
VIII.	NORTH WESTERN COUNTIES	·88	·74	27	26	26
IX.	YORKSHIRE	2·17	1·92	23	23	23
X.	NORTHERN COUNTIES	3·89	3·29	22	22	22
XI.	MONMOUTHSHIRE AND WALES	4·63	4·18	20	21	21
	I.—LONDON.					
	MIDDLESEX (*part of*)	·02	·02	24	23	23
	SURREY (*part of*)	·05	·04	26	25	25
	KENT (*part of*)	·19	·14	25	22	23
	II.—SOUTH EASTERN COUNTIES.					
1	SURREY (*Extra-metropolitan*)	2·44	2·00	18	18	18
2	KENT (*Extra-metropolitan*)	2·18	1·97	21	20	20
3	SUSSEX	2·96	2·69	18	19	19
4	HAMPSHIRE	2·81	2·47	20	20	20
5	BERKSHIRE	2·90	2·79	20	20	20
	III.—SOUTH MIDLAND COUNTIES.					
6	MIDDLESEX (*Extra-metropolitan*)	1·21	1·04	19	20	20
7	HERTFORDSHIRE	2·55	2·44	20	19	19
8	BUCKINGHAMSHIRE	2·86	2·77	21	21	21
9	OXFORDSHIRE	2·87	2·81	21	21	1
10	NORTHAMPTONSHIRE	3·06	2·84	22	21	21
11	HUNTINGDONSHIRE	3·54	3·44	22	20	21
12	BEDFORDSHIRE	2·52	2·26	22	21	21
13	CAMBRIDGESHIRE	3·16	3·06	23	21	22
	IV.—EASTERN COUNTIES.					
14	ESSEX	2·96	2·72	20	20	20
15	SUFFOLK	2·86	2·77	20	20	20
16	NORFOLK	3·10	3·02	21	21	21

Note.—The population used in obtaining the results given in this Table is the arithmetical mean of the numbers enumerated in 1841-51, and in 1851-61.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Registration Divisions, Counties, and Districts of England—*continued.*

No.	Registration Counties.	Density of Population. Acres to a Person. 1841-50	Density of Population. Acres to a Person. 1851-60	Annual Mortality. Deaths to 1000 Living. 1841-50	Annual Mortality. Deaths to 1000 Living. 1851-60	Annual Mortality. Deaths to 1000 Living. Mean of 20 Years 1841-60
	V.—SOUTH WESTERN COUNTIES.					
17	WILTSHIRE	3·22	3·26	21	21	21
18	DORSETSHIRE	3·57	3·43	20	19	19
19	DEVONSHIRE	3·08	2·81	20	20	20
20	CORNWALL	2·52	2·48	19	20	20
21	SOMERSETSHIRE	2·23	2·34	20	20	20
	VI.—WEST MIDLAND COUNTIES.					
22	GLOUCESTERSHIRE	1·76	1·66	22	21	21
23	HEREFORDSHIRE	4·35	4·13	21	20	20
24	SHROPSHIRE	3·72	3·63	21	20	20
25	STAFFORDSHIRE	1·30	1·08	24	25	25
26	WORCESTERSHIRE	1·77	1·57	21	20	20
27	WARWICKSHIRE	1·38	1·17	23	23	23
	VII.—NORTH MIDLAND COUNTIES.					
28	LEICESTERSHIRE	2·34	2·23	22	22	22
29	RUTLANDSHIRE	4·54	4·51	19	18	18
30	LINCOLNSHIRE	4·60	4·32	20	19	19
31	NOTTINGHAMSHIRE	2·12	1·94	21	22	22
32	DERBYSHIRE	2·23	2·01	21	22	22
	VIII.—NORTH WESTERN COUNTIES.					
33	CHESHIRE	1·75	1·53	23	22	22
34	LANCASHIRE	·70	·58	28	26	27
	IX.—YORKSHIRE.					
35	WEST RIDING	1·34	1·19	23	24	24
36	EAST RIDING (*with York*)	3·07	2·73	24	22	23
37	NORTH RIDING	6·49	6·09	19	19	19
	X.—NORTHERN COUNTIES.					
38	DURHAM	2·04	1·58	22	23	23
39	NORTHUMBERLAND	4·39	3·86	22	22	22
40	CUMBERLAND	5·36	5·00	21	21	21
41	WESTMORLAND	8·48	8·17	19	18	18
	XI.—MONMOUTHSHIRE AND WALES.					
42	MONMOUTHSHIRE	2·64	2·31	23	23	23
43	SOUTH WALES	4·96	4·31	20	22	21
44	NORTH WALES	4·99	4·81	20	20	20

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England.

I.—LONDON.

	Districts.	Density of Population. Acres to a Person.		Annual Mortality. Deaths to 1000 Living.		
		1841-50	1851-60	1841-50	1851-60	Mean of 20 Years 1841-60
	MIDDLESEX (*part of*).					
1	(*a*) Kensington *HHHH*	·076	·048	20	19	19
2	(*b*) Chelsea (including Chelsea Hospital) *w*	·018	·014	27	26	26
	Chelsea (*excluding Chelsea Hospital*)	—	—	25	25	25
3	(*c*) St. George Hanover-square *H*	·017	·014	19	19	19
4	(*d*) Westminster *H*	·015	·014	27	26	26
5	(*e*) St. Martin-in-the-Fields *H*	·012	·013	24	23	23
6	St. James Westminster	·004	·005	22	23	23
7	(*f*) Marylebone *H*	·010	·009	24	24	24
8	Hampstead	·204	·145	18	17	17
9	(*g*) Pancras *HHw*	·018	·015	23	22	22
10	(*h*) Islington *HH*	·041	·025	19	21	20
11	(*i*) Hackney *HLw*	·078	·055	19	19	19
12	St. Giles	·005	·005	26	28	27
13	(*j*) Strand *H*	·004	·004	24	24	24
14	(*k*) Holborn *H*	·004	·004	26	26	26
15	Clerkenwell	·006	·006	24	23	23

Note.—The mortality of some Districts is unduly raised in consequence of the excessive mortality of Hospitals and some other large Institutions within their limits. In some of these cases it has been thought right to give approximate corrections, which will suffice for ordinary purposes, where the deaths in the particular Institutions bear a small proportion to the total deaths in the District. The local authorities who wish for more exact information can sometimes obtain it from the Institutions or through the local inquiries of their own officers.

The presence of such Institutions in any District is indicated in this Table by *H* for Hospital or Infirmary, *L* for Lunatic Asylum, and *w* for Workhouse situated out of the District to which it belongs; and repetitions of these letters show the number of such Institutions in any District. The smaller Institutions are not noticed.

In calculating the mortality of the London Districts an approximate correction has been made for deaths in the larger *Hospitals* and in *Workhouses* situated out of the Districts to which they belong.

The correction for Workhouses situated out of the Districts to which they belong has been made by subtracting the deaths and inmates of these outlying Workhouses from the Districts in which they are situated, and adding them to the Districts to which the inmates belong. It is assumed for this purpose that the inmates and deaths in 1851 (for the 10 years 1841–50) and in 1861 (for the 10 years 1851–60) represent the average annual numbers of inmates and deaths in the two decenniads.

For the 10 years 1841–50 the correction for Hospitals was made by taking the number of deaths and inmates in each Hospital given in No. 8. of the Registrar-General's Weekly Returns for 1852 as the basis; and these, multiplied by 10, being assumed to represent the years of life and deaths in the 10 years, were deducted from the years of life and deaths of the District in which each Hospital was situated, and the total numbers were then distributed proportionally over every District of London. For the 10 years 1851–60 a full explanation of the manner in which the correction for Hospitals was made is given at pp. lx–lxi.

No correction has been made for County and other general Hospitals out of the Metropolitan Districts. A correction has been made in calculating the mortality of Districts in which large Naval or Military Hospitals are situated, and also of those Districts which contain the various County Lunatic Asylums. The particulars of these corrections are given in a note attached to each of the Districts referred to. For the private Lunatic Asylums no correction has been made.

(*a*) Includes the Lock Hospital, St. Mary's Hospital, Consumption Hospital, and Cancer Hospital; and a correction has been made for these in calculating the mortality of the District.

(*b*) Contains the Workhouse belonging to St. George Hanover Square, for which a correction has been made. The correction for the Chelsea Hospital for the 10 years 1841–50 has been made by taking the arithmetical mean of the in-pensioners enumerated in 1841 and 1851, which, being multiplied by 10, gave the years of life; the deaths in the 10 years were obtained by multiplying the deaths of in-pensioners in 1851 by 10, and these years of life and deaths were then subtracted from the years of life and deaths in the entire District. A similar correction was made for the 10 years 1851–60, with the exception that the deaths in the Royal Hospital were ascertained for the three years 1851, 1855, and 1861, and from these the deaths in the 10 years 1851–60 were estimated.

(*c*) Includes St. George's Hospital, for which a correction has been made. The Workhouse belonging to this District is situated in Chelsea, and a correction has also been made on that account.

(*d*) Includes the Westminster Hospital, for which a correction has been made.

(*e*) Includes the Charing Cross Hospital, for which a correction has been made.

(*f*) Includes the Middlesex Hospital, for which a correction has been made.

(*g*) Includes the University College Hospital and the Royal Free Hospital, and also the Workhouse belonging to the Strand District, for each of which corrections have been made.

(*h*) Includes the London Fever Hospital and the Small-pox Hospital, for which corrections have been made.

(*i*) Includes the German Hospital and the Workhouse belonging to the East London District, for which corrections have been made. The Pembroke House Lunatic Asylum, containing 131 inmates in 1861, and wherein 13 deaths were registered in the year, is also situated in this District, but no correction has been made for that Institution.

(*j*) Includes King's College Hospital, for which a correction has been made. The Workhouse belonging to this District is situated in Pancras, and a correction has also been made on that account.

(*k*) Includes the Hospital for Sick Children, for which a correction has been made.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued.*

I.—LONDON—*continued.*

	DISTRICTS.	Density of Population. Acres to a Person.		Annual Mortality. Deaths to 1000 Living.		
		1841-50	1851-60	1841-50	1851-60	Mean of 20 Years 1841–60
16	**MIDDLESEX** (*part of*)—*cont.*					
	(*l*) St. Luke *HL*	·004	·004	27	27	27
17	East London	·004	·004	27	27	27
18	(*m*) West London *H*	·005	·005	29	25	27
19	(*n*) London City	·008	·009	22	22	22
20	(*o*) Shoreditch *Lw*	·007	·005	27	24	25
21	(*p*) Bethnal Green *HL*	·009	·008	25	23	24
22	(*q*) Whitechapel *H*	·005	·005	29	28	28
23	St. George-in-the-East	·005	·005	29	29	29
24*a*	Stepney	·012	·010	25	27	26
24*b*	(*r*) Mile End Old Town *w*		·011		24	
25	(*s*) Poplar *Lw*	·075	·046	22	24	23
	SURREY (*part of*).					
26	(*t*) St. Saviour Southwark *HH*	·008	·008	30	29	29
27	(*t*) St. Olave Southwark *HH*					
28	Bermondsey	·017	·013	28	26	27
29	(*u*) St. George Southwark *L*	·006	·005	30	27	28
	Newington	·010	·009	26	24	25
30	Lambeth	·031	·027	25	23	24
31	Wandsworth (including County Lunatic					
32	Asylum)	·258	·193	22	22	22
	(*v*) *Wandsworth (excluding County Lunatic Asylum*)	—	—	19	20	20
	(*w*) Camberwell *LL*	·092	·069	24	23	23
33	Rotherhithe	·056	·042	28	25	26
34						
	KENT (*part of*).					
35	(*x*) Greenwich (including Greenwich Hospital) *HHH*	·060	·047	27	24	25
	Greenwich (excluding Greenwich Hospital)	—	—	24	23	23
36	Lewisham	·595	·342	17	18	18

(*l*) Includes the City of London Lying-in Hospital, for which a correction has been made. St. Luke's Lunatic Asylum, containing 157 patients in 1861, and wherein 11 deaths were registered during that year, is situated in this District, but no correction has been made for that Institution.

(*m*) Includes St. Bartholomew's Hospital, for which a correction has been made.

(*n*) The Workhouse belonging to this District is situated partly in Mile End Old Town and partly in Poplar; a correction has been made on this account.

(*o*) Includes the Workhouse belonging to St. Luke's District, for which a correction has been made. The Hoxton House Lunatic Asylum, containing 169 patients in 1861, and in which 15 deaths were registered during that year, is situated in this District, but no correction has been made for that Institution.

(*p*) Includes the Hospital for Diseases of the Chest, for which a correction has been made. The Bethnal House Lunatic Asylum, containing 238 patients in 1861, and wherein 17 deaths were registered during that year, is situated in this District; but no correction has been made for that Institution.

(*q*) Includes the London Hospital, for which a correction has been made.

(*r*) Includes a Workhouse belonging to the City of London, for which a correction has been made.

(*s*) Includes a Workhouse belonging to the City of London, for which a correction has been made. The Grove Hall Lunatic Asylum, containing 295 patients in 1861, and wherein 38 deaths were registered during that year, is situated in this District, but no correction has been made for that Institution.

(*t*) The Districts of St. Saviour and St. Olave include St. Thomas's and Guy's Hospitals, for which a correction has been made. Owing to the large proportion of deaths in these two Hospitals it was found impracticable, without more accurate data, to give the corrected mortality of the two Districts separately, as parts of both Hospitals are situated in each of the Districts.

(*u*) Bethlehem Hospital for Lunatics, containing 353 patients in 1861, and wherein 24 deaths were registered in that year, is situated in this District, but no correction has been made for that Institution.

(*v*) The correction for Surrey County Lunatic Asylum in the 10 years 1841–50 is based upon the facts given in No. 8. of the Registrar-General's Weekly Returns for London, 1852. For the 10 years 1851–60 the years of life and deaths were obtained from the Lunacy Commissioners Reports.

(*w*) Includes Camberwell House Lunatic Asylum, containing 269 patients in 1861, and wherein 41 deaths were registered during that year; and Peckham House Lunatic Asylum, containing 235 patients in 1861, wherein 40 deaths were registered; but no correction has been made for those Institutions.

(*x*) Includes the Dreadnought Hospital Ship, the Royal Marine Infirmary, and the Garrison Hospital, for which corrections have been made. The years of life, and deaths in Greenwich Hospital for the 10 years 1841–50 were estimated from the mean of the in-pensioners in 1841 and 1851, and from the deaths in 1851. For the 10 years 1851–60 the deaths were estimated from the ascertained deaths for the three years 1851, 1855, and 1861; the years of life from the mean of the in-pensioners in 1851 and 1861.

Density of Population and Annual **Mortality** in the Two Decenniads **1841–50** and **1851–60** in the Districts of England—*continued*.

II.—SOUTH EASTERN COUNTIES.

	DISTRICTS.	Density of Population. Acres to a Person.		Annual Mortality. Deaths to 1000 Living.		
		1841–50	1851–60	1841–50	1851–60	Mean of 20 Years 1841–60
	1.–SURREY (*Extra-metropolitan*).					
37	Epsom	2·27	1·99	18	16	17
38	Chertsey	2·80	2·50	18	18	18
39	(*a*) Guildford (including Godalming) *H*	2·72	2·41	19	19	19
40	Farnham (including Military in Aldershott Camp)	3·79	1·47	18	17	17
41	Farnborough (including Military in Aldershott Camp)		3·57		14	
	(*b*) *Farnham* (*excluding Military in Aldershott Camp*)	—	—	—	20	—
	(*b*) *Farnborough* (*excluding Military in Aldershott Camp*)	—	—	—	16	—
42	Hambledon	4·58	4·40	16	17	17
43	Dorking	3·58	3·36	17	17	17
44	(*c*) Reigate *L*	3·58	2·98	16	17	17
45	Godstone	4·94	4·74	17	17	17
46	Croydon	1·10	·84	20	19	19
47	Kingston	·89	·71	18	18	18
48	Richmond	·29	·25	20	20	20
	2.–KENT (*Extra-metropolitan*).					
49	Bromley	2·37	2·10	17	16	16
50	Dartford	2·02	1·78	19	18	18
51	Gravesend	·10	·09	25	23	24
52	North Aylesford (including Northfleet and Strood)	2·67	2·34	22	20	21
53	Hoo	11·81	11·67	24	25	25
54	Medway (including Rochester and Chatham, and the Military Hospitals)	·36	·31	25	23	24
	(*d*) *Medway* (*excluding Military Hospitals*)	—	—	24	20	22
55	Malling	2·53	2·31	21	19	20
56	Sevenoaks	3·05	3·06	18	18	18
57	(*e*) Tunbridge (including Tunbridge Wells) *H*	1·76	1·47	20	20	20
58	Maidstone (including County Lunatic Asylum) *H*	1·11	1·02	23	23	23
	(*f*) *Maidstone* (*excluding County Lunatic Asylum*)	—	—	—	21	—
59	Hollingbourn	4·14	4·17	20	19	19
60	Cranbrook	3·07	3·04	19	17	18
61	Tenterden	4·21	4·22	20	19	19
62	West Ashford	3·40	2·95	18	20	19
63	East Ashford	4·64	4·50	17	18	18
64	Bridge	3·74	3·68	18	18	18
65	(*g*) Canterbury *H*	·21	·20	24	23	23
66	Blean (including part of Canterbury City)	2·27	2·09	17	18	18
67	Faversham	2·85	2·61	19	20	20
68	Milton	3·01	2·64	21	21	21
69	(*h*) Sheppey (including Sheerness) *H*	2·56	1·95	24	19	21
70	(*i*) Thanet (including Ramsgate and Margate) *HH*	·94	·93	19	21	20

(*a*) In this District is situated the Invalid Convict Prison, containing 414 patients on the 8th April 1861, and therein 26 deaths were registered during that year.

(*b*) This correction is based on the ascertained deaths of Soldiers in Aldershott Camp during the years 1855–60 and on the strength enumerated in 1861.

(*c*) In this District is situated Earlswood Asylum for Idiots, containing 311 patients on 8th April 1861, and therein 22 deaths were registered during that year.

(*d*) In making this correction for the 10 years 1841–50 the years of life in the Military Hospitals were estimated from the mean of the numbers enumerated in those Institutions in 1841 and 1851, and the deaths were estimated from those ascertained in the three years 1841, 1845, and 1850. For the 10 years 1851–60 the years of life were estimated as in the previous 10 years, and the deaths were estimated from those ascertained in the three years 1851, 1855, and 1861.

(*e*) An Infirmary is situated in this District, containing 20 patients on 8th April 1861, and therein 4 deaths were registered during that year.

(*f*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for 1841–50. The West Kent Infirmary, containing 17 patients on 8th April 1861, and wherein 11 deaths were registered during that year, is also situated in this District, but no correction has been made for that Institution.

(*g*) The Kent and Canterbury Hospital, containing 95 patients on 8th April 1861, and wherein 31 deaths were registered during that year, is situated in this District.

(*h*) In this District is situated a Military Hospital, containing 64 patients on 8th April 1861, and wherein 9 deaths were registered during that year.

(*i*) In this District is situated the Royal Sea Bathing Infirmary, containing 133 patients on 8th April 1861, and therein 17 deaths were registered during that year; also Dane Hill Metropolitan Infirmary, containing 108 patients, wherein 14 deaths were registered.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued.*

II.—SOUTH EASTERN COUNTIES—*continued.*

	DISTRICTS.	Density of Population. Acres to a Person.		Annual Mortality. Deaths to 1000 Living.		
		1841-50	1851-60	1841-50	1851-60	Mean of 20 Years 1841-60
	2.—KENT (*Extra-metropolitan*)—*cont.*					
71	Eastry (including Deal and Sandwich)	2·07	1·99	19	19	19
72	Dover	1·13	1·00	21	20	20
73	Elham (including Folkestone and Hythe)	2·58	1·89	19	18	18
	(*j*) *Elham* (*excluding Military in Shorncliffe Camp*)	—	—	—	19	—
74	Romney Marsh (including New Romney)	8·80	8·39	19	21	20
	3.—SUSSEX.					
75	Rye (including Winchilsea)	3·26	3·24	18	20	19
76	(*k*) Hastings *H*	·78	·59	18	18	18
77	Battle	4·11	4·01	16	17	17
78	Eastbourne	4·67	3·99	15	17	16
79	Hailsham	4·23	4·19	17	17	17
80	Ticehurst	3·48	3·43	19	19	19
81	Uckfield	4·36	4·25	17	19	18
82	East Grinstead	4·75	4·49	17	17	17
83	Cuckfield	3·96	3·77	16	18	17
84	Lewes (including County Lunatic Asylum)	3·37	3·23	19	19	19
	(*l*) *Lewes* (*excluding County Lunatic Asylum*)	—	—	—	19	—
85	(*m*) Brighton *H*	·04	·03	21	22	22
86	Steyning (including Shoreham)	2·84	2·17	16	16	16
87	Horsham	4·16	3·89	18	18	18
88	Petworth	4·07	4·13	17	19	18
89	Thakeham	4·68	4·75	18	18	18
90	Worthing (including Littlehampton and Arundel)	2·34	2·25	17	18	18
91	Westhampnett	5·03	4·98	19	18	18
92	(*n*) Chichester (including Bognor) *H*	1·59	1·44	21	21	21
93	Midhurst	4·88	5·02	17	18	18
94	Westbourne	4·83	4·73	18	17	17
	4.—HAMPSHIRE.					
95	Havant	3·54	3·40	18	19	19
96	Portsea Island (including Portsmouth and Military Hospitals)	·12	·09	25	23	24
	(*o*) *Portsea Island* (*excluding Military Hospitals*)	—	—	—	22	—
97	Alverstoke (including Gosport, and the Haslar Hospital)	·34	·26	29	26	27
	(*p*) *Alverstoke* (*excluding Haslar Hospital*)	—	—	24	20	22
98	Fareham (including County Lunatic Asylum)	3·03	2·93	19	21	20
	(*q*) *Fareham* (*excluding County Lunatic Asylum*)	—	—	—	18	—
99	Isle of Wight (including Ryde, Newport, Cowes, and Ventnor)	2·15	1·89	17	17	17
100	Lymington	3·57	3·48	17	18	18
101	Christchurch	4·51	3·89	16	18	17
102	Ringwood	6·07	6·04	17	18	18
103	Fordingbridge	4·60	4·72	20	20	20
104	New Forest	6·39	6·32	17	17	17
105	(*r*) Southampton *H*	·09	·07	23	24	24

(*j*) This correction is based on the ascertained deaths of Soldiers in the Shorncliffe Camp during the years 1855–60, and on the strength enumerated in 1861.

(*k*) The East Sussex Infirmary, containing 18 patients on 8th April 1861, and wherein 5 deaths were registered during that year, is situated in this District.

(*l*) This correction is based on the facts obtained from the Lunacy Commissioners Reports. The Asylum was opened in 1859.

(*m*) In this District is situated the Sussex County Hospital, containing 109 patients on the 8th April 1861, and therein 72 deaths were registered during that year.

(*n*) An Infirmary, containing 34 patients on the 8th April 1861, and wherein 18 deaths were registered during that year, is situated in this District.

(*o*) In making this correction for the 10 years 1851–60 the years of life in the Military Hospitals were estimated from the numbers enumerated in those Institutions in 1861, and the deaths were estimated from those ascertained in the six years 1851, 1854, 1855, 1856, 1857, and 1861.

(*p*) This correction was made for the 10 years 1841–50 by estimating the years of life in Haslar Hospital from the mean of the numbers enumerated in that Institution in 1841 and 1851, and the deaths were estimated from those ascertained in the three years 1841, 1845, and 1850. For the 10 years 1851–60 the years of life were estimated as in the previous 10 years, and the deaths were estimated from those ascertained in the six years 1851, 1854, 1855, 1856, 1857, and 1861.

(*q*) This correction is based on the facts obtained from the Lunacy Commissioners Reports. The Asylum was opened in 1852.

(*r*) The South Hants Infirmary, containing 69 patients on 8th April 1861, and wherein 32 deaths were registered during that year, is situated in this District.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued.*

II.—SOUTH EASTERN COUNTIES—*continued.*

	DISTRICTS.	Density of Population. Acres to a Person.		Annual Mortality. Deaths to 1000 Living.		
		1841-50	1851-60	1841-50	1851-60	Mean of 20 Years 1841–60
	4.—HAMPSHIRE—*cont.*					
106	South Stoneham	2·14	1·48	18	17	17
107	Romsey	2·58	2·61	21	19	20
108	Stockbridge	6·22	6·14	20	19	19
109	(*s*) Winchester *H*	3·23	3·01	21	20	20
110	Droxford	4·60	4·52	18	18	18
111	Catherington	4·36	4·23	17	19	18
112	Petersfield	5·25	5·12	18	19	19
113	Alresford	5·48	5·45	17	16	16
114	Alton	4·57	4·43	19	18	18
115	Hartley Wintney	3·83	3·70	18	19	19
116	Basingstoke	4·33	4·23	20	19	19
117	Whitchurch	5·31	5·30	19	22	21
118	Andover	4·88	4·86	19	18	18
119	Kingsclere	5·39	5·37	19	19	19
	5.—BERKSHIRE.					
120	Newbury	2·11	2·10	21	21	21
121	Hungerford	4·88	4·88	20	20	20
122	Faringdon	4·10	4·09	20	21	21
123	Abingdon (including Lunatic Asylum for Oxford and Berks)	2·84	2·70	23	23	23
	(*t*) *Abingdon (excluding Lunatic Asylum)*	—	—	—	22	—
124	Wantage	4·42	4·36	19	20	20
125	Wallingford	2·91	2·90	20	20	20
126	Bradfield	3·89	3·87	19	19	19
127	(*u*) Reading *H*	·23	·20	24	22	23
128	Wokingham	3·19	3·00	17	18	18
129	Cookham (including Maidenhead)	2·59	2·39	19	18	18
130	Easthampstead	4·10	3·65	16	16	16
131	Windsor	1·16	1·10	20	20	20

III.—SOUTH MIDLAND COUNTIES.

	6.—MIDDLESEX (*Extra-metropolitan*).					
132	Staines	1·83	1·66	19	19	19
133	Uxbridge (including Hanwell Lunatic Asylum)	1·35	1·22	23	22	21
	(*a*) *Uxbridge (excluding Hanwell Lunatic Asylum)*	—	—	20	19	19
134	Brentford (including Hounslow)	·52	·44	21	22	22
135	Hendon	2·11	1·88	17	18	18
136	Barnet (including Colney Hatch Lunatic Asylum in 1851–60)	1·81	1·52	18	25	—
	(*b*) *Barnet (excluding Colney Hatch Lunatic Asylum)*	—	—	—	18	18
137	Edmonton (including Waltham Abbey)	1·06	·89	19	18	18
	7.—HERTFORDSHIRE.					
138	Ware	2·24	2·17	19	18	18
139	Bishop Stortford	2·70	2·65	21	18	19
140	Royston	3·46	3·46	21	19	20
141	Hitchin	2·76	2·58	21	19	20
142	Hertford	2·35	2·26	20	17	18
143	Hatfield	3·57	3·49	18	18	18

(*s*) In this District is situated the County Hospital, containing 73 patients on 8th April 1861, and therein 35 deaths were registered during that year.

(*t*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for 1841–50.

(*u*) The Royal Berkshire Hospital, containing 72 patients on 8th April 1861, and wherein 31 deaths were registered during that year, is situated in this District.

(*a*) In making this correction for the 10 years 1841–50 the years of life in the Hanwell Asylum were estimated from the mean of the inmates enumerated in 1841 and 1851, and the deaths from those ascertained in the three years 1841, 1845, and 1850. The correction for the 10 years 1851–60 is based on the facts obtained from the Lunacy Commissioners Reports.

(*b*) This correction is based on the facts obtained from the Lunacy Commissioners Reports. The Colney Hatch Asylum was opened in 1851.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued.*

III.—SOUTH MIDLAND COUNTIES—*continued.*

	DISTRICTS.	Density of Population. Acres to a Person. 1841-50	Density of Population. Acres to a Person. 1851-60	Annual Mortality. Deaths to 1000 Living. 1841-50	Annual Mortality. Deaths to 1000 Living. 1851-60	Annual Mortality. Deaths to 1000 Living. Mean of 20 Years 1841–60
	7.—HERTFORDSHIRE—*cont.*					
144	St. Albans	1·98	1·87	20	19	19
145	Watford	1·98	1·87	20	20	20
146	Hemel Hempstead	2·07	1·88	20	21	21
147	Berkhampstead	2·04	1·91	22	21	21
	8.—BUCKINGHAMSHIRE.					
148	Amersham	2·71	2·70	22	22	22
149	Eton (including Slough)	1·99	1·90	18	18	18
150	(*c*) Wycombe	2·83	2·37	21	21	—
151	Aylesbury (including County Lunatic Asylum)	3·25	3·14	21	22	22
	(*d*) *Aylesbury (excluding County Lunatic Asylum)*	—	—	—	21	—
152	Winslow	3·99	3·80	21	22	22
153	Newport Pagnell	2·98	2·86	22	21	21
154	Buckingham	3·66	3·72	23	22	22
	9.—OXFORDSHIRE.					
155	(*c*) Henley	(*c*)	3·42	(*c*)	19	—
156	Thame	3·52	3·55	22	21	21
157	(*e*) Headington (including part of Oxford City) *Hw*	·82	1·56	23	22	22
158	(*f*) Oxford		·15		22	
159	Bicester	4·17	4·12	21	21	21
160	Woodstock	3·44	3·34	21	20	20
161	Witney	3·02	3·00	22	20	21
162	Chipping Norton	4·55	4·40	19	19	19
163	Banbury	2·58	2·51	22	21	21
	10.—NORTHAMPTONSHIRE.					
164	Brackley	4·33	4·32	22	21	21
165	Towcester	3·33	3·27	22	23	23
166	Potterspury	2·19	2·01	22	20	21
167	Hardingstone	3·64	3·40	21	20	20
168	Northampton (including County Lunatic Asylum) *H*	·67	·56	24	25	25
	(*g*) *Northampton (excluding County Lunatic Asylum)*	—	—	—	24	—
169	Daventry	2·92	2·98	20	20	20
170	Brixworth	3·27	3·98	22	20	22
171	Wellingborough		2·43		22	
172	Kettering	3·04	2·98	20	20	20
173	Thrapston	4·11	3·80	19	20	20
174	Oundle	4·56	4·49	21	19	20
175	Peterborough	3·69	3·24	21	20	20
	11.—HUNTINGDONSHIRE.					
176	(*h*) Huntingdon (including Godmanchester) *H*	3·92	3·73	22	20	21
177	St. Ives	3·17	3·13	22	20	21
178	St. Neots	3·54	3·45	21	19	20

(*c*) For the 10 years 1841–50 the Districts of Wycombe and Henley are combined.

(*d*) This correction is based on the facts obtained from the Lunacy Commissioners Reports. The Asylum was opened in 1853.

(*e*) In this District is situated the Radcliffe Infirmary, containing 133 patients on 8th April 1861, and wherein the deaths of 33 persons were registered during that year. The Workhouse belonging to the Oxford Union, containing 188 inmates, wherein 33 deaths were registered, is also situated in this District, and a correction has been made for the 10 years 1851–60 on that account.

(*f*) The Workhouse belonging to this District is in Headington District, and a correction has been made on that account.

(*g*) This correction is based on the facts obtained from the Lunacy Commissioners' Report for the 10 years 1851–60. No data were available for making a similar correction for the 10 years 1841–50. In this District is situated the General Infirmary, containing 116 patients on 8th April 1861, and wherein the deaths of 36 persons were registered during that year, but no correction has been made for that institution.

(*h*) The County Hospital, containing 26 patients on 8th April 1861, and wherein 8 deaths were registered during that year, is situated in this District.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued.*

III.—SOUTH MIDLAND COUNTIES—*continued.*

	DISTRICTS.	Density of Population. Acres to a Person. 1841-50	Density of Population. Acres to a Person. 1851-60	Annual Mortality. Deaths to 1000 Living. 1841-50	Annual Mortality. Deaths to 1000 Living. 1851-60	Annual Mortality. Deaths to 1000 Living. Mean of 20 Years 1841–60
	12.—BEDFORDSHIRE.					
179	(*i*) Bedford (including Lunatic Asylum for Beds, Herts, and Hunts) *H*	2·89	2·64	23	20	·21
	Bedford (*excluding Lunatic Asylum*)	—	—	—	19	—
180	(*j*) Biggleswade *L*	2·63	2·38	21	21	21
181	Ampthill	2·58	2·48	22	21	21
182	Woburn	2·53	2·49	20	22	21
183	Leighton Buzzard	2·10	2·19	21	22	21
184	Luton (including Dunstable)		1·46		20	
	13.—CAMBRIDGESHIRE.					
185	Caxton	4·72	4·53	19	19	19
186	Chesterton (including County Lunatic Asylum)	3·28	3·05	21	20	20
	(*k*) *Chesterton* (*excluding County Lunatic Asylum*)	—	—	—	20	—
187	(*l*) Cambridge *H*	·13	·13	23	20	21
188	Linton	3·53	3·46	20	19	19
189	Newmarket	3·36	3·28	20	20	20
190	Ely	3·72	3·57	23	21	22
191	North Witchford	3·86	3·86	27	21	24
192	Whittlesey	3·45	3·43	25	23	24
193	Wisbech	3·89	3·78	25	22	23

IV.—EASTERN COUNTIES.

	14.—ESSEX.					
194	West Ham (including Stratford)	·64	·42	18	20	19
195	Epping	2·97	2·89	18	18	18
196	Ongar	4·01	4·10	17	18	18
197	Romford (including Barking)	2·06	1·87	20	20	20
198	Orsett	4·38	4·10	24	21	22
199	(*a*) Billericay (including Brentwood, and the County Lunatic Asylum)	5·37	3·53	21	21	—
	(*b*) *Billericay* (*excluding County Lunatic Asylum*)	—	—	—	19	—
200	Chelmsford	2·67	2·58	20	19	19
201	(*a*) Rochford	(*a*)	6·32	(*a*)	21	—
202	Maldon	4·99	4·79	21	21	21
203	Tendring (including Harwich)	3·33	3·28	20	20	20
204	Colchester (including Military in Colchester Camp) *H*	·60	·52	24	22	23
	(*c*) *Colchester* (*excluding Military in Colchester Camp*)	—	—	—	22	—
205	Lexden	3·47	3·31	19	19	19
206	Witham	2·47	2·40	20	21	21
207	Halstead	2·10	2·06	20	22	21
208	Braintree	2·30	2·23	21	21	21
209	Dunmow	3·60	3·61	21	20	20
210	Saffron Walden	3·17	3·10	21	19	20

(*i*) In this District is situated the General Infirmary and Fever Hospital, containing 79 patients on 8th April 1861, and wherein 18 deaths were registered during that year. The Lunatic Asylum for Bedfordshire, Hertfordshire, and Huntingdonshire, was also situated in this District until 1860, when it was removed to Biggleswade. The correction here made is based on the facts obtained from the Lunacy Commissioners Reports for the nine years 1851–59. No data were available for making a similar correction for the 10 years 1841–50.

(*j*) The Lunatic Asylum for Bedfordshire, Hertfordshire, and Huntingdonshire was transferred to this District in 1860, but it has been ascertained that the mortality of the District was not appreciably affected thereby during that year.

(*k*) This correction is based on the facts obtained from the Lunacy Commissioners Reports. The Asylum was opened in 1858.

(*l*) In this District is situated Addenbrooke's Hospital, containing 84 patients on the 8th April 1861, and wherein 42 deaths were registered during that year.

(*a*) For the 10 years 1841–50 the Districts of Billericay and Rochford are combined.

(*b*) This correction is based on the facts obtained from the Lunacy Commissioners Reports. The Asylum was opened in 1853.

(*c*) This correction is based on the ascertained deaths during the years 1856–60, and on the soldiers enumerated in 1861. The Essex and Colchester Hospital, containing 52 patients on 8th April 1861, and wherein 6 deaths were registered during that year, is also situated in this District, but no correction has been made for that institution.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued.*

IV.—EASTERN COUNTIES—*continued.*

	DISTRICTS.	Density of Population. Acres to a Person.		Annual Mortality. Deaths to 1000 Living.		
		1841-50	1851-60	1841-50	1851-60	Mean of 20 Years 1841–60
	15.—SUFFOLK.					
211	Risbridge	3·02	3·02	22	20	21
212	Sudbury	2·57	2·52	20	20	20
213	Cosford (including Hadleigh)	2·90	2·97	21	20	20
214	(*d*) Thingoe	4·45	4·43	18	20	19
215	(*e*) Bury St. Edmunds *Hw*	·22	·22	24	22	23
216	Mildenhall	6·27	6·14	20	20	20
217	Stow (including Stowmarket)	2·71	2·63	18	19	19
218	Hartismere (including Eye)	2·89	2·95	21	20	20
219	Hoxne	3·35	3·47	21	20	20
220	Bosmere	3·43	3·47	18	19	19
221	Samford	4·13	3·98	18	20	19
222	(*f*) Ipswich *H*	·29	·24	23	22	22
223	Woodbridge (including County Lunatic Asylum)	3·51	3·53	21	20	20
	(*g*) *Woodbridge (excluding County Lunatic Asylum)*	—	—	—	19	—
224	Plomesgate	3·53	3·56	19	20	20
225	Blything (including Southwold)	3·34	3·37	18	20	19
226	Wangford (including Bungay)	2·52	2·54	19	21	20
227	Mutford (including Lowestoft)	1·94	1·61	17	20	19
	16.—NORFOLK.					
228	(*h*) Yarmouth *H*	·06	·05	23	25	24
229	Flegg	3·60	3·40	20	20	20
230	Tunstead	4·03	4·16	20	21	21
231	Eepingham	3·43	3·40	20	21	21
232	Aylsham	3·40	3·49	21	21	21
233	St. Faith's	4·12	4·09	20	18	19
234	(*i*) Norwich *H*	·07	·06	24	25	25
235	Forehoe	2·79	2·87	21	20	20
236	Henstead	3·78	3·80	17	19	18
237	Blofield (including County Lunatic Asylum)	3·99	3·83	20	20	20
	(*j*) *Blofield (excluding County Lunatic Asylum)*	—	—	—	18	—
238	Loddon	4·02	4·05	18	19	19
239	Depwade	2·80	2·81	20	20	20
240	Guiltcross	3·61	3·70	21	22	22
241	Wayland	4·38	4·31	19	20	20
242	Mitford (including East Dereham)	3·64	3·67	20	20	20
243	Walsingham (including Wells-next-the-Sea)	4·08	4·06	21	20	20
244	Docking	5·77	5·66	20	21	21
245	Freebridge Lynn	6·03	5·83	18	18	18
246	(*k*) King's Lynn *H*	·30	·30	23	22	22
247	Downham (including Downham Market)	4·16	4·06	22	21	21
248	Swaffham	5·93	5·79	19	19	19
249	Thetford (including Brandon)	6·44	6·24	21	20	20

(*d*) The Workhouse belonging to this District is situated in Bury St. Edmunds, and a correction has been made on that account.

(*e*) The Suffolk General Hospital, containing 31 patients on the 8th April 1861, and wherein 10 deaths were registered during that year, is situated in this District. The Workhouse belonging to the Thingoe Union, containing 100 inmates, wherein 7 deaths were registered, is also situated in this District, and a correction has been made on that account.

(*f*) In this District is situated the East Suffolk Hospital, containing 25 patients on the 8th April 1861, and wherein 6 deaths were registered during that year.

(*g*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for 1841–50.

(*h*) In this district is situated the Royal Military Hospital, containing 67 patients on 8th April 1861, and wherein 5 deaths were registered during that year.

(*i*) The Norfolk and Norwich Hospital, containing 125 patients on 8th April 1861, and wherein 45 deaths were registered during that year, is situated in this District.

(*j*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for 1841–50.

(*k*) In this District is situated the West Norfolk and Lynn Hospital, containing 47 patients on 8th April 1861, and wherein 13 deaths were registered during that year.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued.*

V.—SOUTH WESTERN COUNTIES.

	DISTRICTS.	Density of Population. Acres to a Person.		Annual Mortality. Deaths to 1000 Living.		
		1841-50	1851-60	1841-50	1851-60	Mean of 20 Years 1841–60
	17.—WILTSHIRE.					
250	Highworth (including Swindon)	3·02	2·72	21	21	21
251	Cricklade (including Wootton Bassett)	3·65	3·63	20	20	20
252	Malmsbury	3·75	3·90	19	19	19
253	Chippenham	2·80	2·76	19	21	20
254	Calne	3·09	3·17	20	20	20
255	Marlborough	4·32	4·20	20	19	19
256	Devizes (including County Lunatic Asylum)	2·86	2·89	22	21	21
(*a*)	*Devizes (excluding County Lunatic Asylum)*	—	—	—	20	—
257	Melksham (including Trowbridge)	·94	·99	22	22	22
258	Bradford	1·50	1·70	20	22	21
259	Westbury	2·39	2·55	22	22	22
260	Warminster	3·30	3·41	21	20	20
261	Pewsey	5·30	5·26	20	19	19
262	Amesbury	7·82	7·62	18	20	19
263	Alderbury (including Downton, and the Fisherton House Lunatic Asylum) *H*	3·68	3·55	22	23	23
(*b*)	*Alderbury (excluding Fisherton House Lunatic Asylum)*	—	—	—	22	—
264	Salisbury	·05	·05	28	24	26
265	Wilton	5·25	5·16	21	21	21
266	Tisbury	3·99	4·04	20	19	19
267	Mere	3·92	4·03	19	21	20
	18.—DORSETSHIRE.					
268	Shaftesbury	2·79	2·81	20	20	20
269	Sturminster	3·64	3·62	19	20	20
270	Blandford	4·02	3·89	19	17	18
271	Wimborne	4·88	4·70	19	18	18
272	Poole	2·16	2·03	20	20	20
273	Wareham	5·67	5·58	18	19	19
274	Weymouth (including Melcombe Regis)	1·83	1·51	19	18	18
275	Dorchester (including County Lunatic Asylum) *H*	4·77	4·63	20	21	21
(*c*)	*Dorchester (excluding County Lunatic Asylum)*	—	—	—	21	—
276	Sherborne	3·16	3·02	20	20	20
277	Beaminster	3·66	3·86	21	20	20
278	Bridport	1·98	1·97	22	21	21
	19.—DEVONSHIRE.					
279	Axminster (including Lyme Regis)	3·02	3·08	19	20	20
280	Honiton (including Ottery St. Mary and Sidmouth)	3·39	3·47	18	19	19
281	St. Thomas (including Exmouth, Topsham, and Suburbs of Exeter, and the County Lunatic Asylum)	2·71	2·68	18	19	19
(*d*)	*St. Thomas (excluding County Lunatic Asylum)*	—	—	—	19	—
282	(*e*) Exeter *H*	·06	·05	25	24	24
283	Newton Abbot (including Dawlish, Torquay, and East and West Teignmouth)	2·43	2·11	19	18	18
284	Totnes (including Dartmouth and Brixham)	2·89	2·94	19	19	19
285	Kingsbridge	3·40	3·58	17	18	18
286	Plympton St. Mary	3·82	3·76	18	19	19
287	(*f*) Plymouth *H*	·04	·03	25	24	24

(*a*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. The Asylum was opened in 1851.

(*b*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for the 10 years 1841–50. The Salisbury Infirmary, containing 80 patients on 8th April 1861, and wherein 22 deaths were registered during the year, is also situated in this District, but no correction has been made for that institution.

(*c*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for the years 1841–50. The Dorset County Hospital, containing 50 patients on 8th April 1861, and wherein 12 deaths were registered during that year, is also situated in this District, but no correction has been made for that institution.

(*d*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for the years 1841–50.

(*e*) The Devon and Exeter Hospital, containing 181 patients on 8th April 1861, and wherein 46 deaths were registered during that year, is situated in this District.

(*f*) The South Devon Hospital, containing 53 patients on 8th April 1861, and wherein 21 deaths were registered during that year, is situated in this District.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued.*

V.—SOUTH WESTERN COUNTIES—*continued.*

	Districts.	Density of Population. Acres to a Person.		Annual Mortality. Deaths to 1000 Living.		
		1841-50	1851-60	1841-50	1851-60	Mean of 20 Years 1841–60
	19.–DEVONSHIRE—*cont.*					
288	East Stonehouse (including part of Devonport, and the Naval Hospital)	·04	·03	29	27	28
	(*g*) *East Stonehouse (excluding Naval Hospital)*	—	—	26	24	25
289	Stoke Damerel (including part of Devonport, and the Military Hospital)	·07	·05	26	23	24
	(*h*) *Stoke Damerel (excluding Military Hospital)*	—	—	—	22	—
290	Tavistock	5·88	4·69	19	20	20
291	Okehampton	5·98	6·51	16	18	17
292	Crediton	4·20	4·37	17	18	18
293	(*i*) Tiverton	4·64	3·29	20	21	—
294	South Molton	5·93	6·20	18	18	18
295	(*j*) Barnstaple (including Ilfracombe) *H*	3·97	4·02	17	18	18
296	Torrington	4·57	4·74	17	17	17
297	Bideford	3·75	3·52	17	19	18
298	Holsworthy	7·32	7·94	16	18	17
	20.–CORNWALL.					
299	Stratton	6·04	6·55	17	20	19
300	Camelford	6·28	6·39	17	19	18
301	Launceston	5·25	5·76	17	19	18
302	St. Germans	2·89	2·76	21	21	21
303	Liskeard	3·76	3·41	18	20	19
304	Bodmin (including County Lunatic Asylum)	4·31	4·43	18	20	19
	(*k*) *Bodmin (excluding County Lunatic Asylum)*	—	—	—	19	—
305	St. Columb	4·69	4·61	17	18	18
306	St. Austell	1·81	1·74	19	20	20
307	Truro	2·16	2·16	20	20	20
308	Falmouth (including Penryn)	1·28	1·23	21	20	20
309	Helston	2·38	2·48	18	20	19
310	Redruth (including Camborne and Gwennap)	·79	·73	20	21	21
311	Penzance (including St. Ives)	1·26	1·20	20	21	21
312	Scilly Islands	1·37	1·41	19	18	18
	21.–SOMERSETSHIRE.					
313*a*	Williton	5·56	5·49	17	18	18
313*b*	(*l*) Dulverton	(*l*)	12·21	(*l*)	16	—
314	Wellington	2·75	2·84	19	18	18
315	(*m*) Taunton *H*	2·06	1·99	20	20	20
316	Bridgwater	2·84	2·73	20	19	19
317	Langport	3·24	3·24	18	19	19
318	Chard	2·29	2·34	19	20	20
319	Yeovil	1·85	1·84	21	21	21
320	Wincanton	3·10	3·09	20	20	20
321	Frome	2·35	2·09	22	22	21
322	Shepton Mallet		2·96		20	
323	Wells (including County Lunatic Asylum)	3·09	3·00	20	21	21
	(*n*) *Wells (excluding County Lunatic Asylum)*	—	—	—	19	—
324	Axbridge (including Weston-super-Mare)	3·24	3·06	18	17	17
325	Clutton	1·87	1·92	19	19	19
326	(*o*) Bath *HH*	·44	·44	24	22	23
327	Keynsham	1·54	1·54	19	19	19
328	(*p*) Bedminster (including part of Bristol City) *H*	1·53	1·44	20	20	20

(*g*) In making this correction for the 10 years 1841–50 the years of life in the Naval Hospital were estimated from the mean of the numbers enumerated in 1841 and 1851, and the deaths from those ascertained in the three years 1841, 1845, and 1850. For the 10 years 1851–60 the years of life were estimated as in the previous 10 years, and the deaths from those ascertained in the three years 1851, 1855, and 1861.

(*h*) This correction is based on the numbers enumerated in the Military Hospital in 1861, and the ascertained deaths in the three years 1851, 1855, and 1861.

(*i*) Includes Dulverton for the 10 years 1841–50 (see note to Dulverton, 313*b*).

(*j*) In this District is situated the North Devon Infirmary, containing 61 patients on 8th April 1861, and wherein 8 deaths were registered during that year.

(*k*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for the years 1841–50.

(*l*) In the 10 years 1841–50 Dulverton formed part of the District of Tiverton (293).

(*m*) In this District is situated the Taunton and Somerset Hospital, containing 54 patients on 8th April 1861, and wherein 24 deaths were registered during that year.

(*n*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. The Asylum was opened in 1848.

(*o*) In this District is situated the Bath General Hospital, containing 101 patients on 8th April 1861, and wherein 2 deaths were registered during that year; also the Bath United Hospital, containing 78 patients, wherein 80 deaths were registered.

(*p*) The Bristol General Hospital (part of), containing 40 patients on 8th April 1861, and wherein 36 deaths were registered during that year, is situated in this District.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued*.

VI.—WEST MIDLAND COUNTIES.

	Districts.	Density of Population. Acres to a Person.		Annual Mortality. Deaths to 1000 Living.		
		1841-50	1851-60	1841-50	1851-60	Mean of 20 Years 1841–60
	22.—GLOUCESTERSHIRE.					
329	(*a*) Bristol *HH*	·03	·03	29	28	28
330	(*b*) Clifton (including part of Bristol City) *Lw*	·41	·34	23	20	21
331	Chipping Sodbury	3·30	3·34	20	19	19
332	Thornbury	4·00	4·00	18	17	17
333	Dursley	1·69	1·89	21	21	21
334	Westbury-on-Severn	2·55	2·26	19	18	18
335	Newent	3·73	3·62	19	19	19
336	Gloucester (including County Lunatic Asylum) *H*	1·09	·96	24	22	23
	(*c*) *Gloucester (excluding County Lunatic Asylum)*	—	—	—	21	—
337	Wheatenhurst	3·07	3·10	20	19	19
338	Stroud	1·15	1·18	21	22	22
339	Tetbury	4·22	4·15	18	18	18
340	Cirencester	4·06	4·04	20	20	20
341	Northleach	6·25	6·18	18	19	19
342	Stow-on-the-Wold	4·23	4·19	18	18	18
343	Winchcomb	5·71	5·69	17	18	18
344	(*d*) Cheltenham *H*	·59	·53	20	19	19
345	Tewkesbury	2·59	2·59	21	21	21
	23.—HEREFORDSHIRE.					
346	Ledbury	3·75	3·48	19	18	18
347	Ross	3·67	3·49	20	20	20
348	(*e*) Hereford *H*	4·17	3·90	22	21	21
349	Weobly	5·69	5·52	20	20	20
350	Bromyard	5·32	5·25	20	20	20
351	Leominster	4·48	4·32	22	21	21
	24.—SHROPSHIRE.					
352	Ludlow	5·07	5·04	20	19	19
353	Clun	8·23	8·00	20	18	19
354	Church Stretton	7·55	7·42	19	18	18
355	Cleobury Mortimer	6·30	6·45	19	18	18
356	Bridgnorth	4·44	4·43	21	19	20
357	Shiffnal	4·09	3·92	21	18	19
358	Madeley (including Ironbridge)	1·04	·96	23	21	22
359	Atcham	5·48	5·39	18	18	18
360	Shrewsbury (including the Lunatic Asylum for the Counties of Salop and Montgomery) *H*	·81	·74	26	25	25
	(*f*) *Shrewsbury (excluding the Lunatic Asylum)*	—	—	—	24	—
361	Oswestry	3·36	3·31	19	19	19
362	Ellesmere	4·60	4·76	20	19	19
363*a*	Wem	3·86	4·81	20	20	20
363*b*	(*g*) Whitchurch		3·45		20 (*g*)	
364	Market Drayton	4·83	4·78	20	20	20
365	Wellington	1·65	1·50	21	22	22
366	Newport	3·13	3·06	20	20	20

(*a*) In this District is situated part of the Bristol General Hospital, containing on 8th April 1861, 66 patients, and wherein 42 deaths were registered during that year; also the Royal Infirmary, containing 224 patients, where 126 deaths were registered. The Workhouse belonging to Bristol is situated in Clifton District, and a correction has been made on that account.

(*b*) The Bristol Lunatic Asylum, containing 121 patients on the 8th April 1861, and wherein 18 deaths were registered during that year, is situated in this district. The City of Bristol Workhouse, containing 820 inmates on 8th April 1861, and wherein 118 deaths were registered in that year, is also in this District, and a correction has been made on that account.

(*c*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for the 10 years 1841–50. An Infirmary, containing 91 patients on 8th April 1861, and wherein 17 deaths were registered during that year, is also situated in this District, but no correction has been made for that Institution.

(*d*) In this District is situated the General Hospital, containing 63 patients on 8th April 1861, and wherein 9 deaths were registered during that year.

(*e*) In this District is situated an Infirmary, containing 69 patients on 8th April 1861, and wherein 26 deaths were registered during that year.

(*f*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for the previous 10 years. In this district is also situated the Salop Infirmary, containing 101 patients on 8th April 1861, and wherein 46 deaths were registered during that year, but no correction has been made for that Institution.

(*g*) The District of Whitchurch was formed in April 1853; the mortality given above is therefore the average annual rate during 7¾ years.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued.*

VI.—WEST MIDLAND COUNTIES—*continued.*

	DISTRICTS.	Density of Population. Acres to a Person.		Annual Mortality. Deaths to 1000 Living.		
		1841-50	1851-60	1841-50	1851-60	Mean of 20 Years 1841–60
	25.—STAFFORDSHIRE.					
367	Stafford (including County Lunatic Asylum) *HL*	2·42	2·20	22	22	22
	(*h*) *Stafford (excluding County Lunatic Asylum)*	—	—	—	20	—
368	Stone	3·59	3·32	21	20	20
369	Newcastle-under-Lyme	1·33	1·18	26	23	24
370	Wolstanton (including Burslem and Tunstall)	·37	·28	26	26	26
371	(*i*) Stoke-upon-Trent (including Hanley and Longton) *H*	·20	·16	27	26	26
372	Leek	3·29	3·05	21	24	23
373	Cheadle	3·06	2·82	21	21	21
374	Uttoxeter	4·18	4·20	18	20	19
375	Burton-upon-Trent (including the Lunatic Asylum for the County of Derby)	2·99	2·49	20	21	21
	(*j*) *Burton-upon-Trent (excluding the Lunatic Asylum)*	—	—	—	20	—
376	Tamworth	3·48	3·17	19	20	20
377	Lichfield	2·90	2·71	19	20	20
378	Penkridge	4·30	3·99	19	20	20
379	(*k*) Wolverhampton *H*	·58	·47	27	28	28
380	Walsall	·56	·42	24	26	25
381	West Bromwich (including Oldbury and Wednesbury)	·32	·24	23	24	24
382	Dudley (including Tipton and Sedgley)	·19	·15	25	26	26
	26.—WORCESTERSHIRE.					
383	Stourbridge (including Halesowen)	·31	·26	24	23	23
384	Kidderminster (including Bewdley)	1·20	1·18	22	21	21
385	Tenbury	5·09	4·99	19	17	18
386	Martley	3·99	3·72	19	18	18
387	(*l*) Worcester *H*	·24	·23	24	23	23
388	Upton-on-Severn (including Great Malvern, and the County Lunatic Asylum)	3·03	2·71	18	20	19
	(*m*) *Upton-on-Severn (excluding County Lunatic Asylum)*	—	—	—	19	—
389	Evesham	3·29	3·19	20	19	19
390	Pershore	3·88	3·81	19	17	18
391	Droitwich	3·17	3·02	19	18	18
392	Bromsgrove (including part of Redditch)	2·01	1·86	22	20	21
393	Kings Norton (including part of Birmingham Borough)	1·08	·73	17	17	17
	27.—WARWICKSHIRE.					
394	(*n*) Birmingham *HHL*	·02	·01	26	27	27
395	Aston (including part of Birmingham Borough)	·53	·37	21	21	21
396	Meriden	4·32	4·31	20	18	19
397	Atherstone	2·50	2·37	21	20	20
398	Nuneaton	1·58	1·54	27	23	25
399	Foleshill (including Bedworth)	1·26	1·01	25	25	25

(*h*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for the previous 10 years. In this District are also situated the County Infirmary, containing 77 patients on 8th April 1861, wherein 28 deaths were registered during that year; and the Coton Hill Lunatic Asylum, containing 115 patients in which 4 deaths were registered, but no correction has been made for either of those Institutions.

(*i*) The North Staffordshire Infirmary, containing 99 patients on 8th April 1861, and wherein 50 deaths were registered during that year, is situated in this district.

(*j*) This correction is based on the facts obtained from the Lunacy Commissioners Reports. The Asylum was opened in 1851.

(*k*) The South Staffordshire General Hospital, containing 76 patients on 8th April 1861, and wherein 34 deaths were registered during that year, is situated in this District.

(*l*) In this District is situated the Worcester Infirmary, containing 99 patients on 8th April 1861, and wherein 36 deaths were registered during that year.

(*m*) This correction is based on the facts obtained from the Lunacy Commissioners Reports. The Asylum was opened in 1852.

(*n*) In this District are situated the Queen's Hospital, containing 135 patients on 8th April 1861, and wherein 79 deaths were registered during that year; the General Hospital, containing 228 patients, wherein 210 deaths were registered; and the Pauper Lunatic Asylum, containing 360 patients, wherein 30 deaths were registered. No correction has been made for either of these Institutions.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued.*

VI.—WEST MIDLAND COUNTIES—*continued.*

	DISTRICTS.	Density of Population. Acres to a Person.		Annual Mortality. Deaths to 1000 Living.		
		1841-50	1851-60	1841-50	1851-60	Mean of 20 Years 1841-60
	27.—WARWICKSHIRE—*cont.*					
400	(*o*) Coventry *H*	·16	·14	27	25	26
401	Rugby	3·67	3·37	19	19	19
402	Solihull	3·86	3·66	18	18	18
403	Warwick (including Leamington and County Lunatic Asylum) *H*	1·68	1·55	20	21	21
	(*p*) *Warwick (excluding County Lunatic Asylum)*	—	—	—	20	—
404	Stratford-on-Avon	3·86	3·76	20	19	19
405	Alcester (including part of Redditch)	3·06	3·05	21	21	21
406	Shipston-on-Stour	3·91	3·90	20	20	20
407	Southam	4·94	4·82	21	19	20

VII.—NORTH MIDLAND COUNTIES.

	28.—LEICESTERSHIRE.					
408	Lutterworth	3·66	3·72	18	19	19
409	Market Harborough	4·05	4·02	20	20	20
410	Billesdon	7·34	7·10	18	16	17
411	Blaby	2·45	2·41	20	21	21
412	Hinckley	1·56	1·70	22	23	23
413	Market Bosworth	3·93	3·96	19	19	19
414	Ashby-de-la-Zouch	2·00	1·85	20	21	21
415	Loughborough	1·82	1·84	22	23	23
416	Barrow-on-Soar	2·41	2·40	21	22	22
417	Leicester (including the Lunatic Asylum for the Counties of Leicester and Rutland) *H*	·07	·06	27	25	26
	(*a*) *Leicester (excluding the Lunatic Asylum)*	—	—	—	25	—
418	Melton Mowbray	4·92	4·82	17	19	18
	29.—RUTLANDSHIRE.					
419	Oakham	4·84	4·86	20	19	19
420	Uppingham	4·27	4·19	19	18	18
	30.—LINCOLNSHIRE.					
421	(*b*) Stamford *H*	2·87	2·78	19	20	20
422	Bourn	5·00	4·90	18	19	19
423	Spalding	3·40	3·32	22	20	21
424	Holbeach	5·94	5·72	21	21	21
425	Boston	3·43	3·29	21	19	20
426	Sleaford	5·52	5·33	19	19	19
427	Grantham	3·75	3·54	18	19	19
428	Lincoln (including County Lunatic Asylum) *H*	4·07	3·57	21	20	20
	(*c*) *Lincoln (excluding County Lunatic Asylum)*	—	—	—	20	—
429	Horncastle	4·70	4·56	19	19	19
430	Spilsby	5·04	4·86	18	19	19
431	Louth	5·43	5·01	21	20	20
432	Caistor	5·97	5·10	18	19	19
433	Glanford Brigg	5·20	4·83	19	19	19
434	Gainsborough	4·09	4·08	22	20	21

(*o*) The Coventry and Warwickshire Hospital, containing 21 patients on 8th April 1861, and wherein 8 deaths were registered during that year, is situated in this district.

(*p*) This correction is based on the facts obtained from the Lunacy Commissioners Reports. The Asylum was opened in 1852. The Warneford Hospital, containing 43 patients on 8th April 1861, and wherein 7 deaths were registered during that year is also situated in this District, but no correction has been made for that Institution.

(*a*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851-60. No data were available for making a similar correction for the previous 10 years. In this District is also situated an Infirmary, containing 83 patients on 8th April 1861, and wherein 51 deaths were registered during that year, but no correction has been made for that Institution.

(*b*) Stamford and Rutland General Infirmary, containing 23 patients on 8th April 1861, and wherein 7 deaths were registered during that year, is situated in this District.

(*c*) This correction is based on the facts obtained from the Lunacy Commissioners Reports. The Asylum was opened in 1852. The County Hospital, containing 59 patients on 8th April 1861, and wherein 22 deaths were registered during that year, is also situated in this District, but no correction has been made for that Institution.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued.*

VII.—NORTH MIDLAND COUNTIES—*continued.*

	Districts.	Density of Population. Acres to a Person.		Annual Mortality. Deaths to 1000 Living.		
		1841-50	1851-60	1841-50	1851-60	Mean of 20 Years 1841-60
	31.—NOTTINGHAMSHIRE.					
435	East Retford	3·93	3·82	19	19	19
436	Worksop	4·35	4·06	18	20	19
437	Mansfield	1·94	1·84	20	21	21
438	Basford	1·41	1·27	21	23	22
439	Radford (including part of Suburbs of Nottingham, and the County Lunatic Asylum)	·28	·24	22	25	24
	(*d*) *Radford (excluding County Lunatic Asylum)*	—	—	—	25	—
440	(*e*) Nottingham *H*	·03	·03	26	27	27
441	Southwell	4·64	4·70	17	19	18
442	Newark	3·25	3·10	20	20	20
443	Bingham	4·20	4·27	18	19	19
	32.—DERBYSHIRE.					
444	Shardlow	2·26	2·31	20	20	20
445	(*f*) Derby *H*	·08	·06	24	24	24
446	Belper	1·43	1·35	21	21	21
447	(*g*) Ashborne	4·35	4·86	20	20	—
448	Chesterfield (including Clayeross and Staveley)	2·23	1·76	21	22	22
449	(*h*) Bakewell	(*h*)	3·52	(*h*)	20	—
450	(*h*) Chapel-en-le-Frith	(*h*)	4·96	(*h*)	20	—
451	Hayfield	1·82	1·58	22	23	23

VIII.—NORTH WESTERN COUNTIES.

	33.—CHESHIRE.					
452	(*a*) Stockport *HL*	·35	·33	25	26	26
453	Macclesfield	1·37	1·31	26	25	25
454	Altrincham	2·26	1·98	21	20	20
455	Runcorn	1·79	1·74	22	21	21
456	Northwich	2·17	2·03	21	22	22
457	Congleton	1·78	1·63	22	23	23
458	Nantwich (including Crewe)	3·37	2·89	21	20	20
459	Great Boughton (including Chester City, and the County Lunatic Asylum) *H*	2·14	1·93	23	22	22
	(*b*) *Great Boughton (excluding County Lunatic Asylum)*	—	—	—	22	—
460	(*c*) Wirral (including Birkenhead, Tranmere, and New Brighton) *H*	2·52	1·64	20	19	19
	34.—LANCASHIRE.					
461	(*d*) Liverpool *HH*	·01	·01	36	33	34
462	West Derby (including part of Liverpool Borough)	·42	·27	26	23	24

(*d*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for the years 1841–50.

(*e*) In this district is situated the General Hospital, containing 137 patients on 8th April 1861, and wherein 56 deaths were registered during that year.

(*f*) The Derby Infirmary, containing 111 patients, on 8th April 1861, and wherein 39 deaths were registered during that year, is situated in this district.

(*g*) Includes Bakewell and Chapel-en-le-Frith for the 10 years 1841–50.

(*h*) Included with Ashborne for the 10 years 1841–50.

(*a*) In this District is situated an Infirmary, containing 25 patients on 8th April 1861, and wherein 33 deaths were registered during that year; and the Manchester Royal Lunatic Asylum, containing 77 patients, in which 5 deaths were registered.

(*b*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for the previous 10 years. In this District is also situated Chester Infirmary, containing 48 patients on 8th April 1861, and wherein 43 deaths were registered during that year, but no correction has been made for that Institution.

(*c*) The Wirrall Union Hospital, containing 22 patients on 8th April 1861, and wherein 23 deaths were registered during that year, is situated in this District.

(*d*) In this District are situated the Northern Hospital, containing 101 patients on 8th April 1861, wherein 130 deaths were registered during that year; and the Royal Infirmary, containing 166 patients, wherein 138 deaths were registered. In calculating the mortality of Liverpool, for the 10 years 1841–50, the year 1847 (the year of the Irish famine and immigration) has been omitted; including that year the mortality was 39 annually to every 1000 living.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued.*

VIII.—NORTH WESTERN COUNTIES—*continued.*

	Districts.	Density of Population. Acres to a Person, 1841-50	Density of Population. Acres to a Person, 1851-60	Annual Mortality. Deaths to 1000 Living. 1841-50	Annual Mortality. Deaths to 1000 Living. 1851-60	Mean of 20 Years 1841-60
	34.—LANCASHIRE—*cont.*					
463	Prescot (including Widnes and a Lunatic Asylum belonging to the County)	1·14	·88	23	24	24
	(*e*) *Prescot* (*excluding Lunatic Asylum*)	—	—	—	23	—
464	Ormskirk (including Southport)	3·06	2·65	20	19	19
465	Wigan	·66	·55	28	27	27
466	(*f*) Warrington *L*	·80	·75	26	24	25
467	Leigh (including Tyldesley)		·67		25	
468	Bolton	·41	·36	27	27	27
469	Bury	·40	·35	25	23	24
470	Barton-upon-Irwell	·27	·66	25	22	24
471	Chorlton (including part of Manchester City)		·08		24	
472	Salford	·06	·05	28	26	27
473	Manchester (including a Lunatic Asylum belonging to the County) *H*	·06	·05	33	31	32
(*g*)	*Manchester* (*excluding Lunatic Asylum*)	—	—	—	31	—
474	Ashton (including Droylesden and Stalybridge)	·35	·30	26	27	27
475	Oldham	·21	·17	26	25	25
476	Rochdale (including part of Bacup)	·61	·49	24	24	24
477	Haslingden (including part of Bacup)	·58	·44	22	22	22
478	Burnley	·92	·78	23	24	24
479	Clitheroe	5·05	5·35	19	21	20
480	Blackburn (including Church and Over Darwen)	·53	·41	25	26	26
481	Chorley	1·36	1·32	22	22	22
482	Preston	·78	·66	25	27	26
483	Fylde (including Fleetwood-on-Wyre and Blackpool)	3·56	3·20	18	19	19
484	Garstang	4·87	4·99	16	18	17
485	Lancaster (including a Lunatic Asylum belonging to the County)	4·01	3·97	23	23	23
(*h*)	*Lancaster* (*excluding Lunatic Asylum*)	—	—	—	21	—
486	Ulverston	4·71	4·07	18	20	19

IX.—YORKSHIRE.

	35.—WEST RIDING.					
487	Sedbergh	11·24	11·80	18	19	19
488	Settle	11·10	11·76	20	20	20
489	Skipton	5·22	5·22	20	21	21
490	Pateley Bridge	8·71	7·87	19	21	20
491	Ripon	4·49	4·44	18	20	19
492*a*	(*a*) Great Ouseburn	3·15	4·37	20	18 (*a*)	19
492*b*	Knaresborough (including Harrogate)		2·45		21	
492*c*	(*a*) Wetherby		4·36		18 (*a*)	
493	Otley (including Guiseley)	2·78	2·60	20	22	21
494	Keighley (including Bingley)	1·12	1·01	21	23	22
495	Todmorden	·88	·88	21	20	20
496	Saddleworth	1 06	1·00	22	24	23
497	(*b*) Huddersfield *H*	·57	·52	22	22	22
498	(*c*) Halifax *H*	·45	·41	22	24	23
499	(*d*) Bradford *H*	·26	·21	25	26	26

(*e*) This correction is based on the facts obtained from the Lunacy Commissioners Reports. The Asylum was opened in 1851.

(*f*) Haydock Lodge Lunatic Asylum, containing 130 patients on 8th April 1861, and wherein 16 deaths were registered during that year, is situated in this District.

(*g*) This correction is based on the facts obtained from the Lunacy Commissioners Reports. The Asylum was opened in 1851. In this District is also situated the Royal Infirmary, containing 202 patients on 8th April 1861, and wherein 264 deaths were registered during that year, but no correction has been made for that Institution.

(*h*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for the previous 10 years.

(*a*) The Districts of Great Ouseburn and Wetherby were formed in August 1854; the mortality given above is therefore the average annual rate during 6½ years.

(*b*) In this District is situated an Infirmary, containing 52 patients on 8th April 1861, and wherein 29 deaths were registered during that year.

(*c*) An Infirmary, containing 23 patients on 8th April 1861, and wherein 15 deaths were registered during that year, is situated in this District.

(*d*) An Infirmary, containing 38 patients on 8th April 1861, and wherein 44 deaths were registered during that year, is situated in this District.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued.*

IX.—YORKSHIRE—*continued.*

	Districts.	Density of Population. Acres to a Person. 1841-50	Density of Population. Acres to a Person. 1851-60	Annual Mortality. Deaths to 1000 Living. 1841-50	Annual Mortality. Deaths to 1000 Living. 1851-60	Annual Mortality. Deaths to 1000 Living. Mean of 20 Years 1841–60
	35—WEST RIDING—*cont.*					
500	Hunslet (including part of Leeds Borough)	·47	·40	25	24	24
501	(*e*) Leeds *HH*	·02	·02	30	28	29
502	Dewsbury (including Heckmondwike)	·37	·30	23	25	24
503	Wakefield (including Lunatic Asylum belonging to the West Riding)	·85	·79	23	24	24
	(*f*) *Wakefield (excluding Lunatic Asylum)*	—	—	—	23	—
504*a*	Pontefract	2·69	2·04	21	22	21
504*b*	Hemsworth		4·25		16	
505	Barnsley	1·90	·88	23	24	23
506	Wortley		2·43		21	
507	Ecclesall Bierlow (including part of Sheffield Borough)	·60	·41	22	23	23
508	(*g*) Sheffield *H*	·11	·09	27	28	28
509	Rotherham	1·64	1·31	20	22	21
510	Doncaster	3·25	2·94	21	22	22
511	Thorne	4·61	4·51	21	21	21
512	Goole	3·12	2·84	22	21	21
513	Selby	3·52	3·54	21	21	21
514	Tadcaster	3·97	3·84	19	19	19
	36.—EAST RIDING (with York).					
515	York (including Lunatic Asylum belonging to the North and East Ridings) *HLL*	1·84	1·46	24	24	24
	(*h*) *York (excluding Lunatic Asylum belonging to the North and East Ridings)*	—	—	—	23	—
516	Pocklington	6·83	6·56	19	19	19
517	Howden	5·04	4·91	19	23	21
518	Beverley	4·02	3·82	20	19	19
519	Sculcoates (including part of Hull Borough)	1·11	·93	25	22	23
520	(*i*) Hull *HL*	·04	·03	31	25	28
521	Patrington	9·83	9·31	18	20	19
522	Skirlaugh	7·33	7·08	20	19	19
523	Driffield	5·99	5·61	19	20	20
524	Bridlington	4·97	4·74	21	20	20
	37.—NORTH RIDING.					
525	Scarborough	3·55	2·96	21	21	21
526	Malton	5·02	4·82	20	19	19
527	Easingwold	6·04	6·25	17	18	18
528	Thirsk	5·05	4·98	19	18	18
529	Helmsley	10·61	11·16	19	19	19
530	Pickering		8·58		19	
531	Whitby	4·33	4·00	21	20	20
532	Guisborough (including part of Middleborough)	8·52	5·64	16	20	18
533	Stokesley	6·97	8·03	18	20	19
534	Northallerton	9·46	5·55	18	19	19
535	Bedale	4·96	5·17	18	18	18
536	Leyburn	8·49	8·42	18	17	17
537	Askrigg	13·61	13·70	19	20	20
538	Reeth	10·35	10·80	20	20	20
539	Richmond	5·75	5·76	18	19	19

(*e*) In this District are situated the House of Recovery or Fever Hospital, containing 7 patients on 8th April 1861, wherein 28 deaths were registered during that year; and the General Infirmary, containing 146 patients, wherein 124 deaths were registered.

(*f*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for the 10 years 1841–50.

(*g*) Sheffield General Infirmary, containing 144 patients on 8th April 1861, and wherein 125 deaths were registered during that year, is situated in this District.

(*h*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for the previous 10 years. In this District are also situated the County Hospital, containing 58 patients on 8th April 1861, wherein 27 deaths were registered during that year; the York Lunatic Asylum, containing 133 patients, wherein 14 deaths were registered; and the Friends Retreat Lunatic Asylum, containing 120 patients, wherein 7 deaths were registered. No correction has been made for these Institutions.

(*i*) In this District are situated an Infirmary, containing 110 patients on 8th April 1861, wherein 85 deaths were registered during that year; and also the Hull Borough Asylum for Lunatics, containing 100 patients, wherein 16 deaths were registered.

Density OF POPULATION and ANNUAL **Mortality** in the TWO DECENNIADS **1841-50** and **1851-60** in the DISTRICTS of ENGLAND—*continued.*

X.—NORTHERN COUNTIES.

	DISTRICTS.	DENSITY OF POPULATION. ACRES TO A PERSON.		ANNUAL MORTALITY. DEATHS TO 1000 LIVING.		
		1841-50	1851-60	1841-50	1851-60	Mean of 20 Years 1841–60
	38.—DURHAM.					
540	DARLINGTON	2·92	2·64	20	20	20
541*a*	STOCKTON (including part of Middlesborough, and the County Lunatic Asylum)	2·75	1·84	21	22	22
541*b*	HARTLEPOOL					
	(*a*) *Stockton and Hartlepool (excluding County Lunatic Asylum)*	—	—	—	22	—
542	AUCKLAND	1·51	1·47	21	23	22
543	TEESDALE (including Barnard Castle)	8·84	8·56	20	19	19
544	WEARDALE	7·32	5·84	20	21	21
545	(*b*) DURHAM *H*	2·08	1·56	23	23	23
546	EASINGTON (including Seaham Harbour)	2·05	1·57	20	20	20
547	HOUGHTON-LE-SPRING	·91	·78	20	21	21
548	CHESTER-LE-STREET	1·68	1·36	20	21	21
549	SUNDERLAND (including Bishopwearmouth and Monkwearmouth)	·19	·15	24	25	25
550	SOUTH SHIELDS	·48	·38	26	24	25
551	(*c*) GATESHEAD *L*	·60	·48	25	26	26
	39. NORTHUMBERLAND.					
552	(*d*) NEWCASTLE-UPON-TYNE *H*	·09	·07	27	27	27
553	TYNEMOUTH (including North Shields and Blyth)	·66	·56	24	23	23
554	CASTLE WARD	6·23	6·14	18	19	19
555	HEXHAM	6·81	6·38	18	19	19
556	HALTWHISTLE	12·67	12·00	16	17	17
557	BELLINGHAM	33·66	34·60	17	14	15
558	MORPETH (including County Lunatic Asylum)	5·76	4·55	18	19	19
	(*e*) *Morpeth (excluding County Lunatic Asylum)*	—	—	—	19	—
559	ALNWICK	4·96	4·69	19	19	19
560	BELFORD	6·28	6·36	17	16	16
561	BERWICK	2·57	2·52	21	19	20
562	GLENDALE	9·96	10·33	15	15	15
563	ROTHBURY	21·61	21·84	15	15	15
	40.—CUMBERLAND.					
564	ALSTON	5·44	5·30	20	20	20
565	PENRITH	8·37	8·12	18	19	19
566	BRAMPTON	8·74	8·61	17	17	17
567	LONGTOWN	8·95	8·62	17	17	17
568	(*f*) CARLISLE *H*	1·82	1·64	24	23	23
569	WIGTON	7·51	7·52	19	19	19
570	COCKERMOUTH (including Keswick, Maryport, and Workington)	4·21	3·91	21	22	22
571	WHITEHAVEN	3·02	2·63	25	23	24
572	BOOTLE	17·37	16·83	16	16	16
	41.—WESTMORLAND.					
573	EAST WARD (including Appleby)	12·95	12·24	17	18	18
574	WEST WARD	14·95	14·85	18	18	18
575	KENDAL	5·30	5·11	20	19	19

(*a*) This correction is based on the facts obtained from the Lunacy Commissioners Reports. The Asylum was opened in 1858.

(*b*) The County Hospital, containing on 8th April 1861 36 patients, and wherein 7 deaths were registered during that year, is situated in this District.

(*c*) In this District is situated Dunston Lodge Lunatic Asylum, containing 164 patients on 8th April 1861, and wherein 10 deaths were registered during that year.

(*d*) In this District is situated an Infirmary, containing 171 patients on 8th April 1861, and wherein 140 deaths were registered during that year.

(*e*) This correction is based on the facts obtained from the Lunacy Commissioners Reports. The Asylum was opened in 1859.

(*f*) Cumberland Infirmary, containing 44 patients on 8th April 1861, and wherein 25 deaths were registered during that year, is situated in this District.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued*.

XI.—MONMOUTHSHIRE AND WALES.

	Districts.	Density of Population. Acres to a Person.		Annual Mortality. Deaths to 1000 Living.		
		1841-50	1851-60	1841-50	1851-60	Mean of 20 Years 1841-60
	42.- MONMOUTHSHIRE.					
576	Chepstow	4·54	4·39	19	20	20
577	Monmouth	3·86	3·53	19	19	19
578	Abergavenny (including the Lunatic Asylum belonging to the Counties of Monmouth, Brecon, Hereford, and Radnor)	1·60	1·40	25	25	25
	(*a*) *Abergavenny* (*excluding the Lunatic Asylum*)	—	—	—	25	—
579	Pontypool	1·94	1·76	23	23	23
580	(*b*) Newport *H*	2·88	2·32	24	22	23
	43.—SOUTH WALES.					
	GLAMORGANSHIRE.					
581	(*c*) Cardiff *H*	2·98	1·95	22	23	23
582	Merthyr Tydfil	1·74	1·23	28	29	29
583	Bridgend	4·89	4·39	19	20	20
584	Neath (including Aberavon)	4·12	3·10	22	22	22
585*a*	(*d*) Swansea *H*	2·43	1·95	19	20	20
585*b*	Gower					
	CARMARTHENSHIRE.					
586	Llanelly	3·36	2·85	18	20	19
587	Llandovery	10·38	10·36	20	18	19
588	Llandilofawr	5·54	5·52	19	19	19
589	(*e*) Carmarthen *H*	4·56	4·61	20	21	21
	PEMBROKESHIRE.					
590	Narberth	5·69	5·75	18	19	19
591	Pembroke (including Tenby)	3·30	2·70	18	19	19
592	Haverfordwest (including Milford)	4·47	4·45	17	21	19
	CARDIGANSHIRE.					
593	Cardigan	4·26	4·41	19	19	19
594	Newcastle-in-Emlyn	5·52	5·78	18	18	18
595	Lampeter	7·67	7·62	18	18	18
596	Aberayron	5·04	4·91	18	20	19
597	Aberystwith	5·77	5·39	18	19	19
598	Tregaron	11·82	11·55	18	18	18
	BRECKNOCKSHIRE.					
599	Builth	12·07	12·37	16	18	17
600	Brecknock	10·97	11·10	21	21	21
601	Crickhowell	2·73	2·43	27	25	26
602	Hay	8·05	8·24	20	22	21
	RADNORSHIRE.					
603	Presteigne (including Radnor)	6·80	6·81	19	19	19
604	Knighton	10·37	9·82	18	16	17
605	Rhayader	15·61	15·51	18	18	18
	44.—NORTH WALES.					
	MONTGOMERYSHIRE.					
606	Machynlleth	9·55	9·52	19	21	20
607	Newtown (including Llanidloes)	7·42	7·76	21	21	21
608	Montgomery (including part of Welchpool)	4·30	3·99	20	19	19
609	Llanfyllin (inluding part of Welchpool	8·65	8·61	19	19	19

(*a*) This correction is based on the facts obtained from the Lunacy Commissioners Reports. The Asylum was opened in 1851.

(*b*) In this District is situated a Hospital, containing 23 patients on 8th April 1861, and wherein 13 deaths were registered during that year.

(*c*) In this District is situated an Infirmary, containing 23 patients on 8th April 1861, and wherein 17 deaths were registered during that year.

(*d*) An Infirmary, containing 30 patients on 8th April 1861, and wherein 8 deaths were registered during that year, is situated in this District.

(*e*) An Infirmary, containing 18 persons on 8th April 1861, and wherein 8 deaths were registered during that year, is situated in this District.

Density of Population and Annual **Mortality** in the Two Decenniads **1841-50** and **1851-60** in the Districts of England—*continued.*

XI.—MONMOUTHSHIRE AND WALES—*continued.*

	DISTRICTS.	Density of Population. Acres to a Person.		Annual Mortality. Deaths to 1000 Living.		
		1841-50	1851-60	1841-50	1851-60	Mean of 20 Years 1841–60
	44.–NORTH WALES—*cont.*					
	FLINTSHIRE.					
610	Holywell (including Flint)	2·19	2·21	21	21	21
	DENBIGHSHIRE.					
611	Wrexham	2·12	1·79	23	22	22
612	Ruthin	5·55	5·64	19	19	19
613	St. Asaph (including the Lunatic Asylum for North Wales)	3·85	3·56	19	21	20
	(*f*) *St. Asaph (excluding the Lunatic Asylum)*	—	—	—	20	—
614	Llanrwst	8·12	7·97	19	19	19
	MERIONETHSHIRE.					
615	Corwen	8·12	7·85	17	18	18
616	Bala	8·52	8·91	18	18	18
617	Dolgelly	11·09	11·41	18	18	18
618	Festiniog	8·77	8·05	18	19	19
	CARNARVONSHIRE.					
619	Pwllheli	4·30	4·37	17	18	18
620	Carnarvon	3·31	3·11	20	22	21
621	Bangor	3·26	3·07	21	21	21
622	Conway	5·12	4·48	19	18	18
	ANGLESEY.					
623	Anglesey	3·41	3·16	17	19	18

(*f*) This correction is based on the facts obtained from the Lunacy Commissioners Reports for the 10 years 1851–60. No data were available for making a similar correction for the previous 10 years.

REFORM CLUB
PALL MALL

ENGLAND.

AVERAGE ANNUAL RATE

OF

MORTALITY

FROM

ALL CAUSES AT DIFFERENT AGES,

AND FROM

DIFFERENT CAUSES,

TO

100 Living during the 10 Years

1851–60.

NOTE.

In several Districts changes have been made between 1851 and 1861, and in such cases the Enumerated Population *at the different Ages* in 1851 will not refer *to the same limits* of District as the Enumerated Population in 1861.

Case I.—Suppose a Parish is *removed from* District A., and *added to* District B. in 1858, then the Deaths in that Parish will be returned with District A. for eight years, and with District B. for two years (of the ten years 1851–60). And the Population of the Parish will be *included* in District A. in 1851, but *not* in 1861; consequently the Enumerated Population of District B. will *include* the Parish in 1861, but *not* in 1851.

To get the Population.

District A.—As the Parish formed part of the District (A.) in 1851, and for eight years subsequently, *add* the Population of the Parish in 1861 to the Population of the District in 1861; the correct *years of life* are obtained in the way explained below.

District B.—As the Parish did not form part of the District (B.) until 1858, *subtract* the Population of the Parish in 1861 from the Population of the District in 1861.

Note.—The Population *at each age* in the Parish is obtained by assuming that the Males and Females are distributed in the same proportion at each age as the Males and Females in the District A. in 1861, of which the Parish formed part for eight years out of the ten years.

To get the Years of Life.

(The Years of Life = the Mean Population 1851–61 × 10.)

District A. contains the Deaths in the Parish for eight years only (out of the ten years); and as the Years of Life of the Parish are included for the whole of the ten years, *subtract* the Years of Life for two years from the Mean Population of the District × 10.

District B.—*Add* the Years of Life for two years of the Parish to the Mean Population of the District × 10.

Case II.—If the change in the constitution of a District took place, say in 1853 or 1854, the above rules are applicable to the Population in 1851.

In cases where changes in the limits of Districts have taken place during the ten years, the nature of the changes, and the dates when they were made, are recorded in the notes attached to the Tables, pp. 240–327, *in the Registrar-General's Twenty-third Annual Report.*

PUBLIC INSTITUTIONS.

In many Districts the mortality is increased by the circumstance of large Public Institutions being situated in them. A tabular statement of the Institutions likely to disturb the rate of mortality is given in the Registrar General's Twenty-fourth Annual Report (pp. 174–204), showing the number of Special Inmates enumerated on the 8th of April 1861, and the Deaths registered during the year 1861. The presence of such Institutions in any District is indicated in the following Tables by H for Hospitals and Infirmaries, L for Lunatic Asylums, and *w* for Workhouse belonging to another District; repetitions of these letters show the number of such Institutions in any District.

London Hospitals.—In deducing the mortality of the several London Districts, the population and the deaths in the Hospitals were subtracted from the population and deaths of the respective Districts in which the Hospitals happened to be situated. The Hospital population and deaths at each age were then distributed over all the Districts of the Metropolis by the following formula:—

$$\frac{P'_x}{P_x} \times \frac{D_x}{D'_x} \times m'_x = m_x$$

$$\text{Or } (\lambda P'_x + \kappa P_x + \lambda D_x + \kappa D'_x) = \lambda c_x; \text{ and } \lambda c_x + \lambda m'_x = \lambda m_x$$

in which P_x = the population of London at any age x.

P'_x = the population of London at the same age x, exclusive of the population of the same age in Hospitals.

D_x = the deaths in London at the age x.

D'_x = the deaths in London at the age x, exclusive of the deaths at the same age in Hospitals.

m'_x = the rate of mortality at the age x in any District, without correction for deaths and population in Hospitals of persons belonging to that District.

m_x = the corrected rate of Mortality at the age x.

The c_x varies at the several ages, and in the two sexes, as the proportion of Males and Females, and of Deaths in Hospitals, at the several ages is very different. The λc_x is added to the $\lambda m'_x$ of every London District.

The mortality from each of the different Diseases in the London Districts has been corrected for deaths in Hospitals in the same proportion as the mortality from All Causes.

Ages.	Males. Years of Life. Including the Hospitals.	In Hospitals.	Excluding the Hospitals.	Males. Deaths. Including the Hospitals.	In Hospitals.	Excluding the Hospitals.	Females. Years of Life. Including the Hospitals.	In Hospitals.	Excluding the Hospitals.	Females. Deaths. Including the Hospitals.	In Hospitals.	Excluding the Hospitals.	Ages.
(x)	P_x	—	P'_x	D_x	—	D'_x	P_x	—	P'_x	D_x	—	D'_x	(x)
All Ages	12,071,690	25,208	12,046,482	310,218	23,021	287,197	13,759,430	15,940	13,743,490	300,255	13,089	287,166	All Ages.
0—	1,636,710	840	1,635,870	136,025	1,824	134,201	1,642,580	895	1,641,685	119,819	1,628	118,191	0—
5—	1,352,940	1,122	1,351,818	13,130	865	12,265	1,366,590	858	1,365,732	12,581	738	11,843	5—
10—	1,190,150	1,354	1,188,796	5,379	649	4,730	1,213,440	976	1,212,464	5,035	613	4,422	10—
15—	1,095,140	2,933	1,092,207	6,845	1,672	5,173	1,269,100	2,791	1,266,309	6,887	1,157	5,730	15—
20—	1,153,140	4,619	1,148,521	9,587	2,477	7,110	1,440,810	2,801	1,438,009	9,330	1,336	7,994	20—
25—	2,048,090	6,335	2,041,755	21,499	4,770	16,729	2,476,540	3,464	2,473,076	21,681	2,025	19,656	25—
35—	1,574,620	3,841	1,570,779	25,653	4,349	21,304	1,802,200	1,902	1,800,298	23,093	2,016	21,077	35—
45—	1,051,690	2,513	1,049,177	25,960	3,313	22,647	1,224,720	1,137	1,223,583	22,119	1,577	20,542	45—
55—	597,970	1,245	596,725	25,371	2,076	23,295	764,280	738	763,542	25,429	1,272	24,157	55—
65—	281,070	315	280,755	23,954	881	23,073	402,160	305	401,855	27,988	509	27,479	65—
75—	80,940	74	80,866	13,913	122	13,791	136,890	73	136,817	20,480	192	20,288	75—
85 & upwds.	9,230	17	9,213	2,902	23	2,879	20,120	—	20,120	5,813	26	5,787	85 & upwds.

Note.—The Hospitals referred to in this Table are the following:—Lock Hospital, St. Mary's Hospital, Consumption Hospital, Cancer Hospital, St. George's Hospital, Westminster Hospital, Charing Cross Hospital, Middlesex Hospital, University College Hospital, Royal Free Hospital, London Fever Hospital, Small-pox Hospital, German Hospital, King's College Hospital, Sick Children's Hospital, City of London Lying-in Hospital, St. Bartholomew's Hospital, Hospital for Diseases of the Chest (Bethnal Green), London Hospital, St. Thomas's Hospital, Guy's Hospital, Dreadnought Hospital Ship, Royal Marine Infirmary, and Woolwich Garrison Hospital.

The *Years of Life* and *Deaths* in the 10 Years 1851-60 in the 24 Hospitals were obtained in the following manner:—From certain Hospitals returns were received showing the Average Number of Patients and the Deaths in each Year; the Aggregate of the Average Number of Patients in each Year, and the Aggregate of the Deaths in each Year, gave the *Years of Life* and the *Deaths*. The Years of Life at each Age (except in 5 special cases) were estimated on the assumption that the Ages of the Inmates were in the same proportion to All Ages during the 10 Years as they were on the 8th April 1861 (*see* Census Report for 1861, Vol. II., p. 58). The Deaths at each Age were estimated on the assumption that they were in the same proportion to All Ages during the 10 Years as they were during the Year 1861 (*see* Registrar General's 24th Annual Report, pp. 206-7). For 5 Hospitals (viz., Sick Children's Hospital, City of London Lying-in Hospital, Dreadnought Hospital Ship, Woolwich Garrison Hospital, and Royal Marine Infirmary) a special estimate was made for the Years of Life and Deaths at each Age, in accordance with the particular character of each Hospital. For the remaining Hospitals from which no returns were received, it was assumed that the Number of Special Inmates on 8th April 1861 and the Deaths in the Year 1861 might be taken as a fair average for the whole of the 10 Years, and these being multiplied by 10 represent the Years of Life and Deaths during the period; the Ages of these were estimated on the principle above stated.

It must be borne in mind that the object has not been to get at the mortality in the different Hospitals, but to determine as accurately as possible the mortality of the Districts in which the Hospitals are situated.

London Workhouses.—The Workhouse of the District of St. George Hanover Square is in Chelsea; the Workhouse of the Strand is in Pancras; the Workhouse of East London is in Hackney; the Workhouse of St. Luke is in Shoreditch; and the Workhouses of the City of London are in Mile End Old Town and Poplar Districts. In calculating the mortality of the respective Districts, the deaths and inmates of these outlying Workhouses were taken from those Districts in which they happen to be situated, and added to the Districts to which the inmates belong. No further correction is necessary, unless it is required to calculate the mortality of Sub-districts.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60.

No.	DIVISIONS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	ENGLAND	M.	2·305	7·243	·851	·488	·669	·883	·957	1·248	1·796	3·085	6·533	14·667	31·00
		F.	2·132	6·274	·842	·506	·738	·853	·992	1·215	1·520	2·701	5·866	13·434	28·95
	DIVISIONS.														
I.	LONDON	M.	2·570	8·311	·970	·452	·625	·831	1·050	1·629	2·468	4·243	8·522	17·189	31·44
		F.	2·182	7·295	·921	·415	·543	·648	·875	1·281	1·806	3·327	6·959	14·961	28·89
II.	SOUTH EASTERN COUNTIES	M.	2·022	5·487	·720	·405	·610	·933	1·037	1·230	1·604	2·673	5·858	13·942	30·78
		F.	1·889	4·669	·733	·506	·732	·885	·965	1·147	1·373	2·440	5·524	12·862	29·33
III.	SOUTH MIDLAND COUNTIES	M.	2·088	6·229	·690	·430	·555	·776	·870	1·110	1·501	2·603	5·990	15·006	31·71
		F.	2·001	5·246	·690	·523	·799	·910	·973	1·132	1·371	2·442	5·716	13·853	30·45
IV.	EASTERN COUNTIES	M.	2·100	6·084	·734	·457	·639	·915	·877	1·006	1·320	2·400	5·515	13·713	30·58
		F.	2·018	5·137	·772	·560	·851	·966	·999	1·132	1·275	2·219	4·904	12·339	28·81
V.	SOUTH WESTERN COUNTIES	M.	2·072	5·634	·724	·438	·559	·883	·932	1·101	1·532	2·738	5·854	13·747	30·95
		F.	1·936	4·867	·764	·494	·677	·798	·890	1·024	1·255	2·302	5·301	12·937	28·79
VI.	WEST MIDLAND COUNTIES	M.	2·320	7·556	·831	·474	·599	·760	·894	1·179	1·762	3·058	6·599	15·089	31·56
		F.	2·157	6·547	·800	·486	·702	·812	·950	1·169	1·419	2·630	5·760	13·800	28·88
VII.	NORTH MIDLAND COUNTIES	M.	2·141	6·835	·763	·483	·618	·835	·791	·948	1·393	2·545	5·877	14·204	31·90
		F.	2·081	5·779	·764	·536	·844	·979	1·050	1·145	1·372	2·473	5·589	13·393	30·40
VIII.	NORTH WESTERN COUNTIES	M.	2·674	9·366	1·054	·568	·792	·923	1·033	1·455	2·210	3·809	7·803	16·338	31·82
		F.	2·433	8·203	1·005	·538	·816	·908	1·114	1·437	1·950	3·386	7·101	14·878	29·98
IX.	YORKSHIRE	M.	2·381	7·965	·894	·522	·760	·868	·872	1·143	1·753	3·183	6·924	15·290	31·20
		F.	2·239	6·837	·879	·526	·843	·948	1·067	1·226	1·513	2·793	6·234	14·043	30·02
X.	NORTHERN COUNTIES	M.	2·251	6·938	·874	·528	·723	·883	·917	1·174	1·747	3·090	6·512	14·341	31·54
		F.	2·147	6·156	·853	·462	·666	·841	1·037	1·210	1·496	2·579	5·773	13·288	28·77
XI.	MONMOUTHSHIRE AND WALES	M.	2·193	6·194	·891	·606	·852	1·190	1·083	1·145	1·562	2·728	5·885	12·882	28·51
		F.	2·059	5·417	·923	·559	·768	·928	1·071	1·205	1·315	2·288	4·854	11·229	26·10

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60.

No.	DIVISIONS.	SEX.	All Causes.	Causes of Death.													
				Typhus.	*Cholera, Diarrhœa, and Dysentery.*	Other Zymotic Diseases.	Cancer.	PHTHISIS.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	DISEASES OF LUNGS.	Diseases of Stomach and Liver.	Diseases of Kidneys.	VIOLENT DEATHS.	Other Causes.
	ENGLAND	M.	2·305	·091	·114	·307	·020	·258	·091	·300	·118	·332	·101	·032	·110	·431
		F.	2·132	·091	·103	·285	·043	·277	·070	·250	·131	·273	·100	·012	·038	·459
	DIVISIONS.															
I.	LONDON	M.	2·570	·091	·164	·405	·024	·329	·130	·278	·127	·448	·099	·041	·109	·325
		F.	2·182	·079	·142	·340	·058	·249	·091	·220	·124	·366	·101	·016	·045	·351
II.	SOUTH EASTERN COUNTIES	M.	2·022	·088	·093	·239	·021	·247	·078	·255	·136	·269	·099	·038	·086	·373
		F.	1·889	·090	·081	·222	·049	·261	·063	·224	·144	·218	·099	·014	·031	·393
III.	SOUTH MIDLAND COUNTIES	M.	2·088	·098	·099	·229	·023	·220	·075	·246	·120	·273	·099	·031	·085	·490
		F.	2·001	·109	·092	·214	·046	·268	·060	·216	·140	·222	·100	·010	·031	·493
IV.	EASTERN COUNTIES	M.	2·100	·096	·093	·234	·019	·236	·082	·216	·111	·269	·093	·038	·076	·537
		F.	2·018	·099	·080	·218	·050	·297	·065	·202	·118	·219	·090	·012	·028	·540
V.	SOUTH WESTERN COUNTIES	M.	2·072	·081	·056	·256	·021	·232	·070	·234	·131	·297	·096	·030	·101	·467
		F.	1·936	·087	·047	·231	·044	·250	·054	·202	·153	·232	·093	·010	·033	·500
VI.	WEST MIDLAND COUNTIES	M.	2·320	·086	·118	·295	·018	·223	·082	·286	·124	·373	·106	·031	·125	·453
		F.	2·157	·092	·108	·278	·043	·249	·064	·237	·141	·303	·104	·011	·045	·482
VII.	NORTH MIDLAND COUNTIES	M.	2·141	·083	·087	·272	·019	·214	·068	·338	·115	·264	·101	·031	·099	·450
		F.	2·081	·092	·080	·268	·041	·287	·055	·278	·136	·217	·099	·010	·036	·482
III.	NORTH WESTERN COUNTIES	M.	2·674	·100	·170	·393	·015	·299	·110	·361	·108	·417	·106	·026	·133	·436
		F.	2·433	·098	·151	·361	·034	·334	·079	·291	·120	·352	·105	·012	·046	·450
IX.	YORKSHIRE	M.	2·381	·087	·119	·315	·018	·247	·099	·402	·110	·321	·110	·030	·098	·425
		F.	2·239	·086	·114	·308	·038	·287	·078	·322	·126	·264	·112	·010	·036	·458
X.	NORTHERN COUNTIES	M.	2·251	·081	·115	·307	·019	·221	·117	·263	·126	·263	·106	·028	·143	·462
		F.	2·147	·079	·116	·301	·038	·253	·097	·226	·132	·226	·112	·011	·038	·518
XI.	MONMOUTHSHIRE AND WALES	M.	2·193	·106	·050	·284	·018	·298	·058	·359	·083	·253	·083	·022	·139	·440
		F.	2·059	·098	·043	·275	·030	·320	·043	·308	·106	·191	·073	·006	·035	·531

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	I.—LONDON.														
	MIDDLESEX (*part of*).														
1	KENSINGTON *HHHH* - - -	M.	2·281	7·238	·794	·453	·546	·811	1·003	1·414	1·880	3·427	7·473	15·092	29·878
		F.	1·689	6·242	·790	·389	·436	·475	·681	·952	1·406	2·596	5·856	13·112	29·826
2	CHELSEA *Hw* - - - - -	M.	2·980	8·649	·965	·441	·699	·807	1·376	1·927	2·583	4·339	9·294	18·764	26·383
		F.	2·273	7·326	·919	·466	·554	·680	·928	1·341	1·775	3·057	7·194	16·127	24·894
3	ST. GEORGE HANOVER SQUARE *H*	M.	2·137	7·194	·960	·394	·344	·552	·747	1·456	2·342	3·985	8·317	17·081	43·701
		F.	1·632	6·200	·930	·412	·378	·356	·663	·961	1·640	3·111	6·457	14·401	23·330
4	WESTMINSTER *H* - - - -	M.	2·735	9·743	1·103	·420	·875	1·376	1·177	1·884	2·508	4·010	8·154	18·682	32·272
		F.	2·426	8·547	1·029	·443	·534	·695	·991	1·374	2·110	3·695	7·535	14·299	31·697
5	ST. MARTIN-IN-THE-FIELDS *H* -	M.	2·495	9·448	·951	·357	·332	·467	·753	1·930	2·916	4·481	9·987	17·088	33·538
		F.	2·194	7·783	1·107	·436	·356	·359	·899	1·339	1·947	3·283	7·929	18·962	21·837
6	ST. JAMES WESTMINSTER - -	M.	2·460	9·017	1·367	·407	·621	·640	·991	1·475	2·631	4·705	9·631	17·219	33·843
		F.	2·119	8·259	1·065	·571	·443	·536	·761	1·410	2·204	3·817	7·644	16·129	39·510
7	MARYLEBONE *H* - - - -	M.	2·647	9·232	1·004	·412	·524	·735	·898	1·497	2·556	4·416	8·570	17·112	32·321
		F.	2·160	7·851	1·057	·435	·508	·558	·741	1·172	1·849	3·386	7·184	15·043	30·135
8	HAMPSTEAD - - - - -	M.	2·064	5·568	·680	·585	·732	1·037	1·046	1·444	1·803	3·445	4·774	15·507	60·368
		F.	1·455	4·603	·715	·549	·452	·327	·529	1·086	1·315	2·974	6·295	14·324	28·700
9	PANCRAS *HHw* - - - -	M.	2·386	7·943	·917	·437	·504	·701	·903	1·383	2·210	4·127	8·181	15·865	33·243
		F.	2·091	6·899	·921	·406	·519	·610	·792	1·219	1·724	3·302	7·093	14·329	29·835
10	ISLINGTON *HH* - - - -	M.	2·289	7·145	·950	·458	·867	1·266	1·068	1·151	1·873	3·405	7·677	15·719	29·000
		F.	1·900	6·230	·858	·451	·661	·664	·810	1·168	1·575	2·858	6·054	13·699	32·491
11	HACKNEY *HLw* - - - -	M.	2·118	5·798	·746	·470	·653	1·032	1·176	1·272	1·668	3·126	7·279	14·251	34·656
		F.	1·668	4·975	·729	·418	·419	·433	·755	·988	1·373	2·519	5·512	13·580	29·716
12	ST. GILES - - - - -	M.	3·099	11·691	1·391	·441	·577	·812	1·250	1·879	3·031	5·243	10·441	19·173	23·896
		F.	2·592	10·013	1·083	·402	·650	·642	·934	1·624	2·286	4·268	8·327	17·033	32·367
13	STRAND *H* - - - - -	M.	2·534	9·558	·982	·546	·374	·553	·923	1·816	2·463	4·384	8·892	16·938	28·230
		F.	2·322	8·439	1·044	·522	·581	·565	·926	1·467	1·963	3·695	7·803	15·296	48·550
14	HOLBORN *H* - - - - -	M.	2·777	10·099	1·150	·384	·539	·791	1·151	1·855	2·781	4·567	9·415	18·068	31·732
		F.	2·504	9·206	1·053	·506	·523	·689	·931	1·371	2·031	4·090	7·746	19·398	28·438
15	CLERKENWELL - - - - -	M.	2·416	7·973	·827	·292	·615	·765	·957	1·674	2·557	4·509	8·332	18·421	39·186
		F.	2·201	7·083	·804	·389	·476	·579	·812	1·292	1·862	3·535	7·051	15·033	32·144
16	ST. LUKE *HL* - - - -	M.	2·851	9·925	1·114	·450	·462	·723	·945	1·633	2·699	4·395	9·054	19·066	29·592
		F.	2·561	8·703	·997	·406	·601	·612	·952	1·507	1·940	3·787	8·449	16·097	27·797
17	EAST LONDON - - - - -	M.	2·891	10·878	1·036	·348	·480	·700	1·065	1·882	2·782	4·489	9·232	17·023	38·808
		F.	2·565	9·419	·968	·307	·521	·663	·941	1·310	2·100	3·919	7·784	16·529	24·584
18	WEST LONDON *H* - - -	M.	2·743	10·074	1·116	·368	·181	·505	·632	1·640	2·932	5·371	11·485	25·829	25·931
		F.	2·247	9·159	1·053	·104	·076	·423	·570	1·288	1·566	3·794	6·912	16·253	35·994
19	LONDON CITY - - - - -	M.	2·367	8·582	1·072	·547	·442	·594	1·015	2·028	2·908	5·014	8·207	16·741	31·773
		F.	2·010	7·359	·881	·442	·438	·491	·713	1·208	1·754	3·223	7·761	15·390	31·360
20	SHOREDITCH *Lw* - - - -	M.	2·572	8·276	·926	·423	·687	·811	·931	1·544	2·526	4·226	8·708	18·252	38·009
		F.	2·296	7·189	·892	·403	·662	·733	·862	1·375	1·951	3·583	7·488	14·542	27·072
21	BETHNAL GREEN *HL* - - -	M.	2·457	7·991	·830	·353	·513	·809	1·011	1·455	2·221	3·459	7·809	18·213	27·669
		F.	2·243	7·434	·779	·278	·535	·709	·818	1·169	1·624	3·352	7·010	14·683	24·374
22	WHITECHAPEL *H* - - -	M.	3·017	10·669	1·120	·534	·698	·888	1·215	2·089	3·082	5·483	9·794	18·816	30·418
		F.	2·665	9·822	1·046	·321	·401	·788	1·100	1·434	2·295	3·875	7·788	16·626	31·101
23	ST. GEORGE-IN THE-EAST - -	M.	3·001	9·903	1·027	·536	·849	1·065	1·208	1·820	2·829	4·976	8·908	16·180	37·149
		F.	2·757	8·949	1·031	·462	·686	·910	1·167	1·615	2·136	4·067	7·905	15·686	33·483
24*a*	STEPNEY - - - - - -	M.	2·738	8·368	1·045	·520	·779	·876	1·208	1·704	2·514	4·633	8·602	18·323	35·555
24*b*	MILE END OLD TOWN *w* - -	F.	2·380	7·317	·995	·418	·655	·806	1·023	1·390	1·813	3·419	6·973	16·214	29·140
25	POPLAR *Lw* - - - - -	M.	2·542	7·737	·933	·665	1·043	1·093	1·272	1·652	2·329	4·105	7·526	14·406	42·761
		F.	2·210	6·809	·944	·379	·532	·729	·993	1·250	1·759	2·887	6·319	13·688	30·972

NOTE.—The Mortality in every London District has been corrected on account of the Mortality in the London Hospitals, and for Deaths Table, but in the preceding Comparative Table of Mortality of Persons corrections have been made on account of the County

The letter *H* indicates the presence of a Hospital and *L* of a Lunatic Asylum

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.													
				Typhus.	*Cholera, Diarrhœa, and Dysentery.*	Other Zymotic Diseases.	Cancer.	PHTHISIS.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	DISEASES OF LUNGS.	Diseases of Stomach and Liver.	Diseases of Kidneys.	VIOLENT DEATHS.	Other Causes.
	I.—LONDON.																
	MIDDLESEX (*part of*).																
1	KENSINGTON *HHHH*	M.	2·281	·065	·148	·337	·029	·335	·112	·247	·143	·349	·099	·045	·091	·281
		F.	1·689	·053	·115	·233	·061	·226	·067	·163	·114	·257	·090	·016	·032	·262
2	CHELSEA *Hw*	M.	2·980	·081	·190	·426	·039	·441	·162	·349	·138	·567	·110	·046	·079	·352
		F.	2·273	·072	·166	·326	·061	·304	·096	·221	·122	·374	·098	·014	·035	·384
3	ST. GEORGE HANOVER SQUARE *H*	M.	2·137	·063	·112	·303	·039	·291	·094	·200	·131	·319	·109	·086	·151	·239
		F.	1·632	·060	·088	·229	·072	·193	·066	·143	·112	·248	·099	·029	·059	·234
4	WESTMINSTER *H*	M.	2·735	·113	·196	·433	·019	·398	·144	·267	·127	·487	·093	·038	·113	·307
		F.	2·426	·094	·188	·403	·051	·284	·091	·243	·117	·426	·103	·019	·053	·354
5	ST. MARTIN-IN-THE-FIELDS *H*	M.	2·495	·055	·101	·326	·023	·383	·137	·233	·173	·401	·104	·046	·174	·319
		F.	2·194	·063	·095	·281	·062	·254	·114	·213	·139	·376	·119	·012	·079	·387
6	ST. JAMES WESTMINSTER	M.	2·460	·051	·211	·307	·014	·366	·148	·251	·152	·422	·115	·048	·055	·320
		F.	2·119	·045	·209	·298	·055	·264	·103	·190	·128	·374	·101	·014	·026	·312
7	MARYLEBONE *H*	M.	2·647	·073	·157	·394	·035	·325	·132	·288	·155	·509	·108	·056	·080	·335
		F.	2·160	·059	·124	·293	·092	·237	·084	·205	·146	·411	·106	·021	·036	·346
8	HAMPSTEAD	M.	2·064	·068	·096	·324	·028	·221	·123	·261	·128	·328	·103	·056	·125	·203
		F.	1·455	·063	·063	·204	·058	·141	·072	·176	·112	·200	·112	·022	·032	·200
9	PANCRAS *HHw*	M.	2·386	·072	·111	·400	·028	·297	·146	·247	·126	·423	·090	·044	·104	·298
		F.	2·091	·060	·097	·319	·061	·245	·098	·216	·131	·360	·103	·019	·052	·330
10	ISLINGTON *HH*	M.	2·289	·138	·124	·512	·017	·257	·125	·215	·095	·375	·088	·032	·060	·251
		F.	1·900	·117	·085	·368	·056	·213	·080	·177	·096	·305	·097	·014	·030	·262
11	HACKNEY *HLw*	M.	2·118	·092	·109	·363	·021	·269	·104	·262	·106	·312	·105	·045	·087	·303
		F.	1·668	·065	·081	·232	·061	·181	·065	·184	·106	·232	·109	·017	·033	·302
12	ST. GILES	M.	3·099	·101	·156	·467	·024	·479	·143	·337	·133	·658	·108	·025	·074	·394
		F.	2·592	·091	·126	·377	·056	·326	·092	·262	·133	·534	·121	·016	·056	·402
13	STRAND *H*	M.	2·534	·088	·119	·391	·038	·349	·142	·239	·139	·469	·095	·065	·122	·278
		F.	2·022	·104	·116	·373	·066	·258	·109	·211	·125	·439	·107	·030	·072	·312
14	HOLBORN *H*	M.	2·777	·091	·126	·445	·016	·381	·181	·297	·141	·593	·096	·027	·058	·325
		F.	2·504	·076	·101	·388	·058	·291	·142	·261	·137	·497	·104	·010	·037	·402
15	CLERKENWELL	M.	2·416	·070	·116	·411	·019	·332	·134	·265	·125	·475	·098	·030	·061	·280
		F.	2·201	·056	·095	·382	·052	·238	·093	·232	·143	·408	·105	·018	·039	·340
16	ST. LUKE *HL*	M.	2·851	·083	·191	·579	·012	·323	·145	·302	·096	·533	·079	·022	·060	·426
		F.	2·561	·087	·169	·527	·038	·283	·109	·220	·109	·464	·084	·009	·036	·436
17	EAST LONDON	M.	2·891	·088	·179	·512	·020	·363	·234	·302	·124	·606	·092	·027	·050	·294
		F.	2·565	·098	·166	·449	·044	·290	·156	·265	·126	·519	·095	·010	·028	·319
18	WEST LONDON *H*	M.	2·743	·122	·095	·322	·058	·369	·087	·228	·188	·453	·144	·075	·257	·345
		F.	2·247	·109	·087	·283	·081	·250	·066	·187	·174	·344	·136	·028	·134	·368
19	LONDON CITY	M.	2·367	·067	·090	·349	·017	·309	·114	·301	·136	·436	·111	·035	·135	·237
		F.	2·010	·060	·079	·296	·050	·230	·083	·244	·133	·377	·099	·014	·038	·307
20	SHOREDITCH *Lw*	M.	2·572	·135	·152	·430	·017	·320	·144	·315	·094	·490	·086	·019	·058	·312
		F.	2·296	·122	·127	·382	·046	·253	·092	·261	·127	·411	·087	·010	·037	·341
21	BETHNAL GREEN *HL*	M.	2·457	·106	·158	·436	·012	·294	·125	·274	·079	·445	·064	·018	·062	·384
		F.	2·246	·099	·153	·399	·035	·214	·086	·228	·063	·408	·081	·010	·038	·419
22	WHITECHAPEL *H*	M.	3·017	·156	·198	·388	·019	·374	·113	·284	·122	·514	·114	·050	·283	·402
		F.	2·665	·156	·183	·367	·050	·303	·106	·248	·129	·450	·108	·019	·113	·455
23	ST. GEORGE-IN-THE-EAST	M.	3·001	·099	·177	·488	·018	·396	·168	·235	·119	·587	·072	·020	·101	·451
		F.	2·757	·083	·166	·458	·048	·348	·134	·248	·122	·476	·087	·012	·044	·531
24*a*	STEPNEY	M.	2·738	·112	·178	·460	·017	·308	·148	·272	·104	·511	·087	·025	·115	·401
24*b*	MILE END OLD TOWN *w*	F.	2·380	·094	·142	·396	·048	·254	·102	·219	·116	·417	·097	·011	·042	·442
25	POPLAR *Lw*	M.	2·542	·072	·151	·387	·012	·289	·125	·312	·110	·391	·084	·023	·193	·393
		F.	2·210	·061	·125	·337	·041	·228	·108	·280	·116	·335	·086	·008	·040	·445

in Workhouses situated out of the Districts to which they belong. No other corrections for Public Institutions have been made in this Lunatic Asylums and the Naval and Military Hospitals, and those corrections are all indicated in the Notes to that Table.
in a District; *w* indicates a Workhouse belonging to another District.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.		SEX.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	I.—LONDON—*cont.*															
	SURREY (*part of*).															
26	St. Saviour Southwark *	*III*	M.	3·040	10·151	·983	·589	·625	1·238	1·493	1·954	3·477	5·378	9·328	17·973	52·082
27	St. Olave Southwark *	*III*	F.	2·686	9·085	1·034	·371	·638	·799	1·432	1·509	2·259	3·437	7·223	15·092	36·552
28	Bermondsey		M.	2·729	8·959	·929	·339	·627	·862	·981	1·624	2·461	4·508	9·058	19·151	30·184
			F.	2·547	7·722	1·077	·454	·668	1·035	1·080	1·431	1·975	3·540	7·198	19·116	27·903
29	St. George Southwark *L*		M.	2·869	10·195	1·085	·347	·712	·925	1·277	1·786	2·771	4·651	8·923	19·646	35·933
			F.	2·619	9·122	·994	·439	·698	·818	1·034	1·699	2·144	4·042	7·619	15·279	29·105
30	Newington		M.	2·558	7·916	1·007	·437	·667	·859	1·024	1·639	2·197	4·253	8·427	19·160	28·747
			F.	2·294	6·966	·901	·348	·600	·726	1·054	1·411	1·837	3·214	6·985	16·411	25·555
31	Lambeth		M.	2·513	7·910	·976	·435	·717	·858	1·020	1·551	2·343	4·115	7·830	18·063	34·465
			F.	2·193	7·215	·903	·457	·580	·724	·904	1·239	1·727	3·401	7·103	14·342	34·288
32	Wandsworth *L*		M.	2·460	6·150	·885	·486	·938	1·015	1·320	2·166	2·674	3·951	8·051	16·325	29·870
			F.	1·928	5·291	·744	·496	·608	·744	·903	1·297	1·667	3·114	6·247	14·094	22·397
33	Camberwell *LL*		M.	2·540	6·268	·937	·468	·671	1·169	1·301	1·993	2·834	3·950	8·103	17·833	26·271
			F.	2·098	5·585	·757	·423	·610	·796	1·006	1·588	1·922	3·221	6·431	13·848	27·227
34	Rotherhithe		M.	2·547	8·268	1·310	·590	·938	1·015	1·189	1·609	2·037	2·965	8·785	16·999	30·184
			F.	2·507	7·276	·954	·388	·589	1·022	1·229	1·301	1·929	3·178	7·402	15·903	26·963
	KENT (*part of*).															
35	Greenwich *HHHH*		M.	2·658	7·295	·998	·519	·496	·400	·943	1·736	2·682	4·369	9·408	16·802	26·591
			F.	2·239	6·445	·908	·471	·611	·841	·941	1·324	1·698	3·247	6·524	14·788	27·008
36	Lewisham		M.	1·937	5·788	·741	·465	·575	·679	·835	1·163	1·760	3·334	7·422	13·347	24·060
			F.	1·637	4·672	·778	·439	·473	·546	·740	1·079	1·333	2·479	5·784	13·681	22·721
	II.—SOUTH EASTERN COUNTIES.															
	1.—SURREY (*Extra-metropol.*)															
37	Epsom		M.	1·670	4·281	·569	·264	·444	·552	·737	·844	1·450	2·810	5·742	14·462	33·000
			F.	1·572	3·439	·653	·369	·628	·561	·667	1·019	1·315	2·309	4·987	12·830	28·519
38	Chertsey		M.	1·823	4·291	·736	·295	·617	·657	·822	·983	1·314	2·801	5·891	15·752	33·333
			F.	1·782	3·972	·825	·506	·679	·845	·833	1·028	1·053	2·203	6·832	11·860	31·667
39	Guildford *II*		M.	1·977	5·034	·787	·412	·592	·882	·960	1·103	1·446	2·604	6·200	13·979	35·263
			F.	1·846	4·466	·777	·402	·774	·768	·981	1·040	1·345	2·583	5·195	11·972	35·238
40	Farnham		M.	1·595	6·425	·848	·469	·623	·592	·625	1·343	1·492	2·214	5·360	12·963	26·923
			F.	1·935	5·252	·812	·563	·735	·849	·875	1·353	1·416	2·250	5·292	10·909	33·750
41	Farnborough		M.	1·338	3·786	·673	·443	·515	·619	·619	·657	1·235	2·276	5·924	12·344	26·000
			F.	1·557	3·358	·424	·271	·737	·576	·863	1·155	1·514	1·920	4·967	10·161	32·222
42	Hambledon		M.	1·670	3·755	·585	·403	·601	·714	·783	·834	1·171	2·106	5·872	12·221	28·333
			F.	1·735	3·232	·531	·529	·860	·988	1·105	1·073	1·964	2·331	5·945	11·277	23·333
43	Dorking		M.	1·731	4·407	·505	·477	·444	·803	·786	·922	1·237	2·699	5·455	14·217	37·500
			F.	1·732	3·864	·586	·325	·655	·890	·991	·914	1·608	1·989	6·226	14·079	33·077
44	Reigate *L*		M.	1·794	4·497	·871	·600	·448	·849	·760	1·009	1·395	2·239	6·351	14·857	38·182
			F.	1·639	3·538	·728	·626	·712	·691	·798	1·073	1·167	2·091	6·388	15·000	36·667
45	Godstone		M.	1·630	4·165	·657	·258	·616	·536	·743	·750	1·048	2·492	4·948	14·286	32·222
			F.	1·685	3·748	·594	·498	·807	·888	·551	1·047	1·270	1·985	5·632	14·286	22·727
46	Croydon		M.	1·996	5·723	·994	·516	·599	·889	·871	1·090	1·895	3·005	6·063	12·453	26·000
			F.	1·750	4·551	·859	·646	·501	·676	·710	1·022	1·235	2·466	4·979	13·807	25·000
47	Kingston		M.	1·948	5·218	·603	·255	·490	·796	·904	1·187	1·870	2·799	6·218	14·971	28·095
			F.	1·655	4·317	·653	·555	·607	·514	·657	1·017	1·296	2·445	5·557	10·824	34·412
48	Richmond		M.	2·186	6·128	·715	·473	·508	·680	1·123	1·435	2·164	3·790	5·458	16·341	32·000
			F.	1·834	5·325	·806	·433	·469	·480	·730	1·125	1·565	2·512	5·674	13·725	31·600

* In consequence of the very large proportion of deaths occurring in St. Thomas's and Guy's Hospitals it was found impracticable to

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.		Sex.	All Causes.	Causes of Death.													
					Typhus.	*Cholera, Diarrhœa, and Dysentery.*	Other Zymotic Diseases.	Cancer.	PHTHISIS.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	DISEASES OF LUNGS.	Diseases of Stomach and Liver.	Diseases of Kidneys.	VIOLENT DEATHS.	Other Causes.
	I.—LONDON—*cont.*																
	SURREY (*part of*).																
26	ST. SAVIOUR SOUTHWARK *	*HH*	M.	3·040	·103	·197	·382	·061	·443	·131	·247	·218	·457	·151	·120	·292	·238
27	ST. OLAVE SOUTHWARK *		F.	2·686	·103	·230	·357	·090	·358	·108	·218	·197	·408	·140	·046	·114	·315
28	BERMONDSEY		M.	2·729	·082	·313	·527	·015	·271	·140	·283	·099	·501	·107	·026	·067	·298
			F.	2·547	·084	·319	·521	·045	·237	·106	·224	·102	·417	·110	·013	·029	·340
29	ST. GEORGE SOUTHWARK *L*		M.	2·869	·096	·272	·485	·014	·396	·158	·347	·102	·515	·090	·023	·054	·317
			F.	2·619	·091	·271	·447	·047	·296	·111	·289	·109	·456	·093	·011	·033	·365
30	NEWINGTON		M.	2·558	·076	·211	·414	·013	·337	·128	·297	·106	·455	·098	·028	·045	·350
			F.	2·294	·073	·215	·354	·058	·254	·095	·236	·124	·361	·110	·010	·029	·375
31	LAMBETH		M.	2·513	·078	·199	·445	·019	·298	·125	·274	·105	·438	·100	·032	·065	·335
			F.	2·193	·073	·179	·369	·058	·235	·084	·230	·121	·346	·099	·015	·030	·354
32	WANDSWORTH *L*		M.	2·460	·069	·181	·345	·019	·289	·101	·397	·129	·328	·098	·041	·099	·364
			F.	1·928	·064	·156	·258	·062	·223	·059	·242	·127	·263	·088	·012	·025	·349
33	CAMBERWELL *LL*		M.	2·540	·058	·207	·367	·024	·286	·120	·431	·121	·385	·113	·038	·082	·308
			F.	2·098	·055	·193	·278	·061	·235	·076	·287	·117	·299	·124	·016	·036	·321
34	ROTHERHITHE		M.	2·547	·061	·292	·381	·010	·219	·114	·281	·089	·413	·084	·028	·240	·335
			F.	2·507	·054	·321	·418	·037	·233	·079	·272	·110	·359	·090	·005	·064	·465
	KENT (*part of*).																
35	GREENWICH *HHHH*		M.	2·658	·108	·201	·352	·024	·364	·093	·278	·172	·428	·103	·044	·131	·360
			F.	2·239	·074	·148	·326	·048	·278	·091	·227	·131	·336	·096	·012	·033	·439
36	LEWISHAM		M.	1·937	·053	·118	·325	·022	·212	·110	·252	·108	·282	·072	·035	·078	·270
			F.	1·637	·062	·091	·251	·046	·178	·074	·184	·122	·208	·093	·014	·023	·291
	II.—SOUTH EASTERN COUNTIES.																
	1.—**SURREY** (*Extra-metropol.*)																
37	EPSOM		M.	1·670	·054	·049	·205	·019	·168	·050	·214	·150	·249	·107	·044	·061	·300
			F.	1·572	·046	·054	·189	·048	·186	·042	·175	·137	·209	·113	·015	·030	·328
38	CHERTSEY		M.	1·823	·064	·050	·201	·017	·161	·065	·281	·123	·273	·090	·032	·082	·384
			F.	1·782	·074	·063	·190	·049	·203	·066	·261	·158	·195	·083	·015	·030	·395
39	GUILDFORD *H*		M.	1·977	·083	·077	·268	·028	·231	·090	·251	·144	·284	·093	·050	·081	·297
			F.	1·846	·084	·083	·239	·052	·227	·067	·216	·160	·250	·098	·010	·038	·322
40	FARNHAM		M.	1·595	·074	·091	·200	·016	·186	·051	·180	·094	·261	·078	·027	·085	·252
			F.	1·935	·092	·113	·252	·045	·227	·065	·223	·135	·264	·109	·013	·041	·356
41	FARNBOROUGH		M.	1·338	·059	·060	·126	·012	·163	·018	·163	·097	·163	·068	·023	·064	·322
			F.	1·557	·067	·065	·172	·020	·227	·025	·152	·130	·148	·063	·007	·020	·461
42	HAMBLEDON		M.	1·670	·076	·056	·201	·015	·173	·067	·182	·144	·195	·066	·029	·079	·387
			F.	1·735	·064	·059	·173	·045	·253	·048	·195	·161	·206	·094	·005	·032	·400
43	DORKING		M.	1·734	·067	·063	·192	·015	·195	·093	·210	·162	·220	·067	·040	·062	·348
			F.	1·732	·073	·053	·187	·054	·285	·083	·192	·155	·144	·107	·019	·025	·351
44	REIGATE *L*		M.	1·794	·048	·048	·222	·022	·221	·046	·240	·132	·239	·081	·027	·076	·392
			F.	1·649	·045	·031	·210	·052	·225	·045	·214	·139	·154	·075	·020	·052	·390
45	GODSTONE		M.	1·630	·075	·079	·160	·027	·152	·050	·181	·135	·256	·083	·035	·060	·337
			F.	1·685	·085	·049	·171	·029	·215	·058	·222	·157	·212	·058	·004	·031	·366
46	CROYDON		M.	1·996	·087	·131	·285	·019	·218	·080	·235	·116	·290	·100	·040	·081	·314
			F.	1·730	·081	·107	·248	·056	·187	·066	·197	·113	·229	·089	·015	·030	·326
47	KINGSTON		M.	1·948	·067	·101	·207	·027	·239	·056	·280	·109	·348	·100	·048	·088	·278
			F.	1·655	·077	·077	·168	·058	·186	·056	·213	·115	·265	·107	·021	·037	·275
48	RICHMOND		M.	2·186	·128	·151	·252	·026	·241	·080	·315	·109	·287	·135	·034	·117	·311
			F.	1·834	·080	·135	·212	·075	·186	·050	·254	·125	·258	·102	·008	·033	·320

give the corrected mortality of these two Districts separately, parts of both Hospitals being situated in each of the Districts.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	II.—SOUTH EASTERN COUNTIES—*cont.*														
	2.–KENT (*extra-metropolitan*).														
49	Bromley	M.	1·690	4·381	·738	·380	·400	·584	·766	·904	1·247	2·521	5·579	11·917	26·111
		F.	1·554	3·757	·555	·563	·523	·537	·687	·802	1·044	2·622	4·973	12·553	27·600
50	Dartford	M.	1·870	5·295	·600	·473	·611	·843	·835	1·048	1·346	2·503	5·515	13·086	27·308
		F.	1·661	4·606	·648	·416	·613	·686	·664	·922	1·148	2·014	5·060	12·979	23·939
51	Gravesend	M.	2·594	6·521	·714	·600	·870	1·718	1·995	1·990	2·203	3·197	7·469	14·578	31·429
		F.	1·977	5·735	·799	·303	·734	·702	1·025	1·371	1·591	2·814	5·783	12·952	21·818
52	North Aylesford	M.	2·149	6·458	·731	·436	·736	·663	·993	1·381	1·681	2·929	5·884	14·600	25·333
		F.	1·934	5·346	·673	·400	·587	·690	·805	1·265	1·432	2·213	6·406	13·028	30·000
53	Hoo	M.	2·599	7·980	1·034	·656	·476	·763	1·390	1·327	2·245	4·444	6·444	21·667	40·000
		F.	2·363	5·885	1·130	·585	·714	1·636	1·221	1·772	1·681	2·031	8·125	14·000	—
54	Medway *HHHH*	M.	2·486	7·455	·823	·386	·919	1·424	1·842	2·081	1·995	3·368	6·328	14·145	32·903
		F.	2·109	6·536	·796	·406	·531	·828	·956	1·226	1·569	2·488	5·863	13·577	25·686
55	Malling	M.	1·916	5·422	·650	·395	·476	·822	·922	1·116	1·425	2·356	5·066	14·961	37·692
		F.	1·935	4·634	·533	·528	·871	1·107	·969	1·177	1·561	2·398	5·471	15·772	23·462
56	Sevenoaks	M.	1·759	4·438	·492	·361	·654	·717	·730	·870	1·130	2·514	5·728	14·329	26·154
		F.	1·805	3·663	·571	·348	·795	·965	1·117	1·248	1·374	2·174	5·565	12·623	33·913
57	Tunbridge *H*	M.	2·126	6·122	·780	·424	·652	·826	·927	1·254	1·544	2·970	6·292	14·277	37·778
		F.	1·932	4·862	·875	·574	·847	·934	1·075	1·378	1·509	2·593	6·113	13·439	26·667
58	Maidstone *HL*	M.	2·333	6·607	·818	·378	·574	·829	1·187	1·777	2·142	3·415	6·505	14·979	28·710
		F.	2·198	5·319	·769	·534	·780	1·065	1·157	1·581	1·840	3·186	6·667	12·691	28·378
59	Hollingbourn	M.	1·921	5·270	·727	·406	·507	·660	·952	·969	1·190	2·295	5·033	13·178	28·889
		F.	1·810	3·869	·597	·530	·944	·879	1·119	1·052	1·241	2·251	5·323	11·714	22·727
60	Cranbrook	M.	1·707	4·344	·435	·278	·308	·713	·785	·822	1·090	2·358	5·777	14·571	34·000
		F.	1·679	3·508	·424	·379	·737	1·000	·943	1·075	1·172	2·686	6·141	11·134	31·818
61	Tenterden	M.	1·899	5·132	·908	·304	·453	·743	·747	·814	1·226	1·845	5·392	18·182	20·909
		F.	1·963	4·194	·683	·407	·791	1·175	1·179	1·190	1·803	2·878	5·605	14·138	26·923
62	West Ashford	M.	2·001	5·670	·690	·452	·583	·982	·861	·937	1·263	2·098	5·774	16·588	22·941
		F.	1·963	4·596	·758	·530	·754	1·447	1·250	1·094	1·543	2·346	4·413	11·215	32·353
63	East Ashford	M.	1·788	4·330	·679	·428	·646	·801	·734	·745	1·111	2·219	4·802	13·491	29·333
		F.	1·901	4·230	·665	·501	1·098	1·213	1·085	·841	1·126	2·473	4·292	12·524	31·250
64	Bridge	M.	1·922	5·495	·684	·443	·504	·917	·642	·990	1·051	1·985	5·661	12·571	24·286
		F.	1·707	4·060	·621	·520	·853	·980	·843	·876	1·031	1·570	4·524	11·346	25·294
65	Canterbury *H*	M.	2·447	7·084	·949	·486	·812	1·085	1·517	1·854	2·310	3·251	6·397	13·889	38·000
		F.	2·135	5·582	1·239	·571	·677	·966	·900	1·161	1·644	2·290	5·162	13·312	22·187
66	Blean	M.	1·874	5·193	·592	·393	·695	·808	·789	·932	1·186	2·165	4·773	13·125	32·143
		F.	1·788	4·177	·666	·540	·713	·895	·770	·974	1·081	2·353	5·382	13·853	37·368
67	Faversham	M.	1·978	5·399	·737	·365	·616	·838	·780	1·117	1·442	2·203	4·917	11·800	28·182
		F.	1·955	4·850	·773	·525	·771	1·041	·884	1·113	1·205	1·943	5·197	12·687	31·818
68	Milton	M.	2·098	6·724	·662	·395	·448	·662	·722	·966	1·651	2·894	5·438	15·714	24·167
		F.	2·048	5·608	·699	·476	·784	·887	·987	1·095	1·149	2·740	5·594	13·580	25·625
69	Sheppey *H*	M.	1·899	7·209	·654	·280	·448	·684	·680	·905	1·739	3·221	6·966	17·547	26·250
		F.	1·977	6·031	·594	·415	·696	·673	·856	1·087	1·366	2·500	7·160	14·737	26·667
70	Thanet *HH*	M.	2·309	5·682	·954	·624	·819	1·212	1·248	1·561	1·875	3·199	6·326	13·474	20·588
		F.	1·941	4·647	·922	·606	·774	·716	·975	1·219	1·492	2·472	5·282	12·156	26·731
71	Eastry	M.	2·037	5·224	·754	·395	·679	1·019	1·027	1·136	1·285	2·369	5·285	13·613	27·037
		F.	1·856	4·138	·785	·496	·484	·748	·867	1·071	1·407	2·181	4·359	11·209	30·208
72	Dover	M.	2·078	6·780	·845	·450	·516	·885	·936	1·084	1·763	2·838	5·620	14·118	30·000
		F.	1·895	5·480	·979	·410	·637	·799	·759	1·032	1·377	2·355	5·297	12·322	30·000
73	Elham	M.	1·718	5·474	·594	·308	·634	·656	·865	1·067	1·389	2·504	5·029	11·457	35·789
		F.	1·805	4·077	·742	·395	·806	·893	·996	1·234	1·383	2·624	4·839	11·124	33·182
74	Romney Marsh	M.	2·193	5·076	·882	·502	·616	1·195	1·327	1·259	1·607	3·571	5·766	17·250	30·000
		F.	2·084	5·051	1·036	·611	·648	1·127	·945	1·062	1·422	2·600	6·224	13·721	32·500

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851-60—*continued.*

	DISTRICTS.	SEX.	All Causes.	Causes of Death.													
				Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Disea-es of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
	II.—SOUTH EASTERN COUNTIES—*cont.*																
	2.—KENT (*extra-metropolitan*).																
49	Bromley	M.	1·690	·063	·089	·190	·019	·195	·036	·208	·166	·170	·070	·023	·058	·403
		F.	1·554	·060	·065	·157	·033	·209	·041	·143	·166	·147	·061	·008	·024	·437
50	Dartford	M.	1·870	·092	·096	·230	·014	·163	·085	·238	·128	·254	·085	·024	·119	·342
		F.	1·661	·088	·075	·212	·040	·178	·058	·215	·144	·185	·083	·013	·027	·343
51	Gravesend	M.	2·594	·079	·283	·349	·031	·310	·057	·300	·134	·404	·165	·044	·184	·254
		F.	1·977	·095	·152	·280	·048	·220	·053	·267	·108	·291	·145	·017	·048	·253
52	North Aylesford	M.	2·149	·128	·211	·327	·013	·183	·056	·283	·101	·260	·083	·033	·158	·313
		F.	1·934	·123	·152	·304	·049	·201	·037	·260	·090	·229	·092	·024	·037	·336
53	Hoo	M.	2·599	·118	·164	·395	·013	·164	·026	·480	·112	·276	·072	·013	·257	·509
		F.	2·363	·180	·113	·480	·023	·248	·023	·443	·075	·143	·068	—	·045	·522
54	Medway *IIIIIH*	M.	2·486	·087	·145	·360	·021	·438	·096	·285	·158	·371	·134	·050	·099	·242
		F.	2·109	·071	·134	·331	·061	·255	·085	·239	·134	·284	·123	·024	·032	·336
55	Malling	M.	1·916	·084	·111	·194	·010	·190	·084	·324	·142	·226	·092	·023	·101	·335
		F.	1·935	·099	·113	·202	·034	·253	·077	·263	·171	·197	·084	·005	·035	·402
56	Sevenoaks	M.	1·759	·070	·053	·190	·021	·200	·068	·247	·179	·172	·102	·031	·058	·368
		F.	1·865	·080	·037	·169	·057	·264	·076	·243	·186	·131	·100	·011	·020	·431
57	Tunbridge *II*	M.	2·126	·082	·116	·246	·028	·241	·112	·259	·122	·302	·101	·055	·074	·388
		F.	1·932	·084	·096	·221	·066	·288	·084	·236	·112	·238	·113	·022	·036	·336
58	Maidstone *HL*	M.	2·333	·074	·149	·255	·026	·252	·073	·408	·137	·327	·102	·035	·095	·400
		F.	2·198	·077	·142	·234	·052	·305	·047	·322	·165	·286	·115	·012	·045	·396
59	Hollingbourn	M.	1·921	·057	·068	·178	·020	·224	·078	·210	·111	·214	·093	·043	·080	·545
		F.	1·810	·063	·060	·195	·048	·230	·059	·182	·146	·170	·107	·011	·038	·501
60	Cranbrook	M.	1·707	·072	·073	·177	·021	·169	·052	·217	·124	·196	·058	·048	·043	·457
		F.	1·679	·061	·067	·181	·035	·251	·049	·201	·137	·172	·088	·014	·027	·396
61	Tenterden	M.	1·899	·077	·059	·204	·020	·249	·054	·206	·099	·210	·052	·039	·066	·573
		F.	1·963	·056	·060	·195	·033	·347	·043	·228	·168	·157	·065	·009	·025	·577
62	West Ashford	M.	2·001	·101	·096	·251	·023	·196	·072	·242	·119	·246	·115	·032	·051	·455
		F.	1·963	·108	·068	·259	·036	·322	·060	·214	·128	·218	·064	·013	·026	·447
63	East Ashford	M.	1·788	·085	·035	·223	·016	·162	·068	·159	·133	·227	·093	·040	·074	·473
		F.	1·901	·083	·066	·215	·029	·276	·061	·142	·153	·185	·088	·010	·037	·556
64	Bridge	M.	1·922	·061	·104	·270	·019	·158	·077	·188	·132	·191	·109	·030	·067	·516
		F.	1·707	·072	·076	·227	·042	·240	·049	·161	·135	·121	·065	·005	·018	·496
65	Canterbury *II*	M.	2·447	·106	·113	·302	·036	·306	·088	·265	·152	·343	·109	·051	·134	·442
		F.	2·135	·093	·088	·227	·060	·240	·070	·236	·143	·291	·111	·025	·040	·511
66	Blean	M.	1·874	·093	·120	·224	·028	·178	·052	·215	·078	·257	·095	·043	·066	·395
		F.	1·783	·105	·091	·225	·069	·223	·048	·171	·126	·238	·091	·014	·023	·372
67	Faversham	M.	1·978	·115	·101	·241	·020	·222	·060	·271	·119	·228	·095	·035	·070	·401
		F.	1·955	·129	·085	·247	·053	·271	·050	·198	·120	·197	·101	·015	·051	·458
68	Milton	M.	2·098	·141	·254	·252	·018	·161	·075	·314	·113	·226	·085	·031	·072	·376
		F.	2·048	·111	·237	·208	·032	·211	·064	·269	·115	·146	·109	·014	·046	·459
69	Sheppey *II*	M.	1·899	·128	·118	·219	·010	·141	·079	·303	·096	·251	·063	·018	·112	·361
		F.	1·977	·127	·141	·223	·039	·189	·095	·269	·113	·207	·089	·010	·021	·454
70	Thanet *III*	M.	2·309	·096	·190	·262	·024	·280	·109	·244	·161	·197	·117	·037	·111	·481
		F.	1·941	·090	·150	·235	·056	·266	·074	·178	·172	·186	·094	·018	·028	·444
71	Eastry	M.	2·037	·096	·073	·247	·022	·224	·069	·218	·136	·280	·131	·039	·090	·382
		F.	1·856	·089	·077	·226	·046	·239	·056	·207	·132	·176	·137	·009	·028	·434
72	Dover	M.	2·078	·093	·099	·326	·014	·205	·075	·224	·131	·284	·078	·042	·122	·382
		F.	1·895	·081	·122	·267	·055	·192	·064	·203	·145	·245	·093	·017	·026	·385
73	Elham	M.	1·718	·102	·127	·208	·015	·165	·058	·214	·110	·220	·072	·035	·070	·316
		F.	1·805	·099	·119	·210	·057	·211	·050	·223	·120	·230	·083	·013	·024	·366
74	Romney Marsh	M.	2·195	·123	·046	·473	·028	·196	·063	·270	·077	·309	·102	·032	·126	·347
		F.	2·084	·092	·059	·412	·056	·221	·143	·305	·074	·228	·085	·007	·037	·355

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	II.—SOUTH EASTERN COUNTIES—*cont.*														
	3.-SUSSEX.														
75	RYE	M.	1·995	5·536	·639	·271	·660	·725	·776	1·060	1·397	2·387	6·134	17·179	30·000
		F.	1·981	4·702	·730	·426	·623	1·219	1·140	1·236	1·019	2·655	5·932	13·370	36·429
76	HASTINGS *H*	M.	2·049	5·380	·518	·436	·528	1·053	1·178	1·461	1·840	2·908	6·566	14·091	27·333
		F.	1·633	4·514	·704	·432	·760	·860	·890	1·091	1·499	2·179	5·502	10·435	52·222
77	BATTLE	M.	1·660	4·142	·694	·448	·564	·756	·831	·829	1·113	1·803	5·019	13·301	33·333
		F.	1·751	3·895	·742	·630	·817	·892	·946	1·015	1·039	2·161	5·045	12·198	24·500
78	EASTBOURNE	M.	1·825	4·476	·556	·234	·546	·777	·865	1·020	1·359	2·167	4·734	15·278	33·636
		F.	1·511	3·183	·630	·493	·814	·634	·885	·676	·905	2·284	3·764	14·923	20·769
79	HAILSHAM	M.	1·724	4·506	·791	·263	·387	·721	·876	·797	·982	2·019	5·152	10·877	28·000
		F.	1·771	3·819	·670	·675	1·040	1·197	1·159	1·143	1·107	2·271	5·219	10·928	30·714
80	TICEHURST	M.	1·887	4·821	·631	·385	·603	·847	·932	·802	1·502	2·346	5·745	12·833	30·000
		F.	1·952	4·298	·619	·575	·995	·995	1·151	1·283	1·595	2·488	6·908	11·215	31·538
81	UCKFIELD	M.	1·883	4·696	·721	·451	·486	·977	·746	·912	1·356	1·911	5·540	14·901	26·087
		F.	1·907	4·074	·881	·609	1·025	1·132	1·011	1·153	1·139	2·155	5·766	15·229	35·714
82	EAST GRINSTEAD	M.	1·705	3·809	·551	·263	·669	·614	·887	·752	1·443	2·341	5·943	12·793	36·000
		F.	1·760	3·710	·477	·476	·713	1·004	·930	1·165	1·221	2·804	5·750	13·523	31·429
83	CUCKFIELD	M.	1·734	4·467	·605	·410	·456	·805	·834	·906	1·038	2·216	5·886	14·615	29·333
		F.	1·779	3·581	·690	·628	·941	·881	1·031	1·110	1·346	2·539	5·976	14·886	23·333
84	LEWES *L*	M.	2·016	4·513	·736	·365	·714	1·353	1·282	1·308	1·540	2·500	5·571	14·921	37·778
		F.	1·878	4·001	·640	·575	·910	1·110	1·057	1·286	1·445	2·378	5·071	13·613	35·600
85	BRIGHTON *H*	M.	2·499	8·098	·871	·419	·612	·989	1·160	1·579	2·120	3·722	6·823	14·689	37·917
		F.	1·971	6·998	·908	·457	·519	·698	·919	1·224	1·583	2·709	5·753	13·454	28·413
86	STEYNING	M.	1·701	5·322	·623	·388	·429	·791	·872	1·057	1·257	2·214	5·359	12·124	34·615
		F.	1·501	4·331	·629	·362	·664	·727	·637	·943	1·242	2·070	5·340	10·221	27·059
87	HORSHAM	M.	1·770	4·380	·539	·313	·571	·531	·944	·873	1·376	2·436	5·888	13·097	39·091
		F.	1·761	3·429	·427	·615	·979	1·111	1·083	1·077	1·096	2·459	6·163	14·375	36·000
88	PETWORTH	M.	1·844	4·364	·414	·353	·566	·909	·835	1·037	1·285	2·589	5·556	15·747	29·000
		F.	1·867	3·499	·661	·615	·845	·831	1·128	·986	1·496	2·155	6·471	15·065	33·333
89	THAKEHAM	M.	1·676	3·193	·667	·452	·509	1·115	·762	1·014	1·196	2·231	5·576	12·388	46·667
		F.	1·983	3·806	·638	·797	1·447	1·434	1·621	1·013	·870	2·555	5·000	11·429	34·286
90	WORTHING	M.	1·831	4·057	·608	·451	·698	·966	1·010	1·021	1·515	2·602	5·000	12·263	38·421
		F.	1·753	3·876	·704	·603	·750	·986	1·015	1·221	1·143	1·757	4·648	10·316	33·200
91	WESTHAMPNETT*	M.	1·798	4·040	·755	·401	·697	·897	·805	·864	1·232	1·702	5·289	13·022	32·105
		F.	1·828	3·382	·900	·675	1·020	1·229	·971	1·049	·902	1·812	5·353	12·920	23·478
92	CHICHESTER* *H*	M.	2·282	5·041	·591	·600	·850	1·356	1·918	1·589	1·972	2·992	6·213	13·894	22·941
		F.	1·974	4·332	·649	·596	·858	·952	1·033	1·458	1·628	2·729	6·140	13·415	23·913
93	MIDHURST	M.	1·769	4·225	·612	·437	·481	·918	·807	·753	1·225	1·911	6·690	13·019	26·842
		F.	1·871	3·524	·780	·633	·995	1·649	1·160	1·105	1·214	2·324	4·921	10·982	34·706
94	WESTBOURNE	M.	1·714	4·145	·372	·522	·362	1·098	·911	·709	1·312	1·928	4·875	12·836	20·909
		F.	1·783	3·347	·434	·567	·890	1·550	·966	1·208	1·296	2·267	4·155	11·212	34·444
	4.–HAMPSHIRE.														
95	HAVANT	M.	1·977	3·846	·574	·252	·697	1·365	1·053	1·143	1·886	2·561	6·779	11·905	25·833
		F.	1·778	3·129	·899	·513	·697	·901	1·188	·929	1·269	2·520	4·578	12·703	42·500
96	PORTSEA ISLAND *HH*	M.	2·339	7·478	·876	·400	·605	·931	1·127	1·590	2·011	3·230	6·786	14·452	28·936
		F.	2·217	6·621	·976	·472	·611	·888	1·132	1·201	1·590	2·876	5·862	13·854	29·474
97	ALVERSTOKE *H*	M.	3·030	6·921	·767	·434	1·336	2·328	2·722	2·739	3·222	3·880	7·157	17·600	39·091
		F.	2·043	5·670	·789	·691	·361	·893	·970	1·199	1·267	2·686	6·241	13·583	28·571
98	FAREHAM *L*	M.	2·182	4·817	·611	·401	·703	1·077	1·077	1·697	1·845	3·300	6·752	12·636	34·706
		F.	1·956	3·588	·632	·586	·968	·877	1·270	1·399	1·671	2·348	5·394	10·909	27·778
99	ISLE OF WIGHT	M.	1·790	4·400	·600	·371	·617	1·051	1·095	1·152	1·487	2·346	5·294	12·486	30·000
		F.	1·633	3·708	·615	·445	·745	·818	·999	1·058	1·238	2·104	4·569	12·434	28·361

* In calculating the Mortality of these Districts a correction has been made for

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.												
				Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
	II.—SOUTH EASTERN COUNTIES—*cont.*															
	3.—SUSSEX.															
75	Rye	M.	1·995	·081	·033	·278	·008	·235	·081	·248	·154	·326	·116	·031	·061	·343
		F.	1·981	·080	·039	·245	·033	·305	·058	·246	·200	·231	·103	·008	·025	·408
76	Hastings *H*	M.	2·049	·054	·057	·238	·023	·318	·120	·223	·118	·296	·118	·037	·078	·374
		F.	1·633	·050	·054	·163	·058	·328	·083	·180	·108	·196	·080	·009	·025	·299
77	Battle	M.	1·660	·058	·040	·213	·018	·176	·069	·190	·122	·245	·108	·038	·074	·309
		F.	1·751	·080	·041	·214	·033	·226	·061	·206	·162	·269	·098	·008	·050	·303
78	Eastbourne	M.	1·825	·083	·083	·249	·017	·191	·081	·204	·147	·195	·101	·070	·085	·319
		F.	1·511	·032	·052	·193	·023	·267	·054	·170	·133	·139	·083	·012	·025	·298
79	Hailsham	M.	1·724	·046	·057	·215	·022	·182	·096	·161	·139	·226	·121	·040	·061	·358
		F.	1·771	·068	·065	·220	·041	·310	·072	·157	·148	·200	·102	·008	·037	·343
80	Ticehurst	M.	1·887	·079	·068	·234	·026	·211	·080	·207	·118	·251	·116	·041	·072	·384
		F.	1·952	·128	·061	·222	·067	·290	·073	·226	·139	·234	·112	·019	·034	·347
81	Uckfield	M.	1·883	·045	·049	·249	·011	·188	·137	·192	·162	·223	·107	·040	·074	·406
		F.	1·907	·059	·054	·242	·040	·282	·138	·192	·203	·177	·107	·012	·035	·366
82	East Grinstead	M.	1·705	·072	·098	·197	·026	·199	·064	·229	·115	·221	·067	·061	·060	·296
		F.	1·760	·068	·092	·228	·048	·233	·054	·236	·150	·198	·100	·008	·030	·315
83	Cuckfield	M.	1·734	·093	·046	·209	·015	·209	·060	·263	·125	·173	·074	·034	·044	·389
		F.	1·779	·094	·044	·212	·036	·288	·050	·227	·142	·164	·070	·006	·017	·429
84	Lewes *L*	M.	2·016	·095	·072	·208	·029	·305	·125	·295	·146	·229	·083	·038	·086	·305
		F.	1·878	·108	·056	·204	·053	·328	·085	255	·157	·165	·109	·010	·032	·316
85	Brighton *H*	M.	2·499	·094	·136	·366	·030	·328	·127	·291	·150	·282	·114	·050	·095	·436
		F.	1·971	·089	·101	·267	·067	·275	·090	·212	·137	·210	·107	·017	·028	·371
86	Steyning	M.	1·701	·080	·069	·187	·014	·190	·071	·215	·094	·223	·107	·037	·087	·327
		F.	1·501	·070	·066	·181	·047	·213	·052	·178	·117	·165	·083	·019	·027	·283
87	Horsham	M.	1·770	·134	·063	·175	·021	·222	·075	·196	·097	·264	·100	·041	·051	·331
		F.	1·761	·135	·062	·194	·031	·303	·041	·214	·135	·228	·072	·016	·017	·313
88	Petworth	M.	1·844	·046	·067	·136	·018	·237	·083	·304	·150	·227	·095	·040	·067	·354
		F.	1·867	·079	·033	·186	·050	·313	·063	·269	·162	·195	·074	·009	·035	·399
89	Thakeham	M.	1·676	·100	·059	·180	·044	·224	·064	·219	·108	·183	·106	·036	·077	·276
		F.	1·983	·160	·072	·227	·053	·343	·116	·202	·138	·191	·100	·022	·025	·334
90	Worthing	M.	1·831	·087	·052	·195	·023	·271	·068	·239	·133	·197	·099	·043	·071	·353
		F.	1·753	·103	·048	·185	·058	·320	·063	·219	·129	·138	·101	·010	·026	·353
91	Westhampnett *	M.	1·798	·065	·076	·228	·015	·216	·043	·270	·111	·164	·078	·034	·066	·432
		F.	1·828	·077	·069	·215	·038	·310	·041	·225	·131	·145	·066	·007	·028	·476
92	Chichester * *H*	M.	2·282	·092	·075	·238	·034	·404	·116	·287	·145	·259	·137	·042	·116	·337
		F.	1·974	·091	·078	·192	·067	·320	·092	·261	·118	·194	·137	·024	·030	·370
93	Midhurst	M.	1·769	·077	·041	·183	·015	·230	·060	·293	·124	·183	·114	·029	·053	·367
		F.	1·871	·105	·046	·192	·021	·325	·040	·260	·174	·168	·095	·005	·024	·416
94	Westbourne	M.	1·714	·063	·060	114	·026	·251	·028	·285	·114	·151	·060	·028	·071	·463
		F.	1·783	·081	·032	·186	·038	·366	·026	·198	·119	·105	·073	·003	·041	·515
	4.—HAMPSHIRE.															
95	Havant	M.	1·977	·126	·055	·140	·009	·263	·076	·242	·143	·257	·091	·038	·123	·414
		F.	1·778	·137	·053	·174	·058	·248	·082	·177	·161	·198	·066	·011	·026	·387
96	Portsea Island *HH*	M.	2·339	·123	·144	·301	·020	·302	·092	·315	·125	·358	·103	·038	·078	·340
		F.	2·217	·144	·119	·203	·046	·260	·073	·310	·128	·317	·104	·014	·028	·381
97	Alverstoke *H*	M.	3·030	·132	·200	·354	·028	·723	·090	·380	·159	·340	·132	·047	·134	·311
		F.	2·043	·107	·123	·294	·065	·253	·054	·248	117	·257	·102	·006	·051	·386
98	Fareham *L*	M.	2·182	·091	·043	·143	·015	·282	·055	·408	·125	·283	·115	·028	·066	·528
		F.	1·956	·109	·055	·125	·029	·306	·047	·303	·131	·174	·101	·006	·036	·534
99	Isle of Wight	M.	1·790	·087	·056	·193	·018	·259	·059	·221	·117	·189	·084	·037	·082	·388
		F.	1·633	·051	·043	·181	·043	·270	·044	·187	·134	·151	·092	·014	·023	·565

changes which occurred in the constitution of them during the 10 Years 1851–60.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	II.—SOUTH EASTERN COUNTIES—*cont.*														
	4.–HAMPSHIRE—*cont.*														
100	LYMINGTON	M.	1·826	3·821	·806	·402	·465	1·381	1·094	·964	1·274	2·078	5·597	14·348	25·833
		F.	1·723	3·423	·658	·634	·816	1·204	·861	·916	1·173	1·981	4·743	13·301	36·667
101	CHRISTCHURCH	M.	1·849	4·491	·661	·361	·527	1·210	1·044	·794	1·330	2·553	4·531	13·421	37·000
		F.	1·832	3·871	·784	·505	·803	1·097	1·065	1·154	1·373	2·284	5·756	12·933	19·333
102	RINGWOOD	M.	1·682	4·183	·501	·320	·336	·591	·762	·871	·791	1·939	4·855	15·581	57·500
		F.	1·984	3·922	·593	·696	1·065	·978	·787	1·069	1·043	2·589	5·481	15·926	42·000
103	FORDINGBRIDGE	M.	1·957	4·672	·731	·366	·615	1·157	·814	1·157	1·263	2·601	5·315	14·727	31·667
		F.	2·121	4·045	·855	·670	·796	·980	1·213	·941	1·338	3·160	6·901	15·263	46·667
104	NEW FOREST	M.	1·724	3·764	·639	·455	·600	1·069	·788	·932	1·097	2·237	5·233	11·624	24·091
		F.	1·705	3·486	·599	·505	·861	·980	·877	1·151	·879	1·959	5·647	13·431	24·211
105	SOUTHAMPTON *H*	M.	2·749	8·604	·952	·540	·692	1·128	1·346	1·924	2·784	4·074	7·317	14·812	45·833
		F.	2·177	7·272	·784	·475	·576	·836	1·072	1·393	1·644	2·965	5·627	14·596	28·966
106	SOUTH STONEHAM	M.	1·791	4·951	·489	·325	·518	·706	·754	·895	1·587	2·169	5·317	13·254	37·857
		F.	1·616	3·982	·604	·294	·623	·768	·904	1·056	1·125	2·463	5·572	12·906	34·615
107	ROMSEY	M.	2·029	4·674	·432	·438	·643	·962	·979	1·167	1·435	3·075	6·826	14·186	45·714
		F.	1·873	4·017	·703	·437	·736	1·143	·893	1·143	1·247	2·528	6·623	11·910	30·000
108	STOCKBRIDGE	M.	1·911	5·210	·679	·198	·429	1·040	·922	·993	1·763	2·045	5·655	13·000	38·333
		F.	1·964	4·552	·837	·396	·748	1·069	·991	1·238	1·351	2·134	5·515	15·660	40·000
109	WINCHESTER *H*	M.	2·072	5·073	·788	·434	·928	1·099	1·088	1·506	1·877	3·037	6·288	15·640	27·600
		F.	1·985	4·546	·749	·525	·846	1·071	1·053	1·234	1·390	2·639	6·585	12·843	35·833
110	DROXFORD	M.	1·720	4·128	·556	·319	·572	·765	·886	·871	1·135	2·033	5·042	11·800	24·118
		F.	1·825	3·764	·624	·512	·728	1·309	1·059	·959	1·155	2·202	4·957	11·800	26·471
111	CATHERINGTON	M.	1·987	4·463	1·088	·144	·299	1·250	·955	1·071	1·624	2·174	5·439	13·043	55·000
		F.	1·840	4·304	·784	·661	1·226	1·474	·809	·851	·840	2·273	3·958	13·333	36·667
112	PETERSFIELD	M.	1·979	5·669	·726	·259	·703	·851	·877	·629	1·080	2·159	5·455	13·803	35·000
		F.	1·899	3·981	·785	·789	·801	1·206	·911	1·233	1·311	2·288	5·000	10·685	29·000
113	ALRESFORD	M.	1·685	3·755	·611	·364	·349	·412	·859	1·154	1·449	2·519	4·785	13·607	36·667
		F.	1·572	3·042	·542	·362	·792	·952	·916	·795	1·197	2·405	5·522	10·508	21·250
114	ALTON	M.	1·759	4·312	·561	·427	·551	1·013	·890	1·152	·949	2·186	4·821	13·469	29·091
		F.	1·794	3·673	·544	·454	·881	·931	·992	1·101	1·064	2·267	4·870	16·333	29·474
115	HARTLEY WINTNEY	M.	1·939	5·007	·702	·427	·728	·890	·812	1·067	1·562	2·507	4·762	12·041	33·333
		F.	1·914	4·021	·641	·576	1·039	·960	1·042	1·165	1·253	2·747	4·715	11·165	32·500
116	BASINGSTOKE	M.	1·852	4·309	·743	·441	·442	·817	·950	1·003	1·436	2·322	5·486	13·472	29·474
		F.	1·914	3·881	·741	·447	·754	1·111	1·072	1·156	1·361	2·130	5·983	13·881	27·586
117	WHITCHURCH	M.	2·162	5·843	·860	·581	·586	·868	1·131	1·101	1·693	2·611	4·957	15·652	26·250
		F.	2·267	4·863	·852	·536	·884	1·632	1·260	1·315	1·394	2·335	5·440	15·294	32·222
118	ANDOVER	M.	1·885	4·458	·441	·275	·669	·912	1·065	1·080	1·455	2·555	5·733	13·111	34·706
		F.	1·802	3·780	·626	·335	·692	·835	1·094	·999	1·304	2·206	5·464	12·945	28·182
119	KINGSCLERE	M.	1·829	4·864	·710	·412	·552	·793	·617	·927	·926	1·757	5·349	13·500	41·667
		F.	1·992	3·682	·808	·830	·892	1·383	1·095	1·296	1·289	2·491	6·176	15·313	34·286
	5.–BERKSHIRE.														
120	NEWBURY	M.	2·129	5·048	·978	·408	·653	·815	·950	1·170	1·821	2·626	5·436	15·086	34·286
		F.	2·086	4·604	·963	·512	·747	1·062	·987	1·231	1·517	2·377	5·978	13·869	25·385
121	HUNGERFORD	M.	1·996	5·483	·805	·448	·425	·873	·865	·833	1·223	2·191	5·607	15·305	33·636
		F.	2·058	4·868	·724	·619	·828	·997	·985	1·067	1·251	2·369	6·138	13·841	29·600
122	FARINGDON	M.	2·053	5·788	·731	·470	·708	·893	·873	1·111	1·569	1·801	6·414	12·463	30·000
		F.	2·096	4·950	·799	·674	·872	1·030	1·258	1·353	1·443	2·159	5·653	12·109	31·111
123	ABINGDON *L*	M.	2·424	6·324	·758	·398	·676	·915	1·247	1·636	1·840	3·490	7·450	14·516	29·474
		F.	2·279	5·492	·675	·535	·890	1·074	1·288	1·391	1·677	3·094	6·262	14·889	29·130
124	WANTAGE	M.	2·051	5·597	·797	·378	·570	·869	·908	·890	1·365	2·522	6·093	13·475	45·000
		F.	2·046	4·709	·683	·542	·965	·884	1·059	1·242	1·440	2·575	5·195	13·800	24·400

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.												
				Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
	II.—SOUTH EASTERN COUNTIES—*cont.*															
	4.—HAMPSHIRE—*cont.*															
100	Lymington	M.	1·826	·094	·034	·187	·022	·228	·077	·221	·188	·238	·062	·017	·098	·360
		F.	1·723	·099	·032	·175	·059	·290	·056	·169	·159	·175	·061	·003	·027	·418
101	Christchurch	M.	1·849	·033	·011	·187	·031	·232	·062	·201	·127	·225	·071	·047	·109	·493
		F.	1·832	·078	·024	·155	·040	·376	·063	·235	·106	·215	·078	·002	·018	·442
102	Ringwood	M.	1·682	·040	·029	·181	·040	·163	·043	·221	·123	·246	·076	·022	·051	·447
		F.	1·984	·062	·015	·156	·055	·302	·047	·243	·171	·229	·091	·025	·055	·533
103	Fordingbridge	M.	1·957	·087	·030	·242	·021	·227	·096	·194	·153	·302	·078	·015	·075	·407
		F.	2·121	·144	·034	·254	·046	·294	·086	·242	·190	·251	·049	·025	·040	·466
104	New Forest	M.	1·724	·049	·049	·184	·016	·215	·083	·236	·150	·215	·081	·087	·086	·323
		F.	1·705	·068	·040	·171	·033	·282	·061	·200	·169	·188	·085	·009	·028	·371
105	Southampton *H*	M.	2·749	·124	·140	·365	·020	·362	·101	·319	·182	·384	·110	·045	·142	·505
		F.	2·177	·095	·119	·309	·049	·305	·075	·204	·124	·285	·109	·025	·029	·449
106	South Stoneham	M.	1·791	·078	·096	·209	·018	·203	·057	·210	·106	·232	·075	·035	·078	·395
		F.	1·616	·083	·077	·184	·037	·233	·044	·193	·114	·161	·070	·018	·037	·367
107	Romsey	M.	2·029	·075	·045	·173	·022	·222	·056	·282	·151	·280	·099	·032	·076	·517
		F.	1·873	·072	·033	·212	·042	·276	·061	·228	·149	·155	·064	·029	·037	·514
108	Stockbridge	M.	1·911	·125	·049	·221	·018	·211	·060	·237	·154	·273	·070	·044	·065	·384
		F.	1·964	·130	·062	·260	·028	·268	·048	·226	·212	·212	·071	·006	·040	·401
109	Winchester *H*	M.	2·072	·108	·087	·202	·016	·292	·083	·249	·162	·284	·140	·037	·076	·336
		F.	1·985	·088	·080	·177	·043	·287	·051	·261	·160	·254	·136	·011	·026	·411
110	Droxford	M.	1·720	·105	·030	·140	·026	·187	·064	·180	·163	·224	·095	·028	·075	·383
		F.	1·825	·101	·046	·134	·069	·300	·048	·196	·159	·206	·124	·008	·029	·405
111	Catherington	M.	1·987	·079	·079	·196	·016	·251	·039	·291	·118	·204	·110	·039	·094	·471
		F.	1·840	·172	·057	·123	·065	·245	·082	·278	·114	·221	·065	—	·016	·402
112	Petersfield	M.	1·979	·054	·049	·222	·018	·174	·046	·212	·148	·294	·069	·043	·072	·578
		F.	1·899	·094	·069	·227	·049	·276	·028	·207	·135	·225	·089	·008	·051	·441
113	Alresford	M.	1·685	·070	·027	·145	·024	·217	·075	·225	·238	·115	·086	·011	·040	·412
		F.	1·572	·036	·011	·143	·042	·289	·061	·160	·196	·143	·070	·008	·025	·418
114	Alton	M.	1·759	·083	·066	·234	·010	·187	·031	·224	·136	·243	·094	·026	·051	·374
		F.	1·794	·079	·052	·177	·035	·193	·039	·254	·168	·207	·099	·013	·037	·441
115	Hartley Wintney	M.	1·939	·073	·071	·230	·010	·232	·090	·233	·182	·208	·102	·035	·061	·392
		F.	1·914	·088	·075	·201	·032	·300	·068	·262	·178	·194	·074	·014	·014	·414
116	Basingstoke	M.	1·852	·086	·072	·188	·012	·224	·085	·249	·125	·257	·090	·043	·074	·347
		F.	1·914	·117	·060	·177	·048	·294	·055	·211	·136	·250	·090	·018	·034	·424
117	Whitchurch	M.	2·162	·141	·074	·215	·021	·251	·092	·250	·102	·278	·144	·014	·046	·531
		F.	2·267	·128	·070	·198	·048	·320	·066	·271	·183	·201	·161	·004	·029	·582
118	Andover	M.	1·885	·074	·017	·147	·022	·241	·059	·209	·205	·245	·088	·036	·063	·479
		F.	1·802	·079	·018	·142	·025	·277	·049	·214	·204	·151	·077	·012	·022	·532
119	Kingsclere	M.	1·829	·061	·034	·160	·027	·186	·070	·344	·155	·265	·081	·025	·079	·342
		F.	1·992	·094	·045	·206	·021	·281	·082	·263	·197	·213	·120	·012	·033	·425
	5.—BERKSHIRE.															
120	Newbury	M.	2·129	·034	·043	·253	·019	·245	·059	·228	·149	·315	·107	·036	·092	·519
		F.	2·086	·078	·042	·232	·055	·276	·053	·214	·165	·266	·139	·011	·031	·526
121	Hungerford	M.	1·996	·072	·037	·193	·017	·207	·092	·257	·156	·316	·110	·027	·079	·433
		F.	2·058	·087	·029	·241	·038	·266	·067	·265	·197	·269	·128	·008	·027	·436
122	Faringdon	M.	2·053	·104	·048	·226	·018	·268	·073	·206	·177	·306	·123	·046	·081	·377
		F.	2·096	·106	·044	·190	·042	·353	·079	·224	·192	·300	·119	·009	·027	·411
123	Abingdon *L*	M.	2·424	·126	·090	·212	·014	·257	·117	·368	·165	·408	·092	·031	·099	·445
		F.	2·279	·110	·090	·225	·038	·324	·089	·307	·157	·332	·090	·010	·036	·471
124	Wantage	M.	2·051	·101	·079	·281	·026	·224	·070	·212	·133	·299	·097	·032	·053	·439
		F.	2·046	·096	·062	·258	·046	·299	·054	·183	·164	·216	·108	·011	·03	·517

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	II.—SOUTH EASTERN COUNTIES—*cont.*														
	5.—BERKSHIRE—*cont.*														
125	WALLINGFORD	M.	1·910	4·668	·721	·386	·499	·892	·940	1·077	1·164	2·443	5·000	14·483	40·000
		F.	1·993	4·011	·596	·601	·861	·906	1·229	1·196	1·479	2·305	5·077	13·750	46·429
126	BRADFIELD	M.	1·893	4·601	·615	·291	·558	·865	1·024	·901	1·224	1·912	5·829	15·672	28·636
		F.	1·883	4·127	·531	·519	·854	·942	·893	·960	1·424	2·200	5·471	12·466	27·083
127	READING *H*	M.	2·344	6·166	·814	·371	·681	1·035	1·124	1·505	2·381	3·463	7·656	18·468	35·000
		F.	2·017	5·599	·835	·502	·772	·712	·958	1·115	1·484	2·998	6·321	13·750	27·241
128	WOKINGHAM	M.	1·773	4·039	·615	·334	·523	·726	·871	1·025	1·462	2·543	4·935	12·131	33·158
		F.	1·746	3·889	·572	·462	·517	·683	·892	·966	1·311	2·404	4·868	13·214	34·444
129	COOKHAM	M.	1·806	4·532	·662	·379	·496	·529	·879	1·026	1·004	2·929	6·081	16·024	31·111
		F.	1·838	4·117	·746	·478	·674	1·032	1·043	·989	1·270	2·906	5·733	11·300	43·333
130	EASTHAMPSTEAD	M.	1·556	3·682	·921	·342	·284	·427	·881	·988	1·182	2·361	4·427	10·962	33·333
		F.	1·665	3·040	·604	·441	·906	·769	·930	1·172	1·522	2·020	4·656	13·455	23·333
131	WINDSOR	M.	2·100	5·836	·793	·452	·541	·922	1·073	1·489	2·253	3·106	6·952	13·909	33·125
		F.	1·871	4·890	·802	·537	·552	·880	·835	1·117	1·365	2·530	5·632	13·475	28·889
	III.—SOUTH MIDLAND COUNTIES.														
	6.—MIDDLESEX (*extra-met.*)														
132	STAINES	M.	1·931	5·373	·767	·257	·601	·771	·777	1·079	1·629	3·144	5·111	14·854	24·667
		F.	1·902	5·330	·676	·360	·833	·815	·859	·952	1·140	2·054	6·241	12·783	23·810
133	UXBRIDGE *L*	M.	2·331	5·704	·717	·483	·617	·849	1·312	2·041	2·457	3·206	6·885	15·354	31·333
		F.	2·050	5·089	·642	·354	·679	·776	1·053	1·330	1·712	2·893	5·353	14·615	32·308
134	BRENTFORD	M.	2·307	6·803	·812	·460	·591	·785	1·152	1·396	2·061	2·935	6·731	14·730	35·000
		F.	2·024	5·838	·764	·505	·734	·750	·792	1·120	1·491	2·605	5·747	13·710	33·934
135	HENDON	M.	1·867	4·860	·708	·368	·522	·963	·769	1·419	1·696	3·251	6·185	13·158	28·000
		F.	1·670	4·659	·773	·553	·549	·563	·666	·849	1·077	2·073	5·392	12·422	37·222
136	BARNET *L*	M.	2·812	5·105	·547	·413	·753	1·355	2·010	3·842	3·846	4·884	8·231	14·706	41·429
		F.	2·157	4·287	·586	·430	·528	·909	1·404	1·805	2·150	3·285	6·493	14·917	27·308
137	EDMONTON	M.	1·924	5·328	·712	·382	·522	·692	·762	1·113	1·728	2·824	6·907	13·367	27·500
		F.	1·687	4·482	·673	·432	·559	·517	·737	·915	1·324	2·329	5·589	12·872	28·621
	7.—HERTFORDSHIRE.														
138	WARE	M.	1·811	4·075	·411	·348	·461	·620	·941	1·436	1·481	2·937	6·250	19·130	37·273
		F.	1·727	3·518	·616	·476	·701	·740	·686	1·021	1·219	2·004	5·538	14·467	32·500
139	BISHOP STORTFORD	M.	1·796	4·181	·542	·377	·485	·776	·870	·873	1·294	2·574	6·103	16·187	38·750
		F.	1·786	3·876	·499	·387	·754	·938	·827	1·121	1·089	2·385	5·239	15·089	27·692
140	ROYSTON	M.	1·828	5·307	·498	·420	·488	·797	·725	·755	1·290	2·290	5·386	16·258	33·000
		F.	1·877	4·752	·485	·475	·857	·905	·976	1·008	1·120	2·065	5·310	13·234	30·000
141	HITCHIN	M.	1·954	5·682	·521	·457	·554	·791	·659	1·061	1·306	2·618	5·755	17·463	33·125
		F.	1·801	4·888	·522	·415	·611	·740	·949	1·050	1·330	2·314	5·457	13·140	28·000
142	HERTFORD	M.	1·832	4·815	·668	·383	·549	·680	·865	1·283	1·581	2·809	6·310	14·043	27·692
		F.	1·655	3·859	·650	·414	·500	·527	·776	·930	1·293	2·168	6·007	11·681	33·077
143	HATFIELD	M.	1·812	4·102	·613	·253	·393	·397	1·029	·956	1·377	2·776	7·550	16·296	32·222
		F.	1·762	4·107	·522	·463	·560	·571	·782	1·071	1·371	2·734	4·770	12·903	37·000
144	ST. ALBANS	M.	2·068	6·225	·581	·426	·436	·899	·662	1·114	1·605	2·849	5·944	18·462	25·000
		F.	1·837	4·881	·602	·458	·705	·743	·834	1·125	1·224	2·504	5·297	14·420	40·000
145	WATFORD	M.	2·063	5·984	·633	·365	·519	·754	·864	1·118	1·602	2·542	6·804	15·581	26·500
		F.	1·937	5·228	·722	·459	·734	·771	·840	·995	1·164	2·756	6·074	13·261	29·600
146	HEMEL HEMPSTEAD	M.	2·192	6·996	·646	·542	·527	·968	·842	1·063	1·745	3·057	5·911	14·286	31·111
		F.	1·959	5·047	·628	·484	·735	1·015	·871	1·371	1·620	2·656	6·009	16·806	29·167
147	BERKHAMPSTEAD	M.	2·190	6·602	·797	·363	·568	·669	·897	1·235	1·526	2·678	7·044	15·323	42·857
		F.	2·091	5·955	·613	·736	1·069	·916	1·040	1·238	1·507	3·050	6·188	12·821	21·875

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.														
				Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
	II.—SOUTH EASTERN COUNTIES—*cont.*																	
	5.—BERKSHIRE—*cont.*																	
125	Wallingford	M.	1·910	·089	·081	·244	·021	·213	·075	·196	·174	·259	·094	·051	·058	·355
		F.	1·993	·092	·058	·222	·054	·283	·070	·213	·189	·212	·109	·021	·044	·426
126	Bradfield	M.	1·893	·086	·081	·158	·020	·205	·071	·221	·169	·292	·082	·043	·076	·389
		F.	1·883	·104	·075	·152	·049	·232	·051	·213	·189	·244	·097	·018	·038	·421
127	Reading *H*	M.	2·344	·064	·107	·290	·038	·334	·107	·247	·183	·354	·143	·075	·125	·277
		F.	2·017	061	·095	·262	·087	·310	·080	·229	·145	·257	·113	·026	·046	·306
128	Wokingham	M.	1·773	·045	·061	·152	·024	·164	·052	·203	·124	·373	·067	·045	·097	·366
		F.	1·746	·071	·076	·152	·049	·142	·055	·203	·128	·330	·086	·012	·036	·406
129	Cookham	M.	1·806	·056	·092	·181	·018	·171	·036	·207	·152	·234	·111	·032	·069	·447
		F.	1·838	·082	·068	·214	·039	·239	·019	·181	·143	·221	·140	·005	·027	·460
130	Easthampstead	M.	1·556	·025	·028	·196	·025	·207	·064	·243	·134	·146	·073	·028	·042	·345
		F.	1·665	·063	·033	·193	·033	·256	·030	·208	·187	·151	·090	·003	·025	·393
131	Windsor	M.	2·100	·088	·053	·249	·022	·324	·107	·303	·136	·295	·093	·044	·112	·274
		F.	1·871	·085	·060	·238	·044	·262	·070	·219	·144	·239	·113	·015	·037	·325
	III.—SOUTH MIDLAND COUNTIES.																	
	6.—MIDDLESEX (*extra-met.*)																	
132	Staines	M.	1·931	·085	·115	·205	·019	·177	·077	·264	·173	·260	·121	·045	·101	·289
		F.	1·902	·100	·120	·197	·056	·209	·063	·217	·165	·212	·104	·017	·031	·411
133	Uxbridge *L*	M.	2·331	·091	·095	·235	·022	·210	·066	·486	·171	·315	·100	·020	·090	·430
		F.	2·050	·106	·101	·197	·041	·190	·068	·346	·140	·230	·086	·013	·050	·482
134	Brentford	M	2·307	·084	·175	·272	·017	·264	·111	·252	·156	·332	·113	·032	·100	·399
		F.	2·024	·069	·160	·237	·055	·214	·090	·210	·155	·251	·101	·009	·033	·440
135	Hendon	M.	1·867	·059	·105	·264	·017	·241	·073	·224	·145	·237	·109	·028	·108	·257
		F.	1·670	·059	·075	·262	·037	·194	·055	·207	·125	·206	·096	·012	·045	·297
136	Barnet *L*	M.	2·812	·057	·118	·200	·023	·308	·097	1·040	·148	·235	·119	·036	·105	·326
		F.	2·157	·042	·088	·214	·062	·290	·040	·542	·138	·223	·116	·022	·038	·342
137	Edmonton	M.	1·924	·066	·117	·251	·022	·201	·102	·221	·136	·238	·096	·028	·092	·354
		F.	1·687	·057	·098	·208	·052	·184	·064	·193	·134	·191	·100	·011	·032	·363
	7.—HERTFORDSHIRE.																	
138	Ware	M.	1·811	·059	·051	·196	·030	·222	·059	·213	·116	·282	·105	·028	·107	·343
		F.	1·727	·076	·048	·168	·050	·226	·056	·230	·148	·218	·096	·012	·030	·369
139	Bishop Stortford	M.	1·796	·058	·077	·156	·028	·166	·064	·205	·143	·325	·114	·035	·086	·337
		F.	1·786	·071	·067	·181	·050	·220	·052	·234	·137	·235	·129	·016	·025	·369
140	Royston	M.	1·828	·101	·090	·175	·021	·232	·059	·224	·113	·220	·085	·039	·059	·410
		F.	1·877	·105	·066	·166	·040	·300	·053	·212	·125	·187	·093	·011	·026	·493
141	Hitchin	M.	1·954	·069	·090	·199	·011	·185	·064	·262	·118	·233	·082	·023	·060	·558
		F.	1·801	·062	·086	·186	·041	·238	·055	·236	·153	·159	·060	·008	·022	·495
142	Hertford	M.	1·832	·068	·063	·160	·030	·258	·041	·307	·116	·215	·082	·018	·088	·386
		F.	1·655	·047	·058	·170	·034	·249	·028	·249	·136	·156	·073	·003	·028	·424
143	Hatfield	M.	1·812	·058	·070	·165	·026	·158	·044	·284	·105	·275	·105	·035	·098	·389
		F.	1·762	·075	·077	·190	·055	·212	·031	·243	·147	·209	·087	·007	·041	·388
144	St. Albans	M.	2·068	·078	·083	·202	·012	·251	·053	·293	·122	·308	·127	·033	·078	·428
		F.	1·837	·115	·076	·182	·047	·222	·044	·256	·144	·245	·113	·005	·019	·369
145	Watford	M.	2·063	·108	·063	·218	·021	·265	·049	·305	·119	·287	·071	·033	·102	·422
		F.	1·937	·102	·058	·211	·049	·283	·038	·254	·152	·215	·099	·003	·037	·435
146	Hemel Hempstead	M.	2·192	·118	·092	·195	·015	·206	·052	·257	·115	·331	·074	·032	·100	·605
		F.	1·959	·150	·078	·174	·060	·251	·036	·214	·134	·224	·093	·010	·034	·501
147	Berkhampstead	M.	2·190	·097	·157	·262	·012	·208	·092	·251	·139	·326	·081	·041	·084	·440
		F.	2·091	·121	·124	·204	·049	·312	·053	·248	·188	·262	·091	·007	·022	·410

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	III.—SOUTH MIDLAND COUNTIES—*cont.*														
	8.—BUCKINGHAMSHIRE.														
148	Amersham	M.	2·187	6·613	·621	·444	·476	·855	·826	1·038	1·266	2·780	5·871	16·917	32·308
		F.	2·209	5·607	·624	·517	·845	1·024	1·145	·905	1·356	2·351	6·767	16·519	44·667
149	Eton	M.	1·933	4·768	·709	·457	·426	·930	1·048	1·139	1·879	2·796	5·692	15·194	27·778
		F.	1·776	4·260	·486	·386	·705	·788	·757	1·008	1·506	2·468	5·439	14·968	28·030
150	Wycombe	M.	2·028	6·022	·652	·444	·487	·691	·758	1·001	1·419	2·566	5·840	14·931	31·613
		F.	2·072	4·035	·629	·501	·834	1·062	·972	1·259	1·519	2·388	6·478	15·769	31·892
151	Aylesbury *L*	M.	2·158	6·022	·712	·305	·585	·750	1·023	1·105	1·242	2·397	5·918	14·889	34·783
		F.	2·150	4·806	·572	·638	1·031	1·092	1·194	1·168	1·722	2·428	6·348	14·365	25·000
152	Winslow	M.	2·122	5·867	·723	·548	·586	·806	·714	·872	1·183	2·460	6·022	15·571	40·000
		F.	2·248	5·168	·855	·702	1·049	1·108	1·331	1·202	1·447	3·058	5·904	16·061	32·500
153	Newport Pagnell	M.	2·011	5·878	·610	·418	·446	·862	·694	·814	1·171	2·065	6·258	16·883	40·588
		F.	2·149	5·214	·697	·713	·993	1·145	1·080	·923	1·211	2·828	6·074	12·636	32·917
154	Buckingham	M.	2·148	6·341	·680	·536	·608	·888	·855	1·120	1·182	2·117	5·802	15·049	24·286
		F.	2·278	5·167	·854	·626	1·145	1·055	1·287	1·325	1·636	2·772	6·507	14·737	71·667
	9.—OXFORDSHIRE.														
155	Henley	M.	1·945	5·110	·470	·291	·569	·858	·876	·976	1·547	2·636	5·251	14·037	27·368
		F.	1·852	3·992	·552	·430	·695	·961	·856	1·074	1·223	2·422	5·744	12·922	30·385
156	Thame	M.	2·110	5·775	·751	·531	·587	·897	·912	·855	1·211	2·365	5·161	14·318	35·714
		F.	2·068	4·698	·820	·416	·737	1·288	·937	1·233	1·303	2·386	6·135	14·485	26·818
157	Headington *Hw*	M.	2·472	6·061	·904	·513	·999	1·363	1·245	1·364	2·089	3·262	6·885	15·625	26·190
		F.	2·166	5·309	·667	·660	·813	·984	1·354	1·300	1·694	2·734	5·096	14·296	24·062
158	Oxford	M.	2·146	7·531	·960	·476	·503	·500	1·036	1·318	2·424	2·854	7·124	13·108	40·000
		F.	1·997	6·571	·841	·441	·580	·673	·830	1·255	1·660	3·143	6·281	11·167	33·333
159	Bicester	M.	2·111	5·895	·726	·380	·416	·843	1·030	1·007	1·339	2·361	5·207	15·120	28·889
		F.	2·101	4·938	·673	·588	·687	1·144	1·075	1·071	1·592	2·361	5·059	16·230	37·500
160	Woodstock	M.	2·075	5·649	·681	·502	·402	·840	·817	1·101	1·374	2·220	6·323	17·347	26·667
		F.	1·936	4·598	·575	·495	·469	1·007	·986	1·277	1·240	2·350	5·354	14·370	36·667
161	Witney	M.	1·988	5·332	·578	·421	·565	·823	·900	·945	1·495	2·365	5·708	13·175	39·048
		F.	2·038	4·777	·645	·630	·808	1·022	1·054	1·151	1·167	2·315	5·814	12·788	32·500
162	Chipping Norton	M.	1·931	5·439	·568	·429	·479	·832	·800	·804	1·074	2·326	5·989	13·944	35·556
		F.	1·956	4·388	·616	·635	·795	1·060	1·111	1·135	1·310	2·292	5·389	14·184	36·875
163	Banbury	M.	2·135	6·191	·668	·431	·431	·859	·780	·987	1·442	2·293	6·176	16·271	50·556
		F.	2·130	5·161	·751	·546	·696	·932	1·100	1·172	1·631	2·737	6·494	15·370	31·250
	10.-NORTHAMPTONSHIRE														
164	Brackley	M.	1·990	6·033	·555	·521	·424	·703	·683	·896	1·224	2·343	5·168	15·225	26·875
		F.	2·193	4·983	·748	·720	1·209	1·195	1·028	1·162	1·673	2·416	7·038	15·169	34·000
165	Towcester	M.	2·264	7·148	·852	·423	·545	·622	·701	1·094	1·346	2·330	6·067	15·429	32·500
		F.	2·272	6·273	·685	·696	·846	1·140	·929	1·278	1·316	2·771	6·667	16·809	32·500
166	Potterspury	M.	1·844	5·969	·799	·318	·409	·484	·671	·924	1·026	2·194	5·193	17·778	30·000
		F.	2·158	5·624	·800	·586	·955	·743	·951	1·022	1·579	3·072	7·079	16·164	22·727
167	Hardingstone	M.	1·947	5·577	·773	·361	·597	·618	·721	·796	1·475	2·042	5·435	16·415	37·143
		F.	2·068	4·795	·595	·747	1·098	1·021	1·133	1·343	1·051	2·461	6·648	17·692	26·667
168	Northampton *HL*	M.	2·507	9·011	·748	·487	·654	·778	1·056	1·293	1·986	3·419	7·355	20·458	27·368
		F.	2·416	7·771	·815	·503	·786	1·022	1·166	1·487	2·000	2·828	7·054	15·621	26·429
169	Daventry	M.	2·035	6·058	·570	·411	·748	·626	·803	·983	1·369	2·542	6·522	13·976	34·211
		F.	2·036	4·765	·697	·453	·807	·879	1·048	1·090	1·233	2·641	6·207	15·085	35·000
170	Brixworth	M.	1·975	5·685	·474	·365	·401	·653	·690	·674	1·170	2·356	5·844	16·504	36·923
		F.	2·113	5·148	·634	·411	·810	·993	1·151	·999	1·011	2·692	6·594	14·957	53·636
171	Wellingborough	M.	2·115	7·201	·616	·282	·612	·714	·738	·705	1·189	2·365	6·250	15·000	50·000
		F.	2·330	6·293	·674	·625	·963	·995	1·216	1·460	1·575	2·476	6·840	17·883	36·667

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death. Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
	III.—SOUTH MIDLAND COUNTIES—*cont.*															
	8.—BUCKINGHAMSHIRE.															
148	Amersham	M.	2·187	·089	·110	·263	·020	·222	·137	·244	·119	·310	·129	·033	·069	·442
		F.	2·209	·096	·108	·217	·046	·207	·099	·273	·147	·289	·131	·015	·038	·483
149	Eton	M.	1·903	·078	·081	·189	·017	·213	·077	·188	·143	·297	·105	·029	·110	·376
		F.	1·776	·074	·077	·197	·061	·211	·064	·177	·147	·225	·109	·010	·025	·399
150	Wycombe	M.	2·028	·085	·093	·248	·009	·191	·080	·203	·120	·271	·081	·033	·064	·550
		F.	2·072	·103	·088	·210	·041	·265	·065	·219	·151	·250	·094	·006	·021	·559
151	Aylesbury *L*	M.	2·158	·094	·119	·180	·024	·192	·079	·242	·077	·368	·123	·042	·079	·539
		F.	2·150	·139	·106	·162	·053	·281	·072	·195	·141	·263	·132	·018	·026	·562
152	Winslow	M.	2·122	·127	·067	·294	·024	·170	·079	·236	·116	·256	·090	·021	·045	·577
		F.	2·248	·148	·049	·326	·036	·347	·081	·201	·189	·195	·111	·009	·021	·535
153	Newport Pagnell	M.	2·011	·053	·068	·208	·014	·215	·089	·238	·106	·271	·093	·028	·073	·555
		F.	2·149	·080	·071	·212	·036	·312	·066	·241	·157	·225	·103	·007	·025	·614
154	Buckingham	M.	2·148	·139	·070	·197	·020	·203	·094	·194	·107	·271	·107	·022	·064	·660
		F.	2·278	·188	·065	·174	·060	·321	·050	·185	·163	·249	·113	·014	·026	·671
	9.—OXFORDSHIRE.															
155	Henley	M.	1·945	·035	·072	·224	·018	·209	·082	·213	·160	·322	·084	·052	·108	·336
		F.	1·852	·097	·077	·193	·062	·227	·073	·212	·160	·240	·090	·015	·039	·367
156	Thame	M.	2·110	·134	·068	·219	·030	·167	·100	·167	·115	·336	·091	·030	·068	·585
		F.	2·068	·141	·071	·225	·039	·263	·081	·184	·148	·256	·101	·008	·026	·525
157	Headington *Hw*	M.	2·472	·125	·135	·248	·034	·335	·106	·218	·146	·318	·101	·054	·140	·512
		F.	2·166	·115	·132	·170	·046	·311	·079	·201	·157	·278	·113	·020	·048	·496
158	Oxford	M.	2·146	·077	·131	·296	·036	·320	·095	·199	·091	·325	·104	·039	·068	·365
		F.	1·997	·067	·146	·227	·062	·270	·087	·162	·123	·308	·111	·015	·032	·387
159	Bicester	M.	2·111	·147	·048	·173	·029	·259	·043	·200	·150	·234	·097	·022	·069	·640
		F.	2·101	·143	·038	·165	·038	·332	·051	·185	·186	·182	·101	·007	·034	·639
160	Woodstock	M.	2·075	·096	·078	·234	·026	·245	·079	·205	·139	·249	·088	·029	·079	·528
		F.	1·936	·092	·059	·194	·034	·285	·063	·197	·151	·179	·068	·015	·032	·567
161	Witney	M.	1·988	·098	·076	·187	·027	·210	·056	·222	·141	·307	·103	·046	·067	·448
		F.	2·038	·113	·089	·186	·039	·268	·052	·208	·164	·262	·119	·012	·021	·505
162	Chipping Norton	M.	1·931	·089	·044	·164	·025	·174	·048	·183	·160	·260	·083	·039	·067	·595
		F.	1·956	·100	·038	·190	·036	·291	·015	·144	·149	·185	·086	·002	·026	·664
163	Banbury	M.	2·135	·095	·092	·220	·015	·201	·068	·242	·134	·284	·124	·028	·079	·553
		F.	2·130	·118	·067	·232	·040	·282	·064	·217	·184	·268	·101	·006	·041	·510
	10.—NORTHAMPTONSHIRE															
164	Brackley	M.	1·990	·113	·063	·171	·015	·149	·104	·237	·119	·249	·144	·028	·074	·524
		F.	2·193	·116	·077	·239	·033	·264	·091	·244	·215	·208	·138	·004	·039	·525
165	Towcester	M.	2·264	·095	·116	·238	·032	·192	·083	·270	·159	·310	·160	·041	·083	·485
		F.	2·272	·103	·157	·197	·039	·310	·068	·247	·181	·265	·175	·011	·029	·487
166	Pottersbury	M.	1·844	·102	·071	·226	·023	·141	·092	·166	·109	·182	·062	·023	·094	·553
		F.	2·158	·120	·084	·190	·042	·250	·091	·234	·168	·197	·108	·011	·031	·632
167	Hardingstone	M.	1·947	·125	·030	·187	·013	·213	·034	·204	·118	·176	·071	·009	·097	·670
		F.	2·068	·139	·049	·209	·027	·346	·031	·137	·157	·151	·063	·004	·027	·728
168	Northampton *HL*	M.	2·507	·113	·120	·324	·028	·273	·098	·332	·116	·298	·098	·025	·100	·582
		F.	2·416	·150	·121	·323	·048	·305	·078	·264	·133	·259	·101	·012	·033	·589
169	Daventry	M.	2·035	·107	·079	·178	·023	·179	·055	·220	·128	·284	·099	·032	·099	·552
		F.	2·036	·122	·065	·195	·053	·233	·054	·192	·174	·195	·128	·009	·029	·587
170	Brixworth	M.	1·975	·151	·076	·201	·022	·148	·031	·235	·088	·295	·070	·041	·060	·557
		F.	2·113	·129	·066	·187	·047	·261	·056	·218	·136	·267	·093	·008	·027	·618
171	Wellingborough	M.	2·115	·128	·078	·235	·037	·216	·044	·295	·099	·241	·085	·020	·069	·568
		F.	2·330	·190	·094	·271	·055	·338	·041	·288	·126	·225	·109	·011	·025	·557

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	III.—SOUTH MIDLAND COUNTIES—*cont.*														
	10.-NORTHAMPTONSHIRE —*cont.*														
172	KETTERING	M.	1·968	6·511	·523	·390	·603	·528	·508	·957	1·043	2·719	5·915	16·381	29·167
		F.	2·064	5·645	·478	·501	·746	·838	1·082	1·211	1·281	2·671	5·679	13·953	28·889
173	THRAPSTON	M.	1·944	6·169	·556	·608	·542	·651	·597	·685	1·097	2·411	5·909	15·570	35·000
		F.	2·008	5·005	·732	·546	·893	·976	·929	1·297	1·540	2·207	5·509	14·194	30·000
174	OUNDLE	M.	1·905	5·673	·571	·339	·398	·620	·616	·989	1·579	2·199	5·177	15·607	40·000
		F.	1·866	4·341	·684	·275	·748	1·132	·897	1·019	1·307	2·161	5·165	13·488	25·000
175	PETERBOROUGH	M.	2·065	6·807	·632	·390	·565	·755	·881	·936	1·202	2·495	5·588	14·000	27·083
		F.	1·934	5·882	·728	·416	·680	·751	·931	1·013	1·214	1·879	4·462	12·010	28·056
	11.—HUNTINGDONSHIRE.														
176	HUNTINGDON *H*	M.	2·022	6·167	·666	·427	·494	·839	·915	1·129	1·348	2·607	5·542	14·032	23·529
		F.	1·915	4·912	·777	·735	·903	·922	·746	1·017	1·152	2·314	5·300	12·671	24·000
177	ST. IVES	M.	2·164	6·588	·778	·438	·631	·838	·693	1·132	1·597	2·807	5·412	13·309	33·750
		F.	1·931	5·086	·710	·507	·967	·977	·932	1·082	1·336	1·931	5·027	12·258	37·143
178	ST. NEOTS	M.	1·975	5·657	·592	·422	·572	·674	·744	·931	1·272	2·539	6·183	15·268	31·250
		F.	1·807	4·361	·549	·465	·900	1·111	·798	·737	1·106	2·000	5·413	14·014	32·857
	12.—BEDFORDSHIRE.														
179	BEDFORD *HL*	M.	2·007	5·786	·659	·413	·533	·925	·888	1·046	1·396	2·500	6·137	15·117	37·500
		F.	2·014	4·835	·698	·571	·971	1·057	1·007	1·210	1·559	2·844	6·159	12·846	30·968
180	BIGGLESWADE *L*	M.	2·194	7·417	·695	·486	·581	·642	·917	·998	1·087	2·535	5·908	14·621	44·000
		F.	2·104	6·220	·804	·488	·930	·951	·976	·959	1·376	2·405	5·012	14·570	31·905
181	AMPTHILL	M.	2·096	6·992	·690	·333	·660	·690	·771	·842	1·031	2·392	5·437	13·689	34·615
		F.	2·158	5·398	·742	·670	1·081	1·240	1·100	1·165	1·496	2·428	6·495	14·636	28·667
182	WOBURN	M.	2·129	6·838	·584	·403	·492	·920	·830	·813	1·196	2·238	5·403	14·146	50·000
		F.	2·171	5·232	·697	·939	·995	1·232	1·138	1·281	1·696	2·414	5·519	15·761	35·000
183	LEIGHTON BUZZARD	M.	2·199	6·821	·752	·573	·747	·831	·794	1·026	1·566	2·311	5·648	16·923	20·000
		F.	2·109	5·647	·785	·610	1·061	1·048	1·162	1·364	1·481	2·788	6·231	13·646	28·182
184	LUTON	M.	2·229	7·568	·814	·550	·368	·606	·818	1·035	1·569	2·917	7·213	16·559	24·000
		F.	1·877	6·499	·843	·426	·592	·728	1·031	1·022	1·346	2·705	6·152	17·105	36·923
	13.—CAMBRIDGESHIRE.														
185	CAXTON	M.	1·846	5·616	·559	·412	·499	·631	·638	·882	·894	2·278	5·311	10·920	27·500
		F.	1·869	4·897	·471	·452	·779	1·073	·963	·957	·944	2·018	5·073	12·299	22·143
186	CHESTERTON *L*	M.	2·010	6·147	·682	·493	·545	·878	·829	·894	1·063	2·288	4·854	13·466	32·800
		F.	1·991	5·329	·842	·589	1·066	1·057	·925	1·074	1·015	2·068	4·475	11·349	27·059
187	CAMBRIDGE *H*	M.	2·221	6·781	·925	·465	·758	·795	1·199	1·650	2·231	3·383	7·590	14·952	33·636
		F.	1·861	5·896	·734	·371	·694	·686	·816	1·309	1·441	2·303	5·161	13·298	30·370
188	LINTON	M.	1·917	4·682	·914	·468	·615	·835	·896	·913	1·223	1·952	6·165	12·917	23·529
		F.	1·788	3·854	·832	·614	·940	1·127	·879	·996	1·020	1·914	4·275	11·732	25·652
189	NEWMARKET	M.	2·022	5·962	·940	·506	·586	·816	·918	1·046	1·176	2·396	4·911	13·264	24·828
		F.	2·038	4·785	·753	·603	·911	1·108	1·282	1·164	1·310	2·383	4·773	13·169	27·826
190	ELY	M.	2·231	7·635	·798	·487	·640	·686	·640	·883	1·443	2·391	5·354	14·069	36·000
		F.	2·033	6·049	·656	·640	·831	·979	·916	1·100	·993	2·094	4·647	11·471	24·688
191	NORTH WITCHFORD	M.	2·186	7·742	·969	·373	·635	·856	·812	·926	1·083	2·150	5·248	13·415	33·000
		F.	1·942	6·170	·672	·397	·772	·794	·843	1·057	1·131	2·049	4·767	14·239	18·667
192	WHITTLESEY	M.	2·367	7·574	·790	·455	·774	1·138	·870	·990	1·270	2·720	5·500	13·659	23·333
		F.	2·153	6·962	·949	·553	·771	·664	·830	1·071	1·026	1·713	5·467	11·000	30·000
193	WISBECH	M.	2·310	8·518	·841	·508	·606	·802	·787	1·173	1·352	2·103	5·464	13·550	23·333
		F.	2·101	6·707	·884	·573	·767	·948	·959	1·062	1·173	2·069	4·835	11·477	34·737

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851-60—*continued.*

No.	DISTRICTS.	Sex.	All Causes.	Causes of Death.													
				Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrotula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
	III.—SOUTH MIDLAND COUNTIES—*cont.*																
	10.-NORTHAMPTONSHIRE —*cont.*																
172	Kettering	M.	1·968	·097	·066	·241	·015	·153	·082	·284	·111	·210	·091	·016	·064	·538
		F.	2·064	·127	·056	·255	·040	·209	·063	·248	·185	·193	·091	·006	·027	·564
173	Thrapston	M.	1·944	·143	·042	·183	·025	·165	·055	·221	·086	·193	·077	·022	·086	·646
		F.	2·008	·135	·048	·229	·039	·263	·037	·185	·149	·195	·073	·004	·027	·624
174	Oundle	M.	1·905	·086	·045	·232	·014	·163	·045	·186	·146	·164	·068	·009	·058	·669
		F.	1·866	·088	·022	·220	·043	·232	·027	·190	·170	·092	·089	·005	·026	·662
175	Peterborough	M.	2·065	·094	·111	·283	·030	·208	·054	·232	·107	·230	·075	·038	·110	·493
		F.	1·934	·103	·101	·282	·049	·226	·049	·203	·116	·181	·066	·009	·033	·516
	11.—HUNTINGDONSHIRE.																
176	Huntingdon *H*	M.	2·022	·146	·102	·261	·037	·219	·055	·189	·099	·252	·089	·043	·105	·425
		F.	1·915	·148	·103	·248	·062	·251	·036	·168	·096	·264	·066	·010	·040	·423
177	St. Ives	M.	2·164	·084	·085	·215	·039	·260	·074	·222	·107	·246	·122	·029	·068	·613
		F.	1·931	·097	·074	·194	·046	·326	·053	·174	·096	·179	·108	·010	·026	·548
178	St. Neots	M.	1·975	·095	·087	·198	·038	·196	·080	·187	·110	·207	·121	·048	·090	·518
		F.	1·807	·124	·081	·171	·042	·253	·061	·194	·117	·166	·098	·009	·028	·463
	12.—BEDFORDSHIRE.																
179	Bedford *H*	M.	2·007	·098	·093	·234	·019	·214	·066	·268	·116	·223	·077	·029	·089	·481
		F.	2·014	·111	·107	·213	·042	·320	·041	·239	·136	·188	·100	·007	·038	·472
180	Biggleswade *L*	M.	2·194	·130	·169	·254	·028	·180	·111	·252	·090	·352	·104	·019	·085	·420
		F.	2·104	·147	·126	·232	·045	·248	·077	·238	·113	·282	·108	·008	·030	·450
181	Ampthill	M.	2·096	·088	·108	·222	·024	·206	·049	·239	·067	·337	·086	·029	·072	·569
		F.	2·158	·118	·114	·201	·040	·404	·047	·215	·103	·243	·118	·008	·022	·525
182	Woburn	M.	2·129	·102	·090	·214	·019	·186	·070	·256	·126	·368	·117	·039	·056	·486
		F.	2·171	·143	·081	·207	·031	·345	·065	·212	·201	·263	·128	·016	·019	·460
183	Leighton Buzzard	M.	2·199	·150	·114	·257	·017	·215	·100	·270	·096	·285	·124	·031	·090	·450
		F.	2·109	·166	·096	·238	·027	·331	·068	·235	·130	·212	·119	·006	·026	·455
184	Luton	M.	2·229	·128	·172	·321	·017	·263	·056	·257	·101	·292	·115	·029	·067	·411
		F.	1·877	·122	·131	·255	·035	·295	·081	·194	·119	·222	·092	·006	·024	·351
	13.—CAMBRIDGESHIRE.																
185	Caxton	M.	1·846	·100	·081	·192	·011	·211	·033	·118	·084	·151	·081	·021	·062	·701
		F.	1·869	·090	·083	·165	·028	·304	·038	·103	·130	·141	·088	·009	·032	·658
186	Chesterton *L*	M.	2·010	·096	·081	·205	·025	·250	·090	·165	·089	·219	·083	·023	·083	·601
		F.	1·991	·132	·071	·221	·040	·335	·081	·145	·102	·176	·094	·010	·020	·564
187	Cambridge *H*	M.	2·221	·079	·086	·255	·038	·414	·114	·211	·127	·288	·110	·046	·077	·376
		F.	1·861	·084	·079	·209	·074	·280	·076	·175	·126	·224	·101	·015	·038	·380
188	Linton	M.	1·917	·100	·097	·232	·023	·248	·046	·229	·122	·274	·088	·038	·058	·362
		F.	1·788	·098	·077	·198	·040	·315	·039	·188	·108	·214	·092	·009	·014	·396
189	Newmarket	M.	2·022	·110	·123	·226	·032	·232	·069	·198	·109	·321	·083	·022	·054	·443
		F.	2·038	·104	·097	·183	·039	·360	·055	·185	·112	·239	·106	·009	·029	·520
190	Ely	M.	2·231	·116	·137	·241	·016	·197	·062	·194	·096	·196	·100	·023	·112	·741
		F.	2·033	·147	·111	·217	·039	·260	·064	·161	·082	·191	·078	·003	·041	·639
191	North Witchford	M.	2·186	·103	·103	·232	·030	·199	·102	·158	·089	·298	·095	·039	·122	·616
		F.	1·942	·093	·102	·202	·057	·235	·077	·135	·103	·230	·082	·010	·045	·571
192	Whittlesey	M.	2·367	·144	·178	·260	·031	·262	·059	·209	·068	·274	·121	·020	·130	·611
		F.	2·153	·111	·169	·259	·034	·222	·074	·246	·093	·222	·098	·005	·034	·581
193	Wisbech	M.	2·310	·110	·139	·300	·014	·186	·087	·244	·116	·289	·093	·021	·137	·574
		F.	2·101	·127	·122	·270	·041	·208	·054	·228	·138	·238	·078	·008	·044	·545

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	IV.—EASTERN COUNTIES.														
	14.—ESSEX.														
194	West Ham	M.	2·078	6·428	·885	·452	·605	·769	·772	1·200	1·631	3·162	6·405	16·512	27·778
		F.	1·831	5·514	·769	·360	·538	·513	·786	·995	1·395	2·420	5·728	15·410	30·256
195	Epping	M.	1·856	4·788	·632	·399	·513	·705	·705	·954	1·389	2·785	5·331	13·969	47·692
		F.	1·727	3·824	·631	·438	·824	·713	·964	·988	1·070	2·088	4·360	12·015	29·231
196	Ongar	M.	1·836	4·722	·676	·816	·415	·953	·685	1·043	1·103	2·373	5·225	16·392	26·923
		F.	1·803	3·718	·586	·564	·841	1·116	1·077	·744	1·305	2·059	4·744	11·714	26·471
197	Romford	M.	2·116	5·908	·824	·511	·603	·743	1·101	1·105	1·622	2·586	6·161	13·018	25·000
		F.	1·901	5·184	·762	·423	·815	·777	·917	·905	1·257	2·383	4·945	14·049	24·000
198	Orsett	M.	2·099	6·746	·852	·476	·547	·921	·759	1·413	2·008	2·741	5·853	14·643	38·333
		F.	2·160	5·747	·881	·648	·861	1·054	1·004	1·454	1·487	2·349	5·610	12·203	28·571
199	Billericay *L*	M.	2·138	5·385	·531	·392	·645	1·094	1·084	1·718	1·913	3·355	6·716	13·978	25·556
		F.	1·984	3·864	·816	·544	·761	·943	1·085	1·512	2·262	2·735	5·992	14·694	28·462
200	Chelmsford	M.	1·961	5·051	·590	·379	·530	·916	·895	1·164	1·431	2·541	6·137	14·874	29·143
		F.	1·895	4·152	·721	·514	·934	·899	·977	1·129	1·229	2·338	5·488	12·454	24·706
201	Rochford	M.	2·090	5·598	·825	·452	·672	·825	·963	1·280	1·634	2·963	7·220	15·859	31·538
		F.	2·011	4·611	·755	·505	·870	1·102	·890	1·200	1·474	2·954	7·197	14·175	26·842
202	Maldon	M.	2·134	5·600	·839	·597	·695	1·036	·874	1·195	1·404	2·988	6·462	14·718	37·143
		F.	2·092	5·117	1·032	·777	·842	1·135	·995	1·404	1·836	2·572	5·950	13·188	24·783
203	Tendring	M.	2·003	5·581	·681	·422	·799	·872	·694	·886	1·225	2·253	5·761	14·372	24·167
		F.	2·069	4·889	·690	·554	·937	1·061	1·204	1·365	1·114	2·282	5·160	15·095	34·375
204	Colchester *H*	M.	2·241	6·799	·658	·523	·670	1·168	1·151	1·203	1·851	2·947	6·845	16·316	26·190
		F.	2·117	5·721	·754	·609	·950	·938	1·058	1·155	1·510	2·795	6·265	15·270	32·917
205	Lexden	M.	1·907	5·167	·525	·305	·820	1·006	·751	·801	·956	2·263	5·175	14·333	36·667
		F.	1·872	4·055	·626	·650	1·136	1·340	1·079	1·167	1·124	2·237	4·906	11·796	31·739
206	Witham	M.	2·073	5·968	·729	·406	·583	·858	·898	1·132	1·271	2·548	5·756	13·750	29·286
		F.	2·038	4·628	·599	·506	·997	1·129	·945	1·390	1·450	2·505	5·042	15·271	27·083
207	Halstead	M.	2·252	6·916	·828	·488	·804	1·318	·868	·963	1·240	2·286	6·098	13·955	37·857
		F.	2·165	5·240	·885	·783	1·294	1·229	1·221	1·328	1·537	2·483	5·056	12·313	32·500
208	Braintree	M.	2·115	6·303	·723	·393	·610	·850	1·013	1·003	1·371	2·194	5·810	13·154	34·615
		F.	2·037	5·298	·532	·759	1·122	·788	1·155	1·244	1·661	2·238	5·320	11·987	26·957
209	Dunmow	M.	1·939	5·104	·539	·382	·657	·880	·796	1·080	1·086	2·363	5·734	15·380	30·454
		F.	2·013	4·281	·664	·560	·933	1·070	·978	1·242	1·362	2·197	5·725	13·468	30·345
210	Saffron Walden	M.	1·883	5·014	·706	·444	·531	·941	·695	·875	1·271	2·604	5·261	12·590	28·421
		F.	1·989	4·098	·841	·628	·897	1·121	1·022	1·209	1·292	2·384	4·941	14·655	31·154
	15.—SUFFOLK.														
211	Risbridge	M.	1·904	5·023	·805	·479	·481	·849	·804	·844	1·172	1·885	5·568	14·104	37·692
		F.	2·077	4·395	·895	·763	1·108	1·197	1·325	1·042	1·243	1·908	5·733	11·018	29·667
212	Sudbury	M.	2·000	5·819	·673	·509	·526	·905	·778	·801	1·242	2·233	5·325	13·432	36·333
		F.	2·036	4·988	·749	·656	1·121	·916	·938	1·055	1·236	2·460	5·046	13·219	23·519
213	Cosford	M.	1·940	4·810	·665	·464	·501	·944	·875	·908	1·149	2·075	5·477	15·430	40·667
		F.	1·990	4·172	·576	·741	·949	1·396	·981	1·266	1·229	2·422	4·584	11·935	29·333
214	Thingoe	M.	1·836	5·332	·617	·507	·535	·907	·905	·904	·962	1·460	4·690	13·322	22·400
		F.	1·957	4·409	·770	·556	1·016	·888	1·326	1·192	1·045	2·151	4·282	12·353	28·621
215	Bury St. Edmunds *Hw*	M.	2·547	6·872	·870	·541	·548	1·116	1·411	1·450	2·200	3·793	6·939	16·709	46·364
		F.	2·115	5·879	·964	·456	·530	·762	·983	1·227	1·570	2·686	6·465	13·810	42·105
216	Mildenhall	M.	2·045	5·526	·839	·565	·705	·895	·927	1·118	1·140	2·257	4·785	15·000	25·000
		F.	1·919	4·833	·855	·708	·776	·949	1·131	1·195	1·020	2·026	4·920	11·765	34·000
217	Stow	M.	1·950	5·416	·675	·407	·567	1·075	·890	·773	1·141	2·245	5·261	12·759	25·000
		F.	1·808	4·035	·564	·511	1·104	1·231	1·074	1·151	1·269	1·912	4·654	10·647	30·857
218	Hartismere	M.	1·941	5·269	·578	·465	·602	·875	·928	·833	1·054	1·812	5·040	12·514	30·000
		F.	1·970	4·274	·613	·588	·929	1·423	1·018	·922	1·306	2·160	4·760	11·100	25·581
219	Hoxne	M.	1·987	5·448	·560	·481	·612	·914	·835	·836	1·096	1·863	4·824	12·113	29·286
		F.	2·058	4·790	·683	·556	1·058	1·170	1·143	1·036	1·288	1·721	4·415	11·481	28·182

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

DISTRICTS.	SEX.	All Causes.	Causes of Death.												
			Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
IV.—EASTERN COUNTIES.															
No. **14.—ESSEX.**															
194 West Ham	M.	2·078	·070	·175	·309	·016	·223	·113	·258	·085	·348	·075	·026	·096	·284
	F.	1·831	·082	·146	·282	·048	·204	·083	·221	·099	·271	·078	·009	·024	·284
195 Epping	M.	1·856	·069	·108	·227	·027	·168	·093	·202	·130	·286	·112	·033	·052	·349
	F.	1·727	·074	·068	·202	·033	·213	·084	·180	·146	·190	·110	·010	·036	·342
196 Ongar	M.	1·833	·040	·078	·163	·010	·106	·045	·195	·076	·367	·099	·018	·048	·589
	F.	1·803	·067	·067	·156	·051	·141	·047	·222	·112	·282	·076	·005	·024	·553
197 Romford	M.	2·118	·090	·195	·240	·021	·233	·081	·252	·131	·293	·094	·022	·091	·375
	F.	1·991	·079	·159	·239	·049	·199	·072	·235	·120	·236	·089	·011	·027	·386
198 Orsett	M.	2·099	·171	·144	·343	·008	·248	·044	·223	·107	·297	·092	·033	·121	·263
	F.	2·160	·163	·173	·356	·032	·329	·064	·223	·121	·231	·088	·008	·060	·312
199 Billericay *L*	M.	2·178	·083	·101	·215	·024	·236	·070	·346	·146	·306	·106	·042	·059	·404
	F.	1·984	·0 6	·086	·229	·060	·253	·063	·331	·148	·213	·104	·014	·024	·393
200 Chelmsford	M.	1·961	·100	·071	·208	·017	·262	·065	·191	·158	·214	·081	·041	·063	·481
	F.	1·895	·112	·050	·213	·036	·301	·068	·190	·153	·159	·076	·013	·024	·500
201 Rochford	M.	2·090	·197	·130	·237	·014	·193	·024	·224	·103	·309	·081	·018	·092	·468
	F.	2·011	·179	·093	·208	·046	·249	·021	·229	·107	·218	·083	·012	·020	·546
202 Maldon	M.	2·134	·120	·104	·206	·014	·270	·073	·249	·172	·211	·073	·029	·068	·445
	F.	2·092	·146	·113	·268	·045	·357	·059	·218	·131	·179	·068	·011	·016	·451
203 Tendring	M.	2·003	·091	·082	·213	·013	·186	·071	·213	·126	·262	·094	·036	·060	·556
	F.	2·069	·104	·063	·194	·018	·327	·057	·194	·115	·220	·098	·011	·022	·616
204 Colchester *H*	M.	2·241	·146	·065	·174	·015	·301	·077	·231	·168	·307	·091	·030	·079	·507
	F.	2·117	·133	·062	·159	·046	·343	·068	·249	·167	·226	·079	·011	·033	·541
205 Lexden	M.	1·907	·137	·070	·194	·019	·159	·066	·210	·127	·306	·076	·037	·060	·446
	F.	1·872	·140	·085	·154	·042	·309	·060	·190	·102	·236	·086	·012	·030	·426
206 Witham	M.	2·073	·068	·065	·204	·020	·279	·106	·261	·149	·293	·084	·034	·074	·436
	F.	2·038	·066	·067	·198	·066	·325	·099	·248	·143	·277	·092	·018	·018	·421
207 Halstead	M.	2·252	·163	·115	·235	·021	·248	·110	·258	·136	·309	·087	·020	·066	·474
	F.	2·165	·173	·109	·200	·040	·403	·071	·225	·131	·268	·085	·011	·018	·431
208 Braintree	M.	2·115	·083	·059	·187	·027	·299	·125	·316	·116	·294	·117	·033	·038	·421
	F.	2·037	·080	·040	·180	·045	·453	·104	·242	·112	·260	·110	·010	·021	·440
209 Dunmow	M.	1·939	·094	·056	·155	·017	·253	·109	·196	·128	·276	·113	·041	·052	·449
	F.	2·013	·094	·061	·169	·043	·343	·068	·200	·134	·227	·132	·011	·026	·475
210 Saffron Walden	M.	1·885	·075	·062	·211	·017	·239	·059	·220	·114	·266	·109	·033	·047	·431
	F.	1·989	·089	·052	·229	·044	·321	·060	·233	·120	·234	·110	·009	·028	·460
15.—SUFFOLK.															
211 Risbridge	M.	1·904	·110	·046	·224	·017	·207	·057	·173	·105	·211	·085	·025	·049	·595
	F.	2·077	·115	·054	·208	·041	·351	·075	·178	·125	·168	·090	·006	·042	·624
212 Sudbury	M.	2·000	·093	·055	·195	·032	·242	·113	·206	·100	·288	·081	·032	·074	·472
	F.	2·036	·105	·078	·212	·057	·316	·084	·204	·129	·238	·095	·016	·023	·479
213 Cosford	M.	1·949	·085	·018	·200	·027	·170	·092	·176	·107	·275	·107	·038	·057	·538
	F.	1·990	·074	·041	·163	·060	·324	·067	·189	·132	·220	·111	·022	·015	·572
214 Thingoe	M.	1·836	·109	·053	·168	·025	·222	·071	·173	·115	·256	·097	·031	·033	·464
	F.	1·957	·090	·037	·166	·051	·371	·067	·183	·140	·241	·091	·010	·024	·486
215 Bury St. Edmunds *Hw*	M.	2·247	·134	·054	·245	·018	·385	·039	·274	·165	·348	·157	·076	·092	·482
	F.	2·115	·090	·087	·200	·075	·280	·078	·201	·166	·269	·122	·013	·046	·448
216 Mildenhall	M.	2·045	·112	·040	·222	·016	·323	·050	·136	·098	·086	·070	·008	·088	·796
	F.	1·949	·100	·014	·198	·036	·379	·036	·094	·100	·074	·068	·006	·032	·812
217 Stow	M.	1·959	·094	·052	·206	·016	·251	·109	·186	·125	·247	·081	·033	·061	·489
	F.	1·808	·104	·040	·167	·062	·327	·091	·156	·134	·193	·085	·016	·038	·455
218 Hartismere	M.	1·941	·066	·046	·159	·022	·215	·113	·164	·084	·223	·086	·038	·068	·627
	F.	1·970	·072	·040	·152	·042	·300	·075	·179	·107	·213	·101	·020	·044	·625
219 Hoxne	M.	1·987	·089	·059	·2[illegible]	·013	·269	·085	·132	·075	·258	·123	·041	·092	·533
	F.	2·058	·077	·048	·220	·045	·380	·065	·127	·114	·222	·134	·011	·038	·577

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	IV.—EASTERN COUNTIES *—cont.*														
	15.—SUFFOLK—*cont.*														
220	Bosmere	M.	1·833	4·978	·601	·518	·414	·691	·655	·792	·951	2·337	5·356	14·428	30·000
		F.	1·919	3·889	·714	·551	·819	·864	1·098	1·232	1·473	2·104	4·943	13·484	27·407
221	Samford	M.	1·893	4·811	·718	·343	·758	1·043	·772	·819	1·330	2·067	5·361	15·379	30·769
		F.	2·025	4·230	·642	·619	1·077	1·526	1·234	1·353	1·225	2·403	5·236	11·402	31·333
222	Ipswich *H*	M.	2·338	7·256	·642	·354	·725	·938	·971	1·171	1·858	3·447	6·716	13·050	34·545
		F.	2·128	6·661	·660	·400	·655	·842	1·076	1·290	1·555	2·706	5·310	13·500	32·143
223	Woodbridge *L*	M.	2·052	5·136	·575	·345	·530	·996	1·002	·998	1·415	2·512	5·536	13·376	29·444
		F.	2·035	4·417	·605	·503	·970	1·119	1·047	1·219	1·469	2·324	4·894	11·452	33·023
224	Plomesgate	M.	1·976	4·817	·705	·384	·992	·947	·915	·798	1·298	1·801	4·957	12·056	28·293
		F.	2·005	4·476	·595	·617	·822	1·198	1·127	1·209	1·012	2·331	4·672	11·694	24·902
225	Blything	M.	2·054	5·402	·719	·453	·662	1·054	·775	·789	1·077	2·253	5·469	13·440	32·286
		F.	1·989	4·861	·700	·556	·765	·850	1·077	·942	1·154	1·930	4·644	11·577	25·484
226	Wangford	M.	2·109	5·431	·664	·435	·732	·947	·998	·979	1·168	2·149	5·599	14·091	33·500
		F.	2·012	4·813	·660	·602	·707	·968	1·040	1·006	1·238	2·191	5·113	11·242	32·727
227	Mutford	M.	2·216	6·818	·818	·404	·805	·919	·847	·933	1·341	2·057	5·141	13·526	28·519
		F.	1·860	5·693	·808	·378	·833	·847	·880	1·044	1·064	1·691	3·837	11·361	24·500
	16.—NORFOLK.														
228	Yarmouth *H*	M.	2·702	8·812	1·063	·461	·739	·989	·953	1·419	1·816	2·946	7·185	13·953	38·182
		F.	2·291	7·940	1·022	·531	·548	·833	·972	1·130	1·425	2·793	5·496	12·310	34·565
229	Flegg	M.	2·030	5·974	·608	·508	·699	1·012	·896	1·133	1·585	2·014	3·667	11·905	24·167
		F.	1·944	5·338	·994	·569	·780	1·029	·823	·890	1·190	1·962	3·758	8·902	29·375
230	Tunstead	M.	2·065	5·667	·998	·789	·808	·819	·652	·858	1·054	2·000	5·152	11·370	35·714
		F.	2·172	4·955	1·268	·864	1·113	·858	1·080	1·103	1·113	2·122	4·665	11·288	28·857
231	Erpingham	M.	2·109	6·334	·821	·543	·846	·931	·784	·780	1·112	2·167	4·730	12·899	29·355
		F.	2·122	5·399	1·103	·567	·971	1·018	1·126	1·009	1·151	1·881	4·266	12·000	34·359
232	Aylsham	M.	2·138	6·172	·916	·521	·656	·816	·952	·797	1·020	2·104	4·760	15·110	31·515
		F.	2·075	4·976	1·026	·678	·877	1·055	·938	1·095	1·014	1·895	4·264	13·122	22·500
233	St. Faiths	M.	1·795	5·831	·616	·293	·396	·771	·678	·648	·821	2·000	4·713	9·813	29·444
		F.	1·715	4·707	·599	·540	·778	·581	·797	·804	·977	1·667	4·145	10·877	28·182
234	Norwich *H*	M.	2·670	9·229	·890	·438	·636	·789	·973	1·271	1·731	3·188	6·567	16·390	28·214
		F.	2·344	7·612	1·035	·496	·605	·843	1·013	1·155	1·486	2·596	5·353	13·490	31·982
235	Forehoe	M.	2·078	6·178	·896	·589	·559	·923	·664	·775	·959	2·162	5·094	13·445	25·600
		F.	1·988	4·757	·904	·586	1·128	1·252	·930	1·195	1·066	1·619	3·750	11·863	29·630
236	Henstead	M.	1·922	5·734	·828	·511	·482	·879	·908	·732	1·091	1·820	4·258	11·927	23·684
		F.	1·937	4·705	·765	·684	·983	·897	·818	1·087	1·308	1·546	5·020	10·968	23·043
237	Blofield *L*	M.	2·010	4·457	·942	·530	·804	·899	1·073	1·528	1·118	2·344	5·142	11·753	31·875
		F.	2·026	4·257	·787	·669	·821	1·089	1·143	1·295	1·541	2·694	4·435	11·923	31·739
238	Loddon	M.	1·974	5·795	·705	·508	·674	·805	·647	·850	1·111	1·752	4·783	10·988	32·727
		F.	1·914	4·857	·773	·573	·821	1·182	·693	1·128	1·017	1·988	4·252	11·447	30·770
239	Depwade	M.	1·906	5·425	·627	·488	·562	·853	·765	·772	1·063	1·653	4·718	11·494	30·417
		F.	2·002	4·842	·752	·607	·923	·908	1·025	1·086	1·124	1·873	4·252	10·839	27·966
240	Guiltcross	M.	2·252	6·436	·853	·504	·729	1·118	·939	·951	1·304	1·962	4·839	10·063	30·769
		F.	2·197	5·407	·745	·755	·980	1·298	1·091	1·271	1·115	2·030	3·887	11·184	29·655
241	Wayland	M.	2·047	5·753	·788	·529	·547	1·072	·963	·742	1·031	2·061	4·618	13·509	22·800
		F.	1·961	4·813	·769	·372	·876	1·258	1·024	·872	1·178	1·667	4·526	11·654	25·862
242	Mitford	M.	1·992	6·033	·693	·524	·489	·978	·765	·857	·915	2·409	4·696	11·747	30·000
		F.	1·991	4·924	·790	·573	·917	·946	·942	1·052	1·039	1·961	3·911	12·249	29·310
243	Walsingham	M.	2·180	6·597	·757	·393	·631	1·157	·907	·885	1·164	1·958	4·580	15·104	29·655
		F.	1·923	5·181	·638	·440	·798	·920	1·035	·940	1·274	1·841	3·917	10·408	29·111
244	Docking	M.	2·141	6·779	·741	·351	·674	·838	·878	·800	1·097	1·884	4·813	15·652	32·500
		F.	1·970	5·321	·683	·502	·594	·956	·987	1·129	·913	1·680	4·800	13·780	35·448

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.												
				Typhus.	*Cholera, Diarrhœa, and Dysentery.*	Other Zymotic Diseases.	Cancer.	PHTHISIS.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	DISEASES OF LUNGS.	Diseases of Stomach and Liver.	Diseases of Kidneys.	VIOLENT DEATHS.	Other Causes.
	IV.—EASTERN COUNTIES *—cont.*															
	15.—SUFFOLK—*cont.*															
220	BOSMERE	M.	1·833	·082	·066	·158	·012	·186	·106	·156	·093	·230	·089	·036	·062	·557
		F.	1·919	·087	·051	·169	·043	·301	·088	·164	·121	·179	·104	·019	·018	·575
221	SAMFORD	M.	1·893	·116	·059	·167	·008	·223	·076	·156	·090	·245	·074	·028	·081	·570
		F.	2·025	·115	·054	·164	·041	·367	·091	·182	·091	·235	·076	·010	·023	·576
222	IPSWICH *H*	M.	2·338	·079	·170	·214	·015	·279	·124	·280	·127	·360	·091	·035	·097	·467
		F.	2·128	·087	·155	·189	·044	·311	·080	·243	·137	·282	·105	·009	·043	·443
223	WOODBRIDGE *L*	M.	2·052	·070	·081	·134	·025	·235	·059	·275	·116	·332	·096	·051	·067	·451
		F.	2·035	·066	·076	·132	·039	·299	·064	·244	·127	·352	·126	·014	·031	·465
224	PLOMESGATE	M.	1·976	·047	·057	·198	·033	·277	·092	·168	·084	·314	·117	·051	·084	·454
		F.	2·005	·063	·041	·181	·050	·406	·055	·216	·095	·255	·138	·009	·030	·466
225	BLYTHING	M.	2·054	·072	·068	·226	·019	·216	·096	·155	·092	·293	·099	·050	·076	·592
		F.	1·989	·053	·050	·223	·054	·293	·076	·174	·105	·243	·086	·009	·035	·588
226	WANGFORD	M.	2·109	·079	·085	·236	·015	·209	·127	·185	·115	·291	·082	·085	·090	·510
		F.	2·012	·058	·063	·205	·067	·282	·082	·163	·132	·284	·111	·020	·022	·523
227	MUTFORD	M.	2·216	·117	·118	·268	·019	·198	·050	·210	·109	·257	·110	·055	·078	·627
		F.	1·800	·113	·077	·239	·058	·229	·034	·153	·086	·193	·078	·015	·027	·558
	16.—NORFOLK.															
228	YARMOUTH *H*	M.	2·702	·166	·267	·382	·020	·262	·184	·284	·102	·312	·095	·049	·096	·483
		F.	2·291	·187	·180	·303	·076	·232	·111	·236	·095	·264	·090	·023	·023	·471
229	FLEGG	M.	2·030	·093	·167	·276	·025	·190	·042	·167	·097	·234	·100	·039	·183	·417
		F.	1·944	·104	·125	·268	·047	·320	·056	·170	·089	·202	·094	·016	·031	·422
230	TUNSTEAD	M.	2·065	·088	·039	·323	·020	·215	·078	·164	·071	·187	·103	·051	·084	·642
		F.	2·172	·082	·067	·343	·045	·335	·058	·150	·058	·167	·095	·007	·044	·721
231	ERPINGHAM	M.	2·109	·079	·062	·294	·017	·248	·079	·167	·067	·218	·077	·036	·076	·689
		F.	2·122	·084	·070	·279	·040	·340	·047	·149	·100	·174	·097	·008	·028	·706
232	AYLSHAM	M.	2·138	·065	·079	·281	·013	·223	·074	·199	·100	·202	·103	·040	·083	·676
		F.	2·075	·090	·066	·270	·045	·286	·051	·218	·097	·170	·072	·015	·029	·666
233	ST. FAITHS	M.	1·795	·063	·064	·254	·026	·163	·054	·148	·106	·214	·069	·028	·083	·523
		F.	1·715	·101	·066	·213	·058	·233	·049	·160	·102	·142	·053	·007	·031	·500
234	NORWICH *H*	M.	2·670	·102	·221	·307	·026	·270	·096	·331	·129	·327	·107	·051	·084	·619
		F.	2·344	·104	·167	·263	·065	·264	·063	·262	·137	·275	·088	·013	·034	·609
235	FOREHOE	M.	2·078	·125	·055	·297	·006	·165	·026	·188	·075	·218	·094	·042	·072	·715
		F.	1·988	·111	·043	·256	·040	·247	·030	·149	·099	·172	·075	·010	·046	·710
236	HENSTEAD	M.	1·922	·146	·056	·195	·014	·227	·067	·148	·093	·183	·109	·040	·055	·589
		F.	1·937	·136	·042	·208	·054	·248	·056	·154	·127	·162	·073	·009	·017	·651
237	BLOFIELD *L*	M.	2·010	·089	·028	·301	·005	·203	·057	·335	·094	·212	·076	·031	·092	·487
		F.	2·026	·086	·054	·240	·047	·257	·035	·340	·078	·224	·067	·009	·021	·568
238	LODDON	M.	1·974	·090	·061	·208	·017	·197	·081	·149	·082	·229	·095	·044	·081	·640
		F.	1·914	·056	·063	·193	·044	·286	·079	·128	·108	·199	·076	·027	·031	·624
239	DEPWADE	M.	1·906	·068	·037	·198	·021	·222	·070	·154	·086	·214	·090	·043	·065	·638
		F.	2·002	·077	·044	·199	·034	·320	·056	·157	·112	·201	·078	·010	·037	·677
240	GUILTCROSS	M.	2·252	·097	·033	·250	·023	·293	·049	·135	·112	·183	·082	·021	·066	·908
		F.	2·197	·068	·023	·239	·046	·384	·056	·135	·117	·138	·092	·012	·018	·869
241	WAYLAND	M.	2·047	·101	·014	·189	·024	·247	·080	·154	·082	·247	·116	·032	·072	·689
		F.	1·961	·100	·018	·154	·042	·301	·068	·132	·087	·251	·100	·018	·015	·675
242	MITFORD	M.	1·992	·078	·038	·213	·015	·285	·060	·152	·089	·222	·079	·032	·062	·637
		F.	1·991	·098	·035	·213	·059	·325	·042	·189	·092	·162	·066	·012	·026	·672
243	WALSINGHAM	M.	2·180	·073	·063	·226	·015	·286	·047	·200	·085	·168	·071	·027	·069	·850
		F.	1·923	·082	·048	·192	·037	·346	·030	·137	·096	·074	·060	·007	·021	·793
244	DOCKING	M.	2·141	·101	·045	·282	·008	·181	·037	·175	·082	·198	·080	·023	·093	·833
		F.	1·970	·124	·043	·252	·041	·234	·017	·155	·117	·145	·093	·002	·019	·728

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	IV.—EASTERN COUNTIES *—cont.*														
	16.—NORFOLK—*cont.*														
245	FREEBRIDGE LYNN	M.	1·914	5·632	·610	·402	·502	·747	·927	·814	1·018	2·203	4·942	13·431	45·000
		F.	1·743	5·169	·487	·430	·757	·754	·714	·941	·927	1·563	3·763	10·579	34·210
246	KINGS LYNN *H*	M.	2·390	7·235	·858	·600	·774	·808	1·029	1·229	1·825	3·536	7·100	14·034	32·857
		F.	1·989	6·604	·738	·442	·510	·766	·744	1·190	1·254	2·222	6·128	12·308	29·200
247	DOWNHAM	M.	2·146	6·718	·691	·470	·672	·861	·921	·964	1·232	1·956	5·000	16·569	35·500
		F.	1·957	5·706	·808	·531	·889	·785	·788	1·131	1·020	1·991	4·156	11·709	28·667
248	SWAFFHAM	M.	1·950	5·772	·624	·316	·745	·920	·864	·696	1·276	1·903	4·721	12·823	32·222
		F.	1·821	4·727	·681	·713	·865	·597	·780	1·017	1·005	1·808	3·968	11·096	24·483
249	THETFORD	M.	2·041	6·710	·574	·677	·611	·860	·803	·836	1·009	2·417	4·444	13·020	27·619
		F.	2·013	5·318	·812	·486	·837	1·457	·875	1·075	1·245	1·891	4·115	12·408	25·455
	V.—SOUTH WESTERN COUNTIES.														
	17.—WILTSHIRE.														
250	HIGHWORTH	M.	2·074	6·459	·670	·497	·585	·859	·881	1·245	1·459	2·432	5·782	12·743	24·286
		F.	2·098	4·929	·908	·580	·984	1·171	·906	1·325	1·625	2·190	5·871	14·015	34·500
251	CRICKLADE	M.	1·932	5·236	·671	·357	·546	·722	·653	1·033	1·047	1·909	4·467	13·519	28·235
		F.	2·077	4·626	·733	·539	1·029	·974	1·208	1·194	1·006	2·465	5·703	13·636	20·455
252	MALMSBURY	M.	1·844	4·887	·603	·401	·597	·748	·763	·817	·889	2·148	4·917	12·923	35·625
		F.	1·880	4·300	·585	·500	·718	1·053	1·035	·986	1·111	2·229	5·373	11·875	28·571
253	CHIPPENHAM	M.	2·116	5·604	·713	·436	·651	1·267	1·066	1·115	1·400	2·368	6·032	14·343	30·476
		F.	2·022	4·391	·872	·592	·733	1·152	1·044	1·218	1·389	2·133	5·351	12·908	33·125
254	CALNE	M.	1·927	4·536	·812	·330	·759	·917	·825	1·142	1·230	2·484	4·505	12·471	28·333
		F.	2·033	5·009	·691	·505	·883	1·264	·948	1·132	1·155	2·165	5·991	11·034	35·000
255	MARLBOROUGH	M.	1·813	5·878	·492	·357	·277	·623	1·151	·857	1·411	2·590	5·381	16·984	31·667
		F.	2·060	4·634	·841	·518	·752	·968	1·232	1·329	1·515	2·704	5·838	13·380	31·000
256	DEVIZES *L*	M.	2·154	5·042	·743	·407	·600	·998	1·110	1·368	1·748	3·049	6·328	15·581	35·556
		F.	2·022	3·995	·659	·471	·793	·821	1·034	1·425	1·554	2·995	5·856	13·843	29·630
257	MELKSHAM	M.	2·293	6·747	·590	·373	·776	·975	1·152	1·172	1·667	2·818	5·871	14·088	26·316
		F.	2·079	5·435	·748	·509	·748	·617	·826	1·111	1·365	2·626	6·604	14·932	32·381
258	BRADFORD	M.	2·203	4·780	·665	·551	·637	1·111	1·025	1·218	1·482	3·112	6·723	14·490	32·000
		F.	2·125	4·100	·880	·598	·929	·913	1·299	·983	1·221	2·983	5·705	13·934	28·000
259	WESTBURY	M.	2·189	6·356	·647	·448	·671	1·025	·863	1·053	1·330	2·357	5·307	13·962	29·286
		F.	2·224	5·252	·787	·500	·706	1·101	1·223	1·090	1·130	2·619	6·007	16·482	32·857
260	WARMINSTER	M.	2·019	5·033	·601	·540	·523	·960	·790	·898	1·385	2·766	5·838	17·087	23·824
		F.	2·021	4·140	·583	·515	·545	1·076	·859	1·357	1·364	2·434	5·878	16·797	33·364
261	PEWSEY	M.	1·842	5·197	·536	·223	·496	·462	·969	·690	1·322	2·320	4·813	14·255	35·000
		F.	1·890	3·956	·606	·329	·706	·973	·955	1·147	1·439	2·173	5·643	15·657	23·500
262	AMESBURY	M.	1·919	5·185	·680	·452	·518	·765	·725	·935	1·530	2·388	6·646	13·793	32·000
		F.	2·078	4·659	·685	·558	·845	1·215	1·154	1·250	1·560	2·752	6·235	17·347	33·333
263	ALDERBURY *HL*	M.	2·369	4·933	·679	·620	·745	1·723	1·488	1·606	2·114	3·674	6·478	16·972	27·000
		F.	2·169	4·689	·981	·590	·626	·938	1·196	1·368	1·733	3·004	6·073	14·597	32·143
264	SALISBURY	M.	2·496	6·535	·928	·494	·545	·663	1·039	1·569	2·377	3·810	7·914	15·660	100·000
		F.	2·259	5·853	·682	·538	·572	·727	·829	1·368	1·772	3·010	7·583	18·133	37·500
265	WILTON	M.	2·042	5·708	·872	·506	·679	·657	·939	1·135	·981	2·308	5·000	14·842	37·500
		F.	2·127	4·234	·782	·442	·751	1·502	1·166	1·119	1·494	2·494	6·431	16·848	41·000
266	TISBURY	M.	1·935	4·672	·710	·302	·542	·668	·924	·987	1·278	2·363	6·382	13·837	34·444
		F.	1·917	3·889	·649	·523	·850	·948	1·103	1·024	1·072	2·374	6·290	15·250	32·222
267	MERE	M.	2·065	5·629	·766	·415	·543	·874	·949	·813	1·368	2·731	5·106	12·973	24·167
		F.	2·120	4·556	·937	·496	1·010	1·507	·998	1·231	1·511	2·932	5·075	13·500	26·667

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.												
				Typhus.	*Cholera, Diarrhœa, and Dysentery.*	Other Zymotic Diseases.	Cancer.	PHTHISIS.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	DISEASES OF LUNGS.	Diseases of Stomach and Liver.	Diseases of Kidneys.	VIOLENT DEATHS.	Other Causes.
	IV.—EASTERN COUNTIES —*cont.*															
	16.—NORFOLK—*cont.*															
245	FREEBRIDGE LYNN	M.	1·914	·080	·058	·259	·027	·204	·055	·169	·097	·196	·094	·033	·065	·597
		F.	1·743	·081	·035	·208	·028	·236	·052	·160	·099	·125	·075	·007	·015	·622
246	KINGS LYNN *H*	M.	2·390	·101	·116	·307	·028	·207	·105	·325	·181	·284	·116	·064	·117	·439
		F.	1·989	·115	·085	·253	·071	·215	·072	·282	·131	·215	·088	·016	·028	·416
247	DOWNHAM	M.	2·146	·102	·092	·251	·022	·216	·047	·219	·112	·292	·093	·047	·112	·541
		F.	1·957	·091	·060	·243	·067	·234	·038	·185	·128	·257	·081	·010	·039	·494
248	SWAFFHAM	M.	1·950	·106	·063	·159	·022	·204	·074	·170	·101	·240	·054	·050	·081	·626
		F.	1·821	·107	·036	·127	·038	·216	·068	·192	·108	·192	·074	·016	·031	·616
249	THETFORD	M.	2·041	·077	·040	·236	·017	·309	·041	·162	·125	·262	·092	·038	·070	·581
		F.	2·013	·086	·044	·218	·036	·392	·035	·171	·127	·203	·087	·013	·032	·569
	V.—SOUTH WESTERN COUNTIES.															
	17.—WILTSHIRE.															
250	HIGHWORTH	M.	2·074	·144	·070	·228	·017	·247	·074	·243	·114	·259	·083	·023	·095	·477
		F.	2·098	·169	·061	·211	·044	·286	·060	·189	·172	·242	·098	·008	·035	·526
251	CRICKLADE	M.	1·932	·063	·070	·189	·020	·179	·055	·220	·143	·330	·111	·025	·084	·440
		F.	2·077	·111	·062	·194	·026	·297	·053	·235	·201	·312	·121	·005	·041	·419
252	MALMSBURY	M.	1·844	·102	·039	·223	·019	·158	·099	·165	·119	·257	·094	·039	·088	·442
		F.	1·880	·101	·036	·163	·052	·224	·075	·195	·153	·220	·115	·008	·050	·488
253	CHIPPENHAM	M.	2·116	·081	·063	·270	·022	·232	·089	·200	·126	·272	·104	·030	·123	·504
		F.	2·022	·103	·056	·232	·037	·266	·087	·218	·154	·219	·088	·009	·037	·516
254	CALNE	M.	1·927	·071	·036	·204	·013	·209	·058	·222	·113	·409	·131	·038	·080	·334
		F.	2·033	·111	·038	·219	·049	·250	·046	·192	·179	·349	·132	·024	·042	·402
255	MARLBOROUGH	M.	1·813	·090	·027	·199	·015	·207	·077	·185	·115	·290	·113	·033	·081	·381
		F.	2·060	·104	·038	·204	·067	·323	·067	·200	·144	·242	·119	·012	·052	·488
256	DEVIZES *L*	M.	2·154	·070	·067	·242	·019	·274	·071	·283	·150	·313	·088	·017	·101	·459
		F.	2·022	·090	·049	·192	·065	·307	·047	·226	·182	·225	·107	·013	·045	·474
257	MELKSHAM	M.	2·195	·067	·080	·216	·024	·229	·122	·296	·148	·423	·130	·046	·129	·385
		F.	2·079	·099	·083	·212	·040	·216	·069	·295	·174	·383	·122	·006	·051	·329
258	BRADFORD	M.	2·203	·086	·079	·206	·009	·240	·067	·283	·148	·344	·135	·047	·135	·424
		F.	2·125	·107	·068	·190	·040	·261	·072	·249	·156	·316	·165	·004	·045	·451
259	WESTBURY	M.	2·189	·059	·074	·229	·025	·180	·067	·241	·141	·380	·129	·030	·099	·535
		F.	2·224	·078	·057	·225	·045	·229	·052	·238	·178	·386	·131	·011	·049	·545
260	WARMINSTER	M.	2·019	·060	·027	·162	·025	·179	·116	·208	·176	·328	·122	·022	·099	·495
		F.	2·021	·065	·017	·160	·064	·234	·085	·221	·223	·300	·112	·006	·041	·493
261	PEWSEY	M.	1·842	·073	·041	·144	·021	·173	·086	·230	·128	·328	·086	·041	·086	·400
		F.	1·890	·078	·062	·123	·045	·207	·084	·209	·178	·256	·112	·021	·037	·418
262	AMESBURY	M.	1·919	·145	·034	·219	·005	·227	·055	·207	·169	·294	·082	·027	·075	·380
		F.	2·078	·168	·067	·262	·035	·310	·064	·230	·181	·218	·074	·003	·022	·444
263	ALDERBURY *HL*	M.	2·369	·086	·042	·247	·031	·293	·055	·337	·215	·278	·093	·044	·146	·502
		F.	2·169	·068	·040	·239	·044	·282	·045	·261	·226	·227	·093	·019	·047	·578
264	SALISBURY	M.	2·496	·046	·089	·342	·024	·357	·097	·301	·136	·427	·136	·044	·034	·453
		F.	2·259	·041	·062	·243	·041	·311	·066	·286	·152	·376	·121	·021	·021	·518
265	WILTON	M.	2·042	·080	·027	·245	·027	·220	·068	·224	·195	·245	·074	·019	·074	·544
		F.	2·127	·079	·018	·224	·059	·313	·064	·213	·285	·201	·057	·007	·028	·579
266	TISBURY	M.	1·935	·136	·046	·177	·020	·145	·093	·217	·199	·291	·086	·038	·060	·424
		F.	1·917	·123	·044	·150	·036	·228	·072	·192	·248	·222	·076	·004	·022	·495
267	MERE	M.	2·065	·131	·045	·276	·025	·293	·063	·337	·139	·319	·106	·033	·058	·325
		F.	2·129	·195	·054	·209	·063	·279	·070	·256	·192	·266	·075	·009	·049	·403

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–.	75–	85 and upwards.
	V.—SOUTH WESTERN COUNTIES—*cont.*														
	18.—DORSETSHIRE.														
268	Shaftesbury	M.	1·901	5·324	·499	·357	·601	·755	·774	·981	1·268	2·422	5·285	13·786	22·500
		F.	2·001	4·386	·660	·611	·674	·851	1·045	1·036	1·480	2·951	5·621	12·984	32·353
269	Sturminster	M.	2·004	5·575	·666	·350	·586	·804	·890	·943	1·223	2·255	4·850	14·045	35·000
		F.	2·006	4·526	·582	·677	·951	1·098	·975	1·214	1·290	2·176	5·059	12·870	30·714
270	Blandford	M.	1·732	4·698	·638	·471	·350	·850	·744	·782	1·228	1·959	5·458	11·417	33·846
		F.	1·707	4·048	·434	·614	·489	·724	·879	·936	1·166	2·319	4·861	13·250	25·714
271	Wimborne	M.	1·818	4·923	·552	·413	·541	·753	·815	·980	1·117	2·260	4·886	12·308	24·583
		F.	1·827	3·782	·552	·443	·820	1·110	·956	1·262	1·195	2·482	4·894	14·338	23·214
272	Poole	M.	2·101	5·522	·670	·367	·774	·674	1·192	·918	1·391	2·809	6·120	15·341	33·077
		F.	1·881	4·366	·712	·548	·582	·786	·910	·880	1·559	2·249	5·475	13·413	35·000
273	Wareham	M.	1·860	5·021	·542	·457	·531	1·088	·645	·922	1·307	2·015	4·941	13·235	48·462
		F.	1·842	3·943	·708	·626	·800	1·061	1·040	1·147	·988	2·364	4·767	13·586	24·545
274	Weymouth	M.	1·839	5·812	·784	·455	·591	·647	·777	·951	1·431	2·393	5·505	12·437	41·111
		F.	1·728	4·538	·765	·391	·494	·660	·777	1·009	1·233	1·863	5·300	12·559	23·235
275	Dorchester *HL*	M.	2·131	5·304	·740	·457	·723	·928	·960	1·342	1·706	2·821	6·735	13·812	31·538
		F.	2·076	4·848	·799	·536	·819	·941	1·139	1·261	1·399	2·590	6·103	15·075	34·839
276	Sherborne	M.	2·032	6·213	·667	·463	·456	·731	·756	·957	1·304	2·607	5·714	13·402	30·000
		F.	2·018	5·116	·834	·502	·760	·737	1·006	1·197	1·298	2·337	5·263	15·487	31·053
277	Beaminster	M.	2·069	5·438	·775	·388	·473	·727	·771	·969	1·334	2·729	6·632	12·077	30·556
		F.	1·984	4·664	·840	·397	·813	·832	1·054	1·032	1·210	2·215	4·805	13·245	33·333
278	Bridport	M.	2·222	6·358	·697	·417	·453	·895	·972	·952	1·373	2·519	6·156	16·033	32·500
		F.	1·984	5·199	·734	·414	·706	·853	·841	·955	1·236	2·217	5·686	13·395	27·826
	19.—DEVONSHIRE.														
279	Axminster	M.	2·021	5·137	·656	·416	·604	·888	·781	·939	1·114	2·679	5·947	12·500	30·714
		F.	1·899	4·202	·759	·505	·681	·910	·919	·927	1·146	2·428	4·699	12·329	29·474
280	Honiton	M.	1·917	4·677	·584	·391	·517	·839	·982	·893	1·532	2·427	5·072	13·333	28·929
		F.	1·851	4·407	·656	·608	·623	·747	·826	·979	1·247	2·092	4·974	12·716	36·316
281	St. Thomas *L*	M.	2·057	4·921	·650	·445	·574	·821	1·033	1·416	1·596	2·742	5·627	13·460	29·583
		F.	1·836	4·209	·673	·438	·632	·670	·888	1·014	1·226	2·361	5·161	11·581	29·659
282	Exeter *H*	M.	2·658	7·683	·954	·584	·657	1·099	1·477	1·699	2·149	3·865	6·786	16·977	29·600
		F.	2·164	6·599	1·024	·476	·546	·770	·991	1·237	1·546	2·633	5·728	13·661	26·842
283	Newton Abbot	M.	1·929	4·980	·620	·415	·552	·899	·945	1·059	1·415	2·479	5·565	13·750	23·846
		F.	1·742	4·401	·700	·410	·704	·739	·872	·959	1·191	2·082	5·000	11·885	25·057
284	Totnes	M.	1·959	4·256	·701	·348	·560	·858	·841	1·100	1·243	2·405	6·261	13·275	33·902
		F.	1·784	4·163	·727	·462	·542	·658	·810	·897	1·203	2·000	4·704	12·037	26·029
285	Kingsbridge	M.	1·834	4·208	·591	·443	·542	·734	·850	·757	1·144	2·277	4·940	15·029	33·478
		F.	1·748	3·787	·666	·466	·547	·673	·792	·879	1·101	2·068	5·192	12·174	40·000
286	Plympton St. Mary	M.	1·953	4·672	·828	·379	·680	·924	1·040	1·103	1·277	2·867	5·416	12·432	26·316
		F.	1·768	3·977	·781	·598	·654	·640	1·024	·854	1·084	1·975	5·112	12·360	37·200
287	Plymouth *H*	M.	2·536	9·470	·990	·559	·547	·734	·916	1·337	1·966	3·564	6·462	14·536	28·000
		F.	2·209	8·124	1·131	·507	·536	·768	·925	1·066	1·436	2·614	5·674	12·084	31·667
288	East Stonehouse *H*	M.	3·397	8·816	1·050	·457	1·522	2·608	2·505	2·384	3·341	3·945	8·025	14·822	21·250
		F.	2·125	7·857	1·078	·495	·561	·678	·931	·840	1·461	2·660	5·617	14·189	26·154
289	Stoke Damerel *H*	M.	2·330	8·796	1·063	·441	·449	·738	·905	1·104	1·681	2·596	7·262	14·727	36·460
		F.	2·259	7·542	·936	·476	·541	·758	·877	1·211	1·531	2·484	6·901	13·382	27·045
290	Tavistock*	M.	2·096	5·743	·887	·566	·512	1·173	1·106	1·067	1·684	2·847	7·251	13·784	32·000
		F.	1·861	4·940	·771	·411	·382	·764	·813	1·034	1·241	2·519	5·367	11·522	32·500
291	Okehampton	M.	1·781	3·901	·761	·319	·407	·955	·862	·665	1·111	2·355	5·470	12·320	32·222
		F.	1·851	3·524	·679	·581	·694	·941	·894	·892	1·082	2·085	5·163	12·100	25·532
292	Crediton	M.	1·708	3·903	·632	·301	·397	·785	·802	·854	1·175	2·273	5·690	13·012	42·857
		F.	1·816	3·440	·609	·515	·537	·847	·890	·815	1·093	2·020	4·536	12·717	26·818
293	Tiverton and (3135) Dulverton	M.	2·038	5·137	·853	·460	·469	·877	·773	1·043	1·371	2·691	6·012	13·516	27·021
		F.	1·988	4·439	·848	·526	·786	·944	·933	1·125	1·212	2·291	5·458	13·166	28·000

* In calculating the Mortality of this District a correction has been made for

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.												
				Typhus.	*Cholera, Diarrhœa, and Dysentery.*	Other Zymotic Diseases.	Cancer.	PHTHISIS.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	DISEASES OF LUNGS.	Diseases of Stomach and Liver.	Diseases of Kidneys.	VIOLENT DEATHS.	Other Causes.
	V.—SOUTH WESTERN COUNTIES—*cont.*															
	18.—DORSETSHIRE.															
268	SHAFTESBURY	M.	1·901	·075	·022	·218	·018	·202	·088	·204	·142	·323	·078	·040	·056	·435
		F.	2·001	·055	·043	·193	·059	·284	·077	·168	·214	·300	·113	·009	·024	·462
269	STURMINSTER	M.	2·004	·075	·028	·183	·020	·201	·093	·178	·126	·263	·107	·036	·069	·625
		F.	2·006	·093	·017	·198	·051	·306	·049	·129	·132	·247	·109	·025	·028	·622
270	BLANDFORD	M.	1·732	·050	·025	·239	·019	·184	·046	·159	·119	·208	·054	·017	·087	·525
		F.	1·707	·055	·022	·178	·050	·255	·042	·133	·195	·148	·039	·005	·030	·555
271	WIMBORNE	M.	1·818	·055	·045	·219	·020	·184	·044	·214	·123	·254	·086	·026	·081	·467
		F.	1·827	·061	·034	·197	·039	·319	·043	·168	·149	·190	·076	·014	·028	·509
272	POOLE	M.	2·101	·077	·040	·227	·013	·212	·064	·268	·113	·445	·083	·038	·120	·401
		F.	1·881	·085	·035	·233	·060	·227	·043	·252	·140	·279	·088	·013	·045	·381
273	WAREHAM	M.	1·860	·066	·021	·269	·023	·181	·095	·214	·146	·226	·088	·024	·083	·424
		F.	1·842	·132	·019	·230	·036	·285	·066	·209	·156	·176	·071	·007	·024	·431
274	WEYMOUTH	M.	1·839	·078	·048	·273	·019	·152	·051	·238	·099	·280	·099	·031	·123	·348
		F.	1·728	·055	·027	·251	·037	·197	·037	·193	·129	·224	·114	·006	·026	·432
275	DORCHESTER *HL*	M.	2·131	·093	·045	·184	·025	·243	·098	·182	·167	·286	·082	·034	·104	·588
		F.	2·076	·115	·050	·173	·038	·313	·086	·176	·209	·192	·083	·009	·027	·605
276	SHERBORNE	M.	2·032	·083	·055	·257	·020	·202	·082	·254	·121	·265	·100	·017	·080	·496
		F.	2·018	·107	·046	·229	·042	·272	·058	·203	·153	·234	·091	·001	·023	·559
277	BEAMINSTER	M.	2·069	·062	·050	·250	·021	·123	·065	·184	·213	·298	·118	·028	·090	·567
		F.	1·964	·086	·017	·241	·029	·202	·052	·157	·212	·271	·094	·007	·028	·588
278	BRIDPORT	M.	2·222	·099	·042	·272	·022	·194	·083	·267	·153	·423	·121	·041	·104	·401
		F.	1·984	·101	·031	·222	·051	·211	·069	·212	·212	·329	·098	·007	·052	·389
	19.—DEVONSHIRE.															
279	AXMINSTER	M.	2·021	·074	·036	·245	·031	·196	·074	·235	·157	·228	·100	·026	·112	·507
		F.	1·899	·082	·031	·227	·047	·234	·052	·187	·158	·180	·112	·008	·029	·552
280	HONITON	M.	1·917	·092	·025	·208	·024	·184	·056	·233	·149	·255	·099	·022	·076	·494
		F.	1·851	·082	·015	·177	·030	·248	·058	·215	·165	·191	·077	·007	·026	·560
281	ST. THOMAS *L*	M.	2·057	·094	·050	·226	·023	·219	·065	·319	·161	·273	·102	·027	·104	·394
		F.	1·836	·106	·040	·176	·055	·258	·048	·239	·152	·203	·093	·010	·030	·426
282	EXETER *H*	M.	2·658	·076	·094	·329	·035	·349	·121	·341	·171	·410	·123	·057	·157	·395
		F.	2·164	·079	·065	·273	·076	·285	·087	·265	·175	·295	·094	·022	·041	·407
283	NEWTON ABBOT	M.	1·929	·079	·059	·211	·017	·254	·060	·241	·125	·272	·113	·021	·078	·399
		F.	1·742	·078	·048	·199	·042	·273	·044	·200	·129	·200	·093	·011	·022	·403
284	TOTNES	M.	1·959	·066	·040	·223	·018	·186	·046	·270	·145	·247	·115	·029	·088	·486
		F.	1·784	·075	·032	·201	·052	·188	·051	·231	·147	·189	·106	·008	·026	·478
285	KINGSBRIDGE	M.	1·884	·062	·023	·246	·026	·208	·040	·238	·134	·241	·073	·035	·082	·426
		F.	1·748	·070	·012	·242	·036	·210	·025	·224	·135	·222	·075	·007	·026	·464
286	PLYMPTON ST. MARY	M.	1·953	·095	·046	·281	·024	·180	·081	·240	·133	·289	·083	·031	·122	·348
		F.	1·768	·087	·032	·231	·062	·196	·061	·227	·138	·198	·098	·012	·031	·395
287	PLYMOUTH *H*	M.	2·536	·106	·153	·432	·027	·279	·096	·292	·114	·395	·080	·042	·110	·410
		F.	2·209	·093	·125	·377	·065	·266	·065	·233	·125	·322	·099	·019	·023	·397
288	EAST STONEHOUSE *H*	M.	3·397	·211	·169	·544	·030	·512	·139	·371	·196	·459	·146	·052	·146	·422
		F.	2·125	·118	·116	·373	·043	·245	·077	·224	·137	·245	·111	·018	·017	·401
289	STOKE DAMEREL *H*	M.	2·330	·116	·121	·379	·026	·230	·093	·275	·125	·378	·086	·037	·062	·402
		F.	2·259	·135	·105	·359	·059	·240	·071	·254	·142	·332	·104	·015	·023	·420
290	TAVISTOCK*	M.	2·096	·100	·064	·295	·022	·264	·059	·223	·097	·372	·066	·029	·109	·396
		F.	1·861	·099	·066	·300	·044	·182	·038	·184	·150	·269	·063	·010	·032	·444
291	OKEHAMPTON	M.	1·781	·059	·031	·249	·029	·230	·039	·221	·126	·230	·081	·029	·064	·393
		F.	1·851	·069	·017	·252	·044	·268	·042	·189	·178	·183	·054	·006	·037	·512
292	CREDITON	M.	1·708	·053	·020	·241	·031	·152	·047	·207	·170	·244	·091	·017	·065	·370
		F.	1·816	·084	·016	·226	·056	·209	·042	·194	·202	·181	·081	·008	·034	·483
293	TIVERTON and (2136) DULVERTON	M.	2·038	·113	·037	·222	·017	·208	·030	·227	·127	·312	·079	·026	·090	·520
		F.	1·988	·118	·038	·205	·041	·260	·044	·205	·151	·250	·071	·008	·027	·570

a change which occurred in the constitution of it during the 10 Years 1851-60.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	V.—SOUTH WESTERN COUNTIES—*cont.*														
	19.—DEVONSHIRE—*cont.*														
294	South Molton - - - - -	M.	1·771	4·167	·554	·338	·402	·894	·706	·725	·963	2·541	6·644	12·840	42·667
		F.	1·772	3·447	·546	·506	·621	·742	·801	·863	1·178	2·196	5·138	13·191	35·000
295	Barnstaple *H* - - - - -	M.	1·847	4·244	·608	·418	·537	·801	·889	·984	1·307	2·366	5·539	13·378	23·385
		F.	1·691	3·547	·670	·457	·523	·577	·765	·861	1·056	1·899	4·459	11·816	29·780
296	Torrington - - - - - -	M.	1·778	4·132	·655	·338	·367	1·026	·699	·717	1·261	2·280	5·887	11·267	36·316
		F.	1·722	3·556	·796	·407	·609	·892	·761	·769	·752	2·020	4·707	12·947	33·333
297	Bideford * - - - - - -	M.	1·905	4·735	1·088	·574	·540	·873	·855	1·001	1·252	2·419	4·623	10·215	26·875
		F.	1·753	3·687	·939	·564	·655	·795	·773	·954	1·029	1·868	4·729	10·357	24·898
298	Holsworthy * - - - - -	M.	1·715	4·056	·666	·437	·503	·608	·661	·507	·783	2·034	5·926	13·933	30·000
		F.	1·831	3·176	·911	·667	·858	·882	1·162	·695	1·091	2·300	4·789	12·315	27·778
	20.—CORNWALL.														
299	Stratton - - - - - -	M.	2·097	4·554	·821	·371	·438	·787	·983	1·024	1·429	2·143	5·762	14·545	37·500
		F.	1·906	3·570	·992	·542	·637	·665	·674	1·021	1·138	2·543	4·661	12·952	40·000
300	Camelford - - - - - -	M.	1·927	4·867	1·136	·467	·556	·915	·885	·828	1·005	2·023	5·250	14·923	25·000
		F.	1·848	4·838	1·084	·397	·528	·726	·906	·786	1·050	1·635	4·525	13·333	31·000
301	Launceston * - - - - -	M.	1·952	4·709	·807	·501	·530	·778	·657	·742	1·572	2·945	6·436	15·383	23·889
		F.	1·891	3·992	·849	·537	·767	·915	·896	1·081	1·263	2·065	4·975	13·910	32·381
302	St. Germans - - - - - -	M.	2·252	5·496	·826	·549	·709	1·201	1·134	1·339	1·624	2·439	5·667	13·355	50·000
		F.	1·909	4·524	·827	·357	·744	·552	·872	·867	1·172	2·417	5·220	12·717	38·636
303	Liskeard * - - - - - -	M.	2·073	6·313	·839	·473	·644	·927	·802	·832	1·434	2·510	5·016	13·728	21·818
		F.	1·907	5·249	·953	·551	·518	·712	·849	·861	·996	1·824	4·833	12·114	28·205
304	Bodmin *L* - - - - - -	M.	2·081	5·065	·728	·311	·659	1·003	1·181	1·390	1·405	2·232	5·184	15·153	35·882
		F.	1·929	4·768	·668	·387	·683	·782	·840	·955	1·340	2·161	5·371	12·197	30·323
305	St. Columb - - - - - -	M.	1·818	4·554	·642	·347	·529	·850	·867	·858	1·146	2·333	4·641	13·852	26·000
		F.	1·752	4·234	·606	·491	·816	·728	·911	·956	1·095	1·738	4·550	12·675	22·400
306	St. Austell - - - - - -	M.	2·040	5·645	·732	·408	·498	·984	·794	1·064	1·594	2·941	6·260	13·164	38·095
		F.	1·956	5·516	·782	·438	·782	·759	·782	1·020	1·126	2·112	5·214	14·174	31·333
307	Truro - - - - - - -	M.	2·099	5·763	·834	·383	·747	·883	·840	1·013	1·683	3·239	6·193	13·603	31·724
		F.	1·938	5·486	·869	·500	·658	·759	·747	·963	1·129	2·237	5·069	12·545	27·206
308	Falmouth - - - - - -	M.	1·994	6·059	·676	·401	·619	1·084	·937	1·081	1·627	2·479	5·355	15·039	40·000
		F.	1·921	5·502	·692	·484	·682	·562	·688	·850	1·251	2·248	5·081	13·789	30·000
309	Helston - - - - - -	M.	2·201	5·931	·732	·551	·671	1·005	·988	1·176	1·818	3·121	6·043	16·033	29·615
		F.	1·898	5·065	·809	·391	·718	·735	·785	·844	·992	2·177	5·437	13·721	28·364
310	Redruth - - - - - -	M.	2·296	7·214	·880	·489	·654	·911	·889	1·285	2·492	4·376	7·524	14·765	37·143
		F.	1·958	6·576	·894	·463	·527	·705	·783	·829	1·169	2·478	5·392	12·975	31·111
311	Penzance - - - - - -	M.	2·175	6·723	·708	·508	·577	·829	·868	1·185	1·808	2·904	5·982	14·866	45·417
		F.	1·957	6·281	·805	·476	·597	·821	·759	·912	1·183	1·943	5·046	13·167	28·611
312	Scilly Islands - - - - -	M.	1·776	3·403	·458	·410	·862	1·333	1·719	·889	1·069	1·505	3·548	11·212	11·429
		F.	1·901	2·727	·299	·547	·538	1·058	1·209	1·361	1·250	1·858	5·205	13·824	28·750
	21.—SOMERSETSHIRE.														
313*a*	Williton - - - - - -	M.	1·763	4·052	·688	·493	·397	·729	·892	·883	1·323	2·207	5·073	12·193	25·238
		F.	1·779	3·365	·680	·384	·594	·720	·880	·997	·993	1·980	5·379	12·035	23·750
313*b*	Dulverton, (*See* Tiverton (293).														
314	Wellington - - - - - -	M.	1·827	4·241	·646	·328	·406	·726	·770	·941	1·145	2·642	5·659	13·011	30·345
		F.	1·852	3·709	·522	·390	·632	·776	·769	·984	1·500	2·118	5·009	13·223	28·140
315	Taunton *H* - - - - - -	M.	2·075	5·260	·702	·431	·495	·729	·913	1·276	1·746	3·060	5·924	12·898	27·106
		F.	1·861	4·325	·784	·377	·833	·701	·867	·995	1·289	1·923	4·685	12·436	26·184
316	Bridgwater - - - - - -	M.	1·978	5·050	·686	·506	·508	·769	1·024	1·060	1·401	2·476	5·556	11·822	28·571
		F.	1·859	4·473	·711	·417	·742	·770	·876	·846	1·275	1·918	4·956	11·652	26·087
317	Langport - - - - - -	M.	1·890	4·641	·684	·425	·436	·868	·804	·954	1·356	2·219	6·148	13·867	23·417
		F.	1·847	3·899	·753	·589	·777	·967	·816	·984	1·259	2·030	4·365	14·231	23·056
318	Chard - - - - - - -	M.	2·100	5·732	·740	·286	·470	1·006	·722	·892	1·486	2·950	6·263	15·056	38·333
		F.	1·978	1·970	·684	·647	·821	1·025	·957	·870	1·021	2·382	5·839	13·458	28·250

* In calculating the Mortality of these Districts a correction has been made for

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.												
				Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
	V.—SOUTH WESTERN COUNTIES—*cont.*															
	19.—DEVONSHIRE—*cont.*															
294	South Molton	M.	1·771	·057	·016	·197	·037	·189	·049	·239	·166	·240	·081	·022	·071	·407
		F.	1·772	·043	·017	·178	·051	·237	·061	·202	·218	·181	·081	·007	·029	·467
295	Barnstaple *H*	M.	1·847	·043	·049	·224	·018	·226	·047	·180	·108	·288	·087	·041	·102	·434
		F.	1·691	·060	·041	·195	·051	·214	·033	·135	·124	·214	·078	·013	·035	·497
296	Torrington	M.	1·778	·059	·022	·252	·021	·207	·062	·194	·121	·231	·095	·029	·082	·403
		F.	1·722	·057	·008	·237	·032	·251	·031	·140	·160	·181	·074	·007	·037	·487
297	Bideford *	M.	1·995	·075	·061	·333	·020	·172	·057	·225	·120	·273	·061	·022	·141	·435
		F.	1·753	·079	·032	·263	·035	·214	·041	·170	·169	·200	·080	·005	·024	·441
298	Holsworthy *	M.	1·715	·044	·012	·227	·012	·153	·048	·161	·097	·302	·084	·022	·064	·489
		F.	1·831	·050	·019	·219	·031	·269	·033	·130	·153	·231	·103	·004	·037	·542
	20.—CORNWALL.															
299	Stratton	M.	2·007	·066	·019	·230	·024	·196	·034	·267	·129	·223	·083	·024	·110	·602
		F.	1·906	·064	·019	·235	·019	·228	·017	·180	·180	·173	·102	·005	·024	·660
300	Camelford	M.	1·927	·062	·039	·340	·015	·177	·071	·192	·096	·204	·101	·030	·111	·489
		F.	1·848	·042	·032	·331	·037	·227	·039	·153	·160	·161	·033	·007	·037	·536
301	Launceston *	M.	1·952	·090	·022	·294	·023	·218	·035	·235	·137	·343	·071	·037	·072	·370
		F.	1·891	·109	·021	·282	·036	·271	·019	·192	·187	·234	·085	·013	·029	·413
302	St. Germans	M.	2·252	·158	·065	·306	·022	·241	·052	·208	·165	·299	·096	·037	·202	·401
		F.	1·909	·132	·045	·278	·062	·230	·043	·201	·164	·215	·098	·010	·025	·406
303	Liskeard *	M.	2·073	·085	·042	·316	·016	·240	·062	·199	·086	·308	·073	·019	·131	·496
		F.	1·907	·085	·030	·305	·030	·240	·057	·194	·109	·244	·071	·008	·027	·498
304	Bodmin *L*	M.	2·081	·044	·043	·223	·017	·234	·057	·287	·114	·217	·082	·030	·108	·625
		F.	1·929	·046	·041	·246	·046	·262	·042	·232	·135	·159	·065	·005	·028	·622
305	St. Columb	M.	1·818	·052	·019	·185	·019	·192	·054	·244	·115	·201	·068	·019	·127	·523
		F.	1·752	·052	·014	·190	·028	·256	·038	·186	·140	·172	·086	·009	·025	·556
306	St. Austell	M.	2·040	·075	·045	·284	·025	·244	·071	·204	·109	·270	·070	·026	·109	·508
		F.	1·956	·081	·042	·272	·069	·254	·040	·215	·132	·185	·065	·011	·026	·594
307	Truro	M.	2·099	·069	·038	·270	·016	·274	·073	·207	·119	·247	·076	·026	·111	·573
		F.	1·938	·079	·040	·252	·026	·250	·049	·207	·142	·180	·062	·006	·028	·617
308	Falmouth	M.	1·994	·048	·084	·229	·015	·252	·081	·234	·115	·243	·090	·019	·033	·491
		F.	1·921	·050	·069	·184	·051	·210	·064	·213	·138	·195	·095	·009	·027	·616
309	Helston	M.	2·201	·088	·034	·311	·018	·400	·049	·129	·071	·207	·111	·017	·128	·638
		F.	1·898	·078	·026	·256	·025	·285	·031	·139	·092	·113	·081	·005	·074	·692
310	Redruth	M.	2·206	·071	·045	·352	·016	·416	·071	·179	·081	·257	·080	·015	·132	·581
		F.	1·958	·067	·037	·313	·029	·328	·044	·162	·098	·151	·070	·006	·026	·627
311	Penzance	M.	2·175	·065	·078	·323	·020	·316	·067	·169	·086	·225	·094	·018	·107	·607
		F.	1·957	·072	·068	·291	·025	·276	·059	·147	·093	·160	·091	·007	·024	·644
312	Scilly Islands	M.	1·776	·051	·031	·127	·063	·246	·034	·314	·136	·221	·051	·043	·035	·350
		F.	1·901	·015	·037	·111	·081	·340	·059	·237	·170	·222	·096	·007	·015	·511
	21.—SOMERSETSHIRE.															
313*a*	Williton	M.	1·763	·070	·023	·195	·020	·188	·055	·186	·128	·236	·097	·018	·092	·455
		F.	1·779	·068	·028	·183	·035	·221	·047	·175	·159	·214	·090	·005	·043	·511
313*b*	Dulverton. (*See* Tiverton (293).															
314	Wellington	M.	1·827	·061	·032	·179	·014	·191	·034	·238	·139	·256	·076	·018	·088	·501
		F.	1·852	·067	·018	·180	·036	·245	·027	·217	·175	·207	·082	·005	·032	·561
315	Taunton *H*	M.	2·075	·075	·044	·242	·017	·195	·054	·253	·126	·342	·105	·037	·115	·470
		F.	1·861	·095	·041	·229	·046	·209	·050	·186	·137	·229	·037	·011	·041	·490
316	Bridgwater	M.	1·978	·078	·044	·210	·018	·230	·086	·232	·116	·293	·096	·039	·118	·418
		F.	1·859	·082	·047	·197	·041	·249	·043	·216	·124	·234	·098	·010	·049	·469
317	Langport	M.	1·890	·101	·047	·197	·016	·161	·051	·231	·093	·274	·091	·028	·095	·505
		F.	1·847	·136	·031	·206	·042	·214	·039	·147	·141	·185	·098	·007	·039	·562
318	Chard	M.	2·100	·094	·041	·269	·019	·182	·066	·238	·161	·329	·114	·028	·083	·476
		F.	1·978	·088	·029	·232	·025	·261	·067	·213	·169	·273	·099	·004	·035	·483

changes which occurred in the constitution of them during the 10 Years 1851–60.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	V.—SOUTH WESTERN COUNTIES—*cont.*														
	21.-SOMERSETSHIRE—*cont.*														
319	Yeovil	M.	2·168	6·232	·721	·474	·511	·813	·771	·983	1·442	3·312	5·844	16·514	33·182
		F.	2·130	5·515	·852	·597	·782	·886	1·002	1·151	1·222	2·670	5·978	15·120	32·647
320	Wincanton	M.	1·989	5·007	·607	·449	·469	·735	·899	·991	1·375	2·821	6·212	12·741	43·529
		F.	2·036	4·500	·701	·616	·712	·947	·970	1·251	1·273	2·442	5·329	14·242	26·765
321	Frome	M.	2·236	5·895	·649	·513	·581	·918	1·001	1·230	1·608	2·669	6·266	14·236	35·769
		F.	2·118	4·844	·662	·444	1·028	·945	·993	1·096	1·381	2·857	5·681	12·642	23·518
322	Shepton Mallet	M.	2·001	4·957	·509	·468	·572	·731	·744	·962	1·395	2·747	5·356	14·479	31·200
		F.	1·990	4·528	·497	·484	·665	·650	·942	1·032	1·271	2·537	4·957	12·038	29·143
323	Wells *L*	M.	2·167	4·986	·613	·380	·529	·867	1·182	1·661	1·851	2·931	5·900	12·857	31·429
		F.	1·960	4·200	·696	·533	·684	·885	·975	1·307	1·672	2·400	5·164	11·267	25·952
324	Axbridge	M.	1·785	4·763	·611	·354	·396	·622	·817	·907	1·244	2·403	4·913	12·553	26·750
		F.	1·704	4·203	·747	·525	·588	·744	·809	·886	·953	2·017	4·463	10·795	24·769
325	Clutton	M.	1·795	4·908	·550	·447	·482	·571	·760	·759	1·243	2·510	5·979	10·707	40·455
		F.	1·925	4·120	·628	·532	·992	·839	·991	·883	1·121	2·663	5·086	13·674	24·444
326	Bath *HH*	M.	2·478	6·866	·693	·434	·594	·954	1·227	1·667	2·363	3·646	6·658	16·801	34·681
		F.	2·007	5·671	·726	·509	·614	·603	·813	1·097	1·572	2·732	6·106	13·408	30·325
327	Keynsham	M.	1·960	5·035	·684	·424	·504	·834	·947	·933	1·330	2·576	5·692	12·893	25·758
		F.	1·827	4·385	·644	·429	·948	·948	·860	·950	1·098	1·795	4·897	10·178	25·510
328	Bedminster *H*	M.	2·104	6·312	·702	·384	·545	·878	·782	1·050	1·530	2·858	6·319	12·642	29·375
		F.	1·873	5·399	·728	·397	·691	·614	·818	1·083	1·171	2·237	4·750	13·495	28·868
	VI.—WEST MIDLAND COUNTIES.														
	22.–GLOUCESTERSHIRE.														
329	Bristol *HH*	M.	2·969	9·507	1·256	·697	·848	1·037	1·417	1·961	2·960	4·404	8·184	17·306	33·243
		F.	2·415	8·121	1·014	·608	·738	·800	·968	1·424	1·908	3·062	6·255	14·540	24·421
330	Clifton *Lw*	M.	2·314	7·415	·816	·444	·547	·769	·966	1·140	1·709	3·202	6·507	14·750	33·673
		F.	1·932	6·459	·782	·468	·539	·533	·773	1·020	1·281	2·702	5·969	14·194	30·179
331	Chipping Sodbury	M.	1·951	4·952	·697	·408	·591	·682	·853	1·090	1·089	2·349	5·518	12·754	36·957
		F.	1·901	4·123	·606	·445	·857	1·147	·876	·967	1·155	2·083	4·780	12·593	32·812
332	Thornbury	M.	1·659	4·040	·608	·251	·583	·659	·682	·803	1·377	2·058	5·441	13·000	35·000
		F.	1·687	3·388	·521	·415	·827	1·123	·956	·950	1·063	2·073	4·751	11·076	26·538
333	Dursley	M.	2·106	5·220	·634	·369	·500	1·122	1·048	1·051	1·258	2·313	5·804	11·863	37·059
		F.	2·126	3·939	·668	·441	·764	1·051	·864	1·374	1·131	2·259	5·522	13·668	34·848
334	Westbury-on-Severn	M.	1·815	4·979	·582	·399	·591	·847	·989	·821	1·297	2·328	5·274	12·408	46·364
		F.	1·837	4·499	·560	·533	·892	·915	·903	·931	1·090	2·054	4·836	12·971	24·000
335	Newent	M.	1·943	5·432	·541	·267	·519	·677	·851	·744	1·118	2·449	5·277	13·238	22·400
		F.	1·903	4·142	·889	·357	·736	·752	·846	1·089	1·193	2·000	5·133	12·331	28·000
336	Gloucester *HL*	M.	2·360	6·858	·827	·461	·597	·850	1·194	1·585	1·948	3·564	7·413	14·451	36·818
		F.	2·098	5·855	·810	·490	·720	·888	1·074	1·404	1·510	2·568	5·616	13·304	29·149
337	Wheatenhurst	M.	1·975	5·076	·804	·546	·595	·694	·786	·868	1·311	1·778	5·318	13·188	35·000
		F.	1·800	3·910	·823	·484	·720	1·023	·796	·895	1·063	2·000	4·728	12·400	31·333
338	Stroud	M.	2·170	5·967	·741	·486	·602	·795	·950	·979	1·445	2·500	6·077	15·612	23·721
		F.	2·173	5·259	·812	·761	·968	1·015	1·044	1·024	1·263	2·536	5·655	14·208	35·517
339	Tetbury	M.	1·778	4·458	·540	·475	·446	·855	1·021	·887	1·407	2·552	4·369	13·600	16·000
		F.	1·875	4·034	·656	·613	·502	·808	·878	·962	1·341	2·692	6·000	10·806	31·000
340	Cirencester	M.	1·910	4·884	·652	·406	·538	·695	·958	·990	1·279	2·454	6·235	13·855	25·238
		F.	2·026	4·723	·618	·473	·718	1·129	·964	1·124	1·296	2·617	5·920	16·845	25·000
341	Northleach	M.	1·839	4·882	·616	·294	·598	·540	·700	·787	1·116	2·045	6·435	13·204	37·273
		F.	1·935	3·787	·854	·528	·674	·948	1·031	1·197	1·156	2·910	6·000	14·167	28·462
342	Stow-on-the-Wold	M.	1·793	4·935	·591	·250	·349	·705	·711	·929	·936	2·030	6·386	12·979	31·000
		F.	1·905	4·019	·555	·549	·602	·785	1·202	1·070	1·454	2·154	6·772	12·609	24·615

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Causes.	Causes of Death.												
				Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
	V.—SOUTH WESTERN COUNTIES—*cont.*															
	21.-SOMERSETSHIRE—*cont.*															
319	Yeovil	M.	2·168	·098	·033	·293	·028	·193	·077	·184	·132	·309	·089	·022	·097	·613
		F.	2·130	·134	·039	·277	·042	·275	·073	·156	·169	·238	·080	·007	·033	·607
320	Wincanton	M.	1·989	·085	·042	·184	·017	·211	·059	·209	·159	·298	·088	·032	·088	·517
		F.	2·036	·131	·046	·174	·042	·255	·046	·175	·221	·250	·083	·011	·031	·571
321	Frome	M.	2·236	·103	·079	·256	·016	·189	·072	·200	·172	·344	·123	·037	·115	·530
		F.	2·118	·124	·069	·202	·039	·235	·045	·221	·242	·281	·117	·012	·036	·495
322	Shepton Mallet	M.	2·001	·089	·030	·163	·033	·176	·072	·166	·154	·179	·099	·028	·072	·740
		F.	1·990	·070	·029	·133	·054	·218	·066	·138	·172	·149	·104	·013	·025	·819
323	Wells *L*	M.	2·167	·080	·053	·212	·019	·205	·080	·315	·132	·280	·146	·036	·075	·534
		F.	1·960	·092	·045	·196	·050	·254	·057	·197	·136	·225	·115	·014	·036	·543
324	Axbridge	M.	1·785	·065	·043	·188	·021	·162	·070	·197	·145	·289	·102	·031	·088	·384
		F.	1·704	·073	·040	·184	·036	·204	·055	·163	·134	·264	·117	·011	·043	·380
325	Clutton	M.	1·795	·069	·030	·187	·019	·178	·069	·194	·131	·319	·090	·026	·109	·374
		F.	1·925	·083	·055	·191	·031	·265	·037	·184	·197	·255	·081	·010	·028	·518
326	Bath *HH*	M.	2·478	·080	·113	·246	·028	·313	·104	·314	·147	·379	·117	·035	·107	·475
		F.	2·007	·068	·074	·168	·061	·251	·068	·246	·149	·300	·118	·019	·047	·458
327	Keynsham	M.	1·960	·098	·091	·227	·015	·211	·067	·265	·111	·295	·084	·020	·091	·382
		F.	1·827	·103	·071	·216	·033	·260	·052	·198	·122	·229	·073	·010	·034	·426
328	Bedminster *H*	M.	2·104	·081	·078	·281	·026	·193	·071	·284	·125	·371	·104	·035	·106	·349
		F.	1·873	·076	·066	·274	·040	·200	·047	·237	·120	·303	·115	·015	·022	·358
	VI.—WEST MIDLAND COUNTIES.															
	22.--GLOUCESTERSHIRE.															
329	Bristol *HH*	M.	2·969	·101	·145	·384	·038	·358	·121	·349	·137	·537	·103	·065	·233	·398
		F.	2·415	·095	·118	·316	·063	·291	·080	·267	·159	·430	·113	·022	·067	·394
330	Clifton *Lw*	M.	2·314	·084	·144	·315	·016	·281	·097	·299	·104	·426	·092	·034	·068	·354
		F.	1·932	·085	·115	·240	·043	·236	·065	·224	·114	·345	·094	·013	·018	·340
331	Chipping Sodbury	M.	1·951	·061	·081	·151	·014	·176	·077	·228	·141	·306	·086	·035	·106	·489
		F.	1·901	·068	·054	·142	·043	·256	·051	·201	·138	·225	·110	·017	·038	·548
332	Thornbury	M.	1·659	·059	·043	·149	·017	·182	·034	·201	·135	·245	·108	·030	·096	·330
		F.	1·687	·081	·031	·144	·038	·239	·054	·191	·136	·224	·097	·009	·022	·406
333	Dursley	M.	2·103	·060	·044	·165	·022	·216	·068	·245	·173	·293	·101	·046	·097	·576
		F.	2·126	·065	·039	·140	·047	·252	·056	·205	·229	·263	·127	·010	·047	·646
334	Westbury-on-Severn	M.	1·815	·093	·044	·201	·014	·154	·076	·168	·107	·309	·105	·023	·125	·396
		F.	1·837	·096	·044	·192	·031	·191	·075	·179	·130	·229	·119	·008	·027	·516
335	Newent	M.	1·943	·058	·027	·213	·016	·198	·041	·209	·173	·279	·115	·013	·076	·525
		F.	1·903	·072	·024	·190	·060	·218	·026	·177	·189	·192	·111	·003	·038	·603
336	Gloucester *HL*	M.	2·360	·082	·150	·298	·020	·250	·077	·347	·119	·291	·095	·035	·145	·451
		F.	2·098	·084	·113	·269	·047	·262	·058	·273	·143	·239	·108	·009	·036	·437
337	Wheatenhurst	M.	1·975	·102	·105	·343	·047	·110	·060	·152	·086	·236	·058	·055	·144	·477
		F.	1·800	·056	·039	·292	·054	·218	·037	·191	·162	·140	·098	·020	·037	·436
338	Stroud	M.	2·170	·078	·056	·235	·017	·193	·103	·229	·149	·336	·112	·039	·099	·524
		F.	2·173	·094	·065	·215	·048	·254	·090	·222	·186	·273	·102	·012	·038	·574
339	Tetbury	M.	1·778	·076	·036	·224	·016	·234	·069	·211	·089	·369	·102	·030	·059	·263
		F.	1·875	·060	·067	·149	·073	·219	·086	·194	·172	·381	·089	·003	·035	·344
340	Cirencester	M.	1·910	·066	·023	·127	·017	·184	·070	·230	·138	·342	·129	·026	·069	·454
		F.	2·026	·091	·023	·126	·055	·277	·069	·253	·176	·294	·112	·011	·033	·506
341	Northleach	M.	1·839	·048	·011	·130	·009	·179	·039	·170	·173	·207	·064	·011	·057	·741
		F.	1·935	·049	·028	·140	·028	·311	·030	·152	·230	·135	·039	·004	·026	·763
342	Stow-on-the-Wold	M.	1·793	·052	·014	·173	·026	·214	·070	·212	·109	·214	·073	·038	·052	·556
		F.	1·905	·078	·027	·167	·052	·268	·045	·149	·196	·180	·083	·004	·029	·619

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	VI.—WEST MIDLAND COUNTIES—*cont.*														
	22.-GLOUCESTERSHIRE —*cont.*														
343	WINCHCOMB	M.	1·822	4·750	·839	·348	·369	·556	·604	·687	·890	2·169	5·394	13·942	31·818
		F.	1·824	4·223	·605	·445	·820	·913	·848	·826	1·179	2·226	4·435	11·909	25·000
344	CHELTENHAM *H*	M.	2·075	6·029	·845	·302	·469	·698	·972	1·212	1·666	3·202	6·630	13·583	24·706
		F.	1·768	5·268	·720	·397	·578	·581	·796	1·026	1·262	2·397	5·713	13·868	32·807
345	TEWKESBURY	M.	2·107	5·444	·773	·275	·621	·864	·866	1·196	1·345	2·319	6·019	14·385	30·000
		F.	1·997	4·968	·751	·543	·634	1·017	·919	·958	1·093	2·312	4·721	11·965	22·571
	23.–HEREFORDSHIRE.														
346	LEDBURY	M.	1·856	4·773	·637	·308	·406	·764	·801	·960	1·217	2·626	6·788	16·389	28·667
		F.	1·753	3·749	·560	·468	·881	·775	·776	1·068	1·068	2·612	4·983	11·185	27·917
347	ROSS	M.	2·120	5·285	·709	·549	·553	·640	·848	1·060	1·751	3·071	7·572	14·483	28·824
		F.	1·919	4·396	·802	·596	·548	·842	·812	·999	1·116	2·715	5·177	11·059	28·338
348	HEREFORD *H*	M.	2·153	5·360	·803	·377	·643	·747	·941	1·254	1·788	2·880	6·066	14·873	30·889
		F.	2·045	4·752	·773	·528	·733	·784	1·040	1·104	1·483	2·517	5·023	12·220	24·405
349	WEOBLY	M.	2·007	4·453	·694	·342	·567	·670	·853	1·059	1·698	2·758	6·415	14·512	25·000
		F.	1·907	3·560	·454	·426	·849	·979	·826	1·091	1·079	2·579	5·787	12·830	26·111
350	BROMYARD	M.	1·942	4·726	·718	·400	·827	·559	·834	·910	1·453	2·505	6·421	13·571	23·111
		F.	1·993	4·364	·641	·432	·653	·942	1·149	·984	1·113	2·518	5·252	10·299	25·862
351	LEOMINSTER	M.	2·137	5·178	·669	·476	·549	·613	·853	1·009	1·546	3·112	7·216	17·143	29·583
		F.	2·017	4·306	·790	·431	·701	·669	·976	1·048	1·004	2·162	5·691	14·286	30·606
	24.—SHROPSHIRE.														
352	LUDLOW	M.	2·010	5·276	·495	·454	·514	·490	·660	·980	1·546	2·730	6·418	16·364	29·545
		F.	1·854	4·194	·465	·372	·677	·736	·845	1·049	1·472	2·104	4·623	11·893	31·875
353	CLUN	M.	1·920	5·144	·736	·395	·450	·764	·800	·952	1·139	2·374	5·747	13·333	34·286
		F.	1·760	3·799	·569	·370	·739	·885	·983	1·085	1·127	1·361	4·953	11·560	33·077
354	CHURCH STRETTON	M.	1·858	4·257	·630	·545	·432	1·007	·611	1·008	1·294	2·115	5·423	15·167	32·222
		F.	1·741	3·003	·448	·564	·580	1·120	·794	·886	1·107	1·830	6·429	10·263	27·333
355	CLEOBURY MORTIMER	M.	1·773	4·033	·536	·428	·725	·578	·775	·785	1·276	1·883	4·975	15·647	25·000
		F.	1·804	3·835	·807	·494	1·161	·904	1·331	·887	·899	1·800	4·681	11·023	27·059
356	BRIDGNORTH	M.	1·907	4·969	·527	·447	·516	·719	·624	·726	1·335	3·057	6·088	14·586	50·833
		F.	1·891	4·217	·689	·481	·671	·709	·819	1·211	1·173	2·385	5·228	14·247	27·333
357	SHIFFNAL	M.	1·888	5·229	·602	·471	·447	·857	·708	·926	1·447	2·473	6·179	14·750	36·667
		F.	1·774	4·353	·715	·382	·661	·912	·883	·969	·985	2·401	4·696	11·429	24·706
358	MADELEY	M.	2·177	6·986	·827	·592	·648	·628	·658	·980	1·464	3·294	6·571	18·594	28·333
		F.	2·103	5·799	·804	·412	·884	1·033	·977	1·015	1·456	2·246	5·020	13·785	36·667
359	ATCHAM	M.	1·825	4·430	·621	·478	·488	·769	·669	·888	1·267	2·496	6·371	14·702	26·786
		F.	1·708	3·699	·673	·620	·856	·810	·895	·887	1·145	1·972	5·216	11·415	26·053
360	SHREWSBURY *HL*	M.	2·743	7·202	1·052	·533	·781	1·157	1·455	2·140	2·852	4·164	7·698	15·493	26·471
		F.	2·319	6·153	·757	·601	·824	·832	1·346	1·421	1·825	2·808	6·767	16·047	30·588
361	OSWESTRY	M.	1·941	4·937	·559	·516	·661	·838	·850	1·002	1·452	2·485	6·089	14·171	27·600
		F.	1·848	3·858	·599	·542	·646	·718	1·143	1·108	1·132	2·220	5·558	11·837	24·634
362	ELLESMERE *	M.	1·878	4·723	·504	·419	·399	·801	·892	·907	1·129	2·270	5·650	15·188	40·667
		F.	1·973	4·573	·525	·747	·690	1·026	1·142	·936	1·129	2·334	5·040	13·892	27·391
363*a*	WEM *	M.	1·994	4·514	·603	·386	·523	·919	·972	·923	1·050	2·977	5·889	17·018	34·545
		F.	2·008	4·537	·075	·540	·702	·962	·982	·963	1·333	2·573	5·365	12·481	24·000
363*b*	WHITCHURCH†	M.	2·143	6·139	·605	·324	·614	·859	·770	·899	1·361	2·578	6·637	15·021	70·175
		F.	1·789	4·207	·536	·337	·705	·613	·900	·835	1·374	1·883	4·829	13·597	22·561
364	MARKET DRAYTON	M.	1·957	5·373	·687	·475	·433	·789	·744	·931	1·366	2·549	5·684	14·687	32·143
		F.	2·001	4·749	·986	·522	·846	1·178	·912	·977	1·293	2·255	6·059	13·806	25·556
365	WELLINGTON	M.	2·189	6·388	·926	·477	·698	·930	·830	1·058	1·572	2·747	6·484	14·889	36·667
		F.	2·154	6·116	·749	·429	·668	·792	·957	1·193	1·366	1·980	5·510	15·568	28·065
366	NEWPORT	M.	2·046	5·630	·826	·396	·647	·661	·938	·966	1·268	2·510	6·317	16·396	21·667
		F.	1·891	4·624	·821	·431	·739	·832	·974	·844	1·064	2·202	5·016	11·923	26·296

* In calculating the Mortality of these Districts a correction has been made for

† The District of Whitchurch was formed in April 1853; the

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Causes.	Causes of Death.														
				Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
	VI.—WEST MIDLAND COUNTIES—*cont.*																	
	22.-GLOUCESTERSHIRE —*cont.*																	
343	Winchcomb	M.	1·822	·076	·029	·203	·004	·180	·016	·213	·158	·182	·094	·018	·065	·584
		F.	1·824	·092	·030	·204	·018	·265	·028	·138	·172	·132	·088	·005	·022	·630
344	Cheltenham *H*	M.	2·075	·035	·101	·194	·012	·254	·087	·271	·155	·337	·122	·039	·060	·388
		F.	1·768	·050	·034	·164	·048	·243	·057	·202	·156	·273	·109	·014	·029	·359
345	Tewkesbury	M.	2·107	·054	·057	·234	·015	·256	·064	·235	·125	·338	·095	·039	·109	·486
		F.	1·997	·058	·048	·210	·047	·303	·051	·210	·125	·242	·106	·005	·047	·545
	23.—HEREFORDSHIRE.																	
346	Ledbury	M.	1·856	·057	·027	·182	·004	·194	·039	·162	·155	·227	·071	·025	·089	·624
		F.	1·753	·053	·028	·174	·037	·254	·034	·136	·165	·155	·061	·013	·045	·600
347	Ross	M.	2·120	·077	·025	·205	·022	·203	·036	·166	·196	·253	·106	·021	·101	·709
		F.	1·919	·075	·016	·217	·037	·250	·033	·132	·170	·204	·085	·004	·047	·649
348	Hereford *H*	M.	2·153	·037	·043	·208	·014	·233	·038	·308	·161	·306	·110	·032	·105	·538
		F.	2·045	·057	·048	·168	·057	·287	·050	·253	·175	·234	·112	·009	·043	·562
349	Weobly	M.	2·007	·035	·026	·170	·017	·159	·042	·240	·205	·287	·110	·046	·080	·610
		F.	1·907	·035	·030	·159	·051	·192	·032	·203	·205	·194	·088	·012	·035	·671
350	Bromyard	M.	1·942	·071	·031	·158	·013	·152	·026	·231	·122	·203	·132	·038	·076	·689
		F.	1·993	·075	·025	·178	·037	·197	·026	·181	·172	·169	·114	·016	·046	·756
351	Leominster	M.	2·137	·055	·046	·227	·008	·206	·049	·223	·182	·264	·101	·028	·095	·653
		F.	2·017	·046	·021	·231	·049	·208	·051	·182	·194	·178	·078	·004	·034	·738
	24.—SHROPSHIRE.																	
352	Ludlow	M.	2·010	·030	·034	·146	·019	·143	·042	·207	·146	·338	·121	·046	·112	·520
		F.	1·854	·028	·073	·167	·044	·209	·026	·193	·149	·274	·115	·010	·039	·527
353	Clun	M.	1·920	·045	·011	·184	·009	·247	·020	·230	·132	·219	·074	·024	·097	·628
		F.	1·760	·057	·014	·153	·046	·259	·016	·143	·106	·195	·080	·006	·046	·610
354	Church Stretton	M.	1·858	·028	·046	·226	·031	·183	·043	·211	·139	·254	·124	·034	·124	·415
		F.	1·741	·040	·043	·203	·033	·233	·050	·183	·180	·170	·067	·007	·023	·509
355	Cleobury Mortimer	M.	1·773	·046	·027	·199	·005	·158	·034	·173	·101	·204	·124	·046	·119	·538
		F.	1·864	·075	·020	·210	·039	·285	·044	·163	·168	·173	·103	·010	·037	·530
356	Bridgnorth	M.	1·907	·046	·076	·189	·022	·197	·051	·209	·170	·272	·144	·048	·090	·333
		F.	1·891	·053	·070	·204	·058	·229	·038	·205	·165	·224	·154	·014	·032	·395
357	Shiffnal	M.	1·888	·084	·053	·189	·012	·194	·051	·188	·080	·276	·077	·022	·111	·551
		F.	1·774	·075	·054	·170	·058	·225	·041	·174	·085	·242	·078	·002	·046	·503
358	Madeley	M.	2·177	·084	·032	·277	·012	·209	·065	·201	·094	·310	·115	·023	·135	·520
		F.	2·103	·095	·030	·260	·034	·281	·057	·244	·110	·227	·089	·008	·050	·608
359	Atcham	M.	1·825	·051	·030	·209	·015	·195	·045	·189	·109	·223	·099	·014	·103	·540
		F.	1·798	·045	·012	·190	·049	·254	·036	·193	·129	·166	·081	·004	·033	·606
360	Shrewsbury *HL*	M.	2·743	·098	·061	·278	·042	·376	·078	·567	·134	·362	·127	·052	·162	·406
		F.	2·519	·055	·051	·218	·072	·332	·056	·386	·151	·292	·120	·019	·046	·481
361	Oswestry	M.	1·941	·068	·025	·185	·028	·247	·039	·320	·124	·245	·095	·024	·112	·429
		F.	1·818	·097	·026	·195	·043	·296	·034	·250	·128	·179	·106	·006	·043	·475
362	Ellesmere *	M.	1·878	·050	·043	·195	·034	·182	·051	·218	·137	·250	·093	·025	·071	·529
		F.	1·975	·059	·018	·203	·050	·279	·059	·257	·148	·195	·097	·007	·047	·557
362*a*	Wem *	M.	1·994	·054	·054	·251	·025	·238	·082	·223	·140	·195	·139	·028	·097	·468
		F.	2·008	·070	·052	·270	·058	·230	·063	·242	·185	·143	·122	·008	·040	·525
363*b*	Whitchurch †	M.	2·143	·066	·064	·270	·031	·225	·095	·194	·163	·192	·109	·028	·085	·621
		F.	1·789	·079	·048	·185	·018	·192	·055	·181	·128	·139	·099	·007	·033	·595
364	Market Drayton	M.	1·937	·056	·046	·222	·017	·229	·060	·246	·120	·384	·078	·024	·087	·388
		F.	2·001	·068	·041	·214	·040	·278	·051	·223	·140	·359	·108	·006	·040	·433
365	Wellington	M.	2·189	·103	·057	·257	·013	·203	·105	·264	·094	·293	·088	·018	·148	·546
		F.	2·154	·085	·056	·257	·040	·206	·093	·257	·137	·257	·083	·003	·057	·623
366	Newport	M.	2·046	·071	·072	·244	·023	·177	·050	·223	·111	·307	·119	·018	·133	·498
		F.	1·891	·037	·059	·259	·040	·196	·031	·206	·122	·228	·113	·006	·040	·524

changes which occurred in the constitution of them during the 10 Years 1851–60.
Mortality, therefore, is the Average Annual Rate during 7¾ Years.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	VI.—WEST MIDLAND COUNTIES—*cont.*														
	25.–STAFFORDSHIRE.														
367	STAFFORD *HLL*	M.	2·278	5·970	·806	·484	·678	·829	1·365	1·792	2·004	3·135	6·935	15·503	26·842
		F.	2·175	5·303	·693	·462	1·094	·988	1·348	1·508	1·517	3·310	5·947	12·970	32·069
368	STONE	M.	2·076	6·100	·633	·458	·413	·701	·820	1·036	1·960	2·788	6·406	14·041	25·556
		F.	1·973	5·268	·671	·413	·741	·940	1·002	1·187	1·341	2·315	5·147	12·737	35·000
369	NEWCASTLE-UNDER LYME	M.	2·290	8·040	1·021	·526	·712	·787	·807	1·018	1·490	2·960	6·645	13·981	30·909
		F.	2·251	6·473	·925	·552	·829	1·048	1·078	1·381	1·568	2·829	6·180	14·583	36·667
370	WOLSTANTON	M.	2·653	9·921	1·017	·611	·677	·732	·790	1·385	2·430	3·909	7·709	18·246	51·429
		F.	2·578	8·857	·973	·427	·863	·972	1·065	1·269	1·765	3·742	7·101	17·376	32·941
371	STOKE-UPON-TRENT *H*	M.	2·789	9·913	1·084	·571	·788	·931	1·014	1·523	2·724	4·272	8·925	17·673	30·870
		F.	2·454	8·489	·961	·493	·821	·925	1·028	1·375	1·694	3·181	7·137	17·285	31·875
372	LEEK	M.	2·405	7·453	1·114	·861	·777	·764	1·028	1·053	1·598	2·827	6·136	12·981	30·000
		F.	2·389	6·393	1·213	1·078	1·310	1·211	1·262	1·258	1·600	2·312	5·740	12·378	26·552
373	CHEADLE	M.	2·134	5·853	·760	·486	·742	·975	·825	1·184	1·667	2·696	5·683	16·250	22·857
		F.	2·020	4·632	·752	·714	·850	1·194	·967	1·276	1·139	2·513	4·757	14·932	34·118
374	UTTOXETER	M.	2·031	5·197	·778	·344	·718	·598	·804	1·082	1·316	2·385	5·726	14·444	25·455
		F.	2·016	4·286	·726	·440	·750	·876	1·125	1·226	1·173	2·629	5·570	13·961	27·600
375	BURTON-UPON-TRENT *L*	M.	2·083	6·022	·780	·400	·558	·697	·878	1·239	1·700	2·524	6·181	13·792	34·706
		F.	2·031	5·069	·722	·552	·844	·845	·984	1·086	1·399	2·716	5·705	14·264	32·973
376	TAMWORTH	M.	2·007	5·784	·765	·496	·501	·521	·773	·896	1·236	2·534	6·286	13·109	42·727
		F.	1·949	4·531	·887	·446	·805	·816	·972	1·234	1·285	2·459	4·684	11·918	28·889
377	LICHFIELD	M.	1·956	5·064	·756	·459	·556	·671	·843	·851	1·349	2·968	5·801	12·242	28·929
		F.	1·994	4·565	·848	·371	·751	·875	1·035	1·164	1·226	2·384	5·040	14·257	27·692
378	PENKRIDGE	M.	1·968	5·831	·835	·431	·600	·702	·831	·784	1·346	2·471	5·210	13·609	42·500
		F.	2·023	4·941	·771	·547	·943	·878	1·107	1·193	1·240	2·543	5·217	11·667	36·316
379	WOLVERHAMPTON *H*	M.	2·845	11·022	1·017	·564	·638	·778	·907	1·364	2·096	3·669	7·456	15·753	26·600
		F.	2·673	9·937	·925	·489	·582	·845	·969	1·282	1·593	2·925	6·619	15·563	22·888
380	WALSALL	M.	2·634	10·128	1·111	·522	·616	·642	·766	1·047	1·707	3·306	7·418	17·190	36·316
		F.	2·543	8·744	·856	·467	·724	·803	·949	1·274	1·648	2·671	6·834	16·719	23·704
381	WEST BROMWICH	M.	2·534	9·117	·960	·579	·665	·714	·785	1·126	1·861	3·659	7·211	19·171	36·842
		F.	2·349	7·940	·929	·451	·653	·739	·893	1·222	1·431	2·840	6·155	15·830	27·179
382	DUDLEY	M.	2·724	9·841	·882	·598	·650	·743	·917	1·185	1·943	3·643	7·322	17·267	26·905
		F.	2·489	8·857	·878	·390	·547	·664	·833	1·132	1·447	2·947	6·005	14·032	27·206
	26.–WORCESTERSHIRE.														
383	STOURBRIDGE	M.	2·393	8·387	·781	·475	·629	·725	·759	1·030	1·757	3·016	7·050	16·471	45·714
		F.	2·158	6·880	·765	·378	·577	·856	·860	1·157	1·391	2·503	5·901	13·675	27·800
384	KIDDERMINSTER	M.	2·180	7·055	·863	·346	·511	·798	·750	1·083	1·535	2·817	5·719	14·904	29·167
		F.	2·087	5·962	·705	·655	·768	·859	·911	1·083	1·434	2·291	5·514	13·441	24·894
385	TENBURY	M.	1·756	3·636	·525	·493	·435	·557	·740	1·068	1·507	2·388	6·013	14·138	25·714
		F.	1·691	3·017	·782	·347	·987	·759	·726	·902	·957	1·888	4·231	10·500	24·118
386	MARTLEY	M.	1·813	4·294	·483	·415	·531	·690	·613	·777	1·541	2·460	6·197	14·031	30·000
		F.	1·758	3·819	·627	·466	·605	·806	·937	1·011	·988	2·079	4·203	11·447	24·688
387	WORCESTER *H*	M.	2·496	7·314	·752	·491	·539	·703	1·553	1·570	2·140	3·834	7·643	17·987	30·455
		F.	2·151	6·202	·750	·538	·612	·766	1·021	1·217	1·462	2·956	6·560	15·769	29·111
388	UPTON-ON-SEVERN *L*	M.	2·111	4·774	·849	·358	·546	·772	·990	1·490	2·027	2·848	6·559	15·944	33·000
		F.	1·900	4·292	·658	·580	·648	·852	1·012	1·102	1·479	2·562	5·012	12·526	25·909
389	EVESHAM	M.	1·875	5·324	·802	·842	·423	·751	·557	·706	1·211	1·992	5·559	14·538	38·182
		F.	1·876	4·590	·702	·529	·793	·899	1·070	1·152	1·040	2·017	4·557	13·175	35·000
390	PERSHORE	M.	1·736	4·510	·474	·382	·676	·602	·597	·781	1·013	2·339	5·125	14·561	51·111
		F.	1·763	3·743	·529	·335	·675	·907	·940	·966	1·008	2·111	4·884	12·958	27·308
391	DROITWICH	M.	1·813	4·863	·662	·309	·379	·621	·638	·891	1·410	2·126	5·596	12·123	28·182
		F.	1·816	4·428	·640	·423	·531	·832	·828	1·326	1·079	2·088	4·858	12·096	33·571
392	BROMSGROVE	M.	2·050	6·603	·654	·316	·486	·579	·742	·865	1·351	2·676	6·087	14·689	27·917
		F.	2·026	5·636	·734	·396	·504	·718	·843	1·161	1·316	3·049	5·835	13·804	28·667
393	KINGS NORTON	M.	1·827	5·623	·597	·384	·487	·673	·670	·841	1·488	2·628	7·177	15·420	31·667
		F.	1·612	5·136	·754	·401	·461	·415	·713	·908	1·238	2·484	5·124	14·098	34·400

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.												
				Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
	VI.—WEST MIDLAND COUNTIES—*cont.*															
	25.—STAFFORDSHIRE.															
367	Stafford *HLL*	M.	2·278	·072	·081	·297	·033	·269	·067	·413	·124	·236	·116	·038	·083	·419
		F.	2·175	·100	·087	·213	·075	·320	·052	·275	·147	·252	·107	·016	·039	·492
368	Stone	M.	2·076	·050	·048	·186	·016	·263	·096	·320	·162	·285	·155	·024	·082	·389
		F.	1·973	·060	·055	·194	·036	·315	·088	·270	·155	·221	·130	·012	·025	·412
369	Newcastle-under-Lyme	M.	2·290	·077	·058	·312	·014	·217	·090	·400	·119	·331	·082	·024	·120	·446
		F.	2·251	·088	·071	·313	·033	·351	·065	·315	·121	·270	·073	·004	·033	·514
370	Wolstanton	M.	2·653	·090	·143	·345	·006	·205	·116	·413	·099	·532	·088	·017	·140	·459
		F.	2·578	·084	·151	·362	·020	·286	·081	·353	·130	·446	·100	·007	·039	·519
371	Stoke-upon-Trent *H*	M.	2·789	·087	·126	·390	·016	·306	·116	·443	·116	·469	·092	·024	·161	·443
		F.	2·454	·096	·124	·397	·027	·315	·079	·331	·130	·324	·106	·011	·040	·474
372	Leek	M.	2·405	·057	·083	·437	·014	·338	·093	·332	·124	·262	·083	·031	·068	·483
		F.	2·389	·067	·078	·425	·041	·474	·069	·255	·153	·223	·083	·008	·031	·482
373	Cheadle	M.	2·134	·047	·063	·255	·031	·247	·087	·326	·141	·290	·113	·024	·131	·379
		F.	2·020	·050	·051	·267	·040	·300	·093	·262	·118	·224	·124	·005	·038	·448
374	Uttoxeter	M.	2·031	·046	·042	·238	·039	·247	·074	·257	·108	·236	·113	·035	·080	·516
		F.	2·016	·049	·042	·188	·048	·311	·066	·242	·173	·206	·144	·009	·037	·501
375	Burton-upon-Trent *L*	M.	2·083	·039	·063	·295	·020	·219	·084	·322	·124	·254	·098	·031	·111	·423
		F.	2·031	·059	·074	·304	·040	·262	·053	·280	·155	·235	·092	·014	·037	·426
376	Tamworth	M.	2·007	·055	·077	·296	·018	·185	·055	·345	·178	·243	·121	·041	·103	·290
		F.	1·949	·081	·076	·282	·050	·274	·044	·268	·193	·224	·093	·009	·030	·325
377	Lichfield	M.	1·956	·061	·063	·215	·018	·182	·052	·274	·122	·235	·135	·035	·099	·335
		F.	1·994	·062	·054	·260	·050	·233	·052	·247	·148	·239	·149	·009	·034	·457
378	Penkridge	M.	1·969	·081	·083	·243	·019	·165	·069	·242	·109	·215	·148	·021	·133	·441
		F.	2·023	·100	·072	·246	·033	·297	·049	·211	·142	·202	·105	·016	·050	·500
379	Wolverhampton *H*	M.	2·845	·136	·185	·413	·015	·227	·085	·243	·117	·547	·103	·025	·184	·465
		F.	2·673	·137	·178	·419	·041	·254	·072	·313	·125	·452	·093	·009	·061	·514
380	Walsall	M.	2·684	·168	·147	·413	·013	·193	·072	·335	·094	·447	·124	·023	·158	·447
		F.	2·543	·160	·141	·412	·031	·234	·047	·305	·124	·377	·104	·010	·054	·544
381	West Bromwich	M.	2·534	·150	·119	·389	·010	·167	·153	·272	·098	·457	·090	·015	·190	·424
		F.	2·349	·159	·104	·384	·031	·195	·130	·238	·114	·353	·089	·008	·059	·490
382	Dudley	M.	2·724	·117	·229	·406	·013	·142	·079	·334	·099	·480	·107	·021	·245	·452
		F.	2·489	·133	·228	·429	·029	·168	·063	·280	·104	·395	·104	·008	·067	·481
	26.—WORCESTERSHIRE.															
383	Stourbridge	M.	2·393	·089	·135	·308	·019	·177	·068	·269	·102	·469	·098	·028	·166	·465
		F.	2·158	·114	·128	·311	·033	·210	·048	·212	·131	·351	·104	·009	·058	·449
384	Kidderminster	M.	2·180	·092	·087	·273	·013	·258	·095	·262	·115	·381	·110	·035	·083	·376
		F.	2·087	·107	·073	·222	·051	·208	·087	·231	·144	·290	·128	·013	·040	·433
385	Tenbury	M.	1·756	·024	·024	·208	·013	·116	·051	·224	·170	·200	·086	·035	·124	·481
		F.	1·691	·054	·034	·149	·014	·203	·046	·169	·189	·171	·117	·009	·029	·507
386	Martley	M.	1·813	·068	·024	·173	·011	·158	·033	·240	·220	·165	·100	·033	·101	·487
		F.	1·758	·057	·036	·174	·040	·221	·030	·160	·187	·170	·076	·011	·043	·553
387	Worcester *H*	M.	2·496	·072	·132	·294	·021	·261	·052	·303	·174	·385	·139	·057	·129	·477
		F.	2·151	·066	·110	·232	·057	·274	·033	·236	·197	·274	·097	·017	·050	·508
388	Upton-on-Severn *L*	M.	2·111	·057	·050	·170	·017	·184	·052	·412	·209	·214	·109	·038	·095	·504
		F.	1·900	·072	·053	·148	·046	·236	·034	·289	·185	·196	·085	·012	·028	·516
389	Evesham	M.	1·875	·066	·059	·245	·021	·172	·036	·249	·118	·197	·069	·022	·082	·539
		F.	1·876	·075	·046	·252	·038	·296	·035	·203	·121	·132	·078	·004	·033	·563
390	Pershore	M.	1·736	·028	·076	·155	·013	·160	·053	·193	·163	·194	·088	·028	·095	·490
		F.	1·763	·055	·069	·137	·054	·204	·048	·159	·163	·153	·099	·007	·022	·593
391	Droitwich	M.	1·813	·049	·061	·227	·020	·154	·038	·191	·130	·217	·097	·032	·112	·485
		F.	1·815	·053	·053	·217	·045	·210	·046	·175	·173	·156	·089	·009	·044	·525
392	Bromsgrove	M.	2·050	·061	·068	·260	·020	·224	·048	·223	·138	·307	·129	·024	·060	·488
		F.	2·026	·066	·080	·224	·041	·243	·044	·177	·202	·297	·121	·008	·026	·497
393	Kings Norton	M.	1·827	·074	·086	·235	·021	·159	·082	·201	·105	·329	·109	·036	·083	·307
		F.	1·613	·067	·072	·224	·041	·179	·066	·164	·097	·272	·102	·013	·031	·284

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	VI.—WEST MIDLAND COUNTIES—*cont.*														
	27.—WARWICKSHIRE.														
394	Birmingham *HHL*	M.	2·804	10·029	1·031	·497	·653	·792	1·012	1·624	2·587	4·581	9·535	19·792	38·889
		F.	2·503	8·866	·990	·490	·656	·737	·985	1·372	1·908	3·523	7·844	17·445	34·545
395	Aston	M.	2·168	7·764	·841	·424	·452	·598	·690	1·016	1·663	3·400	6·914	15·263	28·276
		F.	2·036	6·567	·812	·395	·538	·675	·745	1·134	1·508	2·803	6·510	14·925	27·455
396	Meriden	M.	1·847	4·864	·537	·365	·503	·635	·722	·802	1·408	2·347	5·381	11·856	45·455
		F.	1·850	4·163	·449	·615	·860	·613	·914	1·034	1·058	1·735	5·299	11·610	38·125
397	Atherstone	M.	1·967	5·700	·557	·310	·527	·398	·854	·972	1·800	2·526	4·939	14·839	27·273
		F.	1·998	5·200	·571	·502	·646	·613	·788	1·385	1·158	2·413	5·155	14·211	23·667
398	Nuneaton	M.	2·844	7·773	·689	·313	·756	·719	·791	·899	1·293	2·577	6·464	15·000	16·111
		F.	2·171	6·400	·568	·442	·805	·983	·926	1·193	1·545	2·367	5·909	17·653	30·834
399	Foleshill	M.	2·566	9·395	·832	·384	·797	·989	·849	·920	1·081	2·363	5·389	13·770	38·235
		F.	2·383	7·576	·741	·536	·887	·987	1·110	1·048	1·370	2·813	4·932	14·706	33·500
400	Coventry *H*	M.	2·673	11·194	·714	·456	·608	·746	·863	1·061	1·599	3·018	6·402	17·434	25·455
		F.	2·395	9·212	·753	·363	·674	·862	·985	1·333	1·603	3·099	6·098	13·700	25·143
401	Rugby	M.	1·873	5·271	·737	·438	·428	·705	·861	·889	1·415	2·319	5·903	15·127	29·130
		F.	1·880	4·931	·703	·469	·769	·880	·881	·931	1·238	2·107	5·115	15·202	32·000
402	Solihull	M.	1·910	4·485	·775	·402	·608	·846	·667	1·000	1·334	2·462	5·145	17·030	30·000
		F.	1·738	3·648	·447	·558	·632	·739	·816	·867	1·085	2·237	4·821	11·214	43·750
403	Warwick *HL*	M.	2·218	6·356	·773	·421	·676	·872	1·169	1·201	1·980	2·885	6·694	12·368	44·000
		F.	1·941	5·345	·832	·507	·713	·817	·986	1·067	1·421	2·454	5·434	14·347	28·431
404	Stratford-on-Avon	M.	1·968	5·277	·660	·494	·445	·778	·795	·908	1·300	2·411	6·325	13·780	30·000
		F.	1·904	4·220	·535	·503	·791	·886	1·140	1·164	1·322	2·446	5·264	14·128	27·333
405	Alcester	M.	2·073	6·340	·568	·349	·583	·892	·856	1·037	1·124	2·289	5·343	14·318	47·143
		F.	2·064	5·613	·808	·546	·928	1·027	1·189	1·005	·986	2·109	5·194	12·581	35·000
406	Shipston-on-Stour	M.	1·922	5·428	·388	·494	·473	·595	·638	·871	1·317	1·992	6·000	15·212	32·631
		F.	2·016	4·408	·642	·562	·786	1·077	1·109	1·111	1·240	2·428	5·789	15·333	38·947
407	Southam	M.	1·818	5·342	·620	·294	·397	·758	·662	·713	1·141	2·105	5·392	15·128	53·333
		F.	1·936	4·474	·509	·607	·658	·791	1·076	1·324	1·219	2·430	5·825	11·235	28·571
	VII.—NORTH MIDLAND COUNTIES.														
	28.–LEICESTERSHIRE.														
408	Lutterworth	M.	1·904	5·052	·637	·355	·473	·768	·879	·704	1·131	2·319	5·407	14·599	24·286
		F.	1·917	4·232	·587	·511	·769	1·009	·986	1·032	1·255	2·206	6·016	13·423	25·000
409	Market Harborough	M.	1·994	6·121	·588	·378	·489	·648	·717	·718	1·223	2·491	6·233	14·915	41·667
		F.	1·987	4·447	·827	·511	·909	·853	·892	1·179	1·231	2·092	5·802	14·685	38·125
410	Billesdon	M.	1·627	4·180	·414	·461	·411	·647	·573	·875	·828	2·151	6·118	13·519	24·286
		F.	1·555	3·811	·396	·409	·697	·901	·600	·930	·915	2·430	4·783	11·034	34·286
411	Blaby	M.	2·202	7·803	·623	·397	·569	·788	·743	·945	·962	2·060	5·993	13·404	25·455
		F.	2·095	5·863	·741	·542	·960	·971	·963	1·087	1·256	2·483	5·373	13·302	23·529
412	Hinckley	M.	2·358	7·969	·530	·377	·688	·850	·906	·821	1·299	2·500	6·152	16·389	25·000
		F.	2·369	6·847	·556	·538	·626	·999	1·166	1·274	1·565	3·069	6·502	16·228	32·857
413	Market Bosworth	M.	1·877	4·922	·565	·537	·473	·840	·632	·516	1·288	2·355	5·068	14·769	27·778
		F.	1·894	4·364	·543	·503	·654	1·173	1·090	·980	1·182	2·266	5·352	12·500	40·833
414	Ashby-de-la-Zouch	M.	2·134	6·665	·870	·611	·568	·673	·875	·741	1·191	1·988	5·378	14·365	27·857
		F.	2·034	5·446	·631	·520	·686	·819	1·005	1·091	1·148	2·413	5·829	12·744	33·000
415	Loughborough	M.	2·334	7·672	·793	·325	·588	·766	·881	·842	1·217	2·589	5·923	15·930	49·375
		F.	2·221	6·629	·759	·496	·976	1·039	1·219	1·337	1·261	2·394	5·203	13·037	26·667
416	Barrow-upon-Soar	M.	2·121	6·729	·658	·298	·538	·799	·864	·856	1·105	2·345	5·369	13·924	35·238
		F.	2·213	6·251	·581	·513	·868	1·097	1·201	1·213	1·242	2·260	6·071	15·541	25·238
417	Leicester *HL*	M.	2·720	10·050	·752	·418	·683	·987	·892	1·196	1·885	3·262	7·058	15·323	39·310
		F.	2·381	8·723	·869	·452	·732	·819	·991	1·251	1·520	3·024	6·505	13·683	38·293
418	Melton Mowbray	M.	1·883	5·420	·650	·485	·445	·536	·669	·832	1·115	2·299	5·654	15·034	33·000
		F.	1·861	3·951	·720	·522	·933	·839	·912	1·102	1·341	2·250	5·610	14·157	26·154

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.												
				Typhus.	*Cholera, Diarrhœa, and Dysentery.*	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
	VI.—WEST MIDLAND COUNTIES—*cont.*															
	27.—WARWICKSHIRE.															
394	Birmingham *HHL*	M.	2·804	·102	·232	·407	·022	·300	·113	·288	·123	·518	·103	·040	·137	·419
		F.	2·503	·112	·207	·385	·047	·243	·079	·231	·125	·433	·108	·019	·080	·434
395	Aston	M.	2·168	·071	·178	·329	·017	·218	·098	·225	·096	·396	·098	·024	·085	·333
		F.	2·036	·078	·166	·316	·044	·196	·070	·192	·114	·343	·099	·012	·043	·363
396	Meriden	M.	1·847	·064	·094	·165	·014	·150	·055	·252	·156	·304	·108	·027	·088	·370
		F.	1·850	·044	·100	·169	·044	·178	·052	·197	·192	·286	·139	·012	·030	·407
397	Atherstone	M.	1·967	·082	·108	·245	·009	·113	·070	·228	·115	·281	·132	·046	·129	·409
		F.	1·998	·067	·150	·225	·045	·192	·074	·212	·165	·222	·155	·020	·030	·441
398	Nuneaton	M.	2·344	·125	·093	·219	·038	·206	·049	·298	·167	·314	·108	·032	·106	·589
		F.	2·171	·153	·095	·203	·057	·249	·052	·218	·201	·235	·079	·010	·037	·579
399	Foleshill	M.	2·536	·122	·173	·292	·005	·234	·112	·249	·108	·335	·116	·019	·114	·687
		F.	2·383	·147	·141	·246	·040	·270	·090	·189	·129	·272	·098	·006	·042	·718
400	Coventry *H*	M.	2·673	·109	·343	·332	·015	·259	·096	·264	·107	·444	·101	·028	·078	·497
		F.	2·395	·106	·271	·281	·049	·253	·069	·224	·150	·360	·107	·014	·040	·471
401	Rugby	M.	1·873	·078	·066	·226	·014	·174	·064	·218	·101	·221	·108	·028	·082	·493
		F.	1·880	·085	·053	·203	·037	·242	·052	·205	·112	·194	·105	·012	·033	·544
402	Solihull	M.	1·910	·045	·082	·174	·038	·198	·091	·216	·174	·326	·117	·045	·077	·327
		F.	1·738	·051	·073	·138	·054	·171	·063	·202	·185	·310	·119	·014	·036	·319
403	Warwick *HL*	M.	2·218	·100	·095	·249	·022	·278	·080	·282	·131	·313	·129	·039	·086	·414
		F.	1·941	·112	·081	·201	·050	·229	·064	·193	·143	·226	·122	·018	·029	·443
404	Stratford-on-Avon	M.	1·968	·044	·079	·239	·024	·180	·067	·226	·112	·278	·132	·025	·072	·490
		F.	1·904	·064	·064	·200	·068	·238	·059	·190	·127	·230	·116	·012	·034	·502
405	Alcester	M.	2·073	·064	·092	·237	·010	·218	·055	·201	·126	·371	·112	·027	·066	·494
		F.	2·064	·079	·067	·199	·034	·270	·047	·188	·152	·301	·121	·010	·030	·566
406	Shipston-on-Stour	M.	1·922	·075	·065	·173	·014	·161	·089	·223	·120	·247	·100	·035	·085	·535
		F.	2·016	·080	·090	·186	·033	·271	·073	·197	·168	198	·100	·017	·025	·558
407	Southam	M.	1·818	·115	·076	·211	·013	·132	·063	·187	·100	·254	·102	·020	·061	·490
		F.	1·936	·123	·047	·200	·024	·215	·063	·198	·176	·214	·099	·006	·036	·505
	VII.—NORTH MIDLAND COUNTIES.															
	28.—LEICESTERSHIRE.															
408	Lutterworth	M.	1·904	·065	·048	·255	·020	·152	·075	·310	·121	·240	·129	·040	·063	·386
		F.	1·917	·070	·040	·224	·052	·223	·044	·277	·137	·210	·116	·013	·029	·482
409	Market Harborough	M.	1·994	·066	·067	·227	·011	·161	·046	·264	·133	·221	·118	·029	·084	·567
		F.	1·987	·072	·062	·243	·031	·281	·048	·204	·135	·166	·114	·020	·028	·583
410	Billesdon	M.	1·627	·031	·017	·137	·011	·200	·025	·221	·101	·137	·145	·020	·081	·421
		F.	1·555	·051	·031	·138	·039	·261	·025	·168	·140	·140	·118	·011	·022	·411
411	Blaby	M.	2·202	·121	·168	·238	·010	·184	·088	·319	·077	·302	·110	·031	·060	·494
		F.	2·095	·120	·107	·252	·039	·257	·063	·286	·101	·241	·123	·013	·026	·467
412	Hinckley	M.	2·358	·115	·095	·267	·025	·242	·097	·391	·131	·4·9	·138	·033	·069	·436
		F.	2·369	·137	·112	·248	·036	·274	·101	·323	·149	·288	·129	·009	·031	·532
413	Market Bosworth	M.	1·877	·079	·028	·177	·009	·177	·035	·341	·144	·214	·091	·035	·068	·484
		F.	1·891	·104	·024	·170	·043	·319	·034	·264	·134	·125	·084	·004	·054	·555
414	Ashby-de-la-Zouch	M.	2·134	·062	·056	·286	·010	·166	·082	·355	·129	·306	·118	·035	·129	·400
		F.	2·034	·064	·015	·265	·034	·250	·067	·276	·151	·236	·121	·006	·037	·482
415	Loughborough	M.	2·334	·081	·077	·233	·028	·245	·105	·334	·125	·329	·123	·028	·077	·529
		F.	2·221	·108	·074	·229	·050	·330	·078	·273	·134	·276	·107	·009	·043	·510
416	Barrow-upon-Soar	M.	2·121	·070	·092	·259	·022	·206	·090	·319	·144	·280	·099	·032	·085	·423
		F.	2·213	·095	·081	·272	·036	·339	·075	·320	·170	·237	·084	·008	·035	·461
417	Leicester *HL*	M.	2·720	·125	·251	·333	·020	·297	·108	·337	·114	·390	·105	·039	·091	·510
		F.	2·381	·145	·186	·313	·045	·298	·073	·256	·122	·294	·095	·016	·035	·503
418	Melton Mowbray	M.	1·883	·073	·051	·204	·026	·180	·047	·231	·118	·259	·127	·043	·083	·441
		F.	1·861	·080	·037	·188	·032	·280	·030	·217	·113	·248	·125	·013	·026	·472

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	VII.—NORTH MIDLAND COUNTIES—*cont.*														
	29.—RUTLANDSHIRE.														
419	Oakham	M.	1·858	4·700	·505	·315	·460	·596	·885	·749	1·379	2·600	6·114	13·814	33·333
		F.	1·893	4·250	·620	·631	·851	·644	·975	1·073	1·167	2·603	4·856	14·158	42·500
420	Uppingham	M.	1·722	4·392	·686	·438	·340	·644	·699	·816	1·000	2·125	5·197	13·960	36·923
		F.	1·790	4·005	·511	·413	·786	1·039	·723	·832	1·059	2·078	5·751	13·211	43·846
	30.—LINCOLNSHIRE.														
421	Stamford *H*	M.	2·020	6·095	·657	·468	·474	·794	·798	·955	1·338	2·942	6·715	14·655	27·059
		F.	1·909	5·071	·774	·516	·720	·884	·778	1·032	1·367	2·151	5·119	14·671	32·500
422	Bourn	M.	1·833	5·685	·677	·517	·533	·625	·545	·777	1·161	1·958	5·585	12·023	30·435
		F.	1·878	5·011	·527	·406	·798	·729	1·039	1·104	1·121	2·006	4·904	11·623	28·929
423	Spalding	M.	2·112	6·932	·665	·497	·561	·709	·779	1·087	1·398	2·471	5·749	12·230	48·462
		F.	1·984	5·604	·767	·489	·710	·849	·949	1·059	1·362	2·367	5·459	12·715	33·077
424	Holbeach	M.	2·200	7·745	·880	·464	·704	1·054	·744	·948	1·515	2·369	5·466	14·757	25·385
		F.	2·069	6·103	·915	·578	·875	·792	·973	1·184	1·161	2·379	5·251	11·500	46·429
425	Boston	M.	2·017	6·066	·686	·437	·583	·917	·782	·928	1·400	2·678	5·936	13·265	34·054
		F.	1·884	5·439	·628	·431	·764	·843	·903	1·029	1·169	2·059	4·987	10·808	30·000
426	Sleaford	M.	1·860	5·644	·704	·411	·469	·596	·741	·798	1·170	2·144	4·947	13·220	33·846
		F.	1·906	5·261	·742	·575	·596	·875	·950	·981	1·224	1·969	5·277	11·728	30·000
427	Grantham	M.	1·884	5·764	·709	·489	·456	·719	·692	·935	1·239	2·176	5·583	14·462	27·826
		F.	1·864	5·072	·782	·527	·670	·785	·787	·973	1·110	2·362	4·586	12·655	33·000
428	Lincoln *HL*	M.	2·113	6·352	·755	·528	·560	·751	·993	1·270	1·735	2·631	5·840	14·435	32·500
		F.	1·975	5·393	·790	·521	·784	·939	·887	1·084	1·259	2·344	5·507	12·692	31·778
429	Horncastle	M.	1·943	5·588	·854	·480	·572	·611	·665	·952	1·165	2·127	5·294	14·568	30·357
		F.	1·843	4·697	·784	·543	·709	1·045	·821	·863	1·305	1·795	4·948	11·018	18·723
430	Spilsby	M.	1·897	5·516	·733	·481	·603	·894	·767	·949	1·219	1·970	4·955	12·167	29·375
		F.	1·901	4·609	·742	·611	·902	1·297	1·083	·992	1·183	2·026	4·158	12·825	27·381
431	Louth	M.	2·010	5·980	·780	·420	·714	·818	·733	·966	1·326	2·225	5·339	13·991	33·438
		F.	1·987	4·985	·917	·634	·873	1·087	1·080	1·224	1·172	2·101	4·275	12·289	30·682
432	Caistor	M.	1·942	6·189	·967	·460	·640	·879	·787	·852	1·147	2·175	4·775	12·922	30·000
		F.	1·812	4·732	·788	·560	·865	·883	·985	·949	1·165	2·088	4·306	11·385	25·000
433	Glanford Brigg	M.	1·861	5·265	·694	·472	·603	·857	·711	·828	1·259	2·050	4·810	13·232	28·333
		F.	1·880	4·529	·735	·493	·771	1·045	1·011	·966	1·230	1·977	4·737	12·883	30·612
434	Gainsborough	M.	1·985	6·357	·743	·488	·561	·817	·579	·836	1·179	2·178	4·935	13·460	23·333
		F.	2·004	5·270	·925	·569	·663	·945	1·099	·932	1·320	2·165	4·532	12·063	28·205
	31.—NOTTINGHAMSHIRE.														
435	East Retford	M.	1·905	5·401	·789	·488	·548	·694	·786	·837	1·245	2·070	4·651	11·878	24·688
		F.	1·919	4·827	·706	·416	·772	·811	·977	·976	1·094	2·321	4·884	12·257	27·059
436	Worksop	M.	1·987	5·843	·743	·493	·548	·683	·990	·884	1·265	2·577	5·529	13·784	36·923
		F.	1·915	4·600	·656	·486	·776	1·056	1·001	1·004	1·146	2·373	5·609	13·418	30·435
437	Mansfield	M.	2·123	7·124	·719	·442	·628	·773	·614	·708	1·224	2·569	5·940	14·507	38·636
		F.	2·134	5·709	·670	·463	·788	·909	1·115	1·183	1·505	2·429	6·321	14·695	33·077
438	Basford	M.	2·270	7·937	·796	·483	·665	·938	·673	·891	1·155	2·376	5·952	14·051	33·191
		F.	2·317	6·748	·765	·503	·965	1·203	1·252	1·205	1·433	2·827	6·121	13·673	34·528
439	Radford *L*	M.	2·619	9·969	1·008	·515	·721	·896	·785	·967	1·654	3·115	6·582	16·837	45·714
		F.	2·450	8·658	·893	·494	·980	1·120	1·242	1·193	1·569	3·341	6·894	16·016	33·846
440	Nottingham *H*	M.	2·895	10·853	·912	·506	·695	·903	·984	1·213	2·109	3·605	7·648	16·902	32·727
		F.	2·475	9·585	·874	·556	·911	·954	1·048	1·251	1·828	3·126	7·338	17·224	26·667
441	Southwell	M.	1·847	5·156	·553	·407	·456	·791	·635	·772	1·173	2·030	5·701	12·445	25·429
		F.	1·857	4·049	·687	·637	·785	·896	·837	1·161	1·181	2·083	4·702	12·922	26·250
442	Newark	M.	1·965	5·864	·749	·516	·478	·877	·637	·920	1·285	2·174	5·266	11·474	28·857
		F.	1·971	4·819	·811	·551	·779	·906	1·121	1·115	1·129	2·100	4·778	13·152	34·324
443	Bingham	M.	1·866	5·307	·504	·395	·636	·841	·648	·746	1·005	2·320	4·817	13·308	28·000
		F.	1·901	4·971	·542	·594	·865	·943	1·091	·910	1·325	1·866	5·325	9·270	24·286

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.													
				Typhus.	*Cholera, Diarrhœa, and Dysentery.*	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
	VII.—NORTH MIDLAND COUNTIES—*cont.*																
	29.—RUTLANDSHIRE.																
419	Oakham - - - - - -	M.	1·858	·072	·062	·171	·021	·176	·030	·244	·102	·265	·134	·023	·079	·479
		F.	1·893	·085	·090	·202	·039	·248	·034	·264	·142	·204	·119	·007	·028	·431
420	Uppingham - - - - -	M.	1·722	·041	·029	·221	·019	·198	·033	·271	·092	·243	·081	·022	·054	·418
		F.	1·790	·049	·030	·212	·022	·275	·043	·236	·139	·190	·104	·005	·029	·456
	30.—LINCOLNSHIRE.																
421	Stamford *H* - - - - -	M.	2·020	·058	·068	·278	·030	·163	·047	·278	·130	·242	·136	·034	·107	·449
		F.	1·909	·094	·064	·272	·048	·213	·050	·210	·125	·168	·117	·006	·033	·509
422	Bourn - - - - - -	M.	1·833	·089	·063	·200	·017	·140	·039	·307	·090	·218	·091	·024	·090	·465
		F.	1·878	·085	·072	·204	·033	·205	·035	·263	·116	·187	·122	·008	·035	·513
423	Spalding - - - - -	M.	2·112	·074	·089	·310	·032	·151	·038	·257	·092	·295	·091	·033	·119	·531
		F.	1·984	·075	·099	·301	·059	·222	·033	·205	·095	·236	·077	·004	·059	·519
424	Holbeach - - - - -	M.	2·200	·108	·095	·336	·019	·183	·044	·223	·081	·307	·080	·033	·105	·586
		F.	2·069	·082	·071	·390	·042	·231	·035	·219	·098	·216	·088	·019	·050	·528
425	Boston - - - - - -	M.	2·017	·074	·052	·271	·016	·182	·051	·306	·099	·222	·095	·027	·125	·497
		F.	1·884	·066	·050	·233	·049	·237	·036	·264	·104	·184	·088	·015	·048	·510
426	Sleaford - - - - -	M.	1·860	·074	·095	·235	·019	·137	·052	·287	·091	·251	·100	·030	·080	·409
		F.	1·906	·104	·103	·265	·049	·189	·053	·232	·102	·196	·094	·015	·036	·468
427	Grantham - - - - -	M.	1·884	·095	·059	·241	·023	·174	·071	·266	·113	·225	·108	·026	·090	·393
		F.	1·864	·099	·047	·267	·045	·224	·055	·262	·126	·163	·103	·005	·028	·440
428	Lincoln *HL* - - - -	M.	2·113	·107	·074	·264	·021	·192	·057	·407	·093	·211	·094	·036	·123	·434
		F.	1·975	·104	·071	·272	·046	·233	·056	·289	·109	·162	·082	·010	·043	·498
429	Horncastle - - - - -	M.	1·945	·070	·044	·287	·020	·142	·050	·310	·106	·153	·077	·023	·068	·595
		F.	1·843	·074	·034	·242	·038	·197	·040	·249	·127	·111	·090	·004	·038	·599
430	Spilsby - - - - - -	M.	1·897	·070	·035	·225	·026	·211	·055	·316	·084	·118	·081	·029	·112	·535
		F.	1·901	·075	·036	·232	·044	·326	·039	·291	·092	·102	·061	·012	·043	·548
431	Louth - - - - - -	M.	2·010	·056	·064	·242	·022	·226	·055	·394	·098	·146	·075	·031	·088	·533
		F.	1·987	·070	·043	·254	·033	·308	·035	·314	·112	·098	·065	·010	·033	·614
432	Caistor - - - - - -	M.	1·942	·095	·119	·280	·014	·159	·059	·317	·105	·184	·096	·029	·119	·366
		F.	1·812	·099	·098	·262	·035	·221	·045	·273	·095	·147	·115	·010	·036	·376
433	Glanford Brigg - - - -	M.	1·861	·073	·085	·210	·022	·196	·056	·329	·099	·207	·089	·036	·100	·359
		F.	1·880	·068	·069	·253	·040	·277	·048	·282	·109	·191	·089	·009	·037	·408
434	Gainsborough - - - -	M.	1·985	·069	·080	·256	·026	·148	·046	·318	·096	·229	·110	·044	·127	·436
		F.	2·004	·072	·095	·305	·045	·217	·034	·258	·106	·205	·114	·019	·046	·488
	31.—NOTTINGHAMSHIRE.																
435	East Retford - - - -	M.	1·905	·091	·063	·273	·021	·171	·037	·344	·075	·247	·101	·029	·095	·358
		F.	1·919	·109	·051	·260	·043	·217	·047	·325	·100	·198	·106	·013	·032	·418
436	Worksop - - - - -	M.	1·987	·076	·046	·276	·018	·180	·046	·360	·126	·200	·107	·027	·094	·431
		F.	1·915	·066	·055	·281	·044	·264	·042	·254	·150	·129	·101	·006	·027	·496
437	Mansfield - - - - -	M.	2·123	·085	·034	·226	·011	·210	·065	·357	·112	·221	·102	·021	·089	·590
		F.	2·134	·086	·041	·254	·032	·283	·068	·289	·159	·180	·077	·007	·039	·619
438	Basford - - - - -	M.	2·270	·089	·090	·279	·015	·233	·062	·346	·109	·307	·088	·022	·115	·515
		F.	2·317	·107	·085	·303	·036	·348	·055	·259	·165	·274	·100	·009	·036	·540
439	Radford *L* - - - - -	M.	2·619	·103	·201	·394	·020	·259	·131	·425	·096	·413	·093	·018	·063	·403
		F.	2·450	·125	·192	·312	·050	·349	·095	·318	·130	·348	·086	·012	·024	·499
440	Nottingham *H* - - - -	M.	2·895	·107	·230	·344	·017	·336	·102	·422	·121	·491	·110	·048	·092	·475
		F.	2·475	·103	·170	·315	·052	·319	·061	·328	·147	·382	·097	·013	·044	·444
441	Southwell - - - - -	M.	1·847	·046	·024	·209	·018	·201	·035	·345	·113	·179	·082	·027	·085	·483
		F.	1·857	·057	·018	·202	·047	·278	·031	·290	·132	·161	·086	·004	·038	·513
442	Newark - - - - - -	M.	1·965	·070	·055	·280	·023	·181	·082	·277	·134	·202	·089	·027	·092	·453
		F.	1·971	·087	·059	·291	·055	·245	·073	·234	·127	·182	·095	·006	·042	·477
443	Bingham - - - - -	M.	1·866	·076	·108	·163	·016	·201	·072	·277	·135	·361	·140	·030	·057	·230
		F.	1·901	·091	·083	·156	·032	·288	·075	·237	·147	·356	·148	·006	·026	·256

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	VII.—NORTH MIDLAND COUNTIES—*cont.*														
	32.—DERBYSHIRE.														
444	Shardlow	M.	2·005	5·506	·634	·536	·632	·823	·881	·840	1·281	2·358	5·316	14·251	37·857
		F.	2·057	5·052	·786	·584	·886	1·151	1·243	1·188	1·498	2·101	5·438	14·390	28·000
445	Derby *H*	M.	2·333	8·784	·950	·552	·846	1·045	1·033	1·298	2·032	3·646	7·412	14·654	29·048
		F.	2·296	7·441	·953	·580	·984	1·030	1·251	1·285	1·664	3·075	6·286	15·217	30·303
446	Belper	M.	2·036	5·869	·734	·543	·660	·838	·742	·950	1·421	2·709	6·856	16·545	36·000
		F.	2·064	5·032	·675	·585	1·039	1·166	1·121	1·309	1·572	2·763	5·901	15·185	31·578
447	Ashborne	M.	1·922	4·353	·680	·411	·621	·955	·841	1·099	1·247	2·571	5·508	14·269	32·143
		F.	1·987	4·084	·765	·501	·735	·987	1·213	1·178	1·308	2·334	5·370	14·615	27·586
448	Chesterfield	M.	2·207	7·249	·758	·603	·717	·848	·865	1·051	1·520	2·963	6·523	15·283	28·750
		F.	2·209	5·790	·830	·511	·860	1·040	1·131	1·250	1·601	2·952	6·460	13·832	28·421
449	Bakewell	M.	1·972	5·136	·786	·575	·651	·943	·714	·915	1·410	2·668	6·124	14·608	46·250
		F.	2·048	4·362	·702	·619	·993	1·011	1·029	1·499	1·584	2·766	6·650	15·361	32·174
450	Chapel-en-le-Frith	M.	1·955	5·120	1·013	·666	·778	·732	·662	·961	1·292	2·530	7·488	16·500	40·000
		F.	1·985	4·516	·783	·543	·940	·810	1·039	1·153	1·609	3·420	6·000	16·494	52·000
451	Hayfield	M.	2·402	8·578	1·231	·647	·969	·934	·807	·962	1·719	3·106	7·578	17·727	27·333
		F.	2·262	6·871	1·076	·775	1·134	1·145	1·176	1·350	1·636	3·057	7·195	15·020	35·000
	VIII.—NORTH WESTERN COUNTIES.														
	33.—CHESHIRE.														
452	Stockport *HL*	M.	2·087	9·696	·957	·516	·892	·943	·887	1·286	2·135	3·975	8·335	16·884	35·161
		F.	2·451	8·768	·865	·553	·904	·932	1·130	1·505	1·988	3·826	8·333	16·561	29·524
453	Macclesfield	M.	2·533	8·676	·899	·719	·945	1·009	·987	1·094	1·870	3·559	7·635	14·739	34·194
		F.	2·427	7·115	·888	·690	1·347	1·228	1·308	1·483	1·901	3·405	7·810	15·174	32·353
454	Altrincham	M.	2·061	5·948	·773	·452	·676	·776	·834	1·301	1·616	2·888	6·284	15·959	28·571
		F.	1·905	4·807	·611	·483	·765	·849	1·085	1·161	1·507	2·629	5·982	15·659	37·083
455	Runcorn	M.	2·144	6·887	·939	·552	·541	·736	·946	1·185	1·826	3·256	6·722	15·203	30·000
		F.	2·074	5·622	·870	·564	·635	·885	1·129	1·270	1·757	2·683	5·455	11·788	34·737
456	Northwich	M.	2·322	7·458	·810	·571	·708	·857	·869	1·189	1·339	2·836	6·059	15·150	34·211
		F.	2·135	5·630	·777	·508	·717	1·026	1·280	1·192	1·457	2·271	6·494	12·642	32·333
457	Congleton	M.	2·561	7·236	·944	·739	·885	1·054	·811	1·020	1·438	3·221	6·744	16·064	30·000
		F.	2·307	6·291	1·011	·761	1·120	1·228	1·214	1·471	1·509	3·003	7·013	14·643	33·913
458	Nantwich*	M.	1·999	6·214	·761	·499	·586	·662	·684	·935	1·161	2·313	5·827	13·891	32·286
		F.	2·094	5·333	·912	·508	·619	·849	·988	1·032	1·286	2·225	6·079	12·218	22·727
459	Great Boughton (Chester)* *HL*	M.	2·323	6·383	·843	·444	·651	1·130	1·127	1·504	2·293	3·333	7·121	14·789	31·000
		F.	2·116	5·631	·835	·495	·632	·904	1·119	1·295	1·659	2·952	5·621	13·014	25·972
460	Wirral *H*	M.	2·030	6·617	·836	·503	·655	·723	·801	1·295	1·857	3·204	7·171	14·000	44·706
		F.	1·773	5·792	·827	·492	·525	·532	·758	1·158	1·436	2·652	5·798	12·381	25·116
	34.—LANCASHIRE.														
461	Liverpool *HH*	M.	3·523	13·741	1·457	·583	·825	1·187	1·596	2·294	3·311	5·350	10·635	19·847	28·333
		F.	3·142	12·654	1·433	·595	·716	·948	1·373	1·877	2·686	4·647	8·509	15·686	29·286
462	West Derby	M.	2·438	8·290	·993	·543	·601	·819	·936	1·314	2·084	3·879	7·752	16·293	31·818
		F.	2·127	7 412	·959	·461	·538	·613	·901	1·357	1·831	2·984	6·496	14·320	31·235
463	Prescot *L*	M.	2·441	7·631	1·067	·613	·710	·922	1·036	1·444	2·014	3·793	7·156	16·120	28·824
		F.	2·280	6·813	·929	·516	·654	·946	·953	1·397	1·731	3·071	7·321	14 568	23·000
464	Ormskirk	M.	2·011	5·724	·845	·400	·574	·850	·919	1·157	1·647	2·719	5·844	13·946	32·069
		F.	1·813	5·125	·785	·381	·744	·728	·886	1·173	1·439	2·692	4·786	13·176	22·222
465	Wigan	M.	2·756	9·436	1·092	·760	·911	1·073	1·036	1·205	2·013	3·248	7·561	14·727	30·294
		F.	2·604	8·598	·985	·536	·961	·975	1·026	1·339	1·712	3·209	6·840	15·472	28·462
466	Warrington *L*	M.	2·471	7·981	·781	·516	·709	·846	·951	1·407	2·231	3·580	7·711	18·623	25·789
		F.	2·316	7·219	·797	·470	·656	·910	1·021	1·321	1·891	3·041	6·577	12·595	34·583

* In calculating the Mortality of these Districts a correction has been made for

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.												
				Typhus.	*Cholera, Diarrhœa, and Dysentery.*	Other Zymotic Diseases.	Cancer.	PHTHISIS.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	DISEASES OF LUNGS.	Diseases of Stomach and Liver.	Diseases of Kidneys.	VIOLENT DEATHS.	Other Causes.
	VII.—NORTH MIDLAND COUNTIES—*cont.*															
	32.—DERBYSHIRE.															
444	SHARDLOW	M.	2·005	·056	·063	·231	·023	·266	·078	·268	·117	·276	·090	·047	·102	·453
		F.	2·057	·072	·070	·265	·057	·314	·061	·260	·157	·199	·101	·013	·041	·447
445	DERBY *H*	M.	2·533	·087	·107	·359	·015	·308	·111	·421	·143	·319	·109	·031	·111	·412
		F.	2·296	·100	·099	·290	·039	·362	·086	·301	·153	·275	·108	·013	·035	·435
446	BELPER	M.	2·036	·090	·053	·258	·016	·207	·077	·355	·151	·233	·099	·031	·105	·341
		F.	2·094	·088	·057	·258	·031	·336	·058	·310	·169	·215	·101	·009	·033	·399
447	ASHBORNE	M.	1·922	·057	·022	·226	·025	·226	·058	·298	·133	·198	·107	·032	·085	·455
		F.	1·987	·053	·044	·213	·046	·301	·073	·252	·194	·150	·097	·005	·037	·482
448	CHESTERFIELD	M.	2·207	·085	·058	·324	·012	·221	·062	·423	·131	·236	·084	·021	·164	·386
		F.	2·209	·105	·061	·331	·036	·306	·043	·357	·169	·203	·091	·007	·041	·459
449	BAKEWELL	M.	1·972	·061	·028	·219	·014	·235	·049	·361	·150	·220	·092	·028	·077	·438
		F.	2·048	·047	·021	·242	·020	·342	·038	·393	·205	·157	·103	·001	·025	·544
450	CHAPEL-EN-LE-FRITH	M.	1·955	·076	·027	·269	·010	·178	·073	·308	·143	·194	·108	·033	·103	·433
		F.	1·985	·074	·025	·254	·051	·325	·059	·261	·200	·163	·119	·008	·018	·428
451	HAYFIELD	M.	2·402	·093	·071	·395	·011	·338	·107	·361	·124	·292	·107	·036	·074	·393
		F.	2·262	·117	·076	·312	·020	·420	·074	·316	·145	·232	·113	·007	·035	·395
	VIII.—NORTH WESTERN COUNTIES.															
	33.—CHESHIRE.															
452	STOCKPORT *HH*	M.	2·087	·094	·260	·342	·014	·286	·090	·391	·103	·476	·112	·026	·114	·370
		F.	2·451	·092	215	·327	·037	·346	·065	·309	·124	·389	·111	·009	·043	·384
453	MACCLESFIELD	M.	2·543	·096	·123	·293	·018	·303	·116	·364	·144	·417	·135	·029	·085	·420
		F.	2·427	·099	·114	·236	·041	·446	·074	·278	·170	·375	·115	·007	·040	·432
454	ALTRINCHAM	M.	2·061	·058	·093	·240	·022	·237	·080	·319	·109	·296	·115	·026	·105	·341
		F.	1·905	·065	·086	·189	·033	·525	·064	·248	·116	·249	·113	·012	·033	·472
455	RUNCORN	M.	2·144	·056	·103	·369	·015	·247	·082	·283	·113	·280	·098	·032	·159	·337
		F.	2·074	·067	·104	·353	·045	·296	·079	·236	·121	·216	·129	·020	·038	·370
456	NORTHWICH	M.	2·322	·085	·055	·334	·019	·231	·093	·363	·098	·272	·122	·027	·141	·472
		F.	2·135	·087	·055	·279	·023	·291	·063	·311	·121	·233	·112	·013	·045	·502
457	CONGLETON	M.	2·361	·071	·060	·298	·009	·300	·119	·306	·081	·318	·135	·017	·104	·643
		F.	2·207	·074	·048	·305	·025	·435	·102	·257	·103	·283	·135	·004	·030	·506
458	NANTWICH *	M.	1·999	·066	·060	·282	·018	·172	·106	·297	·095	·243	·105	·021	·086	·448
		F.	2·004	·068	·037	·276	·038	·228	·091	·278	·094	·218	·103	·005	·053	·515
459	GREAT BOUGHTON (CHESTER)* *HH*	M.	2·323	·109	·080	·261	·030	·298	·065	·419	·146	·230	·110	·031	·121	·423
		F.	2·116	·102	·058	·244	·058	·309	·045	·295	·166	·192	·115	·008	·043	·481
460	WIRRAL *H*	M.	2·050	·068	·111	·360	·020	·193	·102	·240	·087	·281	·098	·024	·158	·310
		F.	1·773	·066	·097	·312	·034	·223	·079	·199	·088	·230	·089	·009	·031	·316
	34.—LANCASHIRE.															
461	LIVERPOOL *HH*	M.	3·523	·143	·298	·534	·018	·414	·160	·368	·119	·675	·112	·032	·208	·442
		F.	3·142	·131	·285	·500	·041	·394	·118	·298	·116	·579	·113	·016	·032	·469
462	WEST DERBY	M.	2·438	·088	·161	·417	·016	·311	·135	·286	·105	·375	·096	·023	·100	·325
		F.	2·127	·084	·133	·355	·038	·301	·089	·222	·098	·314	·097	·011	·037	·348
463	PRESCOT *L*	M.	2·441	·097	·152	·378	·012	·223	·112	·356	·078	·418	·097	·022	·203	·293
		F.	2·280	·103	·133	·377	·026	·244	·079	·322	·093	·370	·105	·014	·053	·361
464	ORMSKIRK	M.	2·011	·069	·116	·288	·014	·213	·069	·269	·081	·247	·115	·032	·119	·379
		F.	1·843	·081	·095	·267	·022	·258	·050	·245	·100	·215	·104	·008	·040	·358
465	WIGAN	M.	2·756	·125	·234	·406	·007	·228	·088	·358	·082	·386	·090	·021	·273	·458
		F.	2·604	·132	·230	·397	·020	·306	·064	·318	·099	·351	·094	·007	·055	·531
466	WARRINGTON *L*	M.	2·471	·085	·153	·339	·025	·253	·105	·428	·099	·346	·109	·024	·151	·354
		F.	2·316	·071	·130	·343	·033	·273	·077	·368	·108	·314	·107	·012	·059	·421

changes which occurred in the constitution of them during the 10 Years 1851-60.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	VIII.—NORTH WESTERN COUNTIES—*cont.*														
	34.—LANCASHIRE—*cont.*														
467	Leigh	M.	2·672	9·165	1·049	·596	·981	1·008	·943	1·149	1·725	3·233	6·971	16·364	35·714
		F.	2·366	7·380	·902	·519	·862	1·037	1·281	1·376	1·655	2·534	6·696	14·634	31·429
468	Bolton	M.	2·860	10·267	1·113	·612	·979	·941	·929	1·343	2·096	3·770	8·177	17·705	30·000
		F.	2·525	8·722	1·086	·607	·889	·944	1·043	1·320	1·807	3·257	6·914	15·442	29·643
469	Bury	M.	2·402	8·527	·848	·539	·800	·863	·881	1·102	1·874	3·489	7·607	16·335	41·818
		F.	2·233	7·221	·797	·511	·847	·955	1·111	1·316	1·831	3·044	7·346	13·927	32·703
470	Barton-upon-Irwell	M.	2·281	7·294	1·029	·535	·699	·906	·920	1·407	1·770	3·294	6·807	15·970	27·500
		F.	2·103	6·448	·870	·621	·774	·879	1·063	1·315	1·720	3·108	6·303	14·190	35·000
471	Chorlton	M.	2·524	9·497	·997	·463	·739	·729	·874	1·275	2·236	4·114	8·404	15·774	30·769
		F.	2·277	8·210	1·051	·410	·671	·702	·976	1·341	2·070	3·616	7·311	16·308	34·773
472	Salford	M.	2·766	10·327	1·158	·538	·639	·746	·905	1·516	2·384	4·608	8·386	19·604	34·211
		F.	2·452	9·190	1·045	·491	·643	·706	·885	1·409	2·054	3·557	7·551	16·519	37·273
473	Manchester *HL*	M.	3·365	12·380	1·277	·575	·843	1·014	1·293	2·035	3·170	5·266	10·066	19·528	44·255
		F.	2·950	11·070	1·220	·560	·785	·949	1·229	1·737	2·716	4·476	8·420	16·607	30·784
474	Ashton-under-Lyne	M.	2·811	10·538	1·164	·635	·973	1·006	·987	1·281	2·217	3·969	8·865	18·119	37·826
		F.	2·535	9·146	1·098	·566	1·005	1·040	1·226	1·510	1·815	3·610	7·878	17·287	35·143
475	Oldham	M.	2·643	9·985	·982	·508	·760	·779	·842	1·244	2·246	3·970	8·418	16·360	34·286
		F.	2·436	8·321	·902	·505	·891	1·006	1·125	1·342	1·727	3·458	7·764	16·235	26·571
476	Rochdale	M.	2·480	8·670	1·116	·613	·864	·915	·929	1·341	1·925	3·524	7·779	13·652	36·667
		F.	2·265	7·546	·902	·547	·918	·995	1·078	1·239	1·724	3·097	7·362	16·000	42·917
477	Haslingden	M.	2·314	8·116	·969	·550	·806	·811	·792	1·149	1·672	3·209	7·618	18·342	42·857
		F.	2·177	6·835	·918	·607	·952	·921	1·055	1·260	1·853	3·099	7·496	15·049	31·818
478	Burnley	M.	2·395	8·405	·987	·609	·748	·806	·807	1·083	1·678	3·233	7·528	17·305	33·846
		F.	2·334	7·174	·920	·525	·906	1·102	1·251	1·317	1·542	3·499	7·485	16·245	33·704
479	Clitheroe	M.	2·051	5·676	·974	·585	·771	·859	·745	·959	1·358	2·749	6·106	14·294	26·316
		F.	2·127	4·724	·883	·545	·953	1·095	1·238	1·450	1·470	2·735	5·909	16·735	25·714
480	Blackburn	M.	2·730	9·806	1·161	·618	·898	·854	·927	1·208	1·984	3·601	6·969	16·174	31·538
		F.	2·543	8·444	1·094	·620	1·045	·997	1·183	1·491	1·796	3·246	7·229	15·265	31·190
481	Chorley	M.	2·223	6·988	·908	·623	·823	·878	1·012	·966	1·414	2·682	6·486	14·106	20·385
		F.	2·099	5·785	·755	·481	·843	1·009	1·135	1·329	1·554	2·754	6·707	13·275	29·643
482	Preston	M.	2·873	10·604	1·088	·615	·817	1·019	1·074	1·472	2·026	3·432	7·238	15·624	27·500
		F.	2·574	8·907	1·066	·516	1·032	·943	1·208	1·539	1·937	3·437	7·227	15·646	29·667
483	Fylde	M.	1·982	5·366	·737	·440	·663	1·059	·988	1·073	1·453	2·411	5·789	13·951	26·087
		F.	1·797	4·274	·855	·437	·709	·891	·790	1·134	1·461	2·570	5·169	12·846	32·917
484	Garstang	M.	1·774	4·058	·784	·493	·594	·809	·825	·766	1·254	1·929	5·572	13·246	30·667
		F.	1·798	3·613	·729	·417	·768	·890	·983	1·006	1·673	2·368	4·831	12·900	32·353
485	Lancaster *L*	M.	2·416	5·817	·828	·560	·711	·978	1·289	1·730	2·181	3·512	7·655	16·730	25·455
		F.	2·148	5·022	1·025	·525	·891	·883	1·285	1·470	1·885	2·451	5·743	12·560	33·125
486	Ulverstone	M.	2·000	4·821	·799	·583	·658	1·022	·971	1·180	1·599	2·896	5·996	15·271	27·778
		F.	2·009	4·360	·795	·595	·728	1·197	1·086	1·077	1·379	2·731	5·474	12·784	23·962
	IX.—YORKSHIRE.														
	35.—WEST RIDING.														
487	Sedbergh	M.	1·925	3·389	·676	·936	·721	·884	1·457	1·094	1·071	2·887	4·479	14·600	18·889
		F.	1·925	3·135	·686	·653	1·122	1·148	1·047	1·070	1·408	2·500	4·583	17·857	32·000
488	Settle	M.	2·021	4·448	·939	·690	1·090	·543	·774	·902	1·400	2·764	5·767	12·941	30·714
		F.	1·932	3·613	·710	·449	1·060	·936	1·056	1·307	1·384	2·046	5·215	14·496	44·545
489	Skipton	M.	2·154	6·120	1·029	·521	·774	1·028	·803	·928	1·578	2·762	6·181	14·632	30·400
		F.	2·096	5·029	·799	·572	·948	1·225	1·279	1·127	1·616	2·824	5·927	13·250	27·917
490	Pateley Bridge*	M.	1·999	5·279	·741	·477	·793	1·095	·696	·769	1·235	2·415	6·096	13·117	21·818
		F.	2·107	4·429	·571	·619	1·129	1·510	1·250	1·209	1·257	2·318	6·033	13·375	30·000

* In calculating the Mortality of this District a correction has been made for

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.												
				Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	PHTHISIS.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	DISEASES OF LUNGS.	Diseases of Stomach and Liver.	Diseases of Kidneys.	VIOLENT DEATHS.	Other Causes.
	VIII.—NORTH WESTERN COUNTIES—*cont.*															
	34.—LANCASHIRE—*cont.*															
467	LEIGH	M.	2·672	·097	·067	·404	·019	·275	·111	·444	·134	·369	·154	·035	·161	·402
		F.	2·366	·072	·082	·351	·032	·354	·071	·358	·144	·307	·137	·005	·036	·417
468	BOLTON	M.	2·860	·110	·161	·467	·015	·290	·098	·436	·106	·434	·096	·028	·145	·474
		F.	2·525	·102	·145	·432	·031	·335	·071	·340	·126	·328	·097	·012	·041	·465
469	BURY	M.	2·402	·087	·134	·323	·010	·277	·094	·364	·138	·333	·094	·023	·118	·412
		F.	2·233	·084	·117	·294	·027	·350	·073	·291	·148	·283	·099	·010	·035	·422
470	BARTON-UPON-IRWELL	M.	2·281	·075	·120	·320	·011	·239	·062	·297	·092	·288	·108	·026	·150	·463
		F.	2·103	·074	·106	·274	·036	·331	·048	·242	·116	·235	·101	·008	·037	·495
471	CHORLTON	M.	2·524	·089	·187	·403	·013	·299	·120	·320	·089	·426	·098	·022	·068	·390
		F.	2·277	·081	·163	·357	·041	·289	·084	·250	·108	·374	·095	·015	·032	·388
472	SALFORD	M.	2·766	·086	·275	·457	·012	·260	·089	·379	·093	·518	·095	·024	·106	·372
		F.	2·452	·080	·234	·430	·040	·265	·059	·304	·091	·444	·090	·011	·042	·362
473	MANCHESTER *HL*	M.	3·365	·128	·263	·464	·022	·384	·125	·442	·113	·578	·099	·037	·178	·532
		F.	2·950	·121	·222	·421	·043	·359	·087	·345	·126	·501	·103	·018	·076	·528
474	ASHTON-UNDER LYNE	M.	2·811	·090	·168	·392	·013	·331	·100	·442	·133	·390	·113	·016	·125	·498
		F.	2·535	·086	·133	·361	·025	·397	·078	·344	·161	·304	·110	·010	·037	·489
475	OLDHAM	M.	2·643	·085	·135	·358	·014	·287	·098	·409	·109	·382	·095	·017	·099	·555
		F.	2·436	·095	·122	·333	·026	·334	·071	·330	·138	·291	·094	·008	·033	·561
476	ROCHDALE	M.	2·480	·082	·124	·360	·011	·304	·109	·344	·116	·350	·123	·024	·109	·424
		F.	2·265	·088	·108	·319	·024	·317	·090	·289	·138	·287	·129	·010	·035	·431
477	HASLINGDEN	M.	2·314	·086	·101	·327	·012	·231	·121	·343	·098	·367	·128	·029	·089	·382
		F.	2·177	·083	·092	·309	·029	·303	·088	·284	·113	·302	·153	·019	·032	·370
478	BURNLEY	M.	2·395	·100	·066	·381	·015	·254	·075	·376	·093	·317	·098	·028	·077	·515
		F.	2·334	·093	·067	·343	·026	·356	·046	·325	·136	·255	·094	·012	·028	·550
479	CLITHEROE	M.	2·051	·055	·029	·308	·012	·229	·077	·245	·115	·260	·096	·026	·087	·512
		F.	2·127	·089	·019	·279	·025	·355	·065	·221	·158	·207	·113	·007	·027	·582
480	BLACKBURN	M.	2·730	·157	·132	·400	·011	·293	·124	·373	·112	·400	·092	·023	·096	·517
		F.	2·543	·160	·124	·404	·024	·373	·085	·265	·117	·346	·086	·009	·039	·511
481	CHORLEY	M.	2·223	·084	·056	·329	·009	·273	·056	·285	·101	·247	·070	·027	·131	·565
		F.	2·099	·071	·043	·276	·020	·335	·040	·245	·121	·202	·078	·009	·039	·620
482	PRESTON	M.	2·873	·108	·216	·431	·012	·339	·119	·371	·103	·496	·105	·026	·091	·456
		F.	2·574	·109	·189	·370	·032	·384	·076	·295	·106	·420	·111	·011	·034	·437
483	FYLDE	M.	1·982	·057	·039	·263	·021	·222	·089	·242	·105	·177	·127	·028	·116	·496
		F.	1·797	·056	·056	·225	·024	·265	·078	·210	·117	·160	·100	·005	·030	·471
484	GARSTANG	M.	1·774	·061	·043	·270	·017	·284	·051	·151	·088	·126	·095	·031	·089	·468
		F.	1·798	·071	·050	·256	·033	·350	·023	·172	·091	·129	·092	·012	·033	·486
485	LANCASTER *L*	M.	2·416	·085	·064	·358	·023	·283	·104	·379	·136	·289	·110	·036	·098	·451
		F.	2·148	·079	·050	·328	·040	·347	·083	·279	·114	·225	·093	·018	·038	·454
486	ULVERSTONE	M.	2·000	·064	·048	·273	·016	·231	·086	·217	·100	·224	·132	·020	·145	·444
		F.	2·009	·074	·047	·299	·023	·290	·081	·235	·112	·172	·107	·012	·028	·529
	IX.—YORKSHIRE.															
	35.—WEST RIDING.															
487	SEDBERGH	M.	1·923	·087	·048	·232	·004	·249	·044	·219	·109	·249	·131	·070	·087	·396
		F.	1·925	·068	·018	·232	·032	·350	·059	·205	·123	·191	·132	·014	·041	·460
488	SETTLE	M.	2·021	·069	·023	·295	·021	·257	·064	·356	·125	·182	·104	·026	·055	·444
		F.	1·932	·074	·018	·250	·018	·309	·062	·299	·156	·127	·086	·006	·023	·504
489	SKIPTON	M.	2·154	·056	·037	·339	·014	·274	·056	·363	·111	·219	·104	·030	·079	·472
		F.	2·096	·059	·034	·293	·035	·309	·034	·262	·151	·183	·122	·010	·029	·515
490	PATELEY BRIDGE*	M.	1·999	·068	·040	·274	·020	·272	·046	·318	·119	·208	·068	·073	·055	·438
		F.	2·107	·071	·021	·302	·035	·390	·055	·247	·143	·111	·097	·023	·025	·387

a change which occurred in the constitution of it during the 10 Years 1851-60.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	IX.—YORKSHIRE—*cont.*														
	35.—WEST RIDING—*cont.*														
491	RIPON *	M.	2·042	5·498	·636	·285	·631	·901	·793	·787	1·471	2·993	5·308	12·687	35·500
		F.	1·885	4·217	·507	·244	·675	1·113	1·065	1·112	1·218	2·153	4·415	12·158	32·667
492*a*	GREAT OUSEBURN †	M.	1·823	4·181	·774	·423	·528	·677	·751	1·021	1·597	1·795	4·677	14·352	33·333
		F.	1·829	3·743	·635	·452	·658	·814	·916	1·082	1·322	2·321	5·037	11·499	18·110
492*b*	KNARESBOROUGH *	M.	2·296	5·960	·708	·447	·502	·838	·781	1·302	1·749	3·270	7·188	16·563	30·000
		F.	2·007	5·075	·755	·423	·810	·582	·849	1·295	1·343	2·482	5·638	14·091	41·354
492*c*	WETHERBY †	M.	1·663	4·028	·333	·279	·533	·446	·588	·893	1·165	2·195	4·813	12·661	25·424
		F.	1·893	4·688	·696	·383	1·090	·906	·763	1·008	1·305	2·578	5·365	12·195	38·462
493	OTLEY *	M.	2·202	6·460	·836	·481	·859	1·074	·897	1·093	1·543	3·127	6·867	15·763	32·632
		F.	2·135	5·064	·933	·505	1·056	1·259	1·260	1·353	1·392	3·220	5·872	16·000	33·500
494	KEIGHLEY	M.	2·366	8·399	1·020	·637	1·018	1·046	·781	·997	1·558	2·774	7·202	15·707	52·000
		F.	2·204	6·864	1·060	·733	1·201	1·282	1·238	1·316	1·492	3·017	6·892	15·825	26·957
495	TODMORDEN	M.	2·127	6·346	·753	·481	·787	·837	·815	1·172	1·786	2·952	7·480	18·915	43·333
		F.	1·903	5·087	·388	·329	·854	·889	·915	1·155	1·530	2·882	7·646	16·853	32·941
496	SADDLEWORTH	M.	2·372	7·447	1·111	·410	·812	·768	·918	1·153	1·909	3·359	6·573	20·000	55·000
		F.	2·406	6·977	·986	·753	1·112	1·235	1·405	1·331	1·809	2·831	8·034	15·381	30·000
497	HUDDERSFIELD *II*	M.	2·235	7·306	·942	·554	·787	·864	·801	·978	1·775	3·189	7·459	16·557	31·875
		F.	2·127	6·213	·882	·554	·937	1·069	1·082	1·172	1·470	2·902	7·264	14·903	31·091
498	HALIFAX *II*	M.	2·408	8·256	·994	·608	·822	·825	·849	1·178	1·909	3·386	8·083	16·690	34·167
		F.	2·305	7·286	·932	·684	1·071	1·030	1·053	1·253	1·600	3·150	7·265	16·361	33·208
499	BRADFORD *II*	M.	2·689	10·635	1·092	·649	·926	·906	·849	1·127	1·814	3·594	7·643	15·507	37·885
		F.	2·437	8·960	1·048	·615	1·084	1·088	1·126	1·336	1·580	2·974	7·174	14·948	33·594
500	HUNSLET	M.	2·491	9·153	·898	·538	·784	·835	·817	1·094	1·846	3·446	7·385	17·212	34·615
		F.	2·318	7·954	·945	·528	·784	·848	1·014	1·155	1·523	2·870	6·411	16·025	31·628
501	LEEDS *III*	M.	2·943	10·892	1·005	·620	·813	·942	1·116	1·686	2·459	4·718	9·287	21·331	38·421
		F.	2·614	9·662	·965	·550	·734	·877	1·164	1·386	1·956	3·722	7·759	15·849	31·224
502	DEWSBURY	M.	2·572	9·402	1·023	·528	·879	·870	·840	1·033	1·692	3·234	7·485	15·903	30·417
		F.	2·375	7·650	1·038	·587	·910	·943	·987	1·214	1·592	3·011	6·987	16·604	29·231
503	WAKEFIELD *L*	M.	2·497	7·153	·926	·577	·884	1·019	1·163	1·668	2·268	2·880	7·356	17·190	32·800
		F.	2·395	6·804	·861	·550	·861	1·003	1·418	1·579	2·004	2·995	6·743	13·782	41·818
504*a*	PONTEFRACT	M.	2·275	7·018	·887	·433	·688	·902	·831	·995	1·686	2·934	6·358	15·619	31·667
		F.	2·167	5·939	·843	·418	·860	1·106	·963	1·236	1·315	2·331	5·407	14·910	36·786
504*b*	HEMSWORTH	M.	1·610	3·909	·352	·268	·737	·882	·701	·862	1·088	1·949	5·337	16·607	20·000
		F.	1·630	3·387	·530	·447	·697	·723	·761	·864	1·088	1·986	5·556	11·918	34·444
505	BARNSLEY	M.	2·475	8·606	·818	·571	·890	1·173	·935	1·207	1·523	2·928	5·949	17·181	35·000
		F.	2·330	7·393	·922	·432	·827	·931	1·004	1·095	1·319	2·998	6·514	14·821	33·684
506	WORTLEY	M.	2·079	6·339	·773	·513	·596	·685	·693	1·069	1·732	2·920	6·710	15·799	28·235
		F.	2·108	5·328	·688	·625	·806	1·013	1·140	1·180	1·483	2·748	6·781	13·987	34·348
507	ECCLESALL BIERLOW	M.	2·360	7·811	·897	·454	·779	·821	·894	1·271	1·799	3·901	8·531	14·305	24·375
		F.	2·193	6·844	·923	·481	·669	·820	1·042	1·208	1·635	3·071	8·017	16·323	40·000
508	SHEFFIELD *II*	M.	2·951	10·519	1·187	·612	·873	·918	1·031	1·445	2·543	4·694	9·680	20·595	34·000
		F.	2·738	9·525	1·175	·468	·746	·905	1·081	1·405	1·947	3·682	8·216	16·361	38·500
509	ROTHERHAM	M.	2·219	6·924	·828	·602	·712	·828	·810	1·078	1·628	3·190	6·935	16·107	25·294
		F.	2·109	6·005	·754	·438	·605	1·008	1·050	1·061	1·370	2·671	6·052	13·288	36·000
510	DONCASTER	M.	2·181	7·017	·800	·456	·633	·711	·711	1·011	1·470	2·742	6·502	13·932	33·929
		F.	2·129	5·898	·878	·443	·727	·806	1·033	1·219	1·372	2·420	5·154	13·344	35·135
511	THORNE	M.	2·151	6·866	·671	·519	·626	·741	·782	·788	1·245	2·224	5·404	13·609	28·333
		F.	2·117	6·000	·919	·391	·791	·939	1·018	1·086	1·163	2·083	5·368	10·898	22·667
512	GOOLE	M.	2·297	7·872	·875	·483	·573	·933	·834	·933	1·364	2·209	5·436	11·494	33·333
		F.	1·950	6·262	·709	·326	·799	1·013	·850	·964	·981	2·222	4·259	12·381	36·364
513	SELBY	M.	2·128	7·069	·496	·364	·736	·703	·721	·742	1·248	2·690	5·603	14·206	21·364
		F.	2·133	5·906	·776	·385	·606	·863	1·042	1·312	1·148	2·066	4·435	13·784	26·923
514	TADCASTER	M.	1·932	5·355	·761	·400	·567	·749	·538	·870	1·659	2·236	5·450	13·869	38·125
		F.	1·830	4·311	·862	·571	·644	·854	·889	·950	1·200	2·241	5·097	11·732	28·800

* In calculating the Mortality of these Districts a correction has been made for
† The Districts of Great Ouseburn and Wetherby were formed in August 1854;

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death. Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	DISEASES OF LUNGS.	Diseases of Stomach and Liver.	Diseases of Kidneys.	VIOLENT DEATHS.	Other Causes.
	IX.—YORKSHIRE—*cont.*															
	35. WEST RIDING—*cont.*															
491	RIPON *	M.	2·042	·061	·039	·215	·029	·211	·069	·342	·169	·207	·109	·035	·083	·453
		F.	1·885	·047	·043	·152	·047	·286	·041	·299	·164	·155	·111	·020	·032	·488
492*a*	GREAT OUSEBURN †	M.	1·823	·045	·066	·231	·026	·163	·055	·315	·068	·212	·094	·020	·076	·393
		F.	1·820	·050	·069	·251	·064	·190	·053	·238	·135	·183	·119	·005	·034	·429
492*b*	KNARESBOROUGH *	M.	2·296	·061	·071	·238	·028	·208	·078	·432	·116	·334	·168	·037	·084	·441
		F.	2·007	·054	·068	·213	·043	·238	·065	·306	·134	·263	·159	·014	·059	·411
492*c*	WETHERBY †	M.	1·663	·052	·029	·174	·041	·140	·058	·332	·070	·183	·110	·035	·076	·360
		F.	1·893	·062	·050	·199	·087	·205	·037	·285	·155	·199	·155	–	·043	·416
493	OTLEY *	M.	2·202	·075	·046	·269	·018	·200	·088	·432	·176	·191	·120	·027	·066	·404
		F.	2·136	·078	·054	·281	·032	·353	·059	·321	·202	·146	·108	·008	·025	·469
494	KEIGHLEY	M.	2·366	·092	·057	·361	·008	·339	·073	·394	·096	·246	·087	·021	·063	·529
		F.	2·234	·109	·057	·357	·016	·444	·056	·301	·122	·186	·084	·005	·023	·534
495	TODMORDEN	M.	2·127	·093	·082	·274	·012	·218	·052	·265	·102	·314	·149	·022	·085	·479
		F.	1·903	·086	·091	·190	·023	·217	·049	·243	·127	·237	·125	·006	·035	·474
496	SADDLEWORTH	M.	2·372	·079	·089	·266	·018	·310	·092	·375	·130	·358	·115	·021	·110	·409
		F.	2·406	·088	·064	·310	·023	·436	·082	·346	·149	·273	·125	·010	·035	·465
497	HUDDERSFIELD *H*	M.	2·265	·087	·089	·315	·016	·282	·096	·344	·086	·297	·111	·037	·082	·423
		F.	2·127	·092	·085	·300	·025	·327	·081	·283	·092	·240	·106	·014	·043	·439
498	HALIFAX *H*	M.	2·408	·067	·078	·311	·017	·273	·115	·477	·094	·335	·125	·025	·091	·406
		F.	2·305	·074	·076	·310	·033	·341	·086	·383	·112	·281	·131	·010	·031	·437
499	BRADFORD *H*	M.	2·089	·101	·160	·380	·012	·279	·123	·515	·103	·385	·121	·027	·086	·397
		F.	2·457	·095	·150	·362	·029	·351	·093	·382	·123	·307	·107	·008	·031	·419
500	HUNSLET	M.	2·491	·088	·164	·323	·015	·239	·125	·400	·093	·378	·114	·022	·093	·404
		F.	2·318	·093	·150	·329	·035	·296	·098	·318	·123	·292	·114	·009	·033	·428
501	LEEDS *HH*	M.	2·043	·112	·238	·349	·019	·290	·156	·461	·121	·366	·111	·035	·129	·358
		F.	2·614	·106	·215	·336	·045	·259	·128	·366	·140	·460	·118	·014	·049	·358
502	DEWSBURY	M.	2·572	·077	·112	·408	·013	·243	·159	·444	·103	·342	·092	·026	·083	·479
		F.	2·375	·074	·096	·392	·033	·294	·121	·338	·120	·268	·097	·012	·030	·506
503	WAKEFIELD *L*	M.	2·497	·064	·126	·313	·016	·241	·104	·490	·118	·341	·114	·036	·135	·399
		F.	2·395	·065	·129	·301	·044	·310	·081	·381	·118	·281	·121	·014	·051	·499
504*a*	PONTEFRACT	M.	2·275	·085	·108	·236	·028	·183	·089	·396	·118	·209	·102	·031	·131	·509
		F.	2·167	·100	·091	·295	·039	·224	·057	·328	·127	·209	·115	·011	·038	·538
504*b*	HEMSWORTH	M.	1·610	·040	·038	·196	·020	·186	·065	·231	·118	·214	·091	·023	·068	·320
		F.	1·630	·043	·028	·170	·038	·225	·045	·308	·120	·170	·108	–	·028	·347
505	BARNSLEY	M.	2·475	·073	·090	·375	·016	·220	·099	·417	·133	·322	·102	·021	·227	·362
		F.	2·330	·077	·115	·409	·035	·281	·104	·330	·159	·281	·097	·009	·047	·395
506	WORTLEY	M.	2·079	·061	·053	·236	·014	·232	·068	·387	·077	·208	·108	·019	·093	·433
		F.	2·108	·078	·054	·201	·032	·255	·057	·295	·118	·230	·105	·008	·033	·512
507	ECCLESALL BIERLOW	M.	2·360	·102	·140	·335	·010	·304	·097	·369	·098	·403	·103	·024	·059	·316
		F.	2·193	·094	·139	·323	·041	·249	·075	·310	·126	·318	·121	·010	·032	·355
508	SHEFFIELD *H*	M.	2·951	·144	·214	·431	·018	·337	·128	·425	·098	·509	·108	·026	·106	·416
		F.	2·738	·121	·227	·448	·046	·301	·093	·339	·122	·406	·110	·012	·045	·468
509	ROTHERHAM	M.	2·219	·090	·110	·319	·013	·192	·083	·308	·095	·328	·100	·030	·170	·381
		F.	2·109	·089	·100	·349	·014	·230	·072	·245	·101	·253	·130	·014	·035	·447
510	DONCASTER	M.	2·181	·106	·086	·255	·023	·191	·072	·378	·109	·263	·118	·026	·119	·435
		F.	2·129	·106	·088	·255	·041	·251	·052	·318	·129	·231	·107	·009	·034	·475
511	THORNE	M.	2·151	·059	·091	·292	·019	·197	·038	·309	·103	·172	·091	·025	·106	·616
		F.	2·117	·087	·092	·300	·042	·273	·030	·252	·119	·151	·089	·010	·048	·632
512	GOOLE	M.	2·297	·057	·229	·300	·014	·263	·073	·304	·092	·257	·104	·010	·158	·476
		F.	1·950	·075	·198	·268	·033	·224	·027	·267	·095	·184	·123	·012	·035	·409
513	SELBY	M.	2·128	·078	·145	·254	·019	·142	·045	·397	·077	·169	·083	·022	·095	·622
		F.	2·133	·081	·171	·259	·0 9	·187	·044	·354	·094	·142	·091	·010	·047	·654
514	TADCASTER	M.	1·932	·059	·037	·259	·013	·189	·038	·336	·105	·188	·065	·018	·087	·518
		F.	1·830	·058	·028	·229	·030	·206	·055	·275	·114	·157	·082	·007	·027	·508

changes which occurred in the constitution of them during the 10 Years 1851–60.
the Mortality, therefore, is the Average Annual Rate during 6½ Years in both Districts.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	IX.—YORKSHIRE—*cont.*														
	36.-EAST RIDING (*with York*).														
515	York * *HLLL*	M.	2·467	7·811	·820	·441	·620	·937	1·015	1·336	1·914	3·498	7·720	14·637	30·784
		F.	2·261	6·984	·787	·430	·628	·812	1·110	1·312	1·760	2·908	5·621	13·774	28·313
516	Pocklington	M.	1·928	5·796	·668	·402	·373	·616	·562	·761	1·344	2·792	5·408	14·863	22·917
		F.	1·935	4·806	·718	·616	·596	1·029	·874	1·270	1·064	2·093	4·341	13·000	23·704
517	Howden	M.	2·322	7·153	·728	·470	·911	1·218	1·036	·817	1·109	2·371	6·127	14·690	25·455
		F.	2·191	5·867	·864	·584	1·024	1·216	1·130	·864	1·372	2·058	4·825	11·793	28·696
518	Beverley	M.	1·899	6·117	·611	·394	·444	·624	·858	·915	1·191	2·188	5·580	11·875	28·947
		F.	1·884	5·079	·734	·418	·667	·922	·871	1·069	1·095	2·103	4·340	12·652	22·500
519	Sculcoates	M.	2·388	8·217	·851	·431	·718	·815	·843	1·073	1·644	3·038	6·945	14·099	29·286
		F.	2·085	7·041	·759	·463	·599	·766	·935	1·113	1·365	2·395	5·373	15·139	29·756
520	Hull *HL*	M.	2·606	9·145	1·024	·491	·799	·822	1·028	1·499	2·228	3·965	8·152	16·263	30·000
		F.	2·342	7·979	·956	·508	·684	·717	·976	1·330	1·790	3·008	6·605	15·098	29·318
521	Patrington	M.	1·955	6·121	·679	·349	·548	·821	·680	·889	1·380	2·267	5·106	16·154	21·250
		F.	2·041	5·635	·780	·538	·749	1·079	1·111	·840	1·256	2·711	4·239	11·765	26·429
522	Skirlaugh	M.	1·912	5·940	·659	·477	·401	·636	·736	·882	1·122	2·690	5·198	13·165	24·667
		F.	1·859	4·874	·685	·654	·996	·842	·743	1·167	1·196	1·987	4·167	11·154	26·154
523	Driffield	M.	1·994	6·505	·702	·383	·468	·675	·650	·824	1·196	2·345	5·339	16·452	32·000
		F.	1·946	5·457	·710	·557	·752	·995	·974	·989	1·179	1·720	5·393	11·887	25·714
524	Bridlington	M.	2·062	6·076	·735	·394	·623	·959	·856	·947	1·440	2·534	5·858	13·590	33·846
		F.	2·001	5·554	·750	·379	·708	·861	·914	1·041	1·004	2·405	4·765	13·968	27·273
	37.—NORTH RIDING.														
525	Scarborough	M.	2·206	6·788	·681	·477	·588	·767	·717	·954	1·667	2·607	6·971	13·298	38·182
		F.	1·975	5·799	·661	·454	·544	·721	·864	1·103	1·242	2·522	5·173	12·664	25·000
526	Malton	M.	1·944	5·696	·672	·399	·501	·643	·893	·904	1·115	2·192	5·507	13·769	31·538
		F.	1·916	4·720	·646	·541	·712	·760	1·031	·860	1·072	2·301	5·503	11·787	30·882
527	Easingwold *	M.	1·717	4·943	·508	·215	·363	·398	·649	·768	·976	1·835	4·253	12·124	32·500
		F.	1·840	3·657	·527	·552	·590	·831	1·170	·986	·952	2·228	4·640	11·810	38·125
528	Thirsk	M.	1·872	4·564	·505	·380	·601	·616	·982	·940	1·065	2·376	5·489	14·196	27·778
		F.	1·827	3·899	·450	·532	·679	·899	1·153	1·028	1·138	2·050	4·868	11·583	25·217
529	Helmsley *	M.	1·838	4·755	·639	·440	·451	·783	·759	·681	1·128	2·063	5·788	14·215	26·250
		F.	1·916	3·976	·793	·480	·473	·867	1·077	1·024	1·362	1·893	5·362	13·277	31·667
530	Pickering	M.	1·877	5·045	·502	·495	·499	·874	·643	·798	1·164	2·114	5·419	14·524	35·385
		F.	1·836	3·601	·513	·402	·615	1·028	·948	1·181	·734	2·765	5·509	12·685	25·263
531	Whitby	M.	2·177	5·418	·649	·275	·746	1·033	·951	1·174	1·343	2·861	6·344	11·957	39·500
		F.	1·926	4·589	·647	·331	·742	·709	·998	·885	1·176	2·181	5·836	11·073	24·667
532	Guisbrough	M.	1·967	5·595	·720	·588	·545	·862	·921	1·082	1·376	1·893	5·070	12·521	26·842
		F.	2·058	5·000	·792	·526	·836	·959	1·002	·965	1·123	1·970	5·104	11·267	25·926
533	Stokesley *	M.	1·874	4·295	·815	·581	·605	·807	·732	·683	·986	2·425	5·281	10·360	38·461
		F.	2·031	3·695	·966	·559	·915	1·077	1·152	1·204	1·202	1·691	4·941	11·440	26·818
534	Northallerton	M.	1·801	4·534	·648	·255	·441	1·004	·889	·805	1·066	1·908	5·018	12·382	22·800
		F.	1·991	4·204	·703	·610	·936	·960	1·000	1·132	1·199	2·324	4·433	10·795	26·296
535	Bedale	M.	1·839	4·421	·398	·215	·442	·663	·656	·846	1·094	2·222	5·124	14·737	31·333
		F.	1·764	3·127	·451	·426	·455	1·130	1·040	1·320	·978	2·280	4·977	12·062	16·957
536	Leyburn	M.	1·642	3·823	·476	·231	·523	·887	·702	·807	·886	2·183	5·242	12·062	26·000
		F.	1·666	2·917	·490	·532	·381	·498	1·009	·919	1·080	2·047	4·957	12·613	24·400
537	Askrigg	M.	2·006	4·572	·453	·273	1·050	·918	1·016	·841	1·311	1·891	5·200	16·200	36·250
		F.	1·975	3·644	·544	·418	·763	1·203	1·125	1·254	1·270	2·513	4·681	15·714	33·333
538	Reeth	M.	2·056	4·838	·446	·576	·543	·691	·569	1·586	2·256	5·060	9·524	17·778	43·333
		F.	1·988	3·975	·348	·354	·777	·706	1·103	1·723	1·680	2·500	6·822	14·364	26·000
539	Richmond	M.	1·963	4·931	·811	·237	·534	·845	·823	1·061	1·293	2·100	5·477	13·613	30·455
		F.	1·838	3·710	·613	·458	·621	·726	·978	1·058	1·142	2·396	5·185	12·115	20·286

* In calculating the Mortality of these Districts a correction has been made for

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Causes.	Causes of Death.												
				Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
	IX.—YORKSHIRE—*cont.*															
	36.-EAST RIDING (*with York*).															
515	York * *HLLL*	M.	2·467	·085	·139	·306	·025	·268	·086	·475	·134	·270	·109	·039	·099	·432
		F.	2·261	·083	·133	·270	·062	·288	·062	·381	·133	·237	·097	·017	·035	·463
516	Pocklington	M.	1·928	·059	·053	·215	·018	·157	·031	·361	·122	·153	·100	·024	·051	·584
		F.	1·935	·053	·059	·240	·038	·242	·029	·323	·122	·124	·097	·003	·032	·573
517	Howden	M.	2·322	·134	·090	·324	·015	·216	·053	·363	·115	·130	·103	·024	·105	·650
		F.	2·191	·101	·092	·326	·047	·250	·042	·320	·107	·133	·103	·003	·030	·637
518	Beverley	M.	1·899	·065	·099	·208	·022	·176	·070	·388	·135	·184	·075	·021	·070	·386
		F.	1·884	·055	·086	·188	·051	·233	·045	·353	·123	·146	·102	·007	·043	·452
519	Sculcoates	M.	2·388	·107	·207	·283	·019	·206	·142	·362	·129	·268	·092	·023	·101	·449
		F.	2·085	·080	·171	·253	·047	·237	·086	·279	·133	·216	·099	·007	·033	·444
520	Hull *HL*	M.	2·606	·128	·156	·353	·021	·239	·114	·403	·155	·340	·119	·036	·139	·403
		F.	2·342	·118	·145	·324	·052	·243	·076	·315	·151	·263	·115	·014	·054	·472
521	Patrington	M.	1·955	·080	·094	·178	·016	·150	·037	·308	·101	·117	·096	·021	·129	·628
		F.	2·041	·081	·058	·216	·036	·285	·024	·319	·103	·103	·069	·006	·032	·709
522	Skirlaugh	M.	1·912	·077	·106	·232	·035	·146	·053	·356	·138	·183	·087	·035	·083	·381
		F.	1·859	·101	·079	·255	·062	·229	·044	·258	·106	·169	·077	·011	·042	·426
523	Driffield	M.	1·904	·069	·059	·264	·026	·180	·052	·472	·132	·134	·111	·029	·072	·394
		F.	1·946	·078	·063	·253	·036	·227	·056	·394	·156	·105	·102	·002	·035	·439
524	Bridlington	M.	2·062	·067	·065	·280	·026	·208	·057	·412	·129	·226	·087	·037	·112	·386
		F.	2·001	·064	·056	·308	·046	·249	·052	·380	·143	·176	·091	·011	·025	·400
	37.–NORTH RIDING.															
525	Scarborough	M.	2·206	·064	·095	·311	·027	·145	·112	·439	·150	·287	·143	·048	·081	·304
		F.	1·975	·079	·069	·257	·050	·171	·080	·346	·117	·258	·138	·014	·033	·363
526	Malton	M.	1·944	·076	·120	·254	·027	·166	·053	·280	·124	·205	·094	·041	·078	·426
		F.	1·916	·021	·110	·266	·051	·185	·037	·243	·186	·186	·092	·011	·037	·431
527	Easingwold *	M.	1·717	·075	·075	·262	·018	·123	·042	·288	·103	·136	·084	·022	·054	·425
		F.	1·840	·079	·060	·254	·039	·227	·052	·252	·138	·138	·089	·006	·031	·475
528	Thirsk	M.	1·872	·063	·034	·169	·029	·220	·056	·306	·143	·193	·113	·034	·061	·451
		F.	1·827	·062	·036	·215	·055	·239	·044	·231	·149	·147	·117	·014	·029	·489
529	Helmsley *	M.	1·838	·057	·065	·213	·017	·133	·057	·278	·152	·295	·129	·035	·060	·347
		F.	1·916	·037	·076	·238	·044	·202	·054	·202	·134	·269	·156	·017	·034	·453
530	Pickering	M.	1·877	·027	·043	·222	·029	·162	·068	·294	·130	·304	·116	·050	·075	·357
		F.	1·836	·031	·041	·157	·081	·220	·084	·240	·139	·265	·132	·008	·041	·397
531	Whitby	M.	2·177	·097	·097	·288	·031	·168	·062	·271	·104	·279	·109	·061	·119	·491
		F.	1·926	·070	·071	·249	·050	·183	·052	·223	·111	·250	·104	·015	·025	·523
532	Guisbrough	M.	1·967	·083	·091	·308	·017	·126	·067	·311	·066	·229	·095	·029	·176	·369
		F.	2·058	·082	·073	·350	·040	·201	·068	·317	·090	·214	·108	·008	·029	·478
533	Stokesley *	M.	1·874	·074	·064	·218	·017	·195	·044	·366	·061	·161	·085	·019	·055	·515
		F.	2·031	·067	·049	·251	·039	·254	·026	·303	·088	·170	·114	·004	·017	·649
534	Northallerton	M.	1·801	·059	·051	·156	·029	·212	·064	·292	·115	·209	·088	·038	·064	·424
		F.	1·991	·076	·051	·170	·056	·302	·061	·269	·137	·193	·107	·007	·045	·517
535	Bedale	M.	1·839	·039	·027	·178	·018	·149	·050	·320	·137	·185	·078	·018	·059	·581
		F.	1·764	·061	·023	·115	·027	·205	·059	·225	·155	·176	·104	·007	·050	·557
536	Leyburn	M.	1·642	·057	·026	·154	·022	·176	·087	·200	·113	·130	·085	·043	·077	·472
		F.	1·666	·034	·014	·151	·040	·183	·056	·197	·167	·139	·080	·006	·028	·571
537	Askrigg	M.	2·006	·061	·032	·172	·032	·215	·075	·201	·158	·115	·133	·039	·036	·737
		F.	1·975	·046	·032	·154	·042	·249	·053	·179	·175	·123	·102	–	·046	·774
538	Reeth	M.	2·056	·027	·031	·183	·037	·229	·098	·315	·143	·529	·104	·037	·049	·274
		F.	1·988	·049	·053	·195	·043	·235	·105	·226	·213	·340	·164	·012	·022	·231
539	Richmond	M.	1·963	·055	·066	·219	·025	·205	·069	·256	·117	·273	·129	·030	·061	·458
		F.	1·838	·043	·050	·179	·033	·236	·060	·222	·129	·238	·149	·007	·029	·463

changes which occurred in the constitution of them during the 10 Years 1851-60.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	X.—NORTHERN COUNTIES.														
	38.—DURHAM.														
540	Darlington - - - - - -	M.	2·043	5·980	·735	·510	·810	1·041	·832	·892	1·327	2·455	5·533	12·381	26·154
		F.	1·971	4·910	·841	·480	·779	·809	1·119	1·007	1·355	2·322	5·250	11·616	24·884
541*a*	Stockton *L* - - - - -	M.	2·260	7·806	·852	·525	·761	·909	·769	1·128	1·695	2·890	5·992	13·750	30·556
541*b*	Hartlepool - - - - -	F.	2·213	6·908	·823	·411	·758	·812	1·069	1·239	1·398	2·399	5·033	11·628	26·316
542	Auckland - - - - - -	M.	2·296	7·748	·931	·750	·785	·929	·810	1·036	1·621	3·065	5·923	13·264	32·000
		F.	2·399	7·075	·898	·548	·837	1·028	1·196	1·460	1·755	2·444	4·930	13·511	28·235
543	Teesdale - - - - - -	M.	1·930	4·874	·760	·496	·751	·892	·870	·912	1·481	2·974	5·042	11·935	30·952
		F.	1·926	4·475	·813	·541	·814	·848	1·007	1·125	1·058	2·078	5·572	12·037	26·750
544	Weardale - - - - - -	M.	2·122	6·008	·714	·504	·624	·952	·811	1·239	2·589	4·492	7·453	13·704	18·889
		F.	2·052	4·901	·751	·504	·870	1·236	1·317	1·481	1·451	2·680	6·950	12·857	24·286
545	Durham *H* - - - - - -	M.	2·273	7·901	·831	·541	·764	·889	·929	1·124	1·588	2·741	6·453	14·016	35·333
		F.	2·240	7·028	·998	·432	·580	·872	1·085	1·195	1·468	2·403	5·463	12·922	27·759
546	Easington - - - - - -	M.	2·065	7·385	·859	·780	·670	·621	·581	·944	1·255	2·441	6·000	11·087	33·750
		F.	1·983	6·510	·930	·399	·490	·712	·965	·924	1·266	2·094	5·022	11·383	18·333
547	Houghton-le-Spring - - -	M.	2·195	7·126	·851	·712	·991	·870	·728	·887	1·278	2·687	5·625	12·710	33·333
		F.	2·087	5·604	·684	·389	·606	1·103	1·032	1·122	1·260	2·428	5·631	12·090	26·800
548	Chester-le-Street - - -	M.	2·118	6·660	·833	·708	·787	·772	·771	·852	1·760	2·857	6·507	15·900	28·000
		F.	2·025	5·915	·707	·426	·630	·717	1·115	1·159	1·205	2·288	4·909	12·292	29·583
549	Sunderland - - - - -	M.	2·598	8·910	·930	·513	·691	·728	·935	1·285	1·913	3·578	7·608	16·436	37·576
		F.	2·387	8·067	·860	·457	·510	·691	·929	1·209	1·764	3·276	6·369	14·764	31·045
550	South Shields - - - -	M.	2·482	7·888	1·095	·674	·877	·778	·989	1·264	1·941	3·217	7·082	15·033	47·500
		F.	2·321	7·268	·965	·533	·659	·714	·978	1·106	1·619	2·828	7·160	13·421	31·282
551	Gateshead *L* - - - -	M.	2·623	8·281	1·043	·583	·725	·832	1·072	1·518	2·075	3·753	8·036	16·599	35·714
		F.	2·540	7·338	1·059	·565	·735	·925	1·227	1·537	1·937	3·189	6·698	13·404	29·388
	39.—NORTHUMBERLAND.														
552	Newcastle-upon-Tyne *H* -	M.	2·861	9·444	1·182	·556	·899	1·021	1·239	1·719	2·731	4·923	9·056	17·680	37·813
		F.	2·617	8·777	1·114	·508	·648	·851	1·185	1·562	1·968	3·408	7·430	15·585	35·152
553	Tynemouth - - - - - -	M.	2·385	7·697	·920	·589	·851	·933	·893	1·252	1·873	2·919	7·169	16·907	35·429
		F.	2·250	6·944	·912	·388	·630	·861	·980	1·183	1·348	2·662	6·148	14·585	33·175
554	Castle Ward - - - - -	M.	1·953	5·515	·547	·391	·714	·812	·816	1·146	1·113	2·820	5·087	12·479	29·500
		F.	1·856	4·264	·604	·324	·477	·969	1·024	1·029	1·228	2·161	5·943	12·727	38·889
555	Hexham - - - - - -	M.	1·887	4·420	·625	·403	·639	·982	·888	·923	1·920	2·862	5·905	12·844	25·128
		F.	1·819	3·968	·595	·422	·651	·791	1·058	1·307	1·524	2·395	5·513	11·976	25·625
556	Haltwhistle - - - -	M.	1·646	4·243	·597	·440	·762	·774	·676	·789	1·266	1·810	4·923	12·308	29·000
		F.	1·717	2·807	·448	·499	·703	·909	1·106	1·484	1·098	2·147	6·271	11·552	23·125
557	Bellingham - - - - - -	M.	1·400	2·593	·469	·299	·545	·784	·644	·877	1·111	2·009	4·507	10·323	23·846
		F.	1·444	2·040	·596	·534	·573	·748	·657	·965	·996	1·827	3·630	13·182	23·750
558	Morpeth *L* - - - - -	M.	1·985	5·946	·903	·497	·597	·977	·849	·778	1·411	2·130	5·806	13·650	27·619
		F.	1·907	4·553	·763	·477	·651	·696	1·056	1·049	1·276	2·193	5·732	12·558	31·111
559	Alnwick - - - - - -	M.	1·872	4·190	·612	·381	·628	·942	·819	1·045	1·202	2·681	6·173	15·592	33·478
		F.	1·842	3·635	·765	·432	·615	·831	·852	·993	1·495	2·514	5·418	12·555	31·818
560	Belford - - - - - -	M.	1·721	4·014	·708	·306	·616	·747	·675	·940	1·038	2·030	5·794	12·353	25·000
		F.	1·553	3·095	·660	·403	·446	·521	·830	·773	1·104	1·586	4·487	12·429	39·000
561	Berwick - - - - - -	M.	2·006	5·217	·932	·443	·563	1·020	·839	·998	1·552	2·759	6·107	13·611	33·750
		F.	1·823	4·186	·703	·422	·459	·747	·689	·854	1·205	2·439	5·822	13·843	37·742
562	Glendale - - - - - -	M.	1·536	3·255	·735	·251	·427	·561	·695	·826	1·081	2·460	5·962	15·114	25·000
		F.	1·486	3·184	·633	·406	·467	·545	·810	·602	1·306	1·879	4·689	14·057	26·667
563	Rothbury - - - - - -	M.	1·461	2·505	·517	·392	·407	·997	·840	·700	1·074	2·041	3·831	10·556	47·500
		F.	1·489	2·488	·455	·239	·261	·663	·772	·928	1·104	2·140	5·132	14·462	31·667

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.														
				Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
X.—NORTHERN COUNTIES.																
	38.—DURHAM.															
540	Darlington	M.	2·043	·069	·088	·248	·013	·262	·081	·351	·130	·220	·064	·034	·090	·393
		F.	1·971	·085	·087	·264	·035	·315	·055	·252	·128	·187	·077	·019	·035	·441
541*a*	Stockton *L*	M.	2·260	·101	·155	·291	·014	·189	·127	·327	·095	·238	·091	·024	·169	·409
541*b*	Hartlepool	F.	2·213	·093	·145	·302	·029	·248	·109	·266	·115	·270	·107	·012	·051	·466
542	Auckland	M.	2·296	·088	·116	·361	·007	·223	·140	·271	·082	·307	·055	·017	·177	·446
		F.	2·399	·081	·110	·411	·015	·315	·141	·225	·118	·303	·069	·007	·043	·561
543	Teesdale	M.	1·930	·037	·043	·274	·020	·229	·075	·221	·121	·254	·105	·021	·078	·452
		F.	1·926	·046	·052	·247	·023	·234	·062	·208	·164	·188	·130	·004	·023	·545
544	Weardale	M.	2·122	·093	·039	·321	·011	·279	·064	·196	·076	·352	·126	·025	·103	·437
		F.	2·052	·119	·050	·317	·009	·320	·068	·222	·101	·280	·129	·016	·012	·459
545	Durham *H*	M.	2·273	·117	·086	·328	·016	·194	·172	·260	·101	·235	·090	·020	·167	·487
		F.	2·240	·101	·076	·362	·026	·252	·153	·243	·104	·202	·096	·009	·037	·579
546	Easington	M.	2·065	·054	·092	·354	·012	·115	·129	·238	·092	·192	·057	·011	·254	·465
		F.	1·983	·067	·088	·378	·021	·185	·139	·207	·118	·155	·058	·009	·042	·516
547	Houghton-le-Spring	M.	2·195	·123	·087	·228	·010	·155	·089	·335	·097	·265	·100	·021	·188	·497
		F.	2·037	·103	·096	·223	·046	·215	·072	·280	·090	·199	·106	·007	·032	·568
548	Chester-le-Street	M.	2·118	·088	·049	·301	·009	·197	·113	·256	·112	·196	·087	·021	·216	·473
		F.	2·025	·098	·054	·301	·015	·236	·107	·214	·103	·185	·102	·009	·024	·577
549	Sunderland	M.	2·598	·079	·176	·357	·022	·207	·138	·318	·151	·361	·096	·030	·156	·467
		F.	2·387	·085	·174	·380	·047	·224	·108	·261	·145	·296	·111	·011	·038	·507
550	South Shields	M.	2·482	·118	·146	·435	·026	·191	·161	·245	·124	·312	·121	·025	·210	·368
		F.	2·321	·125	·150	·425	·058	·211	·127	·226	·123	·306	·119	·012	·051	·388
551	Gateshead *L*	M.	2·623	·094	·198	·356	·018	·221	·193	·356	·133	·320	·125	·024	·128	·477
		F.	2·540	·100	·223	·362	·041	·251	·174	·285	·118	·263	·150	·014	·034	·520
	39.—NORTHUMBERLAND.															
552	Newcastle-upon-Tyne *H*	M.	2·861	·103	·272	·359	·025	·300	·165	·371	·164	·369	·120	·039	·148	·426
		F.	2·617	·095	·291	·346	·048	·261	·142	·307	·141	·330	·112	·016	·056	·472
553	Tynemouth	M.	2·385	·088	·129	·358	·019	·199	·142	·297	·126	·294	·129	·035	·205	·364
		F.	2·250	·086	·122	·343	·048	·242	·112	·260	·133	·269	·146	·018	·042	·429
554	Castle Ward	M.	1·953	·069	·091	·234	·018	·198	·091	·220	·165	·169	·099	·036	·095	·468
		F.	1·856	·070	·067	·189	·035	·256	·062	·194	·161	·157	·102	·010	·045	·508
555	Hexham	M.	1·887	·064	·055	·180	·032	·241	·074	·187	·138	·265	·144	·030	·088	·389
		F.	1·819	·044	·059	·161	·045	·256	·075	·186	·164	·183	·138	·008	·022	·458
556	Haltwhistle	M.	1·646	·022	·008	·170	·016	·238	·030	·137	·107	·126	·167	·027	·079	·519
		F.	1·717	·027	·027	·144	·033	·332	·021	·126	·171	·084	·171	·012	·021	·548
557	Bellingham	M.	1·400	·054	·039	·141	·017	·203	·042	·152	·116	·090	·130	·042	·056	·318
		F.	1·444	·052	·040	·153	·021	·248	·034	·141	·129	·086	·067	·005	·012	·455
558	Morpeth *L*	M.	1·985	·096	·112	·273	·019	·167	·090	·213	·130	·264	·139	·041	·121	·320
		F.	1·907	·079	·105	·251	·037	·243	·061	·236	·133	·200	·145	·021	·031	·365
559	Alnwick	M.	1·872	·066	·050	·212	·020	·193	·077	·178	·151	·218	·140	·040	·090	·434
		F.	1·842	·069	·052	·196	·030	·242	·074	·180	·133	·174	·153	·018	·037	·484
560	Belford	M.	1·721	·077	·045	·199	·019	·144	·048	·173	·147	·080	·093	·048	·074	·574
		F.	1·553	·055	·049	·194	·041	·165	·032	·128	·110	·087	·081	–	·020	·591
561	Berwick	M.	2·006	·076	·068	·274	·024	·226	·049	·220	·129	·168	·107	·018	·091	·556
		F.	1·823	·075	·059	·227	·050	·177	·025	·204	·140	·140	·113	·012	·028	·573
562	Glendale	M.	1·533	·056	·030	·271	·017	·163	·033	·151	·124	·107	·107	·032	·068	·374
		F.	1·486	·064	·031	·189	·041	·164	·029	·158	·141	·087	·084	·007	·018	·475
563	Rothbury	M.	1·461	·055	·030	·138	·011	·171	·036	·099	·143	·072	·080	·017	·052	·557
		F.	1·489	·050	·019	·101	·044	·175	·033	·164	·161	·056	077	–	·022	·608

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	X.—NORTHERN COUNTIES *—cont.*														
	40.—CUMBERLAND.														
564	Alston	M.	2·068	4·766	·696	·386	·636	1·145	·856	1·497	2·845	6·800	11·731	16·667	50·000
		F.	1·911	3·568	·714	·637	·909	·941	1·225	1·381	1·807	3·167	5·179	15·435	20·000
565	Penrith	M.	1·881	4·593	·707	·220	·473	·727	·958	1·008	1·521	2·527	5·453	13·500	26·667
		F.	1·918	4·070	·687	·469	·756	·833	1·029	1·293	1·672	2·224	5·495	12·009	24·722
566	Brampton	M.	1·706	4·250	·726	·430	·684	·954	·807	·900	1·020	2·213	4·142	11·348	32·667
		F.	1·606	3·035	·684	·231	·835	·797	·859	1·100	1·097	2·134	4·638	11·287	21·429
567	Longtown	M.	1·728	4·708	·610	·469	·564	·592	·596	·539	1·271	1·741	5·780	13·789	25·000
		F.	1·757	3·873	·707	·455	·495	·764	·751	·832	1·061	1·613	4·661	12·736	27·895
568	Carlisle *H*	M.	2·406	7·393	·880	·452	·653	·915	1·053	1·308	1·782	3·368	7·915	12·805	30·333
		F.	2·227	6·686	·917	·438	·714	·812	1·158	1·297	1·511	2·735	5·803	13·478	29·455
569	Wigton	M.	1·911	4·466	·733	·377	·467	·837	·904	1·134	1·261	2·852	5·592	15·052	32·609
		F.	1·804	3·983	·531	·461	·636	·966	·896	·956	1·147	2·196	5·083	13·176	32·000
570	Cockermouth	M.	2·300	6·401	1·082	·583	·812	·941	·971	1·138	1·610	3·107	6·476	16·325	26·316
		F.	2·144	5·673	·891	·597	·712	1·025	1·019	1·126	1·357	2·383	5·534	14·631	25·484
571	Whitehaven	M.	2·344	7·152	·936	·607	·719	·943	·874	1·221	1·888	3·143	6·883	15·532	34·545
		F.	2·190	6·558	·991	·443	·746	·883	·872	1·129	1·438	2·534	5·880	14·276	32·973
572	Bootle	M.	1·682	3·481	·569	·502	·525	·682	1·073	1·035	1·315	1·606	4·923	12·759	41·667
		F.	1·570	2·479	·460	·478	·679	·840	1·307	1·111	1·245	2·000	4·215	10·345	35·714
	41.—WESTMORLAND.														
573	East Ward	M.	1·755	4·182	·619	·408	·352	·561	·796	·752	1·152	2·932	5·614	12·409	29·474
		F.	1·756	2·865	·634	·501	·885	·823	·985	1·093	1·252	1·975	5·240	13·014	24·231
574	West Ward	M.	1·864	3·894	·777	·293	·539	·855	·867	1·034	1·288	2·425	4·947	14·699	41·250
		F.	1·792	2·944	·693	·375	·972	1·111	·914	1·080	1·701	2·327	5·882	11·690	24·000
575	Kendal	M.	1·894	4·089	·705	·438	·637	1·021	1·042	1·094	1·645	2·827	5·663	14·577	27·750
		F.	1·817	3·734	·729	·483	·917	·873	1·013	1·091	1·281	2·386	5·313	12·744	24·286
	XI.—MONMOUTHSHIRE AND WALES.														
	42.—MONMOUTHSHIRE.														
576	Chepstow	M.	1·994	4·870	·807	·647	·782	·993	·999	1·044	1·415	2·313	5·754	12·013	31·739
		F.	1·934	4·287	1·047	·623	·749	·851	·963	1·062	1·162	2·337	5·101	12·012	31·071
577	Monmouth	M.	1·960	5·182	·745	·490	·518	·671	·825	·868	1·433	2·836	5·768	13·519	26·176
		F.	1·854	4·168	·905	·543	·712	1·046	·782	·901	1·169	2·185	5·219	11·152	20·845
578	Abergavenny *L*	M.	2·589	8·959	1·108	·877	·968	1·146	1·114	1·344	1·885	3·344	7·201	14·263	24·091
		F.	2·439	7·839	1·127	·536	·750	·983	1·199	1·403	1·529	2·621	5·724	12·745	27·069
579	Pontypool	M.	2·379	7·366	1·117	·598	·900	1·126	1·093	1·297	1·667	3·139	6·352	13·871	23·750
		F.	2·227	6·477	·977	·561	·763	1·061	1·217	1·304	1·321	2·377	5·193	13·471	27·576
580	Newport *H*	M.	2·315	7·422	·918	·608	·786	1·055	1·047	1·302	1·738	3·131	6·313	13·900	21·333
		F.	2·121	6·466	·811	·545	·772	·871	1·167	1·421	1·378	2·328	5·736	10·863	23·538
	43.—SOUTH WALES.														
	GLAMORGANSHIRE.														
581	Cardiff *H*	M.	2·390	7·998	1·010	·696	·999	1·261	1·161	1·347	1·865	2·753	5·687	11·397	27·447
		F.	2·260	7·273	·940	·459	·760	1·029	1·111	1·298	1·587	2·468	4·825	11·502	29·828
582	Merthyr Tydfil	M.	2·969	10·150	1·311	1·089	1·137	1·463	1·319	1·413	2·168	3·628	7·592	17·925	25·778
		F.	2·739	9·220	1·314	·651	·847	1·075	1·342	1·513	1·567	2·453	5·651	11·887	29·474
583	Bridgend	M.	2·038	6·084	·661	·607	·842	1·151	·924	1·135	1·374	2·137	4·437	11·323	22·778
		F.	1·895	4·908	·895	·421	·664	·842	·870	1·071	1·239	2·188	4·212	9·841	27·021
584	Neath	M.	2·227	6·848	·899	·705	1·007	1·143	·971	1·269	1·777	3·552	6·583	12·582	30·000
		F.	2·087	6·251	·897	·557	·696	·884	1·144	1·364	1·229	2·252	4·353	11·647	25·179
585*a*	Swansea *H*	M.	2·095	6·132	·803	·592	·833	·954	·984	1·227	1·678	2·992	5·965	13·282	24·150
585*b*	Gower	F.	1·954	5·475	·897	·460	·706	·820	·888	1·163	1·536	2·268	4·789	11·734	25·361

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.												
				Typhus.	Cholera, Diarrhœa, and Dysentery.	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
	X.—NORTHERN COUNTIES —*cont.*															
	40.—CUMBERLAND.															
564	Alston	M.	2·063	·039	·036	·191	·015	·294	·070	·200	·127	·566	·154	·027	·085	·264
		F.	1·911	·064	·033	·218	·006	·321	·064	·172	·181	·296	·212	·003	·015	·326
565	Penrith	M.	1·881	·041	·023	·199	·031	·232	·067	·190	·146	·208	·118	·034	·078	·514
		F.	1·918	·042	·022	·203	·055	·293	·062	·167	·159	·195	·122	·012	·035	·551
566	Brampton	M.	1·706	·032	·011	·211	·014	·264	·034	·110	·110	·097	·083	·019	·108	·613
		F.	1·606	·035	·030	·154	·035	·294	·033	·105	·092	·088	·083	·004	·031	·622
567	Longtown	M.	1·728	·052	·017	·167	·019	·223	·053	·181	·099	·134	·082	·025	·061	·595
		F.	1·757	·033	·021	·227	·035	·252	·039	·138	·081	·149	·074	·006	·035	·667
568	Carlisle *H*	M.	2·406	·059	·102	·337	·020	·300	·098	·260	·162	·252	·116	·038	·112	·550
		F.	2·227	·068	·097	·316	·047	·306	·068	·200	·150	·212	·108	·014	·044	·599
569	Wigton	M.	1·911	·040	·050	·221	·036	·213	·041	·141	·108	·148	·102	·026	·098	·687
		F.	1·804	·045	·042	·190	·035	·242	·042	·127	·108	·105	·068	·009	·037	·754
570	Cockermouth	M.	2·300	·090	·096	·336	·023	·225	·101	·207	·146	·209	·096	·036	·139	·596
		F.	2·144	·072	·093	·287	·047	·287	·083	·188	·163	·145	·104	·012	·040	·623
571	Whitehaven	M.	2·344	·058	·106	·371	·018	·218	·107	·203	·107	·312	·096	·020	·171	·557
		F.	2·190	·068	·082	·340	·028	·246	·071	·167	·127	·277	·104	·010	·052	·618
572	Bootle	M.	1·682	·019	·019	·206	·013	·200	·019	·087	·103	·113	·055	·016	·161	·671
		F.	1·570	·021	·004	·155	·032	·317	·025	·092	·120	·077	·046	·004	·021	·656
	41.—WESTMORLAND.															
573	East Ward	M.	1·755	·040	·021	·205	·009	·195	·063	·183	·131	·163	·100	·031	·067	·547
		F.	1·756	·047	·028	·193	·021	·267	·043	·121	·178	·084	·108	·003	·020	·643
574	West Ward	M.	1·864	·021	·012	·205	·036	·255	·043	·148	·112	·138	·091	·017	·136	·650
		F.	1·792	·043	·028	·186	·048	·303	·056	·130	·171	·105	·102	·005	·005	·610
575	Kendal	M.	1·894	·059	·029	·216	·013	·263	·100	·252	·111	·218	·116	·027	·113	·377
		F.	1·817	·056	·020	·236	·026	·276	·068	·227	·114	·190	·098	·006	·031	·469
	XI.—MONMOUTHSHIRE AND WALES.															
	42.—MONMOUTHSHIRE.															
576	Chepstow	M.	1·994	·074	·023	·269	·018	·211	·035	·303	·132	·203	·100	·030	·121	·475
		F.	1·934	·071	·019	·250	·037	·252	·021	·238	·153	·148	·118	·003	·040	·584
577	Monmouth	M.	1·960	·068	·041	·212	·015	·177	·025	·280	·105	·366	·095	·017	·113	·446
		F.	1·854	·071	·027	·226	·031	·229	·026	·226	·147	·256	·094	·004	·036	·481
578	Abergavenny *L*	M.	2·589	·174	·075	·343	·018	·238	·146	·395	·076	·447	·096	·022	·257	·302
		F.	2·433	·157	·081	·373	·030	·309	·122	·356	·101	·353	·087	·010	·041	·419
579	Pontypool	M.	2·379	·130	·055	·349	·020	·221	·074	·375	·089	·421	·083	·026	·166	·370
		F.	2·227	·122	·040	·360	·036	·290	·063	·317	·124	·318	·074	·010	·040	·433
580	Newport *H*	M.	2·315	·097	·073	·296	·022	·239	·074	·392	·108	·366	·100	·027	·212	·309
		F.	2·121	·102	·060	·308	·039	·305	·057	·309	·116	·273	·101	·009	·053	·389
	43.—SOUTH WALES.															
	GLAMORGANSHIRE.															
581	Cardiff *H*	M.	2·390	·101	·109	·339	·014	·264	·075	·332	·071	·334	·084	·020	·249	·398
		F.	2·260	·101	·105	·355	·030	·310	·061	·310	·088	·268	·093	·006	·037	·496
582	Merthyr Tydfil	M.	2·969	·186	·167	·450	·010	·383	·080	·514	·071	·372	·069	·023	·279	·365
		F.	2·739	·178	·160	·463	·021	·424	·058	·485	·089	·288	·072	·007	·053	·441
583	Bridgend	M.	2·038	·136	·031	·241	·018	·230	·031	·389	·081	·234	·067	·026	·140	·414
		F.	1·895	·112	·035	·204	·031	·240	·028	·313	·109	·209	·066	·003	·033	·512
584	Neath	M.	2·227	·187	·070	·325	·013	·286	·063	·375	·063	·235	·069	·018	·166	·357
		F.	2·087	·167	·066	·342	·020	·318	·043	·335	·062	·173	·058	·006	·036	·461
585*a*	Swansea *H*	M.	2·095	·098	·061	·301	·018	·283	·052	·324	·067	·358	·073	·024	·117	·319
585*b*	Gower	F.	1·954	·090	·043	·270	·035	·291	·035	·280	·082	·285	·084	·005	·034	·420

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	XI.—MONMOUTHSHIRE AND WALES—*cont.*														
	43.—SOUTH WALES—*cont.*														
	CARMARTHENSHIRE.														
586	Llanelly	M.	2·031	5·398	·861	·745	1·295	1·152	·989	1·109	1·351	2·597	5·811	14·444	26·522
		F.	1·857	4·689	·825	·658	·835	·821	·967	1·240	1·213	2·171	4·411	9·108	22·791
587	Llandovery	M.	1·919	4·032	·696	·661	·752	1·082	1·286	·977	1·642	2·614	5·603	10·074	25·185
		F.	1·742	3·358	·831	·457	·655	·848	1·048	1·000	1·174	2·249	4·012	10·282	26·279
588	Llandilofawr	M.	2·046	4·172	·923	·567	·882	1·203	1·339	1·039	1·419	2·698	5·619	12·649	29·000
		F.	1·791	3·247	·870	·389	·712	1·150	·901	1·068	1·051	2·258	4·203	9·828	21·286
589	Carmarthen *H*	M.	2·255	5·264	1·017	·657	·913	1·412	1·310	1·247	1·387	2·834	5·646	13·388	29·423
		F.	2·003	4·875	1·068	·630	·701	·742	1·005	·976	1·289	2·295	4·585	11·156	22·544
	PEMBROKESHIRE.														
590	Narberth	M.	1·957	3·978	·911	·617	·893	1·443	1·076	·903	1·362	2·293	5·609	12·273	33·103
		F.	1·830	3·531	·844	·609	·631	·810	1·048	1·002	1·261	1·967	4·404	10·652	23·134
591	Pembroke	M.	1·938	5·745	·824	·519	·523	·966	·956	1·154	1·223	2·326	5·259	12·229	29·375
		F.	1·944	4·964	1·068	·510	·625	·716	·911	1·116	1·209	2·335	4·912	11·915	23·226
592	Haverfordwest	M.	2·186	5·378	·853	·552	·989	1·484	1·151	·980	1·427	2·534	5·860	12·947	30·678
		F.	2·051	4·862	·915	·681	·795	·786	·993	1·223	1·162	2·393	4·874	10·139	23·317
	CARDIGANSHIRE.														
593	Cardigan	M.	2·124	3·812	·849	·543	1·081	1·500	1·279	1·266	1·662	2·413	6·167	11·244	28·750
		F.	1·808	3·428	·887	·572	·683	·838	·837	1·104	1·257	2·002	4·398	10·724	22·985
594	Newcastle-in-Emlyn	M.	1·917	3·511	·814	·517	·856	1·515	1·200	·953	1·132	2·590	5·620	11·726	31·923
		F.	1·741	3·042	·867	·531	·716	·873	·951	·987	1·131	2·106	4·524	10·463	28·000
595	Lampeter	M.	1·917	3·563	·743	·573	·878	1·707	1·397	1·228	1·368	2·276	5·463	10·118	22·308
		F.	1·671	3·052	·919	·606	·798	·783	1·065	·985	·996	1·728	4·191	9·911	22·500
596	Aberayron	M.	2·185	4·540	·984	·730	·989	1·595	1·547	1·146	1·308	2·164	5·538	12·957	25·263
		F.	1·804	3·475	·885	·610	·605	1·099	1·111	1·107	·996	2·062	4·454	11·557	21·818
597	Aberystwith	M.	2·013	4·447	·829	·422	1·019	1·445	1·216	1·015	1·469	2·767	6·508	11·609	26·429
		F.	1·815	3·941	·848	·544	·849	·744	·936	1·081	1·323	2·319	4·755	11·732	30·000
598	Tregaron	M.	1·961	3·858	·638	·415	·996	1·759	1·311	·837	1·589	2·881	5·530	13·889	36·000
		F.	1·665	2·831	·689	·492	·887	·796	·783	1·318	1·073	2·536	5·081	10·088	24·737
	BRECKNOCKSHIRE.														
599	Builth	M.	1·785	4·251	·640	·376	·545	1·144	·934	1·014	1·067	2·246	4·764	9·506	21·579
		F.	1·912	3·411	·811	·323	·670	1·063	1·107	1·090	1·381	2·558	4·992	12·330	31·538
600	Brecknock	M.	2·139	5·784	·745	·510	·742	·803	1·007	·991	1·488	2·791	5·463	11·556	31·154
		F.	2·113	4·746	1·063	·797	·808	·810	1·136	1·384	1·562	2·341	4·575	10·495	25·106
601	Crickhowell	M.	2·432	8·996	1·139	·685	·981	·898	·913	1·094	1·648	2·777	7·057	12·119	23·333
		F.	2·330	8·196	·941	·714	·914	·968	1·500	1·257	1·330	2·287	5·359	12·929	27·419
602	Hay	M.	2·283	5·589	·806	·530	·754	1·007	·852	1·166	1·838	3·168	5·804	13·471	29·000
		F.	2·083	4·162	·791	·749	·838	·903	·997	1·002	1·449	2·694	4·775	12·057	30·741
	RADNORSHIRE.														
603	Presteigne	M.	1·878	4·357	·434	·331	·495	·735	·816	·821	1·540	2·308	6·313	14·792	30·435
		F.	1·908	3·593	·667	·459	·680	·947	·844	1·049	1·594	2·490	5·483	13·188	39·091
604	Knighton	M.	1·586	4·122	·588	·293	·513	·365	·697	·633	1·106	2·257	4·455	14·028	26·000
		F.	1·684	3·249	·604	·517	·490	·859	·841	·866	1·321	2·321	5·464	12·410	22·941
605	Rhayader	M.	1·691	4·069	·536	·242	·499	·810	·907	·702	·890	1·839	5·103	12·813	17·500
		F.	1·878	3·900	·692	·588	·817	·818	·938	·647	·842	2·244	4·241	14·225	32·857

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	SEX.	All Causes.	Causes of Death.												
				Typhus.	*Cholera, Diarrhœa, and Dysentery.*	Other Zymotic Diseases.	Cancer.	PHTHISIS.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	DISEASES OF LUNGS.	Diseases of Stomach and Liver.	Diseases of Kidneys.	VIOLENT DEATHS.	Other Causes.
	XI.—MONMOUTHSHIRE AND WALES—*cont.*															
	43.—SOUTH WALES—*cont.*															
	CARMARTHENSHIRE.															
586	LLANELLY	M.	2·081	·123	·034	·259	·013	·206	·042	·241	·051	·187	·091	·021	·151	·572
		F.	1·857	·113	·032	·246	·024	·330	·039	·178	·058	·134	·068	·003	·041	·591
587	LLANDOVERY	M.	1·919	·069	·007	·185	·020	·480	·025	·347	·075	·129	·083	·025	·058	·416
		F.	1·742	·056	·006	·178	·021	·378	·034	·267	·113	·114	·045	·003	·031	·496
588	LLANDILOFAWR	M.	2·046	·108	·013	·225	·020	·370	·061	·246	·058	·147	·059	·021	·082	·636
		F.	1·791	·087	·009	·190	·015	·337	·023	·180	·108	·120	·035	·004	·034	·649
589	CARMARTHEN *H*	M.	2·255	·097	·022	·315	·019	·483	·071	·279	·082	·197	·095	·026	·077	·492
		F.	2·003	·087	·017	·269	·030	·382	·049	·265	·091	·175	·077	·006	·040	·515
	PEMBROKESHIRE.															
590	NARBERTH	M.	1·937	·084	·012	·323	·018	·313	·040	·156	·069	·099	·062	·015	·086	·671
		F.	1·830	·078	·009	·306	·029	·327	·022	·100	·117	·053	·041	—	·023	·725
591	PEMBROKE	M.	1·938	·098	·041	·282	·012	·268	·037	·248	·111	·119	·055	·016	·087	·564
		F.	1·944	·103	·033	·237	·041	·287	·044	·213	·134	·101	·055	·010	·031	·658
592	HAVERFORDWEST	M.	2·186	·095	·048	·288	·022	·346	·031	·216	·119	·140	·077	·030	·076	·678
		F.	2·051	·100	·042	·287	·033	·312	·035	·151	·132	·125	·069	·011	·029	·725
	CARDIGANSHIRE.															
593	CARDIGAN	M.	2·124	·074	·011	·269	·013	·416	·085	·257	·125	·123	·077	·011	·079	·584
		F.	1·808	·062	·006	·206	·031	·311	·052	·230	·146	·079	·024	·003	·029	·629
594	NEWCASTLE-IN-EMLYN	M.	1·917	·091	·010	·254	·020	·439	·049	·150	·078	·135	·063	·015	·041	·572
		F.	1·741	·073	·002	·215	·018	·364	·037	·129	·111	·088	·049	·003	·024	·628
595	LAMPETER	M.	1·917	·146	·004	·241	·011	·488	·036	·177	·074	·104	·082	·006	·066	·482
		F.	1·671	·125	—	·256	·011	·358	·017	·125	·083	·104	·033	·002	·036	·521
596	ABERAYRON	M.	2·185	·088	·008	·309	·012	·455	·045	·166	·075	·136	·072	·008	·063	·748
		F.	1·804	·072	·003	·229	·018	·390	·024	·128	·098	·136	·035	—	·019	·652
597	ABERYSTWITH	M.	2·013	·090	·003	·345	·014	·323	·031	·192	·059	·157	·072	·011	·078	·638
		F.	1·815	·096	·010	·271	·017	·310	·035	·184	·080	·103	·051	·002	·026	·630
598	TREGARON	M.	1·961	·123	·018	·266	·018	·379	·064	·165	·067	·189	·062	·020	·085	·495
		F.	1·665	·096	·007	·232	·023	·302	·062	·103	·062	·168	·052	·004	·029	·525
	BRECKNOCKSHIRE.															
599	BUILTH	M.	1·785	·051	·014	·226	·019	·214	·029	·197	·087	·142	·077	·007	·067	·635
		F.	1·912	·067	·010	·211	·017	·249	·012	·158	·110	·156	·043	·003	·036	·840
600	BRECKNOCK	M.	2·139	·079	·090	·250	·011	·254	·048	·203	·115	·278	·088	·020	·095	·518
		F.	2·113	·096	·075	·250	·035	·261	·032	·238	·170	·215	·090	·012	·058	·581
601	CRICKHOWELL	M.	2·482	·158	·059	·314	·019	·237	·110	·409	·095	·408	·084	·016	·171	·332
		F.	2·330	·128	·050	·373	·032	·328	·098	·178	·141	·336	·070	·009	·057	·430
602	HAY	M.	2·283	·063	·046	·276	·024	·202	·032	·297	·139	·260	·163	·041	·098	·642
		F.	2·083	·075	·031	·267	·020	·222	·015	·227	·162	·184	·129	·007	·046	·698
	RADNORSHIRE.															
603	PRESTEIGNE	M.	1·878	·046	·011	·168	·015	·187	·031	·282	·144	·242	·093	·023	·071	·565
		F.	1·908	·073	·004	·193	·046	·215	·030	·204	·209	·197	·070	·004	·034	·509
604	KNIGHTON	M.	1·586	·029	·011	·133	·023	·143	·042	·124	·063	·175	·061	·025	·074	·683
		F.	1·684	·057	·013	·169	·030	·194	·049	·083	·104	·137	·045	—	·030	·773
605	RHAYADER	M.	1·691	·086	·031	·169	·011	·195	·023	·152	·066	·206	·089	·037	·052	·574
		F.	1·878	·063	·018	·284	·043	·218	·021	·145	·097	·145	·109	·012	·024	·667

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	XI.—MONMOUTHSHIRE AND WALES—*cont.*														
	44.—NORTH WALES.														
	MONTGOMERYSHIRE.														
606	Machynlleth	M.	2·049	4·247	·717	·671	·861	1·169	1·059	·930	1·407	2·264	6·380	13·917	31·667
		F.	2·078	3·920	·912	·737	·776	·813	1·031	1·528	1·489	2·489	4·985	11·420	26·800
607	Newtown	M.	2·087	5·412	·699	·573	·797	1·047	1·058	1·052	1·453	2·617	6·499	12·872	32·308
		F.	2·133	4·420	·908	·639	·986	1·300	1·290	1·426	1·186	2·524	5·453	10·876	25·714
608	Montgomery *	M.	1·967	5·108	·704	·417	·773	·889	1·014	·841	1·312	2·895	5·504	13·434	33·158
		F.	1·927	4·261	·784	·436	·722	1·052	1·173	1·085	1·103	2·053	4·816	13·607	27·879
609	Llanfyllin *	M.	1·966	4·178	·732	·589	·650	1·262	·914	·916	1·099	2·471	6·108	14·355	30·741
		F.	1·898	3·435	·689	·587	·762	·914	1·163	·992	1·531	2·089	4·865	13·142	30·857
	FLINTSHIRE.														
610	Holywell	M.	2·108	5·698	1·008	·458	·634	1·139	·894	1·120	1·796	3·182	6·955	13·064	36·552
		F.	2·042	4·990	·872	·462	·734	·875	1·051	1·156	1·229	2·286	5·548	11·184	26·235
	DENBIGHSHIRE.														
611	Wrexham *	M.	2·247	6·971	·743	·516	·754	1·038	·972	1·038	1·690	3·376	6·811	15·976	30·000
		F.	2·179	5·888	·752	·499	·816	1·050	1·046	1·308	1·483	2·557	5·560	13·390	29·636
612	Ruthin	M.	1·908	4·256	·829	·345	·585	·908	1·005	1·055	1·068	2·387	6·005	13·481	34·706
		F.	1·968	3·569	·800	·572	·909	·927	·946	1·293	1·436	2·143	4·703	11·086	32·778
613	St. Asaph *L*	M.	2·178	5·352	·944	·465	·746	1·368	1·107	1·291	1·506	2·884	6·271	12·670	32·500
		F.	2·035	4·528	·926	·483	·779	1·007	1·071	1·292	1·635	2·532	5·051	11·026	30·000
614	Llanrwst	M.	1·865	4·024	·858	·367	·734	1·041	1·039	1·001	1·443	1·871	5·194	11·520	34·210
		F.	1·907	4·127	·698	·700	·684	·684	1·062	1·182	1·232	2·209	4·720	10·596	28·333
	MERIONETHSHIRE.														
615	Corwen	M.	1·863	4·043	·688	·496	·826	·890	1·003	·994	1·339	2·282	5·289	12·258	23·704
		F.	1·744	3·268	·801	·636	·694	·949	·985	·976	1·101	1·762	4·826	10·730	26·333
616	Bala	M.	1·829	3·073	·732	·461	·448	1·032	1·007	·868	1·456	2·275	5·590	12·603	32·143
		F.	1·771	3·031	·774	·447	·543	·827	·845	·961	1·424	2·082	4·023	9·286	36·471
617	Dolgelly	M.	1·877	3·168	·436	·533	·745	1·618	1·004	1·157	1·317	2·675	4·658	10·743	31·739
		F.	1·821	2·991	·731	·418	·554	·828	1·183	1·034	1·214	2·012	4·216	9·099	24·324
618	Festiniog	M.	2·049	5·076	1·045	·756	·819	1·496	1·000	·972	1·319	2·576	5·548	11·840	20·455
		F.	1·822	3·952	·993	·619	·908	·833	1·037	1·153	·878	1·917	3·655	9·795	23·111
	CARNARVONSHIRE.														
619	Pwllheli	M.	1·937	3·977	·611	·452	·817	1·393	·939	·876	1·479	1·962	5·298	14·058	36·364
		F.	1·759	3·333	·808	·523	·603	·887	·861	·931	1·119	2·100	4·634	10·657	28·000
620	Carnarvon	M.	2·160	6·170	1·114	·623	·755	1·325	1·180	1·012	1·386	2·293	5·553	13·654	26·333
		F.	2·254	6·481	·982	·659	1·085	1·059	1·071	1·387	1·345	2·515	4·716	11·154	23·966
621	Bangor *	M.	2·013	5·534	·944	·491	·868	1·315	1·057	1·199	1·416	2·486	4·906	11·441	28·182
		F.	2·086	5·466	·983	·644	·948	1·087	1·156	1·313	1·342	2·241	4·719	11·745	26·000
622	Conway	M.	1·934	5·072	·669	·429	·731	1·126	·979	1·158	1·121	1·808	5·415	12·571	36·154
		F.	1·744	4·128	·796	·421	·723	·703	·968	·999	1·023	1·874	4·886	11·016	30·588
	ANGLESEY.														
623	Anglesey *	M.	1·984	4·881	·731	·390	·746	1·434	1·184	1·100	1·363	2·165	4·981	11·791	39·535
		F.	1·884	4·116	·847	·521	·851	·957	1·065	·984	1·162	2·082	4·716	10·911	24·545

* In calculating the Mortality of these Districts a correction has been made for

Average Annual Rate of Mortality from different Causes to 100 Living during the 10 Years 1851–60—*continued.*

No.	DISTRICTS.	Sex.	All Causes.	Causes of Death.												
				Typhus.	*Cholera, Diarrhœa, and Dysentery.*	Other Zymotic Diseases.	Cancer.	Phthisis.	Scrofula, Tabes Mesenterica, and Hydrocephalus.	Disease of Brain.	Diseases of Heart and Dropsy.	Diseases of Lungs.	Diseases of Stomach and Liver.	Diseases of Kidneys.	Violent Deaths.	Other Causes.
	XI.—MONMOUTHSHIRE AND WALES—*cont.*															
	44.—NORTH WALES.															
	MONTGOMERYSHIRE.															
606	Machynlleth	M.	2·049	·145	·013	·246	·040	·377	·041	·274	·068	·160	·068	·025	·073	·325
		F.	2·078	·097	·026	·258	·055	·397	·039	·284	·079	·135	·060	·008	·023	·617
607	Newtown	M.	2·087	·047	·056	·187	·022	·318	·070	·331	·086	·288	·106	·028	·074	·474
		F.	2·133	·053	·052	·211	·043	·391	·041	·250	·115	·244	·088	·011	·034	·600
608	Montgomery *	M.	1·967	·057	·027	·162	·027	·278	·031	·313	·083	·263	·087	·024	·117	·498
		F.	1·927	·064	·024	·176	·039	·278	·024	·281	·121	·194	·105	·010	·037	·574
609	Llanfyllin *	M.	1·966	·065	·012	·174	·021	·298	·033	·277	·051	·176	·051	·009	·080	·719
		F.	1·898	·069	·011	·165	·033	·320	·026	·242	·090	·107	·033	·002	·030	·770
	FLINTSHIRE.															
610	Holywell	M.	2·108	·075	·020	·278	·020	·318	·031	·410	·082	·255	·066	·012	·129	·412
		F.	2·042	·066	·022	·256	·032	·309	·027	·393	·127	·152	·062	·005	·035	·556
	DENBIGHSHIRE.															
611	Wrexham *	M.	2·247	·101	·049	·247	·018	·239	·059	·498	·084	·318	·107	·017	·160	·350
		F.	2·179	·110	·049	·238	·031	·290	·028	·475	·114	·237	·098	·006	·046	·457
612	Ruthin	M.	1·908	·088	·005	·202	·031	·272	·041	·398	·128	·157	·081	·041	·054	·410
		F.	1·968	·078	·011	·220	·041	·327	·029	·355	·170	·090	·076	·012	·032	·527
613	St. Asaph *L*	M.	2·178	·083	·018	·244	·023	·301	·030	·553	·132	·232	·098	·028	·094	·342
		F.	2·035	·086	·013	·240	·040	·313	·024	·447	·143	·190	·069	·006	·022	·442
614	Llanrwst	M.	1·865	·107	·008	·237	·038	·261	·043	·393	·088	·100	·067	·032	·057	·434
		F.	1·907	·114	·009	·224	·049	·317	·030	·361	·112	·073	·054	·002	·013	·549
	MERIONETHSHIRE.															
615	Corwen	M.	1·863	·063	·018	·273	·016	·277	·026	·294	·061	·210	·084	·023	·065	·453
		F.	1·744	·067	·004	·257	·022	·277	·019	·250	·112	·163	·059	—	·028	·486
616	Bala	M.	1·829	·073	·043	·122	·015	·216	·030	·249	·100	·191	·122	·055	·040	·573
		F.	1·771	·061	·015	·117	·034	·191	·034	·231	·129	·117	·120	·006	·022	·694
617	Dolgelly	M.	1·877	·128	·013	·203	·015	·283	·025	·221	·058	·104	·049	·013	·096	·669
		F.	1·821	·125	·011	·179	·036	·267	·018	·210	·096	·057	·023	·005	·021	·773
618	Festiniog	M.	2·049	·094	·022	·299	·011	·209	·066	·418	·046	·162	·084	·048	·138	·452
		F.	1·822	·062	·018	·260	·027	·287	·055	·337	·076	·112	·081	·005	·030	·474
	CARNARVONSHIRE.															
619	Pwllheli	M.	1·937	·065	·017	·218	·032	·240	·022	·474	·112	·125	·089	·020	·083	·440
		F.	1·759	·069	·017	·200	·039	·242	·015	·356	·106	·107	·052	·002	·033	·521
620	Carnarvon	M.	2·160	·066	·032	·314	·025	·320	·063	·554	·071	·207	·099	·034	·120	·255
		F.	2·254	·064	·033	·301	·042	·422	·034	·570	·087	·196	·096	·008	·027	·374
621	Bangor *	M.	2·013	·091	·021	·220	·016	·318	·063	·455	·081	·183	·072	·023	·105	·365
		F.	2·086	·080	·021	·248	·026	·376	·047	·410	·089	·169	·062	·004	·020	·534
622	Conway	M.	1·934	·063	·008	·286	·013	·292	·049	·438	·104	·095	·065	·016	·092	·413
		F.	1·744	·061	·005	·228	·033	·286	·031	·361	·086	·082	·061	·009	·020	·481
	ANGLESEY.															
623	Anglesey *	M.	1·984	·059	·021	·246	·020	·352	·036	·504	·060	·108	·072	·014	·116	·376
		F.	1·884	·052	·013	·234	·022	·367	·032	·397	·072	·100	·051	·005	·023	·516

changes which occurred in the constitution of them during the 10 Years 1851–60.

REFORM CLUB
PALL MALL

MEAN POPULATION, 1851-61,

AND

DEATHS FROM DIFFERENT CAUSES

OF

MALES AND FEMALES AT DIFFERENT AGES

In the 10 Years

1851-60.

Mean Population, 1851–61, and Deaths in ENGLAND

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–
Mean Popul^{n}, 1851-61	9,278,742	-	-	-	-	-	1,255,830	1,111,594	1,011,942
TOTAL DEATHS	2,138,536	557,213	175,529	87,299	56,604	40,237	916,882	94,592	49,393
Small-pox	22416	5446	2825	2097	1629	1251	13248	3008	709
Measles	39560	7617	14114	7715	4200	2394	36040	2907	323
Scarlatina	84310	6270	12053	13632	12644	9966	54565	22070	4664
Diphtheria	9844	1076	1236	1072	1086	984	5454	2530	860
Whooping-cough	42668	18485	12558	5571	2923	1551	41088	1480	65
Typhus	84121	3210	3905	3931	3582	3102	17730	10415	6947
Cholera, Diarrh., Dysent^{y}	105319	50271	14112	3884	1814	1127	71208	2594	1119
Other Zymotic Dis.	85783	22045	7788	6291	4995	3340	44459	5143	1807
Cancer	18059	86	45	56	46	35	268	107	83
Scrofula, Tabes Mesent.	41809	13024	7401	3186	1553	989	26153	3470	2533
Phthisis	239305	7012	4812	2440	1407	1149	16820	5838	7725
Hydrocephalus	43046	15437	11849	4966	2675	1966	36893	4400	1066
Diseases of Brain	278218	124475	15742	7000	4064	2764	154045	6751	3657
Heart Dis. and Dropsy	109527	2313	1076	777	639	582	5387	2665	2443
Dis. of Lungs	308255	81666	36479	13766	7036	4038	142985	6504	2233
Dis. of Stom. and Liver	93421	13089	2368	1394	927	826	18604	2862	2216
Dis. of Kidneys	29421	210	155	155	163	149	832	520	480
Dis. of Gener. Organs	359	44	13	4	1	–	62	6	7
Diseases of the Joints	7258	176	145	137	121	131	710	734	943
Diseases of the Skin	4818	1572	296	113	41	48	2070	138	99
Childbirth and Metria	–	–	–	–	–	–	–	–	–
Violent Deaths	102132	6067	3339	3505	2916	2542	18369	7146	7778
Other Causes	388887	177622	23218	5607	2142	1303	209892	3254	1636
		AGES OF FEMALES.							
Mean Popul^{n}, 1851-61	9,718,174	-	-	-	-	-	1,258,614	1,105,619	997,324
TOTAL DEATHS	2,072,179	439,417	166,890	86,443	56,726	40,225	789,701	93,151	50,424
Small-pox	19655	4922	2857	2118	1702	1255	12854	2694	756
Measles	38651	6348	13579	7851	4383	2436	34597	3191	441
Scarlatina	82122	4964	11400	13022	12194	9662	51242	22107	5264
Diphtheria	10879	790	1104	1123	1236	1163	5416	3100	1237
Whooping-cough	52956	19804	15878	7989	4309	2407	50387	2379	141
Typhus	88337	2643	3840	4107	3932	3530	18052	11923	8757
Cholera, Diarrh. Dysent^{y}	99853	41138	14112	3738	1618	1053	61659	2476	1009
Other Zymotic Dis.	72355	18947	7012	6038	4572	3271	39840	5018	1781
Cancer	42137	92	47	68	51	33	291	102	89
Scrofula, Tabes Mesent.	35545	10487	6746	2826	1345	916	22320	2802	2131
Phthisis	269618	6141	4624	2529	1504	1327	16125	6856	12885
Hydrocephalus	32454	10604	8535	3920	2436	1710	27205	3659	981
Diseases of Brain	242510	91707	14397	6663	3913	2620	119300	6171	3555
Heart Dis. and Dropsy	127446	1960	921	634	494	468	4486	2378	2715
Dis. of Lungs	265571	60296	33763	14044	7354	4102	119559	6712	2397
Dis. of Stom. and Liver	97361	8705	2250	1373	982	800	14110	2715	1934
Dis. of Kidneys	11277	120	111	82	91	75	479	265	304
Dis. of Gener. Organs	10065	26	33	16	6	1	82	3	20
Diseases of the Joints	5678	197	133	110	110	112	667	581	620
Diseases of the Skin	4546	1417	309	140	73	37	1976	105	76
Childbirth and Metria	31060	–	–	–	–	–	–	–	1
Violent Deaths	37210	5321	2530	2431	2190	1855	14327	4722	1632
Other Causes	394893	142779	22704	5621	2231	1392	174727	3192	1698

and WALES during the **10 Years 1851–60.**

AGES OF MALES.

15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.	CAUSES OF DEATH.
915,583	827,833	1,356,605	1,074,115	792,246	523,334	285,168	101,371	13,121	{Mean Popul^{n}, 1851-61.
61,239	73,090	129,877	134,064	142,253	161,473	186,305	148,682	40,636	TOTAL DEATHS.
964	1438	1620	738	416	176	76	19	4	Small-pox.
100	63	64	37	17	5	3	1	–	Measles.
1333	553	529	324	158	78	28	8	–	Scarlatina.
358	174	149	124	71	59	41	20	4	Diphtheria.
10	6	10	1	2	2	4	–	–	Whooping-cough.
7859	7036	9126	6966	6170	5458	4457	1764	193	Typhus.
1036	1492	3269	3429	3898	4910	6360	4995	1009	Cholera, Diarrh. Dysentr.
1867	1714	4389	5567	5657	5675	5536	3365	604	Other Zymotic Dis.
148	224	849	1874	3344	4872	4288	1758	244	Cancer.
2083	1755	2173	1234	997	747	528	124	12	Scrofula, Tabes Mesent.
21950	33565	54729	43017	30344	17442	6813	990	72	Phthisis.
282	101	96	76	55	42	23	12	–	Hydrocephalus.
3637	3639	8657	12675	15762	21441	23036	17322	2596	Diseases of Brain.
2948	2869	6977	10767	15039	21611	24849	12579	1393	Heart Dis. and Dropsy.
3071	4508	10468	16373	24497	34622	38257	21377	3360	Dis. of Lungs.
2449	2697	6299	9555	13184	15869	13794	5318	574	Dis. of Stom. and Liver.
707	871	2362	3133	3730	4904	6995	4323	564	Dis. of Kidneys.
3	18	22	42	58	56	53	27	5	Dis. of Gener. Organs.
830	662	821	662	628	592	470	144	12	Diseases of the Joints.
117	117	192	242	339	447	577	413	67	Diseases of the Skin.
–	–	–	–	–	–	–	–	–	Childbirth and Metria.
7900	7853	13555	12374	10844	8443	5162	2279	429	Violent Deaths.
1587	1735	3521	4854	7043	14022	39955	71844	29544	Other Causes.

AGES OF FEMALES.

929,333	92[illegible],217	1,494,666	1,13[illegible],809	830,331	565,586	332,631	128,750	20,274	{Mean Popul^{n}, 1851-61.
68,630	78,497	148,239	137,722	126,196	152,746	195,108	172,960	58,705	TOTAL DEATHS.
751	839	1016	423	193	80	34	11	4	Small-pox.
135	92	117	43	20	10	2	3	–	Measles.
1431	723	715	354	154	82	36	11	–	Scarlatina.
407	171	223	135	84	51	37	15	3	Diphtheria.
22	4	10	5	3	2	1	2	–	Whooping-cough.
9533	7183	9365	6766	5376	5020	4256	1848	258	Typhus.
1015	1570	4046	4220	3927	5237	7176	6019	1499	Cholera, Diarrh., Dysentr.
1578	1579	3051	3157	3160	3863	5153	3428	747	Other Zymotic Dis.
169	272	2101	6712	10614	10478	7821	3030	458	Cancer.
1752	1219	1797	1207	900	769	487	147	14	Scrofula, Tabes Mesent.
32670	39465	68388	47342	25903	13480	5437	971	96	Phthisis.
282	77	95	51	40	31	23	10	–	Hydrocephalus.
3793	3995	7953	9885	13962	21592	29621	19346	3337	Diseases of Brain.
3275	3592	9007	12673	17141	25781	29657	14846	1895	Heart Dis. and Dropsy.
3174	3799	8703	11889	17124	28432	36641	22722	4419	Dis. of Lungs.
2853	3735	8513	10628	13349	16781	15607	6383	753	Dis. of Stom. and Liver.
402	635	1629	1716	1763	1793	1612	605	74	Dis. of Kidneys.
139	424	1461	2363	2411	1752	1049	329	32	Dis. of Gener. Organs.
571	357	655	640	516	523	401	130	17	Diseases of the Joints.
76	75	186	246	255	423	635	411	82	Diseases of the Skin.
1336	5636	13247	10252	588	–	–	–	–	Childbirth and Metria.
1453	1151	1897	1997	2273	2158	2389	2387	824	Violent Deaths.
1813	1901	4164	5018	6440	14408	47033	90306	44193	Other Causes.

Mean Population, 1851–61, and Deaths in Divisions during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
I.—LONDON.																		
Mean Popuⁿ, 1851-61	1,207,169	-	-	-	-	-	163,671	135,294	119,015	109,514	115,314	204,809	157,462	105,169	59,797	28,107	8,094	923
TOTAL DEATHS	310,218	73,998	30,561	15,602	9,665	6,199	136,025	13,130	5,379	6,845	9,587	21,499	25,653	25,960	25,371	23,954	13,913	2,902
Small-pox	3889	880	439	352	330	212	2193	551	113	186	299	335	118	76	10	7	1	-
Measles	6976	1212	2595	1461	798	427	6493	412	38	8	12	8	3	2	-	-	-	-
Scarlatina	12633	896	1819	2220	1972	1539	8443	3208	539	149	85	91	37	30	6	4	1	-
Diphtheria	954	153	172	136	116	73	655	166	41	16	8	15	19	10	12	5	5	2
Whooping cough	10134	3525	3326	1625	881	411	9768	340	13	3	3	4	-	1	-	2	-	-
Typhus	10979	344	461	526	516	434	2281	1288	681	814	827	1238	1033	1008	894	641	255	19
Cholera, Diarrh., Dysent?	19766	8586	2324	770	397	290	12367	777	317	284	388	1010	1076	1002	970	927	542	106
Other Zymotic Dis.	14363	4591	1037	794	585	350	7357	541	214	226	296	947	1305	1223	1030	761	369	84
Cancer	2912	18	7	8	11	10	54	20	15	34	40	192	379	642	777	567	171	21
Scrofula, Tabes Mesent.	7008	2437	1527	720	338	190	5212	579	300	207	164	199	131	87	74	43	11	1
Phthisis	39717	817	692	453	285	191	2438	803	716	2250	4211	9277	9374	6411	3059	1002	165	11
Hydrocephalus	8711	3215	2657	1126	554	356	7908	630	82	25	13	21	7	16	4	1	4	-
Diseases of Brain	33543	10742	2212	1106	670	422	15152	886	414	337	486	1397	2278	2823	3555	3929	1976	260
Heart Dis. and Dropsy	15277	383	163	114	95	87	842	383	335	404	406	1282	2071	2577	3020	2732	1114	106
Dis. of Lungs	54104	13987	7305	2834	1369	667	26162	938	250	398	801	1907	3121	4789	6279	6112	2891	456
Dis. of Stom. and Liver	11931	1836	251	170	115	108	2480	340	272	284	361	867	1415	1841	1953	1517	532	69
Dis. of Kidneys	4985	31	28	27	37	20	143	81	85	104	175	510	686	852	851	926	505	67
Dis. of Gener. Organs	64	8	3	1	-	-	12	-	2	-	4	5	10	10	12	5	4	-
Diseases of the Joints	1055	19	21	20	14	22	96	150	118	95	76	112	106	106	95	79	20	2
Diseases of the Skin	824	285	38	11	14	5	353	12	9	22	19	44	63	56	81	104	57	4
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	13144	1612	433	389	297	243	2954	769	706	883	755	1621	1836	1562	1142	628	278	60
Other Causes	37259	18439	3051	759	271	142	22662	251	99	116	158	417	565	836	1547	3962	5012	1634
II.—SOUTH-EASTERN COUNTIES.																		
Mean Popuⁿ, 1851-61	864,426	-	-	-	-	-	113,151	102,654	95,103	85,879	78,596	123,167	97,358	73,070	51,666	30,807	11,489	1,486
TOTAL DEATHS	174,822	38,342	11,035	5,777	3,984	2,951	62,089	7,390	3,854	5,238	7,330	12,776	11,975	11,719	13,812	18,046	16,018	4,575
Small-pox	1372	231	117	115	88	75	626	154	50	87	136	147	80	48	27	13	2	2
Measles	2147	379	645	433	239	160	1856	216	34	17	10	9	3	-	2	-	-	-
Scarlatina	5450	269	594	760	796	626	3045	1590	453	142	75	64	38	26	12	4	1	-
Diphtheria	1189	69	91	122	136	155	573	375	116	50	19	15	20	11	4	3	3	-
Whooping-cough	2910	1314	849	343	185	108	2799	99	7	-	1	2	1	1	-	-	-	-
Typhus	7562	228	266	314	286	262	1356	863	588	732	720	860	591	593	526	494	213	26
Cholera, Diarrh., Dysent?	8029	3286	874	313	155	91	4719	196	79	108	214	394	321	290	420	613	548	127
Other Zymotic Dis.	7553	1711	483	444	393	291	3322	469	205	221	235	463	512	507	508	615	410	86
Cancer	1804	10	-	7	6	2	25	7	7	15	31	73	184	275	436	489	237	25
Scrotula, Tabes Mesent.	3452	1014	469	234	126	102	1945	324	231	182	198	228	118	98	64	43	15	1
Pathisis	21334	553	303	178	97	67	1198	394	478	1718	3279	5685	4066	2512	1385	527	86	6
Hydrocephalus	3306	1120	859	370	217	173	2739	397	101	32	10	6	8	3	5	4	1	-
Diseases of Brain	22068	7061	1130	519	295	204	9209	607	312	324	363	845	1228	1517	2023	3152	2160	328
Heart Dis. and Dropsy	11731	258	79	61	54	36	488	213	176	266	289	694	1022	1355	2220	3025	1777	206
Dis. of Lungs	23216	6008	2379	893	487	293	10060	492	171	311	529	974	1241	1526	2337	3032	2132	411
Dis. of Stom. and Liver	8550	1043	196	114	85	59	1497	242	184	217	279	665	862	1110	1406	1386	616	86
Dis. of Kidneys	3316	28	18	15	18	13	92	53	44	52	89	217	311	377	570	858	582	71
Dis. of Gener. Organs	35	4	1	1	1	-	7	2	-	-	2	2	6	4	5	5	1	1
Diseases of the Joints	605	19	16	10	12	9	66	56	60	61	59	78	63	46	59	46	10	1
Diseases of the Skin	410	147	27	13	1	3	191	9	4	10	8	20	18	25	36	38	46	5
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	7391	400	252	222	189	145	1218	398	424	574	641	1033	891	804	701	436	210	51
Other Causes	31392	13190	1587	286	118	77	15058	234	120	119	143	302	391	591	1066	3258	6068	3142

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
I.—LONDON.																		
Mean Populn, 1851-61	1,375,943	-	-	-	-	-	164,258	136,659	121,344	126,910	144 081	247,654	180,220	122,472	76,428	40,216	13,689	2,012
TOTAL DEATHS	300,255	59,829	28,857	15,360	9,560	6,213	119,819	12,581	5,035	6,887	9,330	21,681	23,093	22,119	25,429	27,988	20,480	5,813
Small-pox	3261	731	451	349	310	218	2059	425	121	134	197	213	75	25	9	2	1	-
Measles	6790	1022	2440	1559	793	434	6248	454	34	14	13	17	4	4	2	-	-	-
Scarlatina	11661	636	1089	1932	1885	1411	7553	2090	568	171	119	145	55	35	17	7	1	-
Diphtheria	1069	114	145	131	129	120	639	233	73	30	18	30	18	8	6	7	6	1
Whooping-cough	12363	3722	3961	2217	1211	631	11742	586	23	6	3	-	2	-	1	-	-	-
Typhus	10892	300	469	525	570	496	2360	1340	700	898	781	1122	995	859	817	665	298	57
Cholera, Diarrh., Dysent?	19482	7271	2311	670	357	239	10848	701	265	271	438	1155	1263	1082	1189	1234	829	267
Other Zymotic Dis.	11625	4008	912	777	546	379	6622	521	232	241	257	606	710	626	646	692	391	81
Cancer	7973	14	15	18	16	8	71	17	10	20	66	501	1536	2158	1942	1214	374	55
Scrofula, Tabes Mesent.	5899	1980	1392	602	295	172	4441	433	251	152	116	175	128	76	69	38	16	4
Phthisis	34286	719	675	461	281	259	2395	928	1049	2654	4057	9118	7427	4035	1843	626	123	21
Hydrocephalus	6609	2310	1968	898	494	317	5987	484	65	23	14	13	10	7	3	1	2	-
Diseases of Brain	30313	7929	2015	955	583	355	11837	844	352	409	492	1178	1685	2439	3594	4397	2594	492
Heart Dis. and Dropsy	17097	354	120	89	90	83	736	385	411	480	485	1239	1938	2619	3650	3500	1478	176
Dis. of Lungs	50357	10617	6726	2995	1364	664	22366	1010	250	363	513	1409	2311	3789	6285	7172	4081	808
Dis. of Stom. and Liver	13962	1177	236	157	102	89	1761	325	206	320	444	1205	1750	2192	2340	2153	892	114
Dis. of Kidneys	2257	21	12	11	19	15	78	38	42	63	110	320	370	395	390	318	119	14
Dis. of Genor. Organs	1589	6	9	3	1	-	19	-	3	23	71	298	437	452	317	192	71	6
Diseases of the Joints	730	24	20	13	14	26	97	98	93	63	38	79	70	61	70	44	11	1
Diseases of the Skin	790	263	42	24	11	6	346	11	9	16	13	36	54	48	70	102	67	18
Childbirth and Metria	4239	-	-	-	-	-	-	-	-	158	729	1991	1302	59	-	-	-	-
Violent Deaths	6133	1424	317	265	248	165	2419	476	169	228	215	437	440	447	434	391	374	103
Other Causes	40638	15187	2932	709	241	126	19195	272	109	136	141	394	513	703	1535	5233	8752	3655
II.—SOUTH-EASTERN COUNTIES.																		
Mean Populn, 1851-61	873,598	-	-	-	-	-	112,186	101,771	92,346	80,753	78,360	130,532	101,634	75,857	53,089	32,365	12,759	1,946
TOTAL DEATHS	164,981	30,116	10,073	5,570	3,787	2,834	52,380	7,462	4,669	5,908	6,938	12,601	11,660	10,412	12,953	17,880	16,410	5,708
Small pox	1035	234	149	100	79	72	634	129	45	47	50	63	35	15	8	5	4	-
Measles	2168	337	636	423	248	148	1732	244	36	14	8	13	8	1	1	-	1	-
Scarlatina	5239	258	547	683	769	564	2766	1589	522	144	66	78	40	16	10	6	2	-
Diphtheria	1415	55	111	120	163	146	595	457	199	62	32	26	24	9	7	2	2	-
Whooping-cough	3607	1412	1053	504	288	179	3396	188	14	2	-	2	1	3	-	1	-	-
Typhus	7847	171	230	318	310	309	1338	969	860	888	661	785	619	486	477	469	235	40
Cholera, Diarrh. Dysent?	7111	2706	820	262	133	94	4015	218	93	77	123	298	291	268	350	588	616	174
Other Zymotic Dis.	5955	1440	403	379	304	253	2779	468	213	164	173	300	288	243	332	545	377	73
Cancer	4277	13	5	7	4	-	29	10	6	22	33	174	645	1083	1034	822	356	63
Scrofula, Tabes Mesent.	3059	870	430	236	110	59	1705	299	238	182	120	188	111	81	77	45	12	1
Phthisis	22830	485	367	154	90	84	1120	529	1056	2642	3609	6078	4050	2195	1068	402	73	8
Hydrocephalus	2487	778	638	277	191	130	2014	330	90	27	6	5	3	2	4	6	-	-
Diseases of Brain	19609	5047	918	493	273	199	6930	492	343	363	381	715	1004	1354	2159	3220	2253	395
Heart Dis. and Dropsy	12553	206	66	51	28	42	393	157	233	261	252	727	1026	1433	2510	3368	1925	268
Dis. of Lungs	19058	4276	2072	913	486	273	8020	500	209	279	324	661	783	991	1787	2913	2072	519
Dis. of Stom. and Liver	8658	687	154	137	90	77	1145	274	180	255	320	649	931	1115	1507	1504	686	92
Dis. of Kidneys	1195	19	12	5	5	7	48	30	36	44	63	162	160	174	199	190	79	10
Dis. of Gener. Organs	1073	3	2	-	1	-	6	1	2	11	36	129	232	248	211	139	53	5
Diseases of the Joints	436	14	10	9	10	5	48	38	51	46	26	52	67	39	31	28	8	2
Diseases of the Skin	426	138	29	9	8	2	186	9	9	7	6	19	21	12	47	54	45	11
Childbirth and Metria	2301	-	-	-	-	-	-	-	1	110	396	990	764	40	-	-	-	-
Violent Deaths	2705	385	176	154	139	145	979	307	110	117	92	154	157	166	169	172	196	86
Other Causes	29997	10602	1205	331	118	86	12432	224	123	144	161	333	400	438	965	3401	7415	3961

Mean Population, 1851-61, and Deaths in Divisions during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
III.—SOUTH-MIDLAND COUNTIES.																		
Mean Popul^{n}, 1851-61	622,512	-	-	-	-	-	84,879	77,294	71,594	62,064	51,378	82,999	68,821	53,308	38,679	22,102	7,903	991
TOTAL DEATHS	129,963	34,999	8,741	4,355	2,785	1,990	52,870	5,334	3,082	3,443	3,989	7,218	7,638	8,079	10,070	13,238	11,859	3,143
Small-pox	1144	237	89	96	61	56	539	137	48	68	80	109	57	46	34	21	5	-
Measles	1766	334	611	361	175	105	1586	151	12	5	4	5	1	1	-	1	-	-
Scarlatina	3396	206	416	491	489	423	2025	959	247	73	27	24	24	10	5	2	-	-
Diphtheria	498	62	56	43	47	42	250	137	43	27	11	10	8	5	1	4	2	-
Whooping-cough	2215	1121	598	239	126	57	2141	69	3	1	-	-	-	-	-	1	-	-
Typhus	6074	202	223	253	260	217	1155	794	644	586	483	605	473	406	407	366	144	11
Cholera, Diarrh., Dysent^{y}	6162	2972	701	213	101	54	4041	157	81	58	61	117	165	196	287	423	491	85
Other Zymotic Dis.	5261	1506	442	346	275	172	2741	294	118	135	82	230	209	315	345	402	250	50
Cancer	1422	4	3	1	4	4	16	10	6	13	8	53	132	273	418	334	142	17
Scrofula, Tabes Mesent.	2698	948	415	184	98	54	1699	208	147	126	111	139	88	73	51	42	14	-
Phthisis	13677	606	327	143	71	55	1202	340	393	1087	1868	3192	2398	1700	1042	391	56	8
Hydrocephalus	2000	717	493	216	124	85	1635	240	66	19	11	7	11	2	4	4	1	-
Diseases of Brain	15318	4994	637	288	180	130	6229	365	232	233	228	642	981	1021	1427	2163	1563	234
Heart Dis. and Dropsy	7453	223	58	39	44	37	401	145	157	157	152	322	585	873	1531	2004	1022	104
Dis. of Lungs	16946	4956	1958	748	375	218	8255	364	126	159	203	497	777	1080	1633	2147	1501	244
Dis. of Stom. and Liver	6170	836	147	104	62	65	1214	208	156	160	145	361	560	811	1089	1015	405	46
Dis. of Kidneys	1916	11	12	7	4	4	38	20	29	40	45	102	181	231	306	553	329	42
Dis. of Gener. Organs	23	3	-	-	-	-	3	-	-	2	-	-	3	3	3	7	1	1
Diseases of the Joints	391	7	8	9	5	7	36	42	42	46	41	50	35	23	35	29	12	-
Diseases of the Skin	319	108	26	11	2	2	149	12	4	7	6	12	12	21	28	32	32	4
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	5311	297	213	206	157	130	1003	476	432	365	328	566	556	543	458	352	206	26
Other Causes	29763	14649	1308	357	125	73	16512	206	96	76	95	175	292	446	966	2945	5683	2271
IV.—EASTERN COUNTIES.																		
Mean Popul^{n}, 1851-61	554,637	-	-	-	-	-	74,965	68,353	63,181	54,204	43,293	71,958	61,438	49,000	36,496	21,775	8,690	1,274
TOTAL DEATHS	116,475	30,726	7,095	3,501	2,431	1,853	45,606	5,017	2,888	3,465	3,961	6,308	6,183	6,468	8,758	12,008	11,917	3,896
Small-pox	678	143	64	61	54	49	371	86	17	27	46	45	29	28	16	8	4	1
Measles	1209	233	374	233	126	84	1050	123	24	4	-	3	4	-	1	-	-	-
Scarlatina	3305	220	333	429	432	391	1805	962	314	106	34	38	25	4	14	2	1	-
Diphtheria	741	53	60	61	84	60	318	242	80	40	17	16	11	4	8	2	3	-
Whooping-cough	2183	1114	614	227	110	63	2128	49	4	-	-	1	-	-	1	-	-	-
Typhus	5328	164	180	166	188	169	867	702	482	538	457	536	444	355	378	392	158	19
Cholera, Diarrh., Dysent^{y}	5151	2468	446	159	77	53	3203	119	54	57	69	132	152	182	288	394	407	94
Other Zymotic Dis.	4885	1668	291	248	223	149	2579	293	118	112	89	169	245	244	341	380	274	41
Cancer	1058	6	2	2	1	3	14	7	5	5	7	40	79	168	281	285	134	33
Scrofula, Tabes Mesent.	2839	1032	354	136	88	51	1661	231	170	119	121	183	95	96	89	64	7	3
Phthisis	13088	691	318	131	73	81	1294	403	489	1273	1998	2925	2099	1332	871	343	58	3
Hydrocephalus	1691	575	474	150	96	93	1388	215	65	14	-	2	3	2	2	-	-	-
Diseases of Brain	11971	3453	618	303	177	136	4687	343	201	211	195	419	579	754	1191	1829	1339	223
Heart Dis. and Dropsy	6184	197	40	37	21	31	326	118	111	134	127	267	445	618	1199	1703	1008	128
Dis. of Lungs	14929	4117	1523	608	339	199	6786	345	139	157	211	428	626	899	1463	2046	1503	326
Dis. of Stom. and Liver	5168	633	63	58	45	53	852	162	131	127	136	256	431	685	981	955	415	37
Dis. of Kidneys	2125	19	9	10	13	6	57	40	23	33	49	129	162	215	352	600	409	56
Dis. of Gener. Organs	22	-	-	-	-	-	-	-	-	-	2	1	3	2	3	8	1	2
Diseases of Joints	345	12	11	5	3	4	35	31	42	32	26	37	28	31	30	38	14	1
Diseases of the Skin	277	74	16	7	1	4	102	14	4	6	4	11	8	23	31	33	34	7
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	4236	232	117	153	133	103	738	299	310	359	274	481	445	436	417	284	165	28
Other Causes	29062	13622	1188	317	147	71	15345	233	105	111	99	189	270	390	801	2642	5983	2894

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
III.—SOUTH-MIDLAND COUNTIES.																		
Mean Popul^{n}, 1851 61	642,402	-	-	-	-	-	64,532	76,215	69,522	60,745	56,423	92,086	72,741	55,201	40,235	24,089	9,253	1,360
TOTAL DEATHS	128,545	26,994	8,287	4,233	2,805	2,027	44,346	5,257	3,636	4,856	5,133	8,962	8,232	7,568	9,826	13,769	12,818	4,142
Small-pox	915	206	98	91	72	50	517	105	53	55	48	58	35	22	10	8	2	2
Measles	1761	297	580	355	181	114	1527	177	33	8	5	5	3	2	1	-	-	-
Scarlatina	3269	173	381	458	501	353	1866	918	281	82	45	40	18	8	8	3	-	-
Diphtheria	464	34	42	49	50	56	231	140	50	15	3	12	5	3	3	1	1	-
Whooping-cough	2849	1228	834	350	208	89	2709	134	6	-	-	-	-	-	-	-	-	-
Typhus	6970	131	236	280	263	271	1181	977	840	898	607	755	506	353	380	305	149	19
Cholera, Diarrh., Dysent^{y}	5888	2313	743	213	94	64	3427	131	72	59	96	188	219	200	304	501	532	159
Other Zymotic Dis.	4497	1230	362	323	247	193	2355	291	137	99	92	185	173	199	276	384	251	55
Cancer	2938	8	3	2	2	2	17	7	15	6	13	135	409	719	746	593	240	38
Scrofula, Tabes Mesent.	2353	692	578	162	70	60	1362	175	171	131	110	112	97	85	65	35	9	1
Phthisis	17223	503	304	143	82	64	1096	431	998	2195	2563	4107	2906	1643	885	337	56	6
Hydrocephalus	1489	496	341	177	106	82	1202	174	63	29	5	5	4	2	3	2	-	-
Diseases of Brain	13883	3502	548	284	186	140	4660	348	217	279	283	549	671	902	1533	2483	1681	277
Heart Dis. and Dropsy	9021	181	52	48	24	15	320	139	160	206	248	538	752	1033	1836	2381	1245	163
Dis. of Lungs	14237	3604	1639	737	388	232	6650	388	142	234	233	435	509	681	1292	1956	1436	281
Dis. of Stom. and Liver	6450	529	117	85	65	51	847	208	144	191	222	498	603	851	1175	1126	530	55
Dis. of Kidneys	622	8	2	2	5	2	19	12	11	21	25	80	85	93	102	122	48	4
Dis. of Gener. Organs	636	4	1	-	-	1	6	-	-	8	29	87	139	161	112	67	23	4
Diseases of the Joints	352	12	9	10	4	8	43	34	38	34	23	44	39	34	26	25	12	-
Diseases of the Skin	336	95	28	8	6	4	141	3	2	10	6	8	18	24	27	53	37	7
Childbirth and Metria	1795	-	-	-	-	-	-	-	-	86	311	745	624	29	-	-	-	-
Violent Deaths	1985	279	133	136	121	80	749	254	82	75	59	92	97	116	94	160	143	64
Other Causes	28612	11469	1406	320	130	96	13421	211	121	135	107	284	320	408	948	3227	6423	3007
IV.—EASTERN COUNTIES.																		
Mean Popul^{n}, 1851-61	573,644	-	-	-	-	-	74,115	67,714	61,752	52,628	48,932	81,176	64,638	49,523	37,025	23,874	10,378	1,839
TOTAL DEATHS	115,738	24,028	6,459	3,362	2,334	1,889	38,072	5,227	3,459	4,479	4,729	8,107	7,323	6,316	8,215	11,707	12,805	5,299
Small-pox	544	116	68	54	43	44	325	79	17	22	21	40	14	15	3	3	3	2
Measles	1136	187	344	230	123	82	966	132	19	8	6	4	1	-	-	-	-	-
Scarlatina	3230	149	290	397	404	384	1624	1042	333	102	49	35	23	13	4	3	2	-
Diphtheria	816	32	53	61	58	95	299	283	125	49	11	14	12	11	8	3	1	-
Whooping-cough	2640	1205	718	326	156	99	2504	121	11	2	-	1	1	-	-	-	-	-
Typhus	5661	154	176	184	196	187	897	799	680	636	464	577	403	345	335	341	165	19
Cholera, Diarrh., Dysent^{y}	4597	1851	468	142	84	52	2597	123	52	45	63	156	153	159	254	399	435	141
Other Zymotic Dis.	4139	1399	289	239	218	179	2324	270	118	79	76	131	168	145	207	297	261	63
Cancer	2864	7	3	5	6	3	24	4	5	16	19	139	445	643	705	573	246	45
Scrofula, Tabes Mesent.	2564	811	303	135	57	60	1366	213	139	149	111	164	120	85	79	68	18	2
Phthisis	17062	557	288	136	83	65	1129	519	1019	2338	2591	4087	2839	1430	782	275	51	2
Hydrocephalus	1168	374	244	135	89	71	913	172	58	12	3	5	1	1	2	-	1	-
Diseases of Brain	11588	2456	534	293	169	123	3575	341	220	233	241	448	533	751	1326	2002	1604	314
Heart Dis. and Dropsy	6770	132	42	22	13	20	229	102	110	125	165	361	521	735	1326	1844	1090	162
Dis. of Lungs	12592	3044	1356	537	346	206	5489	384	157	193	203	419	449	557	1078	1815	1502	346
Dis. of Stom. and Liver	5187	377	80	52	55	33	597	147	112	158	176	409	456	605	948	1027	486	66
Dis. of Kidneys	697	15	6	3	4	4	32	22	13	19	31	96	87	112	122	112	49	2
Dis. of Gener. Organs	726	-	2	-	1	-	3	-	1	11	25	90	166	179	133	94	23	1
Diseases of the Joints	307	10	9	3	4	5	31	21	32	39	20	29	38	25	30	33	7	2
Diseases of the Skin	248	76	8	8	2	-	94	7	4	-	4	14	12	20	22	36	29	6
Childbirth and Metria	1491	-	-	-	-	-	-	-	-	87	281	570	523	30	-	-	-	-
Violent Deaths	1632	201	93	116	104	83	597	217	61	40	41	68	78	87	88	130	154	71
Other Causes	28079	10875	1085	284	119	94	12457	229	123	116	128	250	280	368	763	2652	6658	4055

Mean Population, 1851–61, and Deaths in Divisions during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
V.—SOUTH-WESTERN COUNTIES.																		
Mean Popul^{n}, 1851-61	872,642	-	-	-	-	-	118,189	108,994	100,160	90,394	70,760	110,506	93,234	75,817	55,649	34,170	13,048	1,721
TOTAL DEATHS	180,846	40,541	12,017	6,496	4,389	3,142	66,585	7,890	4,390	5,054	6,245	10,298	10,264	11,616	15,237	20,002	17,937	5,328
Small-pox	1920	429	272	201	136	126	1164	291	71	93	124	111	36	17	10	2	1	-
Measles	2825	501	908	537	326	189	2461	287	41	14	6	4	5	6	-	1	-	-
Scarlatina	6365	463	832	1974	881	738	5888	1745	432	134	46	58	33	17	8	3	1	-
Diphtheria	845	100	96	96	97	92	481	216	67	32	14	12	9	3	5	4	1	1
Whooping-cough	3068	1485	794	386	185	93	2943	116	7	2	-	-	-	-	-	-	-	-
Typhus	7100	244	316	318	326	263	1467	1002	619	703	640	658	471	443	460	397	208	32
Cholera, Diarrh.,Dysent^{y}	4847	2178	458	139	94	44	2913	99	40	52	75	159	134	196	251	461	394	73
Other Zymotic Dis.	7317	1708	611	536	448	295	3598	461	150	176	167	342	384	422	505	612	429	71
Cancer	1869	6	3	6	2	1	18	7	11	15	19	61	153	305	527	475	245	33
Scrofula, Tabes Mesent.	3319	886	472	241	128	96	1823	305	265	182	166	237	118	94	64	48	15	2
Phthisis	20209	714	492	210	124	99	1639	462	557	1544	2776	4403	3240	2657	1873	920	132	6
Hydrocephalus	2808	853	707	337	194	133	2224	377	126	39	5	9	10	6	6	3	3	-
Diseases of Brain	20435	5860	983	453	293	185	7774	571	389	372	392	755	1059	1309	2147	3185	2137	345
Heart Dis. and Dropsy	11402	185	87	64	57	48	441	215	224	265	246	559	799	1192	2306	3091	1843	221
Dis. of Lungs	25876	6443	2554	1012	542	318	10869	510	219	250	390	836	1259	1937	2852	3936	2421	397
Dis. of Stom. and Liver	8368	1136	202	120	82	68	1608	242	192	198	218	479	765	1047	1489	1444	609	77
Dis. of Kidneys	2619	12	5	14	10	12	53	46	39	68	63	216	247	262	420	672	467	66
Dis. of Gener. Organs	26	4	2	1	-	-	7	1	1	1	1	-	2	4	2	5	2	-
Diseases of the Joints	576	8	15	6	8	7	44	58	61	73	59	76	59	42	49	43	11	1
Diseases of the Skin	445	117	33	8	6	5	169	14	9	9	11	11	25	30	53	59	50	5
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	8815	492	309	319	245	195	1560	568	710	695	657	1033	1013	954	789	522	236	48
Other Causes	39792	16717	1866	518	205	135	19441	297	160	137	170	279	443	673	1421	4119	8702	3950
VI.—WEST-MIDLAND COUNTIES.																		
Mean Popul^{n}, 1851-61	1,126,528	-	-	-	-	-	155,165	134,942	123,526	110,119	100,055	164,147	129,743	96,606	63,819	34,540	12,283	1,583
TOTAL DEATHS	261,339	72,285	22,183	11,008	6,985	4,786	117,247	11,210	5,850	6,600	7,607	14,678	15,301	17,020	19,513	22,792	18,534	4,987
Small-pox	3037	783	404	314	223	183	1907	417	83	104	143	191	102	52	24	11	3	-
Measles	5927	1102	2052	1229	697	326	5406	438	43	9	10	13	4	4	-	-	-	-
Scarlatina	9372	678	1442	1626	1390	1073	6209	2349	513	127	53	60	33	18	8	-	2	-
Diphtheria	1263	141	174	150	149	122	736	307	114	26	22	21	10	15	5	5	2	-
Whooping-cough	4100	1900	1166	491	236	149	3942	146	8	1	1	1	-	-	-	1	-	-
Typhus	9657	557	658	615	521	425	2776	1302	815	849	646	922	619	587	522	427	172	20
Cholera, Diarrh.,Dysent^{y}	13239	7343	1962	468	189	107	10069	221	89	65	90	212	209	291	490	759	623	121
Other Zymotic Dis.	9559	2425	921	693	567	392	4998	583	212	224	160	427	565	593	654	686	391	66
Cancer	2011	10	10	6	6	1	33	13	7	17	24	95	225	384	570	451	168	24
Scrofula, Tabes Mesent.	5013	1744	890	331	165	88	3218	394	274	230	194	240	176	130	88	59	10	-
Phthisis	25084	982	606	274	133	102	2097	605	747	2411	3245	5870	4666	3242	1767	638	89	7
Hydrocephalus	4200	1575	1137	467	276	172	3627	392	102	29	10	13	13	7	6	1	-	-
Diseases of Brain	32272	13727	1762	824	474	325	17112	758	424	453	455	1101	1600	2015	2577	3390	2070	317
Heart Dis. and Dropsy	13942	327	158	110	86	69	750	356	321	366	338	804	1289	2014	2746	3207	1589	162
Dis. of Lungs	41978	12218	5285	1975	974	549	21001	871	264	349	515	1209	1994	3080	4556	4954	2785	420
Dis. of Stom. and Liver	11952	2145	359	203	123	109	2939	375	289	291	287	709	1140	1681	1927	1614	630	70
Dis. of Kidneys	3452	31	20	17	25	24	117	74	64	78	93	284	346	475	599	769	474	79
Dis. of Gener. Organs	41	7	4	1	-	-	12	-	1	-	1	3	2	5	6	4	6	1
Diseases of the Joints	763	33	13	15	11	12	84	69	95	81	57	112	76	67	65	39	17	1
Diseases of the Skin	616	219	39	15	4	6	283	13	13	19	19	21	26	38	56	70	48	10
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	14109	788	473	548	478	411	2698	1164	1212	1013	1008	1935	1611	1382	1070	601	292	63
Other Causes	49752	23550	2648	606	258	141	27233	363	160	158	176	435	595	960	1777	5106	9163	3626

Mean Population, 1851–61, and Deaths in Divisions during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
V.—SOUTH-WESTERN COUNTIES.																		
Mean Popul^{n}, 1851-61	946,861	-	-	-	-	-	116,675	107,833	97,391	90,997	83,906	133,283	106,772	84,837	63,262	41,956	17,094	2,855
TOTAL DEATHS	183,281	31,569	11,115	6,512	4,354	3,238	56,788	8,239	4,813	6,162	6,693	11,860	10,936	10,649	14,564	22,241	22,114	8,222
Small-pox	1675	387	224	191	157	108	1067	290	80	75	60	63	20	12	7	1	-	-
Measles	2762	393	839	562	327	188	2309	332	71	16	11	11	5	5	1	-	1	-
Scarlatina	6219	416	730	905	800	727	3578	1799	512	140	69	63	33	14	6	3	2	-
Diphtheria	949	63	88	103	113	111	483	273	106	27	14	21	6	7	4	7	1	-
Whooping-cough	3774	1534	1065	541	279	168	3587	167	14	5	-	-	-	-	-	-	1	-
Typhus	8250	222	309	380	330	308	1549	1242	932	937	647	748	528	455	463	494	220	35
Cholera, Diarrh., Dysent^{y}	4477	1660	424	136	62	49	2331	109	53	50	67	178	159	176	251	485	485	133
Other Zymotic Dis.	6486	1442	553	484	413	297	3189	476	143	163	139	247	227	256	362	647	501	136
Cancer	4177	10	3	5	4	3	25	11	13	15	16	169	521	934	1072	948	397	56
Scrofula, Tabes Mesent.	2948	674	384	216	120	88	1482	272	265	216	141	204	116	97	75	62	17	1
Phthisis	23611	662	472	257	150	122	1663	584	1132	2734	3420	5615	3817	2295	1526	729	120	6
Hydrocephalus	2127	608	534	224	154	121	1641	302	118	33	12	5	6	1	3	3	1	-
Diseases of Brain	19126	4097	806	430	258	181	5772	525	347	400	392	722	874	1280	2172	3566	2629	447
Heart Dis. and Dropsy	14474	160	65	60	48	39	372	240	250	331	320	751	1071	1577	2881	4087	2278	316
Dis. and Lungs	21939	4572	2378	1107	588	347	8992	574	220	316	347	600	840	1201	2159	3723	2472	495
Dis. of Stom. and Liver	8836	703	171	122	85	83	1164	282	177	233	299	652	812	1076	1566	1714	759	102
Dis. of Kidneys	972	9	4	3	7	7	30	20	34	32	43	122	161	133	151	176	64	6
Dis. of Gener. Organs	829	-	-	-	-	-	-	1	1	18	22	98	189	196	162	109	30	3
Diseases of the Joints	468	7	10	8	9	4	38	40	36	43	34	67	49	43	54	44	17	3
Diseases of the Skin	433	110	20	8	8	3	149	13	10	9	7	13	26	21	46	79	49	11
Childbirth and Metria	2483	-	-	-	-	-	-	-	-	106	415	995	896	71	-	-	-	-
Violent Deaths	3104	407	233	229	209	164	1262	381	115	90	74	117	137	168	192	238	270	80
Other Causes	43132	13428	1783	541	233	120	16105	326	184	173	144	399	443	631	1409	5126	11800	6392
VI.—WEST-MIDLAND COUNTIES.																		
Mean Popul^{n}, 1851-61	1,158,220	-	-	-	-	-	154,771	135,473	121,566	110,392	109,357	172,982	131,709	97,487	66,477	39,766	15,677	2,563
TOTAL DEATHS	249,794	56,678	21,610	10,941	7,162	4,982	101,323	10,840	5,910	7,755	8,875	16,431	15,403	13,829	17,483	22,907	21,635	7,403
Small-pox	2813	754	445	289	225	195	1908	382	83	91	113	142	52	21	13	7	1	-
Measles	5565	885	1927	1170	687	338	5007	430	71	20	8	15	9	2	1	1	1	-
Scarlatina	9255	549	1412	1534	1463	1057	6015	2295	570	151	74	73	49	18	6	2	2	-
Diphtheria	1491	127	164	172	162	142	767	422	172	46	19	30	16	8	7	2	2	-
Whooping-cough	5069	1986	1467	720	413	244	4830	217	16	4	-	1	-	-	-	-	1	-
Typhus	10866	429	681	641	587	520	2858	1532	1088	1104	809	1043	681	491	494	367	174	25
Cholera, Diarrh., Dysent^{y}	12451	5881	2065	551	186	102	8815	227	71	90	129	311	324	275	486	790	725	208
Other Zymotic Dis.	7999	2064	813	719	509	382	4487	602	213	191	178	309	319	316	397	508	389	90
Cancer	5014	15	5	8	2	6	36	14	5	23	37	249	795	1220	1246	952	372	65
Scrofula, Tabes Mesent.	4356	1424	835	300	138	113	2810	293	251	218	136	214	148	116	96	56	18	-
Phthisis	28782	903	652	295	160	149	2159	678	1313	3370	4336	7380	5089	2668	1264	443	76	6
Hydrocephalus	3046	1036	787	361	225	138	2547	318	113	32	2	12	7	8	3	1	3	-
Diseases of Brain	27436	9747	1745	808	514	308	13122	656	464	516	486	952	1136	1605	2509	3327	2246	417
Heart Dis. and Dropsy	16349	264	140	85	67	52	608	275	358	430	438	1100	1551	2117	3358	3862	2007	245
Dis. of Lungs	35052	9099	5041	2009	1020	529	17708	877	273	361	443	1029	1337	1813	3263	4359	3060	589
Dis. of Stom. and Liver	12080	1430	370	194	143	102	2239	373	242	346	425	972	1266	1530	1923	1823	852	99
Dis. of Kidneys	1320	13	16	13	14	12	68	38	32	52	88	186	204	193	214	171	66	8
Dis. of Gener. Organs	1247	7	5	2	1	-	15	-	2	15	53	190	313	278	209	124	43	5
Diseases of the Joints	623	28	17	9	14	11	79	67	76	74	29	66	58	65	46	42	19	2
Diseases of the Skin	537	178	42	15	11	5	251	9	7	9	12	15	20	26	45	75	61	7
Childbirth and Metria	3550	-	-	-	-	-	-	-	-	166	645	1435	1222	84	-	-	-	-
Violent Deaths	5238	678	360	368	342	325	2073	762	316	240	163	216	204	254	258	311	322	119
Other Causes	49845	19161	2591	678	279	192	22921	573	174	206	252	493	693	721	1645	5684	11255	5518

Mean Population, 1851-61, and Deaths in Divisions during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
VII.—NORTH-MIDLAND COUNTIES.																		
Mean Populn 1851-61	618,861	-	-	-	-	-	83,416	75,259	67,911	61,678	51,805	85,182	69,055	54,624	38,966	21,955	7,987	1,023
TOTAL DEATHS	132,487	38,034	8,859	4,586	3,135	2,398	57,012	5,742	3,283	3,810	4,324	6,736	6,544	7,610	9,915	12,902	11,345	3,264
Small-pox	950	265	127	60	71	46	569	114	33	47	57	56	38	21	11	2	1	1
Measles	2181	503	747	412	188	143	1993	151	21	3	2	4	6	1	-	-	-	-
Scarlatina	5146	386	713	798	810	601	3308	1363	279	94	30	25	29	8	6	4	-	-
Diphtheria	1250	121	131	120	139	127	638	339	142	58	28	18	14	1	6	5	1	-
Whooping-cough	2129	1064	558	257	126	62	2067	61	-	1	-	-	-	-	-	-	-	-
Typhus	5128	210	264	247	187	168	1076	666	477	507	426	553	430	339	295	268	81	10
Cholera, Diarrh., Dysentv	5380	2993	499	154	79	42	3767	75	45	42	34	78	95	140	224	442	347	91
Other Zymotic Dis.	5173	1335	436	365	298	213	2647	330	136	127	94	192	265	295	379	393	272	43
Cancer	1145	11	2	9	3	2	27	4	6	3	15	53	88	179	317	319	118	16
Scrofula, Tabes Mesent.	2110	677	279	114	70	46	1186	170	150	128	121	128	71	61	50	33	12	-
Phthisis	13259	656	292	121	74	67	1190	368	536	1395	2154	2919	1989	1485	857	339	23	4
Hydrocephalus	2112	760	485	219	141	106	1711	288	69	17	8	7	1	1	5	4	1	-
Diseases of Brain	20905	12041	843	351	217	152	13604	372	235	252	203	426	602	880	1296	1727	1150	158
Heart Dis. and Dropsy	7118	129	47	38	27	39	280	144	152	185	156	370	580	928	1518	1803	904	98
Dis. of Lungs	16354	4446	1830	695	321	224	7516	368	165	164	215	502	700	1117	1856	2247	1289	215
Dis. of Stom. and Liver	6223	775	127	77	67	60	1106	175	139	150	170	385	532	901	1168	1038	416	43
Dis. of Kidneys	1921	18	4	9	6	9	41	24	31	47	40	124	159	220	364	529	307	35
Dis. of Gener. Organs	28	7	-	-	-	-	7	1	1	-	2	2	2	4	3	4	2	-
Diseases of the Joints	465	11	5	8	5	11	40	43	71	51	47	56	39	32	37	33	13	3
Diseases of the Skin	293	80	9	6	2	1	98	8	12	5	6	15	10	19	29	56	26	9
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	6104	339	233	246	202	205	1225	508	478	432	414	662	645	612	549	397	149	33
Other Causes	27113	11232	1228	280	102	74	12916	170	105	102	102	161	249	366	945	3259	6233	2505
VIII.—NORTH-WESTERN COUNTIES.																		
Mean Populn, 1851-61	1,317,229	-	-	-	-	-	184,065	155,936	142,440	131,993	126,223	206,271	158,307	109,487	63,200	29,384	8,960	963
TOTAL DEATHS	352,258	101,284	36,158	16,664	10,587	7,704	172,397	16,429	8,097	10,451	11,654	21,302	23,028	24,193	24,076	22,927	14,639	3,065
Small-pox	3268	895	478	327	221	181	2102	463	115	134	160	180	75	28	10	1	-	-
Measles	8056	1674	3141	1433	808	460	7516	486	32	9	5	4	4	-	-	-	-	-
Scarlatina	17923	1406	2833	2954	2849	2184	12226	4534	782	201	68	60	31	14	5	2	-	-
Diphtheria	810	116	147	103	79	74	519	170	54	17	12	11	10	8	6	1	2	-
Whooping-cough	7754	3202	2355	1016	573	327	7473	268	11	1	-	-	-	-	1	-	-	-
Typhus	13202	650	678	636	532	494	2990	1551	1058	1152	1025	1552	1328	1127	766	493	148	12
Cholera, Diarrh., Dysentv	22331	11914	3971	907	363	216	17371	409	163	136	212	491	520	674	813	878	568	96
Other Zymotic Dis.	13922	3104	1809	1368	994	655	7930	834	230	259	262	782	982	982	763	596	260	42
Cancer	2041	10	4	6	9	4	33	14	10	20	33	122	262	411	564	434	122	16
Scrofula, Tabes Mesent.	6093	1864	1185	503	218	139	3909	536	412	332	230	259	167	118	70	47	13	-
Phthisis	39353	1110	875	442	247	231	2905	936	1587	4354	5554	8627	6901	4839	2596	931	118	5
Hydrocephalus	8346	3144	2405	993	474	396	7412	727	139	28	10	13	6	6	2	3	-	-
Diseases of Brain	47588	25655	2956	1293	713	495	31112	1189	559	581	517	1360	2006	2442	3002	3083	1549	188
Heart Dis. and Dropsy	14215	242	213	140	118	113	826	479	412	514	489	1211	1802	2395	2737	2401	869	80
Dis. of Lungs	54868	14914	6792	2448	1271	776	26201	1214	330	527	721	2023	3512	5306	6425	5700	2570	289
Dis. of Stom. and Liver	13928	1974	437	201	139	119	2870	480	350	405	443	1117	1686	2197	2220	1621	498	41
Dis. of Kidneys	3448	32	27	30	28	27	144	79	73	136	131	329	477	482	550	671	338	38
Dis. of Gener. Organs	52	7	1	-	-	-	8	1	-	-	4	4	5	9	12	6	3	-
Diseases of the Joints	1326	31	22	31	27	34	145	165	208	171	120	112	101	124	92	66	19	3
Diseases of the Skin	664	221	46	22	4	13	306	24	18	12	15	22	34	45	54	80	46	8
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	17525	1043	637	685	521	507	3393	1297	1252	1245	1377	2421	2268	1872	1346	748	267	39
Other Causes	55545	28096	5146	1126	379	259	35006	573	252	217	266	602	851	1114	2042	5165	7249	2208

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
VII.—NORTH-MIDLAND COUNTIES.																		
Mean Popul^{n}, 1851-61	632,873	-	-	-	-	-	83,287	74,711	67,320	61,285	57,362	91,128	70,846	54,762	38,824	23,250	8,839	1,259
TOTAL DEATHS	131,697	29,545	8,447	4,621	3,279	2,237	48,129	5,711	3,611	5,175	5,616	9,569	8,111	7,513	9,602	12,994	11,838	3,828
Small-pox	896	245	110	107	67	55	584	108	39	41	40	39	26	14	4	1	-	-
Measles	2198	395	774	432	252	122	1975	174	24	9	7	4	1	2	1	1	-	-
Scarlatina	5297	312	735	800	803	606	3256	1426	393	93	41	42	26	10	8	2	-	-
Diphtheria	1363	89	126	138	170	133	656	394	161	62	29	21	14	12	4	8	2	-
Whooping-cough	2644	1169	739	383	168	93	2552	86	3	1	-	2	-	-	-	-	-	-
Typhus	5796	168	250	253	247	205	1123	794	680	759	528	636	385	295	286	231	70	9
Cholera, Diarrh. Dysent^{y}	5033	2400	495	146	54	33	3128	89	38	40	58	152	150	157	289	451	399	82
Other Zymotic Dis.	4587	1184	388	376	275	182	2405	294	124	104	86	159	163	209	314	389	281	59
Cancer	2594	5	1	2	3	1	12	5	3	10	20	134	366	676	644	504	194	26
Scrofula, Tabes Mesent.	1848	536	253	110	65	42	1006	163	120	135	81	128	78	54	45	34	4	-
Phthisis	18153	531	269	146	90	72	1108	399	975	2602	3070	4654	2816	1504	733	258	32	2
Hydrocephalus	1658	480	361	201	131	109	1282	250	80	22	6	8	8	2	3	2	-	-
Diseases of Brain	17613	8912	751	345	221	128	10357	343	236	267	257	462	572	786	1294	1824	1047	168
Heart Dis. and Dropsy	8605	103	33	31	14	17	198	129	172	179	221	632	866	1217	1907	2072	937	85
Dis. of Lungs	13748	3223	1589	661	376	207	6056	363	146	223	233	478	572	785	1483	1939	1250	220
Dis. of Stom. and Liver	6291	521	118	83	64	57	843	171	139	263	263	558	642	846	1073	1045	409	39
Dis. of Kidneys	626	6	3	5	5	5	24	13	20	21	29	101	84	103	108	83	34	4
Dis. of Gener. Organs	693	1	4	-	-	-	5	-	1	8	40	79	162	187	131	63	15	2
Diseases of the Joints	423	24	14	7	9	6	60	26	43	45	25	50	58	36	40	32	7	1
Diseases of the Skin	279	64	21	3	5	4	97	8	4	4	5	18	12	18	36	51	24	2
Childbirth and Metria	2019	-	-	-	-	-	-	-	-	91	385	838	660	45	-	-	-	-
Violent Deaths	2308	341	153	125	131	99	849	315	110	82	65	102	115	149	129	164	173	55
Other Causes	27025	8836	1260	267	129	61	10553	159	100	114	127	272	350	406	1070	3840	6960	3074
VIII.—NORTH-WESTERN COUNTIES.																		
Mean Popul^{n}, 1851-61	1,395,954	-	-	-	-	-	183,305	155,972	142,298	139,845	144,995	231,219	167,530	114,262	69,040	34,719	11,340	1,429
TOTAL DEATHS	339,577	80,823	34,731	16,769	10,622	7,429	150,374	15,674	7,654	11,408	13,159	25,767	24,068	22,285	23,377	24,654	16,872	4,285
Small-pox	3077	811	464	356	255	178	2064	440	154	108	111	129	49	17	2	3	-	-
Measles	7906	1472	3003	1564	845	449	7333	482	55	10	10	12	3	1	-	-	-	-
Scarlatina	17175	1081	2706	2958	2606	2075	11426	4510	824	185	87	78	41	11	12	1	-	-
Diphtheria	844	84	127	115	99	84	509	194	75	22	3	13	9	7	3	4	-	-
Whooping-cough	9742	3574	2931	1517	821	464	9307	416	13	1	-	3	1	-	1	-	-	-
Typhus	13640	525	670	692	624	554	3065	1797	1154	1329	1063	1579	1227	1046	731	456	177	8
Cholera, Diarrh. Dysent^{y}	21044	10080	3810	870	329	192	15281	386	150	161	244	655	668	670	912	1084	698	135
Other Zymotic Dis.	11601	2758	1628	1258	884	622	7150	794	233	228	260	509	510	558	509	546	253	51
Cancer	4699	6	6	11	6	2	31	16	9	25	21	244	835	1372	1180	697	243	26
Scrofula, Tabes Mesent.	4909	1505	1088	407	198	137	3335	355	245	221	147	227	153	105	77	32	11	1
Phthisis	46588	954	820	455	238	217	2684	1086	2209	6047	6857	11930	8300	4461	2066	815	124	9
Hydrocephalus	6150	2102	1693	735	468	332	5330	623	123	31	10	14	7	5	4	3	-	-
Diseases of Brain	40642	19332	2825	1298	745	495	24695	1058	561	518	625	1269	1570	2185	2974	3319	1658	210
Heart Dis. and Dropsy	16776	199	208	95	96	95	693	393	453	592	651	1692	2281	2878	3223	2807	1011	102
Dis. of Lungs	49194	11130	6618	2488	1407	773	22416	1148	401	542	686	1902	2907	4317	6067	5834	2618	356
Dis. of Stom. and Liver	14697	1342	433	230	145	112	2264	355	297	459	638	1577	1898	2346	2403	1839	576	45
Dis. of Kidneys	1617	16	23	15	12	14	80	34	60	74	117	267	275	260	223	171	47	9
Dis. of Gener. Organs	1249	2	4	6	1	-	13	-	4	19	65	224	301	315	193	86	26	3
Diseases of the Joints	1058	39	26	19	27	27	138	119	119	112	64	110	112	104	98	63	16	3
Diseases of the Skin	630	192	73	35	9	7	316	15	14	10	7	28	37	32	63	69	36	3
Childbirth and Metria	5351	-	-	-	-	-	-	-	-	208	1011	2345	1707	80	-	-	-	-
Violent Deaths	6378	892	510	469	388	384	2593	934	271	224	205	350	367	411	369	348	234	72
Other Causes	54618	29237	5083	1376	419	282	90351	519	280	282	277	605	810	1104	2259	6477	9144	3252

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
IX.—YORKSHIRE.																		
Mean Popul^{n}, 1851-61	939,965	-	-	-	-	-	129,059	112,830	102,498	94,258	85,471	139,096	109,005	78,952	51,373	27,193	9,146	1,084
TOTAL DEATHS	223,803	64,840	19,071	8,874	5,792	4,217	102,794	10,087	5,353	7,167	7,421	12,133	12,455	13,838	16,353	18,829	13,984	3,389
Small-pox	2265	657	320	225	181	137	1520	316	59	67	98	104	58	28	11	3	1	-
Measles	4461	884	1732	841	431	236	4124	289	29	9	1	2	3	2	-	1	1	-
Scarlatina	9543	765	1385	1632	1471	1119	6372	2555	467	111	51	38	22	16	8	3	-	-
Diphtheria	1172	130	159	137	133	127	686	286	86	40	21	19	13	6	8	6	-	1
Whooping-cough	3867	1894	1122	436	198	99	3749	108	6	1	1	2	-	-	-	-	-	-
Typhus	8194	248	341	352	335	303	1579	960	659	846	723	935	709	589	532	452	193	17
Cholera, Diarrh., Dysent^{y}	11221	5523	1671	359	172	117	7842	234	97	85	116	201	255	350	582	769	586	114
Other Zymotic Dis.	8183	2115	734	631	516	305	4301	493	182	184	141	410	507	547	540	523	300	55
Cancer	1678	6	6	6	1	3	22	16	9	15	25	80	168	326	434	398	169	16
Scrofula, Tabes Mesent.	3770	1038	638	246	123	99	2144	288	286	273	195	238	114	99	69	52	10	2
Phthisis	23263	460	398	186	115	94	1253	617	1000	2054	3538	4949	3794	2748	1724	605	78	3
Hydrocephalus	5544	2021	1467	590	313	276	4667	617	173	39	17	8	9	7	6	1	-	-
Diseases of Brain	37767	21572	2077	875	497	344	25365	819	467	439	395	864	1178	1514	2265	2795	1457	209
Heart Dis. and Dropsy	10350	178	111	88	66	63	506	310	261	307	315	675	1028	1464	2080	2253	1032	119
Dis. of Lungs	30197	7724	3571	1253	651	402	13606	657	239	365	411	1037	1637	2521	3566	3952	1943	263
Dis. of Stom. and Liver	10331	1176	265	150	82	76	1749	328	276	322	320	704	1077	1525	1875	1555	568	32
Dis. of Kidneys	2731	16	14	14	7	16	67	42	48	80	86	215	276	328	453	733	417	36
Dis. of Gener. Organs	36	4	-	-	-	-	4	-	1	-	2	2	6	7	7	4	3	-
Diseases of the Joints	898	21	25	17	16	15	94	85	132	119	86	100	73	79	68	53	9	-
Diseases of the Skin	468	156	30	11	3	4	204	10	18	14	9	16	25	38	43	53	32	6
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	9233	426	305	324	298	271	1624	739	662	714	795	1223	1072	1004	784	477	195	34
Other Causes	38481	17826	2700	496	183	111	21316	318	196	183	165	311	431	640	1298	4151	6990	2482
X.—NORTHERN COUNTIES.																		
Mean Popul^{n}, 1851-61	529,804	-	-	-	-	-	75,419	64,526	57,450	52,514	49,379	79,259	59,720	43,046	27,467	14,837	5,450	737
TOTAL DEATHS	119,247	31,523	10,027	5,058	3,285	2,429	52,322	5,639	3,034	3,799	4,361	7,272	7,010	7,521	8,486	9,662	7,816	2,325
Small-pox	1381	393	183	128	95	68	867	147	30	40	80	94	58	43	17	5	-	-
Measles	2052	404	713	417	108	147	1879	152	12	3	1	4	-	-	1	-	-	-
Scarlatina	5757	486	912	920	860	725	3883	1407	289	81	33	34	16	4	3	2	-	-
Diphtheria	488	53	75	48	51	52	279	126	45	16	3	8	4	2	1	3	1	-
Whooping-cough	2082	881	603	279	144	79	1986	95	1	-	-	-	-	-	-	-	-	-
Typhus	4271	117	173	218	195	154	827	523	352	458	402	515	354	283	280	193	74	10
Cholera, Diarrh., Dysent^{y}	6083	2131	801	265	113	73	3383	197	88	94	139	316	348	389	373	412	283	61
Other Zymotic Dis.	4483	897	426	369	305	209	2206	344	104	105	88	240	294	289	318	265	204	31
Cancer	1000	2	4	1	1	3	11	4	4	5	9	46	114	180	247	260	105	15
Scrofula, Tabes Mesent.	3174	1024	814	311	117	74	2340	241	119	123	69	113	52	55	36	26	-	-
Phthisis	11715	143	176	78	64	52	513	313	432	1288	1900	2732	1902	1417	863	317	35	4
Hydrocephalus	3915	1079	822	367	200	118	2586	324	73	18	7	3	2	2	-	-	-	-
Diseases of Brain	13632	6129	776	320	194	156	7575	354	203	169	186	431	602	815	1083	1444	911	159
Heart Dis. and Dropsy	6651	133	81	49	47	42	352	158	148	162	181	425	656	960	1275	1450	795	89
Dis. of Lungs	13960	4108	1778	680	344	208	7128	355	124	137	163	410	579	983	1520	1557	845	149
Dis. of Stom. and Liver	5634	1112	199	113	66	45	1535	155	102	122	163	371	545	694	846	779	284	38
Dis. of Kidneys	1474	10	9	6	6	8	39	30	23	33	60	119	160	158	242	329	249	42
Dis. of Gener. Organs	16	-	-	-	-	-	-	1	-	-	-	2	2	4	1	4	2	-
Diseases of the Joints	462	11	6	9	10	6	42	56	70	56	43	48	41	39	37	22	5	-
Diseases of the Skin	255	89	14	5	3	4	115	14	4	2	11	13	12	21	20	21	19	3
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	7587	281	173	161	157	143	915	435	768	779	747	1137	969	828	599	344	133	23
Other Causes	23769	12060	1289	314	125	63	13851	208	93	103	48	211	300	375	724	2229	3871	1701

Mean Population, 1851-61, and Deaths in Divisions during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
IX.—YORKSHIRE.																		
Mean Popul^{n}, 1851-61	962,329	-	-	-	-	-	129,319	112,768	101,230	94,591	91,683	146,505	109,974	79,774	53,489	30,382	11,102	1,512
TOTAL DEATHS	215,510	50,901	18,430	8,792	5,990	4,308	88,421	9,907	5,329	7,976	8,696	15,630	13,478	12,066	14,938	18,940	15,590	4,539
Small-pox	2064	580	368	221	186	121	1476	260	63	63	65	83	37	11	4	2	-	-
Measles	4413	749	1704	843	448	266	4010	327	42	9	7	14	2	1	1	-	-	-
Scarlatina	9730	650	1843	1566	1463	1214	6236	2677	514	152	65	80	28	11	4	2	1	-
Diphtheria	1345	96	144	136	172	158	706	383	129	46	22	25	17	9	5	1	-	2
Whooping-cough	4893	2028	1531	656	335	182	4732	152	9	-	-	-	-	-	-	-	-	-
Typhus	8260	240	324	338	344	292	1538	1062	838	1017	748	957	634	476	437	384	149	20
Cholera, Diarrh., Dysent^{y}	10948	4537	1713	388	172	107	6917	223	94	99	152	372	382	424	619	880	664	122
Other Zymotic Dis.	7232	1886	728	621	488	311	4034	462	155	157	166	322	318	285	391	527	344	71
Cancer	3695	7	2	5	4	3	21	9	11	13	28	181	604	928	896	714	269	39
Scrofula, Tabes Mesent.	3100	823	606	232	112	84	1857	253	174	169	135	184	124	75	76	40	11	-
Phthisis	27610	403	361	190	150	116	1220	627	1449	4152	4402	7138	4492	2292	1259	504	69	6
Hydrocephalus	4378	1562	1142	514	338	238	3594	538	149	46	6	15	3	1	-	5	1	-
Diseases of Brain	31004	15867	1856	796	450	316	19285	783	414	433	455	867	944	1373	2030	2644	1571	215
Heart Dis. and Dropsy	12167	196	95	78	59	46	474	281	275	334	387	948	1328	1764	2500	2590	1159	107
Dis. of Lungs	25448	5093	3363	1287	749	430	11512	691	291	330	403	921	1183	1652	2675	3488	1959	343
Dis. of Stom. and Liver	10758	841	261	139	108	85	1434	282	237	327	477	1064	1173	1441	1944	1727	584	68
Dis. of Kidneys	1000	5	20	13	10	1	49	27	34	42	70	154	133	151	144	141	49	6
Dis. of Gener. Organs	940	3	5	3	1	1	13	1	1	15	52	146	242	198	153	92	25	2
Diseases of the Joints	712	19	16	15	9	14	73	72	72	65	54	93	79	60	78	49	16	1
Diseases of the Skin	426	148	21	18	6	4	197	14	13	3	7	17	22	30	36	56	28	3
Childbirth and Metria	3365	-	-	-	-	-	-	-	-	152	670	1445	1047	51	-	-	-	-
Violent Deaths	3486	362	245	248	196	201	1252	471	172	173	97	177	185	211	204	222	245	77
Other Causes	38556	14496	2592	485	190	118	17791	290	193	199	228	427	501	632	1482	4872	8475	3466
X.—NORTHERN COUNTIES.																		
Mean Popul^{n}, 1851-61	530,445	-	-	-	-	-	73,769	63,193	55,798	50,629	48,907	78,906	59,410	43,772	29,804	17,780	7,248	1,229
TOTAL DEATHS	113,899	24,903	9,788	5,000	3,285	2,434	45,410	5,391	2,580	3,371	4,114	8,181	7,187	6,547	7,685	10,265	9,631	3,537
Small-pox	1269	371	173	131	122	85	882	151	35	27	44	59	33	22	14	2	-	-
Measles	2056	321	742	386	240	142	1831	185	13	9	5	7	5	-	1	-	-	-
Scarlatina	5638	356	878	963	834	694	3725	1400	326	83	40	38	14	8	2	2	-	-
Diphtheria	502	49	53	50	67	52	271	132	43	22	9	12	7	2	2	2	-	-
Whooping-cough	2707	993	840	399	206	135	2573	122	10	1	-	1	-	-	-	-	-	-
Typhus	4193	97	187	209	189	164	846	608	370	433	351	468	312	225	277	211	81	14
Cholera, Diarrh. Dysent^{y}	6127	1763	871	233	100	82	3049	182	79	80	142	303	426	367	415	521	381	92
Other Zymotic Dis.	3784	767	407	257	293	189	2013	336	95	52	65	161	153	179	203	297	192	38
Cancer	2003	3	3	4	3	3	16	6	6	5	10	113	314	467	517	591	141	17
Scrofula, Tabes Mesent.	2714	843	758	256	110	73	2040	195	101	66	45	91	58	47	37	25	7	2
Phthisis	13420	138	135	88	52	67	480	241	634	1628	1971	3684	2367	1332	699	246	34	4
Hydrocephalus	2445	815	625	295	165	120	2020	287	86	17	9	11	3	7	3	-	2	-
Diseases of Brain	12010	4537	737	311	194	139	5968	304	173	171	179	377	475	731	1100	1430	949	153
Heart Dis. and Dropsy	6975	118	67	49	35	38	307	132	142	167	210	529	727	956	1313	1577	791	124
Dis. of Lungs	11967	3002	1621	723	351	227	5924	366	133	125	153	352	458	669	1030	1518	1018	221
Dis. of Stom. and Liver	5018	824	193	92	62	59	1230	142	96	154	240	496	592	732	931	911	352	42
Dis. of Kidneys	593	6	10	7	5	4	32	15	16	17	39	85	99	102	78	80	24	6
Dis. of Gener. Organs	461	-	-	1	-	-	1	-	2	6	14	74	117	107	76	53	11	-
Diseases of the Joints	334	11	3	11	9	4	38	37	38	31	21	36	39	27	29	23	13	2
Diseases of the Skin	229	78	18	5	6	-	107	7	2	7	2	9	17	14	12	31	17	4
Childbirth and Metria	1968	-	-	-	-	-	-	-	-	105	390	847	592	34	-	-	-	-
Violent Deaths	2084	251	121	118	116	85	701	264	91	78	76	93	114	148	125	129	156	59
Other Causes	24549	9510	1336	312	126	72	11356	179	89	87	99	245	265	371	821	2816	5462	2759

Mean Population, 1851–61, and Deaths in Divisions during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
	XI.—MONMOUTHSHIRE AND WALES.																	
Mean Popul^{n}, 1851-61	624,969	-	-	-	-	-	83,851	75,502	69,064	62,966	55,558	89,210	69,971	52,667	36,223	20,298	8,322	1,337
TOTAL DEATHS	137,078	30,641	9,782	5,378	3,566	2,568	51,935	6,724	4,183	5,367	6,611	9,657	8,013	8,229	9,882	11,945	10,720	3,812
Small-pox	2512	553	332	218	169	118	1390	332	90	111	215	248	87	29	6	3	1	-
Measles	1960	391	596	358	214	117	1676	202	37	19	12	8	4	1	1	-	-	-
Scarlatina	5320	518	774	828	694	547	3361	1398	329	115	46	37	16	11	3	2	2	-
Diphtheria	634	73	75	56	55	60	319	166	72	36	19	4	6	6	3	3	-	-
Whooping-cough	2226	985	573	272	159	103	2092	129	5	-	-	-	-	-	-	-	-	-
Typhus	6626	266	345	286	246	213	1356	764	572	674	687	752	514	440	398	334	118	17
Cholera, Diarrh., Dysent^{y}	3110	877	405	137	74	40	1533	110	66	55	94	159	154	188	212	292	206	41
Other Zymotic Dis.	5091	985	599	497	392	309	2782	501	138	98	100	187	209	240	292	303	206	35
Cancer	1119	3	4	4	2	2	15	5	3	6	13	34	90	201	301	276	147	28
Scrofula, Tabes Mesent.	2333	260	358	166	82	50	1016	194	179	181	186	209	104	86	92	66	17	3
Phthisis	18605	300	333	224	124	110	1091	597	790	1976	3042	4150	2588	2001	1405	800	150	15
Hydrocephalus	1313	378	343	131	86	58	996	193	70	22	10	7	6	3	2	2	2	-
Diseases of Brain	22419	13241	1748	688	354	215	16226	487	221	216	219	417	562	672	875	1339	1010	175
Heart Dis. and Dropsy	5204	58	39	37	24	17	175	139	146	188	170	368	490	663	979	1180	626	80
Dis. of Lungs	15787	2745	1504	615	343	184	5391	390	156	254	349	645	927	1279	2135	2574	1497	190
Dis. of Stom. and Liver	5166	423	122	84	61	64	754	155	125	173	175	385	542	692	915	870	345	35
Dis. of Kidneys	1384	7	9	6	9	10	41	31	16	31	40	117	128	150	197	355	246	32
Dis. of Gener. Organs	16	-	2	-	-	-	2	-	1	-	-	1	1	6	2	1	2	-
Diseases of the Joints	370	4	2	7	9	4	26	29	44	45	45	40	41	39	25	22	14	-
Diseases of the Skin	247	76	18	4	1	1	100	8	4	11	9	7	9	23	16	31	23	6
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	8677	157	194	262	239	189	1041	493	374	391	317	1443	1063	847	588	373	118	24
Other Causes	26959	8241	1407	518	229	157	10552	401	245	265	263	439	467	652	1435	3119	5990	3131

Mean Population, 1851-61, and Deaths in Divisions during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
	XI.—MONMOUTHSHIRE AND WALES.																	
Mean Popul^{n}, 1851-61	625,905	-	-	-	-	-	82,397	74,309	66,758	60,558	56,211	89,195	68,285	52,404	37,913	24,234	11,370	2,271
TOTAL DEATHS	128,902	24,031	9,093	5,282	3,548	2,684	44,638	6,862	3,730	4,652	5,215	9,549	8,231	6,892	8,674	11,763	12,767	5,929
Small-pox	2106	487	307	229	186	129	1338	325	66	88	90	127	47	19	6	-	-	-
Measles	1956	290	600	327	239	153	1609	254	43	18	12	15	2	2	1	-	-	-
Scarlatina	5409	384	689	821	726	577	3197	1461	421	148	71	63	27	10	5	5	1	-
Diphtheria	621	42	51	48	53	66	260	189	104	26	11	14	7	8	2	-	-	-
Whooping-cough	2068	953	739	376	224	163	2455	190	22	-	1	-	-	-	-	-	-	-
Typhus	6159	206	288	287	272	224	1277	803	617	633	524	694	476	345	315	333	130	12
Cholera, Diarrh., Dysent^{y}	2695	676	362	127	47	39	1251	87	42	43	58	188	185	149	168	243	235	46
Other Zymotic Dis.	4451	769	529	505	395	284	2482	504	118	100	87	122	128	144	226	321	189	30
Cancer	1903	4	1	1	1	2	9	3	6	5	9	62	242	414	496	413	207	37
Scrofula, Tabes Mesent.	1795	329	319	170	70	28	916	149	126	113	77	110	74	79	73	52	24	2
Phthisis	20023	286	341	204	128	112	1071	724	1051	2308	2589	4597	3239	2048	1355	802	213	26
Hydrocephalus	897	243	202	103	75	52	675	161	36	10	4	2	4	4	1	-	-	-
Diseases of Brain	19286	10231	1662	650	320	236	13099	477	228	204	204	414	421	566	901	1409	1114	249
Heart Dis. and Dropsy	6658	56	33	26	20	20	155	145	161	170	215	470	622	812	1277	1569	925	147
Dis. of Lungs	11979	2036	1320	587	279	204	4426	411	175	208	261	497	540	669	1313	1924	1314	241
Dis. of Stom. and Liver	4594	274	115	82	63	52	586	156	104	147	231	433	505	615	771	738	277	31
Dis. of Kidneys	377	2	3	5	5	4	19	14	6	17	20	56	58	47	62	48	25	5
Dis. of Gener. Organs	324	-	1	1	-	-	2	-	3	5	17	47	65	90	55	30	9	1
Diseases of the Joints	235	9	4	6	1	2	22	29	22	14	23	29	31	22	21	18	4	-
Diseases of the Skin	212	75	7	7	1	2	92	9	2	1	6	9	7	10	19	29	13	10
Childbirth and Metria	2497	-	-	-	-	-	..	-	-	67	403	1047	915	65	-	-	-	-
Violent Deaths	2207	121	159	203	196	174	853	361	135	106	64	91	103	116	96	124	120	38
Other Causes	29850	6558	1361	517	247	161	8844	410	252	221	238	462	533	658	1511	3705	7962	5054

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
1.—KENSINGTON.																		
Mean Popul^{n}, 1851-61	63166	-	-	-	-	-	3753	7392	6079	5510	5523	10372	8349	5779	3388	1513	452	56
TOTAL DEATHS	15086	3735	1262	652	437	297	6383	618	295	340	482	1158	1331	1224	1240	1162	684	169
Small-pox	128	35	11	9	11	6	72	22	1	3	12	11	3	4	-	-	-	-
Measles	358	62	124	68	43	37	334	19	2	1	1	1	-	-	-	-	-	-
Scarlatina	536	36	81	81	81	58	337	144	32	8	1	6	4	2	2	-	-	-
Diphtheria	56	6	7	8	10	6	37	8	-	4	-	1	3	-	1	1	1	-
Whooping-cough	431	168	119	64	38	25	414	14	1	-	1	-	-	-	-	1	-	-
Typhus	429	14	14	28	23	20	99	48	33	31	29	51	35	28	45	18	12	-
Cholera, Diarrh., Dysent^{y}	980	527	104	38	16	17	702	33	14	5	12	41	37	39	29	40	18	5
Other Zymotic Dis.	720	239	49	34	26	18	366	40	12	8	12	56	63	54	54	36	15	4
Cancer	192	-	2	-	-	-	2	2	-	3	2	14	21	28	66	43	11	-
Scrofula, Tabes Mesent.	327	103	69	32	13	11	228	32	26	12	4	5	7	4	4	4	1	-
Phthisis	2213	36	25	16	12	7	96	27	42	145	272	602	548	306	135	36	3	1
Hydrocephalus	413	159	118	43	35	15	370	33	3	3	-	2	-	1	-	-	1	-
Diseases of Brain	1636	476	110	55	31	20	692	39	23	24	18	76	124	147	175	201	101	16
Heart Dis. and Dropsy	948	38	5	4	6	3	56	24	15	30	26	70	111	145	212	185	71	3
Dis. of Lungs	2308	664	295	121	58	32	1170	56	10	12	35	77	134	198	232	234	125	25
Dis. of Stom. and Liver	654	112	12	7	3	7	141	17	22	10	12	37	71	103	109	96	31	5
Dis. of Kidneys	297	3	1	-	5	-	9	3	4	5	6	23	39	39	60	63	33	8
Dis. of Gener. Organs	5	1	-	-	-	-	1	-	2	-	-	-	-	1	1	-	-	-
Diseases of the Joints	62	1	2	1	1	-	5	5	10	6	4	11	5	7	4	4	1	-
Diseases of the Skin	42	13	1	1	-	-	15	-	-	2	-	1	6	2	5	6	5	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	599	83	15	16	13	12	139	40	37	25	28	62	101	79	46	30	7	5
Other Causes	1752	959	98	26	12	3	1098	7	6	3	7	6	19	37	60	164	248	97
2.—CHELSEA.																		
Mean Popul^{n}, 1851 61	27131	-	-	-	-	-	3658	3230	2921	2269	2216	4157	3392	2417	1519	977	329	46
TOTAL DEATHS	7513	1721	700	338	229	136	3124	291	113	121	134	448	547	549	607	863	597	119
Small-pox	79	16	13	7	9	6	51	14	3	1	1	4	2	3	-	-	-	-
Measles	166	30	57	25	25	9	146	16	3	-	1	-	-	-	-	-	-	-
Scarlatina	299	20	41	55	47	42	205	75	13	1	2	1	1	1	-	-	-	-
Diphtheria	24	4	-	4	3	3	14	7	1	-	-	-	1	1	-	-	-	-
Whooping-cough	212	76	82	26	17	5	206	5	1	-	-	-	-	-	-	-	-	-
Typhus	204	10	18	18	13	12	71	19	16	9	6	18	17	14	19	9	6	-
Cholera, Diarrh., Dysent^{y}	478	223	41	19	10	4	297	15	5	6	4	18	20	27	28	31	20	7
Other Zymotic Dis.	293	107	18	16	12	6	159	13	6	5	4	11	25	19	20	24	6	1
Cancer	98	-	-	-	1	-	1	-	-	-	-	4	7	8	25	34	18	1
Scrofula, Tabes Mesent.	184	76	40	12	8	4	140	16	8	5	3	3	2	2	3	2	-	-
Phthisis	1111	26	17	5	10	5	63	14	16	52	76	241	257	185	102	73	30	2
Hydrocephalus	225	68	63	32	22	11	196	23	4	1	-	1	-	-	-	-	-	-
Diseases of Brain	879	229	62	21	15	7	334	25	8	9	4	31	64	72	75	155	89	13
Heart Dis. and Dropsy	348	6	7	4	1	1	19	5	7	5	8	20	32	43	73	93	41	2
Dis. of Lungs	1429	307	159	72	27	16	581	22	2	5	11	45	55	90	166	240	175	37
Dis. of Stom. and Liver	278	49	-	2	1	1	53	4	9	6	3	18	24	43	42	47	28	1
Dis. of Kidneys	115	2	-	-	1	-	3	3	1	-	-	6	13	16	15	23	23	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Joints	14	-	-	-	1	-	1	1	1	3	1	2	-	-	2	1	2	-
Diseases of the Skin	23	11	1	-	-	-	12	1	-	-	-	1	-	-	1	4	4	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	199	50	6	6	2	3	67	7	9	12	8	17	22	10	18	17	10	2
Other Causes	854	411	75	14	4	1	505	6	-	1	2	6	5	15	18	105	140	51
3.—ST. GEORGE, HANOVER SQUARE.																		
Mean Popul^{n}, 1851-61	34751	-	-	-	-	-	3968	3079	2629	3081	3865	6861	5085	3359	1830	784	198	19
TOTAL DEATHS	8776	1647	636	335	202	139	2959	354	149	203	322	778	998	986	860	720	360	87
Small-pox	34	15	4	3	1	1	24	2	-	-	2	1	1	4	-	-	-	-
Measles	143	19	62	23	17	6	127	13	3	-	-	-	-	-	-	-	-	-
Scarlatina	285	17	35	49	36	36	173	82	14	6	3	4	1	1	1	-	-	-
Diphtheria	41	6	5	4	1	4	20	13	-	-	3	1	2	-	2	-	-	-
Whooping-cough	281	98	87	46	25	11	267	14	-	-	-	-	-	-	-	-	-	-
Typhus	259	3	14	12	7	11	47	27	13	14	34	38	25	27	16	15	3	-
Cholera, Diarrh., Dysent^{y}	461	209	30	8	6	7	260	15	4	5	13	30	29	33	25	30	16	1
Other Zymotic Dis.	459	135	21	15	14	5	190	16	2	16	7	36	46	54	46	31	11	4
Cancer	160	1	-	-	-	-	1	3	2	2	2	10	27	37	39	28	8	1
Scrofula, Tabes Mesent.	160	28	20	7	9	5	78	17	17	16	7	13	5	5	2	-	-	-
Phthisis	1194	21	15	12	3	4	55	16	16	52	125	298	318	194	104	19	2	-
Hydrocephalus	227	72	76	30	13	12	203	19	2	1	1	-	-	1	-	-	-	-
Diseases of Brain	821	178	47	22	23	7	277	24	13	13	19	46	76	90	103	114	44	2
Heart Dis. and Dropsy	539	6	4	2	3	2	17	10	11	9	20	61	80	115	95	85	30	6
Dis. of Lungs	1310	306	129	67	28	12	542	16	10	12	18	51	109	155	161	157	65	14
Dis. of Stom. and Liver	447	57	7	2	5	2	73	13	10	6	10	44	58	76	86	53	16	2
Dis. of Kidneys	354	-	-	-	-	-	-	5	4	9	12	42	69	81	52	47	27	6
Dis. of Gener. Organs	3	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-
Diseases of the Joints	71	1	1	2	-	1	5	8	5	6	5	1	19	11	5	5	1	-
Diseases of the Skin	44	13	-	-	-	1	14	-	-	2	2	2	8	4	10	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	622	47	12	17	10	11	97	37	21	30	31	96	109	77	71	35	11	7
Other Causes	861	414	58	14	1	1	488	4	2	4	8	9	15	21	41	100	125	44

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
1.—KENSINGTON.																		
Mean Popul^{n}, 1851-61	89811	-	-	-	-	-	8923	7629	7003	8965	11029	17988	11950	7787	4919	2572	911	130
TOTAL DEATHS	15894	3055	1267	586	454	286	5648	639	306	453	592	1332	1260	1185	1352	1533	1205	389
Small-pox	106	28	14	9	9	3	63	16	5	1	8	7	2	3	-	-	1	-
Measles	318	40	126	63	39	18	286	19	6	4	-	1	-	2	-	-	-	-
Scarlatina	521	22	72	64	83	66	307	153	28	5	4	12	10	2	-	-	-	-
Diphtheria	83	6	7	10	5	10	38	27	10	4	2	2	-	-	-	-	-	-
Whooping-cough	545	130	191	74	48	23	518	23	2	2	-	-	-	-	-	-	-	-
Typhus	498	14	26	26	27	25	118	55	44	48	41	64	30	31	27	23	11	6
Cholera, Diarrh., Dysent^{y}	1085	504	96	22	23	10	655	45	13	6	14	50	74	60	51	58	42	17
Other Zymotic Dis.	619	178	43	29	26	18	294	37	15	17	16	27	39	29	46	53	41	5
Cancer	573	-	2	-	1	2	5	-	-	1	3	26	105	162	150	89	26	6
Scrofula, Tabes Mesent.	319	86	57	28	27	11	209	30	20	12	9	16	8	4	6	4	-	1
Phthisis	2130	28	34	9	20	7	98	46	78	220	297	612	426	222	101	23	7	-
Hydrocephalus	314	125	88	23	21	20	277	27	6	2	-	-	2	-	-	-	-	-
Diseases of Brain	1536	357	78	50	38	13	536	38	18	31	30	56	75	132	169	264	156	31
Heart Dis. and Dropsy	1075	28	6	3	6	6	49	17	20	19	23	88	100	140	219	245	135	20
Dis. of Lungs	2422	544	289	125	62	29	1049	52	12	18	32	64	99	164	259	338	270	65
Dis. of Stom. and Liver	844	62	8	7	4	5	86	14	14	23	33	75	101	114	169	142	61	10
Dis. of Kidneys	151	-	1	-	1	-	2	1	1	2	3	18	31	27	24	27	13	2
Dis. of Gener. Organs	130	-	-	-	-	-	-	-	-	1	12	26	27	25	22	11	3	-
Diseases of the Joints	54	2	1	2	-	1	6	1	5	2	2	12	6	10	4	5	1	-
Diseases of the Skin	44	15	2	3	1	-	21	-	-	1	-	4	4	4	3	5	2	-
Childbirth and Metria	254	-	-	-	-	-	-	-	-	7	45	125	76	1	-	-	-	-
Violent Deaths	302	75	11	12	8	10	116	29	6	18	9	28	20	21	24	12	17	2
Other Causes	1971	761	115	27	5	7	915	9	3	7	9	19	25	32	78	231	419	224
2.—CHELSEA.																		
Mean Popul^{n}, 1851-61	32858	-	-	-	-	-	3678	3130	2868	2909	3215	5764	4302	3191	2110	1195	422	74
TOTAL DEATHS	7352	1398	615	336	207	133	2689	272	118	137	193	501	542	542	639	866	671	182
Small-pox	56	17	7	11	2	3	40	7	1	3	-	2	2	-	1	-	-	-
Measles	170	24	53	47	22	14	160	9	-	-	-	-	-	1	-	-	-	-
Scarlatina	204	16	49	47	47	28	187	79	18	1	1	4	2	1	1	-	-	-
Diphtheria	6	-	-	-	1	2	3	2	-	-	-	1	-	-	-	-	-	-
Whooping-cough	255	77	80	46	24	14	241	13	1	-	-	-	-	-	-	-	-	-
Typhus	232	12	11	15	17	16	71	22	12	14	7	20	7	18	22	19	16	4
Cholera, Diarrh., Dysent^{y}	538	180	45	15	9	6	255	18	7	7	9	34	37	27	40	62	35	7
Other Zymotic Dis.	272	107	20	9	12	6	154	11	9	2	3	7	13	16	18	18	14	7
Cancer	198	-	-	1	-	-	1	-	-	1	2	12	31	62	44	30	12	3
Scrofula, Tabes Mesent.	147	55	31	12	9	4	111	13	5	1	3	2	3	4	2	2	1	-
Phthisis	985	23	23	6	4	5	61	18	25	61	103	287	227	127	61	26	8	1
Hydrocephalus	165	59	47	22	12	8	148	14	2	-	-	-	-	-	1	-	-	-
Diseases of Brain	715	157	28	24	10	9	228	17	12	11	7	24	33	63	97	118	87	13
Heart Dis. and Dropsy	396	9	3	-	2	1	15	9	8	6	14	16	32	52	92	110	39	3
Dis. of Lungs	1209	244	125	59	22	10	460	20	6	12	13	28	50	74	152	232	139	23
Dis. of Stom. and Liver	316	19	3	6	3	2	33	4	5	7	12	20	36	48	47	63	30	6
Dis. of Kidneys	44	1	-	-	-	1	2	1	1	2	1	3	3	3	11	12	4	1
Dis. of Gener. Organs	54	1	-	-	-	-	1	-	1	-	-	5	10	17	12	5	3	-
Diseases of the Joints	11	1	1	-	-	-	2	2	2	1	-	2	-	-	2	-	-	-
Diseases of the Skin	15	-	1	1	-	-	2	-	-	1	-	1	-	1	3	5	1	1
Childbirth and Metria	81	-	-	-	-	-	-	-	-	1	14	40	25	1	-	-	-	-
Violent Deaths	114	34	9	1	5	-	49	6	1	-	-	8	8	11	10	7	9	5
Other Causes	1079	362	79	14	6	4	465	7	2	6	4	5	18	16	23	152	273	108
3.—ST. GEORGE, HANOVER SQUARE.																		
Mean Popul^{n}, 1851-61	45750	-	-	-	-	-	3998	3183	2980	4523	6040	10023	6745	4272	2443	1152	334	87
TOTAL DEATHS	8012	1289	596	308	215	123	2531	336	159	239	292	758	748	779	805	748	491	135
Small-pox	40	12	3	4	4	4	27	5	2	-	1	2	-	2	1	-	-	-
Measles	163	19	66	30	21	6	142	17	-	-	1	3	-	-	-	-	-	-
Scarlatina	241	9	33	30	32	26	130	67	20	8	1	9	2	4	-	-	-	-
Diphtheria	47	3	4	4	9	8	28	9	2	1	1	2	4	-	-	-	-	-
Whooping-cough	277	86	95	48	26	15	268	8	1	-	-	-	-	-	-	-	-	-
Typhus	293	4	9	12	12	5	42	34	26	34	35	39	19	25	20	13	6	-
Cholera, Diarrh., Dysent^{y}	430	163	38	9	1	4	215	14	3	7	8	37	35	29	33	28	11	5
Other Zymotic Dis.	354	120	18	20	17	9	184	17	9	7	11	10	28	23	19	26	18	
Cancer	355	1	1	-	-	1	3	1	1	-	1	34	71	105	86	41	11	1
Scrofula, Tabes Mesent.	162	33	30	9	12	-	84	19	14	7	7	13	11	3	3	1	-	-
Phthisis	949	12	12	8	7	8	47	21	28	86	112	268	214	116	45	9	3	-
Hydrocephalus	164	54	46	21	12	4	137	21	3	1	1	1	-	-	-	-	-	-
Diseases of Brain	700	139	27	22	11	5	204	24	7	18	14	50	38	72	94	109	60	10
Heart Dis. and Dropsy	549	7	2	2	-	2	13	9	5	21	17	47	63	92	129	102	46	5
Dis. of Lungs	1216	224	130	53	26	10	443	24	7	8	19	33	70	104	171	194	112	31
Dis. of Stom. and Liver	487	26	5	4	5	1	41	12	7	14	18	52	63	90	95	62	31	2
Dis. of Kidneys	144	2	-	-	-	-	2	1	3	6	10	30	24	29	19	15	5	-
Dis. of Gener. Organs	88	1	1	1	-	-	3	-	1	3	2	23	16	19	11	8	1	1
Diseases of the Joints	46	1	-	-	2	1	4	6	5	4	4	7	5	3	6	2	-	-
Diseases of the Skin	37	13	-	-	-	-	13	-	-	-	1	-	5	5	5	5	2	1
Childbirth and Metria	122	-	-	-	-	-	-	-	-	2	16	57	46	1	-	-	-	-
Violent Deaths	288	39	15	16	13	13	96	19	12	12	9	24	21	26	27	22	20	3
Other Causes	860	321	61	15	5	3	405	8	3	-	3	17	13	25	36	111	165	74

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
4.—WESTMINSTER.																		
Mean Popul^{n}, 1851-61	32742	-	-	-	-	-	4133	3342	3036	2799	3601	6101	4481	2846	1558	669	160	16
TOTAL DEATHS	9239	2217	888	419	336	188	4048	384	142	249	453	756	882	780	673	568	302	52
Small-pox	122	26	24	10	10	8	78	13	4	3	12	3	4	5	-	-	-	-
Measles	225	40	89	36	27	13	205	16	1	-	3	-	-	-	-	-	-	-
Scarlatina	365	35	55	44	67	45	246	86	14	8	4	3	1	3	-	-	-	-
Diphtheria	28	6	5	5	2	1	19	4	1	-	-	-	2	1	1	-	-	-
Whooping-cough	307	106	102	52	25	11	296	10	-	-	-	1	-	-	-	-	-	-
Typhus	382	7	21	18	21	14	81	42	19	33	57	46	31	20	28	19	6	-
Cholera, Diarrh., Dysent^{y}	665	268	66	26	15	7	382	36	13	9	21	39	40	44	23	36	19	3
Other Zymotic Dis.	423	141	21	18	14	4	198	13	3	6	15	49	43	38	30	19	8	1
Cancer	64	1	-	-	-	-	1	-	-	-	2	5	12	15	21	8	-	-
Scrofula, Tabes Mesent.	184	55	37	13	12	8	125	10	10	8	4	13	8	3	2	1	-	-
Phthisis	1350	21	15	24	10	4	74	19	17	82	199	312	329	197	96	24	1	-
Hydrocephalus	306	88	98	36	29	13	264	32	3	2	-	1	-	1	2	1	-	-
Diseases of Brain	906	347	40	18	25	16	446	34	10	16	18	36	50	67	84	88	53	4
Heart Dis. and Dropsy	432	7	4	8	3	2	19	5	7	19	15	53	71	73	75	68	26	1
Dis. of Lungs	1655	411	190	67	44	19	731	26	3	23	50	87	128	170	184	175	70	8
Dis. of Stom. and Liver	317	46	9	7	4	5	71	5	12	13	10	33	52	51	35	26	7	2
Dis. of Kidneys	128	-	1	3	4	-	8	2	-	2	12	19	26	20	19	11	9	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Diseases of the Joints	23	-	-	3	-	-	3	3	5	-	3	2	3	2	-	2	-	-
Diseases of the Skin	22	7	1	-	-	1	9	-	1	1	1	1	3	2	1	3	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	383	51	10	14	4	6	85	20	16	23	24	42	62	50	33	21	5	2
Other Causes	1000	554	100	22	20	11	707	8	3	1	3	11	15	18	39	66	98	31
5.—ST. MARTIN-IN-FIELDS.																		
Mean Popul^{n}, 1851-61	11436	-	-	-	-	-	1179	948	863	1077	1359	2223	1670	1120	646	277	68	6
TOTAL DEATHS	3196	586	264	147	89	55	1141	106	44	63	95	240	379	372	321	290	124	21
Small-pox	23	1	2	5	2	2	12	6	-	-	5	-	-	-	-	-	-	-
Measles	49	8	19	6	11	2	46	1	2	-	-	-	-	-	-	-	-	-
Scarlatina	74	2	18	10	12	7	49	18	4	1	-	1	-	1	-	-	-	-
Diphtheria	6	1	3	-	2	-	6	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	101	31	28	24	7	8	98	2	1	-	-	-	-	-	-	-	-	-
Typhus	71	1	2	6	4	2	15	4	2	5	8	9	10	5	10	3	-	-
Cholera, Diarrh., Dysent^{y}	130	53	15	5	-	1	74	8	2	-	1	7	11	6	5	14	1	1
Other Zymotic Dis.	165	35	10	6	5	2	58	2	2	3	2	13	30	25	15	12	3	-
Cancer	30	-	-	-	-	1	1	-	2	-	-	1	1	5	10	8	2	-
Scrofula, Tabes Mesent.	73	24	17	10	5	5	61	1	2	2	2	3	1	-	-	1	-	-
Phthisis	491	5	3	8	2	-	18	16	5	32	39	101	138	102	30	9	1	-
Hydrocephalus	103	45	27	10	6	7	95	6	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	324	69	15	13	7	4	108	7	5	2	9	19	35	36	43	46	13	1
Heart Dis. and Dropsy	221	6	2	1	2	2	13	6	2	3	6	19	38	43	39	41	10	1
Dis. of Lungs	514	115	65	29	11	7	227	5	-	3	6	22	43	55	79	53	21	-
Dis. of Stom. and Liver	133	12	3	-	3	-	18	3	-	3	4	7	12	30	23	24	6	1
Dis of Kidneys	59	-	-	-	-	1	1	1	1	-	2	3	12	15	12	10	-	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	17	-	-	-	-	1	1	2	2	-	1	3	2	3	2	1	-	-
Diseases of the Skin	15	1	1	-	1	-	3	-	-	-	-	2	3	1	2	1	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	223	22	4	3	8	2	39	13	10	9	9	24	39	36	27	10	7	-
Other Causes	373	155	30	11	1	1	198	5	1	-	1	5	4	9	22	56	57	15
6.—ST. JAMES, WESTMINSTER.																		
Mean Popul^{n}, 1851-61	17016	-	-	-	-	-	1747	1330	1284	1595	1950	3453	2541	1678	924	407	96	11
TOTAL DEATHS	3883	824	389	166	120	56	1555	170	46	75	93	267	312	386	400	378	164	37
Small-pox	25	5	6	4	1	-	16	4	-	1	1	1	2	-	-	-	-	-
Measles	75	16	29	13	5	3	66	9	-	-	-	-	-	-	-	-	-	-
Scarlatina	105	9	19	12	15	7	62	32	7	3	-	-	1	-	-	-	-	-
Diphtheria	5	2	-	-	1	-	3	-	-	-	-	-	-	1	1	-	-	-
Whooping-cough	137	40	43	23	20	3	129	6	1	-	-	1	-	-	-	-	-	-
Typhus	81	7	5	7	5	4	28	8	3	9	5	7	9	4	5	3	-	-
Cholera, Diarrh., Dysent^{y}	333	62	25	10	8	6	111	30	13	8	15	28	40	42	19	21	6	-
Other Zymotic Dis.	138	41	12	3	3	3	62	7	2	2	3	13	12	17	6	11	3	-
Cancer	22	-	-	-	-	-	-	1	-	1	-	2	4	5	3	4	2	-
Scrofula, Tabes Mesent.	105	34	23	12	6	1	81	13	4	2	2	-	2	-	-	1	-	-
Phthisis	577	13	9	8	4	4	38	16	3	32	43	133	132	105	43	31	1	-
Hydrocephalus	128	38	40	18	12	6	114	12	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	397	89	34	9	11	8	151	12	4	3	7	15	22	33	53	63	31	3
Heart Dis. and Dropsy	240	-	4	-	1	-	5	3	4	6	1	22	18	44	66	60	10	1
Dis. of Lungs	666	156	91	32	19	5	303	12	1	1	6	12	27	64	111	100	23	6
Dis. of Stom. and Liver	182	22	2	3	5	3	35	3	-	4	6	10	19	31	42	26	5	1
Dis. of Kidneys	75	1	-	-	1	1	3	1	-	-	1	9	9	14	17	10	10	1
Dis of Gener. Organs	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	1	-	-	-	1	2	-	-	1	1	-	1	-	2	1	-	-
Diseases of the Skin	6	2	1	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	87	23	4	1	1	1	30	-	2	2	1	9	11	11	13	7	1	-
Other Causes	490	263	37	10	2	-	312	1	1	-	1	4	3	15	19	39	70	25

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

4.—WESTMINSTER.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	34168	-	-	-	-	-	4137	3386	2909	2776	3480	6417	4866	3151	1816	882	303	45
TOTAL DEATHS	8431	1756	870	465	270	182	3543	356	137	169	260	656	690	680	688	672	437	143
Small-pox	113	29	24	14	9	5	81	14	-	3	4	6	4	-	1	-	-	-
Measles	193	33	76	42	12	6	171	19	1	1	-	1	-	-	-	-	-	-
Scarlatina	353	23	63	68	56	40	250	74	10	4	5	5	2	2	1	-	-	-
Diphtheria	19	4	2	6	1	2	15	3	-	-	-	1	-	-	-	-	-	-
Whooping-cough	372	99	127	69	44	11	350	20	1	-	1	-	-	-	-	-	-	-
Typhus	326	10	12	12	14	10	58	43	25	24	28	25	38	31	23	28	8	-
Cholera, Diarrh., Dysent^{y}	653	218	61	29	15	11	334	24	10	5	22	37	50	35	42	57	29	8
Other Zymotic Dis.	350	144	18	18	10	9	199	10	4	8	11	27	21	21	19	19	10	1
Cancer	176	2	-	-	-	-	2	-	-	-	3	18	38	47	36	22	9	1
Scrofula, Tabes Mesent.	140	47	38	12	8	4	109	6	10	5	1	5	3	-	1	-	-	-
Phthisis	988	21	25	16	12	12	86	32	30	68	98	270	214	122	46	20	1	1
Hydrocephalus	176	59	45	30	13	10	157	17	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	845	235	62	19	19	14	349	27	8	7	17	32	47	65	93	118	65	17
Heart Dis. and Dropsy	407	9	2	1	5	1	16	9	10	9	10	32	57	84	75	69	31	5
Dis of Lungs	1480	299	193	92	33	30	647	22	9	9	20	60	66	161	207	173	84	22
Dis. of Stom. and Liver	339	26	9	3	4	2	44	11	2	7	11	30	61	55	73	49	16	-
Dis. of Kidneys	67	1	1	-	-	-	2	-	-	3	4	18	10	7	11	11	1	-
Dis. of Gener. Organs	49	-	1	-	-	-	1	-	-	-	-	4	17	11	11	3	2	-
Diseases of the Joints	29	1	-	-	-	3	4	2	6	2	1	2	4	2	2	4	-	-
Diseases of the Skin	12	7	1	-	-	-	8	-	-	-	-	1	-	1	-	1	1	-
Childbirth and Metria	119	-	-	-	-	-	-	-	-	6	20	54	38	1	-	-	-	-
Violent Deaths	183	38	10	10	9	7	74	10	5	5	3	15	16	17	9	14	9	6
Other Causes	1022	451	100	24	8	3	586	13	5	2	1	13	4	18	38	89	171	82

5.—ST. MARTIN-IN-FIELDS.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	12229	-	-	-	-	-	1214	971	889	1193	1469	2385	1639	1180	726	377	113	23
TOTAL DEATHS	2849	419	258	145	94	46	962	117	48	81	75	239	251	249	255	305	216	51
Small-pox	21	6	4	1	3	1	15	1	-	1	2	1	1	-	-	-	-	-
Measles	60	6	21	14	11	4	56	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	73	2	9	10	10	9	40	27	4	-	1	-	1	-	-	-	-	-
Diphtheria	5	-	1	-	1	1	3	-	1	-	1	-	-	-	-	-	-	-
Whooping-cough	113	26	31	26	18	5	106	7	-	-	-	-	-	-	-	-	-	-
Typhus	82	-	5	3	3	6	17	10	10	9	7	10	5	4	6	3	1	-
Cholera, Diarrh., Dysent^{y}	124	52	16	3	2	-	73	2	1	2	4	5	10	7	7	8	5	-
Other Zymotic Dis.	93	24	6	7	3	-	40	5	3	2	-	12	12	4	9	3	3	-
Cancer	81	-	-	1	-	-	1	-	-	-	-	9	13	21	21	10	5	1
Scrofula, Tabes Mesent.	70	18	12	8	6	2	46	6	5	6	1	2	3	-	1	-	-	-
Phthisis	330	2	4	8	3	2	19	9	7	35	28	97	67	41	18	11	1	-
Hydrocephalus	78	19	25	15	9	3	71	5	-	2	-	-	-	-	-	-	-	-
Diseases of Brain	277	53	17	8	7	2	87	7	2	4	4	13	24	30	31	56	15	4
Heart Dis. and Dropsy	180	1	2	-	1	-	4	2	1	4	3	26	23	28	39	32	18	-
Dis. of Lungs	488	76	53	31	10	7	177	13	3	3	4	18	33	50	70	76	34	7
Dis. of Stom. and Liver	155	8	5	-	1	-	14	3	1	5	4	13	31	37	23	15	9	-
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	1	1	3	2	2	5	1	1	-
Dis. of Gener. Organs	20	-	-	-	-	-	-	-	-	-	-	3	9	4	1	2	1	-
Diseases of the Joints	11	-	-	-	-	-	-	1	-	3	1	3	1	-	2	-	-	-
Diseases of the Skin	5	1	2	-	-	-	3	-	-	-	-	-	1	-	1	-	-	-
Childbirth and Metria	81	-	-	-	-	-	-	-	-	1	9	16	5	-	-	-	-	-
Violent Deaths	102	16	1	2	5	4	28	11	7	1	3	7	7	11	7	10	9	1
Other Causes	434	109	44	8	1	-	162	5	2	2	2	1	3	10	17	78	114	38

6.—ST. JAMES, WESTMINSTER.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	18850	-	-	-	-	-	1780	1505	1336	1949	2413	3906	2592	1747	978	482	147	15
TOTAL DEATHS	3825	704	341	211	127	68	1451	151	67	72	111	270	334	358	355	362	235	59
Small-pox	20	7	4	1	2	-	14	2	-	-	2	2	-	-	-	-	-	-
Measles	86	15	26	26	8	6	81	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	112	3	19	22	16	12	72	29	4	2	2	2	-	1	-	-	-	-
Diphtheria	8	1	-	2	1	2	6	1	-	-	-	-	1	-	-	-	-	-
Whooping-cough	178	61	47	31	21	5	165	12	1	-	-	-	-	-	-	-	-	-
Typhus	82	2	6	3	7	11	29	5	6	6	6	8	8	4	6	2	2	-
Cholera, Diarrh., Dysent^{y}	377	59	24	7	9	-	99	30	17	7	15	37	57	44	45	20	5	1
Other Zymotic Dis.	133	36	10	9	3	8	66	6	-	4	7	8	11	16	6	5	3	1
Cancer	99	-	-	1	1	-	2	-	-	-	2	2	21	28	24	13	6	1
Scrofula, Tabes Mesent.	79	29	21	6	5	3	64	5	3	4	1	1	-	-	1	-	-	-
Phthisis	476	9	4	10	7	4	34	16	17	24	47	120	96	78	37	7	-	-
Hydrocephalus	107	38	30	16	10	2	96	10	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	343	78	33	12	8	4	135	12	3	7	3	11	16	44	40	46	22	4
Heart Dis. and Dropsy	231	2	-	-	-	-	2	1	7	7	5	15	36	39	48	56	15	-
Dis. of Lungs	675	129	84	51	23	8	295	10	1	2	6	18	44	52	98	101	37	11
Dis. of Stom. and Liver	183	20	8	3	2	1	34	6	3	5	3	13	23	29	28	29	9	1
Dis. of Kidneys	26	1	-	1	1	-	3	-	1	-	-	4	5	4	3	6	-	-
Dis. of Gener. Organs	17	-	1	-	-	-	1	-	-	-	-	1	2	7	1	4	1	-
Diseases of the Joints	10	-	-	1	-	1	2	1	1	-	1	1	1	-	2	-	-	1
Diseases of the Skin	7	3	1	-	-	-	4	-	-	-	-	1	-	-	-	1	1	-
Childbirth and Metria	38	-	-	-	-	-	-	-	-	2	8	19	9	-	-	-	-	-
Violent Deaths	47	13	1	3	-	1	18	1	1	1	2	4	2	5	3	7	2	1
Other Causes	491	198	22	6	3	-	229	-	-	1	1	3	2	7	13	65	132	38

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
7.—MARYLEBONE.																		
Mean Popul^{n}, 1851-61	69707	-	-	-	-	-	8845	7248	6269	6127	6789	12265	9506	6583	3783	1730	504	58
TOTAL DEATHS	18276	4628	1761	876	538	344	8147	728	263	319	472	1092	1419	1656	1653	1478	862	187
Small-pox	126	30	18	10	6	12	76	22	5	3	4	9	1	6	-	-	-	-
Measles	395	94	136	77	40	22	369	22	3	-	-	-	1	-	-	-	-	-
Scarlatina	676	44	95	111	116	71	437	186	27	5	7	9	2	2	-	1	-	-
Diphtheria	58	14	7	10	8	5	44	11	1	-	1	-	-	-	-	1	-	-
Whooping-cough	616	223	180	106	56	30	595	20	1	-	-	-	-	-	-	-	-	-
Typhus	505	23	21	20	34	20	118	66	31	35	41	54	46	38	34	28	13	1
Cholera, Diarrh., Dysent^{y}	1086	615	99	25	15	10	764	26	17	16	7	41	51	44	47	44	27	2
Other Zymotic Dis.	852	293	58	37	28	20	436	31	11	18	12	54	73	71	64	47	28	7
Cancer	239	-	1	1	1	1	4	2	-	4	7	17	31	49	67	43	15	-
Scrofula, Tabes Mesent.	323	98	75	32	12	11	228	32	11	13	9	9	8	5	4	3	1	-
Phthisis	2246	27	28	16	20	11	102	41	46	103	223	509	545	408	209	51	9	-
Hydrocephalus	589	217	172	81	32	26	528	47	5	2	2	1	1	2	-	-	1	-
Diseases of Brain	1990	604	140	79	46	28	897	58	26	25	30	67	111	188	258	204	113	13
Heart Dis. and Dropsy	1068	39	6	9	-	3	57	21	17	23	25	85	126	218	232	192	67	5
Dis. of Lungs	3515	905	515	174	84	47	1725	55	14	24	49	90	199	329	365	421	203	41
Dis. of Stom. and Liver	749	110	16	10	6	3	145	21	20	18	14	46	81	106	144	100	50	4
Dis. of Kidneys	385	1	2	-	3	1	7	3	5	7	8	28	55	72	71	83	43	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	82	-	-	1	-	1	2	18	14	6	7	6	6	9	7	7	-	-
Diseases of the Skin	36	12	2	1	1	-	16	1	-	-	-	2	2	2	7	4	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	552	116	18	22	17	13	186	31	7	13	20	52	57	64	66	40	10	6
Other Causes	2188	1163	172	54	13	9	1411	14	2	4	6	13	23	43	78	209	280	105
8.—HAMPSTEAD.																		
Mean Popul^{n}, 1851-61	6146	-	-	-	-	-	857	739	621	559	492	882	815	590	347	189	52	3
TOTAL DEATHS	1177	263	90	52	38	28	471	47	32	31	38	72	98	93	110	87	80	18
Small-pox	9	2	-	-	-	-	2	1	2	1	-	2	-	1	-	-	-	-
Measles	19	1	8	6	3	-	18	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	61	11	7	12	6	6	42	12	4	1	1	1	-	-	-	-	-	-
Diphtheria	7	1	-	2	1	-	4	2	-	-	-	-	-	-	-	-	-	1
Whooping-cough	27	11	10	3	3	-	27	-	-	-	-	-	-	-	-	-	-	-
Typhus	39	2	2	1	-	2	7	5	4	2	2	6	4	4	2	2	1	-
Cholera, Diarrh., Dysent^{y}	55	33	4	1	1	2	41	-	2	1	1	3	3	-	-	1	2	1
Other Zymotic Dis.	62	11	2	3	5	4	25	4	-	3	1	6	8	2	6	2	4	1
Cancer	16	-	-	-	-	-	-	-	-	-	-	1	1	7	2	2	2	1
Scrofula, Tabes Mesent.	29	11	7	1	3	1	23	-	2	1	1	1	-	1	-	-	-	-
Phthisis	126	1	2	1	-	3	7	1	5	11	18	22	28	17	12	5	-	-
Hydrocephalus	41	12	11	8	2	3	36	5	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	149	26	7	6	5	4	48	2	3	2	3	8	8	16	20	22	15	2
Heart Dis. and Dropsy	73	1	-	-	1	-	2	3	4	-	1	5	8	6	19	14	10	1
Dis. of Lungs	187	53	22	7	4	3	89	1	2	-	1	4	10	21	19	19	17	4
Dis. of Stom. and Liver	59	10	2	1	1	-	14	3	1	-	2	2	9	9	11	2	5	1
Dis. of Kidneys	32	-	-	-	1	-	1	-	-	-	2	3	4	1	7	7	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	71	9	2	-	1	-	12	6	3	8	4	8	12	7	7	3	1	-
Other Causes	112	68	4	-	1	-	73	-	-	-	-	-	3	1	5	8	16	6
9.—PANCRAS.																		
Mean Popul^{n}, 1851-61	83628	-	-	-	-	-	11502	9343	8005	7211	7840	14828	11131	7268	4071	1829	540	60
TOTAL DEATHS	20349	5088	2050	974	636	447	9195	858	353	370	536	1346	1606	1677	1757	1566	884	201
Small-pox	174	54	14	19	20	17	124	21	3	3	5	11	5	2	-	-	-	-
Measles	506	92	194	110	47	34	477	26	1	-	-	-	1	1	-	-	-	-
Scarlatina	915	66	126	154	136	121	603	235	52	9	6	6	3	-	1	-	-	-
Diphtheria	75	15	14	11	6	7	53	6	5	4	1	-	1	2	1	1	-	1
Whooping-cough	724	217	284	96	66	34	697	24	3	-	-	-	-	-	-	-	-	-
Typhus	616	27	35	31	37	25	155	101	55	36	31	72	45	42	36	28	13	2
Cholera, Diarrh., Dysent^{y}	949	545	106	24	16	10	701	28	13	8	12	32	28	31	33	37	21	5
Other Zymotic Dis.	1016	359	60	37	37	25	518	43	14	21	19	62	103	79	79	50	25	3
Cancer	238	1	-	-	1	-	2	3	4	2	5	13	33	56	56	43	17	4
Scrofula, Tabes Mesent.	642	281	122	63	30	22	518	38	23	10	13	20	8	6	2	4	-	-
Phthisis	2534	53	42	24	14	12	145	53	38	139	266	613	605	413	210	45	7	-
Hydrocephalus	599	231	177	87	28	23	546	47	2	2	-	-	-	2	-	-	-	-
Diseases of Brain	2105	558	145	80	53	26	862	67	35	19	26	83	187	195	294	263	107	17
Heart Dis. and Dropsy	1072	38	11	6	2	3	60	25	26	29	15	82	146	182	226	200	75	6
Dis. of Lungs	3611	991	487	163	94	44	1779	50	21	25	45	120	191	342	420	401	182	35
Dis. of Stom. and Liver	765	147	18	11	11	6	193	18	11	18	18	59	89	106	133	82	35	3
Dis. of Kidneys	375	2	1	-	6	-	9	4	4	5	6	33	47	58	79	79	49	2
Dis. of Gener. Organs	4	1	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-
Diseases of the Joints	78	1	3	-	1	1	6	14	6	4	6	8	9	9	12	3	-	1
Diseases of the Skin	48	20	8	-	3	-	26	-	-	2	-	2	4	5	5	4	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	883	154	31	20	15	25	245	47	30	30	55	108	124	98	85	44	15	2
Other Causes	2420	1235	177	38	13	12	1475	8	7	4	7	21	26	48	85	281	338	120

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

7.—MARYLEBONE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	89981	-	-	-	-	-	9041	7356	6832	7876	10129	17805	12726	8748	5434	2367	1012	145
TOTAL DEATHS	19591	3745	1636	860	500	370	7111	787	308	425	589	1354	1519	1627	1849	2062	1523	437
Small-pox	153	37	24	12	13	11	97	30	4	4	4	10	4	-	-	-	-	-
Measles	382	63	133	75	45	36	352	27	1	1	1	-	-	-	-	-	-	-
Scarlatina	664	48	90	106	80	91	415	194	24	8	5	9	3	2	4	-	-	-
Diphtheria	57	7	7	5	8	5	32	9	7	2	1	1	1	1	-	1	2	-
Whooping-cough	731	216	230	130	87	37	700	30	-	1	-	-	-	-	-	-	-	-
Typhus	536	15	18	38	19	24	114	60	49	44	47	47	47	38	42	26	19	3
Cholera, Diarrh., Dysent^{y}	1123	554	108	25	15	13	715	32	9	18	16	50	42	63	55	61	53	9
Other Zymotic Dis.	667	241	43	33	32	15	364	31	7	15	6	44	54	34	39	43	27	3
Cancer	833	-	1	1	1	-	3	-	-	2	10	50	151	252	208	122	32	3
Scrofula, Tabes Mesent.	303	103	71	22	13	8	217	24	19	12	9	9	8	2	1	1	1	-
Phthisis	2150	29	39	31	16	16	131	64	76	145	260	554	477	267	116	54	6	-
Hydrocephalus	456	145	143	65	29	27	409	37	3	1	1	3	-	2	-	-	-	-
Diseases of Brain	1860	424	129	66	29	20	668	51	28	24	24	72	95	152	237	305	184	20
Heart Dis. and Dropsy	1328	26	14	6	3	3	52	27	21	35	33	82	138	236	296	279	113	16
Dis. of Lungs	3728	698	419	189	83	42	1431	82	18	28	46	122	177	260	502	606	363	93
Dis. of Stom. and Liver	957	70	5	14	5	3	97	23	19	31	33	81	109	156	174	160	62	10
Dis. of Kidneys	192	1	1	-	-	1	3	4	2	4	8	24	32	29	37	32	16	1
Dis. of Gener. Organs	175	1	-	-	-	-	1	-	-	-	8	22	41	50	24	20	9	-
Diseases of the Joints	69	3	3	1	2	6	15	8	8	16	3	2	5	5	4	3	-	-
Diseases of the Skin	47	12	2	1	-	1	16	2	-	1	-	5	3	4	4	5	6	1
Childbirth and Metria	262	-	-	-	-	-	-	-	-	10	52	126	69	5	-	-	-	-
Violent Deaths	328	79	13	5	6	8	111	30	7	14	11	19	28	24	23	23	28	5
Other Causes	2590	973	143	35	14	3	1168	22	6	9	9	22	35	45	78	321	602	273

8.—HAMPSTEAD.

Mean Popul^{n}, 1851-61	9400	-	-	-	-	-	876	802	849	1034	1247	1813	1149	803	488	244	81	14
TOTAL DEATHS	1310	224	80	40	34	20	398	54	41	39	35	87	114	98	138	151	115	40
Small-pox	7	-	1	1	-	1	3	-	1	1	-	1	1	-	-	-	-	-
Measles	18	2	2	3	5	2	14	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	64	1	5	9	14	7	36	15	8	1	4	-	-	-	-	-	-	-
Diphtheria	7	1	1	1	-	-	3	3	-	-	-	1	-	-	-	-	-	-
Whooping-cough	35	10	16	2	3	-	31	3	1	-	-	-	-	-	-	-	-	-
Typhus	57	1	3	3	1	1	9	8	8	2	2	12	4	4	4	-	3	1
Cholera, Diarrh., Dysent^{y}	57	34	6	1	1	-	42	-	-	-	-	2	3	1	3	4	1	1
Other Zymotic Dis.	53	10	4	3	2	-	19	1	2	1	4	2	3	4	5	7	3	2
Cancer	52	-	-	-	-	-	-	-	-	-	-	1	8	11	17	10	4	1
Scrofula, Tabes Mesent.	30	8	3	1	1	1	14	4	3	3	1	1	1	-	2	1	-	-
Phthisis	127	3	1	-	-	1	5	1	7	15	11	29	33	17	4	5	-	-
Hydrocephalus	35	12	13	3	1	1	30	4	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	158	20	4	2	1	1	28	4	3	4	-	10	7	14	27	32	22	7
Heart Dis. and Dropsy	101	-	-	-	-	-	-	1	3	3	3	4	12	14	22	21	17	1
Dis. of Lungs	180	42	13	9	4	3	71	1	2	2	2	4	12	8	19	24	24	11
Dis. of Stom. and Liver	101	8	-	-	-	-	8	2	1	3	-	6	12	17	17	18	16	1
Dis. of Kidneys	20	-	-	-	-	-	-	1	1	-	2	1	1	4	5	3	1	1
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	-	1	4	2	5	2	1	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	7	1	-	-	-	-	1	-	-	1	-	-	1	-	2	1	1	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	-	6	8	9	-	-	-	-	-
Violent Deaths	29	13	-	1	-	2	16	2	1	1	-	2	2	-	2	2	1	-
Other Causes	134	58	8	1	1	-	68	-	-	1	-	2	1	2	4	21	21	14

9.—PANCRAS.

Mean Popul^{n}, 1851-61	99244	-	-	-	-	-	11618	9729	8395	8718	10239	18475	13283	8950	5636	3043	1020	138
TOTAL DEATHS	21296	4170	1900	977	632	410	8089	893	341	463	639	1505	1654	1585	1930	2249	1520	428
Small-pox	163	34	33	20	22	13	122	18	6	1	5	9	1	1	-	-	-	-
Measles	476	74	172	89	52	31	418	45	6	-	3	1	1	1	1	-	-	-
Scarlatina	846	60	110	135	120	102	527	250	31	10	6	15	5	1	-	1	-	-
Diphtheria	95	8	10	17	12	7	54	20	8	4	2	2	2	1	-	-	2	-
Whooping-cough	843	249	274	135	92	43	793	49	-	1	-	-	-	-	-	-	-	-
Typhus	616	19	32	25	42	35	153	88	40	58	44	54	39	39	44	35	19	3
Cholera, Diarrh., Dysent^{y}	984	532	100	27	8	3	670	18	10	9	15	37	37	27	60	64	35	2
Other Zymotic Dis.	822	317	50	46	35	23	471	32	17	22	21	42	50	50	35	53	25	4
Cancer	626	2	-	1	2	-	5	1	-	3	2	33	123	155	167	100	34	3
Scrofula, Tabes Mesent.	577	222	124	60	27	21	454	37	20	15	7	19	10	4	6	3	1	1
Phthisis	2500	56	54	29	24	16	179	70	73	189	299	659	558	295	129	40	9	-
Hydrocephalus	422	157	115	41	40	26	379	34	5	1	-	-	2	-	1	-	-	-
Diseases of Brain	2199	432	130	65	41	19	687	67	23	27	46	89	132	209	307	355	215	42
Heart Dis. and Dropsy	1358	22	5	6	3	4	40	24	36	34	37	78	153	208	279	294	141	14
Dis. of Lungs	3667	733	466	224	76	40	1539	60	15	23	32	112	188	280	494	559	304	61
Dis. of Stom. and Liver	1046	100	16	13	6	9	144	20	12	13	32	104	129	162	183	180	59	8
Dis. of Kidneys	193	1	-	2	-	1	4	2	3	5	7	28	34	35	36	28	10	1
Dis. of Gener. Organs	152	-	1	1	-	-	2	-	-	1	4	22	27	43	25	19	7	2
Diseases of the Joints	57	2	1	1	-	-	4	8	8	4	1	4	6	10	9	3	-	-
Diseases of the Skin	44	13	4	3	1	-	21	1	-	-	-	1	7	3	3	4	3	1
Childbirth and Metria	297	-	-	-	-	-	-	-	-	13	54	151	76	3	-	-	-	-
Violent Deaths	527	155	35	8	22	10	230	33	19	20	8	32	45	27	35	30	39	9
Other Causes	2806	982	168	29	7	7	1193	16	9	10	14	13	29	31	116	481	617	277

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

10.—ISLINGTON.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	56415	-	-	-	-	-	8339	6688	5531	4934	5266	9697	7238	4648	2571	1131	288	34
TOTAL DEATHS	12824	3437	1199	628	435	247	5946	628	248	378	568	976	868	896	890	872	455	99
Small-pox	693	61	14	18	17	11	121	75	30	91	152	154	43	20	5	2	-	-
Measles	339	69	119	70	42	21	321	15	3	-	-	-	-	-	-	-	-	-
Scarlatina	676	45	90	107	92	79	413	188	38	13	8	9	6	1	-	-	-	-
Diphtheria	70	10	9	12	13	5	49	17	1	1	-	1	1	-	-	-	-	-
Whooping-cough	479	186	148	77	39	14	464	14	-	-	1	-	-	-	-	-	-	-
Typhus	771	9	14	16	18	19	76	58	30	75	85	122	97	106	67	43	12	-
Cholera, Diarrh., Dysent^{y}	693	442	86	16	8	5	557	15	5	4	2	15	11	16	17	30	18	3
Other Zymotic Dis.	613	228	35	29	34	10	336	28	8	11	10	31	46	40	44	38	16	5
Cancer	94	2	-	-	-	-	2	-	-	2	-	3	11	20	26	25	5	-
Scrofula, Tabes Mesent.	279	87	45	29	20	7	188	25	20	11	5	10	7	3	5	4	1	-
Phthisis	1440	34	22	24	10	6	96	30	34	91	180	379	318	208	81	21	1	1
Hydrocephalus	420	175	114	39	28	14	370	33	10	2	3	2	-	-	-	-	-	-
Diseases of Brain	1207	394	88	33	37	12	564	32	21	27	26	37	54	80	128	154	74	10
Heart Dis. and Dropsy	533	15	7	1	3	4	30	9	8	8	11	40	59	92	125	109	57	5
Dis. of Lungs	2099	631	279	104	57	26	1097	43	8	21	42	76	106	142	223	216	108	17
Dis. of Stom. and Liver	492	95	10	5	3	2	115	10	12	4	12	34	51	71	75	79	26	3
Dis. of Kidneys	177	1	-	2	-	-	3	7	3	4	6	11	24	36	32	37	13	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	24	1	-	1	1	2	5	2	2	1	2	2	-	3	4	-	3	-
Diseases of the Skin	31	14	2	-	-	-	16	-	-	-	-	2	1	1	2	8	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	337	97	12	13	7	6	135	21	11	8	20	36	28	37	24	13	4	-
Other Causes	1356	841	105	32	6	4	988	6	4	4	3	12	5	20	31	93	136	54

11.—HACKNEY.

Mean Popul^{n}, 1851-61	30520	-	-	-	-	-	4515	3945	3433	2636	2352	4509	3704	2623	1638	864	271	30
TOTAL DEATHS	6915	1565	555	285	184	112	2701	293	157	161	222	520	521	505	599	708	422	106
Small-pox	30	8	2	4	1	1	16	1	-	2	1	5	2	1	1	1	-	-
Measles	119	26	41	26	9	7	109	9	-	-	-	-	1	-	-	-	-	-
Scarlatina	292	17	41	49	35	31	173	85	25	3	3	1	2	-	-	-	-	-
Diphtheria	43	4	9	5	6	4	28	10	2	-	-	1	-	2	-	-	-	-
Whooping-cough	194	84	58	30	13	6	191	2	1	-	-	-	-	-	-	-	-	-
Typhus	299	5	8	9	21	7	50	30	20	29	29	45	27	21	19	20	8	1
Cholera, Diarrh., Dysent^{y}	356	188	29	11	4	4	236	10	2	2	5	11	13	14	20	23	14	6
Other Zymotic Dis.	310	81	14	21	13	8	137	13	7	4	6	24	27	22	29	20	18	3
Cancer	67	1	-	-	-	-	1	1	1	1	-	9	8	15	9	17	4	1
Scrofula, Tabes Mesent.	150	46	37	16	5	1	105	11	5	4	3	8	4	3	5	1	1	-
Phthisis	878	15	7	7	4	5	38	12	23	55	111	241	199	113	61	22	3	-
Hydrocephalus	188	73	60	23	9	4	169	14	2	-	-	1	1	-	1	-	-	-
Diseases of Brain	854	204	45	14	17	3	283	25	12	9	12	32	52	66	115	155	82	11
Heart Dis. and Dropsy	345	6	-	1	3	3	13	6	9	4	6	23	30	45	61	93	40	10
Dis. of Lungs	1019	253	119	43	27	12	454	20	6	13	10	33	69	93	123	134	60	4
Dis. of Stom. and Liver	342	54	7	6	3	7	77	13	6	8	11	24	33	43	52	50	21	4
Dis. of Kidneys	148	-	1	1	1	1	4	1	3	2	6	15	12	22	29	33	19	2
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Diseases of the Joints	22	1	2	-	-	2	5	1	3	2	1	2	2	2	2	1	1	-
Diseases of the Skin	19	9	-	-	-	-	9	-	-	-	1	1	1	2	1	2	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	283	38	10	10	5	4	67	22	29	21	13	37	25	24	24	12	5	4
Other Causes	955	452	65	9	8	2	536	7	1	2	4	7	13	19	44	119	143	80

12.—ST. GILES.

Mean Popul^{n}, 1851-61	25642	-	-	-	-	-	2955	2391	2317	2334	2597	4570	3663	2603	1478	585	133	16
TOTAL DEATHS	7372	1817	845	368	229	151	3410	311	90	102	157	446	573	690	713	589	253	38
Small-pox	101	21	15	18	11	6	71	26	-	-	2	1	-	-	1	-	-	-
Measles	180	27	69	31	26	14	167	13	-	-	-	-	-	-	-	-	-	-
Scarlatina	233	17	40	38	41	26	162	55	9	2	-	2	2	1	-	-	-	-
Diphtheria	21	6	3	3	-	2	14	5	-	-	1	-	-	1	-	-	-	-
Whooping-cough	290	85	94	47	28	20	274	16	-	-	-	-	-	-	-	-	-	-
Typhus	241	6	12	10	8	9	45	26	8	8	16	29	32	34	23	17	3	-
Cholera, Diarrh., Dysent^{y}	372	188	56	15	14	3	276	9	6	1	7	8	14	14	9	14	12	2
Other Zymotic Dis.	286	83	23	16	11	7	140	7	4	3	7	12	28	34	26	21	2	2
Cancer	56	-	-	2	-	-	2	-	-	-	-	2	10	10	20	10	2	-
Scrofula, Tabes Mesent.	120	4	25	19	8	3	96	9	8	1	3	1	1	1	-	-	-	-
Phthisis	1139	19	23	9	6	3	60	31	23	52	89	252	253	238	116	22	3	-
Hydrocephalus	220	79	71	27	16	7	200	17	-	-	-	1	-	2	-	-	-	-
Diseases of Brain	801	279	67	22	11	11	390	28	3	1	9	33	46	87	80	87	31	6
Heart Dis. and Dropsy	317	9	3	3	1	6	22	6	6	6	6	31	42	54	69	64	9	2
Dis. of Lungs	1565	358	236	77	36	19	726	28	13	14	9	35	76	119	258	218	66	3
Dis. of Stom. and Liver	238	44	3	3	2	3	55	12	3	6	4	17	33	31	48	35	13	1
Dis. of Kidneys	60	-	-	-	-	-	-	-	-	1	3	6	5	12	15	13	3	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	13	-	2	-	-	1	3	4	1	1	-	-	-	1	3	-	-	-
Diseases of the Skin	11	8	-	-	-	-	8	-	1	-	-	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	177	72	7	2	4	4	89	11	4	5	-	9	21	22	11	4	1	-
Other Causes	911	475	96	25	6	7	610	8	1	1	1	7	10	20	33	83	108	20

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
10.—ISLINGTON.																		
Mean Popul^{n}, 1851-61	68920	-	-	-	-	-	8173	6803	5951	7080	7739	12562	8622	5772	3651	1868	618	81
TOTAL DEATHS	13185	2595	1209	645	374	272	5095	586	267	449	509	1026	1022	926	1057	1137	848	263
Small-pox	428	37	22	12	18	6	95	38	30	64	91	74	23	10	2	1	-	-
Measles	340	49	116	86	35	25	311	21	2	2	2	1	1	-	-	-	-	-
Scarlatina	631	34	85	93	79	65	356	174	45	20	19	8	5	2	1	1	-	-
Diphtheria	79	5	15	10	7	8	45	18	6	1	1	5	1	-	1	-	-	1
Whooping-cough	538	176	175	82	39	28	500	36	-	1	1	-	-	-	-	-	-	-
Typhus	813	5	15	25	21	18	84	54	44	91	77	119	119	90	72	46	15	2
Cholera, Diarrh., Dysent^{y}	592	332	80	11	7	4	434	8	4	3	6	18	12	17	21	38	22	9
Other Zymotic Dis.	535	185	50	29	28	15	307	19	18	11	13	19	34	21	29	41	16	7
Cancer	387	1	-	-	-	-	1	-	-	1	1	13	72	111	101	66	15	6
Scrofula, Tabes Mesent.	255	89	50	28	5	9	181	23	9	11	5	10	6	4	5	-	1	-
Phthisis	1476	25	26	14	8	10	83	35	43	140	179	428	298	153	90	21	6	-
Hydrocephalus	302	103	77	44	26	21	271	21	4	1	1	3	-	1	-	-	-	-
Diseases of Brain	1229	244	79	43	21	17	404	37	14	81	17	44	65	88	177	198	129	25
Heart Dis. and Dropsy	666	13	2	4	2	2	23	11	21	15	17	33	82	95	135	153	73	8
Dis. of Lungs	2116	491	257	124	51	28	951	50	12	18	28	49	100	146	222	306	190	44
Dis. of Stom. and Liver	670	62	11	7	5	6	91	17	7	13	9	60	99	93	118	96	55	12
Dis. of Kidneys	98	-	2	1	2	2	7	3	1	2	2	12	15	22	11	16	7	-
Dis. of Gener. Organs	79	1	1	-	-	-	2	-	-	1	2	10	14	25	16	7	2	-
Diseases of the Joints	19	-	-	1	-	1	2	3	2	2	2	2	3	1	1	1	-	-
Diseases of the Skin	26	7	1	2	-	-	10	-	-	-	2	1	1	3	1	7	1	-
Childbirth and Metria	183	-	-	-	-	-	-	-	-	7	25	95	50	6	-	-	-	-
Violent Deaths	211	65	11	9	10	1	96	11	4	9	8	12	18	17	10	12	10	4
Other Causes	1512	671	134	20	10	6	841	7	1	5	1	10	4	21	44	127	306	145
11.—HACKNEY.																		
Mean Popul^{n}, 1851-61	40342	-	-	-	-	-	4520	3995	3689	4395	4396	6667	4887	3411	2382	1417	507	76
TOTAL DEATHS	6995	1248	486	251	186	125	2296	285	144	174	201	513	495	485	635	831	704	232
Small-pox	38	10	2	3	2	2	19	8	1	3	2	3	1	1	-	-	-	-
Measles	100	19	28	19	15	9	90	7	3	-	-	-	-	-	-	-	-	-
Scarlatina	267	16	30	35	48	32	161	67	20	5	1	11	-	1	1	-	-	-
Diphtheria	23	3	2	2	2	4	13	7	1	1	-	-	-	1	-	-	-	-
Whooping-cough	260	85	78	47	22	15	247	12	1	-	-	-	-	-	-	-	-	-
Typhus	274	6	8	10	10	12	46	42	22	22	24	26	30	18	18	16	9	1
Cholera, Diarrh., Dysent^{y}	340	157	34	5	2	2	200	9	4	3	3	12	9	11	21	28	32	8
Other Zymotic Dis.	286	74	26	15	12	7	134	17	8	7	7	17	16	15	17	24	18	6
Cancer	256	-	-	1	-	-	1	3	1	-	4	16	30	59	66	56	18	2
Scrofula, Tabes Mesent.	126	34	28	9	10	3	84	11	4	5	4	5	2	4	6	1	-	-
Phthisis	760	18	9	7	5	5	44	13	34	69	82	225	155	96	25	15	1	1
Hydrocephalus	147	59	32	17	9	7	124	17	3	1	-	1	1	-	-	-	-	-
Diseases of Brain	773	146	39	19	8	8	220	20	9	10	9	20	41	52	116	164	92	20
Heart Dis. and Dropsy	446	7	2	3	1	4	17	15	7	7	10	24	42	63	92	120	46	3
Dis. of Lungs	973	169	105	36	31	11	352	10	7	14	11	29	45	61	123	167	121	33
Dis. of Stom. and Liver	456	43	7	7	1	3	61	7	6	7	11	32	42	67	85	74	51	13
Dis. of Kidneys	70	-	-	-	2	-	2	-	1	4	1	11	13	4	15	12	5	2
Dis. of Gener. Organs	39	-	-	-	-	-	-	-	-	-	2	5	10	7	7	6	2	-
Diseases of the Joints	14	-	-	1	-	-	1	2	-	-	1	1	1	1	3	2	2	-
Diseases of the Skin	19	6	-	-	-	-	6	-	-	1	-	-	2	1	2	2	5	-
Childbirth and Metria	125	-	-	-	-	-	-	-	-	2	20	60	40	3	-	-	-	-
Violent Deaths	137	38	6	5	2	1	52	10	8	7	7	8	8	11	3	7	12	4
Other Causes	1066	358	50	10	4	-	422	8	4	6	2	7	7	9	35	137	290	139
12.—ST. GILES.																		
Mean Popul^{n}, 1851-61	28503	-	-	-	-	-	2974	2401	2238	2584	3231	5498	4051	2838	1646	759	247	36
TOTAL DEATHS	7073	1407	754	400	221	157	2939	245	79	140	178	466	601	603	668	621	417	116
Small-pox	86	11	12	11	13	10	57	16	2	2	3	4	1	1	-	-	-	-
Measles	160	31	63	34	11	11	150	9	1	-	-	-	-	-	-	-	-	-
Scarlatina	215	11	28	42	35	33	149	46	7	4	1	4	2	1	1	-	-	-
Diphtheria	15	1	2	2	2	2	9	2	-	-	-	-	1	-	1	2	-	-
Whooping-cough	319	91	99	59	28	26	303	16	-	-	-	-	-	-	-	-	-	-
Typhus	248	3	16	13	19	10	61	29	9	15	11	29	32	16	26	15	4	1
Cholera, Diarrh., Dysent^{y}	344	158	67	15	6	6	252	7	2	3	6	17	16	13	11	10	6	1
Other Zymotic Dis.	234	87	19	13	12	10	141	4	2	7	2	6	14	24	19	8	7	-
Cancer	152	-	1	-	1	-	2	-	-	-	1	13	27	29	42	29	8	1
Scrofula, Tabes Mesent.	88	29	24	11	3	6	70	7	5	2	-	-	3	-	1	-	-	-
Phthisis	890	18	18	15	11	6	68	24	20	60	87	199	219	143	57	12	1	-
Hydrocephalus	164	49	50	33	18	3	153	7	1	2	1	-	-	-	-	-	-	-
Diseases of Brain	715	192	59	15	10	8	284	20	5	9	6	31	48	54	93	109	49	7
Heart Dis. and Dropsy	363	6	3	2	5	3	19	12	5	8	5	28	46	77	85	57	19	2
Dis. of Lungs	1457	246	207	94	37	16	600	23	8	4	20	37	70	139	225	224	96	11
Dis. of Stom. and Liver	231	20	2	4	-	1	27	8	5	12	12	33	50	52	62	53	15	2
Dis. of Kidneys	43	-	-	-	-	-	-	1	1	-	2	5	6	9	11	7	1	-
Dis. of Gener. Organs	41	-	1	-	-	-	1	-	-	-	2	6	17	5	4	3	3	-
Diseases of the Joints	6	2	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-
Diseases of the Skin	8	4	-	-	-	-	4	-	-	1	-	-	1	-	-	-	2	-
Childbirth and Metria	81	-	-	-	-	-	-	-	-	4	13	44	20	-	-	-	-	-
Violent Deaths	152	79	7	5	4	1	96	4	4	3	1	2	11	13	4	5	6	3
Other Causes	961	369	76	32	6	8	491	8	1	3	5	8	17	27	26	87	200	83

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
13.—STRAND.																		
Mean Popul^{n}, 1851-61	21164	-	-	-	-	-	2444	2005	1835	2115	2283	3832	2953	2086	1094	410	96	11
TOTAL DEATHS	5473	1135	579	285	188	120	2307	221	115	116	168	440	593	548	464	330	143	28
Small-pox	52	14	11	7	8	2	42	4	1	2	2	-	1	-	-	-	-	-
Measles	128	20	40	32	20	10	122	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	205	8	28	36	33	25	130	54	9	4	2	2	1	2	-	1	-	-
Diphtheria	7	-	2	1	1	-	4	2	-	-	-	-	-	-	-	-	1	-
Whooping-cough	190	57	63	35	16	10	181	8	1	-	-	-	-	-	-	-	-	-
Typhus	190	1	6	13	10	9	39	27	12	12	12	25	28	11	16	6	2	-
Cholera, Diarrh., Dysent^{y}	257	124	37	12	2	4	179	9	6	5	3	9	14	13	10	7	2	-
Other Zymotic Dis.	262	75	18	7	15	5	120	9	7	3	8	24	36	25	18	10	1	1
Cancer	82	-	-	1	1	-	2	1	-	2	3	5	16	22	17	10	4	-
Scrofula, Tabes Mesent.	139	40	23	16	9	4	92	15	8	6	2	2	6	3	3	1	-	1
Phthisis	754	9	12	4	2	5	32	11	13	46	80	178	205	136	43	10	-	-
Hydrocephalus	168	59	51	25	12	7	154	10	1	-	1	1	1	-	-	-	-	-
Diseases of Brain	516	155	40	28	10	13	246	17	6	8	11	28	38	52	55	42	12	1
Heart Dis. and Dropsy	301	6	5	1	2	2	16	7	11	5	5	41	52	50	65	35	14	-
Dis. of Lungs	1014	239	148	46	29	18	480	13	7	7	12	41	80	108	120	104	37	5
Dis. of Stom. and Liver	206	31	7	4	4	-	46	8	5	3	7	16	31	37	35	15	3	-
Dis. of Kidneys	141	-	-	-	-	-	-	-	9	4	6	22	24	27	26	19	3	1
Dis. of Gener. Organs	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Joints	31	1	-	-	1	1	3	2	4	1	3	2	5	9	1	1	-	-
Diseases of the Skin	13	2	-	-	-	1	3	-	3	1	1	1	2	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	264	29	16	5	7	4	61	14	11	5	8	36	41	41	24	17	6	-
Other Causes	551	264	72	12	6	-	354	4	1	2	2	6	12	12	30	52	57	19
14.—HOLBORN.																		
Mean Popul^{n}, 1851-61	22347	-	-	-	-	-	2650	2247	2130	2180	2310	3863	2978	2130	1190	521	135	13
TOTAL DEATHS	5938	1391	628	392	221	138	2770	283	79	89	136	347	460	518	500	473	242	41
Small-pox	59	17	9	2	5	3	36	12	2	2	2	3	1	1	-	-	-	-
Measles	185	30	61	44	24	10	169	13	3	-	-	-	-	-	-	-	-	-
Scarlatina	260	14	37	54	46	29	180	69	9	-	-	1	1	-	-	-	-	-
Diphtheria	18	5	2	5	1	1	14	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough	196	56	71	40	14	8	189	7	-	-	-	-	-	-	-	-	-	-
Typhus	194	7	9	5	13	9	43	22	11	17	13	19	22	20	14	12	1	-
Cholera, Diarrh., Dysent^{y}	270	138	46	9	6	2	201	4	-	-	-	8	7	11	16	13	10	-
Other Zymotic Dis.	234	75	15	21	9	7	127	9	4	4	5	8	19	24	16	13	5	-
Cancer	35	-	-	-	-	1	1	-	-	-	-	2	7	11	5	9	-	-
Scrofula, Tabes Mesent.	193	70	40	19	13	5	147	21	6	7	3	2	2	3	2	-	-	-
Phthisis	815	7	5	15	6	6	39	23	16	39	77	196	205	150	59	11	-	-
Hydrocephalus	193	67	48	33	11	14	173	14	3	1	-	1	1	-	-	-	-	-
Diseases of Brain	634	240	47	29	9	13	338	17	4	2	7	20	40	49	59	71	27	-
Heart Dis. and Dropsy	301	9	6	4	5	-	24	13	12	5	6	13	45	46	62	57	17	1
Dis. of Lungs	1265	279	170	90	43	22	604	23	2	6	14	45	60	123	175	147	62	4
Dis. of Stom. and Liver	206	33	5	2	1	1	42	8	2	3	6	14	25	35	33	28	10	-
Dis. of Kidneys	57	-	-	2	1	-	3	2	-	1	2	3	4	9	11	15	6	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	17	-	1	-	-	1	2	6	3	1	-	-	2	2	1	-	-	-
Diseases of the Skin	7	-	1	-	-	-	1	-	-	-	-	1	-	2	-	3	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	124	33	5	4	4	5	51	5	2	1	1	8	10	20	11	9	4	2
Other Causes	674	311	50	14	10	1	386	11	-	-	-	3	9	12	35	85	100	33
15.—CLERKENWELL.																		
Mean Popul^{n}, 1851-61	31724	-	-	-	-	-	4239	3349	3037	3199	3351	5541	3996	2674	1509	636	174	19
TOTAL DEATHS	7111	1742	805	404	246	139	3336	259	78	149	191	414	557	598	626	511	318	74
Small-pox	46	13	6	2	4	2	27	11	1	1	2	2	1	1	-	-	-	-
Measles	178	25	71	46	14	11	167	10	-	-	-	1	-	-	-	-	-	-
Scarlatina	309	25	47	59	44	40	215	74	8	6	1	1	3	1	-	-	-	-
Diphtheria	24	7	1	4	4	2	18	2	2	-	-	-	1	-	-	1	-	-
Whooping-cough	343	121	110	56	34	15	336	6	-	-	-	-	-	-	-	1	-	-
Typhus	206	8	8	13	8	7	44	22	9	20	15	20	15	22	25	12	2	-
Cholera, Diarrh., Dysent^{y}	342	199	51	13	5	2	270	4	3	3	3	4	8	13	6	17	11	-
Other Zymotic Dis.	311	103	18	14	17	5	157	9	1	6	6	17	29	29	29	20	5	3
Cancer	56	1	1	-	1	1	4	-	-	-	2	2	8	13	13	4	6	1
Scrofula, Tabes Mesent.	189	62	36	29	9	7	143	21	3	11	2	3	1	-	3	2	-	-
Phthisis	977	18	15	13	8	6	60	12	19	49	95	237	260	153	74	15	3	-
Hydrocephalus	206	79	67	21	11	10	188	15	1	1	-	1	-	-	-	-	-	-
Diseases of Brain	780	244	73	32	22	9	380	20	6	11	9	22	41	76	88	83	39	5
Heart Dis. and Dropsy	367	47	7	4	5	1	64	10	4	10	13	18	37	57	81	48	23	2
Dis. of Lungs	1397	325	201	64	45	14	649	19	10	15	22	45	77	130	179	164	76	11
Dis. of Stom. and Liver	289	49	3	4	4	1	61	8	4	6	10	15	31	51	50	36	14	3
Dis. of Kidneys	88	1	3	-	-	-	4	1	-	4	3	7	11	14	18	17	9	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of the Joints	12	1	-	-	-	-	1	4	1	-	-	1	1	1	1	1	1	-
Diseases of the Skin	19	4	2	-	-	-	6	-	-	-	1	1	-	-	2	6	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	180	59	7	10	5	4	85	5	4	1	4	12	21	19	13	12	3	1
Other Causes	791	351	78	20	6	2	457	6	2	5	3	5	12	18	41	72	122	48

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards

13.—STRAND.

Mean Popul^{n}, 1851-61	22556	-	-	-	-	-	2438	2001	1948	2207	2507	4157	3103	2204	1256	560	161	14
TOTAL DEATHS	4868	913	518	279	170	112	1992	218	109	139	153	376	446	413	411	356	195	60
Small pox	64	16	11	6	6	5	44	8	2	-	2	7	-	-	1	-	-	-
Measles	113	22	41	24	14	5	106	6	-	-	-	1	-	-	-	-	-	-
Scarlatina	181	5	26	27	28	29	115	43	13	4	2	3	1	-	-	-	-	-
Diphtheria	12	1	1	2	-	1	5	4	2	-	-	-	-	-	-	-	-	-
Whooping-cough	225	69	68	36	27	15	215	10	-	-	-	-	-	-	-	1	-	-
Typhus	218	6	13	12	16	7	54	32	15	20	13	19	26	16	16	6	-	1
Cholera, Diarrh., Dysent^{y}	244	98	31	9	8	5	151	5	3	4	3	9	15	11	19	12	9	3
Other Zymotic Dis.	187	65	15	13	6	4	103	5	9	2	4	15	17	14	7	6	3	2
Cancer	138	-	-	-	-	1	1	-	-	1	1	16	36	34	33	14	2	-
Scrofula, Tabes Mesent.	90	28	18	15	6	1	68	5	4	1	3	4	4	-	-	1	-	-
Phthisis	541	9	4	6	5	4	28	16	21	60	67	136	120	64	21	8	-	-
Hydrocephalus	139	36	41	30	9	7	123	14	-	1	-	-	-	-	1	-	-	-
Diseases of Brain	443	134	49	25	8	5	221	15	10	10	4	22	21	42	44	34	19	1
Heart Dis. and Dropsy	262	4	2	1	-	1	8	6	7	13	11	27	43	45	57	33	11	1
Dis. of Lungs	920	158	129	56	27	14	384	20	2	8	9	28	67	94	132	123	48	5
Dis. of Stom. and Liver	225	19	1	1	1	2	24	4	6	3	12	17	30	44	44	28	12	1
Dis. of Kidneys	63	1	-	-	-	-	1	2	1	2	7	14	9	16	6	4	1	-
Dis. of Gener. Organs	36	-	-	-	-	-	-	-	-	-	1	9	10	9	4	3	-	-
Diseases of the Joints	15	-	-	-	1	1	2	1	3	-	2	3	2	-	2	-	-	-
Diseases of the Skin	16	2	4	-	-	-	6	1	1	-	-	-	4	1	-	2	1	-
Childbirth and Metria	65	-	-	-	-	-	-	-	-	3	7	30	25	-	-	-	-	-
Violent Deaths	150	26	7	11	7	5	56	14	6	7	4	11	9	12	9	11	8	3
Other Causes	521	214	57	5	1	-	277	7	4	-	1	5	7	11	15	70	81	43

14.—HOLBORN.

Mean Popul^{n}, 1851-61	23394	-	-	-	-	-	2643	2214	2161	2180	2399	4081	3186	2325	1319	653	194	39
TOTAL DEATHS	5790	1169	624	360	220	145	2518	271	107	95	142	345	399	439	513	497	373	91
Small-pox	46	10	8	6	2	3	29	6	-	2	2	3	2	1	1	-	-	-
Measles	175	24	56	48	19	10	157	16	1	-	-	1	-	-	-	-	-	-
Scarlatina	226	10	26	44	52	20	152	54	9	4	2	4	-	-	1	-	-	-
Diphtheria	23	3	4	-	2	3	12	5	4	-	-	1	-	1	-	-	-	-
Whooping-cough	234	72	67	48	26	14	227	7	-	-	-	-	-	-	-	-	-	-
Typhus	176	3	5	9	14	13	44	18	16	8	10	15	14	22	14	11	4	-
Cholera, Diarrh., Dysent^{y}	234	113	35	8	3	4	163	6	2	2	2	9	6	7	7	14	14	2
Other Zymotic Dis.	194	67	20	10	11	9	117	10	8	2	2	7	10	8	13	10	6	1
Cancer	134	-	-	-	-	-	-	1	-	-	-	3	24	37	40	23	6	-
Scrofula, Tabes Mesent.	166	49	32	20	8	9	118	25	8	-	1	3	5	2	2	2	-	-
Phthisis	673	8	11	12	4	5	40	27	23	51	69	165	150	95	40	11	2	-
Hydrocephalus	163	51	53	21	16	13	154	8	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	603	209	57	23	17	6	312	24	9	5	4	17	20	44	63	55	41	9
Heart Dis. and Dropsy	316	10	-	6	1	2	19	11	7	3	9	16	26	54	79	62	27	3
Dis. of Lungs	1149	228	182	84	34	23	551	26	6	7	10	29	53	100	148	139	76	4
Dis. of Stom. and Liver	240	18	2	4	4	1	29	5	3	6	9	20	35	38	45	36	13	1
Dis. of Kidneys	25	-	1	-	1	-	2	3	2	-	2	3	4	3	3	1	2	-
Dis. of Gener. Organs	29	-	-	-	-	-	-	-	-	-	3	4	5	8	5	2	2	-
Diseases of the Joints	14	-	-	1	-	-	1	7	2	1	1	-	-	1	1	-	-	-
Diseases of the Skin	14	6	-	1	-	2	9	-	-	-	-	1	-	2	-	-	1	1
Childbirth and Metria	76	-	-	-	-	-	-	-	-	-	2	11	36	27	-	-	-	-
Violent Deaths	86	33	3	3	1	1	41	6	3	1	4	2	5	4	10	3	3	4
Other Causes	794	255	62	12	5	7	341	6	3	1	1	6	13	12	41	128	176	66

15.—CLERKENWELL.

Mean Popul^{n}, 1851-61	33505	-	-	-	-	-	4273	3407	2951	3147	3377	5859	4270	2975	1880	970	351	45
TOTAL DEATHS	7061	1471	747	392	226	151	2987	258	101	125	168	432	504	515	632	672	523	144
Small-pox	61	20	9	7	8	8	52	1	1	-	4	2	1	-	-	-	-	-
Measles	177	20	65	39	22	16	162	15	-	-	-	-	-	-	-	-	-	-
Scarlatina	280	12	51	50	43	27	183	73	12	2	4	2	1	2	1	-	-	-
Diphtheria	17	2	-	1	3	5	11	4	1	-	-	-	-	-	-	1	-	-
Whooping-cough	424	115	152	81	34	24	406	16	2	-	-	-	-	-	-	-	-	-
Typhus	180	13	8	9	10	9	49	16	10	11	14	11	14	19	13	12	9	2
Cholera, Diarrh., Dysent^{y}	305	161	39	6	9	2	217	3	-	2	3	5	10	13	13	15	15	4
Other Zymotic Dis.	268	82	20	28	6	7	143	17	4	7	4	12	19	18	17	13	11	3
Cancer	168	-	-	-	-	-	-	-	-	-	-	11	35	38	38	36	8	2
Scrofula, Tabes Mesent.	155	45	37	18	10	5	115	11	5	2	3	6	4	2	3	1	1	2
Phthisis	764	24	14	8	7	5	58	17	20	58	81	207	171	111	29	11	1	-
Hydrocephalus	143	50	46	16	9	10	131	7	4	-	-	-	1	-	-	-	-	-
Diseases of Brain	744	180	74	38	16	9	317	23	7	9	13	27	37	58	82	101	53	17
Heart Dis. and Dropsy	469	52	6	3	2	3	66	7	15	14	5	15	41	63	98	90	42	4
Dis. of Lungs	1308	266	156	62	33	16	533	25	10	3	11	43	61	91	194	196	111	30
Dis. of Stom. and Liver	338	32	7	5	1	1	46	11	6	6	6	25	38	57	66	43	33	1
Dis. of Kidneys	57	2	-	1	-	-	3	-	-	2	-	7	8	14	14	6	2	1
Dis. of Gener. Organs	32	-	1	-	-	-	1	-	-	-	-	1	8	8	7	6	1	-
Diseases of the Joints	13	-	1	-	-	1	2	1	-	1	-	-	1	1	4	2	1	-
Diseases of the Skin	28	13	1	2	1	-	17	-	-	1	-	-	1	1	1	4	1	2
Childbirth and Metria	103	-	-	-	-	-	-	-	-	4	15	48	36	-	-	-	-	-
Violent Deaths	125	57	5	2	5	1	70	3	2	-	2	7	7	7	7	6	13	1
Other Causes	911	325	55	16	7	2	405	8	2	3	3	3	10	12	40	129	221	75

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
16.—ST. LUKE.																		
Mean Popul^{n}, 1851-61	26861	–	–	–	–	–	3836	2940	2674	2419	2630	4639	3518	2279	1265	514	133	14
TOTAL DEATHS	6428	1991	907	437	260	150	3745	301	100	72	125	291	394	443	384	333	207	33
Small-pox	145	37	26	24	14	10	111	19	6	2	2	3	1	1	–	–	–	–
Measles	200	35	77	36	25	11	184	14	1	1	–	–	–	–	–	–	–	–
Scarlatina	328	31	35	65	57	42	230	85	11	2	–	–	–	–	–	–	–	–
Diphtheria	18	3	4	3	2	1	13	2	2	–	–	1	–	–	–	–	–	–
Whooping-cough	321	102	103	53	32	15	306	13	–	–	–	1	–	1	–	–	–	–
Typhus	138	7	6	13	12	16	54	30	15	4	11	11	18	24	13	7	1	–
Cholera,Diarrh.,Dysent^{y}	431	248	94	17	9	3	371	9	3	5	1	1	4	11	14	6	4	2
Other Zymotic Dis.	294	152	25	17	10	6	210	8	3	–	3	12	17	14	17	7	3	–
Cancer	28	–	–	1	1	1	3	–	–	–	1	3	1	6	10	3	1	–
Scrofula, Tabes Mesent.	132	44	41	12	11	3	111	11	5	–	2	–	–	3	–	–	–	–
Phthisis	728	24	19	12	4	8	67	28	13	34	69	147	180	123	52	14	1	–
Hydrocephalus	196	72	52	28	14	4	170	21	4	–	–	–	1	–	–	–	–	–
Diseases of Brain	680	330	56	33	15	7	441	12	6	2	6	13	23	45	49	46	32	5
Heart Dis. and Dropsy	216	5	5	1	2	–	13	10	7	9	5	19	31	38	36	32	16	–
Dis. of Lungs	1202	356	230	86	35	16	723	21	2	4	11	39	63	94	106	98	37	4
Dis. of Stom. and Liver	178	37	8	1	3	3	52	2	4	3	3	17	20	23	30	20	3	1
Dis. of Kidneys	49	–	–	1	–	–	1	1	–	–	–	8	5	11	12	7	4	–
Dis. of Gener. Organs	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	13	–	–	1	–	–	1	3	2	3	–	1	–	–	–	2	1	–
Diseases of the Skin	15	3	–	–	3	1	7	–	1	–	–	1	1	–	3	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	136	39	15	5	4	1	64	4	10	3	9	4	10	21	8	2	1	–
Other Causes	929	404	111	28	7	2	612	8	5	–	2	10	19	28	34	88	102	21
17.—EAST LONDON.																		
Mean Popul^{n}, 1851-61	20522	–	–	–	–	–	2602	2165	2074	2018	2161	3442	2647	1821	1047	426	108	11
TOTAL DEATHS	4947	1401	654	317	206	132	2710	206	59	57	101	248	356	370	344	302	153	41
Small-pox	72	21	10	9	11	7	58	8	1	1	2	2	–	–	–	–	–	–
Measles	141	28	53	30	14	12	137	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	229	19	42	44	35	29	169	50	4	1	1	3	1	–	–	–	–	–
Diphtheria	8	3	1	–	1	1	6	1	–	–	–	1	–	–	–	–	–	–
Whooping-cough	219	71	68	36	23	11	209	10	–	–	–	–	–	–	–	–	–	–
Typhus	150	7	9	6	12	14	48	20	11	6	11	8	11	11	8	10	6	–
Cholera,Diarrh.,Dysent^{y}	306	170	51	13	2	2	238	4	4	1	5	6	11	7	9	13	6	2
Other Zymotic Dis.	207	69	26	17	13	5	130	5	4	–	4	8	18	11	12	12	3	–
Cancer	35	–	–	–	–	–	–	1	–	–	–	4	5	10	6	6	2	1
Scrofula, Tabes Mesent.	208	81	64	29	12	6	192	8	3	1	1	1	–	2	–	–	–	–
Phthisis	622	19	16	7	10	5	57	20	14	31	51	151	144	103	37	13	1	–
Hydrocephalus	193	70	63	28	14	6	181	12	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	516	249	45	17	12	5	328	15	4	3	3	8	13	31	47	36	21	7
Heart Dis. and Dropsy	213	4	5	7	4	2	22	14	5	2	6	13	39	33	40	30	8	1
Dis. of Lungs	1037	246	157	64	29	19	515	20	2	4	8	25	67	102	119	114	51	10
Dis. of Stom. and Liver	157	26	4	3	4	1	38	4	3	2	4	6	17	23	32	23	5	–
Dis. of Kidneys	47	1	1	–	2	–	4	1	1	1	–	4	5	12	6	9	3	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diseases of the Joints	8	–	–	–	2	–	2	–	–	2	–	–	3	1	–	–	–	–
Diseases of the Skin	12	9	–	–	–	–	9	–	–	–	–	–	1	–	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	85	15	5	1	3	2	26	7	2	2	3	5	14	13	6	5	2	–
Other Causes	481	293	34	6	3	5	341	2	1	–	2	3	6	11	22	31	43	19
18.—WEST LONDON.																		
Mean Popul^{n}, 1851-61	14008	–	–	–	–	–	1502	1243	1222	1485	1552	2496	1929	1357	797	346	69	10
TOTAL DEATHS	7204	798	477	275	178	126	1854	276	150	257	372	852	999	925	756	538	196	29
Small-pox	42	13	2	–	7	4	26	7	–	1	2	2	2	2	–	–	–	–
Measles	99	18	36	22	11	3	90	8	–	–	–	1	–	–	–	–	–	–
Scarlatina	213	18	29	39	26	25	132	55	11	4	4	4	1	1	1	–	–	–
Diphtheria	6	1	1	–	2	–	4	–	1	–	–	1	–	–	–	–	–	–
Whooping-cough	136	30	49	24	20	6	129	6	1	–	–	–	–	–	–	–	–	–
Typhus	321	12	5	4	6	7	34	28	14	27	30	68	48	36	19	15	2	–
Cholera,Diarrh.,Dysent^{y}	250	76	22	12	4	4	118	6	10	8	8	24	24	17	17	11	4	3
Other Zymotic Dis.	350	33	21	11	12	5	82	10	11	9	16	43	64	61	32	13	9	–
Cancer	153	–	–	1	–	1	2	1	–	5	3	20	24	37	40	18	3	–
Scrofula, Tabes Mesent.	86	16	6	6	2	2	32	6	1	12	12	16	3	2	1	1	–	–
Phthisis	969	6	5	7	3	6	27	15	12	32	117	243	254	157	80	12	–	–
Hydrocephalus	143	50	42	22	10	4	128	11	3	–	–	1	–	–	–	–	–	–
Diseases of Brain	600	109	36	16	12	14	187	7	13	9	27	46	84	80	74	58	12	3
Heart Dis. and Dropsy	494	2	3	2	–	3	10	13	16	33	22	70	105	93	77	41	12	2
Dis. of Lungs	1190	153	117	45	21	12	348	24	11	25	43	124	133	157	181	113	30	1
Dis. of Stom. and Liver	378	21	1	5	1	–	28	9	8	16	29	45	56	94	62	23	8	–
Dis. of Kidneys	198	–	1	1	–	1	3	6	3	8	9	29	47	39	27	23	3	1
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Diseases of the Joints	88	1	–	–	3	–	4	8	9	9	5	16	8	13	9	7	–	–
Diseases of the Skin	29	7	1	1	–	–	9	–	–	5	2	2	6	3	–	–	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	676	21	24	33	30	26	154	49	25	31	27	76	101	102	71	43	14	3
Other Causes	780	216	76	24	8	3	327	7	1	3	16	21	37	31	64	160	97	16

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards
16.—ST. LUKE.																		
Mean Popul^{n}, 1851-61	28704	-	-	-	-	-	3849	3091	2679	2421	2866	5087	3744	2542	1495	689	211	30
TOTAL DEATHS	6394	1572	853	443	273	157	3298	287	93	109	143	401	472	397	435	443	251	65
Small-pox	135	29	24	24	21	7	105	17	2	1	3	4	3	-	-	-	-	-
Measles	188	29	73	45	19	11	177	9	-	-	1	1	-	-	-	-	-	-
Scarlatina	305	14	37	78	58	37	224	67	7	1	1	2	1	2	-	-	-	-
Diphtheria	28	4	6	1	5	2	18	8	1	-	-	1	-	-	-	-	-	-
Whooping-cough	496	121	134	72	40	22	389	16	-	-	-	-	1	-	-	-	-	-
Typhus	216	5	7	9	12	8	41	39	12	12	15	19	22	26	16	11	3	-
Cholera, Diarrh., Dysent^{y}	398	192	90	19	5	5	311	10	4	4	9	6	14	9	11	6	12	2
Other Zymotic Dis.	253	117	15	15	16	12	175	7	5	5	2	15	10	12	12	9	1	-
Cancer	95	-	1	-	1	-	2	1	-	-	-	11	29	23	20	7	2	-
Scrofula, Tabes Mesent.	118	40	28	17	9	4	98	6	4	-	-	4	4	2	-	-	-	-
Phthisis	707	17	24	6	11	3	61	20	23	51	59	174	181	84	43	11	-	-
Hydrocephalus	153	48	45	27	11	7	138	10	3	-	1	-	-	1	-	-	-	-
Diseases of Brain	549	227	40	15	16	12	310	18	7	5	3	22	27	34	42	50	22	9
Heart Dis. and Dropsy	273	7	7	1	2	1	18	11	4	9	8	25	32	52	67	37	9	1
Dis. of Lungs	1158	272	221	87	33	16	629	28	3	3	9	18	52	81	134	156	34	11
Dis. of Stom. and Liver	211	19	4	1	3	4	31	4	7	5	9	20	29	34	37	28	7	-
Dis. of Kidneys	22	-	-	1	-	-	1	1	-	-	2	4	5	3	2	3	1	-
Dis. of Gener. Organs	24	-	-	-	-	-	-	-	-	-	2	5	5	6	5	1	-	-
Diseases of the Joints	10	-	1	-	-	-	1	2	5	1	-	-	1	-	-	-	-	-
Diseases of the Skin	5	3	-	1	-	-	4	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metria	104	-	-	-	-	-	-	-	-	6	15	50	33	-	-	-	-	-
Violent Deaths	91	28	3	7	2	2	47	5	1	1	3	6	6	6	7	3	6	-
Other Causes	945	400	88	17	9	4	518	8	5	4	1	14	17	22	39	121	154	42
17.—EAST LONDON.																		
Mean Popul^{n}, 1851-61	22024	-	-	-	-	-	2613	2222	1985	2172	2302	3751	2902	1991	1236	628	188	34
TOTAL DEATHS	5056	1131	639	297	206	105	2378	201	53	89	123	292	321	362	419	441	303	74
Small-pox	66	20	13	7	5	6	51	9	2	-	-	4	-	-	-	-	-	-
Measles	149	19	62	34	17	11	143	4	-	-	1	1	-	-	-	-	-	-
Scarlatina	195	10	35	30	46	16	137	49	2	4	-	1	1	1	-	-	-	-
Diphtheria	7	-	1	1	1	-	3	2	-	-	-	-	-	1	-	-	1	-
Whooping-cough	255	73	78	47	28	19	245	9	1	-	-	-	-	-	-	-	-	-
Typhus	193	1	4	5	17	1	28	28	7	21	9	17	22	16	22	16	7	-
Cholera, Diarrh., Dysent^{y}	328	134	55	12	2	4	207	9	5	1	4	12	10	16	14	25	17	8
Other Zymotic Dis.	213	73	20	22	8	8	131	12	7	1	6	9	7	14	9	10	5	2
Cancer	87	-	-	-	-	-	-	-	-	-	-	7	13	27	15	18	4	3
Scrofula, Tabes Mesent.	188	87	55	16	10	5	173	6	1	1	1	2	2	-	-	1	1	-
Phthisis	571	14	15	10	9	7	55	24	15	32	58	136	131	70	37	9	3	1
Hydrocephalus	120	34	47	21	10	3	115	5	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	522	216	38	17	10	5	286	12	3	5	5	13	14	26	63	59	34	2
Heart Dis. and Dropsy	248	5	2	-	2	2	11	4	7	7	8	15	25	28	62	56	25	-
Dis. of Lungs	1023	191	153	63	29	15	451	20	-	7	7	18	38	110	137	146	79	10
Dis. of Stom. and Liver	187	26	3	3	2	1	35	3	1	5	5	13	17	32	31	33	12	-
Dis. of Kidneys	20	-	1	-	2	-	3	-	1	1	-	3	4	3	1	4	-	-
Dis. of Gener. Organs	27	-	-	-	-	-	-	-	-	-	1	8	5	4	4	1	4	-
Diseases of the Joints	7	-	1	-	-	-	1	-	-	-	-	1	1	2	1	-	1	-
Diseases of the Skin	17	5	1	-	-	1	7	2	-	-	-	-	-	-	1	2	4	1
Childbirth and Metria	69	-	-	-	-	-	-	-	-	2	17	27	21	2	-	-	-	-
Violent Deaths	55	14	2	3	3	1	23	3	-	1	-	3	1	6	6	5	6	1
Other Causes	509	209	53	6	5	-	273	-	1	1	1	2	9	4	16	56	100	46
18.—WEST LONDON.																		
Mean Popul^{n}, 1851-61	13960	-	-	-	-	-	1489	1235	1218	1359	1481	2494	1885	1353	842	441	151	12
TOTAL DEATHS	5384	661	385	259	178	117	1600	253	126	230	306	508	600	497	543	395	278	48
Small-pox	39	6	9	4	4	7	30	5	1	-	1	2	-	-	-	-	-	-
Measles	85	14	31	17	12	6	80	3	1	1	-	-	-	-	-	-	-	-
Scarlatina	172	12	14	19	31	12	88	52	15	7	5	1	2	1	1	-	-	-
Diphtheria	10	3	2	-	1	1	7	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	169	35	52	38	22	12	159	10	-	-	-	-	-	-	-	-	-	-
Typhus	260	4	5	9	9	12	39	21	15	37	26	46	36	18	11	8	3	-
Cholera, Diarrh., Dysent^{y}	209	57	23	7	7	4	98	6	6	2	8	14	17	13	20	17	8	-
Other Zymotic Dis.	203	42	13	16	3	7	81	10	4	13	15	17	22	19	12	9	1	-
Cancer	194	-	-	-	-	-	-	2	3	4	5	14	54	52	38	19	3	-
Scrofula, Tabes Mesent.	63	8	13	4	2	3	30	8	5	6	6	2	2	3	1	-	-	-
Phthisis	599	7	5	4	5	6	27	12	17	54	89	175	127	62	30	5	1	-
Hydrocephalus	96	33	28	16	6	3	86	8	-	2	-	-	-	-	-	-	-	-
Diseases of Brain	449	90	38	11	14	2	155	14	7	6	31	23	37	34	62	51	27	2
Heart Dis. and Dropsy	417	4	1	2	2	2	11	10	20	26	24	51	70	86	79	28	12	-
Dis. of Lungs	824	120	82	58	28	11	299	22	8	22	26	38	61	87	115	97	45	4
Dis. of Stom. and Liver	327	13	4	3	-	1	21	8	6	12	20	35	54	52	75	34	10	-
Dis. of Kidneys	66	-	-	-	1	-	1	2	1	3	11	10	16	10	9	3	-	-
Dis. of Gener. Organs	57	-	-	-	-	-	-	-	-	2	3	6	17	18	7	2	2	-
Diseases of the Joints	30	1	-	-	1	2	4	2	4	4	2	7	4	-	2	1	-	-
Diseases of the Skin	30	3	1	-	-	-	4	1	-	3	4	5	5	1	2	3	1	1
Childbirth and Metria	63	-	-	-	-	-	-	-	-	3	9	30	19	2	-	-	-	-
Violent Deaths	321	23	10	27	19	18	97	47	9	16	11	15	33	21	23	19	22	3
Other Causes	701	186	54	24	11	8	283	8	3	7	10	17	24	18	51	99	143	38

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
19.—LONDON CITY.																		
Mean Popul^{n}, 1851-61	24404	-	-	-	-	-	2296	1991	2647	3063	3110	4018	3061	2200	1292	580	133	13
TOTAL DEATHS	4672	900	484	242	143	74	1843	196	123	92	123	272	444	480	495	371	195	38
Small-pox	44	13	3	3	5	4	28	9	3	-	1	2	1	-	-	-	-	-
Measles	94	21	31	18	9	6	85	8	-	-	-	1	-	-	-	-	-	-
Scarlatina	174	10	18	33	26	19	106	44	20	1	-	-	2	1	-	-	-	-
Diphtheria	10	-	2	2	3	-	7	2	-	-	-	-	-	1	-	-	-	-
Whooping-cough	174	57	65	27	15	5	169	5	-	-	-	-	-	-	-	-	-	-
Typhus	133	3	4	3	6	10	26	19	7	9	8	12	15	14	16	6	1	-
Cholera, Diarrh., Dysent^{y}	178	79	22	6	5	-	112	5	5	1	2	4	10	10	11	9	7	2
Other Zymotic Dis.	193	48	13	13	7	2	83	6	6	-	5	16	28	14	19	12	3	1
Cancer	33	-	-	-	-	-	-	-	-	1	-	-	2	6	17	5	2	-
Scrofula, Tabes Mesent.	77	14	23	5	8	1	51	9	6	4	4	2	-	-	1	-	-	-
Phthisis	609	8	13	2	5	3	31	13	17	34	49	113	170	117	51	14	-	-
Hydrocephalus	147	48	53	19	8	6	134	9	3	-	1	-	-	-	-	-	-	-
Diseases of Brain	595	187	58	37	18	4	304	20	8	8	9	28	32	51	50	62	21	2
Heart Dis. and Dropsy	268	5	1	-	-	1	7	4	8	6	5	11	45	56	69	42	14	1
Dis. of Lungs	860	185	108	48	19	8	368	14	5	1	6	16	54	81	140	114	55	6
Dis. of Stom. and Liver	219	27	2	5	2	4	40	12	3	6	6	12	22	44	43	26	4	1
Dis. of Kidneys	70	-	-	1	1	-	2	1	-	-	2	3	6	16	13	18	9	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	1	-	-	-	1	1	3	-	-	-	-	2	-	-	1	-
Diseases of the Skin	14	4	-	-	1	-	5	-	1	-	-	-	2	3	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	266	15	5	3	1	1	25	13	23	20	19	42	41	36	25	8	14	-
Other Causes	506	176	62	17	4	-	259	2	5	1	6	10	14	28	40	53	63	25
20.—SHOREDITCH.																		
Mean Popul^{n}, 1851-61	57042	-	-	-	-	-	3709	6864	5750	5080	5220	9905	7090	4548	2409	1108	329	30
TOTAL DEATHS	14411	3958	1672	814	476	320	7240	600	220	277	332	771	996	1100	1065	1048	643	119
Small-pox	172	45	23	21	18	9	116	28	7	1	9	7	4	-	-	-	-	-
Measles	283	44	121	64	19	21	269	12	-	1	-	1	-	-	-	-	-	-
Scarlatina	671	45	95	117	113	87	457	171	28	6	3	3	2	1	-	-	-	-
Diphtheria	48	8	8	8	4	2	30	14	3	-	-	-	-	1	-	-	-	-
Whooping-cough	602	223	210	90	45	16	584	18	-	-	-	-	-	-	-	-	-	-
Typhus	755	16	25	36	37	33	147	88	48	50	37	61	77	77	67	70	31	2
Cholera, Diarrh., Dysent^{y}	854	455	120	28	12	17	632	25	7	5	6	20	30	32	37	38	19	3
Other Zymotic Dis.	631	245	51	52	23	19	390	18	7	12	8	31	38	45	37	26	13	6
Cancer	97	5	1	1	1	-	8	1	-	2	-	5	8	18	33	17	5	-
Scrofula, Tabes Mesent.	413	173	98	41	16	10	338	29	13	6	7	9	5	3	4	3	1	-
Phthisis	1792	60	53	17	17	15	162	30	31	107	186	387	403	293	123	51	13	1
Hydrocephalus	387	152	127	50	23	10	362	23	1	-	-	-	-	1	-	-	-	-
Diseases of Brain	1763	581	101	62	35	16	795	41	22	17	16	85	117	148	159	214	133	16
Heart Dis. and Dropsy	528	27	10	9	8	11	65	16	15	15	9	31	61	89	95	93	33	6
Dis. of Lungs	2744	779	435	160	63	27	1464	32	9	10	21	60	126	228	303	310	161	20
Dis. of Stom. and Liver	483	83	18	8	5	7	121	9	12	14	10	28	46	76	84	52	26	5
Dis. of Kidneys	108	2	1	1	2	2	8	2	5	3	3	8	14	19	17	13	15	1
Dis. of Gener. Organs	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	27	1	-	1	1	-	3	7	2	2	-	-	2	1	3	4	3	-
Diseases of the Skin	42	13	4	-	1	-	18	-	1	2	-	-	-	4	6	8	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	327	74	17	6	14	9	120	21	8	18	11	22	41	32	24	14	14	2
Other Causes	1677	926	154	42	19	9	1150	15	1	6	6	13	22	31	68	135	173	57
21.—BETHNAL GREEN.																		
Mean Popul^{n}, 1851-61	47863	-	-	-	-	-	7358	6210	5471	4398	3936	7228	5807	3945	2219	1004	259	28
TOTAL DEATHS	10997	3073	1411	685	390	252	5811	485	173	177	244	587	720	780	715	760	468	77
Small-pox	197	64	32	24	18	13	151	27	2	3	3	6	3	1	1	-	-	-
Measles	327	43	123	82	39	23	310	15	1	1	-	-	-	-	-	-	-	-
Scarlatina	510	39	98	82	73	70	362	123	14	5	4	1	-	-	-	1	-	-
Diphtheria	34	2	7	8	5	1	23	6	2	-	-	1	1	-	-	-	1	-
Whooping-cough	406	133	142	63	37	23	398	8	-	-	-	-	-	-	-	-	-	-
Typhus	474	18	26	30	20	17	111	60	34	28	25	42	35	48	50	26	15	-
Cholera, Diarrh., Dysent^{y}	705	341	116	32	15	6	510	23	7	4	10	17	23	25	34	30	20	2
Other Zymotic Dis.	475	149	58	44	28	20	299	22	9	9	6	30	22	29	22	20	5	2
Cancer	55	-	-	-	-	-	-	-	-	-	-	5	9	12	13	10	5	1
Scrofula, Tabes Mesent.	246	113	64	26	6	2	211	19	7	3	2	-	2	-	1	-	1	-
Phthisis	1315	89	37	24	17	1	118	31	27	78	132	297	297	211	93	27	4	-
Hydrocephalus	315	128	113	29	16	11	297	13	3	-	1	-	-	1	-	-	-	-
Diseases of Brain	1228	429	73	45	20	13	580	26	10	9	16	55	95	92	122	145	67	11
Heart Dis. and Dropsy	352	16	5	9	4	3	37	20	10	12	14	26	39	53	50	66	23	2
Dis. of Lungs	1992	546	320	132	63	22	1083	40	16	6	13	53	98	185	205	198	84	11
Dis. of Stom. and Liver	286	44	13	4	3	8	72	14	7	8	7	11	38	43	43	32	10	1
Dis. of Kidneys	79	1	1	-	-	-	2	5	1	1	1	10	11	16	11	15	6	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	10	-	-	-	-	-	-	2	4	1	-	-	-	1	-	2	-	-
Diseases of the Skin	17	9	1	1	1	-	12	1	-	-	-	-	-	-	1	-	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	271	69	10	18	8	5	110	18	11	6	7	18	21	40	20	13	7	-
Other Causes	1702	890	172	52	17	14	1125	12	8	3	3	15	26	22	49	175	247	47

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

19.—LONDON CITY.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	26340	-	-	-	-	-	2360	2099	2085	3018	3204	4748	3490	2616	1678	780	228	34
TOTAL DEATHS	4295	681	436	245	139	99	1600	170	80	99	115	249	331	368	416	487	289	91
Small-pox	51	7	6	4	5	2	24	9	4	1	5	5	2	1	-	-	-	-
Measles	98	14	22	32	19	5	92	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	139	2	26	16	19	18	81	46	8	2	1	1	-	-	-	-	-	-
Diphtheria	10	-	1	1	1	3	6	1	1	-	-	1	-	-	1	-	-	-
Whooping-cough	192	44	60	34	25	18	181	11	-	-	-	-	-	-	-	-	-	-
Typhus	128	5	6	9	5	5	30	12	15	10	5	14	7	12	11	7	3	2
Cholera, Diarrh., Dysent^{y}	168	54	25	3	4	-	86	3	2	1	7	14	17	17	14	5	-	-
Other Zymotic Dis.	142	23	15	21	7	7	73	9	5	3	4	6	10	11	7	8	5	1
Cancer	107	-	-	-	-	-	-	1	-	-	1	3	15	29	28	19	11	-
Scrofula, Tabes Mesent.	65	14	16	11	3	2	46	9	3	2	1	-	-	2	-	2	-	-
Phthisis	491	8	9	8	-	7	32	16	9	48	62	96	122	64	26	10	6	-
Hydrocephalus	113	38	38	18	12	3	109	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	522	137	47	16	9	8	217	14	9	5	3	17	28	50	61	80	32	6
Heart Dis. and Dropsy	234	2	-	1	1	1	5	6	10	4	7	17	31	40	57	78	27	2
Dis. of Lungs	806	132	100	53	14	10	309	12	5	12	9	17	30	68	114	143	73	14
Dis. of Stom. and Liver	212	17	3	3	3	3	29	5	3	3	4	13	30	38	44	28	13	2
Dis. of Kidneys	29	-	-	-	-	-	-	-	-	-	1	4	4	6	5	7	2	-
Dis. of Gener. Organs	29	-	-	-	-	-	-	-	-	-	-	5	6	5	9	3	1	-
Diseases of the Joints	12	-	-	-	3	-	3	2	2	-	1	-	1	1	2	-	-	-
Diseases of the Skin	14	5	1	-	1	-	7	-	-	-	-	2	-	2	1	1	-	1
Childbirth and Metria	53	-	-	-	-	-	-	-	-	1	3	29	19	1	-	-	-	-
Violent Deaths	81	16	3	6	1	2	28	3	1	5	2	7	5	6	9	9	5	1
Other Causes	549	163	58	9	7	5	242	3	1	1	5	5	7	15	24	78	106	62

20.—SHOREDITCH.

Mean Popul^{n}, 1851-61	62268	-	-	-	-	-	8584	6846	5303	5376	6058	10934	7812	5182	3233	1757	588	80
TOTAL DEATHS	14500	3063	1517	834	499	299	6212	579	208	309	402	916	1037	1001	1206	1430	941	259
Small-pox	173	43	24	23	21	8	119	25	3	8	6	10	2	-	-	-	-	-
Measles	295	41	121	68	38	19	287	7	-	-	-	1	-	-	-	-	-	-
Scarlatina	597	34	97	105	98	80	414	136	24	12	4	6	-	1	-	-	-	-
Diphtheria	45	9	12	6	5	3	35	6	-	-	1	-	1	1	-	1	-	-
Whooping-cough	702	209	219	138	74	27	667	30	4	-	-	-	1	-	-	-	-	-
Typhus	708	20	21	28	29	37	135	100	47	49	49	74	89	65	60	62	27	11
Cholera, Diarrh., Dysent^{y}	801	376	117	21	8	4	526	18	3	6	7	25	38	32	40	58	38	10
Other Zymotic Dis.	599	208	45	49	36	20	358	34	6	3	13	32	28	28	28	36	26	7
Cancer	291	-	-	2	-	-	2	2	1	1	3	14	42	84	78	52	12	-
Scrofula, Tabes Mesent.	306	117	80	36	10	9	252	15	11	4	3	4	2	8	6	-	1	-
Phthisis	1601	70	38	30	15	15	168	49	49	119	174	412	323	181	87	33	5	1
Hydrocephalus	278	114	80	42	20	7	263	11	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	1647	384	115	60	32	18	609	38	12	20	24	50	108	127	185	281	157	36
Heart Dis. and Dropsy	799	29	7	6	9	4	55	24	19	18	23	47	78	106	198	160	64	7
Dis. of Lungs	2599	540	373	163	77	34	1187	39	10	16	17	70	111	193	325	383	214	34
Dis. of Stom. and Liver	548	64	10	7	4	6	91	14	7	14	23	34	68	83	80	100	30	4
Dis. of Kidneys	64	-	-	-	2	-	2	3	1	1	1	5	9	13	11	13	4	1
Dis. of Gener. Organs	85	-	-	-	-	-	-	-	-	1	3	14	16	21	15	12	3	-
Diseases of the Joints	31	2	2	1	-	1	6	6	2	3	1	3	3	1	1	4	1	-
Diseases of the Skin	37	10	1	2	-	-	13	-	-	-	1	2	2	2	2	10	3	2
Childbirth and Metria	196	-	-	-	-	-	-	-	-	7	38	76	71	4	-	-	-	-
Violent Deaths	231	66	10	4	3	4	87	7	2	20	9	18	18	16	14	22	14	4
Other Causes	1807	727	145	43	18	3	936	15	3	7	2	19	27	35	76	203	342	142

21.—BETHNAL GREEN.

Mean Popul^{n}, 1851-61	49784	-	-	-	-	-	7225	6078	5320	4482	4454	7731	6012	4148	2517	1301	448	68
TOTAL DEATHS	10736	2569	1298	730	434	273	5304	448	131	203	274	579	647	630	805	897	653	165
Small-pox	165	33	27	22	23	13	118	29	5	2	3	5	3	-	-	-	-	-
Measles	327	53	108	86	32	22	301	25	-	-	-	-	-	-	1	-	-	-
Scarlatina	452	23	73	81	87	54	318	106	18	3	3	2	-	2	-	-	-	-
Diphtheria	35	3	5	4	7	4	23	8	-	-	-	2	1	-	-	-	1	-
Whooping-cough	530	148	172	114	58	25	517	12	-	-	1	-	-	-	-	-	-	-
Typhus	471	17	25	34	29	26	131	64	30	35	31	46	25	35	32	29	12	1
Cholera, Diarrh., Dysent^{y}	638	270	108	37	13	11	439	13	6	10	5	24	31	28	25	27	25	5
Other Zymotic Dis.	398	123	52	40	30	24	269	19	4	8	7	10	25	15	17	17	6	1
Cancer	165	-	1	1	1	1	4	-	-	1	-	13	27	41	42	30	5	2
Scrofula, Tabes Mesent.	189	77	53	24	11	2	167	10	2	3	2	1	1	1	2	-	-	-
Phthisis	1022	35	33	26	13	17	124	35	16	72	116	253	217	115	52	21	1	-
Hydrocephalus	220	89	69	25	17	9	209	10	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	1089	349	56	32	21	16	474	22	11	9	17	41	53	93	116	154	89	10
Heart Dis. and Dropsy	443	7	5	4	3	8	27	14	12	14	16	33	47	57	106	86	26	5
Dis. of Lungs	1948	474	308	140	62	30	1014	50	12	18	10	39	76	129	240	243	99	18
Dis. of Stom. and Liver	400	46	11	5	3	2	67	8	6	7	13	28	57	64	83	54	13	-
Dis. of Kidneys	47	-	1	-	-	-	1	1	1	1	2	2	6	11	14	5	2	1
Dis. of Gener. Organs	43	-	-	-	-	-	-	-	-	-	2	5	10	6	15	4	1	-
Diseases of the Joints	11	-	1	-	-	-	1	1	2	1	-	1	2	1	-	2	-	-
Diseases of the Skin	26	11	4	1	-	1	17	-	-	-	-	1	1	1	2	1	3	-
Childbirth and Metria	143	-	-	-	-	-	-	-	-	7	35	58	40	3	-	-	-	-
Violent Deaths	184	69	21	7	13	-	110	9	1	3	6	5	9	10	11	10	8	2
Other Causes	1790	742	165	47	11	8	973	12	4	9	5	10	16	18	47	214	362	120

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
22.—WHITECHAPEL.																		
Mean Popul^{n}, 1851-61	40059	-	-	-	-	-	5082	4263	3888	3861	4111	6940	5307	3644	1952	786	199	26
TOTAL DEATHS	12983	2869	1333	635	394	252	5483	518	237	320	425	1014	1282	1264	1161	818	381	80
Small-pox	157	36	29	20	22	5	112	23	4	2	4	7	4	1	-	-	-	-
Measles	244	48	91	53	22	15	229	13	-	1	-	1	-	-	-	-	-	-
Scarlatina	385	25	54	75	66	49	269	95	10	3	2	2	3	-	-	1	-	-
Diphtheria	17	1	4	1	3	3	12	2	2	-	-	-	1	-	-	-	-	-
Whooping-cough	307	105	111	50	24	9	299	8	-	-	-	-	-	-	-	-	-	-
Typhus	673	24	32	23	27	23	129	51	38	33	34	79	73	98	62	55	18	3
Cholera, Diarrh., Dysent^{y}	850	304	123	54	14	9	504	36	11	12	21	52	57	43	63	30	19	2
Other Zymotic Dis.	561	128	58	33	14	14	247	18	7	8	11	41	63	62	51	40	11	2
Cancer	81	1	-	-	-	-	1	-	1	1	-	4	18	21	21	10	4	-
Scrofula, Tabes Mesent.	218	66	58	18	9	9	160	20	13	4	-	8	9	2	1	1	-	-
Phthisis	1610	40	42	20	13	6	121	31	29	87	150	335	358	299	159	38	1	2
Hydrocephalus	268	102	76	31	22	17	248	14	3	-	-	1	-	2	-	-	-	-
Diseases of Brain	1222	559	89	38	16	16	718	21	12	16	13	45	75	91	107	81	34	9
Heart Dis. and Dropsy	523	12	6	4	8	8	38	21	14	25	15	56	96	96	83	60	17	2
Dis. of Lungs	2213	606	364	134	73	30	1207	50	14	14	35	79	158	185	238	163	58	12
Dis. of Stom. and Liver	491	45	4	5	2	4	60	12	18	13	20	46	79	82	97	53	10	1
Dis. of Kidneys	217	3	2	2	3	2	12	2	2	5	9	22	38	39	36	34	16	2
Dis. of Gener. Organs	9	1	2	-	-	-	3	-	-	-	2	-	-	2	1	1	-	-
Diseases of the Joints	56	1	1	1	1	2	6	5	8	6	2	8	8	7	6	5	-	-
Diseases of the Skin	45	7	1	2	-	-	10	8	-	2	-	6	7	4	5	6	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	1219	61	27	37	38	23	186	73	46	74	92	170	197	176	130	51	21	3
Other Causes	1617	694	159	34	17	8	912	20	5	14	15	52	43	54	101	189	170	42
23.—ST. GEORGE-IN-THE-EAST.																		
Mean Popul^{n}, 1851-61	23570	-	-	-	-	-	3339	2730	2226	2036	2132	4147	3128	2001	1127	539	152	13
TOTAL DEATHS	6562	1712	770	398	224	160	3204	262	105	131	169	391	474	495	516	463	244	48
Small-pox	51	17	5	4	5	4	35	7	1	2	1	4	1	-	-	-	-	-
Measles	187	32	71	36	23	14	176	9	2	-	-	-	-	-	-	-	-	-
Scarlatina	295	22	42	60	43	52	219	61	9	4	-	1	-	1	-	-	-	-
Diphtheria	22	3	5	3	2	4	17	3	-	1	-	-	-	-	-	-	1	-
Whooping-cough	242	83	82	40	18	7	230	12	-	-	-	-	-	-	-	-	-	-
Typhus	216	3	11	10	14	9	47	40	15	8	13	20	27	17	20	4	4	1
Cholera, Diarrh., Dysent^{y}	386	171	59	17	7	7	261	18	6	6	8	22	19	12	16	15	2	1
Other Zymotic Dis.	271	68	29	23	16	6	142	6	2	-	7	15	32	25	25	9	7	1
Cancer	40	-	-	-	1	-	1	-	2	-	-	1	4	13	13	5	1	-
Scrofula, Tabes Mesent.	199	82	53	22	10	5	174	14	2	5	1	1	1	-	-	-	1	-
Phthisis	866	19	11	17	9	8	64	19	20	53	90	187	203	143	63	21	3	-
Hydrocephalus	212	93	71	32	7	3	206	6	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	623	280	43	20	11	14	368	14	4	3	6	19	26	49	63	54	14	3
Heart Dis. and Dropsy	260	3	4	4	1	1	13	7	10	10	4	26	30	47	53	43	15	2
Dis. of Lungs	1284	338	204	77	48	24	691	21	4	5	11	42	58	120	168	119	43	2
Dis. of Stom. and Liver	158	32	1	5	1	-	39	4	5	6	5	6	19	21	27	23	3	-
Dis. of Kidneys	43	3	-	-	-	-	3	2	3	1	1	1	4	7	8	10	2	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	15	2	-	2	-	1	5	4	-	2	1	1	-	-	1	1	-	-
Diseases of the Skin	18	7	-	1	-	-	8	-	-	-	-	-	2	4	2	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	221	35	16	7	2	1	61	5	17	24	19	31	28	15	11	8	2	-
Other Causes	953	419	61	18	6	-	504	10	3	1	2	14	20	21	46	150	145	37
24 (*a*).—STEPNEY* AND 24 (*b*) MILE END OLD TOWN.																		
Mean Popul^{n}, 1851-61	57046	-	-	-	-	-	8443	6989	5940	4965	4814	9351	7298	4904	2689	1273	340	40
TOTAL DEATHS	14500	3648	1554	910	504	360	6976	683	272	293	314	883	1036	1079	1148	1057	618	141
Small-pox	173	45	26	20	16	9	116	23	1	5	7	12	4	4	-	1	-	-
Measles	378	57	135	91	52	21	356	17	3	1	1	-	-	-	-	-	-	-
Scarlatina	726	52	114	145	108	102	521	169	26	6	1	1	1	-	1	-	-	-
Diphtheria	23	4	4	4	2	-	14	5	-	-	1	-	3	-	-	-	-	-
Whooping-cough	528	181	158	100	48	22	509	18	-	1	-	-	-	-	-	-	-	-
Typhus	593	24	31	39	27	20	141	65	46	46	27	52	59	50	58	30	18	1
Cholera, Diarrh., Dysent^{y}	940	423	118	43	17	17	618	35	16	15	19	42	44	46	41	38	18	8
Other Zymotic Dis.	608	171	65	49	35	23	343	27	9	2	8	41	58	43	47	20	7	3
Cancer	92	-	1	-	2	1	4	-	1	-	2	4	9	26	29	14	3	-
Scrofula, Tabes Mesent.	313	142	63	37	13	6	261	26	13	3	1	3	2	3	1	-	-	-
Phthisis	1631	37	34	21	12	11	115	37	35	93	151	374	377	266	134	43	6	-
Hydrocephalus	470	177	136	67	30	25	435	31	1	2	-	1	-	-	-	-	-	-
Diseases of Brain	1440	509	100	51	31	26	717	52	17	14	13	44	62	86	162	179	80	14
Heart Dis. and Dropsy	552	8	8	9	4	5	34	23	15	12	20	50	76	94	94	90	43	1
Dis. of Lungs	2708	675	369	185	70	38	1337	64	12	11	16	98	151	264	325	295	113	22
Dis. of Stom. and Liver	463	72	7	9	5	8	101	15	10	13	15	35	56	72	75	56	13	2
Dis. of Kidneys	130	1	-	1	1	1	4	3	5	2	1	15	11	12	27	30	16	4
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Diseases of the Joints	32	-	2	2	-	3	7	10	2	2	-	5	1	1	2	2	-	-
Diseases of the Skin	29	12	2	-	1	-	15	-	1	-	1	-	3	1	1	3	3	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	608	72	15	7	12	14	120	47	57	55	25	70	80	67	48	27	11	1
Other Causes	2061	986	166	30	18	8	1208	16	2	10	5	36	38	44	103	228	287	84

* The District of Mile End Old Town was formed out of the Stepney District on the 1st October 1857, but for comparison is included here for all the years.

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
22.—WHITECHAPEL.																		
Mean Popul^{n}, 1851-61	39305	-	-	-	-	-	4992	4230	3800	3848	3998	6525	5083	3417	2033	1006	321	52
TOTAL DEATHS	11149	2359	1300	695	359	246	4959	478	162	233	388	830	845	870	862	814	545	163
Small-pox	140	40	27	18	17	5	107	18	4	2	-	5	2	-	2	-	-	-
Measles	233	38	96	53	23	12	222	10	-	1	-	-	-	-	-	-	-	-
Scarlatina	331	23	42	55	68	47	235	77	9	1	2	3	2	1	-	1	-	-
Diphtheria	13	3	2	1	1	2	9	1	1	-	-	-	1	-	-	1	-	-
Whooping-cough	450	130	154	86	31	26	427	23	-	-	-	-	-	-	-	-	-	-
Typhus	570	22	35	24	27	21	129	53	28	36	39	67	58	62	53	37	8	-
Cholera, Diarrh., Dysent^{y}	767	258	142	48	11	8	467	27	8	10	20	49	41	51	40	28	20	6
Other Zymotic Dis.	370	107	38	35	17	12	209	16	9	6	17	20	35	22	19	14	2	1
Cancer	209	-	1	1	-	-	2	-	-	-	3	21	59	54	41	24	4	1
Scrofula, Tabes Mesent.	191	60	56	29	9	3	157	11	5	4	5	2	4	2	-	-	1	-
Phthisis	1266	23	39	18	5	5	90	31	32	92	171	315	259	172	71	24	9	-
Hydrocephalus	254	86	91	39	14	8	238	12	2	-	-	1	1	-	-	-	-	-
Diseases of the Brain	1039	428	69	37	19	15	568	22	10	9	16	31	41	73	88	101	66	14
Heart Dis. and Dropsy	538	8	6	5	2	5	26	18	12	19	20	61	65	82	113	90	26	6
Dis. of Lungs	1884	470	324	162	64	36	1056	55	10	15	13	53	75	163	196	158	84	6
Dis. of Stom. and Liver	451	24	12	2	3	2	43	6	6	10	17	54	67	73	83	66	23	3
Dis. of Kidneys	80	3	1	-	1	2	7	-	1	2	7	18	15	14	11	10	-	-
Dis. of Gener. Organs	62	1	-	-	1	-	2	-	-	2	2	14	18	15	7	2	-	-
Diseases of the Joints	25	1	-	-	-	3	4	6	-	3	2	2	3	3	2	-	-	-
Diseases of the Skin	33	13	3	1	1	-	18	-	-	-	-	1	3	1	4	5	1	-
Childbirth and Metria	141	-	-	-	-	-	-	-	-	4	24	69	39	5	-	-	-	-
Violent Deaths	474	52	27	34	29	24	166	72	22	10	20	27	30	33	34	27	24	9
Other Causes	1628	569	135	47	16	10	777	20	3	7	10	22	27	44	98	226	277	117
23.—ST. GEORGE-IN-THE-EAST.																		
Mean Popul^{n}, 1851-61	25064	-	-	-	-	-	3408	2687	2313	2045	2418	4389	3225	2201	1386	712	256	24
TOTAL DEATHS	6616	1457	800	386	225	142	3010	261	94	117	189	465	476	437	536	553	398	80
Small-pox	43	17	4	4	3	2	30	6	2	1	-	3	1	-	-	-	-	-
Measles	211	30	87	43	28	13	201	10	-	-	-	-	-	-	-	-	-	-
Scarlatina	286	15	59	50	41	41	206	59	13	3	-	2	-	1	1	1	-	-
Diphtheria	18	4	2	2	4	2	14	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough	313	97	93	59	27	11	292	21	-	-	-	-	-	-	-	-	-	-
Typhus	200	4	10	16	12	11	53	33	15	11	9	15	19	14	13	13	4	1
Cholera, Diarrh., Dysent^{y}	398	165	58	15	4	5	247	16	6	8	6	13	23	23	24	15	16	1
Other Zymotic Dis.	227	68	26	13	11	6	124	15	4	4	5	22	25	9	7	9	3	-
Cancer	115	-	-	1	1	-	2	-	-	1	2	9	28	32	22	15	4	-
Scrofula, Tabes Mesent.	150	60	40	20	3	7	130	6	3	2	5	1	1	1	1	-	-	-
Phthisis	835	13	18	10	7	3	51	18	21	50	95	242	194	96	48	18	1	1
Hydrocephalus	172	68	57	21	11	5	162	8	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	596	200	36	17	21	10	284	12	8	9	6	21	28	53	81	64	25	5
Heart Dis. and Dropsy	292	4	4	2	1	-	11	5	3	8	16	22	43	51	60	50	22	1
Dis. of Lungs	1143	279	189	83	37	18	606	31	5	3	8	30	36	86	149	127	58	4
Dis. of Stom. and Liver	208	26	5	2	2	2	37	6	4	3	1	19	25	30	51	23	9	-
Dis. of Kidneys	29	-	-	1	1	1	3	-	1	-	3	4	4	4	3	6	1	-
Dis. of Gener. Organs	24	-	-	-	-	-	-	-	-	1	2	3	1	9	5	2	1	-
Diseases of the Joints	12	-	2	-	-	-	2	2	4	1	-	1	2	-	-	-	-	-
Diseases of the Skin	21	11	1	-	-	-	12	1	-	-	-	-	1	1	1	4	1	-
Childbirth and Metria	89	-	-	-	-	-	-	-	-	8	21	40	23	-	-	-	-	-
Violent Deaths	106	31	14	3	4	2	54	4	1	6	7	9	7	6	7	2	2	1
Other Causes	1128	365	90	24	7	3	489	4	2	1	3	9	15	21	63	204	251	66
24 (*a*).—STEPNEY* AND 24 (*b*) MILE END OLD TOWN.																		
Mean Popul^{n}, 1851-61	63160	-	-	-	-	-	8444	7055	5978	5563	5841	10536	7983	5517	3493	1942	703	105
TOTAL DEATHS	14409	2994	1509	815	482	301	6101	661	219	295	405	983	1017	932	1132	1298	1069	297
Small-pox	134	35	22	15	8	11	91	17	1	5	9	10	-	1	-	-	-	-
Measles	364	61	127	85	45	19	337	24	-	-	1	1	1	-	-	-	-	-
Scarlatina	654	80	104	125	106	71	436	162	31	11	9	1	2	2	-	-	-	-
Diphtheria	45	3	8	6	4	5	26	12	2	1	2	2	-	-	-	-	-	-
Whooping-cough	661	216	218	111	61	23	629	31	1	-	-	-	-	-	-	-	-	-
Typhus	571	23	22	27	26	24	122	86	26	55	41	52	51	46	45	33	13	1
Cholera, Diarrh., Dysent^{y}	860	333	122	27	10	11	503	30	16	5	13	52	41	44	40	59	43	14
Other Zymotic Dis.	537	177	42	45	26	26	316	35	8	6	8	32	25	20	38	38	8	3
Cancer	293	2	-	-	-	1	3	1	-	-	-	12	61	83	81	39	12	1
Scrofula, Tabes Mesent.	263	87	64	33	17	6	207	20	14	2	3	5	1	5	-	5	1	-
Phthisis	1540	33	37	23	14	14	121	53	44	105	183	413	333	170	87	29	2	-
Hydrocephalus	353	119	107	53	25	17	321	22	5	1	2	-	1	-	-	1	-	-
Diseases of Brain	1328	332	83	41	19	18	493	42	17	10	12	38	74	95	179	211	130	27
Heart Dis. and Dropsy	704	4	5	6	7	6	28	20	28	31	25	61	84	97	134	135	50	11
Dis. of Lungs	2522	523	381	161	82	38	1185	58	10	15	20	76	115	182	286	355	186	34
Dis. of Stom. and Liver	588	41	13	6	7	4	71	17	4	14	14	58	72	92	115	82	45	4
Dis. of Kidneys	69	2	1	-	-	-	3	3	1	1	1	11	13	10	12	10	4	-
Dis. of Gener. Organs	67	-	1	-	-	-	1	-	-	2	3	9	16	14	13	5	4	-
Diseases of the Joints	25	4	1	1	1	-	7	5	1	4	4	-	-	2	1	1	-	-
Diseases of the Skin	42	20	1	3	1	-	25	-	1	1	-	1	-	4	2	6	1	1
Childbirth and Metria	214	-	-	-	-	-	-	-	-	12	36	91	73	2	-	-	-	-
Violent Deaths	257	72	11	10	9	4	106	12	4	9	12	33	18	20	15	12	13	3
Other Causes	2318	877	139	37	14	3	1070	11	5	5	7	25	36	43	84	277	557	198

* The District of Mile End Old Town was formed out of the Stepney District on the 1st October 1857, but for comparison is included here for all the years.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

25.—POPLAR.

CAUSES OF DEATH.	All Ages.	Ages of Males: Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	35 & upwds.
Mean Popul^n, 1851-61	31934	-	-	-	-	-	4644	3945	3174	2783	2799	5497	4234	2513	1362	724	239	20
TOTAL DEATHS	8204	1993	845	404	249	167	3658	348	190	230	242	591	655	592	619	618	377	84
Small-pox	120	22	20	12	9	5	68	7	3	9	6	17	4	4	2	-	-	-
Measles	209	41	71	50	18	11	191	15	3	-	-	-	-	-	-	-	-	-
Scarlatina	360	25	69	56	60	48	258	83	10	2	1	3	1	2	-	-	-	-
Diphtheria	23	2	7	5	2	-	16	5	-	-	-	1	-	1	-	-	-	-
Whooping-cough	229	78	70	35	24	11	218	9	1	1	-	-	-	-	-	-	-	-
Typhus	233	3	5	6	6	11	31	27	20	23	18	28	16	17	27	18	7	1
Cholera, Diarrh., Dysent^y	486	194	66	20	7	7	294	17	9	11	13	32	30	20	25	18	17	-
Other Zymotic Dis.	807	81	30	28	17	12	168	13	7	3	8	18	30	24	18	9	8	1
Cancer	38	-	-	-	-	-	-	-	-	-	1	-	2	13	9	13	-	-
Scrofula, Tabes Mesent.	169	73	33	24	9	3	142	10	5	2	5	3	1	1	-	-	-	-
Phthisis	933	25	24	18	7	3	77	21	19	51	88	220	219	128	78	30	2	-
Hydrocephalus	235	87	32	24	13	10	216	15	3	-	-	-	-	-	-	1	-	-
Diseases of Brain	1008	304	60	31	23	16	434	19	8	8	15	53	94	107	98	118	50	4
Heart Dis. and Dropsy	356	9	8	3	7	4	31	18	12	8	6	27	46	63	70	47	26	2
Dis. of Lungs	1262	400	192	69	38	15	714	26	3	3	14	42	54	86	143	119	53	5
Dis. of Stom. and Liver	271	49	4	2	2	3	60	14	10	9	5	18	32	36	38	37	11	1
Dis. of Kidneys	73	-	1	1	-	-	2	-	-	3	-	2	8	13	14	22	6	3
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Joints	13	1	-	-	-	1	2	4	1	-	-	1	-	1	1	2	1	-
Diseases of the Skin	19	6	1	-	-	1	8	-	-	-	-	1	2	1	1	4	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	623	31	13	6	3	5	58	38	73	90	52	102	92	48	43	18	8	1
Other Causes	1236	562	89	14	4	1	670	7	3	7	10	28	23	27	52	162	186	66

26.—ST. SAVIOUR, SOUTHWARK.

Mean Popul^n, 1851-61	17557	-	-	-	-	-	2395	1896	1689	1650	1696	3004	2366	1573	830	360	92	6
TOTAL DEATHS	5138	1363	557	338	177	106	2541	218	104	91	136	309	375	426	399	331	175	33
Small-pox	66	13	7	9	5	6	40	12	2	2	6	2	2	-	-	-	-	-
Measles	132	22	54	33	12	7	128	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	196	14	28	35	33	20	130	55	9	1	-	-	1	-	-	-	-	-
Diphtheria	6	4	1	1	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	191	58	65	40	14	8	185	6	-	-	-	-	-	-	-	-	-	-
Typhus	184	10	9	15	11	11	56	16	10	6	15	18	15	19	14	9	6	-
Cholera, Diarrh., Dysent^y	523	183	61	28	17	8	297	24	13	12	16	38	36	27	28	21	10	1
Other Zymotic Dis.	255	109	11	21	7	3	151	9	3	1	3	13	19	27	16	8	5	-
Cancer	41	-	-	-	1	1	2	-	-	-	-	1	4	8	16	10	-	-
Scrofula, Tabes Mesent.	115	44	23	14	3	4	88	9	3	4	1	3	2	4	-	1	-	-
Phthisis	642	19	21	16	8	3	67	12	11	32	59	122	140	113	67	15	4	-
Hydrocephalus	144	59	42	22	9	4	136	7	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	517	223	35	15	12	6	291	12	8	3	5	19	26	33	41	50	24	5
Heart Dis. and Dropsy	173	-	1	-	1	-	2	5	6	7	3	12	27	41	39	25	5	1
Dis. of Lungs	1027	300	146	68	32	20	566	20	3	5	7	22	48	87	125	97	44	3
Dis. of Stom. and Liver	173	27	3	6	2	-	38	7	5	4	5	14	21	31	14	30	4	-
Dis. of Kidneys	54	2	1	-	-	1	4	1	3	1	2	8	6	6	10	10	2	1
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	-	-	-	-	-	2	2	1	1	-	-	-	-	1	1	-
Diseases of the Skin	7	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	206	17	13	7	6	4	47	14	23	11	11	29	24	21	17	6	3	-
Other Causes	477	253	36	8	4	-	301	3	2	1	2	8	4	9	12	48	65	22

27.—ST. OLAVE, SOUTHWARK.

Mean Popul^n, 1851-61	9657	-	-	-	-	-	1105	1074	1009	917	999	1585	1290	928	505	188	53	3
TOTAL DEATHS	7329	649	293	179	112	91	1324	250	184	344	526	1183	1190	1094	740	367	110	17
Small-pox	45	12	4	3	8	3	30	7	1	5	1	1	-	-	-	-	-	-
Measles	74	14	31	16	9	3	73	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	145	8	22	21	21	13	85	37	10	3	2	6	-	1	-	1	-	-
Diphtheria	9	-	4	1	1	-	6	1	2	-	-	-	-	-	-	-	-	-
Whooping-cough	82	24	28	16	7	3	78	4	-	-	-	-	-	-	-	-	-	-
Typhus	237	4	3	5	7	6	25	20	11	40	38	55	16	16	9	4	3	-
Cholera, Diarrh., Dysent^y	283	50	14	7	6	8	85	14	7	9	10	48	43	25	28	11	2	1
Other Zymotic Dis.	365	54	7	6	4	3	74	8	4	11	19	69	53	62	34	22	8	1
Cancer	209	-	-	-	-	-	-	1	-	6	4	28	31	61	51	23	4	-
Scrofula, Tabes Mesent.	159	29	23	10	8	3	73	12	10	6	13	18	14	4	7	2	-	-
Phthisis	1173	1	7	6	-	2	16	16	18	77	156	337	273	198	69	12	1	-
Hydrocephalus	120	42	25	18	4	7	96	7	4	6	-	8	1	3	-	-	-	-
Diseases of Brain	495	97	18	7	5	4	131	16	9	7	22	56	78	68	61	32	13	2
Heart Dis. and Dropsy	720	2	-	2	1	1	6	5	11	32	46	112	158	149	129	58	13	1
Dis. of Lungs	847	126	61	17	5	9	218	8	7	17	56	96	117	137	103	65	19	4
Dis. of Stom. and Liver	446	20	4	3	1	1	29	2	9	15	32	65	104	90	70	27	3	-
Dis. of Kidneys	440	-	2	4	1	3	10	7	12	17	33	83	79	94	57	38	9	1
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-
Diseases of the Joints	98	-	-	-	-	-	-	6	10	15	9	19	14	9	10	6	-	-
Diseases of the Skin	39	2	1	-	-	-	3	3	-	1	5	8	5	3	6	4	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	990	16	17	30	21	19	103	70	54	66	68	162	182	149	88	36	12	-
Other Causes	847	148	22	7	3	3	183	5	5	11	11	15	22	23	17	26	23	6

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

25.—POPLAR.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	31245	-	-	-	-	-	4652	3885	3157	2550	2659	5225	4005	2423	1499	847	304	39
TOTAL DEATHS	7352	1656	778	356	270	177	3237	350	107	124	185	524	508	452	513	677	531	144
Small-pox	86	27	14	7	4	5	57	8	3	3	8	5	1	1	-	-	-	-
Measles	178	32	67	38	17	9	163	15	-	-	-	-	-	-	-	-	-	-
Scarlatina	335	24	46	52	55	42	219	91	12	6	3	2	-	2	-	-	-	-
Diphtheria	22	1	4	2	1	8	16	5	-	-	-	-	-	-	1	-	-	-
Whooping-cough	261	75	79	47	30	12	243	17	1	-	-	-	-	-	-	-	-	-
Typhus	202	5	8	8	11	8	40	43	16	15	16	12	15	11	23	9	3	-
Cholera, Diarrh., Dysent^{y}	415	167	56	10	15	6	254	16	4	4	5	28	28	18	17	23	13	5
Other Zymotic Dis.	243	76	26	21	21	18	162	12	3	2	4	13	11	11	12	5	7	1
Cancer	136	-	-	-	-	-	-	-	-	1	-	7	31	33	36	19	9	-
Scrofula, Tabes Mesent.	163	60	46	18	7	6	137	6	7	2	2	2	3	-	2	2	-	-
Phthisis	758	28	22	14	6	4	74	25	25	45	72	210	166	91	36	14	-	-
Hydrocephalus	195	68	62	19	17	11	177	17	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	930	235	64	29	24	15	367	25	7	11	11	66	69	96	100	120	50	8
Heart Dis. and Dropsy	385	8	2	-	6	5	21	10	8	9	6	30	45	49	80	89	36	2
Dis. of Lungs	1116	297	186	64	45	18	610	33	8	5	10	35	31	49	102	136	80	17
Dis. of Stom. and Liver	286	25	7	4	2	2	40	12	5	8	12	14	38	48	41	47	20	1
Dis. of Kidneys	28	-	-	-	-	1	1	-	1	2	3	-	8	5	4	3	1	-
Dis. of Gener. Organs	30	-	-	-	-	-	-	-	-	-	-	5	7	6	8	3	1	-
Diseases of the Joints	19	-	-	1	-	1	2	4	1	1	1	1	2	-	2	4	1	-
Diseases of the Skin	11	4	-	-	-	1	5	-	-	-	1	-	1	2	-	2	-	-
Childbirth and Metria	112	-	-	-	-	-	-	-	-	3	22	58	26	3	-	-	-	-
Violent Deaths	134	30	9	3	8	2	52	4	5	2	6	18	17	8	9	6	5	2
Other Causes	1306	494	80	19	1	3	597	7	1	4	3	18	9	19	40	195	305	108

26.—ST. SAVIOUR, SOUTHWARK.

Mean Popul^{n}, 1851-61	18393	-	-	-	-	-	2362	1928	1700	1549	1790	3189	2432	1671	1018	544	183	27
TOTAL DEATHS	5810	1115	572	308	179	110	2284	251	96	193	219	540	514	462	439	422	300	90
Small-pox	66	17	6	6	10	8	47	9	4	-	3	2	1	-	-	-	-	-
Measles	99	13	39	23	12	8	95	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	192	12	32	35	32	20	131	45	9	4	1	2	-	-	-	-	-	-
Diphtheria	8	1	3	2	1	-	7	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	251	82	72	51	23	11	239	12	-	-	-	-	-	-	-	-	-	-
Typhus	253	9	20	8	9	12	58	28	10	29	18	19	24	25	17	20	7	-
Cholera, Diarrh., Dysent^{y}	600	147	69	25	13	15	269	36	6	18	19	67	50	34	43	29	24	5
Other Zymotic Dis.	215	86	19	7	10	5	127	12	2	3	6	10	15	19	7	7	6	1
Cancer	155	-	1	-	-	-	1	-	-	2	2	15	33	45	32	19	6	-
Scrofula, Tabes Mesent.	108	43	27	11	6	1	88	7	1	2	-	3	3	3	1	-	-	-
Phthisis	771	18	16	17	6	3	60	22	25	66	102	223	143	74	38	13	-	-
Hydrocephalus	122	46	34	12	9	6	107	11	1	1	1	1	-	-	-	-	-	-
Diseases of Brain	528	168	45	19	4	3	239	10	7	13	10	21	31	44	48	64	34	7
Heart Dis. and Dropsy	339	2	1	2	2	1	8	7	12	22	6	43	66	50	54	47	18	6
Dis. of Lungs	964	229	145	73	29	11	487	18	2	3	11	21	43	75	113	113	68	10
Dis. of Stom. and Liver	260	13	2	2	1	1	19	8	4	12	14	35	34	43	46	29	14	2
Dis. of Kidneys	62	-	-	-	2	1	3	2	2	1	7	10	9	13	10	5	-	-
Dis. of Gener. Organs	41	-	-	-	-	-	-	-	-	2	2	11	11	10	3	-	2	-
Diseases of the Joints	15	-	-	-	-	1	1	1	2	-	1	3	1	1	1	3	1	-
Diseases of the Skin	11	4	-	1	-	-	5	-	1	1	1	-	-	-	-	3	-	-
Childbirth and Metria	49	-	-	-	-	-	-	-	-	-	7	22	20	-	-	-	-	-
Violent Deaths	105	15	3	9	9	3	39	17	2	6	3	6	7	8	6	5	3	3
Other Causes	594	210	38	5	1	-	254	2	5	8	5	26	18	18	20	65	117	56

27.—ST. OLAVE, SOUTHWARK.

Mean Popul^{n}, 1851-61	9559	-	-	-	-	-	1128	1059	900	795	885	1577	1325	929	567	288	97	9
TOTAL DEATHS	3960	492	270	157	118	83	1120	183	115	171	238	489	419	411	340	271	156	47
Small-pox	49	9	8	8	3	6	34	9	1	1	3	-	1	-	-	-	-	-
Measles	59	13	22	12	8	-	55	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	90	4	20	15	16	11	66	16	4	1	2	-	-	-	1	-	-	-
Diphtheria	6	1	1	-	1	-	3	1	1	-	-	1	-	-	-	-	-	-
Whooping-cough	101	31	26	22	7	10	96	5	-	-	-	-	-	-	-	-	-	-
Typhus	128	7	4	8	8	3	30	9	5	22	16	21	5	7	6	5	2	-
Cholera, Diarrh., Dysent^{y}	237	34	31	11	7	4	87	13	5	8	15	26	25	13	21	19	3	2
Other Zymotic Dis.	161	26	9	8	7	3	53	9	8	11	6	19	11	16	8	9	8	3
Cancer	171	-	-	-	1	-	1	1	3	7	6	27	39	56	23	5	3	-
Scrofula, Tabes Mesent.	91	11	19	9	5	7	51	6	7	4	3	11	4	2	1	2	-	-
Phthisis	581	3	5	3	1	5	17	13	19	49	84	158	121	53	11	5	1	-
Hydrocephalus	73	37	17	10	4	1	69	2	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	264	58	16	7	9	6	96	11	9	7	9	21	19	22	25	28	14	3
Heart Dis. and Dropsy	377	4	1	1	2	1	9	11	14	15	27	39	55	63	71	42	22	9
Dis. of Lungs	521	85	53	20	16	6	180	3	6	13	13	36	32	68	66	66	34	4
Dis. of Stom. and Liver	251	20	1	2	-	4	27	5	1	4	16	32	29	49	48	29	10	1
Dis. of Kidneys	106	-	-	-	1	-	1	2	4	8	5	17	23	19	16	6	5	-
Dis. of Gener. Organs	47	-	-	-	-	-	-	-	-	3	6	15	13	6	2	1	-	1
Diseases of the Joints	31	-	1	1	1	-	3	6	6	-	3	7	4	1	-	1	-	-
Diseases of the Skin	18	3	-	-	-	-	3	-	-	-	1	2	2	1	8	1	-	-
Childbirth and Metria	41	-	-	-	-	-	-	-	-	2	8	20	11	-	-	-	-	-
Violent Deaths	309	12	12	16	19	15	74	52	18	14	12	27	17	25	26	21	19	4
Other Causes	298	134	24	4	2	1	165	6	2	2	3	9	8	10	7	31	35	20

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards
28.—BERMONDSEY.																		
Mean Popul^{n}, 1851-61	26101	-	-	-	-	-	4046	3165	2583	2316	2369	4415	3313	2114	1150	493	120	12
TOTAL DEATHS	6609	1825	860	456	268	169	3578	275	77	110	152	338	448	455	477	435	228	36
Small-pox	98	22	17	6	17	9	71	14	1	1	1	6	3	1	-	-	-	-
Measles	230	49	75	50	34	8	216	14	-	-	-	-	-	-	-	-	-	-
Scarlatina	339	32	66	75	58	35	266	57	9	2	-	4	-	1	-	-	-	-
Diphtheria	15	2	7	1	3	-	13	1	-	-	-	-	1	-	-	-	-	-
Whooping-cough	260	88	89	52	16	8	253	7	-	-	-	-	-	-	-	-	-	-
Typhus	199	9	21	15	14	14	73	26	7	8	8	19	16	11	20	10	1	-
Cholera, Diarrh., Dysent^{y}	757	199	110	57	25	29	420	52	7	15	17	47	58	44	45	32	19	1
Other Zymotic Dis.	335	154	29	20	17	12	232	8	8	5	1	13	18	22	15	8	4	1
Cancer	37	-	-	-	-	-	-	1	-	-	1	2	6	8	7	9	3	-
Scrofula, Tabes Mesent.	179	61	55	17	10	3	146	10	3	3	3	5	3	4	-	1	1	-
Phthisis	655	15	22	10	7	3	57	11	12	47	71	130	163	101	48	13	2	-
Hydrocephalus	161	59	48	19	10	12	148	11	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	686	302	49	25	13	6	395	15	5	4	6	18	32	37	62	75	33	4
Heart Dis. and Dropsy	239	4	4	3	2	2	15	3	5	4	6	26	29	45	50	40	16	-
Dis. of Lungs	1212	345	186	79	29	19	658	23	6	2	13	30	59	118	140	123	34	6
Dis. of Stom. and Liver	260	69	10	4	3	3	89	7	5	7	7	9	20	38	41	24	12	1
Dis. of Kidneys	64	1	1	-	1	-	3	2	1	-	3	6	14	9	9	12	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	15	2	-	-	-	1	3	2	-	1	1	2	3	1	1	1	-	-
Diseases of the Skin	16	9	3	-	-	-	12	1	-	-	-	1	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	162	24	11	4	5	3	47	10	5	8	12	17	21	6	19	10	6	1
Other Causes	690	379	57	19	4	2	461	-	2	2	2	3	2	9	19	76	92	22
29.—ST. GEORGE, SOUTHWARK.																		
Mean Popul^{n}, 1851-61	26195	-	-	-	-	-	3460	2958	2849	2373	2411	4334	3484	2381	1290	523	118	14
TOTAL DEATHS	6972	1924	789	396	237	136	3482	300	87	128	166	432	518	577	552	450	230	50
Small-pox	124	34	17	8	12	12	83	16	4	5	5	9	2	-	-	-	-	-
Measles	153	22	65	32	20	8	147	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	256	20	34	47	48	27	176	68	7	1	2	-	1	1	-	-	-	-
Diphtheria	13	3	4	1	1	1	10	2	-	-	-	-	1	-	-	-	-	-
Whooping-cough	276	106	79	41	26	10	262	13	-	-	-	1	-	-	-	-	-	-
Typhus	234	11	11	15	15	14	66	27	8	14	10	22	19	27	23	14	4	-
Cholera, Diarrh., Dysent^{y}	661	227	88	37	16	9	377	39	10	12	16	45	42	44	36	24	11	-
Other Zymotic Dis.	357	160	28	24	11	11	234	14	3	3	2	17	26	15	17	18	6	2
Cancer	34	-	-	-	-	-	-	-	-	-	-	2	6	8	11	5	2	-
Scrofula, Tabes Mesent.	191	74	47	19	7	4	151	20	6	7	2	2	1	2	-	-	-	-
Phthisis	962	22	23	12	14	4	75	26	13	54	82	209	224	171	82	22	4	-
Hydrocephalus	192	81	61	22	9	7	180	9	1	1	1	-	-	-	-	-	-	-
Diseases of Brain	844	355	61	23	13	5	457	16	12	9	14	32	44	53	75	83	44	5
Heart Dis. and Dropsy	249	5	4	2	2	2	15	5	7	6	6	16	34	53	52	41	12	2
Dis. of Lungs	1252	340	178	79	21	14	632	21	5	8	11	41	65	120	167	118	53	11
Dis. of Stom. and Liver	218	56	7	3	5	4	75	7	5	5	4	15	19	29	26	24	8	1
Dis. of Kidneys	55	-	-	-	1	-	1	-	2	-	3	7	7	11	6	14	4	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Diseases of the Joints	11	1	1	-	-	-	2	3	2	-	2	-	2	-	-	-	-	-
Diseases of the Skin	17	6	1	-	-	-	7	-	-	-	-	-	-	1	3	6	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	131	39	8	7	7	1	62	3	2	2	3	8	11	14	17	5	3	1
Other Causes	740	362	72	24	9	3	470	5	-	1	3	6	14	26	37	76	79	23
30.—NEWINGTON.																		
Mean Popul^{n}, 1851-61	34468	-	-	-	-	-	5013	4068	3434	3086	3174	5645	4420	2925	1689	774	212	28
TOTAL DEATHS	8180	2146	886	441	278	166	3917	383	132	156	203	451	603	562	661	629	403	80
Small-pox	97	25	12	12	10	7	66	11	2	3	3	7	3	1	-	1	-	-
Measles	142	18	57	36	12	6	129	10	2	-	-	-	-	1	-	-	-	-
Scarlatina	354	25	46	63	58	42	234	98	15	4	1	1	-	1	-	-	-	-
Diphtheria	50	9	16	3	5	2	35	7	3	1	-	3	-	-	1	-	-	-
Whooping-cough	290	100	98	43	23	14	278	12	-	-	-	-	-	-	-	-	-	-
Typhus	244	8	9	18	12	5	52	39	15	14	21	23	18	16	19	13	12	2
Cholera, Diarrh., Dysent^{y}	675	234	63	22	25	16	360	40	16	6	11	38	50	53	46	34	17	4
Other Zymotic Dis.	392	158	26	22	29	12	247	22	7	7	3	14	25	30	13	10	12	2
Cancer	43	1	-	-	-	-	1	-	-	1	2	2	7	12	5	10	3	-
Scrofula, Tabes Mesent.	204	72	46	26	10	8	162	18	10	4	2	2	2	-	4	-	-	-
Phthisis	1077	31	20	20	13	6	90	29	16	66	106	222	272	166	86	21	2	1
Hydrocephalus	206	69	71	29	15	10	194	11	1	-	-	-	-	-	-	-	-	-
Diseases of the Brain	949	319	96	36	17	12	480	29	12	12	6	23	48	59	95	115	60	10
Heart Dis. and Dropsy	338	5	4	4	2	2	17	7	8	9	8	24	30	44	96	51	38	6
Dis. of Lungs	1456	417	196	75	37	14	739	25	5	9	22	44	75	96	166	186	78	11
Dis. of Stom. and Liver	313	66	14	4	1	3	88	10	7	6	9	13	34	39	55	37	11	4
Dis. of Kidneys	91	1	-	1	-	-	2	4	-	6	2	5	8	12	17	21	13	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	17	1	1	-	-	1	3	3	1	2	-	3	2	1	1	1	-	-
Diseases of the Skin	19	9	1	1	-	-	11	-	-	-	1	-	-	2	1	3	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	144	34	8	3	4	1	50	3	6	5	4	20	19	12	6	12	6	1
Other Causes	1079	544	102	23	5	5	679	5	6	1	2	7	10	17	50	114	150	38

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
28.—BERMONDSEY.																		
Mean Popul^{n}, 1851-61	27140	-	-	-	-	-	4119	3184	2633	2171	2443	4547	3418	2310	1408	680	190	27
TOTAL DEATHS	6619	1473	777	470	244	175	3139	323	105	121	217	446	447	424	474	488	360	75
Small-pox	103	28	12	14	7	12	73	15	4	6	2	1	1	1	-	-	-	-
Measles	242	29	88	63	31	20	231	10	-	1	-	-	-	-	-	-	-	-
Scarlatina	330	30	49	70	54	29	232	71	16	1	4	4	1	-	1	-	-	-
Diphtheria	27	5	4	5	5	3	22	3	1	-	-	1	-	-	-	-	-	-
Whooping-cough	353	107	104	74	34	19	338	15	-	-	-	-	-	-	-	-	-	-
Typhus	218	5	23	17	16	13	74	41	10	14	16	21	10	10	7	9	5	1
Cholera, Diarrh., Dysent^{y}	830	177	88	44	19	21	349	46	18	18	35	91	79	58	55	49	28	4
Other Zymotic Dis.	300	148	24	23	13	5	213	13	1	5	3	9	16	9	14	11	6	-
Cancer	117	-	-	1	1	-	2	1	-	-	1	8	18	33	30	20	4	-
Scrofula, Tabes Mesent.	132	46	43	10	2	4	105	12	3	-	1	2	5	3	1	-	-	-
Phthisis	617	18	13	7	8	10	56	16	23	38	82	160	136	70	29	6	1	-
Hydrocephalus	143	47	43	18	16	6	130	7	1	1	2	1	1	-	-	-	-	-
Diseases of Brain	581	207	43	24	5	5	284	20	7	5	11	18	23	32	63	69	44	5
Heart Dis. and Dropsy	265	5	6	4	1	2	18	13	3	10	7	16	30	44	54	52	18	-
Dis. of Lungs	1083	276	162	66	22	20	546	21	3	9	8	26	44	81	128	133	74	10
Dis. of Stom. and Liver	286	38	7	4	2	2	53	6	8	1	18	20	30	54	53	30	12	1
Dis. of Kidneys	34	-	-	-	-	2	2	1	2	1	4	6	2	6	9	1	-	-
Dis. of Gener. Organs	28	-	-	-	-	-	-	-	-	-	-	5	8	7	4	3	1	-
Diseases of the Joints	9	-	1	-	-	-	1	2	2	-	-	-	1	-	2	1	-	-
Diseases of the Skin	15	7	-	1	-	-	8	1	-	-	-	2	1	-	3	-	-	-
Childbirth and Metria	98	-	-	-	-	-	-	-	-	4	14	49	27	4	-	-	-	-
Violent Deaths	76	21	3	7	4	-	35	5	2	5	6	4	4	3	2	2	6	2
Other Causes	732	279	64	18	4	2	367	4	1	2	3	2	10	9	19	102	161	52
29.—ST. GEORGE, SOUTHWARK.																		
Mean Popul^{n}, 1851-61	27472	-	-	-	-	-	3451	2960	2646	2474	2690	4686	3653	2479	1431	720	243	39
TOTAL DEATHS	6890	1527	739	451	241	149	3107	277	102	144	189	440	567	494	550	539	368	113
Small-pox	109	23	15	18	13	8	77	13	7	2	7	3	-	-	-	-	-	-
Measles	158	28	58	36	16	8	146	11	1	-	-	-	-	-	-	-	-	-
Scarlatina	266	17	34	53	40	37	181	64	13	2	2	4	-	-	-	-	-	-
Diphtheria	32	7	3	6	1	4	21	5	2	1	1	1	-	1	-	-	-	-
Whooping-cough	315	89	95	73	24	14	295	19	-	1	-	-	-	-	-	-	-	-
Typhus	240	6	13	17	18	11	65	27	7	20	12	23	21	23	21	10	10	1
Cholera, Diarrh., Dysent^{y}	714	198	86	35	23	10	352	36	13	16	15	58	62	46	41	45	24	6
Other Zymotic Dis.	296	128	29	19	12	15	203	10	4	7	3	8	13	12	15	16	3	2
Cancer	124	-	-	-	1	-	1	-	-	-	1	7	35	35	32	8	2	3
Scrofula, Tabes Mesent.	141	53	36	16	4	3	112	5	4	4	4	7	1	1	3	-	-	-
Phthisis	778	20	13	15	8	6	62	22	18	44	84	179	190	103	58	13	4	1
Hydrocephalus	152	59	50	17	10	8	144	5	1	-	-	1	-	-	-	-	1	-
Diseases of Brain	760	254	52	22	17	6	351	16	9	15	10	18	47	44	87	83	64	16
Heart Dis. and Dropsy	287	5	1	1	4	1	12	6	7	9	10	21	39	57	51	55	17	3
Dis. of Lungs	1199	278	160	83	42	16	579	22	4	6	9	28	50	90	152	164	83	12
Dis. of Stom. and Liver	245	19	8	6	3	1	37	6	2	4	8	24	37	39	40	35	13	-
Dis. of Kidneys	30	-	1	-	-	-	1	1	1	1	-	2	5	8	8	1	1	1
Dis. of Gener. Organs	34	-	1	-	-	-	1	-	-	2	2	4	14	4	5	2	-	-
Diseases of the Joints	10	1	-	-	-	1	2	1	2	3	1	-	-	-	-	1	-	-
Diseases of the Skin	15	4	1	-	-	-	5	1	1	-	-	1	-	1	1	2	1	2
Childbirth and Metria	88	-	-	-	-	-	-	-	-	4	13	37	34	-	-	-	-	-
Violent Deaths	86	28	6	7	2	-	43	1	3	1	3	6	4	10	3	9	-	3
Other Causes	811	310	77	27	8	-	417	6	3	2	4	8	15	20	33	95	145	63
30.—NEWINGTON.																		
Mean Popul^{n}, 1851-61	39050	-	-	-	-	-	5027	4102	3565	3496	3820	6614	4963	3444	2307	1237	407	68
TOTAL DEATHS	8576	1752	810	419	292	183	3456	348	109	175	238	633	640	588	705	849	662	173
Small-pox	79	17	6	12	6	10	51	14	4	-	2	5	3	-	-	-	-	-
Measles	152	27	55	35	14	9	140	10	-	2	-	-	-	-	-	-	-	-
Scarlatina	357	20	50	53	63	45	231	96	16	5	3	5	-	1	-	-	-	-
Diphtheria	39	4	7	5	7	1	24	13	1	1	-	-	-	-	-	-	-	-
Whooping-cough	362	124	118	50	35	19	346	14	1	-	-	-	-	-	1	-	-	-
Typhus	272	8	14	15	26	9	72	36	12	13	18	31	31	16	15	12	11	5
Cholera, Dia rh., Dysent^{y}	805	207	57	27	22	15	328	37	11	21	31	69	71	73	62	58	38	6
Other Zymotic Dis.	335	141	24	23	16	10	219	10	4	2	4	15	14	19	21	22	4	1
Cancer	218	1	-	-	-	1	2	-	-	1	2	17	37	60	49	34	15	1
Scrofula, Tabes Mesent.	172	61	53	14	9	5	142	9	5	5	3	2	1	-	2	-	3	-
Phthisis	950	18	19	18	5	8	68	27	20	71	107	255	221	107	57	14	3	-
Hydrocephalus	185	73	56	25	12	10	176	9	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	821	248	62	29	25	16	380	21	10	5	20	30	34	61	92	121	93	14
Heart Dis. and Dropsy	462	7	7	4	-	2	20	11	7	10	8	32	39	64	100	115	41	8
Dis. of Lungs	1348	263	178	74	39	15	569	16	6	12	6	30	52	88	168	226	151	24
Dis. of Stom. and Liver	412	41	7	6	2	1	57	13	3	11	11	33	47	60	69	80	24	4
Dis. of Kidneys	39	-	-	-	-	-	-	-	-	1	-	7	9	6	10	2	4	-
Dis. of Gener. Organs	42	-	-	-	-	-	-	-	-	1	-	5	7	14	7	6	2	-
Diseases of the Joints	15	1	-	-	-	-	1	1	3	1	1	1	1	1	4	-	1	-
Diseases of the Skin	21	10	-	-	-	-	10	-	1	2	-	-	1	-	2	2	3	-
Childbirth and Metria	151	-	-	-	-	-	-	-	-	7	17	73	53	1	-	-	-	-
Violent Deaths	107	32	6	6	3	3	50	5	3	2	2	6	9	5	7	7	9	2
Other Causes	1172	449	91	18	8	4	570	6	2	2	3	10	10	12	39	150	260	108

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
31.—LAMBETH.																		
Mean Popul^{n}, 1851-61	68837	-	-	-	-	-	9809	8296	7106	6075	5886	11329	8984	5968	3362	1547	428	47
TOTAL DEATHS	1604^{8}	4283	1667	859	529	321	7659	757	272	330	376	902	1160	1223	1273	1168	767	161
Small-pox	176	39	21	21	16	11	108	40	7	3	4	5	4	3	-	1	1	-
Measles	364	65	133	72	48	19	337	27	-	-	-	-	-	-	-	-	-	-
Scarlatina	816	60	112	155	123	33	543	221	28	9	3	6	5	1	-	-	-	-
Diphtheria	61	11	8	9	8	6	42	8	4	5	1	1	-	-	-	-	-	-
Whooping-cough	588	231	207	79	50	21	588	15	-	1	-	-	-	-	-	-	-	-
Typhus	500	20	29	31	25	17	122	76	29	38	25	44	37	45	38	30	13	3
Cholera, Diarrh., Dysent^{y}	1270	521	135	52	31	18	757	63	19	21	29	66	67	74	81	53	33	7
Other Zymotic Dis.	823	331	64	39	38	20	492	29	12	12	8	30	55	67	44	45	26	3
Cancer	120	-	-	-	-	2	2	1	-	-	-	5	17	27	35	24	8	1
Scrofula, Tabes Mesent.	370	110	74	51	16	11	262	38	15	6	12	14	6	9	7	1	-	-
Phthisis	1904	34	29	15	8	9	95	44	43	124	176	425	469	311	148	52	16	1
Hydrocephalus	427	164	133	53	33	15	398	19	7	-	1	1	1	-	-	-	-	-
Diseases of Brain	1749	624	130	64	34	24	876	45	27	23	18	45	82	126	195	189	112	11
Heart Dis. and Dropsy	673	12	10	1	1	2	26	20	17	18	22	57	107	112	137	109	46	2
Dis. of Lungs	2704	740	353	136	75	27	1331	41	9	17	31	80	153	245	343	334	179	31
Dis. of Stom. and Liver	641	118	20	14	1	6	159	22	11	14	18	40	64	93	101	85	27	7
Dis. of Kidneys	206	2	5	2	1	4	14	7	6	3	4	14	24	31	30	39	28	6
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
Diseases of the Joints	33	1	1	1	-	-	3	2	7	3	1	3	2	2	5	5	-	-
Diseases of the Skin	43	28	2	1	-	-	31	-	1	-	1	1	1	3	1	3	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	417	49	18	18	10	10	105	28	27	26	21	50	50	42	32	18	15	3
Other Causes	2054	1123	183	45	11	6	1368	11	3	7	1	15	16	31	76	179	261	86
32.—WANDSWORTH.																		
Mean Popul^{n}, 1851-61	27342	-	-	-	-	-	3751	3431	2992	2475	2262	4104	3428	2382	1491	760	234	32
TOTAL DEATHS	6240	1295	463	240	160	119	2277	284	128	176	171	423	618	557	542	590	379	95
Small-pox	48	8	4	3	7	3	25	6	2	3	3	5	2	2	-	-	-	-
Measles	106	12	43	21	15	9	100	4	2	-	-	-	-	-	-	-	-	-
Scarlatina	244	17	22	41	29	33	142	68	16	5	4	1	4	2	1	-	1	-
Diphtheria	30	4	4	6	3	4	21	3	4	-	-	1	-	-	1	-	-	-
Whooping-cough	131	58	35	23	9	1	126	4	1	-	-	-	-	-	-	-	-	-
Typhus	175	5	5	5	10	5	30	36	14	14	8	12	18	17	11	9	6	-
Cholera, Diarrh., Dysent^{y}	458	129	57	16	18	12	232	24	16	8	3	35	31	22	35	33	16	3
Other Zymotic Dis.	316	108	22	18	9	8	165	13	4	3	8	13	27	27	22	16	13	5
Cancer	49	1	-	1	-	-	2	-	-	-	-	5	2	10	10	16	4	-
Scrofula, Tabes Mesent.	113	29	24	11	8	3	75	10	8	7	7	3	1	1	1	-	-	-
Phthisis	733	19	20	8	5	2	54	21	8	52	72	166	156	121	55	24	3	1
Hydrocephalus	144	36	52	20	12	9	129	13	1	-	-	-	-	-	-	-	1	-
Diseases of Brain	1008	160	32	15	9	11	227	20	11	21	21	33	191	137	120	116	59	2
Heart Dis. and Dropsy	327	6	2	2	2	-	12	12	3	4	4	20	33	46	72	79	38	4
Dis. of Lungs	831	234	81	29	16	11	371	15	7	12	14	21	53	67	82	117	61	11
Dis. of Stom. and Liver	249	38	4	1	-	-	43	7	6	10	6	17	29	35	42	46	8	-
Dis. of Kidneys	104	1	-	-	-	1	2	1	1	2	2	9	13	16	23	18	14	3
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	26	-	-	1	-	1	2	3	2	2	3	-	2	2	3	5	2	-
Diseases of the Skin	9	2	-	-	-	-	2	-	-	-	-	-	-	3	-	-	2	2
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	250	19	4	5	8	4	40	20	21	29	13	26	33	28	18	13	8	1
Other Causes	888	409	52	14	-	2	477	4	1	4	3	6	23	21	45	98	143	63
33.—CAMBERWELL.																		
Mean Popul^{n}, 1851-61	27604	-	-	-	-	-	4118	3549	3009	2378	2136	4047	3441	2393	1494	782	221	36
TOTAL DEATHS	6504	1487	511	264	165	121	2548	311	124	121	186	411	571	593	543	611	391	94
Small-pox	44	11	3	2	1	1	18	7	2	2	3	6	3	2	-	1	-	-
Measles	134	19	64	21	11	8	128	9	-	-	1	1	-	-	-	-	-	-
Scarlatina	258	13	26	41	42	32	154	81	19	2	-	1	1	-	-	-	-	-
Diphtheria	19	3	2	3	1	2	11	5	-	-	-	1	-	-	-	-	-	-
Whooping-cough	151	63	45	19	13	4	144	6	-	-	1	-	-	-	1	1	-	-
Typhus	149	5	3	10	5	7	30	27	16	9	10	17	10	6	8	10	4	2
Cholera, Diarrh., Dysent^{y}	531	177	46	22	13	13	271	32	11	9	17	25	41	38	38	28	15	8
Other Zymotic Dis.	335	87	27	19	16	11	160	19	10	8	5	14	30	33	22	20	9	5
Cancer	62	2	-	-	-	-	2	1	1	-	-	1	5	8	19	21	4	-
Scrofula, Tabes Mesent.	150	61	28	10	4	5	108	19	9	1	3	1	4	1	3	1	-	-
Phthisis	733	15	5	5	4	2	31	14	10	44	91	165	172	118	66	21	1	-
Hydrocephalus	158	63	44	26	9	2	144	14	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	1103	217	33	22	13	15	300	19	11	8	16	21	149	148	120	150	85	6
Heart Dis. and Dropsy	310	3	-	3	2	1	9	6	6	8	4	14	45	52	55	75	32	4
Dis. of Lungs	987	252	116	37	19	9	433	23	6	6	11	27	46	84	106	133	92	26
Dis. of Stom. and Liver	289	44	6	6	2	4	62	7	4	6	6	17	23	42	43	56	16	7
Dis. of Kidneys	97	-	1	-	-	1	2	-	3	1	3	3	8	19	16	22	15	-
Dis. of Gener. Organs	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	16	-	2	-	-	-	2	4	1	-	1	-	1	3	2	2	-	-
Diseases of the Skin	18	12	-	1	-	-	13	-	-	1	-	1	-	1	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	210	23	13	5	4	2	47	13	14	14	7	23	31	21	19	10	6	3
Other Causes	749	417	46	12	6	2	483	5	1	2	2	3	2	17	24	59	112	39

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
31.—LAMBETH.																		
Mean Popul^{n}, 1851-61	31847	-	-	-	-	-	9938	8361	7414	7507	2524	14541	10519	7243	4483	2370	847	104
TOTAL DEATHS	17189	3664	1633	852	563	365	7077	711	298	363	530	1193	1191	1163	1450	1654	1204	355
Small-pox	158	47	21	16	17	11	112	18	8	5	7	4	4	–	–	–	–	–
Measles	399	53	139	96	60	22	370	25	3	–	–	1	–	–	–	–	–	–
Scarlatina	722	39	114	102	119	98	472	181	42	6	9	6	1	1	2	2	–	–
Diphtheria	83	6	8	8	10	11	43	23	7	6	1	3	2	–	1	–	–	–
Whooping-cough	753	223	259	134	71	38	725	27	1	–	–	–	–	–	–	–	–	–
Typhus	570	22	28	34	29	37	150	75	38	44	35	42	40	30	32	53	25	6
Cholera, Diarrh., Dysent^{y}	1403	456	137	48	24	12	672	53	26	22	43	94	119	81	100	97	77	19
Other Zymotic Dis.	774	300	61	37	38	19	455	30	13	21	13	37	30	30	41	56	44	4
Cancer	454	3	1	2	2	1	9	–	–	1	4	30	72	113	111	80	28	6
Scrofula, Tabes Mesent.	324	123	68	30	16	5	242	21	20	7	7	8	6	5	4	4	–	–
Phthisis	1841	27	26	33	10	17	113	54	54	138	237	486	372	198	109	43	24	13
Hydrocephalus	336	111	107	46	18	20	302	27	2	3	1	–	–	–	–	–	1	–
Diseases of Brain	1804	490	139	67	38	23	757	58	22	28	32	57	81	122	214	246	151	36
Heart Dis. and Dropsy	931	9	5	1	5	3	23	15	22	23	24	86	100	175	196	197	81	12
Dis. of Lungs	2715	604	332	137	70	23	1166	59	19	14	24	74	132	182	335	433	236	41
Dis. of Stom. and Liver	777	81	14	10	7	7	119	19	11	13	23	69	86	129	148	120	33	7
Dis. of Kidneys	120	2	1	3	2	1	9	1	1	1	3	18	22	20	17	22	6	–
Dis. of Gener. Organs	108	1	–	1	–	–	2	–	1	–	1	16	20	21	27	14	5	1
Diseases of the Joints	44	1	1	1	1	2	6	7	4	3	1	4	7	5	4	2	1	–
Diseases of the Skin	48	19	6	–	2	–	27	–	1	1	–	1	2	1	5	4	5	1
Childbirth and Metria	257	–	–	–	–	–	–	–	–	13	47	125	69	3	–	–	–	–
Violent Deaths	239	60	13	9	9	4	95	10	–	7	10	21	12	19	23	16	22	4
Other Causes	2306	987	153	42	15	11	1208	8	3	7	8	14	14	28	81	265	465	205
32.—WANDSWORTH.																		
Mean Popul^{n}, 1851-61	33242	-	-	-	-	-	9822	3352	3164	3056	3258	5795	4330	2988	1918	1090	393	75
TOTAL DEATHS	6136	1088	432	211	153	112	1996	235	138	155	208	475	513	463	568	669	549	167
Small-pox	31	5	1	4	4	3	17	2	3	2	–	2	3	1	–	1	–	–
Measles	108	15	26	27	18	5	91	13	1	–	1	2	–	–	–	–	–	–
Scarlatina	222	6	27	30	39	34	136	60	14	5	1	3	2	1	–	–	–	–
Diphtheria	30	2	4	3	3	3	15	7	3	2	–	1	2	–	–	–	–	–
Whooping-cough	160	58	56	22	13	2	151	7	2	–	–	–	–	–	–	–	–	–
Typhus	203	3	4	8	7	15	37	26	20	24	14	23	21	12	11	10	5	–
Cholera, Diarrh., Dysent^{y}	495	121	40	18	12	14	205	20	12	7	23	32	47	36	47	31	25	10
Other Zymotic Dis.	269	99	14	12	8	4	137	11	10	6	7	17	12	17	20	13	15	4
Cancer	196	1	1	–	2	–	4	2	–	1	2	10	36	44	47	38	11	1
Scrofula, Tabes Mesent.	94	23	20	4	4	3	54	9	6	7	4	4	4	2	2	2	–	–
Phthisis	711	25	14	7	5	3	54	14	29	56	94	197	141	70	40	13	3	–
Hydrocephalus	93	37	20	10	7	7	81	7	4	–	–	–	–	1	–	–	–	–
Diseases of Brain	771	123	29	14	7	4	177	15	10	15	17	62	80	84	112	114	73	12
Heart Dis. and Dropsy	405	13	3	2	–	–	18	11	4	4	12	16	48	53	82	106	49	2
Dis. of Lungs	837	183	104	36	18	10	351	14	6	7	6	22	35	62	93	152	87	22
Dis. of Stom. and Liver	280	21	5	1	2	–	29	9	6	8	6	28	22	30	51	60	26	5
Dis. of Kidneys	37	–	–	1	–	–	1	–	1	1	2	4	3	6	5	9	4	1
Dis. of Gener. Organs	42	–	–	–	–	–	–	–	–	–	1	4	11	14	4	7	1	–
Diseases of the Joints	15	–	–	–	1	–	1	1	2	2	–	1	–	2	3	2	1	–
Diseases of the Skin	39	9	–	–	1	–	10	–	2	–	1	2	2	1	5	7	8	1
Childbirth and Metria	75	–	–	–	–	–	–	–	–	4	13	30	26	2	–	–	–	–
Violent Deaths	79	10	5	6	1	4	26	5	–	2	3	5	4	10	8	7	6	3
Other Causes	944	334	59	6	1	1	401	2	3	2	1	10	14	15	38	117	235	106
33.—CAMBERWELL.																		
Mean Popul^{n}, 1851-61	35473	-	-	-	-	-	3100	3576	3230	3432	3502	5947	4398	3095	2204	1304	459	76
TOTAL DEATHS	7127	1152	513	274	183	138	2260	255	120	177	246	543	638	553	675	824	630	206
Small-pox	31	9	3	3	2	1	18	4	–	3	1	4	1	–	–	–	–	–
Measles	121	13	49	22	9	10	103	14	2	–	1	–	1	–	–	–	–	–
Scarlatina	266	15	35	43	44	33	170	64	15	4	5	3	2	1	1	1	–	–
Diphtheria	34	3	5	3	3	4	18	4	4	4	1	2	–	–	–	–	1	–
Whooping-cough	211	73	64	30	16	12	195	15	1	–	–	–	–	–	–	–	–	–
Typhus	188	3	10	7	12	9	41	25	15	13	11	18	10	13	13	16	10	3
Cholera, Diarrh., Dysent^{y}	654	175	51	21	15	11	273	25	6	13	23	51	45	52	48	83	25	10
Other Zymotic Dis.	281	70	25	23	17	8	143	9	6	5	8	18	12	20	19	30	10	1
Cancer	208	–	–	1	–	–	1	–	–	–	1	5	34	51	54	46	13	3
Scrofula, Tabes Mesent.	138	45	32	18	7	6	108	7	6	4	3	2	5	2	1	–	–	–
Phthisis	797	10	7	8	5	3	33	19	33	81	93	202	178	81	57	18	2	–
Hydrocephalus	120	28	37	25	8	6	104	15	–	–	1	–	–	–	–	–	–	–
Diseases of Brain	974	152	32	12	11	10	217	18	6	8	31	70	106	103	124	157	104	30
Heart Dis. and Dropsy	398	4	2	3	1	1	11	5	10	11	8	19	46	48	82	100	53	5
Dis. of Lungs	1014	181	98	33	18	14	344	13	5	9	14	33	59	62	135	165	149	26
Dis. of Stom. and Liver	420	36	5	4	5	4	54	3	3	8	6	32	53	64	71	78	41	7
Dis. of Kidneys	56	2	–	–	–	–	2	1	2	1	2	4	5	10	9	10	9	1
Dis. of Gener. Organs	48	–	–	–	–	–	–	–	–	1	2	4	15	12	7	7	–	–
Diseases of the Joints	13	–	–	–	–	–	–	1	1	1	1	2	1	5	1	–	–	–
Diseases of the Skin	16	5	2	1	2	–	10	–	–	–	–	–	1	–	2	1	2	–
Childbirth and Metria	114	–	–	–	–	–	–	–	–	2	20	49	41	2	–	–	–	–
Violent Deaths	122	16	3	3	2	4	28	5	2	6	9	14	13	12	13	13	5	2
Other Causes	903	312	53	14	6	2	387	8	3	3	5	11	10	15	38	99	206	118

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

34.—ROTHERHITHE.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	10972	-	-	-	-	-	1496	1282	1021	1055	1072	1853	1448	895	535	242	67	6
TOTAL DEATHS	2593	662	269	153	87	50	1221	157	53	75	81	172	194	161	143	205	113	18
Small-pox	46	13	5	6	4	2	30	11	2	-	-	1	2	-	-	-	-	-
Measles	57	5	23	15	5	3	51	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	107	9	18	18	24	11	80	24	2	-	-	1	-	-	-	-	-	-
Diphtheria	4	1	1	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	73	29	20	10	5	4	68	5	-	-	-	-	-	-	-	-	-	-
Typhus	62	2	1	7	1	2	13	7	4	3	7	4	7	5	5	6	1	-
Cholera, Diarrh., Dysent^{y}	297	89	30	14	11	6	150	18	5	5	13	28	28	18	13	14	3	2
Other Zymotic Dis.	101	29	10	11	5	3	58	7	2	-	1	7	4	9	3	5	4	1
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	2	3	3	1	1	-
Scrofula, Tabes Mesent.	34	9	10	3	3	-	25	5	1	2	-	-	-	-	1	-	-	-
Phthisis	223	6	8	5	1	-	20	4	5	12	20	55	62	26	12	7	-	-
Hydrocephalus	82	29	26	10	5	2	72	9	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	286	117	28	11	6	5	167	22	5	1	5	-	7	11	21	35	11	1
Heart Dis. and Dropsy	91	-	-	-	1	-	1	5	2	2	1	8	13	15	13	23	8	-
Dis. of Lungs	420	134	65	29	10	8	246	9	3	1	6	16	20	23	39	41	16	-
Dis. of Stom. and Liver	86	8	1	-	1	1	11	7	1	1	1	3	13	17	12	13	7	-
Dis. of Kidneys	29	-	1	1	-	-	2	1	-	-	2	3	1	3	7	8	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	1	1	-	2	-	-	-	1	-	-	-	-	1	-	-
Diseases of the Skin	6	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	244	16	4	5	1	2	28	13	20	46	24	41	34	27	5	5	1	-
Other Causes	331	163	18	7	1	1	190	4	-	2	-	5	1	4	9	45	57	14

35.—GREENWICH.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	58081	-	-	-	-	-	7563	6163	5921	5321	6715	9724	6714	4103	2721	2117	907	112
TOTAL DEATHS	16293	3086	1131	617	371	241	5446	575	291	552	964	1413	1197	1017	1108	1922	1512	296
Small-pox	219	41	22	24	17	12	116	26	6	22	26	18	4	1	-	-	-	-
Measles	261	46	85	53	36	13	233	19	2	2	4	1	-	-	-	-	-	-
Scarlatina	548	37	68	92	80	68	345	128	28	14	17	6	8	2	-	-	-	-
Diphtheria	55	7	8	4	4	3	26	7	1	-	-	-	-	1	-	-	-	-
Whooping-cough	277	111	86	44	23	8	272	5	-	-	-	-	-	-	-	-	-	-
Typhus	661	19	22	22	19	20	102	74	41	83	85	74	46	43	41	53	19	-
Cholera, Diarrh., Dysent^{y}	1232	371	99	31	17	10	528	41	24	46	52	114	92	78	56	95	94	12
Other Zymotic Dis.	819	171	46	38	35	18	308	28	9	15	47	81	71	57	60	72	58	13
Cancer	148	1	-	-	-	-	1	-	-	1	3	7	13	24	27	46	18	8
Scrofula, Tabes Mesent.	229	57	42	21	7	4	131	18	10	11	22	11	9	5	4	6	2	-
Phthisis	2226	57	34	21	13	10	135	43	32	122	348	559	403	250	160	133	39	2
Hydrocephalus	343	122	105	39	20	17	303	33	5	-	1	-	-	-	-	-	1	-
Diseases of Brain	1701	540	95	51	24	15	725	40	27	30	32	66	72	76	143	268	197	23
Heart Dis. and Dropsy	1055	18	10	4	4	4	40	18	13	18	32	62	108	111	157	291	189	16
Dis. of Lungs	2623	592	246	107	45	20	1010	37	14	51	121	149	127	136	219	413	302	44
Dis. of Stom. and Liver	633	66	14	9	5	3	97	11	14	15	34	64	68	76	75	108	65	6
Dis. of Kidneys	269	2	-	3	1	-	6	1	1	5	14	26	17	27	32	67	64	9
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	1	-
Diseases of the Joints	71	-	1	2	1	-	4	7	4	10	12	13	8	1	4	5	2	1
Diseases of the Skin	59	13	2	-	1	-	16	-	-	3	3	4	3	2	7	16	5	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	800	44	25	15	10	8	102	30	52	95	95	123	105	72	47	42	28	9
Other Causes	2078	771	121	37	9	8	946	9	8	9	15	35	42	55	73	307	428	151

36.—LEWISHAM.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	23513	-	-	-	-	-	3366	2800	2344	2135	2334	3954	2958	1897	1024	496	182	23
TOTAL DEATHS	4226	1109	371	224	130	89	1923	194	96	93	118	264	279	292	316	355	241	55
Small-pox	55	14	3	3	3	2	25	7	3	1	7	6	2	4	-	-	-	-
Measles	90	15	31	14	12	7	79	9	1	-	1	-	-	-	-	-	-	-
Scarlatina	197	12	27	48	40	19	146	37	7	4	1	1	1	-	-	-	-	-
Diphtheria	22	-	-	1	4	8	8	7	5	-	1	-	-	-	-	-	-	-
Whooping-cough	107	37	37	14	8	3	99	8	-	-	-	-	-	-	-	-	1	-
Typhus	115	4	3	6	7	4	24	9	13	15	5	11	8	16	7	6	1	-
Cholera, Diarrh., Dysent^{y}	257	123	32	9	-	5	169	6	5	1	5	11	10	9	11	17	11	2
Other Zymotic Dis.	238	81	21	17	4	12	135	14	6	7	6	5	15	14	18	15	3	-
Cancer	48	-	1	-	-	-	1	-	1	-	-	3	6	6	18	12	1	-
Scrofula, Tabes Mesent.	97	31	21	8	4	3	67	6	4	7	1	4	2	1	3	1	1	-
Phthisis	463	16	8	3	4	3	34	18	14	21	48	128	100	64	24	12	-	-
Hydrocephalus	143	54	45	19	6	4	128	10	4	-	-	-	-	-	1	-	-	-
Diseases of Brain	550	169	19	27	9	7	231	19	5	9	10	10	31	40	63	76	46	10
Heart Dis. and Dropsy	235	4	1	2	1	3	11	3	1	2	4	18	22	32	57	49	31	5
Dis. of Lungs	616	217	81	31	14	10	353	13	1	5	4	20	29	40	45	62	37	7
Dis. of Stom. and Liver	156	19	-	4	4	-	27	8	6	3	7	11	17	22	24	20	10	1
Dis. of Kidneys	76	-	1	-	-	-	1	1	1	1	3	8	8	6	10	24	11	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	-	-	-	-	-	3	1	1	1	-	-	1	1	-	-	-
Diseases of the Skin	13	2	3	1	1	-	7	1	-	-	-	2	-	-	2	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	170	10	5	4	5	1	25	9	16	16	12	21	21	26	13	9	2	-
Other Causes	570	301	32	13	4	3	353	6	2	-	2	5	7	11	19	51	86	28

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
34.—ROTHERHITHE.																		
Mean Popul^{n}, 1851-61	10183	-	-	-	-	-	1504	1247	1040	815	832	1622	1312	831	546	297	118	19
TOTAL DEATHS	2444	527	245	178	81	49	1080	112	35	40	73	181	156	149	165	216	186	51
Small-pox	39	11	7	4	5	2	29	7	1	1	-	-	1	-	-	-	-	-
Measles	73	13	23	22	9	1	68	4	-	1	-	-	-	-	-	-	-	-
Scarlatina	114	6	11	32	24	15	88	19	6	-	-	-	1	-	-	-	-	-
Diphtheria	3	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Whooping cough	97	24	31	21	11	3	90	7	-	-	-	-	-	-	-	-	-	-
Typhus	53	2	-	2	3	4	11	12	4	5	2	5	2	3	1	7	-	1
Cholera, Diarrh., Dysent^{y}	313	65	34	19	6	2	126	18	6	5	10	30	28	26	25	19	16	4
Other Zymotic Dis.	82	27	7	9	1	2	46	5	1	2	-	3	3	4	3	7	8	-
Cancer	36	-	2	-	-	-	2	-	-	-	1	1	10	9	9	2	2	-
Scrofula, Tabes Mesent.	22	5	3	2	2	3	15	3	-	-	2	2	-	-	-	-	-	-
Phthisis	227	5	4	4	1	1	15	7	7	13	28	72	46	25	12	2	-	-
Hydrocephalus	55	23	14	9	4	2	52	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	265	106	29	9	4	6	154	10	1	-	2	1	10	14	23	29	13	3
Heart Dis. and Dropsy	107	4	2	-	-	1	7	1	2	4	3	7	6	14	24	26	3	-
Dis. of Lungs	350	83	51	35	8	5	182	9	-	2	4	8	14	25	31	43	26	6
Dis. of Stom. and Liver	88	6	3	1	-	1	11	3	2	2	1	7	11	18	16	10	6	1
Dis. of Kidneys	5	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	-	2	3	2	3	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	59	-	-	-	-	-	-	-	-	3	9	31	16	-	-	-	-	-
Violent Deaths	62	15	7	1	-	1	24	2	3	-	5	11	5	4	-	3	5	-
Other Causes	375	129	16	8	3	-	156	1	1	-	1	2	1	3	15	63	96	36
35.—GREENWICH.																		
Mean Popul^{n}, 1851-61	55437	-	-	-	-	-	7408	6128	5174	4670	5182	9505	7024	4594	3116	1844	685	106
TOTAL DEATHS	11883	2415	1109	552	386	251	4713	524	214	238	374	812	850	725	962	1182	1004	285
Small-pox	126	32	19	12	14	13	90	14	6	4	5	5	1	1	-	-	-	-
Measles	256	39	79	69	26	21	234	20	1	-	-	1	-	-	-	-	-	-
Scarlatina	477	14	66	83	81	61	305	124	26	11	5	2	4	-	-	-	-	-
Diphtheria	51	7	9	9	8	3	36	12	-	1	1	1	-	-	-	-	-	-
Whooping-cough	337	104	103	58	33	23	321	15	1	-	-	-	-	-	-	-	-	-
Typhus	395	12	17	22	24	15	90	42	21	19	22	40	38	27	44	42	10	-
Cholera, Diarrh., Dysent^{y}	785	262	112	28	16	6	424	38	17	12	16	40	49	38	55	46	39	11
Other Zymotic Dis.	483	168	38	36	30	21	293	17	9	7	14	31	31	15	28	21	13	4
Cancer	256	1	2	2	-	-	5	-	1	-	2	10	53	70	55	39	20	1
Scrofula, Tabes Mesent.	200	63	50	16	5	5	139	24	8	4	5	8	4	2	1	2	3	-
Phthisis	1478	36	36	18	10	13	113	42	47	110	185	384	293	161	87	46	9	1
Hydrocephalus	283	99	73	33	24	15	244	36	-	-	2	-	-	1	-	-	-	-
Diseases of Brain	1204	400	88	38	27	12	565	44	16	10	18	30	55	76	116	168	97	9
Heart Dis. and Dropsy	693	20	1	4	6	4	35	16	22	20	17	43	71	82	151	159	67	10
Dis. of Lungs	1782	445	249	92	59	24	869	36	6	8	19	47	72	98	206	233	153	33
Dis. of Stom. and Liver	508	47	15	3	3	2	70	15	13	13	9	36	59	68	90	96	40	5
Dis. of Kidneys	65	-	-	-	-	1	1	1	1	2	4	10	8	10	12	12	4	-
Dis. of Gener. Organs	56	-	-	-	-	-	-	-	-	-	2	10	12	16	8	4	4	-
Diseases of the Joints	19	1	1	-	1	-	3	1	6	-	-	5	-	2	2	-	-	-
Diseases of the Skin	26	8	-	-	-	-	8	1	1	-	1	1	2	3	3	3	3	-
Childbirth and Metria	168	-	-	-	-	-	-	-	-	2	31	78	55	2	-	-	-	-
Violent Deaths	174	36	9	1	7	7	60	14	4	11	12	7	13	11	14	18	7	3
Other Causes	2061	621	142	28	12	5	808	12	8	4	4	23	30	42	90	299	535	206
36.—LEWISHAM.																		
Mean Popul^{n}, 1851-61	26783	-	-	-	-	-	3487	2811	2538	2533	2860	4809	3286	2147	1332	688	250	42
TOTAL DEATHS	4198	890	338	173	125	82	1608	206	98	100	134	323	324	266	314	391	339	95
Small-pox	36	2	5	6	5	3	21	7	1	2	2	1	2	-	-	-	-	-
Measles	64	7	24	14	9	2	56	7	-	-	1	-	-	-	-	-	-	-
Scarlatina	188	15	18	25	24	22	104	55	16	3	3	5	2	-	-	-	-	-
Diphtheria	27	1	5	2	3	2	13	6	4	2	1	-	1	-	-	-	-	-
Whooping-cough	135	47	39	22	9	10	127	8	-	-	-	-	-	-	-	-	-	-
Typhus	160	4	6	3	9	14	36	24	11	8	11	19	17	13	10	7	4	-
Cholera, Diarrh., Dysent^{y}	234	107	30	8	3	1	149	10	-	1	4	8	18	9	6	9	18	2
Other Zymotic Dis.	195	64	12	18	11	9	114	7	4	7	3	7	13	7	10	15	7	1
Cancer	118	-	-	1	-	-	1	-	-	-	-	3	25	33	26	20	8	2
Scrofula, Tabes Mesent.	74	22	14	5	4	-	45	6	2	3	1	7	4	3	1	1	1	-
Phthisis	456	6	4	3	4	3	20	10	21	40	62	140	103	40	12	6	2	-
Hydrocephalus	117	36	42	15	5	1	99	13	3	-	-	-	1	1	-	-	-	-
Diseases of Brain	471	124	28	8	7	5	172	17	6	7	6	11	16	35	46	83	61	11
Heart Dis. and Dropsy	313	7	3	3	5	1	19	6	12	9	3	20	25	31	84	68	35	1
Dis. of Lungs	533	145	69	23	20	7	264	13	4	5	7	16	18	27	44	64	56	15
Dis. of Stom. and Liver	239	19	5	3	2	1	30	5	7	5	7	20	25	36	41	44	19	-
Dis. of Kidneys	37	2	-	-	-	1	3	-	1	2	-	5	2	9	9	4	2	-
Dis. of Gener. Organs	29	-	-	-	-	-	-	-	-	-	1	8	6	2	4	6	1	1
Diseases of the Joints	8	-	1	-	-	-	1	2	1	1	-	1	1	-	1	-	-	-
Diseases of the Skin	12	4	1	-	-	-	5	-	-	-	-	-	-	1	-	3	2	1
Childbirth and Metria	95	-	-	-	-	-	-	-	-	3	15	40	35	2	-	-	-	-
Violent Deaths	59	13	2	3	4	-	22	5	2	2	4	7	2	5	4	5	1	-
Other Causes	598	265	30	11	1	-	307	5	3	-	3	5	8	12	16	56	122	61

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
37.—EPSOM.																		
Mean Popul^{n}, 1851-61	10266	-	-	-	-	-	1266	1230	1289	990	833	1401	1196	917	637	357	130	20
TOTAL DEATHS	1714	325	86	60	39	32	542	70	34	44	46	106	101	133	179	205	188	66
Small-pox	14	3	1	1	-	1	6	2	1	2	-	2	-	1	-	-	-	-
Measles	21	4	6	3	3	3	19	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	47	3	1	11	4	8	27	15	4	-	1	-	-	-	-	-	-	-
Diphtheria	8	3	1	-	1	1	6	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	28	19	5	1	2	1	28	-	-	-	-	-	-	-	-	-	-	-
Typhus	54	2	1	3	2	1	9	6	2	5	6	8	6	5	2	4	1	-
Cholera, Diarrh., Dysent^{y}	50	22	2	1	1	-	26	2	-	-	1	-	2	1	3	7	6	2
Other Zymotic Dis.	92	23	4	6	9	6	48	4	-	-	2	3	5	3	5	14	6	2
Cancer	19	-	-	-	-	-	-	-	1	-	-	2	-	3	5	4	4	-
Scrofula, Tabes Mesent.	24	8	3	3	-	-	14	2	2	3	1	2	-	-	-	-	-	-
Phthisis	172	4	2	-	-	-	6	4	10	21	19	47	28	26	10	-	1	-
Hydrocephalus	27	10	7	1	3	2	23	3	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	220	56	12	9	4	-	81	6	1	3	5	8	10	17	21	39	25	4
Heart Dis. and Dropsy	154	3	-	-	-	1	4	2	3	1	1	11	14	17	35	39	22	5
Dis. of Lungs	256	45	27	9	6	3	90	8	5	1	3	4	18	27	29	36	30	5
Dis. of Stom. and Liver	110	11	1	3	3	-	18	4	1	1	3	4	7	11	30	20	10	1
Dis. of Kidneys	45	1	-	-	-	1	2	2	-	1	-	2	3	3	15	10	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	2	-	-	2	-	-	1	-	1	-	-	-	1	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	63	6	2	1	-	2	11	5	1	2	3	10	4	10	11	6	-	-
Other Causes	305	102	11	6	1	2	122	2	2	2	1	2	4	9	13	25	77	46
38.—CHERTSEY.																		
Mean Popul^{n}, 1851-61	8618	-	-	-	-	-	1156	1032	982	794	700	1144	997	776	564	348	113	12
TOTAL DEATHS	1571	307	93	40	28	28	496	76	29	49	46	94	98	102	158	205	178	40
Small pox	6	-	1	1	-	1	3	1	-	-	-	1	-	1	-	-	-	-
Measles	16	4	2	4	1	-	11	4	-	1	-	-	-	-	-	-	-	-
Scarlatina	43	-	5	9	5	3	22	14	1	1	1	2	1	1	-	-	-	-
Diphtheria	13	-	-	1	-	2	3	7	1	-	1	-	1	-	-	-	-	-
Whooping-cough	25	12	8	-	-	4	24	1	-	-	-	-	-	-	-	-	-	-
Typhus	55	1	1	1	2	2	7	13	4	3	-	9	3	3	8	4	1	-
Cholera, Diarrh., Dysent^{y}	43	18	9	1	2	-	30	1	-	-	-	1	1	-	3	3	3	1
Other Zymotic Dis.	70	16	3	-	3	6	28	5	1	4	4	1	10	5	6	4	2	-
Cancer	15	-	-	-	-	-	-	-	-	-	-	-	-	4	7	2	2	-
Scrofula, Tabes Mesent.	31	9	3	2	2	1	17	5	3	2	1	-	-	1	1	-	1	-
Phthisis	139	1	2	-	-	-	3	1	3	12	18	46	26	16	10	3	1	-
Hydrocephalus	25	10	4	1	3	2	20	4	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	242	83	10	7	1	2	103	5	1	5	4	5	14	5	25	35	35	5
Heart Dis. and Dropsy	106	1	-	-	-	1	2	1	-	2	2	3	8	19	16	36	15	2
Dis. of Lungs	235	45	26	6	4	2	83	5	1	5	3	8	16	14	39	43	16	2
Dis. of Stom. and Liver	78	6	1	-	-	-	7	2	3	-	3	3	5	10	16	18	9	2
Dis. of Kidneys	28	1	-	-	-	-	1	-	1	1	-	2	3	2	3	6	9	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Diseases of the Skin	5	1	-	2	-	-	3	-	-	-	-	-	1	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	71	2	-	1	5	1	9	6	5	10	5	7	4	11	7	4	3	-
Other Causes	322	97	18	4	-	1	120	1	3	2	4	5	5	10	16	47	31	28
39.—GUILDFORD.																		
Mean Popul^{n}, 1851-61	13705	-	-	-	-	-	1776	1575	1492	1300	1123	1927	1623	1238	891	550	191	19
TOTAL DEATHS	2710	529	168	79	55	63	894	124	66	77	99	185	179	179	232	341	267	67
Small-pox	35	3	4	-	1	-	8	4	1	1	8	3	5	2	2	1	-	-
Measles	44	7	12	9	5	6	39	2	-	1	2	-	-	-	-	-	-	-
Scarlatina	80	4	8	13	12	12	49	25	4	1	-	-	-	1	-	-	-	-
Diphtheria	22	2	4	-	1	3	10	8	3	-	-	-	-	1	-	-	-	-
Whooping-cough	66	33	19	4	5	3	64	2	-	-	-	-	-	-	-	-	-	-
Typhus	114	4	3	3	4	5	19	12	12	9	10	12	9	7	6	13	4	1
Cholera, Diarrh., Dysent^{y}	105	29	9	4	3	2	47	4	-	-	-	2	7	9	8	14	10	4
Other Zymotic Dis.	120	23	4	4	6	5	42	13	5	6	5	6	7	5	5	16	7	3
Cancer	33	1	-	-	-	-	1	-	-	-	-	3	1	9	9	11	3	1
Scrofula, Tabes Mesent.	64	10	5	5	2	5	27	4	7	5	1	8	4	4	2	2	-	-
Phthisis	316	5	6	2	-	-	13	3	7	27	45	82	64	41	23	11	-	-
Hydrocephalus	60	23	16	5	2	8	54	5	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	344	109	12	7	3	2	133	13	3	3	3	11	18	18	36	52	39	10
Heart Dis. and Dropsy	198	1	1	-	2	-	4	2	2	4	2	11	13	16	40	60	40	4
Dis. of Lungs	389	83	36	8	5	5	137	12	9	5	4	16	20	24	38	73	48	3
Dis. of Stom. and Liver	127	12	3	-	1	-	16	2	3	4	3	14	9	18	21	29	7	1
Dis. of Kidneys	69	-	-	-	-	-	-	-	-	-	1	2	8	7	12	21	17	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	11	-	1	-	1	-	2	1	-	2	-	2	2	-	2	-	-	-
Diseases of the Skin	9	2	-	2	-	-	4	1	-	-	-	-	-	-	-	-	4	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	111	4	4	9	2	7	26	9	7	8	7	10	8	10	11	9	6	-
Other Causes	387	174	21	4	-	-	199	2	3	-	3	3	4	7	16	29	32	39

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
37.—EPSOM.																		
Mean Popul^{n}, 1851-61	10459	-	-	-	-	-	1259	1179	1191	924	945	1574	1237	923	641	395	159	27
TOTAL DEATHS	1644	261	74	54	27	17	433	77	44	58	53	105	126	122	148	197	204	77
Small-pox	13	2	-	3	2	-	7	1	2	1	1	1	-	-	-	-	-	-
Measles	17	1	4	6	2	1	14	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	39	1	4	4	4	5	18	15	3	3	-	-	-	-	-	-	-	-
Diphtheria	12	-	-	1	2	2	5	5	2	-	-	-	-	-	-	-	-	-
Whooping-cough	48	20	14	7	2	1	44	4	-	-	-	-	-	-	-	-	-	-
Typhus	48	-	4	1	-	2	7	6	6	9	1	5	6	1	5	1	1	-
Cholera, Diarrh., Dysent^{y}	56	22	7	3	-	-	32	2	3	-	-	2	3	2	4	3	4	1
Other Zymotic Dis.	69	22	-	6	3	-	31	9	4	2	1	1	2	5	1	10	3	-
Cancer	50	-	-	-	-	-	-	1	-	1	-	2	5	16	13	6	5	1
Scrofula, Tabes Mesent.	25	9	3	3	-	1	16	2	3	-	1	-	-	1	1	1	-	-
Phthisis	194	-	1	-	-	1	2	6	8	28	28	53	33	21	12	3	-	-
Hydrocephalus	19	1	4	4	2	1	12	4	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	183	29	10	4	4	1	48	3	6	3	5	14	8	11	22	30	32	1
Heart Dis. and Dropsy	143	1	-	1	-	-	2	2	1	5	4	3	16	18	24	35	26	7
Dis. of Lungs	219	44	10	6	6	1	67	6	2	-	2	3	16	23	20	47	27	6
Dis. of Stom. and Liver	118	17	-	-	-	-	17	2	1	1	2	7	17	15	25	21	9	1
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	-	1	3	3	2	1	2	4	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	2	-	4	2	3	-	1	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	-	-
Diseases of the Skin	10	-	1	-	-	-	1	-	-	-	-	1	-	-	1	4	3	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	1	2	7	6	-	-	-	-	-
Violent Deaths	31	7	2	1	-	1	11	4	-	2	-	1	2	1	5	2	3	-
Other Causes	300	85	10	4	-	-	99	2	1	-	3	1	2	3	11	32	88	60
38.—CHERTSEY.																		
Mean Popul^{n}, 1851-61	8777	-	-	-	-	-	1158	1055	889	736	746	1296	1031	807	590	322	129	18
TOTAL DEATHS	1564	259	94	55	24	28	460	87	45	50	63	108	106	85	130	220	153	57
Small-pox	3	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Measles	21	1	5	3	2	1	12	6	2	-	-	-	-	-	-	-	1	-
Scarlatina	27	-	2	4	4	4	14	11	1	-	-	-	1	-	-	-	-	-
Diphtheria	18	1	-	2	3	3	9	5	1	1	1	1	-	-	-	-	-	-
Whooping-cough	30	12	12	2	1	-	27	3	-	-	-	-	-	-	-	-	-	-
Typhus	65	-	3	1	3	6	13	14	9	4	5	4	4	-	4	5	2	1
Cholera, Diarrh., Dysent^{y}	55	20	5	3	-	1	29	1	-	2	2	1	-	2	4	10	4	-
Other Zymotic Dis.	68	19	5	4	1	3	32	7	2	3	4	4	6	-	2	5	3	-
Cancer	43	-	-	1	-	-	1	-	-	-	1	3	5	9	12	11	1	-
Scrofula, Tabes Mesent.	38	15	6	4	1	-	26	4	3	2	-	1	-	1	1	-	-	-
Phthisis	178	5	2	1	-	-	8	4	10	23	31	51	34	11	4	1	-	1
Hydrocephalus	20	5	3	2	1	-	11	7	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	229	49	13	14	2	1	79	6	6	4	5	8	13	14	21	47	23	3
Heart Dis. and Dropsy	139	1	1	1	1	-	4	3	2	2	4	6	15	14	27	44	16	2
Dis. of Lungs	171	33	17	7	2	5	64	7	2	3	4	6	8	12	15	29	19	2
Dis. of Stom. and Liver	73	6	2	1	-	1	10	2	1	2	1	3	5	11	18	11	7	2
Dis. of Kidneys	13	-	-	-	-	-	-	1	-	-	-	1	-	1	6	3	1	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	2	2	2	2	-	4	1	-
Diseases of the Joints	7	-	-	-	-	-	-	1	1	-	-	-	1	2	1	1	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Childbirth and Metria	22	-	-	2	1	-	-	-	-	1	2	10	7	2	-	-	-	-
Violent Deaths	26	5	3	2	1	-	11	4	2	-	-	3	1	1	1	1	2	-
Other Causes	303	85	15	3	2	3	108	1	2	2	1	3	3	3	3	13	48	73	46
39.—GUILDFORD.																		
Mean Popul^{n}, 1851-61	13495	-	-	-	-	-	1789	1595	1442	1202	1172	1998	1577	1152	817	512	218	21
TOTAL DEATHS	2491	459	161	86	51	42	799	124	58	93	90	196	164	155	211	266	261	74
Small-pox	23	7	1	2	3	1	14	2	-	2	-	1	2	-	-	2	-	-
Measles	31	5	9	5	3	1	23	7	-	-	1	-	-	-	-	-	-	-
Scarlatina	83	2	12	10	9	8	41	25	9	1	2	3	2	-	-	-	-	-
Diphtheria	23	-	1	2	2	-	5	11	5	-	-	1	-	1	-	-	-	-
Whooping-cough	67	28	25	8	-	1	62	5	-	-	-	-	-	-	-	-	-	-
Typhus	114	-	5	5	5	8	23	16	10	12	4	13	8	7	9	3	7	2
Cholera, Diarrh., Dysent^{y}	112	38	11	5	5	3	62	3	1	3	1	2	3	5	3	12	11	6
Other Zymotic Dis.	95	25	11	6	5	3	50	7	3	3	2	3	5	2	5	7	8	-
Cancer	70	-	1	-	-	-	1	-	-	1	-	2	12	16	14	15	9	-
Scrofula, Tabes Mesent.	54	7	5	4	1	-	17	9	7	2	3	3	6	4	1	2	-	-
Phthisis	307	4	5	1	-	-	10	8	6	34	49	97	56	33	9	5	-	-
Hydrocephalus	37	14	11	2	3	2	32	3	-	1	-	-	-	-	-	1	-	-
Diseases of Brain	291	103	12	7	7	5	134	7	1	4	3	8	9	16	35	40	28	6
Heart Dis. and Dropsy	216	4	1	-	-	-	5	-	2	5	3	10	11	28	61	52	36	3
Dis. of Lungs	337	68	32	18	6	4	128	8	6	9	1	10	5	13	40	59	50	8
Dis. of Stom. and Liver	132	5	1	3	-	1	10	2	3	2	7	9	14	16	23	34	12	-
Dis. of Kidneys	14	-	-	-	-	-	-	-	1	1	1	2	2	1	1	2	2	1
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	2	3	3	2	-	1	-
Diseases of the Joints	9	-	-	1	-	1	2	-	1	3	1	1	1	-	-	-	-	-
Diseases of the Skin	6	2	1	-	-	-	3	-	-	-	-	-	1	-	1	1	-	-
Childbirth and Metria	55	-	-	-	-	-	-	-	-	-	6	9	24	16	-	-	-	-
Violent Deaths	51	2	2	4	1	3	12	8	2	4	1	-	5	5	3	6	5	-
Other Causes	353	145	15	3	1	1	165	3	1	-	2	5	3	5	4	25	92	48

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

40.—FARNHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	12622	-	-	-	-	-	1309	979	917	1284	2637	2817	1258	657	420	250	81	13
TOTAL DEATHS	2013	510	176	82	45	28	841	83	43	80	156	176	169	98	93	134	105	35
Small-pox	15	2	-	2	-	2	6	-	-	2	2	4	-	1	-	-	-	-
Measles	34	5	11	7	3	3	29	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	64	1	6	7	15	5	34	24	4	1	1	-	-	-	-	-	-	-
Diphtheria	10	1	2	1	2	-	6	2	1	-	-	-	-	1	-	-	-	-
Whooping-cough	42	15	13	7	3	2	40	2	-	-	-	-	-	-	-	-	-	-
Typhus	93	3	1	3	3	1	11	8	2	15	21	11	7	5	2	7	3	1
Cholera,Diarrh.,Dysent^{y}	115	41	26	7	2	1	77	1	-	5	4	1	4	1	6	8	5	3
Other Zymotic Dis.	87	18	4	3	4	5	34	9	4	4	10	8	6	5	5	1	-	1
Cancer	20	-	-	-	-	-	-	1	-	-	-	3	1	6	2	6	-	1
Scrofula, Tabes Mesent.	32	8	7	2	-	-	17	-	1	4	3	3	3	1	-	-	-	-
Phthisis	235	4	3	1	-	2	10	3	8	13	52	57	57	25	4	6	-	-
Hydrocephalus	32	15	9	3	1	-	28	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	227	102	21	4	1	1	129	4	3	6	9	8	16	6	15	15	14	2
Heart Dis. and Dropsy	119	3	5	1	-	-	9	3	3	3	8	17	10	14	14	26	11	1
Dis. of Lungs	330	94	33	19	6	2	154	6	1	12	20	25	22	12	26	24	20	8
Dis. of Stom. and Liver	99	24	6	5	1	1	37	2	3	6	5	9	14	8	5	10	-	-
Dis. of Kidneys	34	-	-	-	-	-	-	-	2	1	1	5	7	2	3	8	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	7	2	1	-	-	-	3	-	-	-	1	1	-	1	-	-	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	107	3	7	4	-	1	15	4	9	8	14	20	17	7	6	5	2	-
Other Causes	310	169	21	6	4	2	202	6	1	-	5	3	5	3	5	18	46	16

41.—FARNBOROUGH.

Mean Popul^{n}, 1851-61	6609	-	-	-	-	-	663	565	474	679	1083	1455	715	405	312	184	64	10
TOTAL DEATHS	884	145	47	25	21	13	251	38	21	35	67	90	47	50	71	109	79	26
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Measles	6	1	3	1	-	-	5	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	21	1	3	1	4	3	12	6	3	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	6	3	1	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-
Typhus	39	1	-	3	1	2	7	1	2	5	9	8	2	1	1	3	-	-
Cholera,Diarrh.,Dysent^{y}	40	8	6	3	2	-	19	-	1	3	3	3	2	2	1	2	3	1
Other Zymotic Dis.	49	3	3	3	6	3	18	4	1	1	6	1	3	4	6	1	3	1
Cancer	8	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	2	-
Scrofula, Tabes Mesent.	4	2	-	-	-	1	3	-	-	-	-	-	-	-	1	-	-	-
Phthisis	108	1	1	1	-	2	5	2	3	12	23	32	9	11	9	2	-	-
Hydrocephalus	8	3	2	-	-	-	5	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	108	21	7	3	2	-	33	3	3	3	3	10	6	3	6	24	12	2
Heart Dis. and Dropsy	64	1	-	-	-	-	1	1	1	2	4	8	7	5	9	21	5	-
Dis. of Lungs	108	21	8	2	4	-	35	6	2	4	6	10	4	8	11	13	7	2
Dis. of Stom. and Liver	45	1	2	-	-	-	3	1	-	-	2	3	2	7	12	12	3	-
Dis. of Kidneys	15	1	-	-	-	-	1	-	-	-	1	1	1	1	1	6	2	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	42	1	-	4	2	-	7	1	1	1	8	10	6	3	2	2	-	1
Other Causes	206	76	11	4	-	2	93	7	3	3	1	3	3	5	8	21	41	18

42.—HAMBLEDON.

Mean Popul^{n}, 1851-61	7131	-	-	-	-	-	964	838	795	699	574	932	767	632	508	298	112	12
TOTAL DEATHS	1191	219	64	36	23	20	362	49	32	42	41	73	64	74	107	175	138	34
Small-pox	8	-	1	1	-	-	2	1	-	1	-	1	2	-	-	1	-	-
Measles	15	3	1	3	2	1	10	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	41	1	7	6	5	1	20	14	5	-	-	1	1	-	-	-	-	-
Diphtheria	4	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
Whooping-cough	20	9	8	2	-	-	19	1	-	-	-	-	-	-	-	-	-	-
Typhus	54	-	2	3	2	1	8	2	4	7	4	5	4	7	6	6	1	-
Cholera,Diarrh.,Dysent^{y}	40	15	4	4	-	2	25	-	-	1	-	1	1	1	4	5	1	1
Other Zymotic Dis.	55	9	4	4	5	3	25	2	3	2	1	3	2	6	3	4	3	1
Cancer	11	-	-	-	-	-	-	1	-	-	-	1	1	1	3	4	-	-
Scrofula, Tabes Mesent.	22	4	-	2	-	1	7	3	-	3	3	3	3	-	-	-	-	-
Phthisis	123	4	2	-	2	-	8	1	5	15	20	30	17	17	8	2	-	-
Hydrocephalus	26	5	8	3	-	3	19	4	2	-	-	-	-	1	-	-	-	-
Diseases of Brain	130	53	6	3	2	-	64	4	-	2	1	2	3	8	11	25	8	2
Heart Dis. and Dropsy	103	3	-	1	-	2	6	1	1	1	2	6	5	5	17	40	18	1
Dis. of Lungs	139	27	9	1	-	4	41	5	2	2	4	8	7	9	24	23	10	4
Dis. of Stom. and Liver	47	3	-	1	2	-	6	2	-	-	2	2	6	10	5	10	3	1
Dis. of Kidneys	21	-	1	-	-	-	1	-	-	-	-	2	1	1	5	7	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	56	5	1	2	3	2	13	2	4	7	4	4	3	3	7	4	-	-
Other Causes	270	78	9	-	-	-	87	-	3	-	-	3	3	4	12	44	90	24

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

40.—FARNHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	8603	-	-	-	-	-	1291	998	906	762	942	1452	894	586	400	257	99	16
TOTAL DEATHS	1665	394	139	60	54	31	678	81	51	56	80	127	121	83	90	136	108	54
Small-pox	4	2	-	1	-	-	3	-	-	-	1	-	-	-	-	-	-	-
Measles	31	4	6	8	4	4	26	3	1	-	-	1	-	-	-	-	-	-
Scarlatina	53	2	4	6	11	2	25	15	9	2	-	1	-	1	-	-	-	-
Diphtheria	15	-	2	3	5	1	11	2	1	1	-	-	-	-	-	-	-	-
Whooping-cough	35	15	12	3	2	2	34	1	-	-	-	-	-	-	-	-	-	-
Typhus	79	4	2	2	3	6	17	10	8	9	8	11	4	6	2	2	1	1
Cholera, Diarrh., Dysent^{y}	97	29	18	5	3	1	56	2	-	1	1	4	5	1	3	8	11	5
Other Zymotic Dis.	79	20	4	6	4	2	36	3	4	9	10	8	3	-	2	2	2	-
Cancer	39	-	-	1	-	-	1	-	-	-	1	3	8	6	9	6	4	1
Scrofula, Tabes Mesent.	34	8	7	3	4	-	22	3	-	1	1	2	1	1	-	-	-	-
Phthisis	195	6	5	-	1	1	13	4	8	22	34	45	47	14	6	2	-	-
Hydrocephalus	22	9	7	1	2	-	19	1	1	-	-	-	-	-	-	1	-	-
Diseases of Brain	192	73	8	3	3	2	89	8	3	1	2	5	4	11	9	35	19	6
Heart Dis. and Dropsy	116	2	1	-	-	2	5	4	5	2	2	12	15	15	23	24	9	-
Dis. of Lungs	227	67	33	5	8	4	117	8	3	1	7	5	7	6	15	22	29	7
Dis. of Stom. and Liver	94	9	5	2	2	-	18	4	-	1	2	7	12	11	12	17	7	3
Dis. of Kidneys	11	-	-	-	-	-	-	-	1	1	-	3	1	1	2	1	1	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	1	-
Diseases of the Joints	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	9	5	1	-	-	-	6	-	-	-	-	-	-	-	1	1	-	1
Childbirth and Metria	33	-	-	-	-	-	-	-	-	4	6	14	9	-	-	-	-	-
Violent Deaths	35	5	4	3	1	1	14	7	3	1	3	3	1	1	1	-	1	-
Other Causes	255	134	20	7	1	3	165	6	1	-	2	2	2	6	4	14	23	30

41.—FARNBOROUGH.

Mean Popul^{n}, 1851-61	4470	-	-	-	-	-	670	566	479	380	382	684	485	350	250	153	62	9
TOTAL DEATHS	696	128	47	19	18	13	225	24	13	28	22	59	56	53	48	76	63	29
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	5	1	2	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	15	-	1	2	4	1	8	5	1	-	-	1	-	-	-	-	-	-
Diphtheria	5	-	1	-	1	1	3	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	15	6	7	-	1	1	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	30	-	-	3	2	1	6	2	1	3	2	3	3	5	2	2	1	-
Cholera, Diarrh., Dysent^{y}	29	7	5	2	-	3	17	1	2	-	1	-	1	1	-	2	3	1
Other Zymotic Dis.	37	9	6	2	5	-	22	5	-	1	1	1	1	2	2	2	-	-
Cancer	9	-	-	-	-	-	-	-	-	-	-	-	3	1	3	1	-	1
Scrofula, Tabes Mesent.	5	1	1	1	-	-	3	-	-	-	2	-	-	-	-	-	-	-
Phthisis	101	4	-	-	-	-	4	2	1	10	10	39	15	13	4	3	-	-
Hydrocephalus	6	5	1	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	68	16	5	1	2	1	25	1	5	2	-	-	7	5	5	11	6	1
Heart Dis. and Dropsy	53	2	-	1	2	-	5	-	-	2	-	5	7	8	9	14	8	1
Dis. of Lungs	66	14	7	1	1	3	26	3	-	1	-	-	1	9	4	11	9	2
Dis. of Stom. and Liver	28	1	2	-	-	1	4	1	-	-	2	2	3	3	7	5	-	1
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	10	-	-	-	-	-	-	-	-	1	1	3	5	-	-	-	-	-
Violent Deaths	9	-	1	-	-	1	2	-	1	1	-	1	1	1	2	-	-	-
Other Causes	193	60	9	4	-	-	73	2	2	6	2	4	8	5	9	25	34	23

42.—HAMBLEDON.

Mean Popul^{n}, 1851-61	6599	-	-	-	-	-	922	866	756	570	496	914	736	547	429	254	94	15
TOTAL DEATHS	1145	178	61	29	21	9	298	46	40	49	49	101	79	91	100	151	106	35
Small-pox	2	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Measles	9	1	1	3	1	1	7	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	28	-	-	3	6	1	10	11	4	1	1	-	-	1	-	-	-	-
Diphtheria	9	-	1	2	-	-	3	3	1	-	-	1	1	-	-	-	-	-
Whooping-cough	28	13	8	2	2	-	25	1	-	-	-	2	-	-	-	-	-	-
Typhus	42	1	2	-	-	-	3	2	8	5	5	5	9	1	2	1	1	-
Cholera, Diarrh., Dysent^{y}	39	5	7	3	-	1	16	3	-	-	-	2	3	2	1	6	6	-
Other Zymotic Dis.	38	7	3	2	5	-	17	5	1	-	-	2	2	3	1	5	2	-
Cancer	30	-	-	-	-	-	-	-	-	-	-	-	1	12	8	7	2	-
Scrofula, Tabes Mesent.	14	1	2	1	-	-	4	1	1	2	-	4	1	1	-	-	-	-
Phthisis	167	1	1	3	1	-	6	2	9	26	25	42	24	17	13	3	-	-
Hydrocephalus	18	6	5	-	-	1	12	6	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	129	43	4	2	1	-	50	-	2	2	3	7	6	10	14	19	14	2
Heart Dis. and Dropsy	106	1	-	-	-	-	1	-	2	2	1	3	11	5	30	40	8	3
Dis. of Lungs	136	37	10	5	1	2	55	6	7	5	4	7	7	8	7	21	6	-
Dis. of Stom. and Liver	62	3	2	-	-	1	6	1	1	4	4	3	3	16	10	11	3	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	-	2	6	1	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-
Diseases of the Skin	6	1	-	1	-	-	2	-	-	-	1	-	-	-	1	1	1	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	-	3	15	4	-	-	-	-	-
Violent Deaths	21	3	3	-	3	1	10	2	2	1	-	1	1	2	-	-	-	2
Other Causes	223	55	11	2	1	1	70	1	1	1	2	5	4	7	10	34	63	25

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
43.—DORKING.																		
Mean Popul^{n}, 1851-61	6002	-	-	-	-	-	767	753	671	585	461	802	705	558	389	220	83	8
TOTAL DEATHS	1041	206	54	37	21	20	338	38	32	26	37	63	65	69	105	120	118	30
Small-pox	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Measles	15	1	4	2	2	1	10	4	-	1	-	-	-	-	-	-	-	-
Scarlatina	23	2	3	2	3	-	10	5	5	1	1	-	1	-	-	-	-	-
Diphtheria	5	-	2	-	1	-	3	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	10	8	2	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	40	-	3	3	1	1	8	3	3	1	1	1	3	5	5	4	5	1
Cholera, Diarrh., Dysent^{y}	38	15	-	4	-	1	20	-	-	1	1	-	-	2	2	6	6	-
Other Zymotic Dis.	60	20	3	4	3	8	38	5	2	-	-	2	1	3	2	-	5	2
Cancer	9	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	1	-
Scrofula, Tabes Mesent.	27	7	3	-	3	1	14	1	3	1	3	1	3	1	-	-	-	-
Phthisis	117	1	1	1	-	-	3	1	1	9	19	32	24	16	11	1	-	-
Hydrocephalus	29	11	6	5	3	-	25	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	126	25	9	2	-	-	36	5	5	2	1	9	8	7	12	20	19	2
Heart Dis. and Dropsy	97	12	1	-	-	1	14	-	-	2	2	3	8	9	13	19	20	2
Dis. of Lungs	132	24	9	7	4	3	47	4	3	1	1	6	8	6	24	17	13	2
Dis. of Stom. and Liver	40	2	-	3	-	-	5	1	-	4	1	2	2	4	8	8	3	2
Dis. of Kidneys	24	-	-	-	-	-	-	1	-	-	1	2	2	5	7	5	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	1	2	1	-	1	-	1	2	-	1	-
Diseases of the Skin	3	1	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	37	1	-	1	1	3	6	2	6	2	5	2	2	6	3	3	-	-
Other Causes	198	76	8	3	-	-	87	-	-	-	-	2	3	2	9	32	44	19
44.—REIGATE.																		
Mean Popul^{n}, 1851-61	8818	-	-	-	-	-	1163	1091	1000	915	742	1263	981	724	527	296	105	11
TOTAL DEATHS	1582	302	87	48	58	28	523	95	60	41	63	96	99	101	118	188	156	42
Small-pox	5	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-
Measles	30	3	8	4	8	1	24	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	52	1	4	3	10	6	24	17	7	-	-	2	-	2	-	-	-	-
Diphtheria	28	-	1	2	4	4	11	9	5	3	-	-	-	-	-	-	-	-
Whooping-cough	31	13	8	5	4	1	31	-	-	-	-	-	-	-	-	-	-	-
Typhus	42	2	-	1	1	2	6	4	5	2	3	7	2	7	4	2	-	-
Cholera, Diarrh., Dysent^{y}	42	14	5	1	3	-	23	3	1	2	1	2	-	2	1	5	2	-
Other Zymotic Dis.	50	7	3	3	3	5	21	3	5	-	2	1	-	4	3	6	5	-
Cancer	19	1	-	-	-	-	1	-	-	-	-	1	2	1	6	4	3	1
Scrofula, Tabes Mesent.	15	7	3	1	-	-	11	-	1	-	1	1	1	-	-	-	-	-
Phthisis	195	4	-	5	2	-	11	7	12	16	28	51	35	19	11	3	2	-
Hydrocephalus	26	10	3	4	3	2	22	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	212	29	11	4	3	-	47	18	9	4	10	8	11	12	21	42	26	4
Heart Dis. and Dropsy	116	5	-	-	-	1	6	1	2	3	1	2	13	15	27	39	6	1
Dis. of Lungs	211	62	24	7	8	4	105	9	4	4	1	7	13	10	14	21	18	5
Dis. of Stom. and Liver	71	12	2	1	2	2	19	1	2	1	2	3	8	10	12	9	3	1
Dis. of Kidneys	24	-	-	-	-	-	-	1	-	-	1	2	1	5	7	6	-	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	1	-	-	-	-	1	-	1	-	-	-	1	-	1	2	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	67	2	1	5	2	-	10	8	4	4	10	8	9	9	2	2	1	-
Other Causes	339	128	14	2	5	-	149	5	1	2	1	1	1	5	8	47	90	29
45.—GODSTONE.																		
Mean Popul^{n}, 1851-61	4798	-	-	-	-	-	629	594	542	487	373	619	533	439	325	192	56	9
TOTAL DEATHS	782	178	36	25	11	12	262	39	14	30	20	46	40	46	81	95	80	29
Small-pox	2	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	21	-	-	3	3	4	10	8	3	-	-	-	-	-	-	-	-	-
Diphtheria	10	-	2	-	-	-	2	4	2	2	-	-	-	-	-	-	-	-
Whooping-cough	11	5	2	2	-	-	9	2	-	-	-	-	-	-	-	-	-	-
Typhus	36	-	1	-	-	-	1	4	2	5	2	6	-	5	3	7	1	-
Cholera, Diarrh., Dysent^{y}	38	17	3	2	-	-	22	1	1	-	-	-	3	2	4	4	1	-
Other Zymotic Dis.	32	5	1	2	1	2	11	4	-	1	-	-	2	2	2	7	2	1
Cancer	13	-	-	-	-	-	-	-	-	-	-	1	-	1	6	4	1	-
Scrofula, Tabes Mesent.	14	2	2	-	-	2	6	2	2	-	1	1	-	1	-	1	-	-
Phthisis	73	2	-	1	1	-	4	1	1	9	10	22	11	7	5	3	-	-
Hydrocephalus	10	5	1	1	1	-	8	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	87	37	3	6	-	1	47	2	1	3	1	2	4	2	6	10	6	3
Heart Dis. and Dropsy	65	3	-	1	-	-	4	-	-	5	-	1	7	4	16	12	12	4
Dis. of Lungs	123	32	15	3	3	1	54	2	-	1	3	3	5	9	14	21	10	1
Dis. of Stom. and Liver	40	5	-	1	-	-	6	2	1	-	-	4	2	6	15	3	1	-
Dis. of Kidneys	17	2	-	-	-	-	2	-	-	-	-	1	3	1	1	4	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	29	3	1	1	1	1	7	2	-	3	1	5	1	3	2	4	-	1
Other Causes	154	60	5	1	1	-	67	2	-	1	-	-	1	2	6	15	42	18

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

43.—DORKING.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards
Mean Popul^{n}, 1851-61	5896		-	-	-	-	748	717	647	534	483	358	700	541	367	212	76	13
TOTAL DEATHS	1021	168	55	25	22	19	289	42	21	35	43	85	64	87	73	132	107	43
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	16	1	7	2	-	1	11	3	2	-	-	-	-	-	-	-	-	-
Scarlatina	20	-	2	2	4	2	10	8	1	-	-	-	-	1	-	-	-	-
Diphtheria	9	-	1	-	1	1	3	1	4	-	-	-	-	-	-	1	-	-
Whooping-cough	17	6	5	4	1	1	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	43	4	-	3	3	-	10	5	2	6	2	3	2	5	1	4	2	1
Cholera, Diarrh., Dysent^{y}	31	4	2	2	1	2	11	2	-	-	-	-	2	1	1	7	6	1
Other Zymotic Dis.	48	12	9	2	2	2	27	5	1	2	-	-	-	4	3	3	3	-
Cancer	32	-	-	-	-	-	-	-	-	-	-	2	5	9	8	7	1	-
Scrofula, Tabes Mesent.	30	6	2	3	3	-	14	2	3	2	3	2	-	2	1	-	1	-
Phthisis	168	3	3	-	1	-	7	-	4	19	30	47	31	22	4	4	-	-
Hydrocephalus	19	7	4	1	1	2	15	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	113	26	6	-	1	1	34	1	1	4	2	4	4	7	15	29	12	-
Heart Dis. and Dropsy	92	10	-	-	-	-	10	1	-	-	2	6	2	13	19	19	17	3
Dis. of Lungs	85	17	7	4	2	1	31	4	-	-	-	2	2	6	9	17	10	4
Dis. of Stom. and Liver	63	8	-	1	1	1	11	4	-	1	1	5	5	10	7	13	5	1
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	2	2	1	1	-	4	1	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	1	3	2	1	2	1	-
Diseases of the Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	-	1	3	6	1	-	-	-	-
Violent Deaths	15	1	1	1	1	4	8	-	1	-	-	-	-	3	-	1	2	-
Other Causes	179	60	6	-	-	1	67	2	1	1	-	3	1	-	4	21	46	33

44.—REIGATE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards
Mean Popul^{n}, 1851-61	8401	-	-	-	-	-	1173	975	879	758	796	1329	969	694	464	263	92	9
TOTAL DEATHS	1377	248	66	55	27	19	415	71	55	54	55	106	104	81	97	168	138	33
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	13	4	5	3	1	-	13	4	-	1	-	-	-	-	-	-	-	-
Scarlatina	37	-	4	7	2	2	15	11	4	2	1	1	2	-	1	-	-	-
Diphtheria	32	-	1	1	3	2	7	14	3	3	-	1	1	2	1	-	-	-
Whooping-cough	41	19	11	4	4	1	39	2	-	-	-	-	-	-	-	-	-	-
Typhus	38	-	2	1	1	-	4	5	10	4	4	3	3	1	1	3	-	-
Cholera, Diarrh., Dysent^{y}	26	12	-	3	1	-	16	2	-	2	-	-	1	-	-	2	3	-
Other Zymotic Dis.	47	8	-	6	5	2	21	8	2	2	-	2	3	2	1	3	3	-
Cancer	44	-	-	-	-	-	-	-	-	-	-	1	2	16	12	9	3	1
Scrofula, Tabes Mesent.	20	7	2	2	2	-	13	-	3	2	-	-	-	-	2	-	-	-
Phthisis	189	2	1	2	-	1	6	4	12	19	30	58	38	15	4	2	1	-
Hydrocephalus	18	2	2	6	1	3	14	2	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	180	33	7	6	2	1	49	9	8	3	6	9	10	9	21	34	20	2
Heart Dis. and Dropsy	117	3	-	-	1	-	4	-	4	3	1	6	11	14	15	41	13	5
Dis. of Lungs	135	31	19	8	2	2	62	2	1	6	6	4	8	2	6	20	16	2
Dis. of Stom. and Liver	63	6	-	1	1	-	8	1	3	-	1	6	6	9	17	12	-	-
Dis. of Kidneys	17	-	1	-	-	-	1	-	2	1	3	4	1	2	2	1	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-	1	1
Diseases of the Joints	3	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	14	-	-	-	-	-	-	-	-	2	-	4	7	1	-	-	-	-
Violent Deaths	27	2	2	2	-	4	10	5	-	1	1	-	1	1	3	1	3	1
Other Causes	300	118	9	3	1	1	132	1	-	2	2	5	7	4	11	40	75	21

45.—GODSTONE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards
Mean Popul^{n}, 1851-61	4457	-	-	-	-	-	643	589	482	384	349	640	487	370	272	174	56	11
TOTAL DEATHS	751	139	48	23	17	14	241	35	24	31	31	34	51	47	54	98	80	25
Small-pox	4	1	-	1	-	2	4	-	-	-	-	-	-	-	-	-	-	-
Measles	4	-	2	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	-	4	4	5	1	14	5	4	1	-	-	-	-	-	-	-	-
Diphtheria	5	-	-	-	1	-	1	2	1	1	-	-	-	-	-	-	-	-
Whooping-cough	16	8	7	1	-	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	38	-	5	1	1	-	7	4	3	3	1	3	4	8	-	4	1	-
Cholera, Diarrh., Dysent^{y}	22	7	-	2	-	2	11	-	-	-	-	-	-	1	3	2	4	1
Other Zymotic Dis.	23	2	2	-	3	3	10	5	-	2	-	-	1	1	2	1	-	1
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	1	5	2	4	-	1
Scrofula, Tabes Mesent.	17	9	-	2	-	1	12	-	1	-	-	1	1	-	-	-	2	-
Phthisis	95	1	1	-	1	-	3	4	9	12	19	15	15	11	5	2	-	-
Hydrocephalus	9	3	3	-	-	1	7	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	99	44	5	3	1	-	53	-	1	3	2	1	3	3	10	20	3	-
Heart Dis. and Dropsy	70	1	2	-	-	-	3	1	-	4	4	3	2	9	17	22	4	1
Dis. of Lungs	108	22	10	6	2	1	41	5	3	2	3	4	4	3	6	21	13	3
Dis. of Stom. and Liver	26	1	1	-	-	1	3	-	1	-	1	1	4	1	6	5	3	1
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	1	1	5	9	-	-	-	-	-
Violent Deaths	14	-	1	1	2	1	5	4	-	-	-	-	2	1	-	1	1	-
Other Causes	144	40	5	1	1	1	48	2	1	1	-	1	4	4	3	14	49	17

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
46.—CROYDON.																		
Mean Popul^{n}, 1851-61	18590	-	-	-	-	-	2378	2365	2286	1821	1552	2651	2174	1557	995	569	212	30
TOTAL DEATHS	3710	815	229	129	103	85	1361	235	118	109	138	231	237	295	299	345	264	78
Small-pox	25	1	2	1	1	1	6	5	1	2	4	3	2	2	–	–	–	–
Measles	76	8	27	8	13	7	63	12	–	1	–	–	–	–	–	–	–	–
Scarlatina	125	9	14	16	18	13	70	37	8	3	3	1	1	–	2	–	–	–
Diphtheria	26	3	2	3	2	3	13	6	4	1	–	1	1	–	–	–	–	–
Whooping-cough	108	34	22	19	13	14	102	6	–	–	–	–	–	–	–	–	–	–
Typhus	161	1	4	4	3	6	18	25	11	15	24	15	18	13	9	8	4	1
Cholera, Diarrh., Dysent^{y}	244	97	21	10	9	6	143	15	9	7	6	10	14	5	12	9	12	2
Other Zymotic Dis.	170	42	9	13	10	1	75	15	9	4	5	9	12	11	13	8	6	3
Cancer	36	–	–	1	–	–	1	1	–	–	–	2	2	2	14	11	3	–
Scrofula, Tabes Mesent.	82	19	7	9	9	3	47	17	9	4	1	–	1	1	–	2	–	–
Phthisis	405	6	5	1	–	1	13	11	16	27	50	97	79	70	35	7	–	–
Hydrocephalus	66	28	12	3	6	3	50	11	5	–	–	–	–	–	–	–	–	–
Diseases of Brain	437	105	20	12	6	4	147	26	9	9	10	25	20	36	46	68	35	6
Heart Dis. and Dropsy	216	2	4	1	1	1	9	2	6	14	4	6	14	38	40	54	27	2
Dis. of Lungs	539	155	51	20	9	13	248	15	7	7	9	23	23	40	53	65	39	10
Dis. of Stom. and Liver	185	23	1	4	–	1	29	9	9	3	7	12	13	34	26	31	9	3
Dis. of Kidneys	74	1	–	–	–	–	1	1	1	–	2	3	8	11	12	18	11	6
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diseases of the Joints	17	–	–	–	–	1	1	3	4	2	3	1	1	–	1	1	–	–
Diseases of the Skin	11	4	1	2	–	–	7	1	–	1	–	–	–	1	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	150	12	4	–	2	3	21	11	9	8	7	20	24	23	16	10	1	–
Other Causes	556	267	23	2	1	4	297	6	1	1	3	3	4	8	19	52	117	45
47.—KINGSTON.																		
Mean Popul^{n}, 1851-61	14700	-	-	-	-	-	1928	1758	1530	1347	1219	2180	1794	1324	911	513	175	21
TOTAL DEATHS	2864	661	165	80	60	40	1006	106	39	66	97	197	213	245	255	319	262	59
Small-pox	30	5	3	–	–	2	10	3	1	2	3	5	2	3	1	–	–	–
Measles	26	7	6	6	3	3	25	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	66	2	9	10	11	8	40	18	3	2	1	1	1	–	–	–	–	–
Diphtheria	8	2	–	1	2	1	6	2	–	–	–	–	–	–	–	–	–	–
Whooping-cough	49	24	15	5	1	3	48	1	–	–	–	–	–	–	–	–	–	–
Typhus	99	3	1	6	2	1	13	9	6	11	5	10	10	14	7	10	3	1
Cholera, Diarrh., Dysent^{y}	148	72	18	2	4	1	97	6	–	3	1	3	5	9	9	6	8	1
Other Zymotic Dis.	125	31	6	7	9	4	57	2	2	4	4	4	11	11	10	11	9	–
Cancer	40	–	–	–	–	–	–	–	–	–	1	1	3	7	9	15	4	–
Scrofula, Tabes Mesent.	34	14	6	2	–	3	25	2	3	1	2	–	–	1	–	–	–	–
Phthisis	351	6	8	2	1	–	12	7	3	21	41	84	79	52	37	12	3	–
Hydrocephalus	49	16	15	8	1	2	42	6	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	412	116	12	13	8	4	153	13	3	4	7	16	21	35	43	70	43	4
Heart Dis. and Dropsy	160	3	–	1	–	–	4	7	2	1	5	8	14	21	35	40	21	2
Dis. of Lungs	512	132	47	11	12	5	207	10	5	3	6	28	24	37	48	67	62	15
Dis. of Stom. and Liver	147	15	2	1	–	–	18	3	2	4	3	9	14	28	22	26	16	2
Dis. of Kidneys	70	–	–	–	–	1	1	–	1	–	2	5	7	12	12	14	15	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	5	1	–	–	1	–	2	–	–	–	1	1	–	–	–	1	–	–
Diseases of the Skin	8	1	–	–	–	–	1	–	–	–	–	–	–	–	1	4	1	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	129	4	4	2	5	2	17	16	4	8	13	17	19	12	11	9	2	1
Other Causes	396	207	18	3	–	–	228	1	2	2	2	5	3	3	10	34	75	31
48.—RICHMOND.																		
Mean Popul^{n}, 1851-61	7629	-	-	-	-	-	984	881	866	703	691	1131	892	684	438	262	82	10
TOTAL DEATHS	1668	372	123	49	28	31	603	63	41	36	47	127	128	148	166	143	134	32
Small-pox	11	2	3	–	–	2	7	1	–	–	1	–	–	1	1	–	–	–
Measles	19	5	8	3	2	–	18	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	48	–	5	11	5	10	31	10	3	2	–	–	–	2	–	–	–	–
Diphtheria	8	–	3	1	1	1	6	1	1	–	–	–	–	–	–	–	–	–
Whooping-cough	32	15	10	3	2	1	31	1	–	–	–	–	–	–	–	–	–	–
Typhus	98	1	1	5	5	4	16	11	9	5	6	19	10	7	6	5	4	–
Cholera, Diarrh., Dysent^{y}	115	61	8	3	–	2	74	6	1	1	–	3	5	8	5	5	5	2
Other Zymotic Dis.	74	12	7	3	4	3	29	4	3	1	3	3	11	4	9	4	3	–
Cancer	20	–	–	–	–	–	–	1	–	–	1	–	2	4	6	3	3	–
Scrofula, Tabes Mesent.	40	18	4	1	2	2	27	5	4	1	1	2	–	–	–	–	–	–
Phthisis	184	6	2	2	–	1	11	1	4	13	14	54	38	35	10	4	–	–
Hydrocephalus	21	6	7	1	–	2	16	4	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	240	71	15	5	–	2	93	7	3	3	4	11	14	20	36	27	20	2
Heart Dis. and Dropsy	83	2	2	–	–	–	4	2	2	–	1	6	7	13	19	17	11	1
Dis. of Lungs	219	53	30	8	4	–	95	–	–	2	4	9	16	15	28	29	18	3
Dis. of Stom. and Liver	103	12	4	1	1	–	18	1	4	2	–	8	14	21	22	11	1	1
Dis. of Kidneys	26	–	–	–	–	–	–	–	–	–	1	1	3	2	10	6	3	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diseases of the Skin	2	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	89	10	5	1	2	1	19	6	5	6	10	8	7	12	7	6	3	–
Other Causes	235	97	9	1	–	–	107	1	1	–	1	2	–	4	7	26	63	23

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
46.—CROYDON.																		
Mean Popul^{n}, 1851-61	20591	-	-	-	-	-	2446	2376	2184	1798	1998	3395	2466	1741	1188	709	254	36
TOTAL DEATHS	3563	677	210	150	102	72	1211	204	141	90	135	241	252	215	293	353	338	90
Small-pox	27	5	1	4	2	1	13	5	3	2	4	-	-	-	-	-	-	-
Measles	82	9	23	20	10	7	69	12	-	-	1	-	-	-	-	-	-	-
Scarlatina	102	5	11	14	15	11	56	31	11	2	-	2	-	-	-	-	-	-
Diphtheria	21	1	2	2	1	2	8	8	2	1	2	-	-	-	-	-	-	-
Whooping-cough	102	33	18	16	15	9	91	11	-	-	-	-	-	-	-	-	-	-
Typhus	166	1	7	11	2	4	25	14	25	18	18	19	14	11	8	9	4	1
Cholera, Diarrh., Dysent^{y}	220	85	18	10	5	1	119	17	8	1	8	9	7	7	14	11	18	1
Other Zymotic Dis.	157	37	15	11	12	4	79	15	7	5	5	7	8	10	8	4	8	1
Cancer	116	-	-	-	-	-	-	-	1	-	1	6	17	28	36	19	8	-
Scrofula, Tabes Mesent.	78	14	9	5	4	5	37	17	9	2	2	6	5	-	-	-	-	-
Phthisis	386	6	5	1	2	-	14	12	31	39	60	97	77	41	11	3	1	-
Hydrocephalus	57	18	17	7	2	6	50	4	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	405	110	14	11	9	8	152	18	10	5	4	13	29	24	50	61	35	4
Heart Dis. and Dropsy	229	4	3	2	-	-	9	2	8	3	5	15	13	29	47	60	33	5
Dis. of Lungs	471	102	42	27	15	6	192	17	9	1	5	14	19	28	50	77	52	7
Dis. of Stom. and Liver	184	21	1	3	2	3	30	3	4	5	3	18	23	14	33	34	17	-
Dis. of Kidneys	27	1	-	-	-	-	1	2	2	-	2	4	2	8	3	1	2	-
Dis. of Gener. Organs	37	-	-	-	-	-	-	-	1	-	2	6	10	3	10	4	1	-
Diseases of the Joints	10	1	1	-	-	1	3	1	-	-	-	2	2	-	-	1	1	-
Diseases of the Skin	10	2	-	1	-	-	3	1	1	-	1	-	1	-	2	-	-	1
Childbirth and Metria	46	-	-	-	-	-	-	-	-	1	10	15	20	-	-	-	-	-
Violent Deaths	61	13	3	3	5	3	27	5	3	1	1	2	2	4	-	4	9	3
Other Causes	569	209	20	2	1	1	233	9	3	4	1	6	3	8	21	65	149	67
47.—KINGSTON.																		
Mean Popul^{n}, 1851-61	16931	-	-	-	-	-	1976	1701	1635	1564	1712	2786	2055	1520	1047	646	255	34
TOTAL DEATHS	2802	511	153	85	58	46	853	111	58	95	88	183	209	197	256	359	276	117
Small-pox	19	4	1	1	2	3	11	3	-	1	2	-	-	2	-	-	-	-
Measles	32	4	13	10	2	2	31	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	65	4	10	7	10	6	37	25	1	1	-	-	1	-	-	-	-	-
Diphtheria	19	-	3	5	4	1	13	6	-	-	-	-	-	-	-	-	-	-
Whooping-cough	51	21	9	5	10	4	49	2	-	-	-	-	-	-	-	-	-	-
Typhus	131	3	5	2	4	2	16	16	18	17	7	7	10	12	10	9	9	-
Cholera, Diarrh., Dysent^{y}	131	59	16	2	1	1	79	3	1	1	1	3	5	3	6	8	14	7
Other Zymotic Dis.	98	26	11	9	-	4	50	5	5	2	-	3	4	6	8	10	5	-
Cancer	99	-	-	-	-	-	-	-	-	-	-	3	12	32	21	21	8	2
Scrofula, Tabes Mesent.	53	20	12	2	3	3	40	6	-	1	-	4	2	-	-	-	-	-
Phthisis	315	4	-	-	-	3	7	4	10	38	44	81	72	34	16	7	2	-
Hydrocephalus	45	22	5	7	3	4	41	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	361	84	11	6	6	6	113	5	6	7	5	6	18	26	44	74	49	8
Heart Dis. and Dropsy	194	2	-	-	-	1	3	5	7	3	2	10	8	20	33	63	31	9
Dis. of Lungs	448	85	31	23	6	2	147	8	6	12	11	23	20	22	49	74	53	23
Dis. of Stom. and Liver	181	8	3	2	2	2	17	5	2	4	3	8	23	18	44	30	20	7
Dis. of Kidneys	35	1	-	-	1	-	2	2	-	-	2	1	4	6	4	11	2	1
Dis. of Gener. Organs	23	-	-	-	-	-	-	-	-	-	1	4	2	7	3	6	-	-
Diseases of the Joints	6	-	-	-	1	-	1	-	-	1	-	1	1	1	-	-	1	-
Diseases of the Skin	7	1	-	1	-	-	2	-	-	-	-	-	-	-	-	1	4	-
Childbirth and Metria	43	-	-	-	-	-	-	-	-	1	7	19	16	-	-	-	-	-
Violent Deaths	62	5	3	-	3	2	13	9	1	5	2	6	2	3	5	6	4	6
Other Causes	384	158	20	3	-	-	181	2	1	1	1	4	9	5	13	39	74	54
48.—RICHMOND.																		
Mean Popul^{n}, 1851-61	9725	-	-	-	-	-	954	869	878	1002	1020	1698	1182	914	637	393	153	25
TOTAL DEATHS	1784	273	130	54	27	24	508	70	38	47	49	124	133	143	160	223	210	79
Small-pox	9	2	2	1	1	-	6	1	-	-	1	1	-	-	-	-	-	-
Measles	18	4	6	1	5	1	17	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	55	5	8	7	3	8	31	15	6	2	-	1	-	-	-	-	-	-
Diphtheria	5	-	1	1	1	-	3	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	52	17	22	6	-	2	47	4	-	1	-	-	-	-	-	-	-	-
Typhus	78	1	2	2	-	2	7	10	10	10	5	8	8	8	5	4	3	-
Cholera, Dia rh., Dysent^{y}	129	36	17	6	2	1	62	5	2	3	5	10	8	5	11	10	7	1
Other Zymotic Dis.	67	13	8	6	6	-	33	2	1	-	-	3	4	7	6	8	1	2
Cancer	71	-	-	-	-	-	-	-	-	-	-	3	10	14	22	17	5	-
Scrofula, Tabes Mesent.	33	11	7	3	2	1	24	-	2	2	1	1	1	-	-	2	-	-
Phthisis	181	-	1	1	1	2	5	7	9	18	18	43	42	25	13	1	-	-
Hydrocephalus	16	6	5	-	1	2	14	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	247	55	13	4	3	3	78	7	1	3	4	11	13	22	26	41	32	9
Heart Dis. and Dropsy	122	3	-	1	-	-	4	2	1	2	2	8	11	17	22	31	18	4
Dis. of Lungs	251	48	27	11	2	1	89	9	-	-	3	13	8	22	23	40	38	6
Dis. of Stom. and Liver	99	7	1	1	-	-	9	2	3	1	5	11	8	15	21	15	8	1
Dis. of Kidneys	8	-	-	-	-	-	-	1	-	-	-	-	2	3	-	-	2	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	-	1	2	3	2	4	3	-
Diseases of the Joints	6	-	-	-	-	-	-	-	1	-	-	-	3	-	-	2	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	1	3	6	9	-	-	-	-	-
Violent Deaths	32	5	1	1	-	1	8	-	-	2	1	3	3	2	3	2	4	4
Other Causes	270	60	9	2	-	-	71	2	1	1	1	1	1	-	6	46	88	52

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

49.—BROMLEY.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	9191	-	-	-	-	-	1212	1098	999	899	754	1240	1062	858	603	328	120	18
TOTAL DEATHS	1553	323	101	49	32	26	531	81	33	36	44	95	96	107	152	183	143	47
Small-pox	17	4	2	-	-	2	8	4	-	-	1	3	-	-	1	-	-	-
Measles	15	4	6	3	1	1	15	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	52	4	6	7	6	5	28	18	4	2	-	-	-	-	-	-	-	-
Diphtheria	10	-	1	1	2	-	4	5	-	-	1	-	-	-	-	-	-	-
Whooping-cough	24	12	8	3	1	-	24	-	-	-	-	-	-	-	-	-	-	-
Typhus	58	2	2	1	4	2	11	13	8	2	4	4	5	2	4	3	2	-
Cholera, Diarrh., Dysent^{y}	82	37	12	4	-	-	53	1	2	3	-	1	3	3	4	6	4	2
Other Zymotic Dis.	57	9	5	3	4	4	25	11	-	1	-	1	1	4	4	4	5	1
Cancer	17	-	-	-	-	-	-	-	-	-	-	1	-	4	6	4	2	-
Scrofula, Tabes Mesent.	12	2	2	2	-	1	7	2	1	1	-	-	-	1	-	-	-	-
Phthisis	179	3	-	3	1	1	8	3	7	17	27	42	31	20	16	5	2	1
Hydrocephalus	21	10	2	1	1	1	15	4	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	191	53	3	1	3	5	65	2	4	3	2	11	14	17	29	30	11	3
Heart Dis. and Dropsy	153	1	2	1	1	1	6	2	3	1	1	6	10	17	34	42	29	2
Dis. of Lungs	156	32	18	7	2	1	60	2	-	-	3	9	8	9	15	31	18	1
Dis. of Stom. and Liver	64	6	-	1	1	1	9	3	2	2	-	6	6	7	11	15	2	1
Dis. of Kidneys	21	-	-	-	1	-	1	-	1	1	-	-	2	5	4	4	2	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	1	1	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Diseases of the Skin	10	3	2	-	-	-	5	-	-	-	-	1	-	2	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	53	2	3	3	1	-	9	4	2	1	4	8	10	5	7	2	1	-
Other Causes	357	138	26	8	3	1	176	7	2	1	1	2	6	10	17	36	64	35

50.—DARTFORD.

Mean Popul^{n}, 1851-61	14981	-	-	-	-	-	2053	1832	1669	1407	1233	2120	1747	1337	887	495	175	26
TOTAL DEATHS	2801	699	173	97	73	45	1087	110	79	86	104	177	183	180	222	273	229	71
Small-pox	35	8	4	2	4	2	20	4	1	3	-	1	5	-	1	-	-	-
Measles	30	7	11	6	2	-	26	2	1	-	-	-	1	-	-	-	-	-
Scarlatina	116	10	12	16	19	11	68	21	16	5	2	3	1	-	-	-	-	-
Diphtheria	7	2	1	-	2	-	5	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	31	19	9	3	-	-	31	-	-	-	-	-	-	-	-	-	-	-
Typhus	138	3	6	2	6	6	23	13	14	6	7	9	13	13	17	14	9	-
Cholera, Diarrh., Dysent^{y}	144	65	17	9	1	1	93	3	2	2	3	4	11	5	9	5	5	2
Other Zymotic Dis.	125	36	14	7	9	4	70	6	7	1	2	7	9	5	6	8	4	-
Cancer	21	-	-	-	-	-	-	-	-	-	-	1	2	1	5	10	1	1
Scrofula, Tabes Mesent.	70	30	13	5	3	2	53	6	1	4	-	3	3	-	-	-	-	-
Phthisis	244	5	2	5	1	1	14	4	7	21	39	54	53	37	11	4	-	-
Hydrocephalus	58	30	10	3	2	4	49	7	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	356	146	12	6	6	6	176	7	5	6	7	17	8	21	27	43	35	4
Heart Dis. and Dropsy	191	4	2	2	2	-	10	7	-	5	9	16	17	16	32	51	26	2
Dis. of Lungs	380	109	26	13	10	3	161	10	2	2	6	12	18	24	45	54	37	9
Dis. of Stom. and Liver	128	18	3	3	-	1	25	5	3	4	2	9	8	12	23	22	7	3
Dis. of Kidneys	36	-	-	1	-	-	1	1	-	1	2	2	3	7	7	8	4	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	-	-
Diseases of the Skin	5	-	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	179	5	5	7	3	3	23	8	14	26	22	30	17	23	7	5	4	-
Other Causes	500	202	26	7	3	1	239	3	3	-	2	7	14	11	26	48	97	50

51.—GRAVESEND.

Mean Popul^{n}, 1851-61	8262	-	-	-	-	-	1170	1065	884	736	681	1243	1005	681	466	241	93	7
TOTAL DEATHS	2143	421	171	73	62	36	763	76	53	64	117	248	200	150	149	180	121	22
Small-pox	32	7	3	6	5	3	24	2	2	-	-	4	-	-	-	-	-	-
Measles	39	5	13	7	7	2	34	4	1	-	-	-	1	-	-	-	-	-
Scarlatina	70	5	9	13	14	6	47	16	4	1	-	1	-	1	-	-	-	-
Diphtheria	5	1	-	-	1	-	2	1	1	-	-	-	1	-	-	-	-	-
Whooping-cough	35	14	9	5	3	3	34	-	1	-	-	-	-	-	-	-	-	-
Typhus	65	1	3	2	1	1	8	7	4	7	8	10	4	2	4	5	6	-
Cholera, Diarrh., Dysent^{y}	234	61	24	4	2	2	93	4	2	8	16	46	32	5	9	13	5	1
Other Zymotic Dis.	107	18	9	8	5	3	43	7	3	-	4	14	13	9	6	4	4	-
Cancer	26	-	-	-	1	-	1	-	-	-	-	1	7	3	4	10	-	-
Scrofula, Tabes Mesent.	13	3	4	-	-	-	7	2	1	-	2	1	-	-	-	-	-	-
Phthisis	256	9	1	1	4	-	15	4	6	14	33	70	57	34	15	8	-	-
Hydrocephalus	34	13	12	2	1	1	29	4	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	248	88	22	6	8	4	128	8	5	2	5	11	7	12	17	34	18	1
Heart Dis. and Dropsy	111	4	-	-	-	1	5	1	4	1	6	11	12	17	15	20	16	3
Dis. of Lungs	334	84	40	15	8	5	152	8	2	3	11	17	25	22	31	35	26	2
Dis. of Stom. and Liver	136	9	1	-	-	1	11	3	3	3	11	21	16	14	22	19	12	1
Dis. of Kidneys	36	-	1	-	-	-	1	1	2	-	1	1	2	5	10	9	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	-	-	-	1	-	1	1	1	1	1	1	1	1	-	1	-	-
Diseases of the Skin	7	4	-	-	-	1	5	-	-	-	-	-	-	1	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	152	6	2	2	1	3	14	2	10	20	18	33	19	18	8	5	4	1
Other Causes	194	89	18	2	-	-	109	1	1	3	1	6	4	6	8	17	25	13

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
49.—BROMLEY.																		
Mean Popul^{n}, 1851-61	9311	-	-	-	-	-	1142	1082	994	918	949	1484	1159	939	614	364	141	25
TOTAL DEATHS	1525	257	83	37	26	26	429	60	56	48	51	102	93	98	161	181	177	69
Small-pox	7	1	1	1	-	-	3	1	-	1	-	1	1	-	-	-	-	-
Measles	17	3	5	2	1	-	11	4	1	1	-	-	-	-	-	-	-	-
Scarlatina	37	-	2	2	5	8	17	19	1	-	-	-	-	-	-	-	-	-
Diphtheria	14	2	-	1	2	1	6	2	2	1	1	1	1	-	-	-	-	-
Whooping-cough	34	15	11	1	2	2	31	2	1	-	-	-	-	-	-	-	-	-
Typhus	59	2	2	3	-	3	10	8	9	6	5	6	5	3	4	2	1	-
Cholera, Diarrh., Dysent^{y}	64	29	10	1	-	-	40	1	1	-	-	1	2	5	5	4	4	1
Other Zymotic Dis.	45	10	9	4	2	3	28	2	-	1	2	1	3	1	1	5	1	-
Cancer	33	-	-	-	-	-	-	-	-	-	-	2	5	8	14	4	2	-
Scrofula, Tabes Mesent.	22	7	1	2	-	2	12	2	2	-	-	1	1	1	1	2	-	-
Phthisis	205	2	1	1	-	-	5	1	16	25	33	47	35	25	14	1	3	-
Hydrocephalus	18	7	5	-	-	-	12	3	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	140	30	5	4	1	1	41	2	3	4	-	1	7	9	19	32	19	3
Heart Dis. and Dropsy	163	3	1	1	-	-	5	4	6	3	2	6	9	22	44	38	21	3
Dis. of Lungs	144	17	17	7	7	-	48	2	5	4	3	7	3	9	15	16	17	5
Dis. of Stom. and Liver	60	1	1	-	1	1	4	2	3	-	3	7	2	4	18	9	6	2
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	2	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	1	3	2	1	4	-	-
Diseases of the Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	-	1	11	6	1	-	-	-	-
Violent Deaths	24	4	2	1	1	2	10	1	2	1	1	1	1	1	3	2	1	-
Other Causes	396	124	10	6	3	3	146	3	1	1	-	7	8	5	21	49	100	55
50.—DARTFORD.																		
Mean Popul^{n}, 1851-61	14843	-	-	-	-	-	1978	1866	1610	1355	1283	2184	1724	1280	844	498	188	33
TOTAL DEATHS	2466	526	169	107	58	51	911	121	67	83	88	145	159	147	170	252	244	79
Small-pox	29	5	6	3	4	-	18	2	5	-	2	-	2	-	-	-	-	-
Measles	26	1	10	4	5	1	19	5	2	-	-	-	-	-	-	-	-	-
Scarlatina	124	12	14	22	18	11	77	29	9	2	2	3	1	1	-	-	-	-
Diphtheria	13	-	1	1	3	-	5	6	1	-	-	-	1	-	-	-	-	-
Whooping-cough	54	17	18	9	4	3	51	3	-	-	-	-	-	-	-	-	-	-
Typhus	131	4	4	3	5	10	26	14	11	20	7	5	7	4	7	17	11	2
Cholera, Diarrh., Dysent^{y}	112	44	13	9	1	3	70	4	1	4	4	4	4	4	2	4	8	3
Other Zymotic Dis.	69	24	8	5	2	5	44	6	4	-	3	1	2	1	1	5	1	1
Cancer	60	1	-	-	-	-	1	-	-	-	-	4	14	19	7	8	7	-
Scrofula, Tabes Mesent.	55	27	6	3	1	-	37	4	3	5	2	-	2	2	-	-	-	-
Phthisis	264	9	3	-	3	2	17	9	14	23	35	66	45	37	12	5	1	-
Hydrocephalus	31	13	6	8	1	1	29	1	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	319	129	13	14	1	5	162	6	2	6	8	8	12	15	35	33	27	5
Heart Dis. and Dropsy	213	2	2	1	-	2	7	6	5	4	4	18	14	21	39	60	33	2
Dis. of Lungs	275	75	34	15	6	5	135	11	-	3	9	7	9	10	21	28	33	9
Dis. of Stom. and Liver	123	9	4	4	1	2	20	6	-	7	5	8	16	14	17	24	6	-
Dis. of Kidneys	19	1	2	-	-	-	3	-	-	1	-	3	5	2	3	1	1	-
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	-	1	2	4	3	4	3	-	-
Diseases of the Joints	7	1	-	1	-	-	2	-	1	1	-	-	1	1	1	-	-	-
Diseases of the Skin	6	1	1	-	1	-	3	-	1	-	-	1	-	-	-	-	1	-
Childbirth and Metria	26	-	-	-	-	-	-	-	1	2	4	5	12	2	-	-	-	-
Violent Deaths	40	4	1	3	1	-	9	5	4	-	1	3	1	3	5	4	2	-
Other Causes	433	147	23	2	3	1	176	4	3	4	1	7	7	5	16	60	113	57
51.—GRAVESEND.																		
Mean Popul^{n}, 1851-61	9445	-	-	-	-	-	1156	1076	923	995	912	1493	1087	798	565	313	105	22
TOTAL DEATHS	1867	374	137	70	45	37	663	86	28	73	64	153	149	127	159	181	136	48
Small-pox	23	9	3	1	1	-	14	5	1	2	-	1	-	-	-	-	-	-
Measles	25	6	9	4	3	1	28	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	76	6	6	14	10	10	46	21	3	2	3	1	-	-	-	-	-	-
Diphtheria	3	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	55	19	16	8	5	5	53	2	-	-	-	-	-	-	-	-	-	-
Typhus	90	1	3	4	4	2	14	7	8	13	8	11	9	3	3	9	4	1
Cholera, Diarrh., Dysent^{y}	144	64	19	2	2	3	90	1	-	-	2	9	8	12	7	6	5	4
Other Zymotic Dis.	82	27	3	4	2	3	39	5	1	5	-	8	7	5	5	1	4	2
Cancer	45	-	-	-	-	-	-	-	-	-	1	1	4	10	13	14	1	1
Scrofula, Tabes Mesent.	23	6	6	2	-	-	14	4	-	1	-	3	-	1	-	-	-	-
Phthisis	208	3	3	1	1	-	8	5	1	27	29	57	42	20	13	4	2	-
Hydrocephalus	27	8	11	1	3	1	24	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	252	65	21	13	3	5	107	9	3	8	4	12	13	22	20	23	24	2
Heart Dis. and Dropsy	102	1	1	-	-	-	2	2	6	3	-	5	9	8	17	32	16	2
Dis. of Lungs	275	55	26	12	8	3	104	9	1	4	2	15	14	20	38	43	15	10
Dis. of Stom. and Liver	157	9	4	-	2	2	17	2	1	5	5	13	19	12	31	18	13	1
Dis. of Kidneys	16	1	-	-	-	-	1	1	-	1	1	2	3	-	4	3	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	1	-	-	-	2	3	2	1	2	-	-
Diseases of the Joints	5	-	-	-	-	-	-	2	-	1	-	-	-	2	-	-	-	-
Diseases of the Skin	3	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	-	4	7	9	-	-	-	-	-
Violent Deaths	45	7	1	2	1	1	12	3	2	1	3	3	4	5	3	3	4	2
Other Causes	200	85	5	2	-	-	92	-	1	-	2	2	5	5	4	18	48	23

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
52.—NORTH AYLESFORD.																		
Mean Popul^{n}, 1851-61	9138	-	-	-	-	-	1262	1095	987	870	814	1369	1057	797	495	277	100	15
TOTAL DEATHS	1964	519	146	78	44	28	815	80	43	64	54	136	146	134	145	163	146	38
Small-pox	31	6	4	5	2	2	19	3	-	2	-	3	2	-	-	1	1	-
Measles	28	5	5	4	6	3	28	8	1	-	-	-	1	-	-	-	-	-
Scarlatina	49	2	6	6	9	4	27	15	4	3	-	-	-	-	-	-	-	-
Diphtheria	8	1	-	2	2	-	5	-	2	-	-	1	-	-	-	-	-	-
Whooping-cough	48	23	15	7	3	-	48	-	-	-	-	-	-	-	-	-	-	-
Typhus	117	10	7	4	2	2	25	15	6	10	6	13	10	7	9	7	9	-
Cholera,Diarrh.,Dysent^{y}	193	92	23	8	1	2	126	5	1	3	3	2	6	9	13	10	13	2
Other Zymotic Dis.	135	20	9	10	8	7	49	13	5	4	2	14	9	12	12	10	2	3
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	-	-
Scrofula, Tabes Mesent.	26	10	4	4	-	-	18	2	-	2	-	2	1	-	-	1	-	-
Phthisis	167	7	2	4	2	1	16	3	2	14	19	41	35	25	7	3	2	-
Hydrocephalus	25	10	5	2	4	1	22	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	259	122	10	9	1	-	142	6	9	2	1	11	11	16	14	29	16	2
Heart Dis. and Dropsy	92	-	-	-	-	1	1	2	-	5	4	1	9	16	15	23	14	2
Dis. of Lungs	238	64	30	5	5	1	105	3	1	3	3	18	15	19	20	27	20	4
Dis. of Stom. and Liver	76	10	5	-	-	2	17	-	-	3	2	7	6	9	15	10	6	1
Dis. of Kidneys	30	-	-	-	-	-	-	-	1	-	-	-	3	1	9	10	4	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	-	1	-	1	2	2	-	-	-	1	1	1	-	1	-	-
Diseases of the Skin	5	3	-	-	-	-	3	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	144	6	8	5	3	1	23	5	10	13	13	17	30	10	16	4	2	1
Other Causes	273	128	13	2	1	-	144	1	-	-	1	5	7	7	8	22	57	21
53.—HOO.																		
Mean Popul^{n}, 1851-61	1520	-	-	-	-	-	198	203	183	147	118	187	196	147	81	45	12	3
TOTAL DEATHS	395	99	28	13	10	8	158	21	12	7	9	26	26	33	36	29	26	12
Small-pox	9	3	-	2	-	-	5	1	1	-	1	-	-	1	-	-	-	-
Measles	3	1	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	5	-	1	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	6	-	3	2	1	-	6	-	-	-	-	-	-	-	-	-	-	-
Typhus	18	1	-	-	-	-	1	2	1	1	1	2	2	4	3	1	-	-
Cholera,Diarrh.,Dysent^{y}	25	7	3	2	-	2	14	1	-	1	-	3	1	3	-	1	-	1
Other Zymotic Dis.	35	5	1	-	3	-	9	1	2	2	1	4	4	1	5	4	2	-
Cancer	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Scrofula, Tabes Mesent.	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Phthisis	25	1	1	-	1	-	3	2	1	1	3	3	5	6	1	-	-	-
Hydrocephalus	2	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	73	49	2	1	3	3	58	3	1	-	-	2	-	3	3	2	1	-
Heart Dis. and Dropsy	17	-	-	-	-	-	-	-	-	-	-	2	-	4	3	4	3	1
Dis. of Lungs	42	6	1	1	1	-	9	2	2	-	-	-	4	5	11	5	3	-
Dis. of Stom. and Liver	11	1	1	1	-	-	3	-	-	-	-	1	1	2	3	1	-	-
Dis. of Kidneys	2	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	39	-	-	3	-	1	4	1	2	2	2	8	9	3	3	3	1	1
Other Causes	76	25	12	1	-	-	38	2	-	-	-	-	-	1	3	7	16	9
54.—MEDWAY.																		
Mean Popul^{n}, 1851-61	25234	-	-	-	-	-	2955	2516	2143	2948	3512	4327	3003	1749	1152	659	234	31
TOTAL DEATHS	6273	1277	451	237	135	103	2203	207	83	271	500	797	625	349	388	417	331	102
Small-pox	84	9	5	7	4	3	28	6	5	13	18	9	4	1	-	-	-	-
Measles	124	26	39	26	8	12	111	11	-	-	-	2	-	-	-	-	-	-
Scarlatina	197	8	28	41	25	21	123	50	8	5	9	-	1	-	1	-	-	-
Diphtheria	14	3	1	2	1	1	8	2	1	-	-	1	-	1	-	-	1	-
Whooping-cough	102	46	36	10	6	1	99	3	-	-	-	-	-	-	-	-	-	-
Typhus	219	6	6	7	8	8	35	22	10	31	31	30	18	13	13	11	5	-
Cholera,Diarrh.,Dysent^{y}	366	151	49	6	4	4	214	8	3	5	9	51	25	11	8	14	13	5
Other Zymotic Dis.	388	79	35	31	16	15	176	18	7	21	18	38	32	17	18	20	16	7
Cancer	52	1	-	-	-	-	1	-	-	-	1	2	11	9	10	9	9	-
Scrofula, Tabes Mesent.	134	48	23	11	3	1	86	9	5	3	8	8	5	6	3	1	-	-
Phthisis	1104	19	20	7	4	3	53	11	10	79	227	361	196	80	59	20	6	2
Hydrocephalus	107	38	32	14	4	5	93	8	4	1	1	-	-	-	-	-	-	-
Diseases of Brain	720	236	38	18	15	11	313	24	6	16	15	44	50	35	54	86	65	12
Heart Dis. and Dropsy	309	3	2	1	2	1	9	1	3	14	22	54	72	53	59	65	42	5
Dis. of Lungs	935	239	94	47	26	11	417	9	6	35	66	78	82	53	62	67	50	10
Dis. of Stom. and Liver	337	61	7	4	1	2	75	6	4	11	30	43	49	27	46	27	16	3
Dis. of Kidneys	125	2	-	1	3	-	6	3	1	1	4	13	12	10	17	33	22	3
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-
Diseases of the Joints	23	2	-	-	-	1	3	1	1	2	1	8	1	4	5	1	1	-
Diseases of the Skin	13	5	3	-	-	-	8	-	-	1	1	-	2	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	250	7	7	3	5	3	25	10	9	31	29	39	45	16	17	16	9	4
Other Causes	570	288	26	6	-	-	320	5	-	2	10	16	19	12	14	46	75	51

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

52.—NORTH AYLESFORD.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	8707	-	-	-	-	-	1270	1129	951	732	754	1292	980	747	470	256	109	17
TOTAL DEATHS	1684	395	142	64	48	30	679	76	38	43	52	104	124	107	104	164	142	51
Small-pox	19	7	2	2	1	1	13	1	1	1	1	-	2	-	-	-	-	-
Measles	38	5	12	6	12	1	36	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	37	2	2	5	6	5	20	11	5	1	-	-	-	-	-	-	-	-
Diphtheria	11	-	1	1	-	1	3	7	-	1	-	-	-	-	-	-	-	-
Whooping-cough	56	18	26	4	4	3	55	1	-	-	-	-	-	-	-	-	-	-
Typhus	107	5	7	7	4	8	31	15	9	6	3	10	7	6	5	5	8	2
Cholera, Diarrh., Dysent^{y}	132	55	22	3	1	-	81	2	2	1	2	5	3	8	2	8	15	3
Other Zymotic Dis.	104	18	7	9	3	1	38	7	5	4	5	3	9	3	7	15	8	-
Cancer	43	-	-	-	-	-	-	-	-	-	-	3	11	11	8	5	4	1
Scrofula, Tabes Mesent.	20	6	5	-	-	-	11	3	1	1	1	2	1	-	-	-	-	-
Phthisis	175	3	3	1	-	-	7	5	6	16	28	40	39	15	13	5	1	-
Hydrocephalus	12	6	-	2	-	2	10	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	226	85	9	5	4	3	106	7	1	3	1	8	8	14	18	35	21	4
Heart Dis. and Dropsy	78	2	-	2	-	-	4	3	1	1	1	4	11	10	14	13	14	2
Dis. of Lungs	199	49	27	9	9	4	98	4	3	2	1	2	11	15	14	33	10	6
Dis. of Stom. and Liver	80	14	3	-	-	-	17	2	1	2	3	10	10	13	6	10	5	1
Dis. of Kidneys	21	-	-	-	-	-	-	-	-	2	-	-	1	-	8	8	2	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-
Diseases of the Joints	4	-	-	1	-	-	1	1	1	-	-	-	-	1	-	-	-	-
Diseases of the Skin	7	3	-	-	1	-	4	-	-	-	-	-	1	-	1	-	1	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	1	5	10	6	-	-	-	-	-
Violent Deaths	32	6	2	4	3	1	16	2	2	1	1	3	1	1	1	2	1	1
Other Causes	255	111	14	3	-	-	128	2	-	-	-	3	2	7	6	24	52	31

53.—HOO.

Mean Popul^{n}, 1851-61	1333	-	-	-	-	-	209	177	171	112	110	172	158	113	64	32	15	-
TOTAL DEATHS	315	79	23	11	3	7	123	20	10	8	18	21	28	19	13	26	21	8
Small-pox	6	-	1	-	1	1	3	1	2	-	-	-	-	-	-	-	-	-
Measles	5	-	1	2	-	-	3	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	13	7	3	-	1	-	11	2	-	-	-	-	-	-	-	-	-	-
Typhus	24	-	-	2	1	1	4	2	1	2	3	1	3	4	3	1	-	-
Cholera, Diarrh., Dysent^{y}	15	6	3	1	-	-	10	1	-	1	1	-	-	1	-	1	-	-
Other Zymotic Dis.	39	5	1	1	-	4	11	4	-	1	3	4	4	2	3	5	2	-
Cancer	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Scrofula, Tabes Mesent.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Phthisis	33	3	1	1	-	-	5	1	2	1	7	7	8	2	-	-	-	-
Hydrocephalus	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	59	33	4	1	-	1	39	1	2	-	-	4	4	2	2	3	2	-
Heart Dis. and Dropsy	10	1	-	-	-	-	1	-	2	1	-	-	-	3	-	3	-	-
Dis. of Lungs	19	8	2	1	-	-	11	-	-	-	-	-	2	1	-	4	1	-
Dis. of Stom. and Liver	9	1	1	-	-	-	2	-	-	-	1	3	1	1	1	-	-	-
Dis. of Kidneys	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	6	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-
Violent Deaths	6	-	1	1	-	-	2	3	-	-	-	-	-	-	-	1	-	-
Other Causes	60	14	5	1	-	-	20	-	-	2	-	1	1	1	3	8	16	8

54.—MEDWAY.

Mean Popul^{n}, 1851-61	22066	-	-	-	-	-	2907	2549	2218	1976	2151	2610	2202	1778	1218	730	274	51
TOTAL DEATHS	4653	1029	381	226	160	104	1900	203	90	105	178	345	319	279	303	428	372	131
Small-pox	48	9	5	5	6	5	30	5	2	6	4	1	-	-	-	-	-	-
Measles	126	26	37	29	14	12	118	6	1	1	-	-	-	-	-	-	-	-
Scarlatina	179	10	17	28	28	27	110	48	17	2	-	1	-	1	-	-	-	-
Diphtheria	9	1	-	3	1	2	7	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	112	41	27	19	13	7	107	5	-	-	-	-	-	-	-	-	-	-
Typhus	157	7	12	14	18	10	61	20	12	7	14	16	7	8	3	5	3	1
Cholera, Dia rh., Dysent^{y}	295	135	41	13	4	2	195	6	2	-	7	13	11	10	11	16	20	4
Other Zymotic Dis.	257	63	20	19	17	10	129	24	5	3	6	17	12	14	13	16	14	4
Cancer	134	-	-	-	-	-	-	-	-	-	1	5	32	32	33	22	9	-
Scrofula, Tabes Mesent.	117	43	35	9	2	1	90	8	6	5	-	1	1	1	1	3	1	-
Phthisis	562	19	11	9	3	4	46	17	15	36	81	152	105	54	38	15	5	-
Hydrocephalus	70	32	16	6	8	1	63	6	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	523	154	25	17	9	8	213	18	10	9	12	14	25	26	41	75	72	13
Heart Dis. and Dropsy	296	2	1	2	-	-	5	9	8	9	8	16	27	26	52	73	51	12
Dis. of Lungs	626	177	79	41	26	8	331	8	1	7	13	18	29	39	39	80	40	21
Dis. of Stom. and Liver	271	32	6	1	6	1	46	8	4	8	8	25	24	38	36	44	28	2
Dis. of Kidneys	53	1	-	2	-	1	4	2	-	1	2	8	4	6	8	9	8	1
Dis. of Gener. Organs	39	-	-	-	-	-	-	-	-	1	-	7	9	11	4	5	2	-
Diseases of the Joints	10	-	1	-	2	1	4	-	1	1	-	-	2	-	1	-	1	-
Diseases of the Skin	13	6	1	-	-	-	7	-	-	-	-	1	-	-	1	2	1	1
Childbirth and Metria	77	-	-	-	-	-	-	-	-	5	13	36	21	-	-	-	-	-
Violent Deaths	71	6	5	5	1	4	21	6	3	2	3	7	4	9	3	6	6	1
Other Causes	603	265	42	4	2	-	313	6	2	1	4	7	6	4	19	59	111	71

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

55.—MALLING.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	10517	-	-	-	-	-	1444	1324	1190	1050	864	1378	1165	919	662	379	129	13
TOTAL DEATHS	2015	513	134	62	42	32	783	86	47	50	71	127	130	131	156	192	193	49
Small-pox	16	3	1	–	–	–	4	3	–	–	2	4	1	2	–	–	–	–
Measles	12	–	7	2	1	–	10	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	46	3	4	6	10	7	30	9	5	1	1	–	–	–	–	–	–	–
Diphtheria	6	–	1	1	1	1	4	1	–	1	–	–	–	–	–	–	–	–
Whooping-cough	28	16	8	1	2	–	27	1	–	–	–	–	–	–	–	–	–	–
Typhus	88	2	2	5	5	3	17	11	7	7	5	9	3	13	13	2	1	–
Cholera, Diarrh., Dysent^{y}	117	35	16	8	1	–	60	6	3	1	3	6	3	6	6	12	11	–
Other Zymotic Dis.	96	25	8	8	7	5	53	9	3	2	3	1	5	4	5	7	3	1
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	4	–
Scrofula, Tabes Mesent.	65	33	8	2	1	–	44	3	4	2	3	6	1	–	1	1	–	–
Phthisis	200	6	6	1	1	2	16	5	6	13	27	47	46	23	13	4	–	–
Hydrocephalus	23	3	15	4	–	–	22	–	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	341	161	17	6	4	5	193	12	2	1	6	11	16	17	20	34	25	4
Heart Dis. and Dropsy	149	1	–	2	1	–	4	4	2	3	5	7	9	15	31	46	18	5
Dis. of Lungs	238	65	28	8	4	1	106	8	2	1	6	5	13	11	29	30	25	2
Dis. of Stom. and Liver	97	11	5	1	1	–	18	–	2	2	4	10	14	13	20	12	2	–
Dis. of Kidneys	24	–	–	–	–	–	–	–	–	–	–	2	5	3	3	7	4	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	4	1	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	–
Diseases of the Skin	4	–	1	–	–	–	1	–	–	1	–	–	–	–	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	106	2	1	3	2	7	15	10	8	12	5	15	10	17	7	3	4	–
Other Causes	345	146	6	4	1	1	158	3	1	3	–	3	4	5	5	31	95	37

56.—SEVENOAKS.

Mean Popul^{n}, 1851-61	11117	-	-	-	-	-	1478	1463	1359	1086	837	1369	1173	1030	736	426	164	26
TOTAL DEATHS	1955	432	97	54	43	30	656	72	49	71	60	100	102	113	185	244	235	68
Small-pox	5	2	1	–	–	–	3	–	–	–	–	1	–	1	–	–	–	–
Measles	28	7	7	4	2	3	23	2	1	1	–	–	1	–	–	–	–	–
Scarlatina	52	3	7	5	15	4	34	13	4	–	–	–	–	–	1	–	–	–
Diphtheria	8	–	–	–	3	–	3	1	2	1	–	1	–	–	–	–	–	–
Whooping-cough	40	19	7	6	2	3	37	3	–	–	–	–	–	–	–	–	–	–
Typhus	78	–	1	1	1	1	4	7	4	10	9	9	5	12	9	7	2	–
Cholera, Diarrh., Dysent^{y}	59	14	4	4	1	2	25	2	1	1	1	1	4	2	6	10	5	1
Other Zymotic Dis.	78	10	5	5	4	6	30	7	4	1	2	3	4	8	4	11	4	–
Cancer	23	1	–	–	–	–	1	–	1	1	–	–	3	1	3	10	3	–
Scrofula, Tabes Mesent.	35	6	5	–	2	–	13	3	4	5	3	4	2	1	–	–	–	–
Phthisis	222	16	3	2	1	1	23	4	5	21	30	46	42	22	25	4	–	–
Hydrocephalus	40	14	15	4	1	1	35	5	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	275	108	11	8	3	4	134	6	5	6	2	3	9	9	34	39	22	6
Heart Dis. and Dropsy	199	1	–	2	–	1	4	1	4	9	2	6	6	15	45	63	57	7
Dis. of Lungs	191	50	14	7	2	1	74	7	1	5	5	6	9	13	15	28	23	5
Dis. of Stom. and Liver	113	25	2	2	3	1	33	4	4	3	4	7	5	15	19	14	5	–
Dis. of Kidneys	35	–	–	–	–	–	–	1	–	–	1	1	4	2	7	7	12	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
Diseases of the Skin	3	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	64	5	1	2	3	2	13	5	2	4	1	3	5	9	7	8	–	2
Other Causes	403	151	13	2	–	–	166	–	7	3	–	4	2	3	3	42	121	47

57.—TUNBRIDGE.

Mean Popul^{n}, 1851-61	14807	-	-	-	-	-	2081	1821	1698	1502	1174	2006	1674	1315	872	420	166	18
TOTAL DEATHS	3148	817	205	115	75	62	1274	142	72	98	97	186	210	203	259	302	287	68
Small-pox	11	1	–	2	2	1	6	1	1	–	2	–	1	–	–	–	–	–
Measles	31	7	10	5	3	1	26	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	92	4	10	14	14	12	54	22	9	3	2	2	–	–	–	–	–	–
Diphtheria	45	3	2	11	4	8	28	14	2	1	–	–	–	–	–	–	–	–
Whooping-cough	46	22	12	8	3	–	45	–	–	–	–	1	–	–	–	–	–	–
Typhus	122	2	5	1	2	5	15	10	8	15	11	12	18	12	12	7	–	2
Cholera, Diarrh., Dysent^{y}	172	79	21	5	7	1	113	7	2	5	1	6	5	10	13	6	3	1
Other Zymotic Dis.	139	31	7	12	13	9	72	11	6	4	3	7	8	11	6	6	4	1
Cancer	41	–	–	–	–	–	–	–	–	–	1	3	5	7	6	14	4	1
Scrofula, Tabes Mesent.	74	17	12	3	2	1	35	13	7	1	9	5	2	2	–	–	–	–
Phthisis	357	20	9	9	1	1	40	3	6	35	51	83	75	34	22	7	1	–
Hydrocephalus	92	37	20	10	5	4	76	10	5	1	–	–	–	–	–	–	–	–
Diseases of Brain	383	144	20	9	6	4	183	16	10	6	3	9	13	23	38	51	26	5
Heart Dis. and Dropsy	180	3	–	1	2	–	6	3	3	5	4	14	18	19	37	50	18	3
Dis. of Lungs	447	151	44	13	6	5	219	15	3	5	3	12	21	27	49	52	36	5
Dis. of Stom. and Liver	149	17	4	2	–	–	23	6	2	5	3	10	19	19	28	27	7	–
Dis. of Kidneys	81	3	–	–	–	–	3	1	2	2	–	9	8	14	10	20	12	–
Dis. of Gener. Organs	2	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Diseases of the Joints	12	–	1	–	–	2	3	–	–	1	–	–	1	1	3	2	1	–
Diseases of the Skin	4	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	109	4	8	8	4	5	29	3	4	8	3	10	12	16	18	8	3	–
Other Causes	559	268	20	2	1	3	294	2	2	1	1	3	4	7	22	52	121	50

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
55.—MALLING.																		
Mean Popul^{n}, 1851-61	9996	-	-	-	-	-	1422	1275	1213	873	822	1362	1113	839	588	340	123	26
TOTAL DEATHS	1934	404	127	49	48	31	659	68	64	76	91	132	131	131	141	186	194	61
Small-pox	11	2	1	-	-	1	4	1	-	2	2	2	-	-	-	-	-	-
Measles	7	1	1	2	-	2	6	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	50	4	6	5	10	5	30	12	7	1	-	-	-	-	-	-	-	-
Diphtheria	4	-	1	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	30	18	6	3	2	-	29	1	-	-	-	-	-	-	-	-	-	-
Typhus	99	-	1	3	4	3	11	10	10	18	6	10	9	9	8	3	5	-
Cholera, Diarrh., Dysent^{y}	113	35	16	2	2	3	58	5	2	3	3	6	8	5	5	7	8	3
Other Zymotic Dis.	100	17	5	11	7	3	43	5	4	3	2	6	8	4	6	13	6	-
Cancer	34	-	-	-	-	-	-	-	-	1	-	2	6	8	11	5	1	-
Scrofula, Tabes Mesent.	57	29	5	3	3	2	42	1	6	2	2	1	-	1	1	1	-	-
Phthisis	253	2	2	2	1	-	7	7	14	30	56	51	42	33	11	2	-	-
Hydrocephalus	20	3	9	-	3	1	16	2	1	-	-	-	1	-	-	-	-	-
Diseases of Brain	263	107	19	5	2	3	136	5	3	3	3	6	9	16	18	29	33	2
Heart Dis. and Dropsy	171	-	1	-	-	-	1	3	7	3	7	13	16	26	38	30	25	2
Dis. of Lungs	197	50	30	5	8	3	96	6	3	1	2	10	12	8	13	27	19	-
Dis. of Stom. and Liver	84	7	2	2	1	2	14	2	1	3	3	4	8	10	20	15	4	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	1	-	-	3	-	-	-	1	-	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	-	4	4	3	1	-	-
Diseases of the Joints	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	1	-	-	1	1	-	-	-
Childbirth and Metria	17	-	-	-	-	-	-	-	-	2	1	10	4	-	-	-	-	-
Violent Deaths	35	1	6	2	4	2	15	3	3	3	1	2	1	1	-	5	1	-
Other Causes	365	126	15	4	1	-	146	2	1	1	2	6	3	5	6	47	92	54
56.—SEVENOAKS.																		
Mean Popul^{n}, 1851-61	10950	-	-	-	-	-	1485	1420	1263	943	881	1436	1234	939	690	451	183	23
TOTAL DEATHS	1976	316	104	52	28	33	533	80	44	75	85	166	154	129	150	251	231	78
Small-pox	3	-	1	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Measles	19	-	6	3	1	3	13	4	1	1	-	-	-	-	-	-	-	-
Scarlatina	54	6	11	7	6	8	38	13	2	-	-	1	-	-	-	-	-	-
Diphtheria	8	-	-	-	2	1	3	4	-	-	-	-	-	-	-	-	1	-
Whooping-cough	36	11	14	6	1	1	33	3	-	-	-	-	-	-	-	-	-	-
Typhus	88	1	-	3	-	2	6	10	10	9	8	12	10	7	5	7	2	2
Cholera, Diarrh., Dysent^{y}	41	8	2	1	2	2	15	2	1	1	2	4	4	4	1	2	5	-
Other Zymotic Dis.	65	9	5	3	2	3	22	11	2	3	-	2	3	5	7	5	2	3
Cancer	62	1	-	-	-	-	1	1	-	-	-	1	11	23	10	13	1	1
Scrofula, Tabes Mesent.	43	7	4	3	2	1	17	4	4	2	3	4	4	1	2	2	-	-
Phthisis	289	11	7	1	-	-	19	6	11	31	46	76	53	28	18	1	-	-
Hydrocephalus	40	7	12	5	5	3	32	5	-	2	-	-	-	-	1	-	-	-
Diseases of Brain	266	86	9	9	1	3	108	5	2	6	2	7	10	15	23	49	35	4
Heart Dis. and Dropsy	204	1	-	-	-	-	1	2	2	3	5	10	12	21	41	66	36	5
Dis. of Lungs	143	31	9	6	4	3	53	1	3	3	4	8	10	8	13	20	13	7
Dis. of Stom. and Liver	109	11	3	3	-	1	18	4	3	4	6	9	14	9	13	20	6	3
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	1	-	1	-	1	3	5	1	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	4	3	1	3	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-
Childbirth and Metria	39	-	-	-	-	-	-	-	-	2	6	17	13	1	-	-	-	-
Violent Deaths	22	4	5	-	2	1	12	2	2	-	-	2	3	1	-	-	-	-
Other Causes	415	122	16	1	-	1	140	3	-	6	3	8	3	4	9	58	128	53
57.—TUNBRIDGE.																		
Mean Popul^{n}, 1851-61	16601	-	-	-	-	-	2094	1886	1758	1665	1617	2530	1930	1458	937	512	189	24
TOTAL DEATHS	3208	606	191	88	83	50	1018	165	101	141	151	272	266	220	243	313	254	64
Small-pox	14	2	2	2	-	-	6	3	-	1	1	2	-	-	1	-	-	-
Measles	34	6	11	5	7	1	30	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	80	4	10	7	13	13	47	21	7	1	1	3	-	-	-	-	-	-
Diphtheria	56	2	4	2	8	4	20	18	11	4	2	-	-	-	-	1	-	-
Whooping-cough	66	23	20	10	5	3	61	5	-	-	-	-	-	-	-	-	-	-
Typhus	139	1	5	2	2	3	13	20	23	19	14	16	13	6	6	5	3	1
Cholera, Diarrh., Dysent^{y}	160	58	17	4	4	4	87	6	3	-	6	5	8	6	7	13	16	3
Other Zymotic Dis.	117	26	7	4	11	5	53	12	8	4	2	8	8	4	4	7	6	1
Cancer	109	-	-	-	-	-	-	2	-	-	1	5	21	33	22	21	2	2
Scrofula, Tabes Mesent.	78	12	14	6	5	1	38	10	6	5	3	9	2	3	2	-	-	-
Phthisis	478	15	6	3	1	3	28	14	18	64	75	134	85	44	13	3	-	-
Hydrocephalus	61	16	16	7	2	4	45	10	6	-	-	-	-	-	-	-	-	-
Diseases of Brain	391	103	12	9	7	1	132	9	7	15	6	16	25	27	45	61	44	4
Heart Dis. and Dropsy	186	-	-	-	-	-	-	5	2	2	4	11	14	21	47	58	21	1
Dis. of Lungs	395	98	41	16	13	4	172	10	3	6	4	10	12	29	47	62	33	7
Dis. of Stom. and Liver	187	21	2	-	3	2	28	10	3	8	5	14	24	32	23	31	8	1
Dis. of Kidneys	36	-	1	-	-	-	1	1	1	1	-	3	12	6	7	3	1	-
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	1	2	2	7	1	4	-	1	-
Diseases of the Joints	8	-	-	-	-	-	-	1	1	1	1	1	2	-	-	1	-	-
Diseases of the Skin	5	1	-	-	-	-	1	-	-	-	-	-	-	1	2	1	-	-
Childbirth and Metria	57	-	-	-	-	-	-	-	-	2	13	23	19	-	-	-	-	-
Violent Deaths	59	5	4	6	1	1	17	3	2	5	8	8	5	1	4	2	4	-
Other Causes	474	213	19	5	1	1	239	1	-	2	3	2	9	6	9	44	115	44

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
58.—MAIDSTONE.																		
Mean Popul^{n}, 1851-61	18567	-	-	-	-	-	2355	2189	2011	1899	1738	2628	2110	1625	1107	641	233	31
TOTAL DEATHS	4332	995	285	125	70	81	1556	179	76	109	144	312	375	348	378	417	349	89
Small-pox	28	5	2	3	1	1	12	8	2	1	1	1	3	–	–	–	–	–
Measles	64	10	23	13	4	1	51	8	–	2	1	–	–	–	2	–	–	–
Scarlatina	109	2	12	14	8	17	53	43	10	1	–	1	–	1	–	–	–	–
Diphtheria	25	2	4	5	1	6	18	3	1	–	–	–	1	–	1	1	–	–
Whooping-cough	66	30	20	8	2	3	63	3	–	–	–	–	–	–	–	–	–	–
Typhus	137	–	3	1	4	3	11	14	10	16	15	21	12	11	10	9	7	1
Cholera, Diarrh., Dysent^{y}	276	123	29	10	6	4	172	11	5	1	4	11	12	10	17	14	17	2
Other Zymotic Dis.	181	45	11	16	9	13	94	18	–	1	3	8	12	15	8	13	7	2
Cancer	48	–	–	–	–	2	2	–	–	1	1	1	5	6	15	10	6	1
Scrofula, Tabes Mesent.	71	23	7	3	3	3	39	4	6	5	4	5	4	3	1	–	–	–
Phthisis	468	13	4	3	–	1	21	8	7	39	66	121	104	64	28	9	1	–
Hydrocephalus	64	22	20	8	5	1	56	4	3	–	–	–	–	–	–	1	–	–
Diseases of Brain	757	201	25	9	8	7	250	14	6	12	9	59	98	94	75	81	55	4
Heart Dis. and Dropsy	255	17	1	1	–	–	19	9	4	5	4	11	15	39	58	56	32	3
Dis. of Lungs	608	142	60	19	15	12	248	10	7	8	10	26	36	47	70	86	56	9
Dis. of Stom. and Liver	189	27	8	2	1	2	40	6	3	4	3	12	20	15	30	41	15	–
Dis. of Kidneys	65	–	3	–	–	–	3	1	2	2	–	2	8	9	15	15	7	1
Dis. of Gener. Organs	3	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–
Diseases of the Joints	15	1	–	–	1	–	2	1	–	2	–	1	4	2	2	1	–	–
Diseases of the Skin	15	7	–	–	–	–	7	–	–	–	–	1	1	–	3	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	177	9	3	4	1	4	21	9	8	13	18	25	31	17	18	8	5	4
Other Causes	711	315	50	6	1	1	373	5	2	1	5	6	9	15	24	69	140	62
59.—HOLLINGBOURN.																		
Mean Popul^{n}, 1851-61	7011	-	-	-	-	-	943	853	783	750	561	872	743	588	488	300	107	18
TOTAL DEATHS	1347	338	67	46	26	20	497	62	32	38	37	83	72	70	112	151	141	52
Small-pox	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Measles	8	2	–	2	1	2	7	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	30	–	2	3	5	4	14	11	2	2	–	–	–	1	–	–	–	–
Diphtheria	12	2	2	1	1	1	7	4	1	–	–	–	–	–	–	–	–	–
Whooping-cough	19	13	3	2	1	–	19	–	–	–	–	–	–	–	–	–	–	–
Typhus	40	2	–	1	–	1	4	3	3	5	5	2	7	4	4	2	1	–
Cholera, Diarrh., Dysent^{y}	48	11	5	6	–	1	23	2	1	1	1	3	2	1	2	8	2	2
Other Zymotic Dis.	54	17	2	5	6	–	30	2	3	2	–	1	–	3	5	5	3	–
Cancer	14	–	–	–	–	–	–	–	–	1	–	2	–	1	2	6	2	–
Scrofula, Tabes Mesent.	38	16	2	2	1	2	23	3	–	3	1	1	4	–	–	2	1	–
Phthisis	157	6	4	1	–	–	11	10	3	13	21	36	24	15	14	9	1	–
Hydrocephalus	17	4	3	1	1	3	12	3	1	1	–	–	–	–	–	–	–	–
Diseases of Brain	147	55	9	3	4	–	71	12	2	1	2	5	3	5	9	26	8	3
Heart Dis. and Dropsy	78	1	–	1	1	–	3	1	1	–	–	3	2	9	17	22	18	2
Dis. of Lungs	150	32	17	13	4	3	69	4	4	–	1	7	8	7	11	20	14	5
Dis. of Stom. and Liver	65	10	–	–	–	1	11	2	1	2	2	7	6	9	9	8	7	1
Dis. of Kidneys	30	–	–	–	–	–	–	–	1	2	–	1	1	3	6	12	4	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diseases of the Joints	4	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–
Diseases of the Skin	2	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	56	2	3	1	1	1	8	2	3	2	3	9	5	6	14	4	–	–
Other Causes	375	165	14	4	–	1	184	1	6	2	1	5	7	5	18	27	80	39
60.—CRANBROOK.																		
Mean Popul^{n}, 1851-61	6673	-	-	-	-	-	834	850	791	681	547	841	705	578	424	251	105	15
TOTAL DEATHS	1139	266	47	28	28	15	384	37	22	21	39	66	58	63	100	145	153	51
Small-pox	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	2	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	31	3	3	6	6	3	21	3	4	1	1	1	–	–	–	–	–	–
Diphtheria	10	–	–	1	1	1	3	6	–	–	–	–	1	–	–	–	–	–
Whooping-cough	19	11	5	2	–	1	19	–	–	–	–	–	–	–	–	–	–	–
Typhus	48	1	–	–	1	2	4	5	2	5	3	6	4	6	6	6	1	–
Cholera, Diarrh., Dysent^{y}	49	12	5	3	2	1	23	–	–	–	–	1	–	2	7	8	5	3
Other Zymotic Dis.	55	18	3	4	3	2	30	6	–	1	1	3	2	4	2	4	2	–
Cancer	14	–	–	–	–	–	–	–	–	1	–	1	2	–	4	4	2	–
Scrofula, Tabes Mesent.	14	4	–	1	2	–	7	1	2	–	1	–	1	–	–	1	1	–
Phthisis	113	5	–	1	3	1	10	1	3	3	22	32	17	7	14	3	1	–
Hydrocephalus	21	10	5	–	1	–	16	1	1	2	–	1	–	–	–	–	–	–
Diseases of Brain	115	39	3	–	3	1	46	5	4	3	2	9	10	9	13	24	13	7
Heart Dis. and Dropsy	83	1	–	–	–	2	3	3	2	–	1	3	3	9	12	24	19	4
Dis. of Lungs	131	38	8	5	2	–	53	–	1	1	4	3	2	11	12	20	18	6
Dis. of Stom. and Liver	39	8	–	–	1	–	9	2	–	1	–	1	5	3	9	9	–	–
Dis. of Kidneys	32	–	–	–	–	–	–	–	–	–	–	1	4	1	3	7	8	3
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	6	–	–	–	1	–	1	–	1	1	–	1	1	1	–	–	–	–
Diseases of the Skin	6	2	1	–	–	–	3	–	–	–	–	–	1	–	1	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	29	5	2	1	2	1	11	2	–	1	2	–	2	3	4	3	1	–
Other Causes	291	109	11	3	–	–	123	2	2	1	1	3	3	7	8	32	81	28

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

58.—MAIDSTONE.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	18817	-	-	-	-	-	2395	2147	2003	1693	1718	2757	2239	1696	1155	702	275	37
TOTAL DEATHS	4136	736	240	127	92	79	1274	165	107	132	183	319	354	312	368	468	349	165
Small-pox	23	6	2	–	1	3	12	4	1	–	1	3	1	1	–	–	–	–
Measles	58	7	24	8	4	7	50	5	–	–	2	1	–	–	–	–	–	–
Scarlatina	120	5	16	14	16	12	63	37	11	1	4	1	1	–	–	1	1	–
Diphtheria	29	–	4	4	5	4	17	7	4	–	–	1	–	–	–	–	–	–
Whooping-cough	67	34	16	5	5	4	64	3	–	–	–	–	–	–	–	–	–	–
Typhus	144	3	3	5	5	2	18	26	17	11	10	15	9	14	11	9	4	–
Cholera, Diarrh., Dysent^{y}	268	94	27	12	4	6	143	5	3	4	2	13	14	12	14	20	23	6
Other Zymotic Dis.	143	26	11	13	16	10	76	9	7	2	3	4	4	4	7	14	10	3
Cancer	97	–	–	–	–	–	–	–	–	1	–	6	21	27	23	10	5	1
Scrofula, Tabes Mesent.	32	7	3	–	1	1	12	4	–	3	3	3	1	4	2	–	–	–
Phthisis	573	6	7	4	3	3	23	5	24	54	90	153	120	63	30	9	2	–
Hydrocephalus	57	19	15	7	5	4	50	7	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	605	120	21	16	9	6	172	14	9	11	13	30	54	57	67	106	66	6
Heart Dis. and Dropsy	311	17	1	2	1	1	22	3	7	9	9	16	33	35	58	78	36	5
Dis. of Lungs	539	110	47	21	11	8	197	13	10	12	9	18	29	35	61	80	60	15
Dis. of Stom. and Liver	217	19	4	3	–	3	29	6	6	7	8	17	27	31	44	32	10	–
Dis. of Kidneys	23	–	–	–	–	–	–	–	2	1	2	4	2	4	3	5	–	1
Dis. of Gener. Organs	27	1	–	–	–	–	1	–	–	–	1	–	8	5	8	3	1	–
Diseases of the Joints	7	–	–	–	1	–	1	–	2	–	1	–	3	–	–	–	–	–
Diseases of the Skin	12	5	–	–	1	–	6	–	–	1	–	1	1	–	1	–	1	1
Childbirth and Metria	53	–	–	–	–	–	–	–	–	4	15	17	17	–	–	–	–	–
Violent Deaths	84	6	2	4	2	3	17	10	2	8	6	6	2	5	12	8	5	5
Other Causes	647	251	37	9	2	2	301	7	2	3	4	10	7	15	24	84	125	65

59.—HOLLINGBOURN.

Mean Popul^{n}, 1851-61	6656	-	-	-	-	-	946	837	774	593	546	894	713	556	422	248	105	22
TOTAL DEATHS	1205	232	68	29	23	14	366	50	41	56	48	100	75	69	95	132	123	50
Small-pox	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Measles	16	3	3	1	2	3	12	2	–	1	–	1	–	–	–	–	–	–
Scarlatina	21	3	–	2	2	–	7	9	2	2	–	1	–	–	–	–	–	–
Diphtheria	8	–	–	3	2	–	5	1	1	–	–	1	–	–	–	–	–	–
Whooping-cough	35	20	10	2	1	–	33	2	–	–	–	–	–	–	–	–	–	–
Typhus	42	–	–	3	–	–	3	3	12	6	1	8	2	3	–	3	1	–
Cholera, Diarrh., Dysent^{y}	40	12	5	3	2	–	22	3	2	–	–	3	1	1	1	2	4	1
Other Zymotic Dis.	48	13	6	2	1	2	24	3	2	1	3	2	3	–	3	2	5	–
Cancer	32	–	–	–	–	–	–	–	–	–	–	–	4	7	10	5	4	2
Scrofula, Tabes Mesent.	28	9	1	2	–	–	12	2	2	1	3	–	3	2	–	3	–	–
Phthisis	153	2	3	–	3	–	8	4	7	25	26	39	22	14	3	5	–	–
Hydrocephalus	11	4	3	1	1	–	9	2	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	121	27	4	2	1	2	36	7	5	5	1	4	9	8	16	17	12	1
Heart Dis. and Dropsy	97	2	1	–	–	–	3	–	2	1	2	7	6	7	21	29	18	3
Dis. of Lungs	113	19	15	6	2	3	45	2	2	4	1	8	3	5	13	16	12	2
Dis. of Stom. and Liver	71	9	2	–	–	1	12	4	1	2	2	6	4	6	14	15	5	–
Dis. of Kidneys	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	–	1	3	3	2	–	–	–
Diseases of the Joints	4	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–
Diseases of the Skin	6	2	1	–	–	–	3	1	1	–	–	–	–	–	–	–	–	1
Childbirth and Metria	15	–	–	–	–	–	–	–	–	1	1	6	7	–	–	–	–	–
Violent Deaths	25	1	2	2	4	1	10	2	–	2	5	1	2	2	1	–	–	–
Other Causes	301	104	12	3	1	–	120	3	1	5	3	10	5	9	10	32	61	42

60.—CRANBROOK.

Mean Popul^{n}, 1851-61	6568	-	-	-	-	-	878	826	733	624	560	923	707	546	417	241	97	15
TOTAL DEATHS	1103	191	41	37	21	18	308	35	28	46	56	87	76	64	112	148	108	35
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	2	1	–	2	–	5	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	31	2	5	2	5	3	17	4	3	–	1	3	2	–	1	–	–	–
Diphtheria	13	–	3	1	–	2	6	2	–	3	–	1	1	–	–	–	–	–
Whooping-cough	15	10	1	1	2	–	14	–	1	–	–	–	–	–	–	–	–	–
Typhus	40	1	1	–	3	1	6	4	5	7	2	3	4	4	4	–	1	–
Cholera, Diarrh., Dysent^{y}	44	6	1	5	2	2	16	4	2	–	–	1	1	3	1	8	7	1
Other Zymotic Dis.	54	12	2	5	2	–	21	4	3	2	1	1	2	5	6	8	1	–
Cancer	23	–	–	–	–	–	–	–	–	–	–	–	4	6	6	5	2	–
Scrofula, Tabes Mesent.	16	3	–	3	–	1	7	–	3	2	3	–	1	–	–	–	–	–
Phthisis	165	6	4	2	–	1	13	3	6	20	38	45	14	11	12	3	–	–
Hydrocephalus	16	7	4	–	1	–	12	3	–	1	–	–	–	–	–	–	–	–
Diseases of Brain	132	25	4	5	1	2	37	5	1	3	3	6	6	7	14	29	19	2
Heart Dis. and Dropsy	90	1	–	–	–	1	2	1	1	2	1	4	7	8	27	24	11	2
Dis. of Lungs	113	23	10	5	–	4	42	1	–	3	2	7	5	5	17	18	11	2
Dis. of Stom. and Liver	58	7	–	–	1	–	8	1	2	2	1	4	12	7	10	6	5	–
Dis. of Kidneys	9	–	–	–	1	–	1	–	–	–	–	1	2	2	1	2	–	–
Dis. of Gener. Organs	5	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	1	–
Diseases of the Joints	4	–	–	1	–	–	1	–	–	–	–	–	2	1	–	–	–	–
Diseases of the Skin	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Childbirth and Metria	14	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–
Violent Deaths	18	3	–	4	–	1	8	1	1	–	1	–	–	1	3	1	–	2
Other Causes	235	83	5	3	1	–	92	1	–	1	3	3	4	1	10	44	50	26

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
61.—TENTERDEN.																		
Mean Popul^{n}, 1851-61	5581	-	-	-	-	-	760	727	658	552	404	723	602	465	374	217	83	11
TOTAL DEATHS	1060	261	59	43	13	14	390	66	20	25	30	54	49	57	69	117	100	23
Small-pox	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1
Measles	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	33	2	4	5	3	4	18	9	3	1	-	2	-	-	-	-	-	-
Diphtheria	16	1	1	2	-	2	6	8	2	-	-	-	-	-	-	-	-	-
Whooping-cough	17	11	3	2	-	-	16	1	-	-	-	-	-	-	-	-	-	-
Typhus	43	-	-	-	4	-	4	4	-	3	2	4	5	6	5	7	3	-
Cholera, Diarrh., Dysent^{y}	28	4	3	5	-	-	12	2	-	-	-	2	-	2	5	2	3	-
Other Zymotic Dis.	43	9	1	3	1	3	17	5	2	-	-	1	3	5	1	5	3	1
Cancer	11	-	-	-	-	-	-	-	-	1	-	-	3	-	1	2	4	-
Scrofula, Tabes Mesent.	10	-	-	-	-	-	-	1	1	1	-	3	2	-	1	-	1	-
Phthisis	139	8	4	2	-	-	14	10	3	11	16	31	21	15	14	4	-	-
Hydrocephalus	20	6	4	3	-	1	14	6	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	115	43	7	8	-	-	61	3	3	2	2	2	2	4	4	15	16	1
Heart Dis. and Dropsy	54	-	-	-	-	-	-	1	2	2	2	-	1	7	5	20	14	-
Dis. of Lungs	117	41	10	6	3	3	63	6	1	2	3	4	3	2	13	9	9	2
Dis. of Stom. and Liver	20	4	1	2	1	-	8	3	-	-	2	2	2	2	3	7	-	-
Dis. of Kidneys	22	1	-	-	-	-	1	1	-	-	-	-	5	2	3	5	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	37	1	3	1	1	1	7	3	2	1	1	3	1	3	3	7	6	-
Other Causes	319	126	17	3	-	-	146	3	1	-	1	-	1	9	10	34	36	18
62.—WEST ASHFORD.																		
Mean Popul^{n}, 1851-61	7201	-	-	-	-	-	1037	884	774	721	621	1011	790	583	410	265	85	17
TOTAL DEATHS	1441	373	100	54	34	27	588	61	35	42	61	87	74	74	86	153	141	39
Small-pox	6	1	1	1	-	-	3	1	1	-	-	-	1	-	-	-	-	-
Measles	17	2	4	5	4	1	16	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	39	2	8	5	4	3	22	9	5	2	1	-	-	-	-	-	-	-
Diphtheria	23	-	2	3	4	3	12	7	1	1	-	1	1	-	-	-	-	-
Whooping-cough	34	15	11	3	2	2	33	1	-	-	-	-	-	-	-	-	-	-
Typhus	73	2	-	2	6	2	12	6	6	7	11	14	7	3	3	3	-	1
Cholera, Diarrh., Dysent^{y}	69	29	8	2	-	-	39	1	2	1	1	1	2	2	1	11	6	2
Other Zymotic Dis.	62	22	3	5	1	1	32	4	1	1	-	3	5	6	4	2	4	-
Cancer	18	-	-	-	-	-	-	-	-	1	-	1	4	1	4	4	2	1
Scrofula, Tabes Mesent.	22	6	2	3	1	-	12	2	2	1	1	3	1	-	-	-	-	-
Phthisis	141	6	4	2	1	1	14	-	3	16	29	32	20	15	10	2	-	-
Hydrocephalus	30	12	4	1	1	6	24	4	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	174	64	12	4	2	3	85	9	5	4	5	3	8	8	10	21	15	1
Heart Dis. and Dropsy	86	4	-	2	-	-	6	1	-	-	4	4	-	11	13	27	19	1
Dis. of Lungs	177	63	28	8	4	2	105	6	2	-	1	4	12	8	14	17	7	1
Dis. of Stom. and Liver	83	7	-	1	-	-	8	3	2	3	2	9	5	13	14	13	9	2
Dis. of Kidneys	23	-	-	-	-	1	1	1	-	-	-	2	-	2	5	7	5	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the Joints	10	1	-	1	-	1	3	1	-	-	1	4	-	-	-	1	-	-
Diseases of the Skin	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	37	5	2	1	2	1	11	4	1	3	2	1	4	1	3	6	1	-
Other Causes	313	131	10	5	2	-	148	-	3	2	1	5	4	4	5	33	73	30
63.—EAST ASHFORD.																		
Mean Popul^{n}, 1851-61	6220	-	-	-	-	-	896	785	743	588	476	777	644	531	392	252	105	15
TOTAL DEATHS	1112	248	57	33	31	19	388	54	32	38	41	57	48	59	87	121	113	44
Small-pox	4	1	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-
Measles	14	-	5	1	1	3	10	2	2	-	-	-	-	-	-	-	-	-
Scarlatina	34	2	5	2	6	3	18	11	2	1	1	-	1	-	-	-	-	-
Diphtheria	26	-	1	3	2	8	14	4	2	2	-	-	1	1	1	-	1	-
Whooping-cough	16	10	3	3	-	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	56	-	1	1	1	2	5	5	7	8	5	9	2	4	5	2	1	-
Cholera, Diarrh., Dysent^{y}	22	9	2	1	1	-	13	2	-	-	-	-	-	2	1	1	1	2
Other Zymotic Dis.	45	10	3	1	5	1	20	4	2	2	-	-	1	4	1	6	5	-
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	3	-
Scrofula, Tabes Mesent.	15	-	2	4	1	-	7	1	-	-	2	1	2	-	2	-	-	-
Phthisis	101	4	-	1	-	-	5	2	4	12	16	25	15	11	8	2	1	-
Hydrocephalus	27	6	6	2	3	1	18	5	3	-	1	-	-	-	-	-	-	-
Diseases of Brain	99	27	4	5	-	1	37	5	2	3	5	5	3	3	7	15	13	1
Heart Dis. and Dropsy	83	-	-	-	3	-	3	2	2	1	-	3	6	4	12	25	23	2
Dis. of Lungs	141	49	14	5	1	-	69	2	1	1	3	2	3	5	16	18	18	3
Dis. of Stom. and Liver	58	3	1	1	-	-	5	-	-	1	3	2	3	6	7	20	6	-
Dis. of Kidneys	25	-	1	-	1	-	2	-	-	-	-	1	-	2	4	9	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Diseases of the Skin	6	1	1	-	-	-	2	-	-	1	-	-	-	1	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	46	1	1	2	1	-	5	3	2	4	2	5	2	6	7	2	5	3
Other Causes	285	125	7	2	4	-	133	5	3	1	1	3	3	10	11	19	58	53

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
61.—TENTERDEN.																		
Mean Popul^{n}, 1851-61	5532	-	-	-	-	-	763	703	639	531	434	738	588	476	337	223	87	13
TOTAL DEATHS	1086	207	48	34	13	18	320	48	26	42	51	87	70	62	97	125	123	35
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	3	1	-	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	28	2	4	-	6	3	15	7	3	1	-	1	-	-	-	1	-	-
Diphtheria	13	-	2	-	2	1	5	6	-	2	-	-	-	-	-	-	-	-
Whooping-cough	26	14	7	3	-	1	25	1	-	-	-	-	-	-	-	-	-	-
Typhus	31	1	1	1	-	-	3	3	1	5	7	3	1	4	1	2	1	-
Cholera, Diarrh., Dysent^{y}	33	6	1	2	2	1	12	2	1	1	-	-	1	2	4	6	4	-
Other Zymotic Dis.	37	4	2	5	-	4	15	4	1	-	1	2	3	-	-	6	3	2
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	2	10	2	4	-	-
Scrofula, Tabes Mesent.	11	2	-	-	-	-	2	1	-	1	-	-	2	-	4	1	-	-
Phthisis	192	7	2	3	-	1	13	6	8	19	33	46	33	15	15	4	-	-
Hydrocephalus	13	2	3	3	-	1	9	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	126	28	6	1	1	1	37	3	7	2	-	7	6	7	21	21	13	2
Heart Dis. and Dropsy	93	3	-	1	1	1	6	1	1	1	2	5	4	12	23	22	16	-
Dis. of Lungs	87	21	9	8	1	2	41	3	-	4	2	3	5	-	8	12	9	-
Dis. of Stom. and Liver	36	5	1	1	-	1	8	1	2	3	-	3	3	5	5	4	2	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	1	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	2	3	1	1	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	-	4	8	4	-	-	-	-	-
Violent Deaths	14	2	1	-	-	1	4	2	1	1	-	1	-	1	-	1	3	-
Other Causes	293	108	9	4	-	-	121	4	1	-	2	5	1	5	11	41	71	31
62.—WEST ASHFORD.																		
Mean Popul^{n}, 1851-61	7024	-	-	-	-	-	1003	871	792	663	608	932	768	551	405	247	107	17
TOTAL DEATHS	1379	263	87	52	35	24	461	66	42	50	88	124	84	85	95	109	120	55
Small-pox	4	-	-	-	1	-	1	-	-	1	-	-	1	1	-	-	-	-
Measles	21	5	6	6	-	1	18	2	-	-	1	-	-	-	-	-	-	-
Scarlatina	46	3	4	8	4	5	24	15	-	3	2	1	-	1	-	-	-	-
Diphtheria	23	-	2	3	-	3	8	7	5	-	3	-	-	-	-	-	-	-
Whooping-cough	29	12	9	3	3	2	29	-	-	-	-	-	-	-	-	-	-	-
Typhus	76	-	2	2	1	3	8	4	11	7	7	9	6	4	9	5	5	1
Cholera, Diarrh., Dysent^{y}	48	18	1	1	2	2	24	4	1	1	1	6	1	1	4	2	3	-
Other Zymotic Dis.	59	18	7	-	3	3	31	6	4	-	2	4	-	2	3	4	1	2
Cancer	25	-	-	-	-	-	-	-	-	-	-	2	2	4	11	5	1	-
Scrofula, Tabes Mesent.	24	6	5	1	-	-	12	2	2	1	2	4	-	-	-	1	-	-
Phthisis	226	4	1	4	-	-	9	4	10	23	47	57	39	28	4	4	1	-
Hydrocephalus	18	3	6	1	4	-	14	3	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	150	49	15	6	3	2	75	9	2	1	3	10	4	5	11	15	14	1
Heart Dis. and Dropsy	90	4	-	1	-	-	5	1	1	1	3	2	5	16	19	25	12	-
Dis. of Lungs	153	37	17	11	7	2	74	5	1	1	2	8	7	7	17	20	9	2
Dis. of Stom. and Liver	45	6	1	-	3	-	10	-	-	4	6	5	3	5	6	3	3	-
Dis. of Kidneys	9	-	-	-	-	-	-	-	1	1	1	-	-	2	1	2	1	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	1	-	1	3	4	3	2	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	1	4	9	4	-	-	-	-	-
Violent Deaths	18	2	1	2	2	1	8	1	1	1	-	1	3	-	1	1	1	-
Other Causes	279	96	10	3	2	-	111	3	3	1	3	5	6	4	6	20	68	40
63.—EAST ASHFORD.																		
Mean Popul^{n}, 1851-61	5903	-	-	-	-	-	851	797	679	510	445	774	618	506	364	240	103	16
TOTAL DEATHS	1122	227	52	33	27	21	360	53	34	56	54	84	52	57	90	103	129	50
Small-pox	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	6	1	1	-	1	1	4	2	-	-	-	-	-	1	-	-	-	-
Scarlatina	30	2	8	7	1	2	20	7	1	1	-	-	-	-	-	-	-	-
Diphtheria	16	-	-	2	2	2	6	5	3	1	1	-	-	-	-	-	-	-
Whooping-cough	24	14	5	1	2	1	23	1	-	-	-	-	-	-	-	-	-	-
Typhus	49	-	-	-	3	-	3	5	9	8	4	3	4	1	4	5	3	-
Cholera, Diarrh., Dysent^{y}	39	16	1	2	2	3	24	1	-	-	-	-	-	2	2	5	3	2
Other Zymotic Dis.	50	13	3	5	2	3	26	3	-	-	-	1	-	1	6	8	4	1
Cancer	17	-	-	-	-	-	-	-	-	-	-	1	1	4	6	4	1	-
Scrofula, Tabes Mesent.	17	10	1	-	1	-	12	2	-	1	-	1	-	1	-	-	-	-
Phthisis	163	6	3	1	-	-	10	7	11	31	29	42	18	10	5	-	-	-
Hydrocephalus	19	4	5	1	2	3	15	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	84	17	7	1	1	-	26	3	1	3	3	1	3	6	11	10	17	-
Heart Dis. and Dropsy	90	3	-	-	-	-	3	1	1	5	2	6	4	9	19	19	16	5
Dis. of Lungs	109	27	10	5	3	3	48	1	3	4	6	9	2	3	12	10	10	1
Dis. of Stom. and Liver	52	3	-	-	-	-	3	4	1	1	4	3	3	7	9	14	3	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	1	-
Diseases of the Joints	4	1	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	10	-	-	-	-	-	-	-	-	-	1	4	5	-	-	-	-	-
Violent Deaths	22	2	-	-	3	-	5	4	3	1	-	-	-	1	2	1	2	3
Other Causes	305	108	7	8	4	3	130	3	1	-	4	9	10	8	11	23	68	38

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

64.—BRIDGE.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	5698	-	-	-	-	-	737	702	632	556	447	716	616	533	393	242	105	14
TOTAL DEATHS	1095	261	67	27	28	22	405	48	28	28	41	46	61	56	79	137	132	34
Small-pox	5	2	-	1	-	-	3	-	1	-	-	1	-	-	-	-	-	-
Measles	13	3	3	2	-	1	9	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	33	2	5	4	6	7	24	6	2	-	-	-	-	-	1	-	-	-
Diphtheria	23	-	3	-	4	3	10	9	3	1	-	-	-	-	-	-	-	-
Whooping-cough	22	13	7	2	-	-	22	-	-	-	-	-	-	-	-	-	-	-
Typhus	35	3	1	-	3	1	8	6	1	3	5	4	2	1	1	1	2	1
Cholera, Diarrh., Dysent^{y}	59	27	3	1	2	1	34	2	-	2	-	2	1	4	2	9	3	-
Other Zymotic Dis.	58	13	6	3	8	1	31	4	3	-	2	-	-	2	5	7	4	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	4	-	3	4	-	-
Scrofula, Tabes Mesent.	24	12	3	1	-	1	17	1	2	1	1	-	-	1	1	-	-	-
Phthisis	90	6	2	-	-	-	8	1	2	11	20	20	9	10	7	2	-	-
Hydrocephalus	20	9	3	2	1	1	16	2	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	107	29	7	3	2	2	43	2	2	-	1	2	12	5	12	16	12	-
Heart Dis. and Dropsy	75	1	1	-	-	-	2	-	3	1	1	2	8	6	14	26	11	1
Dis. of Lungs	109	22	8	3	1	2	36	4	-	3	4	7	6	7	15	15	11	1
Dis. of Stom. and Liver	62	8	1	-	-	-	9	3	1	2	3	3	4	7	8	16	6	-
Dis. of Kidneys	17	-	-	-	-	-	-	-	-	-	-	-	1	4	1	7	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	1	-	-	1	-	1	1	1	-	2	-	-	-	-	-
Diseases of the Skin	5	1	-	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	38	1	3	-	1	2	7	1	4	1	1	4	8	4	3	3	2	-
Other Causes	283	109	11	4	-	-	124	3	1	1	2	1	3	5	5	30	77	31

65.—CANTERBURY.

Mean Popul^{n}, 1851-61	7522	-	-	-	-	-	830	759	740	862	903	1134	852	606	446	272	108	10
TOTAL DEATHS	1841	351	108	55	41	33	588	72	36	70	98	172	158	140	145	174	150	38
Small-pox	35	5	3	-	2	1	11	4	1	7	8	3	1	-	-	-	-	-
Measles	20	6	7	4	1	2	20	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	45	1	5	8	4	7	25	14	3	2	-	1	-	-	-	-	-	-
Diphtheria	11	4	1	-	-	1	6	5	-	-	-	-	-	-	-	-	-	-
Whooping-cough	24	5	14	2	1	1	23	1	-	-	-	-	-	-	-	-	-	-
Typhus	80	-	-	3	6	1	10	13	6	12	16	3	5	5	3	4	3	-
Cholera, Diarrh., Dysent^{y}	85	30	10	2	2	-	44	3	-	4	3	9	2	4	2	7	7	-
Other Zymotic Dis.	92	19	3	2	8	3	35	3	5	1	2	10	8	5	11	6	5	1
Cancer	27	-	-	-	-	-	-	-	-	1	1	1	2	5	6	9	2	-
Scrofula, Tabes Mesent.	42	18	8	4	3	1	34	2	2	-	1	1	1	-	-	1	-	-
Phthisis	230	4	4	3	-	-	11	5	2	21	26	68	53	24	17	3	-	-
Hydrocephalus	24	8	5	6	2	1	22	-	-	-	1	1	-	-	-	-	-	-
Diseases of Brain	199	53	7	5	2	5	72	9	3	3	4	11	18	15	14	24	21	5
Heart Dis. and Dropsy	114	2	-	-	-	-	2	3	3	6	8	13	12	11	21	28	7	-
Dis. of Lungs	258	48	26	8	7	7	94	1	1	-	8	16	21	30	27	34	23	3
Dis. of Stom. and Liver	82	6	1	1	1	1	12	1	2	2	6	14	6	14	13	9	2	1
Dis. of Kidneys	38	-	-	-	1	-	1	-	-	3	3	3	3	5	4	10	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	10	-	-	-	-	-	-	-	1	-	2	-	2	1	3	-	1	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	101	3	5	5	-	1	14	8	7	6	9	11	16	11	11	4	4	-
Other Causes	320	138	9	2	1	1	151	-	-	2	-	7	7	9	13	34	70	27

66.—BLEAN.

Mean Popul^{n}, 1851-61	7459	-	-	-	-	-	1088	980	916	662	520	951	826	641	485	264	112	14
TOTAL DEATHS	1398	358	101	55	25	26	565	58	36	46	42	75	77	76	105	126	147	45
Small-pox	9	1	-	2	1	-	4	1	1	2	-	-	-	1	-	-	-	-
Measles	11	1	2	4	1	-	8	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	35	3	6	5	3	4	21	9	4	1	-	-	-	-	-	-	-	-
Diphtheria	16	-	3	1	-	2	6	5	3	1	-	1	-	-	-	-	-	-
Whooping-cough	34	15	11	2	4	1	33	1	-	-	-	-	-	-	-	-	-	-
Typhus	69	2	2	2	-	5	11	10	8	7	8	3	5	7	4	1	4	1
Cholera, Diarrh., Dysent^{y}	89	46	7	2	-	3	58	2	1	3	-	3	2	-	6	6	4	4
Other Zymotic Dis.	62	12	9	3	2	2	28	6	3	1	-	-	4	5	4	7	4	-
Cancer	21	-	-	1	-	-	1	-	-	-	1	-	1	4	6	2	6	-
Scrofula, Tabes Mesent.	31	11	4	5	-	1	21	1	2	2	2	-	-	-	2	2	1	-
Phthisis	133	7	3	2	2	1	15	2	5	13	13	43	24	10	5	1	2	-
Hydrocephalus	30	13	8	1	1	1	24	4	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	160	50	9	5	1	1	66	3	1	5	2	5	13	6	16	24	15	4
Heart Dis. and Dropsy	58	1	-	-	-	-	1	2	-	2	2	4	-	10	9	12	14	2
Dis. of Lungs	192	41	22	16	9	4	92	3	1	1	3	2	7	8	18	27	27	3
Dis. of Stom. and Liver	71	7	2	-	1	-	10	1	1	2	4	5	7	5	14	13	8	1
Dis. of Kidneys	32	-	-	-	-	-	-	1	-	1	-	1	3	3	7	8	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	1	-	-	1	-	1	-	1	-	-	-	1	-	-	-
Diseases of the Skin	5	3	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	49	2	6	1	-	-	9	1	2	3	3	4	7	6	3	7	3	1
Other Causes	287	143	7	2	-	1	153	1	2	1	3	4	4	11	10	18	51	29

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
64.—BRIDGE.																		
Mean Popul^{n}, 1851-61	5542	-	-	-	-	-	702	692	615	469	439	747	628	514	363	252	104	17
TOTAL DEATHS	946	171	39	35	23	17	285	43	32	40	43	63	55	53	57	114	118	43
Small-pox	3	2	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Measles	9	3	2	-	2	1	8	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	35	2	-	6	6	4	18	12	3	1	1	-	-	-	-	-	-	-
Diphtheria	18	-	1	2	-	2	5	6	3	3	-	-	1	-	-	-	-	-
Whooping-cough	19	6	4	5	-	2	17	1	1	-	-	-	-	-	-	-	-	-
Typhus	40	-	-	2	1	2	5	5	9	3	4	3	3	4	1	2	1	-
Cholera, Diarrh., Dysent^{y}	42	14	8	2	-	-	24	3	1	-	-	2	5	1	-	3	2	1
Other Zymotic Dis.	42	12	3	7	3	1	25	5	-	-	-	1	1	2	2	2	5	-
Cancer	23	-	-	-	-	-	-	-	-	-	-	2	2	7	3	8	1	-
Scrofula, Tabes Mesent.	20	4	1	2	3	-	10	3	-	3	1	1	-	-	1	1	-	-
Phthisis	133	2	-	1	-	-	3	1	6	23	29	32	17	16	4	2	-	-
Hydrocephalus	7	-	2	-	2	2	6	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	89	20	6	4	-	1	31	2	3	-	1	4	5	2	11	17	11	2
Heart Dis. and Dropsy	75	-	-	-	-	-	-	-	4	2	1	5	5	17	22	13	1	
Dis. of Lungs	67	17	6	3	1	-	27	1	1	-	2	2	6	2	6	12	7	1
Dis. of Stom. and Liver	36	4	-	-	1	-	5	1	-	2	-	4	2	5	6	9	1	1
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	1	2	4	1	-	1	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	5	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-
Violent Deaths	10	-	1	-	2	1	4	1	-	1	-	1	1	-	-	1	-	1
Other Causes	258	84	5	1	2	-	92	1	-	-	3	2	4	3	4	35	78	36
65.—CANTERBURY.																		
Mean Popul^{n}, 1851-61	7849	-	-	-	-	-	867	767	735	753	776	1178	922	736	559	370	154	32
TOTAL DEATHS	1676	286	89	47	32	30	484	95	42	51	75	106	107	121	128	191	205	71
Small-pox	14	3	1	-	-	-	4	4	-	2	2	2	-	-	-	-	-	-
Measles	20	3	5	4	2	4	18	1	-	-	-	-	1	-	-	-	-	-
Scarlatina	38	-	3	5	5	6	19	14	1	-	3	1	-	-	-	-	-	-
Diphtheria	19	-	1	1	1	2	5	10	2	-	-	-	2	-	-	-	-	-
Whooping-cough	28	10	10	5	2	1	28	-	-	-	-	-	-	-	-	-	-	-
Typhus	73	1	-	2	3	5	11	19	7	4	4	7	2	8	3	7	-	1
Cholera, Diarrh., Dysent^{y}	69	23	7	1	1	1	33	-	2	1	4	4	2	4	5	6	7	1
Other Zymotic Dis.	59	12	2	5	4	4	27	5	3	1	-	2	4	5	2	6	4	-
Cancer	47	-	-	-	-	-	-	-	-	1	1	-	5	11	14	9	6	-
Scrofula, Tabes Mesent.	40	16	5	2	-	1	24	8	1	2	2	-	2	1	-	-	-	-
Phthisis	188	6	-	1	2	-	9	7	13	19	26	48	27	23	11	4	1	-
Hydrocephalus	15	4	2	3	2	1	12	2	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	185	40	12	6	3	2	63	3	3	3	3	5	10	9	22	31	27	6
Heart Dis. and Dropsy	112	5	-	-	1	-	6	2	1	3	5	9	15	15	20	27	9	-
Dis. of Lungs	228	30	34	7	3	2	76	6	2	4	7	6	11	23	22	38	27	6
Dis. of Stom. and Liver	87	9	-	1	-	-	10	4	2	2	2	4	9	14	17	18	4	1
Dis. of Kidneys	20	-	-	-	-	-	-	2	2	3	2	3	1	2	2	2	1	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	1	5	2	-	1	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-
Diseases of the Skin	9	-	-	-	1	-	1	-	-	-	1	1	-	-	-	3	2	1
Childbirth and Metria	14	-	-	-	-	-	-	-	-	-	5	3	6	-	-	-	-	-
Violent Deaths	31	2	-	1	1	1	5	4	1	3	2	2	5	-	2	4	2	1
Other Causes	367	122	7	3	1	-	133	3	1	2	5	2	3	6	7	36	115	54
66.—BLEAN.																		
Mean Popul^{n}, 1851-61	7952	-	-	-	-	-	1094	1006	871	701	637	1117	914	703	493	288	109	19
TOTAL DEATHS	1422	262	86	46	37	26	457	67	47	50	57	86	89	76	116	155	151	71
Small-pox	3	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Measles	12	4	3	1	2	-	10	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	49	4	6	1	4	5	20	22	6	-	-	1	-	-	-	-	-	-
Diphtheria	17	1	-	3	2	4	10	6	1	-	-	-	-	-	-	-	-	-
Whooping-cough	32	15	11	3	2	-	31	1	-	-	-	-	-	-	-	-	-	-
Typhus	84	1	1	2	2	2	8	11	16	6	9	8	6	-	5	9	6	-
Cholera, Diarrh., Dysent^{y}	72	24	8	1	2	2	37	1	-	1	3	1	2	3	7	6	8	3
Other Zymotic Dis.	66	14	4	6	9	4	37	1	2	3	-	2	4	-	8	5	3	1
Cancer	48	-	-	-	-	-	-	1	-	-	-	2	8	11	8	11	7	-
Scrofula, Tabes Mesent.	24	5	3	3	1	-	12	1	3	3	-	2	-	1	2	-	-	-
Phthisis	177	7	4	3	1	2	17	2	10	25	32	42	25	16	6	2	-	-
Hydrocephalus	14	7	3	1	-	1	12	-	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	136	34	10	4	2	2	52	2	1	3	3	3	6	5	11	18	25	7
Heart Dis. and Dropsy	100	-	-	-	-	-	-	3	1	1	-	4	9	14	19	32	14	3
Dis. of Lungs	189	31	20	14	7	-	72	6	3	3	4	6	8	9	21	30	20	7
Dis. of Stom. and Liver	72	8	3	-	1	1	13	1	2	1	2	7	7	9	12	13	4	1
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	2	1	1	1	2	2	2	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	1	2	1	4	-	1	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Skin	5	1	-	-	-	-	1	-	-	1	-	-	-	-	2	-	1	-
Childbirth and Metria	9	-	-	-	-	-	-	-	-	-	1	3	4	1	-	-	-	-
Violent Deaths	18	3	1	-	-	1	5	2	1	-	-	-	1	1	3	2	3	-
Other Causes	274	103	9	4	2	1	119	3	-	2	1	3	5	4	6	23	57	49

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

67.—FAVERSHAM.

CAUSES OF DEATH.	All Ages.	Ages of Males: Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	8958	-	-	-	-	-	1278	1072	1042	812	692	1231	967	749	531	362	150	22
TOTAL DEATHS	1772	443	110	58	45	34	690	79	38	50	58	96	108	108	123	178	177	62
Small-pox	14	1	1	2	-	-	4	2	-	1	1	3	1	-	1	1	-	-
Measles	16	3	5	5	1	-	14	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	64	8	7	11	6	6	38	17	6	2	-	-	-	1	-	-	-	-
Diphtheria	12	1	-	1	2	-	4	4	1	-	1	-	1	1	-	-	-	-
Whooping-cough	15	8	4	2	-	-	14	1	-	-	-	-	-	-	-	-	-	-
Typhus	103	2	2	1	6	8	19	17	5	6	8	14	10	10	6	7	1	-
Cholera, Diarrh., Dysent^{y}	90	40	10	3	6	-	59	-	-	1	1	1	3	2	7	8	4	4
Other Zymotic Dis.	95	31	4	7	4	6	52	4	2	1	3	3	7	4	3	11	4	1
Cancer	18	-	-	-	-	-	-	-	-	-	-	1	2	2	2	9	2	-
Scrofula, Tabes Mesent.	25	5	3	1	-	-	9	2	3	3	1	2	2	-	2	1	-	-
Phthisis	199	7	7	7	3	1	25	6	3	17	28	41	31	22	17	8	1	-
Hydrocephalus	29	11	7	2	3	2	25	3	-	-	-	-	-	-	-	1	-	-
Diseases of Brain	243	86	16	5	6	2	115	9	5	1	3	4	9	11	26	27	27	6
Heart Dis. and Dropsy	107	1	1	-	-	-	2	1	3	2	3	6	8	9	19	31	21	2
Dis. of Lungs	204	68	27	7	6	1	109	4	-	4	3	7	11	18	12	20	11	5
Dis. of Stom. and Liver	85	12	2	1	-	3	18	3	2	-	-	6	5	8	12	21	8	2
Dis. of Kidneys	31	-	-	-	-	-	-	-	-	2	3	3	6	3	3	5	5	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Joints	7	-	1	-	-	-	1	-	1	-	-	-	1	1	1	2	-	-
Diseases of the Skin	6	4	-	-	-	-	4	1	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	63	5	-	2	1	2	10	3	5	3	1	3	6	9	7	4	5	2
Other Causes	345	150	13	1	1	3	168	1	2	1	2	2	4	7	10	21	38	39

68.—MILTON.

Mean Popul^{n}, 1851-61	6617	-	-	-	-	-	986	861	759	670	589	970	756	533	387	217	77	12
TOTAL DEATHS	1460	407	145	55	27	29	663	57	30	30	39	70	73	88	112	118	121	29
Small-pox	13	-	1	1	1	1	4	1	4	-	1	1	-	-	2	-	-	-
Measles	26	2	7	8	2	2	21	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	26	4	4	-	1	4	13	12	1	-	-	-	-	-	-	-	-	-
Diphtheria	8	-	2	-	3	-	5	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	23	9	11	1	2	-	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	95	11	5	4	5	8	33	4	4	5	5	9	4	14	9	6	2	1
Cholera, Diarrh., Dysent^{y}	173	54	26	13	2	2	97	4	6	2	6	6	9	10	13	5	13	2
Other Zymotic Dis.	62	12	7	3	3	3	28	5	1	-	-	6	4	7	4	3	4	-
Cancer	12	-	-	-	-	-	-	-	-	-	1	-	1	1	3	5	1	-
Scrofula, Tabes Mesent.	32	12	9	2	1	1	25	2	2	-	-	1	-	1	1	-	-	-
Phthisis	110	4	3	1	1	-	9	6	3	8	11	22	19	18	10	3	1	-
Hydrocephalus	19	7	6	5	-	-	18	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	214	125	15	5	1	-	146	5	2	1	1	5	4	6	12	20	11	1
Heart Dis. and Dropsy	77	2	1	-	1	1	5	1	2	1	1	4	8	8	17	17	11	2
Dis. of Lungs	154	41	20	10	3	2	76	4	-	2	-	5	6	12	10	25	13	1
Dis. of Stom. and Liver	58	12	3	-	-	1	16	1	1	1	3	2	7	2	13	7	4	1
Dis. of Kidneys	21	-	-	-	1	1	2	-	-	2	-	1	3	1	5	4	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	49	2	3	1	-	2	8	4	3	8	6	6	5	3	5	-	-	1
Other Causes	252	109	22	1	-	1	133	-	-	-	3	2	2	4	7	23	58	20

69.—SHEPPEY.

Mean Popul^{n}, 1851-61	8850	-	-	-	-	-	1107	826	750	1004	1198	1647	1050	644	383	178	53	8
TOTAL DEATHS	1681	491	158	76	41	32	798	54	21	45	82	112	95	112	124	124	93	21
Small-pox	16	3	1	-	1	2	7	-	-	2	4	3	-	-	-	-	-	-
Measles	16	-	5	6	2	1	14	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	24	2	4	5	3	2	16	5	1	1	1	-	-	-	-	-	-	-
Diphtheria	3	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	36	17	11	5	2	-	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	113	3	8	10	8	6	35	7	4	2	4	16	8	9	14	9	5	-
Cholera, Diarrh., Dysent^{y}	104	45	18	5	1	2	71	1	2	-	8	4	3	2	6	2	5	-
Other Zymotic Dis.	99	18	9	6	8	5	46	5	-	6	4	9	7	6	3	8	3	2
Cancer	9	-	-	-	-	-	-	-	-	-	-	1	2	-	3	2	1	-
Scrofula, Tabes Mesent.	30	7	7	6	1	1	22	2	-	-	1	3	-	1	-	1	-	-
Phthisis	125	14	5	-	2	1	22	2	2	7	24	19	21	14	12	2	-	-
Hydrocephalus	40	14	10	4	4	3	35	4	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	238	139	27	8	2	1	177	7	2	4	6	5	7	11	14	23	12	-
Heart Dis. and Dropsy	85	4	2	-	-	-	8	3	-	7	4	10	2	17	16	8	10	-
Dis. of Lungs	222	77	22	9	3	5	116	5	-	3	8	13	12	19	20	14	7	5
Dis. of Stom. and Liver	56	7	2	3	-	1	13	2	2	2	2	3	5	8	6	11	1	1
Dis. of Kidneys	16	-	-	1	-	-	1	1	-	-	1	1	4	2	1	3	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	-
Diseases of the Skin	7	2	1	-	-	-	3	-	-	-	-	1	1	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	99	4	5	2	1	1	13	4	4	9	14	16	11	12	12	4	-	-
Other Causes	307	135	21	4	1	-	161	4	2	1	1	6	10	10	16	37	46	13

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
67.—FAVERSHAM.																		
Mean Popul^{n}, 1851-61	8818	-	-	-	-	-	1202	1126	971	752	759	1245	970	730	525	356	160	22
TOTAL DEATHS	1724	325	106	62	64	26	583	87	51	58	79	110	108	88	102	185	203	70
Small-pox	10	3	3	1	1	-	8	1	-	1	-	-	-	-	-	-	-	-
Measles	27	5	11	6	1	1	24	2	-	-	-	-	1	-	-	-	-	-
Scarlatina	67	5	11	6	17	7	46	15	2	2	-	1	1	-	-	-	-	-
Diphtheria	21	-	2	2	4	3	11	7	-	2	1	-	-	-	-	-	-	-
Whooping-cough	23	8	9	3	2	-	22	1	-	-	-	-	-	-	-	-	-	-
Typhus	114	4	6	3	6	8	27	17	13	11	5	8	11	4	7	6	5	-
Cholera, Diarrh., Dysent^{y}	75	35	5	1	1	-	42	1	-	-	1	2	3	-	3	4	15	4
Other Zymotic Dis.	70	13	2	7	9	2	33	7	3	1	2	3	1	2	3	9	6	-
Cancer	47	-	-	-	-	-	-	-	-	-	-	2	4	11	13	11	6	-
Scrofula, Tabes Mesent.	27	4	4	2	-	-	10	3	3	1	3	2	1	1	1	2	-	-
Phthisis	239	3	5	2	3	-	13	7	14	24	43	59	45	20	7	5	2	-
Hydrocephalus	17	1	3	2	2	-	8	6	1	1	-	1	-	-	-	-	-	-
Diseases of Brain	175	61	9	5	5	1	81	5	5	3	4	1	7	6	15	26	21	1
Heart Dis. and Dropsy	106	-	2	-	-	-	2	1	1	2	4	5	8	12	13	38	19	1
Dis. of Lungs	174	38	23	12	8	2	83	4	3	3	5	4	5	10	11	22	18	6
Dis. of Stom. and Liver	89	10	3	3	1	-	17	3	2	-	5	6	2	14	16	18	6	-
Dis. of Kidneys	13	-	-	-	1	-	1	-	-	1	1	3	-	2	1	3	-	1
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	1	-	2	3	2	3	-	2	-
Diseases of the Joints	6	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	2	-
Diseases of the Skin	6	3	-	2	-	-	5	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metria	27	-	-	-	-	-	-	-	-	1	5	9	12	-	-	-	-	-
Violent Deaths	27	2	1	2	1	2	8	4	-	1	-	-	1	-	3	4	2	4
Other Causes	351	130	7	3	2	-	142	3	3	1	-	2	2	3	6	37	99	53
68.—MILTON.																		
Mean Popul^{n}, 1851-61	6583	-	-	-	-	-	1004	873	735	561	586	952	703	505	365	202	81	16
TOTAL DEATHS	1348	324	119	52	41	27	563	61	35	44	52	94	77	58	100	113	110	41
Small-pox	10	1	2	-	2	1	6	2	-	-	2	-	-	-	-	-	-	-
Measles	35	7	12	5	4	3	31	2	-	1	-	1	-	-	-	-	-	-
Scarlatina	23	-	-	4	6	3	13	7	1	1	-	-	1	-	-	-	-	-
Diphtheria	10	-	-	-	3	2	5	2	2	1	-	-	-	-	-	-	-	-
Whooping-cough	24	9	9	2	3	1	24	-	-	-	-	-	-	-	-	-	-	-
Typhus	73	2	4	3	2	4	15	12	6	5	5	8	4	3	7	8	-	-
Cholera, Diarrh., Dysent^{y}	156	44	26	8	6	1	85	8	6	2	6	7	13	5	7	4	11	2
Other Zymotic Dis.	35	7	4	4	3	6	24	2	-	1	1	-	3	-	2	1	1	-
Cancer	41	-	-	-	-	-	-	-	-	-	1	1	3	7	9	13	6	1
Scrofula, Tabes Mesent.	29	7	10	2	1	-	20	1	2	1	-	-	3	1	1	-	-	-
Phthisis	139	2	2	2	2	-	8	3	8	19	21	39	19	11	9	2	-	-
Hydrocephalus	13	6	-	1	-	2	9	2	1	-	-	-	-	-	-	1	-	-
Diseases of Brain	175	91	17	4	-	2	114	5	2	-	3	5	5	4	11	12	10	4
Heart Dis. and Dropsy	76	2	2	-	-	1	5	1	1	3	2	3	5	9	18	18	8	3
Dis. of Lungs	96	29	11	4	5	1	50	4	1	-	-	5	1	5	8	12	8	2
Dis. of Stom. and Liver	72	4	-	1	-	-	5	2	1	3	4	7	9	7	15	14	5	-
Dis. of Kidneys	9	-	-	-	-	-	-	1	-	-	1	2	-	1	1	3	-	-
Dis. of Gener. Organs	5	-	-	-	1	-	1	-	-	-	-	1	1	1	1	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-
Diseases of the Skin	4	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	2	4	11	4	1	-	-	-	-
Violent Deaths	30	4	3	1	1	-	9	4	3	2	1	1	1	3	1	-	2	3
Other Causes	268	108	16	11	2	-	137	2	1	3	-	3	5	-	8	25	58	26
69.—SHEPPEY.																		
Mean Popul^{n}, 1851-61	7090	-	-	-	-	-	1086	859	771	618	669	1168	837	527	324	162	57	12
TOTAL DEATHS	1402	385	133	66	47	24	655	51	32	43	45	100	91	72	81	116	84	32
Small-pox	8	2	1	-	1	-	4	2	-	-	-	1	1	-	-	-	-	-
Measles	21	2	8	3	6	1	20	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	11	1	-	3	3	-	7	3	-	-	-	1	-	-	-	-	-	-
Diphtheria	3	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Whooping cough	40	20	8	6	2	1	37	3	-	-	-	-	-	-	-	-	-	-
Typhus	90	3	3	8	4	5	23	8	5	8	5	7	9	7	4	7	7	-
Cholera, Diarrh., Dysent^{y}	100	40	24	2	3	2	71	2	1	1	5	2	3	6	3	4	2	-
Other Zymotic Dis.	75	23	6	12	7	-	48	3	5	3	1	5	3	1	2	4	-	-
Cancer	28	-	-	-	-	-	-	-	1	-	1	4	4	5	4	8	1	-
Scrofula, Tabes Mesent.	23	9	3	1	2	-	15	2	1	1	1	-	2	-	-	1	-	-
Phthisis	134	14	6	-	1	-	21	4	7	11	16	37	20	12	3	3	-	-
Hydrocephalus	44	13	16	6	1	3	39	5	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	191	104	8	3	6	3	124	5	1	6	2	5	5	8	18	11	4	2
Heart Dis. and Dropsy	80	3	1	-	-	-	4	4	3	1	5	4	8	20	11	14	6	-
Dis. of Lungs	147	36	25	13	5	3	82	3	1	2	2	5	9	5	12	13	9	4
Dis. of Stom. and Liver	63	1	2	2	2	1	8	2	2	1	2	11	10	5	10	7	5	-
Dis. of Kidneys	7	-	1	-	-	1	2	1	-	-	-	2	-	-	2	-	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	1	-	1	4	1	2	-	-	-
Diseases of the Joints	2	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	2	2	9	8	-	-	-	-	-
Violent Deaths	15	2	1	-	1	2	6	1	-	3	1	1	1	-	-	1	1	-
Other Causes	289	112	19	5	3	2	141	2	2	3	2	5	4	2	10	43	49	26

Mean Population, 1851–61, and **Deaths in Districts** during the **10 Years 1851–60.**

70.—THANET.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	14441	-	-	-	-	-	1906	1949	1938	1306	990	1715	1563	1323	941	552	213	34
TOTAL DEATHS.	3335	665	173	117	71	57	1083	186	121	107	120	214	244	249	301	353	287	70
Small-pox	26	4	-	3	2	4	13	4	1	2	3	1	1	1	-	-	-	-
Measles	32	6	7	9	3	1	26	4	2	-	-	-	-	-	-	-	-	-
Scarlatina	128	6	9	20	15	20	70	44	5	3	1	2	1	2	-	-	-	-
Diphtheria	7	-	-	1	2	2	5	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough	56	22	17	7	6	3	55	1	-	-	-	-	-	-	-	-	-	-
Typhus	138	4	8	3	2	5	22	23	16	11	13	14	12	10	10	4	3	-
Cholera, Diarrh., Dysent^{y}	275	111	12	17	6	6	152	14	4	-	6	13	18	14	20	23	10	1
Other Zymotic Dis.	129	35	6	11	4	1	57	10	7	2	2	7	9	9	9	10	6	1
Cancer	35	-	-	1	-	-	1	-	-	-	-	2	3	5	7	12	5	-
Scrofula, Tabes Mesent.	72	9	6	-	2	2	19	12	13	8	7	9	2	1	1	-	-	-
Phthisis	404	11	9	6	3	3	32	18	25	33	45	88	72	52	30	9	-	-
Hydrocephalus	85	29	21	9	7	3	69	10	3	1	-	-	1	-	-	1	-	-
Diseases of Brain	352	79	14	5	4	3	105	9	8	7	10	5	19	37	53	55	39	5
Heart Dis. and Dropsy	232	11	2	1	3	1	18	4	7	8	4	8	30	31	45	53	17	7
Dis. of Lungs	285	59	28	15	6	1	109	12	3	4	6	9	13	25	40	44	20	-
Dis. of Stom. and Liver	169	20	2	1	2	-	25	6	7	4	1	17	19	28	24	25	10	3
Dis. of Kidneys	54	2	-	1	-	1	4	1	2	-	4	1	6	8	14	9	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	26	1	-	-	-	-	1	3	4	5	3	4	3	-	-	2	1	-
Diseases of the Skin	10	6	1	1	-	-	8	-	-	-	-	-	1	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	160	8	2	3	1	1	15	6	11	15	15	31	20	16	18	6	5	2
Other Causes	660	242	29	3	3	-	277	5	2	3	-	3	14	10	29	100	107	50

71.—EASTRY.

Mean Popul^{n}, 1851-61	12661	-	-	-	-	-	1604	1512	1393	1266	1089	1606	1408	1082	840	596	236	27
TOTAL DEATHS	2579	534	145	71	51	37	838	114	55	86	111	165	160	139	199	315	324	73
Small-pox	28	6	-	-	2	-	8	2	-	5	5	5	2	1	-	-	-	-
Measles	21	2	7	5	1	5	20	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	94	4	11	14	14	7	50	31	5	5	1	1	-	1	-	-	-	-
Diphtheria	34	-	3	2	4	6	15	13	4	2	-	-	-	-	-	-	-	-
Whooping-cough	44	22	14	4	3	1	44	-	-	-	-	-	-	-	-	-	-	-
Typhus	121	4	1	2	2	4	13	11	16	20	9	6	7	5	8	11	13	2
Cholera, Diarrh., Dysent^{y}	92	37	6	2	1	-	46	-	1	3	2	2	2	4	6	10	16	-
Other Zymotic Dis.	92	24	8	4	5	3	44	5	1	8	4	2	4	2	6	10	6	-
Cancer	28	-	-	-	-	-	-	-	-	-	-	-	3	6	7	10	1	1
Scrofula, Tabes Mesent.	45	14	6	3	-	-	23	6	7	1	2	3	-	1	1	-	1	-
Phthisis	283	2	5	2	-	1	10	5	6	19	52	63	67	35	19	11	2	-
Hydrocephalus	42	15	15	5	3	1	39	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	314	90	18	5	3	2	118	9	3	7	5	13	18	19	28	56	37	1
Heart Dis. and Dropsy	172	3	2	-	2	1	8	5	4	3	5	5	17	8	31	50	36	-
Dis. of Lungs	354	86	34	15	7	2	144	6	-	6	8	19	14	14	32	59	45	7
Dis. of Stom. and Liver	166	27	1	2	-	2	32	5	4	1	5	14	13	14	22	30	24	2
Dis. of Kidneys	50	-	-	-	-	-	-	1	1	-	-	6	1	7	9	13	10	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	1	-	-	-	1	-	-	-	1	2	-	2	-	1	-	-
Diseases of the Skin	3	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	114	5	2	2	2	2	13	3	3	6	12	17	12	12	19	4	6	2
Other Causes	475	192	11	3	2	-	208	3	-	-	-	7	6	8	11	50	126	56

72.—DOVER.

Mean Popul^{n}, 1851-61	14838	-	-	-	-	-	1795	1597	1510	1434	1604	2426	1743	1231	821	484	170	33
TOTAL DEATHS	3083	737	227	122	77	54	1217	135	68	74	142	227	189	217	233	272	240	69
Small-pox	37	5	6	5	1	1	18	10	1	1	3	2	-	1	1	-	-	-
Measles	71	19	18	14	7	4	62	9	-	-	-	-	-	-	-	-	-	-
Scarlatina	143	6	20	29	21	14	90	32	14	4	2	-	-	1	-	-	-	-
Diphtheria	31	3	2	5	4	7	21	9	-	-	1	-	-	-	-	-	-	-
Whooping-cough	61	29	16	9	4	-	58	2	-	-	-	-	-	-	-	-	-	-
Typhus	142	4	8	9	5	3	29	15	11	13	16	15	9	5	12	11	6	-
Cholera, Diarrh., Dysent^{y}	147	70	10	4	2	1	87	1	1	2	2	6	10	3	9	8	15	3
Other Zymotic Dis.	140	33	13	8	9	4	67	9	3	5	1	7	8	15	9	7	7	2
Cancer	21	-	-	-	-	-	-	-	-	-	-	-	4	4	6	6	1	-
Scrofula, Tabes Mesent.	60	19	11	1	1	1	33	7	6	1	4	3	1	1	3	1	-	-
Phthisis	304	6	3	1	2	-	12	5	5	19	50	86	60	41	17	9	-	-
Hydrocephalus	51	14	16	2	5	4	41	8	1	-	-	-	-	1	-	-	-	-
Diseases of Brain	332	129	16	11	3	1	160	3	1	3	6	9	18	30	20	37	37	8
Heart Dis. and Dropsy	195	3	-	-	1	1	5	3	2	2	5	16	18	28	43	42	32	4
Dis. of Lungs	422	100	49	18	7	9	183	5	3	9	13	17	19	25	39	49	49	11
Dis. of Stom. and Liver	116	11	-	-	1	-	12	2	3	3	3	8	10	24	25	17	5	4
Dis. of Kidneys	63	-	-	-	-	-	-	1	2	1	3	4	6	6	12	10	8	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	13	1	-	-	1	-	2	4	2	-	1	-	2	-	1	1	-	-
Diseases of the Skin	12	6	-	-	-	-	6	-	-	-	-	1	-	1	1	3	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	181	5	5	-	2	2	14	7	7	8	29	44	26	15	23	6	2	-
Other Causes	541	274	34	6	1	2	317	3	6	3	3	9	3	15	12	56	78	36

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

70.—THANET.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	17390	-	-	-	-	-	1924	1898	1814	1679	1592	2451	2084	1649	1181	746	320	52
TOTAL DEATHS	3376	486	157	104	83	62	891	175	110	130	114	239	254	246	292	391	389	169
Small-pox	22	8	1	1	1	1	12	5	-	2	-	1	2	-	-	-	-	-
Measles	55	7	15	11	8	4	45	9	1	-	-	-	-	-	-	-	-	-
Scarlatina	118	4	6	24	18	12	64	39	8	3	-	1	-	2	1	-	-	-
Diphtheria	10	1	-	-	3	-	4	3	2	1	-	-	-	-	-	-	-	-
Whooping-cough	79	31	20	10	10	4	75	4	-	-	-	-	-	-	-	-	-	-
Typhus	157	1	5	9	8	8	26	16	26	16	16	15	16	11	6	5	3	1
Cholera, Diarrh., Dysent^{y}	261	63	12	5	8	5	93	12	3	1	5	23	22	26	27	36	11	2
Other Zymotic Dis.	124	34	5	2	4	4	49	11	3	6	7	10	4	3	9	8	13	1
Cancer	98	2	-	-	-	-	2	1	1	-	-	4	12	18	26	21	10	3
Scrofula, Tabes Mesent.	36	7	4	4	-	-	15	15	8	3	4	3	5	-	3	-	-	-
Phthisis	463	18	8	6	6	3	41	16	30	57	43	109	83	52	27	5	-	-
Hydrocephalus	73	22	17	7	8	2	56	13	2	-	2	-	-	-	-	-	-	-
Diseases of Brain	309	48	11	3	4	4	70	9	5	6	5	13	17	30	41	68	33	9
Heart Dis. and Dropsy	299	5	5	2	2	1	15	3	8	6	6	18	35	35	62	72	35	4
Dis. of Lungs	236	45	21	9	8	9	92	5	1	3	7	9	14	15	19	39	28	4
Dis. of Stom. and Liver	164	16	1	4	-	1	22	4	3	6	5	10	17	27	20	33	16	1
Dis. of Kidneys	32	1	1	-	-	-	2	2	1	2	2	5	5	4	5	2	2	-
Dis of Gener. Organs	19	-	-	-	-	-	-	-	-	-	1	1	1	6	7	2	1	-
Diseases of the Joints	21	-	-	-	-	-	-	3	3	6	2	-	2	2	1	2	-	-
Diseases of the Skin	6	-	-	-	1	-	1	-	2	-	-	1	1	-	1	-	-	-
Childbirth and Metria	26	-	-	-	-	-	-	-	-	3	5	10	8	-	-	-	-	-
Violent Deaths	48	4	5	2	-	3	14	3	2	3	1	4	3	3	4	4	4	3
Other Causes	700	169	20	5	1	1	196	2	1	6	3	2	7	12	33	97	230	111

71.—EASTRY.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	12870	-	-	-	-	-	1636	1427	1331	1109	1056	1736	1475	1144	894	640	273	48
TOTAL DEATHS	2389	416	114	71	42	34	677	112	66	56	79	155	158	161	195	279	306	145
Small-pox	15	3	1	2	-	-	6	-	1	1	-	3	1	2	1	-	-	-
Measles	16	1	6	3	1	3	14	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	102	3	6	16	11	14	50	38	9	3	-	2	-	-	-	-	-	-
Diphtheria	45	3	5	1	5	3	17	17	8	1	-	1	1	-	-	-	-	-
Whooping-cough	50	15	17	10	5	1	48	2	-	-	-	-	-	-	-	-	-	-
Typhus	115	5	3	6	1	3	18	14	10	3	9	5	12	7	12	17	8	-
Cholera, Diarrh., Dysent^{y}	99	48	4	2	2	-	56	1	-	-	-	3	5	1	5	13	11	4
Other Zymotic Dis.	63	16	5	4	4	1	30	5	1	-	2	1	2	3	3	11	2	3
Cancer	58	-	-	-	-	-	-	-	-	-	-	3	8	14	16	8	7	2
Scrotula, Tabes Mesent.	39	13	7	4	-	-	24	2	3	3	2	2	1	-	1	1	-	-
Phthisis	308	5	2	1	-	-	8	7	8	35	44	77	57	42	22	7	1	-
Hydrocephalus	83	14	9	3	1	2	29	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	266	60	9	11	2	2	84	3	5	2	6	8	18	22	35	38	35	9
Heart Dis. and Dropsy	170	2	1	1	-	-	4	1	4	1	2	8	7	18	26	54	40	5
Dis. of Lungs	226	47	24	3	6	4	84	8	2	1	4	10	8	12	17	30	30	10
Dis. of Stom. and Liver	176	14	1	3	2	-	20	3	9	-	1	9	14	14	32	40	28	6
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	-	-	2	2	3	1	2	2	-
Dis. of Gener. Organs	20	-	-	-	-	-	-	-	-	-	1	-	4	6	5	3	1	-
Diseases of the Joints	5	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-
Diseases of the Skin	6	2	-	-	-	-	2	-	-	-	-	-	-	-	2	1	1	-
Childbirth and Metria	36	-	-	-	-	-	-	-	-	2	4	17	11	2	-	-	-	-
Violent Deaths	33	3	4	-	2	1	10	4	-	3	2	1	-	5	4	-	2	5
Other Causes	493	162	10	1	-	-	173	3	4	-	2	3	6	9	12	33	127	101

72.—DOVER.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	15112	-	-	-	-	-	1832	1543	1511	1460	1490	2333	1783	1409	951	555	211	34
TOTAL DEATHS	2864	545	180	122	101	56	1004	151	62	93	119	177	184	194	224	294	260	102
Small-pox	30	7	1	1	6	3	18	9	-	1	1	1	-	-	-	-	-	-
Measles	58	6	17	15	12	4	54	3	-	-	-	-	1	-	-	-	-	-
Scarlatina	135	7	16	21	18	12	74	48	10	1	1	-	1	-	-	-	-	-
Diphtheria	41	-	4	4	9	6	23	12	3	1	-	-	-	-	2	-	-	-
Whooping-cough	59	25	17	9	2	3	56	3	-	-	-	-	-	-	-	-	-	-
Typhus	122	4	3	10	6	4	27	18	9	12	11	13	6	6	10	8	2	-
Cholera, Diarrh., Dysent^{y}	184	80	7	4	1	1	93	3	1	1	3	4	8	17	12	19	14	9
Other Zymotic Dis.	83	25	5	3	10	3	46	6	3	5	5	4	1	3	3	5	2	-
Cancer	83	-	-	-	-	-	-	-	-	2	-	1	14	23	14	21	7	1
Scrofula, Tabes Mesent.	49	16	8	4	2	2	32	2	5	3	2	-	2	-	2	1	-	-
Phthisis	290	4	4	-	1	1	10	5	14	38	61	70	51	25	15	-	1	-
Hydrocephalus	48	12	10	8	9	2	41	7	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	307	75	10	6	-	1	92	10	5	4	7	13	16	28	28	48	42	14
Heart Dis. and Dropsy	219	2	-	-	-	2	5	1	2	5	6	16	21	29	40	55	36	3
Dis. of Lungs	370	82	43	25	13	4	167	8	1	3	4	5	9	18	30	48	55	23
Dis. of Stom. and Liver	140	7	-	1	3	-	11	3	1	3	6	9	15	22	28	28	12	2
Dis. of Kidneys	25	-	-	-	1	-	1	1	1	1	-	3	4	2	5	3	4	-
Dis. of Gener. Organs	31	-	-	-	-	-	-	-	-	-	2	5	5	4	9	5	-	1
Diseases of the Joints	5	-	1	-	-	-	1	-	1	-	-	-	2	-	-	1	-	-
Diseases of the Skin	9	1	-	-	-	-	1	-	-	-	-	-	1	2	-	2	3	-
Childbirth and Metria	43	-	-	-	-	-	-	-	-	3	4	19	17	-	-	-	-	-
Violent Deaths	40	4	1	2	1	1	9	4	4	2	1	4	2	8	4	2	-	-
Other Causes	493	187	33	9	7	7	243	8	2	8	5	10	8	7	22	48	82	50

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH	ALL AGES.	AGES OF MALES: Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
73.—ELHAM.																		
Mean Populn, 1851-61	12308	–	–	–	–	–	1456	1279	1132	1278	1950	2024	1265	821	583	350	151	19
TOTAL DEATHS	2114	497	138	71	53	38	797	76	45	81	128	175	135	114	146	176	173	68
Small-pox	7	–	1	–	–	–	1	–	–	–	1	1	3	1	–	–	–	–
Measles	22	2	8	6	3	1	10	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	80	4	12	12	15	9	52	22	4	–	–	–	2	–	–	–	–	–
Diphtheria	18	3	1	2	–	5	11	3	–	3	1	–	–	–	–	–	–	–
Whooping-cough	32	16	11	2	1	1	31	1	–	–	–	–	–	–	–	–	–	–
Typhus	125	7	3	3	5	8	26	9	9	16	25	19	6	4	5	4	2	–
Cholera, Diarrh., Dysenty	156	50	11	3	2	–	66	3	5	2	10	27	10	7	11	7	8	–
Other Zymotic Dis.	97	17	5	8	7	2	39	4	4	4	5	4	4	5	11	8	6	3
Cancer	19	–	–	–	–	–	–	–	1	–	–	–	2	5	6	3	2	–
Scrofula, Tabes Mesent.	28	17	–	2	1	1	21	1	1	1	2	–	–	1	1	–	–	–
Phthisis	203	3	3	3	1	2	12	7	3	20	39	55	41	15	9	2	–	–
Hydrocephalus	44	19	13	2	3	1	38	4	2	–	–	–	–	–	–	–	–	–
Diseases of Brain	264	72	19	11	5	4	111	–	1	9	2	8	17	19	23	37	32	5
Heart Dis. and Dropsy	136	5	3	2	–	–	10	6	1	2	1	10	6	12	24	35	23	1
Dis. of Lungs	271	85	36	10	7	4	142	6	2	3	12	16	11	13	17	24	20	5
Dis. of Stom. and Liver	88	3	1	1	1	–	6	1	5	6	7	6	8	12	13	13	9	3
Dis. of Kidneys	43	–	1	–	–	–	1	2	1	–	5	1	3	3	7	9	9	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	8	–	–	–	–	–	–	1	1	–	–	3	–	1	–	2	–	–
Diseases of the Skin	4	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	93	2	2	2	–	–	6	3	4	13	15	19	15	7	7	3	–	1
Other Causes	376	192	8	2	2	–	204	1	1	1	3	6	6	9	12	29	55	49
74.—ROMNEY MARSH.																		
Mean Populn, 1851-61	2852	–	–	–	–	–	396	374	299	276	226	407	328	224	168	111	40	3
TOTAL DEATHS	626	124	31	20	17	9	201	33	15	17	27	54	41	36	60	64	69	9
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	42	4	5	3	5	4	21	15	3	1	1	1	–	–	–	–	–	–
Diphtheria	4	–	1	1	–	–	2	1	1	–	–	–	–	–	–	–	–	–
Whooping-cough	9	7	1	1	–	–	9	–	–	–	–	–	–	–	–	–	–	–
Typhus	36	2	2	–	3	–	7	2	–	1	5	3	2	3	7	5	1	–
Cholera, Diarrh., Dysenty	13	5	–	1	1	–	7	–	–	–	–	–	–	1	2	1	2	–
Other Zymotic Dis.	79	5	3	4	3	1	16	4	3	3	2	8	11	8	7	11	6	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	–
Scrofula, Tabes Mesent.	13	8	2	–	–	1	11	1	–	–	1	–	–	–	–	–	–	–
Phthisis	56	–	–	–	–	–	–	3	2	3	7	21	7	3	4	1	–	–
Hydrocephalus	5	3	–	1	–	–	4	1	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	77	25	3	6	1	1	36	2	1	2	2	1	3	6	6	13	5	–
Heart Dis. and Dropsy	22	–	–	–	–	–	–	–	–	1	1	2	–	4	9	2	3	–
Dis. of Lungs	88	20	10	2	1	2	35	1	1	1	–	5	5	3	11	11	14	1
Dis. of Stom. and Liver	29	2	–	–	1	–	3	–	–	1	–	5	8	2	2	6	2	–
Dis. of Kidneys	9	1	–	–	–	–	1	–	–	–	–	1	–	–	2	3	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Violent Deaths	36	1	2	–	2	–	5	2	4	3	3	5	5	1	3	–	–	–
Other Causes	97	41	2	1	–	–	44	–	–	1	–	1	–	–	3	9	31	8
75.—RYE.																		
Mean Populn, 1851-61	6044	–	–	–	–	–	811	735	702	576	469	773	689	544	439	238	78	10
TOTAL DEATHS.	1206	277	77	37	35	23	449	47	19	38	34	60	73	76	100	146	134	30
Small-pox	3	1	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–
Measles	19	2	7	2	4	3	18	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	29	2	5	3	8	3	21	6	–	2	–	–	–	–	–	–	–	–
Diphtheria	10	1	1	–	3	3	8	2	–	–	–	–	–	–	–	–	–	–
Whooping-cough	27	15	7	2	–	2	26	1	–	–	–	–	–	–	–	–	–	–
Typhus	49	1	–	3	2	–	6	3	2	7	3	3	6	5	9	3	2	–
Cholera, Diarrh., Dysenty	20	7	5	–	–	–	12	–	–	–	–	–	–	3	1	2	1	1
Other Zymotic Dis.	80	14	5	3	8	3	33	5	3	2	1	2	8	3	7	10	5	1
Cancer	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula, Tabes Mesent.	16	6	1	–	1	1	9	2	–	1	2	–	–	–	–	5	1	–
Phthsis	142	9	2	3	–	2	16	4	2	14	11	31	19	21	14	7	3	–
Hydrocephalus	33	9	12	3	4	2	30	2	1	–	–	–	1	1	–	–	–	–
Diseases of Brain	150	57	7	1	3	–	68	9	4	5	4	3	8	6	9	17	14	3
Heart Dis. and Dropsy	93	3	1	–	–	–	4	–	–	2	4	9	5	5	18	26	19	1
Dis. of Lungs	197	59	13	13	–	2	87	4	1	4	3	3	12	15	21	28	19	–
Dis. of Stom. and Liver.	70	10	3	1	1	1	16	3	1	–	1	3	6	10	6	19	5	–
Dis. of Kidneys	19	–	–	–	–	–	–	–	–	1	–	1	–	1	2	6	7	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
Diseases of the Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Violent Deaths	37	4	2	1	–	–	7	3	5	–	3	2	6	4	4	3	–	–
Other Causes	201	76	6	2	1	1	86	2	–	–	2	1	1	1	9	18	58	23

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
73.—ELHAM.																		
Mean Popul^{n}, 1851-61	10544	-	-	-	-	-	1430	1227	1115	922	1019	1616	1175	824	583	372	169	22
TOTAL DEATHS	1903	340	115	53	47	28	583	91	44	80	91	161	145	114	153	180	188	73
Small-pox	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	18	5	5	4	2	-	16	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	51	2	6	5	7	10	30	14	5	1	-	1	-	-	-	-	-	-
Diphtheria	28	1	2	2	4	-	9	9	5	2	2	1	-	-	-	-	-	-
Whooping-cough	40	15	13	4	3	1	36	4	-	-	-	-	-	-	-	-	-	-
Typhus	104	-	6	8	5	3	22	14	5	17	14	9	8	6	6	2	1	-
Cholera, Diarrh., Dysent^{y}	126	36	11	-	2	-	49	3	2	4	7	13	10	9	15	7	5	2
Other Zymotic Dis.	82	14	5	2	5	3	29	8	4	4	10	3	4	2	3	9	4	2
Cancer	60	-	-	-	-	-	-	-	2	1	1	2	13	11	18	7	3	2
Scrofula, Tabes Mesent.	29	10	2	3	1	1	17	4	-	3	2	2	-	1	-	-	-	-
Phthisis	222	1	3	4	1	2	11	6	8	22	32	68	43	17	7	8	-	-
Hydrocephalus	24	11	5	2	1	1	20	1	1	1	1	-	-	-	-	-	-	-
Diseases of Brain	235	40	13	5	3	2	63	5	3	4	7	13	16	18	25	36	41	4
Heart Dis. and Dropsy	127	1	1	-	-	-	2	2	2	5	-	9	7	16	22	33	23	6
Dis. of Lungs	243	62	30	9	8	4	113	10	3	3	4	7	8	11	17	33	29	5
Dis. of Stom. and Liver	88	4	2	-	1	-	7	2	1	5	3	6	13	9	21	12	7	2
Dis. of Kidneys	14	-	-	-	-	-	-	-	1	-	2	2	2	1	3	1	2	-
Dis. of Gener. Organs	21	-	-	-	-	-	-	-	-	-	1	3	3	6	5	3	-	-
Diseases of the Joints	8	-	-	-	1	-	1	-	1	1	-	3	-	-	1	1	-	-
Diseases of the Skin	6	1	1	-	-	-	2	-	-	-	-	-	1	-	1	1	1	-
Childbirth and Metria	24	-	-	-	-	-	-	-	-	1	4	11	8	-	-	-	-	-
Violent Deaths	25	4	-	1	1	1	7	5	-	3	1	-	2	3	1	1	2	-
Other Causes	326	132	9	4	2	-	147	2	1	3	-	8	7	4	8	26	70	50
74.—ROMNEY MARSH.																		
Mean Popul^{n}, 1851-61	2721	-	-	-	-	-	392	357	312	247	213	381	292	232	150	93	43	4
TOTAL DEATHS	567	95	33	32	23	15	198	37	20	16	24	36	31	33	39	61	59	13
Small-pox	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Measles	3	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	36	1	2	6	7	5	21	9	5	-	1	-	-	-	-	-	-	-
Diphtheria	10	2	1	1	2	-	6	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	14	7	4	-	3	-	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	25	-	-	1	-	1	2	4	-	2	1	3	5	-	4	2	2	-
Cholera, Diarrh., Dysent^{y}	16	3	1	-	-	1	5	1	-	-	1	-	2	-	3	3	1	-
Other Zymotic Dis.	47	6	1	3	2	4	16	4	3	1	-	-	4	1	5	9	4	-
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	1	5	4	3	5	-
Scrofula, Tabes Mesent.	23	7	5	4	-	2	18	-	1	2	-	1	1	-	-	-	-	-
Phthisis	60	3	-	-	-	-	3	1	2	8	14	15	5	10	2	-	-	-
Hydrocephalus	16	3	2	2	5	-	12	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	83	18	6	7	2	-	33	3	1	1	2	5	-	4	5	12	17	-
Heart Dis. and Dropsy	20	2	-	-	-	-	2	1	1	1	-	1	-	4	3	6	1	-
Dis. of Lungs	62	6	5	3	1	1	16	5	-	-	4	1	1	3	7	13	10	2
Dis. of Stom. and Liver	23	-	1	2	1	1	5	-	4	-	1	1	3	2	4	1	2	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	6	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-
Violent Deaths	10	3	-	-	-	-	3	1	-	-	-	2	3	-	-	-	1	-
Other Causes	86	33	4	3	-	-	40	-	1	1	-	1	3	1	1	12	15	11
75.—RYE.																		
Mean Popul^{n}, 1851-61	6093	-	-	-	-	-	789	740	620	546	517	851	720	520	389	236	92	14
TOTAL DEATHS	1207	230	72	31	16	22	371	54	29	34	63	97	89	53	103	140	123	51
Small-pox	3	1	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Measles	11	3	3	3	-	-	9	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	49	2	6	10	4	4	26	14	4	2	-	2	1	-	-	-	-	-
Diphtheria	6	-	2	-	-	-	2	3	-	-	-	1	-	-	-	-	-	-
Whooping-cough	32	14	8	2	2	2	28	3	1	-	-	-	-	-	-	-	-	-
Typhus	49	-	-	1	-	-	1	4	3	4	2	6	11	4	8	3	3	-
Cholera, Diarrh., Dysent^{y}	24	9	2	-	1	-	12	-	-	1	-	-	1	1	1	3	4	1
Other Zymotic Dis.	48	10	5	-	2	2	19	4	2	-	-	2	3	1	2	10	5	-
Cancer	20	-	-	-	-	-	-	-	-	-	1	1	9	2	3	2	2	-
Scrofula, Tabes Mesent.	19	2	-	-	-	1	10	-	3	1	-	1	-	1	2	1	-	-
Phthisis	136	7	5	2	-	1	15	7	8	14	40	47	24	13	11	6	1	-
Hydrocephalus	16	5	5	3	1	1	15	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	130	53	5	1	2	3	64	1	2	-	3	3	9	8	14	24	15	2
Heart Dis. and Dropsy	122	1	2	1	-	1	5	2	-	2	2	12	8	11	21	32	26	1
Dis. of Lungs	141	36	15	7	3	3	64	4	2	2	2	4	6	6	13	27	7	2
Dis. of Stom. and Liver	63	12	-	-	-	1	13	3	2	5	4	4	7	2	6	12	3	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	1	1	-	-	-	-	1	3	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-
Diseases of the Joints	5	2	-	-	-	-	2	-	-	-	-	1	1	-	1	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	1	3	8	6	-	-	-	-	-
Violent Deaths	15	3	-	-	1	2	6	4	-	1	-	-	2	-	1	-	1	-
Other Causes	216	62	13	1	-	1	77	1	1	-	1	3	-	-	11	16	61	45

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
76.—HASTINGS.																		
Mean Popul^{n}, 1851-61	10589	-	-	-	-	-	1448	1313	1124	984	902	1596	1246	924	595	332	110	15
TOTAL DEATHS.	2170	462	165	71	47	34	779	68	49	52	95	188	182	170	173	218	155	41
Small-pox	13	4	-	1	1	-	6	-	1	1	-	1	3	1	-	-	-	-
Measles	30	7	9	7	2	4	29	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	57	4	12	8	10	7	41	7	5	-	1	-	2	1	-	-	-	-
Diphtheria	11	2	2	-	2	1	7	2	1	-	-	-	-	-	1	-	-	-
Whooping-cough	35	10	17	3	3	1	34	1	-	-	-	-	-	-	-	-	-	-
Typhus	57	2	1	1	4	-	8	12	6	8	9	5	4	1	3	1	-	-
Cholera, Diarrh., Dysent^{y}	60	31	13	2	-	-	46	-	-	-	1	-	2	1	3	3	4	-
Other Zymotic Dis.	106	21	4	13	5	5	48	7	3	4	3	9	10	5	8	7	2	-
Cancer	24	-	-	-	-	-	-	-	-	-	1	-	2	3	7	9	2	-
Scrofula, Tabes Mesent.	60	20	8	2	3	2	35	4	6	4	4	4	2	-	1	-	-	-
Phthisis	337	5	2	1	-	-	8	1	3	17	56	111	64	52	18	7	-	-
Hydrocephalus	67	20	21	9	4	3	57	7	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	236	55	14	7	2	2	80	7	7	3	5	14	19	23	26	31	20	1
Heart Dis. and Dropsy	125	2	-	1	1	-	4	4	1	2	1	7	17	16	25	38	9	1
Dis. of Lungs	313	79	36	9	6	4	134	9	4	3	5	10	21	28	33	42	23	1
Dis. of Stom. and Liver	120	15	3	2	-	1	21	3	5	1	5	6	16	15	21	18	7	2
Dis. of Kidneys	39	1	-	-	-	1	2	1	1	3	-	3	2	4	6	11	6	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	1	-
Diseases of the Skin	5	4	-	-	-	-	4	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	83	9	-	2	2	2	15	-	3	2	3	16	12	12	12	5	3	-
Other Causes	386	171	23	3	2	-	199	1	-	2	1	1	5	8	9	46	78	36
77.—BATTLE.																		
Mean Popul^{n}, 1851-61	7053	-	-	-	-	-	961	864	804	691	582	1023	772	566	416	259	103	12
TOTAL DEATHS	1171	215	70	39	26	18	398	60	36	39	44	85	64	63	75	130	137	40
Small-pox	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Measles	6	4	2	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	26	-	2	5	2	3	12	4	5	2	1	-	2	-	-	-	-	-
Diphtheria	48	1	3	5	5	4	18	18	5	4	-	2	1	-	-	-	-	-
Whooping-cough	16	4	5	2	3	-	14	2	-	-	-	-	-	-	-	-	-	-
Typhus	41	3	-	1	-	-	4	3	7	3	5	5	2	4	3	4	1	-
Cholera, Diarrh., Dysent^{y}	28	7	3	1	1	1	13	-	-	-	-	1	1	2	1	4	5	1
Other Zymotic Dis.	61	12	7	1	2	1	23	3	1	1	2	1	3	3	4	6	4	-
Cancer	13	-	-	1	-	-	1	-	-	-	-	1	1	-	5	4	-	1
Scrofula, Tabes Mesent.	26	6	1	2	-	-	9	2	3	2	3	7	-	-	-	-	-	-
Phthisis	124	6	4	-	-	2	12	4	3	14	16	31	15	15	5	3	5	1
Hydrocephalus	23	4	3	5	1	-	13	5	2	1	-	-	1	-	1	-	-	-
Diseases of Brain	134	35	4	5	1	1	46	5	1	1	6	5	6	7	10	24	21	2
Heart Dis. and Dropsy	86	3	-	-	1	-	4	2	2	2	3	1	6	6	13	27	18	2
Dis. of Lungs	173	52	22	4	7	2	87	6	-	3	4	18	7	6	11	16	13	2
Dis. of Stom. and Liver	76	12	3	3	1	1	20	3	1	1	2	4	5	9	10	12	7	2
Dis. of Kidneys	27	-	-	1	-	1	2	-	-	-	1	3	-	2	3	8	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	52	5	4	2	2	-	13	2	5	1	1	4	12	4	4	3	3	-
Other Causes	213	91	7	1	-	2	101	1	1	2	-	1	1	3	5	18	52	28
78.—EASTBOURNE.																		
Mean Popul^{n}, 1851-61	4708	-	-	-	-	-	668	576	569	421	373	601	539	390	300	188	72	11
TOTAL DEATHS	859	185	52	20	29	13	299	32	15	23	29	52	55	53	65	89	110	37
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Measles	10	-	4	-	1	2	7	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	24	2	2	1	8	4	17	5	1	-	-	-	-	1	-	-	-	-
Diphtheria	10	1	1	1	1	1	5	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough	31	12	15	1	2	-	30	1	-	-	-	-	-	-	-	-	-	-
Typhus	39	1	1	-	3	1	6	5	2	5	5	5	3	2	2	3	1	-
Cholera, Diarrh., Dysent^{y}	39	12	3	1	2	1	19	-	-	-	-	1	4	4	1	6	2	2
Other Zymotic Dis.	41	7	3	3	2	-	15	1	1	-	1	5	2	3	2	6	4	1
Cancer	8	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	-
Scrofula, Tabes Mesent.	22	5	3	3	1	-	12	3	1	-	2	2	1	-	1	-	-	-
Phthisis	90	6	1	1	-	2	10	4	1	5	13	20	18	9	6	2	2	-
Hydrocephalus	16	4	6	2	1	-	13	1	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	96	40	1	5	3	-	49	-	1	1	-	2	5	4	9	12	10	3
Heart Dis. and Dropsy	69	5	-	-	1	-	6	1	-	3	1	3	6	6	12	13	17	1
Dis. of Lungs	92	30	10	1	3	1	45	-	-	-	1	-	6	9	7	8	14	2
Dis. of Stom. and Liver	48	9	1	-	-	-	10	1	-	-	-	4	4	5	9	11	4	-
Dis. of Kidneys	33	-	-	-	-	-	-	-	1	1	2	2	-	3	6	8	10	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the Skin	6	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	40	-	1	1	1	1	4	3	3	5	2	8	4	3	4	3	1	-
Other Causes	143	47	-	-	-	-	47	1	1	2	1	-	1	2	4	15	41	23

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
76.—HASTINGS.																		
Mean Popul^{n}, 1851-61	13335	-	-	-	-	-	1429	1292	1227	1408	1465	2337	1677	1141	794	418	138	9
TOTAL DEATHS	2178	369	147	48	46	35	645	91	53	107	126	208	183	171	173	230	114	47
Small-pox	6	1	-	-	1	-	2	2	-	-	1	1	-	-	-	-	-	-
Measles	24	4	12	3	1	1	21	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	57	1	8	-	10	7	26	18	3	3	2	3	1	1	-	-	-	-
Diphtheria	8	-	-	-	1	-	1	2	-	1	-	2	1	1	-	-	-	-
Whooping-cough	54	22	13	8	6	-	49	4	1	-	-	-	-	-	-	-	-	-
Typhus	67	1	1	-	2	3	7	7	5	12	10	6	5	5	6	3	-	1
Cholera, Diarrh., Dysent^{y}	72	34	9	1	-	-	44	2	1	1	2	3	4	2	1	9	3	-
Other Zymotic Dis.	69	14	4	5	6	3	32	5	-	3	1	3	5	4	6	8	1	1
Cancer	78	1	-	-	-	-	1	-	-	-	-	2	12	30	16	13	4	-
Scrofula, Tabes Mesent.	53	21	8	5	2	1	37	6	1	2	2	4	-	-	1	-	-	-
Phthisis	438	6	5	2	3	2	18	6	18	60	78	127	66	43	15	6	1	-
Hydrocephalus	57	13	20	8	4	4	49	5	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	240	54	14	4	2	4	78	9	9	5	6	10	13	19	25	43	19	4
Heart Dis. and Dropsy	144	2	-	1	-	-	3	3	5	5	3	10	15	21	37	25	16	1
Dis. of Lungs	261	62	37	6	7	5	117	6	2	5	3	10	13	17	26	42	20	-
Dis. of Stom. and Liver	106	2	1	1	1	3	8	7	-	2	8	13	18	13	15	18	3	1
Dis. of Kidneys	12	-	-	-	-	-	-	-	1	-	-	-	2	3	3	3	-	-
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	-	2	2	7	1	4	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	1	-	-	1	-	1	1	1	1	-	-
Diseases of the Skin	8	4	-	-	-	-	4	1	-	-	-	-	-	-	1	1	1	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	2	6	9	10	1	-	-	-	-
Violent Deaths	33	9	2	1	-	-	12	5	1	2	-	2	2	1	2	2	-	4
Other Causes	341	118	13	3	-	2	136	-	3	3	1	1	8	8	14	56	76	35
77.—BATTLE.																		
Mean Popul^{n}, 1851-61	6403	-	-	-	-	-	932	849	778	575	493	667	719	510	347	222	91	20
TOTAL DEATHS	1121	212	50	39	33	29	363	63	49	47	44	82	73	53	75	112	111	49
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles	7	1	2	2	1	-	6	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	38	1	2	3	5	3	14	17	6	-	1	-	-	-	-	-	-	-
Diphtheria	36	1	1	4	3	4	13	12	8	1	-	1	-	1	-	-	-	-
Whooping-cough	15	8	2	3	1	1	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	51	3	1	-	2	3	9	7	7	7	2	2	3	6	2	4	2	-
Cholera, Diarrh., Dysent^{y}	26	10	2	1	2	2	17	1	-	-	-	1	-	-	-	4	1	2
Other Zymotic Dis.	40	8	1	2	5	5	21	6	-	-	-	-	-	1	1	3	7	1
Cancer	21	-	-	-	-	-	-	-	-	-	1	3	5	1	7	3	1	-
Scrofula, Tabes Mesent.	21	6	2	3	1	1	13	-	2	1	-	1	3	1	-	-	-	-
Phthisis	145	4	3	-	-	1	8	1	14	14	22	38	21	12	4	7	3	1
Hydrocephalus	18	4	4	4	1	1	14	2	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	132	37	2	4	2	1	46	8	2	4	4	3	4	9	9	18	23	2
Heart Dis. and Dropsy	104	1	-	-	1	2	4	1	1	3	3	9	9	7	17	22	21	7
Dis. of Lungs	172	40	20	5	5	3	73	4	3	10	5	11	11	6	15	21	9	4
Dis. of Stom. and Liver	63	8	2	4	1	-	15	2	2	1	1	4	6	5	7	12	7	1
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-
Diseases of the Joints	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	17	-	-	-	-	-	-	-	-	3	2	6	6	-	-	-	-	-
Violent Deaths	32	8	1	-	2	1	12	2	2	1	-	1	3	1	4	3	2	1
Other Causes	168	69	5	4	1	1	80	-	-	1	2	1	-	1	7	11	35	30
78.—EASTBOURNE.																		
Mean Popul^{n}, 1851-61	4826	-	-	-	-	-	666	587	527	442	410	678	562	409	289	178	65	13
TOTAL DEATHS	729	131	37	22	16	6	212	37	26	36	26	60	38	37	66	67	97	27
Small-pox	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Measles	13	4	4	3	-	-	11	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	23	-	2	5	4	1	12	4	4	2	-	-	1	-	-	-	-	-
Diphtheria	10	-	1	1	-	1	3	6	1	-	-	-	-	-	-	-	-	-
Whooping-cough	22	11	7	2	1	-	21	1	-	-	-	-	-	-	-	-	-	-
Typhus	30	1	1	-	1	-	3	3	3	4	3	3	-	1	3	4	2	1
Cholera, Diarrh., Dysent^{y}	25	9	2	-	-	-	11	3	1	-	-	1	1	-	2	1	4	1
Other Zymotic Dis.	24	1	2	-	2	-	5	3	-	-	1	2	1	5	1	2	4	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1	4	-
Scrofula, Tabes Mesent.	16	1	2	2	-	1	6	1	3	-	1	2	-	-	1	2	-	-
Phthisis	129	5	3	1	-	1	10	4	8	20	15	27	29	16	9	-	-	-
Hydrocephalus	10	2	3	1	1	1	8	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	82	19	1	2	3	-	25	-	1	1	2	3	-	3	16	15	14	2
Heart Dis. and Dropsy	64	1	-	-	-	-	1	1	2	2	1	4	3	6	12	15	13	1
Dis. of Lungs	67	22	7	2	2	-	33	1	-	1	-	2	1	2	3	9	11	1
Dis. of Stom. and Liver	40	3	-	1	-	-	4	3	-	2	1	3	4	3	9	5	6	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	1	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	8	4	-	-	-	-	4	-	-	1	-	-	1	-	1	1	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	-	2	8	3	-	-	-	-	-
Violent Deaths	12	2	-	1	2	1	6	2	-	1	-	2	-	-	2	9	31	21
Other Causes	121	46	2	1	-	-	49	1	2	1	-	1	1	-	-	-	-	-

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
79.—HAILSHAM.																		
Mean Popul^{n}, 1851-61	6692	-	-	-	-	-	961	860	835	646	499	799	703	570	426	264	114	15
TOTAL DEATHS	1154	289	65	32	25	22	433	68	22	25	36	70	56	56	86	136	124	42
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	6	2	1	2	1	-	6	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	43	2	2	7	5	6	22	18	2	-	-	-	1	-	-	-	-	-
Diphtheria	29	1	-	4	5	3	13	9	2	2	1	1	1	-	-	-	-	-
Whooping-cough	8	5	3	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-
Typhus	31	3	-	-	-	-	3	2	4	1	4	3	3	4	5	1	1	-
Cholera, Diarrh., Dysent^{y}	38	12	2	-	-	-	14	1	-	-	-	-	2	2	2	10	6	1
Other Zymotic Dis.	67	7	3	6	2	4	22	7	1	1	2	3	2	4	3	6	4	2
Cancer	15	1	-	-	1	-	2	1	-	-	-	-	2	2	1	6	1	-
Scrofula, Tabes Mesent.	31	10	4	-	2	-	16	2	3	1	-	1	2	1	4	1	-	-
Phthisis	122	5	2	-	-	-	7	2	3	12	18	34	17	6	11	7	5	-
Hydrocephalus	33	15	8	3	2	1	29	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	108	36	2	1	2	2	43	4	2	2	1	4	4	6	10	17	14	1
Heart Dis. and Dropsy	93	2	-	-	-	-	2	2	1	1	3	1	8	14	15	22	22	2
Dis. of Lungs	151	57	21	3	2	3	86	8	2	-	2	4	3	2	10	18	13	3
Dis. of Stom. and Liver	81	8	2	-	1	2	13	3	-	1	2	7	4	7	13	20	9	2
Dis. of Kidneys	27	-	-	-	-	-	-	1	-	2	1	2	2	1	6	8	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	1	-	1	-	-	-	-	1	-	2	-	-	-	-
Diseases of the Skin	7	3	-	1	-	-	4	1	-	-	-	2	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	41	3	4	5	1	1	14	2	2	1	1	6	4	3	3	5	-	-
Other Causes	228	117	11	-	-	-	128	1	-	1	1	-	1	2	3	15	45	31
80.—TICEHURST.																		
Mean Popul^{n}, 1851-61	7642	-	-	-	-	-	1091	933	832	746	555	976	835	679	486	275	120	14
TOTAL DEATHS	1442	355	69	47	38	17	526	62	34	45	47	91	67	102	114	158	154	42
Small-pox	5	2	-	-	-	-	2	1	-	-	1	-	-	-	1	-	-	-
Measles	8	1	3	1	2	-	7	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	34	2	5	3	4	5	19	10	2	1	-	1	-	-	-	1	-	-
Diphtheria	18	1	1	2	-	2	6	8	1	3	-	-	-	-	-	-	-	-
Whooping-cough	27	14	6	4	-	2	26	1	-	-	-	-	-	-	-	-	-	-
Typhus	60	-	5	4	2	1	12	4	4	4	4	6	4	11	4	6	1	-
Cholera, Diarrh., Dysent^{y}	52	21	3	2	4	1	31	-	-	2	1	1	2	2	4	8	1	-
Other Zymotic Dis.	87	21	4	5	3	4	37	10	4	2	1	6	5	6	2	7	5	2
Cancer	20	-	-	-	-	-	-	-	-	-	1	-	-	3	8	4	3	1
Scrofula, Tabes Mesent.	36	11	1	2	3	-	17	5	2	3	4	3	-	1	1	-	-	-
Phthisis	161	3	3	2	2	-	10	6	4	13	24	52	27	15	5	5	-	-
Hydrocephalus	25	5	4	2	4	-	15	5	4	-	1	-	-	-	-	-	-	-
Diseases of Brain	158	46	6	4	3	-	59	3	3	3	2	3	7	10	19	23	21	5
Heart Dis. and Dropsy	90	3	1	1	-	-	5	-	-	1	2	1	3	11	16	29	22	1
Dis. of Lungs	192	54	11	8	5	1	79	4	-	4	1	4	6	14	20	32	21	7
Dis. of Stom. and Liver	89	19	-	-	3	-	22	3	2	3	2	2	4	14	15	12	10	-
Dis. of Kidneys	31	-	-	-	-	-	-	-	-	-	-	2	4	3	7	9	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	1	-	1	-	3	-	-	-	-	2	-	-	-	-
Diseases of the Skin	6	1	-	1	-	-	2	-	-	-	-	-	-	-	1	-	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	55	3	3	2	2	-	10	2	3	5	2	9	5	7	8	4	-	-
Other Causes	282	148	13	4	-	1	166	-	1	3	-	1	1	3	5	22	55	25
81.—UCKFIELD.																		
Mean Popul^{n}, 1851-61	9154	-	-	-	-	-	1301	1193	1065	925	706	1179	943	730	586	352	151	23
TOTAL DEATHS	1724	394	88	56	44	29	611	86	48	45	69	88	86	99	112	195	225	60
Small-pox	4	2	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-
Measles	10	3	2	3	-	1	9	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	74	4	7	8	5	7	31	26	9	1	5	2	-	-	-	-	-	-
Diphtheria	32	-	1	3	4	3	11	8	8	1	3	-	1	-	-	-	-	-
Whooping-cough	27	12	9	2	1	-	24	2	1	-	-	-	-	-	-	-	-	-
Typhus	41	-	2	-	-	-	2	1	3	2	4	7	3	4	6	8	1	-
Cholera, Diarrh., Dysent^{y}	45	13	1	2	4	1	21	2	-	-	-	-	-	1	2	9	10	-
Other Zymotic Dis.	81	23	3	6	5	6	43	5	1	1	-	4	1	3	5	6	11	1
Cancer	10	-	-	-	-	-	-	-	-	-	1	-	-	1	1	5	2	-
Scrofula, Tabes Mesent.	90	41	10	5	3	-	59	10	4	3	2	3	-	4	2	3	-	-
Phthisis	172	1	-	1	1	-	3	8	2	18	33	43	31	15	13	6	-	-
Hydrocephalus	35	13	11	8	-	1	33	-	-	1	1	-	-	-	-	-	-	-
Diseases of Brain	176	46	9	2	3	2	62	5	6	2	7	2	7	20	16	24	21	4
Heart Dis. and Dropsy	148	1	1	1	1	-	4	1	1	3	3	5	10	11	12	47	44	7
Dis. of Lungs	204	43	18	8	11	5	85	7	3	1	2	6	11	10	18	26	30	5
Dis. of Stom. and Liver	98	10	1	-	2	2	15	3	3	5	2	8	11	10	15	16	7	3
Dis. of Kidneys	37	2	-	-	-	-	2	-	1	1	-	3	3	3	4	9	9	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	-	1	-	-	-	1	-	1	-	2	-	1	-	2	2	-	-
Diseases of the Skin	6	2	-	-	-	-	2	-	-	-	1	-	1	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	68	6	2	5	3	1	17	3	3	5	2	3	6	10	10	4	4	1
Other Causes	357	172	10	2	1	-	185	4	1	1	1	2	-	6	5	29	86	37

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
79.—HAILSHAM.																		
Mean Popul^{n}, 1851-61	6286	-	-	-	-	-	949	895	770	548	451	811	656	506	361	228	97	14
TOTAL DEATHS	1113	200	49	31	20	15	315	60	52	57	54	94	75	56	82	119	106	43
Small pox	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
Measles	7	-	3	1	2	-	6	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	42	1	3	6	2	3	15	16	7	1	1	1	-	-	-	1	-	-
Diphtheria	27	-	-	1	2	5	8	11	6	-	1	-	-	-	1	-	-	-
Whooping-cough	16	8	4	3	-	-	15	-	-	-	-	-	-	1	-	-	-	-
Typhus	43	1	-	-	-	1	2	3	9	6	4	5	7	2	2	2	1	-
Cholera, Diarrh., Dysent^{y}	41	8	3	-	1	1	13	1	2	1	1	3	-	1	3	4	7	5
Other Zymotic Dis.	43	14	2	3	2	2	23	4	1	-	-	-	1	1	4	7	2	-
Cancer	26	1	-	-	-	-	1	-	-	-	-	1	3	3	8	5	5	-
Scrofula, Tabes Mesent.	27	6	3	4	1	1	15	4	2	-	-	2	1	2	1	-	-	-
Phthisis	105	1	-	-	-	-	1	5	13	34	35	49	23	18	5	9	3	-
Hydrocephalus	18	9	6	-	1	1	17	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	99	20	6	2	3	-	31	3	5	3	3	3	4	7	9	16	14	1
Heart Dis. and Dropsy	93	3	-	-	-	-	3	-	1	1	1	4	11	10	22	21	14	5
Dis. of Lungs	126	44	13	5	4	-	66	5	1	4	2	9	3	4	11	12	7	2
Dis. of Stom. and Liver	64	7	-	1	2	-	10	2	2	2	3	5	7	4	8	15	4	2
Dis. of Kidneys	5	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	1	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	2	3	7	8	-	-	-	-	-
Violent Deaths	23	4	1	4	-	1	10	4	1	1	-	1	1	-	1	2	2	-
Other Causes	190	73	4	1	-	-	78	-	1	1	-	-	2	3	7	24	46	28
80.—TICEHURST.																		
Mean Popul^{n}, 1851-61	7424	-	-	-	-	-	1054	985	887	663	603	999	826	602	430	249	107	13
TOTAL DEATHS.	1449	278	74	45	30	26	453	61	51	66	60	115	106	97	107	172	120	41
Small-pox	4	2	-	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-
Measles	13	2	5	2	1	1	11	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	19	1	2	3	2	1	9	6	1	1	1	-	1	-	-	-	-	-
Diphtheria	32	1	2	6	4	3	16	10	3	2	-	-	-	-	1	-	-	-
Whooping-cough	29	15	10	1	1	1	28	1	-	-	-	-	-	-	-	-	-	-
Typhus	95	-	3	4	2	4	13	5	15	11	11	11	8	7	4	2	7	1
Cholera, Diarrh., Dysent^{y}	45	14	6	2	-	1	23	-	2	-	-	-	1	-	2	8	7	2
Other Zymotic Dis.	63	17	1	6	5	3	32	10	5	-	-	4	3	-	5	5	4	-
Cancer	50	-	-	-	-	-	-	-	-	-	-	2	5	12	10	12	8	1
Scrofula, Tabes Mesent.	30	8	2	1	1	1	13	2	1	3	1	4	2	2	1	-	1	-
Phthisis	215	2	6	2	-	2	12	7	11	32	32	63	27	15	10	6	-	-
Hydrocephalus	24	11	5	2	1	-	19	5	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	168	32	4	4	3	1	44	-	4	5	3	6	11	17	21	35	17	5
Heart Dis. and Dropsy	103	1	1	-	-	-	2	1	5	1	1	9	14	11	15	27	13	4
Dis. of Lungs	174	46	17	7	6	3	79	5	1	3	1	2	6	5	10	41	18	3
Dis. of Stom. and Liver	83	10	3	3	1	-	17	3	2	1	3	2	8	14	17	11	4	1
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	3	1	2	2	4	-	1	1	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
Diseases of the Skin	7	1	-	-	-	-	1	-	-	1	-	-	1	-	-	3	1	-
Childbirth and Metria	27	-	-	-	-	-	-	-	-	1	6	5	13	2	-	-	-	-
Violent Deaths	25	2	1	2	3	3	11	3	1	1	-	1	-	2	3	1	2	-
Other Causes	213	113	6	-	-	1	120	1	-	1	-	1	-	2	7	20	37	24
81.—UCKFIELD.																		
Mean Popul^{n}, 1851-61	8232	-	-	-	-	-	1242	1169	1018	693	627	1108	893	667	478	274	109	14
TOTAL DEATHS	1581	310	85	52	36	23	506	103	62	71	71	112	103	76	103	158	166	50
Small-pox	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-
Measles	10	4	3	3	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	81	3	7	3	8	9	30	29	13	4	1	-	4	-	-	-	-	-
Diphtheria	30	1	1	2	3	3	10	13	5	2	-	-	-	-	-	-	-	-
Whooping-cough	24	12	9	-	1	1	23	1	-	-	-	-	-	-	-	-	-	-
Typhus	49	1	-	-	-	2	3	6	7	6	4	6	10	2	2	2	1	-
Cholera, Diarrh., Dysent^{y}	45	12	4	3	-	-	19	1	2	1	1	3	-	2	2	7	6	1
Other Zymotic Dis.	53	9	4	10	7	1	31	4	1	-	1	-	1	1	3	3	7	1
Cancer	33	-	-	-	-	-	-	-	-	-	-	1	2	10	9	6	5	-
Scrofula, Tabes Mesent.	82	35	12	4	-	-	51	4	2	6	2	6	4	2	3	2	-	-
Phthisis	234	-	1	3	-	-	4	12	15	40	42	55	38	18	8	2	-	-
Hydrocephalus	32	13	10	1	3	1	28	2	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	159	33	7	3	4	1	48	8	6	4	3	6	6	8	16	28	23	3
Heart Dis. and Dropsy	168	4	2	1	-	1	8	2	3	2	2	11	12	12	29	48	33	6
Dis of Lungs	147	47	12	10	6	3	78	9	3	-	-	-	2	7	7	20	18	3
Dis. of Stom. and Liver	89	10	1	2	1	-	14	3	3	2	5	5	12	5	13	20	6	1
Dis. of Kidneys	10	-	-	-	-	-	-	1	-	-	1	3	2	1	2	-	-	-
Dis. of Gener. Organs	7	1	-	-	-	-	1	-	-	-	-	2	1	-	3	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-
Diseases of the Skin	7	1	2	-	-	-	3	-	-	-	-	1	-	-	-	1	2	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	-	7	8	5	2	-	-	-	-
Violent Deaths	29	8	1	2	3	1	15	2	1	2	-	1	-	5	1	1	1	-
Other Causes	203	116	9	5	-	-	130	5	-	1	1	2	4	1	4	17	63	35

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards
82.—EAST GRINSTEAD.																		
Mean Popul^n, 1851-61	7044	-	-	-	-	-	1003	890	838	688	554	902	745	582	440	281	111	10
TOTAL DEATHS	1201	241	68	35	22	16	382	49	22	46	34	80	56	84	103	167	142	36
Small-pox	2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Measles	13	2	5	2	-	1	10	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	44	2	7	4	5	5	23	13	4	3	-	-	-	-	1	-	-	-
Diphtheria	9	-	1	1	-	3	5	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough	13	8	2	2	-	1	13	-	-	-	-	-	-	-	-	-	-	-
Typhus	51	-	1	1	-	3	6	3	3	3	9	4	4	5	4	1	1	
Cholera, Diarrh., Dysent^y	69	11	2	3	3	1	20	3	1	1	1	2	2	1	9	12	14	3
Other Zymotic Dis.	58	10	7	2	5	-	24	4	2	-	1	2	2	5	3	9	5	1
Cancer	18	-	-	-	-	-	-	-	-	1	-	1	-	6	2	6	2	-
Scrofula, Tabes Mesent.	24	5	5	3	1	-	14	1	2	1	2	4	-	-	-	-	-	-
Phthisis	140	3	3	-	-	-	6	2	2	16	20	34	18	17	12	12	1	-
Hydrocephalus	21	9	5	1	1	2	18	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	161	38	6	1	-	2	47	2	2	3	3	2	10	5	8	14	33	25	5
Heart Dis. and Dropsy	81	-	-	-	1	-	1	3	-	3	1	1	-	9	17	26	18	2
Dis. of Lungs	156	35	14	8	2	-	59	1	2	2	1	6	11	11	15	24	20	4
Dis. of Stom. and Liver	47	3	-	1	-	-	4	-	-	3	-	6	4	4	10	11	4	1
Dis. of Kidneys	43	-	1	-	-	-	1	-	-	-	1	-	1	5	7	11	16	1
Dis. of Gener. Organs	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	1	-	-	-	1	1	-	1	-	-
Diseases of the Skin	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	42	3	2	5	2	-	12	3	2	3	2	4	4	7	1	1	2	1
Other Causes	201	112	5	1	1	-	119	-	1	2	-	1	3	5	7	12	34	17
83.—CUCKFIELD.																		
Mean Popul^n, 1851-61	8502	-	-	-	-	-	1135	1108	1049	856	671	1079	905	732	519	316	117	15
TOTAL DEATHS	1474	331	73	44	38	21	507	67	43	39	54	90	82	76	115	186	171	44
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Measles	15	3	3	4	2	1	13	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	41	1	2	4	7	6	20	10	7	-	1	2	1	-	-	-	-	-
Diphtheria	16	1	1	1	2	2	7	3	3	2	-	-	-	-	-	-	1	-
Whooping-cough	25	11	9	2	2	-	24	1	-	-	-	-	-	-	-	-	-	-
Typhus	79	1	2	2	1	2	8	5	7	14	9	8	8	8	5	5	2	-
Cholera, Diarrh., Dysent^y	39	11	3	-	-	-	14	1	-	1	1	2	1	3	3	5	6	2
Other Zymotic Dis.	80	15	7	8	10	3	43	11	5	-	1	5	4	2	5	3	1	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	1	-	1	3	5	3	-
Scrofula, Tabes Mesent.	21	2	2	2	2	1	9	3	-	1	2	1	2	1	2	-	-	-
Phthisis	178	3	3	1	1	-	8	8	8	9	30	45	34	11	14	11	-	-
Hydrocephalus	30	8	7	3	1	3	22	8	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	224	92	5	3	2	1	103	6	5	2	2	5	10	7	14	42	26	2
Heart Dis. and Dropsy	106	-	1	-	1	-	2	3	2	1	3	5	7	12	20	29	19	3
Dis. of Lungs	147	41	9	4	2	2	58	2	1	1	1	6	4	9	18	26	15	6
Dis. of Stom. and Liver	63	12	1	1	1	-	15	-	1	4	1	3	2	7	14	10	5	1
Dis. of Kidneys	29	-	-	-	1	-	1	1	-	-	1	-	-	5	4	9	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	1	-	-	1	-	-	1	1	-	1	1	-	1	-	-
Diseases of the Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	37	2	3	3	1	-	9	-	3	2	1	5	4	6	4	2	1	-
Other Causes	322	126	15	5	2	-	148	3	1	1	-	2	4	3	9	37	85	29
84.—LEWES.																		
Mean Popul^n, 1851-61	13241	-	-	-	-	-	1817	1644	1536	1274	1035	1732	1498	1135	852	503	191	13
TOTAL DEATHS	2670	527	141	79	46	27	820	121	56	91	140	222	196	175	213	283	285	68
Small-pox	11	2	-	2	1	-	5	2	-	1	1	1	1	-	-	-	-	-
Measles	11	-	3	1	5	-	9	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	55	1	3	4	11	5	24	20	4	2	-	1	2	-	2	-	-	-
Diphtheria	36	1	1	4	2	5	13	17	4	1	1	-	-	-	-	-	-	-
Whooping-cough	52	29	14	5	1	1	50	2	-	-	-	-	-	-	-	-	-	-
Typhus	126	-	3	7	2	1	13	17	8	8	15	13	5	16	11	13	6	1
Cholera, Diarrh., Dysent^y	95	44	9	3	3	1	60	1	-	2	4	1	-	2	4	9	12	-
Other Zymotic Dis.	110	15	7	10	3	5	40	6	2	5	3	7	10	9	7	10	11	-
Cancer	38	-	-	-	-	-	-	-	-	-	-	4	3	1	9	10	9	2
Scrofula, Tabes Mesent.	118	37	17	7	3	2	66	8	5	5	11	8	9	4	1	1	-	-
Phthisis	404	4	5	3	2	-	14	5	11	35	68	117	73	38	31	10	2	-
Hydrocephalus	47	12	15	8	3	3	41	6	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	391	126	27	8	5	1	167	11	5	5	7	14	26	27	35	44	45	5
Heart Dis. and Dropsy	193	2	2	1	1	-	6	4	4	5	5	9	14	11	46	46	40	3
Dis. of Lungs	303	79	23	5	2	2	111	7	1	4	7	16	20	24	29	47	35	2
Dis. of Stom. and Liver	110	13	3	-	1	-	17	3	1	4	5	11	7	13	14	19	15	1
Dis. of Kidneys	50	1	-	1	-	-	2	-	-	1	1	1	4	8	5	12	16	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	6	1	-	-	-	-	1	-	-	-	-	-	2	1	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	114	4	2	3	1	1	11	6	9	11	12	15	15	12	8	12	2	1
Other Causes	398	156	7	6	-	-	169	4	2	2	-	3	5	9	11	49	91	53

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upds.
82.—EAST GRINSTEAD.																		
Mean Popul^{n}, 1851-61	6613	-	-	-	-	-	946	922	777	589	508	914	721	516	378	240	88	14
TOTAL DEATHS	1164	220	57	31	21	22	351	44	37	42	51	85	84	63	106	138	119	44
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	6	1	2	1	-	-	4	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	35	1	2	2	3	5	13	9	9	-	2	1	-	1	-	-	-	-
Diphtheria	26	1	-	1	2	3	7	8	5	1	-	-	2	-	-	-	-	-
Whooping-cough	34	13	12	6	1	2	34	-	-	-	-	-	-	-	-	-	-	-
Typhus	45	-	1	-	1	2	4	4	2	5	5	11	3	8	-	3	-	-
Cholera, Diarrh., Dysent^{y}	61	23	2	5	1	-	31	2	1	1	-	3	2	2	2	5	9	3
Other Zymotic Dis.	52	10	4	2	-	3	19	2	1	1	1	6	5	3	3	3	5	3
Cancer	32	-	-	-	-	-	-	-	-	-	-	-	7	7	14	3	1	-
Scrofula, Tabes Mesent.	23	3	4	5	2	-	14	2	1	3	-	1	-	1	1	-	-	-
Phthisis	154	2	-	-	2	-	4	3	9	23	26	40	18	11	12	6	2	-
Hydrocephalus	13	3	5	1	3	-	12	-	-	-	-	1	-	-	-	-	-	-
Diseases of Brain	156	35	4	1	1	1	42	1	3	2	6	8	9	8	22	32	20	3
Heart Dis. and Dropsy	99	-	1	-	-	1	2	-	1	2	-	2	12	10	16	36	16	2
Dis. of Lungs	131	30	15	4	4	3	56	5	1	3	1	-	8	4	9	18	19	7
Dis. of Stom. and Liver	66	2	-	-	-	-	2	2	2	-	2	4	6	6	14	15	12	1
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	1	-	-	-	4	1	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Diseases of the Skin	5	3	1	-	-	-	4	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	-	5	6	10	-	-	-	-	-
Violent Deaths	20	4	-	3	1	2	10	1	2	-	1	-	-	-	2	-	3	1
Other Causes	174	89	4	-	-	-	93	3	-	-	1	1	1	1	4	15	31	24
83.—CUCKFIELD.																		
Mean Popul^{n}, 1851-61	7882	-	-	-	-	-	1142	1087	892	723	647	1096	847	639	449	251	88	21
TOTAL DEATHS	1102	240	71	41	30	27	409	75	56	68	57	113	94	86	114	150	131	49
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	18	5	3	3	-	2	13	2	1	-	-	2	-	-	-	-	-	-
Scarlatina	39	1	4	1	3	5	14	15	4	2	2	1	-	-	1	-	-	-
Diphtheria	23	2	-	1	1	2	6	7	7	1	2	-	-	-	-	-	-	-
Whooping-cough	29	6	8	6	5	2	27	2	-	-	-	-	-	-	-	-	-	-
Typhus	74	1	-	1	3	2	7	11	9	12	3	13	7	1	3	4	2	-
Cholera, Diarrh., Dysent^{y}	35	10	6	4	3	1	24	-	1	-	-	1	2	1	2	2	2	-
Other Zymotic Dis.	58	10	6	7	3	6	32	10	5	-	1	1	-	2	3	3	1	-
Cancer	28	-	-	1	-	-	1	-	-	-	-	1	5	8	11	2	-	-
Scrofula, Tabes Mesent.	20	7	3	-	-	-	10	1	3	-	1	2	-	2	1	-	-	-
Phthisis	227	5	2	2	1	-	10	6	15	39	32	60	29	26	5	5	-	-
Hydrocephalus	19	7	3	2	2	1	15	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	179	57	12	5	2	-	76	1	3	4	3	5	10	10	21	24	16	6
Heart Dis. and Dropsy	112	-	-	-	-	1	1	-	3	5	3	6	9	14	22	35	13	1
Dis. of Lungs	129	28	9	-	1	2	40	5	1	1	2	6	5	4	12	32	19	2
Dis. of Stom. and Liver	55	5	1	4	-	-	10	5	2	1	2	3	3	9	12	5	3	-
Dis. of Kidneys	5	1	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	-	-	1	5	4	3	2	2	-
Diseases of the Joints	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	1	6	9	8	1	-	-	-	-
Violent Deaths	13	3	1	1	3	-	8	3	-	1	-	-	-	1	-	-	-	-
Other Causes	296	92	15	3	3	3	114	3	1	1	-	1	10	2	15	36	73	40
84.—LEWES.																		
Mean Popul^{n}, 1851-61	13117	-	-	-	-	-	1747	1624	1461	1187	1108	1807	1524	1123	820	495	191	25
TOTAL DEATHS	2463	427	123	60	42	47	699	104	84	108	123	191	196	163	195	251	260	89
Small-pox	6	1	-	3	-	-	4	-	-	-	-	1	1	-	-	-	-	-
Measles	18	4	6	4	2	2	18	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	69	2	4	7	5	6	24	26	8	2	2	2	3	-	2	-	-	-
Diphtheria	47	-	3	2	6	6	17	12	10	3	1	2	2	-	-	-	-	-
Whooping-cough	42	16	10	5	3	3	37	4	1	-	-	-	-	-	-	-	-	-
Typhus	142	3	4	3	5	2	17	8	18	19	14	11	11	12	7	16	8	1
Cholera, Diarrh., Dysent^{y}	73	32	7	-	1	-	40	2	1	-	1	2	3	1	2	4	15	2
Other Zymotic Dis.	83	20	7	1	4	4	36	6	2	2	2	6	8	2	2	7	12	1
Cancer	70	-	-	-	-	-	-	-	-	-	-	4	7	20	18	11	8	2
Scrofula, Tabes Mesent.	74	26	8	11	1	2	48	2	5	8	1	2	3	3	2	-	-	-
Phthisis	430	7	8	-	3	1	19	15	19	56	76	98	65	48	23	8	2	1
Hydrocephalus	37	15	7	2	2	2	28	6	2	-	-	-	-	1	-	-	-	-
Diseases of Brain	334	93	18	9	4	4	131	8	1	5	4	9	21	21	31	47	43	13
Heart Dis. and Dropsy	206	2	-	-	-	1	3	2	6	2	4	9	16	19	42	50	37	7
Dis. of Lungs	216	50	22	10	3	8	93	6	4	2	3	5	9	9	24	27	28	6
Dis. of Stom. and Liver	143	13	5	1	1	3	23	4	3	5	7	7	14	15	22	23	17	3
Dis. of Kidneys	13	1	-	-	-	-	1	1	1	-	-	1	3	-	1	4	-	1
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	51	-	-	-	-	-	-	-	-	-	5	23	23	-	-	-	-	-
Violent Deaths	42	7	3	2	1	2	15	1	2	1	2	7	-	4	3	4	2	1
Other Causes	355	132	11	-	1	1	145	1	-	3	1	1	5	7	14	40	88	50

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

85.—BRIGHTON.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popuⁿ, 1851-61	31017	-	-	-	-	-	4153	3847	3600	2861	2609	4636	3647	2727	1706	916	291	24
TOTAL DEATHS	7751	2062	614	343	199	145	3363	335	151	175	258	538	576	578	635	625	426	91
Small-pox	110	21	10	17	6	10	64	19	4	1	4	8	7	1	2	-	-	-
Measles	153	31	53	32	14	9	139	12	2	-	-	-	-	-	-	-	-	-
Scarlatina	302	13	30	47	47	32	169	97	22	7	2	3	2	-	-	-	-	-
Diphtheria	43	-	3	7	4	5	19	16	3	2	-	-	2	1	-	-	-	-
Whooping-cough	222	90	64	32	19	9	214	7	1	-	-	-	-	-	-	-	-	-
Typhus	292	8	14	23	16	18	79	38	25	20	25	32	20	18	18	13	4	-
Cholera, Diarrh., Dysentʸ	421	297	40	9	6	2	354	6	3	1	4	4	6	8	17	10	6	2
Other Zymotic Dis.	305	84	22	15	9	12	142	13	7	9	9	21	22	20	27	24	11	-
Cancer	93	-	-	1	1	-	2	-	-	2	1	7	18	14	23	18	8	-
Scrofula, Tabes Mesent.	170	51	25	13	5	4	98	17	6	13	7	8	7	6	6	1	1	-
Phthisis	1018	18	18	11	10	4	61	21	25	58	121	257	244	143	68	17	3	-
Hydrocephalus	223	88	54	37	11	14	204	13	4	-	1	-	1	-	-	-	-	-
Diseases of Brain	904	334	61	28	10	7	440	19	7	8	5	32	52	72	97	110	59	3
Heart Dis. and Dropsy	464	14	4	1	1	2	22	4	8	5	12	27	47	91	114	97	30	7
Dis. of Lungs	875	273	100	42	20	9	444	19	2	9	17	37	37	61	96	91	50	12
Dis. of Stom. and Liver	354	56	5	4	1	1	67	10	6	10	8	32	39	56	54	52	20	-
Dis. of Kidneys	155	1	1	2	3	-	7	4	6	4	3	15	16	21	27	32	18	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the Joints	34	2	-	-	-	1	3	4	4	5	3	3	3	6	2	1	-	-
Diseases of the Skin	16	7	2	1	-	-	10	-	-	1	-	1	-	2	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	296	20	13	7	5	3	48	6	15	17	32	41	36	38	34	18	10	1
Other Causes	1300	654	95	14	11	3	777	10	1	3	3	10	17	20	50	140	205	64

86.—STEYNING.

Mean Popuⁿ, 1851-61	9823	-	-	-	-	-	1197	1204	1274	1003	935	1331	1079	835	533	306	113	13
TOTAL DEATHS	1671	397	122	47	41	30	637	75	43	43	74	116	114	105	118	164	137	45
Small-pox	7	2	1	-	-	-	3	-	-	-	1	-	2	1	-	-	-	-
Measles	24	3	8	4	3	3	21	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	37	3	3	2	8	4	20	12	1	-	2	1	1	-	-	-	-	-
Diphtheria	19	1	1	2	2	3	9	7	2	-	-	1	-	-	-	-	-	-
Whooping-cough	23	11	5	6	2	2	26	1	1	-	-	-	-	-	-	-	-	-
Typhus	79	1	1	4	2	5	13	7	5	10	4	12	8	7	6	4	3	-
Cholera, Diarrh., Dysentʸ	68	42	5	2	1	-	50	2	-	2	2	3	-	1	3	1	3	1
Other Zymotic Dis.	69	15	2	5	4	1	27	4	3	3	4	1	6	4	5	6	6	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	2	4	3	3	2	-
Scrofula, Tabes Mesent.	34	7	4	2	4	1	18	4	1	3	5	-	1	-	1	1	-	-
Phthisis	187	-	6	1	-	1	8	5	8	14	33	51	34	17	11	3	1	2
Hydrocephalus	36	17	11	3	1	1	33	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	211	89	15	1	4	3	112	4	2	1	1	4	12	17	12	26	18	2
Heart Dis. and Dropsy	92	1	1	-	-	-	2	4	-	1	1	7	6	11	20	20	19	1
Dis. of Lungs	219	47	39	9	7	2	104	6	3	4	5	7	17	11	19	27	13	3
Dis. of Stom. and Liver	105	13	1	2	1	1	18	2	2	1	2	9	7	19	18	19	8	-
Dis. of Kidneys	36	-	-	-	-	-	-	1	-	-	1	3	3	4	4	10	10	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	3	1	1	-	-	1	-	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	85	6	4	1	1	1	13	6	11	3	12	12	11	6	6	4	1	-
Other Causes	311	138	15	3	1	2	159	4	1	-	-	5	4	1	10	40	52	35

87.—HORSHAM.

Mean Popuⁿ, 1851-61	7605	-	-	-	-	-	1000	928	863	753	621	1017	859	647	472	321	113	11
TOTAL DEATHS	1346	300	61	34	25	18	438	50	27	43	33	96	75	89	115	189	148	43
Small-pox	4	-	-	-	-	1	1	-	-	1	-	-	-	-	-	2	-	-
Measles	15	2	7	1	3	1	14	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	12	-	1	2	1	3	7	3	1	-	-	1	-	-	-	-	-	-
Diphtheria	13	-	2	3	-	4	9	2	1	-	-	-	-	-	-	1	-	-
Whooping-cough	7	4	2	-	-	-	6	1	-	-	-	-	-	-	-	-	-	-
Typhus	102	1	1	4	3	1	10	9	11	8	4	4	9	8	12	16	9	2
Cholera, Diarrh., Dysentʸ	48	11	3	3	1	-	18	3	-	1	1	-	1	5	6	7	5	1
Other Zymotic Dis.	82	23	4	2	8	1	38	2	2	5	-	2	-	3	8	11	7	4
Cancer	16	-	-	-	-	-	-	-	-	-	-	1	-	3	3	4	4	1
Scrofula, Tabes Mesent.	32	5	3	2	-	2	12	6	2	2	1	5	2	2	-	-	-	-
Phthisis	169	3	1	1	-	1	6	2	3	19	20	54	26	22	11	4	2	-
Hydrocephalus	25	11	8	-	-	-	19	6	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	149	43	1	7	1	1	53	3	1	1	-	7	6	8	9	31	27	3
Heart Dis. and Dropsy	74	1	-	-	-	-	1	1	-	1	3	3	7	8	18	26	10	1
Dis. of Lungs	201	61	15	6	3	3	88	6	1	1	1	6	7	6	21	37	23	4
Dis. of Stom. and Liver	76	9	1	-	-	-	10	2	1	1	-	2	9	15	17	16	2	1
Dis. of Kidneys	31	-	1	-	1	-	2	-	1	-	2	3	3	2	4	7	5	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
Diseases of the Skin	7	2	-	-	-	-	2	-	-	-	-	-	1	-	-	1	2	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	39	2	1	2	1	-	6	2	2	3	-	6	3	4	4	7	2	-
Other Causes	241	122	10	1	3	-	136	-	1	-	1	1	1	3	6	19	50	23

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
85.—BRIGHTON.																		
Mean Popul^{n}, 1851-61	40613	-	-	-	-	-	4180	3746	3785	4351	4472	6986	5132	3771	2403	1281	443	63
TOTAL DEATHS	8006	1621	600	336	230	138	2925	340	173	226	312	642	628	597	651	737	596	179
Small-pox	100	25	13	12	7	6	63	17	3	2	3	5	4	2	1	-	-	-
Measles	131	23	39	31	17	9	119	9	2	1	-	-	-	-	-	-	-	-
Scarlatina	293	15	27	29	49	28	148	90	38	10	4	2	-	1	-	-	-	-
Diphtheria	42	2	4	1	7	3	17	10	8	3	2	-	1	1	-	-	-	-
Whooping-cough	269	78	89	54	24	10	255	14	-	-	-	-	-	-	-	-	-	-
Typhus	362	8	15	22	28	16	91	42	28	35	36	37	29	19	22	16	7	-
Cholera, Diarrh., Dysent^{y}	409	249	37	16	2	4	308	6	1	2	1	16	13	8	11	15	23	5
Other Zymotic Dis.	249	81	16	20	6	6	129	15	12	7	4	9	13	12	6	21	20	1
Cancer	272	1	-	-	-	-	1	-	-	1	3	20	50	76	62	37	18	4
Scrofula, Tabes Mesent.	166	57	22	17	9	4	109	18	13	5	4	8	4	3	2	-	-	-
Phthisis	1116	18	14	12	5	7	56	20	37	115	163	306	229	107	59	22	1	1
Hydrocephalus	198	66	68	19	15	8	176	18	3	1	-	-	-	-	-	-	-	-
Diseases of Brain	862	220	47	20	12	11	310	23	9	7	12	33	51	90	98	147	64	18
Heart Dis. and Dropsy	555	6	3	6	2	2	19	6	2	11	13	48	55	89	116	134	60	2
Dis of Lungs	852	194	99	45	27	10	375	19	2	8	14	36	37	58	102	103	84	14
Dis. of Stom. and Liver	434	45	9	5	4	4	67	9	5	7	20	33	62	65	77	59	29	1
Dis. of Kidneys	68	-	2	-	-	-	2	3	4	-	6	10	10	10	13	9	1	-
Dis. of Gener. Organs	79	-	-	-	-	-	-	-	-	1	1	6	17	20	17	13	2	2
Diseases of the Joints	31	-	-	-	1	-	1	5	2	2	2	3	4	3	4	5	-	-
Diseases of the Skin	14	3	3	-	-	-	6	-	-	-	-	2	2	1	2	-	1	-
Childbirth and Metria	90	-	-	-	-	-	-	-	-	2	14	47	25	2	-	-	-	-
Violent Deaths	113	13	4	7	4	5	33	8	1	5	4	9	8	11	12	6	13	3
Other Causes	1301	517	89	20	11	3	640	8	3	1	6	12	14	19	47	150	273	128
86.—STEYNING.																		
Mean Popul^{n}, 1851-61	10638	-	-	-	-	-	1166	1161	1105	1034	1114	1710	1304	942	575	324	136	17
TOTAL DEATHS	1597	301	89	58	32	25	505	73	40	72	81	109	123	117	119	173	139	46
Small-pox	6	2	-	-	-	-	2	1	-	-	-	1	1	-	-	1	-	-
Measles	24	5	5	9	1	3	23	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	38	3	3	5	5	2	18	13	4	2	-	1	-	-	-	-	-	-
Diphtheria	23	1	1	2	2	3	9	12	-	-	-	2	-	-	-	-	-	-
Whooping-cough	42	17	8	9	3	1	38	4	-	-	-	-	-	-	-	-	-	-
Typhus	74	1	2	3	1	1	8	8	8	14	11	3	6	7	6	3	-	-
Cholera, Diarrh., Dysent^{y}	70	38	4	1	3	-	46	1	1	1	1	2	5	1	5	2	5	-
Other Zymotic Dis.	60	12	3	4	2	2	23	7	1	3	2	4	2	6	2	7	2	1
Cancer	50	-	-	-	-	-	-	-	-	-	-	-	10	15	12	9	4	-
Scrofula, Tabes Mesent.	29	8	4	1	-	1	14	5	-	4	3	1	1	-	-	1	-	-
Phthisis	227	6	4	1	1	2	14	3	12	30	41	54	39	23	6	3	2	-
Hydrocephalus	26	10	6	1	2	2	21	3	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	189	59	7	7	3	2	78	6	1	4	4	5	5	12	22	35	13	4
Heart Dis. and Dropsy	124	1	-	-	-	-	1	-	3	5	2	4	14	19	25	31	19	1
Dis. of Lungs	176	35	25	7	5	4	76	2	3	3	1	10	7	10	15	30	16	3
Dis. of Stom. and Liver	88	5	-	2	2	1	10	-	3	4	4	4	12	12	11	20	8	-
Dis. of Kidneys	20	-	-	-	-	-	-	-	1	-	1	2	5	3	2	3	2	1
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	1	-	4	4	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
Diseases of the Skin	10	1	1	-	1	-	3	-	-	-	-	2	4	1	-	-	-	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	-	5	7	7	-	-	-	-	-
Violent Deaths	29	6	5	-	1	-	12	4	1	-	2	2	2	2	-	2	2	-
Other Causes	261	91	11	6	-	1	109	3	-	1	3	3	3	2	9	26	66	36
87.—HORSHAM.																		
Mean Popul^{n}, 1851-61	7060	-	-	-	-	-	980	936	813	654	585	942	780	575	431	253	96	10
TOTAL DEATHS	1243	220	45	33	19	19	336	40	50	64	65	102	84	63	106	159	138	36
Small-pox	4	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Measles	20	4	4	4	-	-	12	5	1	1	-	-	1	-	-	-	-	-
Scarlatina	13	-	1	2	-	-	3	4	3	2	1	-	-	-	-	-	-	-
Diphtheria	17	1	3	3	2	3	12	1	2	-	-	2	-	-	-	-	-	-
Whooping-cough	26	6	9	5	2	-	22	1	2	-	-	-	-	1	-	-	-	-
Typhus	95	1	1	2	4	4	12	10	14	8	11	10	5	6	8	9	2	-
Cholera, Diarrh., Dysent^{y}	44	10	3	2	-	1	16	1	1	-	-	4	2	-	2	8	7	3
Other Zymotic Dis.	57	12	4	1	2	2	21	3	4	1	1	2	2	-	8	7	6	2
Cancer	22	-	-	-	-	-	-	1	-	-	-	1	4	7	4	5	-	-
Scrofula, Tabes Mesent.	14	4	-	-	1	-	5	1	2	1	-	2	1	1	1	-	-	-
Phthisis	214	-	1	1	1	1	4	5	10	43	35	57	34	14	9	2	1	-
Hydrocephalus	15	8	-	1	1	3	13	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	151	35	4	3	1	1	44	2	1	1	1	2	10	7	21	26	32	4
Heart Dis. and Dropsy	95	1	-	-	1	1	3	-	3	1	1	2	9	8	19	32	14	3
Dis. of Lungs	161	43	7	8	3	1	62	1	2	2	2	6	4	6	13	30	25	8
Dis. of Stom. and Liver	51	4	1	-	-	-	5	1	1	1	3	3	6	3	10	7	2	1
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	1	1	-	2	2	5	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Childbirth and Metria	20	-	-	-	-	-	-	-	-	1	6	7	6	-	-	-	-	-
Violent Deaths	12	3	-	1	1	-	5	-	-	-	1	-	-	1	-	2	2	1
Other Causes	189	86	6	-	-	2	94	1	3	1	-	3	-	5	2	23	44	13

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
88.—PETWORTH.																		
Mean Popul^{n}, 1851-61	4940	-	-	-	-	-	621	604	566	548	413	623	492	423	336	207	87	10
TOTAL DEATHS	911	172	44	21	16	18	271	25	20	31	38	52	51	55	87	115	137	29
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	7	1	3	-	1	1	6	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	31	1	4	3	5	5	18	7	3	2	-	-	1	-	-	-	-	-
Diphtheria	5	-	-	-	-	-	-	2	1	-	-	-	1	-	-	1	-	-
Whooping-cough	5	2	1	1	-	1	5	-	-	-	-	-	-	-	-	-	-	-
Typhus	22	-	-	1	-	-	1	2	-	6	2	4	-	2	4	1	-	-
Cholera, Diarrh., Dysent^{y}	33	1	2	2	1	1	7	2	2	-	-	1	-	-	4	7	9	1
Other Zymotic Dis.	18	4	2	-	2	-	8	1	2	1	1	1	-	-	-	-	3	1
Cancer	9	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	-
Scrofula, Tabes Mesent.	18	8	3	1	-	-	12	-	-	1	2	2	-	1	-	-	-	-
Phthisis	127	5	1	2	-	-	8	-	2	9	26	31	24	14	10	3	-	-
Hydrocephalus	23	6	5	7	-	2	20	1	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	150	44	4	2	1	1	52	4	1	3	3	2	5	7	12	23	31	4
Heart Dis. and Dropsy	74	-	1	-	-	-	1	1	-	3	2	2	5	5	14	23	18	-
Dis. of Lungs	112	23	8	1	-	5	37	2	1	3	1	2	1	7	14	24	16	4
Dis. of Stom. and Liver	47	4	1	-	-	-	5	2	2	-	1	1	6	9	11	7	3	-
Dis. of Kidneys	20	-	-	-	-	-	-	1	-	-	-	1	3	3	3	5	3	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	33	3	3	1	4	2	13	-	1	2	-	4	2	4	3	2	1	1
Other Causes	173	70	6	-	2	-	78	-	3	-	-	1	1	2	8	14	49	17
89.—THAKEHAM.																		
Mean Popul^{n}, 1851-61	3385	-	-	-	-	-	523	480	465	393	296	499	414	326	251	165	67	6
TOTAL DEATHS	651	111	29	10	9	8	167	32	21	20	33	38	42	39	56	92	83	28
Small-pox	6	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	1	-
Measles	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	18	1	-	2	-	2	5	9	4	-	-	-	-	-	-	-	-	-
Diphtheria	6	1	1	-	-	2	4	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough	8	3	3	-	2	-	8	-	-	-	-	-	-	-	-	-	-	-
Typhus	39	-	1	1	-	2	4	4	3	5	6	2	3	2	4	3	3	-
Cholera, Diarrh., Dysent^{y}	23	5	1	1	2	-	9	-	-	-	-	1	-	1	1	6	3	2
Other Zymotic Dis.	31	4	1	-	2	-	7	4	1	1	-	2	3	1	2	4	6	-
Cancer	17	-	-	-	1	-	1	-	-	-	1	-	2	2	3	7	1	-
Scrofula, Tabes Mesent.	13	3	1	-	1	-	5	3	2	2	1	-	-	-	-	-	-	-
Phthisis	87	4	2	1	-	-	7	2	3	9	14	24	11	9	7	1	-	-
Hydrocephalus	12	4	4	1	-	1	10	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	85	20	5	1	-	-	26	1	1	-	4	3	2	4	11	21	11	1
Heart Dis. and Dropsy	42	1	1	-	-	-	2	1	-	-	-	3	5	3	5	14	9	-
Dis. of Lungs	71	18	5	-	1	-	24	2	1	-	1	1	3	3	8	13	13	2
Dis. of Stom. and Liver	41	4	2	-	-	-	6	-	1	1	-	-	5	3	3	7	8	2
Dis of Kidneys	14	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	30	3	-	2	-	1	6	2	2	-	4	2	4	5	1	3	-	1
Other Causes	102	39	-	1	-	-	40	1	1	-	-	-	1	3	3	8	25	20
90.—WORTHING.																		
Mean Popul^{n}, 1851-61	9032	-	-	-	-	-	1230	1151	1132	817	642	1109	1009	825	611	350	137	19
TOTAL DEATHS	1654	297	78	52	44	28	499	70	51	57	62	112	103	125	159	175	168	78
Small-pox	13	2	1	-	-	-	3	-	1	-	1	1	4	2	1	-	-	-
Measles	8	5	1	-	-	1	7	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	42	-	2	9	8	4	23	13	5	-	1	-	-	-	-	-	-	-
Diphtheria	25	1	-	3	6	2	12	7	4	2	-	-	-	-	-	-	-	-
Whooping-cough	18	11	4	1	1	-	17	1	-	-	-	-	-	-	-	-	-	-
Typhus	79	3	5	4	3	4	19	9	8	5	8	11	2	4	7	4	2	-
Cholera, Diarrh., Dysent^{y}	47	19	3	2	-	-	24	-	-	1	3	3	1	3	2	4	5	1
Other Zymotic Dis.	70	8	7	2	4	5	26	10	1	1	-	4	4	7	3	5	6	3
Cancer	21	-	-	-	-	-	-	-	-	-	2	2	-	-	9	7	1	-
Scrofula, Tabes Mesent.	30	8	5	1	-	1	15	3	1	3	1	3	-	2	1	1	-	-
Phthisis	245	14	5	2	3	1	25	7	10	22	29	49	49	24	23	6	1	-
Hydrocephalus	31	11	6	4	4	3	28	2	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	216	66	8	6	2	4	86	4	3	2	4	7	9	18	19	40	19	5
Heart Dis. and Dropsy	120	5	1	-	-	-	6	4	3	3	2	7	6	14	31	24	15	5
Dis. of Lungs	178	38	12	11	8	2	71	3	2	2	1	3	8	12	19	27	26	4
Dis. of Stom. and Liver	89	10	3	3	1	-	17	2	4	5	3	4	7	12	14	11	9	1
Dis. of Kidneys	69	-	-	-	-	-	-	1	-	2	-	2	4	8	9	6	5	2
Dis of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	-	1	-	1	-	-	3	-	-	1	-	2	-	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Violent Deaths	64	3	1	1	1	-	6	2	6	5	5	13	3	11	5	7	1	-
Other Causes	308	91	14	3	2	1	111	1	3	-	2	3	5	8	14	33	76	52

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
88.—PETWORTH.																		
Mean Popul^{n}, 1851–61	4573	-	-	-	-	-	603	605	537	426	349	585	517	381	297	187	77	9
TOTAL DEATHS	854	136	36	20	11	8	211	40	33	36	29	66	51	57	64	121	116	30
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	5	1	-	2	1	-	4	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	27	2	1	1	3	4	11	10	6	-	-	-	-	-	-	-	-	-
Diphtheria	10	2	-	1	1	-	4	4	1	1	-	-	-	-	-	-	-	-
Whooping-cough	14	4	5	1	1	1	12	2	-	-	-	-	-	-	-	-	-	-
Typhus	36	-	2	-	-	-	2	2	2	5	2	2	6	2	6	3	4	-
Cholera, Diarrh., Dysent^{y}	15	-	1	1	-	-	2	1	1	-	2	1	3	1	-	3	-	1
Other Zymotic Dis.	29	5	2	1	1	1	10	5	1	-	-	-	2	3	1	4	2	1
Cancer	23	-	-	-	-	-	-	-	-	-	-	1	1	6	6	6	2	1
Scrofula, Tabes Mesent.	18	3	3	1	1	-	8	2	1	3	-	3	-	-	1	-	-	-
Phthisis	143	5	1	-	-	-	6	1	10	20	19	41	22	13	5	6	-	-
Hydrocephalus	11	3	4	1	-	-	8	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	123	25	1	2	1	-	29	5	4	1	1	4	3	9	6	28	29	4
Heart Dis. and Dropsy	74	1	1	-	-	1	3	-	-	2	1	2	5	11	12	23	11	1
Dis. of Lungs	89	23	10	4	1	-	38	1	1	2	1	2	2	3	13	12	13	1
Dis. of Stom. and Liver	34	4	-	2	-	-	6	1	2	-	2	6	2	4	6	5	-	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	8	-	-	-	-	-	-	-	-	-	1	3	2	2	-	-	-	-
Violent Deaths	16	-	2	1	1	1	5	2	-	-	-	-	-	2	-	3	2	2
Other Causes	173	58	3	2	-	-	63	2	1	1	-	-	1	1	8	24	53	19
89.—THAKEHAM.																		
Mean Popul^{n}, 1851–61	3616	-	-	-	-	-	515	470	414	311	265	475	395	322	227	152	63	7
TOTAL DEATHS	717	127	30	26	6	7	196	30	33	45	38	77	40	28	58	76	72	24
Small-pox	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Measles	3	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	27	2	3	5	1	1	12	6	8	-	-	1	-	-	-	-	-	-
Diphtheria	9	-	-	1	1	1	3	4	-	-	2	-	-	-	-	-	-	-
Whooping-cough	15	7	4	2	1	-	14	1	-	-	-	-	-	-	-	-	-	-
Typhus	53	-	1	-	1	-	2	4	10	11	5	8	5	2	6	3	2	-
Cholera, Diarrh., Dysent^{y}	23	8	4	-	-	-	12	2	-	1	-	1	2	2	-	3	2	1
Other Zymotic Dis.	20	4	-	1	-	3	8	3	-	3	-	-	-	-	1	5	4	2
Cancer	19	-	-	-	-	-	-	-	-	1	1	2	2	2	7	2	2	-
Scrofula, Tabes Mesent.	28	7	4	1	-	1	13	1	2	5	1	3	1	-	2	-	-	-
Phthisis	124	5	2	-	-	1	8	1	8	16	24	36	15	8	7	-	1	-
Hydrocephalus	14	6	3	3	-	-	12	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	73	25	2	1	-	-	28	2	-	1	2	5	3	2	11	11	6	2
Heart Dis. and Dropsy	50	-	-	1	-	-	1	-	1	2	-	3	2	6	9	16	8	2
Dis. of Lungs	69	14	1	3	2	-	20	1	1	2	-	4	-	2	7	16	13	3
Dis. of Stom. and Liver	36	3	1	1	-	-	5	1	-	2	1	2	3	3	4	10	4	1
Dis. of Kidneys	8	1	-	-	-	-	1	-	1	-	1	1	1	-	-	2	1	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	5	1	1	1	-	-	3	-	-	-	1	1	-	-	-	-	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	-	-	9	3	-	-	-	-	-
Violent Deaths	9	-	2	3	-	-	5	2	-	-	-	1	1	-	-	-	-	-
Other Causes	102	42	2	3	-	-	47	-	-	1	-	-	1	1	2	8	29	13
90.—WORTHING.																		
Mean Popul^{n}, 1851–61	9801	-	-	-	-	-	1192	1065	1045	920	882	1370	1155	910	649	398	190	25
TOTAL DEATHS	1718	253	79	61	41	28	462	75	63	69	87	139	111	104	114	185	196	83
Small-pox	10	3	-	-	-	1	4	-	-	-	1	1	1	2	-	-	1	-
Measles	17	1	4	4	2	-	11	5	-	-	-	1	-	-	-	-	-	-
Scarlatina	44	-	6	7	7	5	25	8	5	2	2	2	-	-	-	-	-	-
Diphtheria	19	1	1	1	2	2	7	5	4	2	-	-	1	-	-	-	-	-
Whooping-cough	39	16	10	7	4	1	38	1	-	-	-	-	-	-	-	-	-	-
Typhus	101	4	3	3	1	4	15	13	12	11	10	9	9	5	5	5	6	1
Cholera, Diarrh., Dysent^{y}	47	14	8	2	1	-	25	1	1	1	-	2	2	2	1	5	6	1
Other Zymotic Dis.	52	6	6	4	7	1	24	4	-	3	1	2	3	1	3	6	3	2
Cancer	57	-	-	-	-	-	-	-	-	1	-	2	11	16	11	11	3	2
Scrofula, Tabes Mesent.	34	8	-	2	2	1	13	3	4	3	5	2	1	-	2	-	1	-
Phthisis	314	9	11	5	4	1	30	9	21	25	49	81	56	22	13	7	1	-
Hydrocephalus	28	8	5	5	1	1	20	5	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	215	56	6	8	3	2	75	2	6	7	5	12	8	13	20	35	20	12
Heart Dis. and Dropsy	126	2	-	1	-	-	3	3	-	2	2	4	12	11	25	35	28	1
Dis. of Lungs	135	29	8	8	3	5	53	2	-	2	3	2	5	6	7	20	25	10
Dis. of Stom. and Liver	99	8	2	2	-	1	13	5	3	5	2	3	11	11	15	17	12	2
Dis. of Kidneys	10	1	-	-	-	1	2	-	-	-	1	-	2	2	1	1	1	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	-	1	5	1	1	-	-
Diseases of the Joints	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Diseases of the Skin	5	1	-	-	1	-	2	-	-	1	-	-	-	1	1	-	-	-
Childbirth and Metria	24	-	-	-	-	-	-	-	-	2	4	9	9	-	-	-	-	-
Violent Deaths	25	2	1	1	2	2	8	6	-	-	1	3	2	1	2	1	1	-
Other Causes	307	84	8	1	1	-	94	2	4	2	1	4	7	6	7	40	68	52

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
91.—WESTHAMPNETT.*																		
Mean Popul^{n}, 1851-61	7397	-	-	-	-	-	993	907	865	666	530	886	838	709	519	327	132	19
TOTAL DEATHS	1341	263	56	31	27	27	404	69	35	47	48	72	73	88	89	174	181	61
Small-pox	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-
Measles	10	1	4	3	-	1	9	-	-	-	1	-	-	-	-	-	-	-
Scarlatina	49	4	4	2	8	6	24	15	7	1	1	1	-	-	-	-	-	-
Diphtheria	21	-	-	1	2	2	5	9	3	3	-	-	-	1	-	-	-	-
Whooping-cough	20	11	3	4	-	2	20	-	-	-	-	-	-	-	-	-	-	-
Typhus	48	1	2	2	1	2	8	11	3	4	2	5	1	6	4	2	2	-
Cholera, Diarrh., Dysent^{y}	57	14	6	3	1	3	27	5	1	-	-	-	3	1	2	9	9	-
Other Zymotic Dis.	66	11	2	2	2	3	20	8	3	1	1	5	1	5	7	8	7	-
Cancer	11	-	-	-	-	-	-	-	-	1	-	-	1	1	2	5	1	-
Scrofula, Tabes Mesent.	15	3	2	-	-	1	6	1	3	1	2	2	-	-	-	-	-	-
Phthisis	161	2	1	-	-	-	3	5	4	19	29	41	25	20	7	8	-	-
Hydrocephalus	17	9	5	-	-	-	14	1	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	201	95	7	4	5	1	112	1	2	2	4	4	5	12	12	23	19	5
Heart Dis. and Dropsy	83	3	2	-	-	-	5	3	-	4	-	2	11	7	13	27	10	1
Dis. of Lungs	122	30	4	4	2	3	43	7	2	3	-	2	9	7	10	26	12	1
Dis. of Stom. and Liver	58	3	3	1	2	-	9	2	1	5	-	-	5	7	11	14	4	-
Dis. of Kidneys	25	1	2	-	-	-	3	-	-	-	-	3	1	2	5	6	3	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	-	-
Diseases of the Skin	5	-	1	-	-	-	1	-	-	-	1	-	-	1	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	49	3	2	2	2	2	11	-	3	2	4	5	6	7	6	3	2	-
Other Causes	314	72	6	3	2	1	84	1	1	1	2	2	4	7	10	39	111	52
92.—CHICHESTER.*																		
Mean Popul^{n}, 1851-61	7216	-	-	-	-	-	862	836	806	808	633	936	775	644	482	303	114	17
TOTAL DEATHS	1633	266	74	29	34	28	431	49	48	68	85	178	122	126	143	187	157	39
Small-pox	3	-	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-
Measles	17	5	6	1	3	1	16	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	50	1	6	8	7	10	32	10	3	1	1	-	-	2	-	1	-	-
Diphtheria	8	-	2	-	2	-	4	1	1	-	1	-	1	-	-	-	-	-
Whooping-cough	19	10	4	1	1	2	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	66	-	1	1	2	5	9	4	8	9	3	6	7	4	6	6	4	-
Cholera, Diarrh., Dysent^{y}	54	16	4	1	3	-	24	-	2	1	4	5	1	3	1	7	5	1
Other Zymotic Dis.	73	16	-	1	4	-	21	2	-	2	1	7	6	1	9	7	13	4
Cancer	24	-	-	-	-	-	-	1	1	-	1	1	3	5	8	3	1	-
Scrofula, Tabes Mesent.	52	9	10	3	1	2	25	4	6	3	3	6	2	-	1	1	1	-
Phthisis	289	3	2	-	-	1	6	2	9	34	48	91	46	33	16	3	1	-
Hydrocephalus	31	7	8	2	3	3	23	7	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	205	56	7	3	2	1	69	-	1	3	5	12	13	23	23	31	22	3
Heart Dis. and Dropsy	104	2	-	-	-	-	2	4	2	3	-	10	9	9	17	31	17	-
Dis. of Lungs	185	42	14	5	3	2	66	6	1	4	2	7	11	11	18	30	25	4
Dis. of Stom. and Liver	98	18	3	1	1	-	23	2	5	2	3	8	6	10	16	19	4	-
Dis. of Kidneys	30	-	-	-	-	-	-	1	1	1	3	1	5	4	5	6	3	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	10	-	-	-	-	-	-	-	-	-	2	3	1	-	3	1	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	83	6	-	1	-	-	7	3	6	2	6	15	11	14	9	6	4	-
Other Causes	228	74	6	1	2	1	84	1	-	3	2	5	-	5	11	34	56	27
93.—MIDHURST.																		
Mean Popul^{n}, 1851-61	6784	-	-	-	-	-	871	850	801	707	534	855	677	612	471	231	106	19
TOTAL DEATHS	1200	217	63	42	23	23	368	52	35	34	49	69	51	75	90	188	138	51
Small-pox	8	3	1	-	-	-	4	-	-	-	-	1	1	1	1	-	-	-
Measles	14	1	3	4	3	1	12	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	21	1	-	3	3	2	9	6	4	-	1	-	1	-	-	-	-	-
Diphtheria	27	-	-	2	1	4	7	11	6	2	-	-	-	1	-	-	-	-
Whooping-cough	19	8	9	1	-	1	19	-	-	-	-	-	-	-	-	-	-	-
Typhus	52	1	2	3	1	-	7	8	4	3	4	4	4	4	3	10	1	-
Cholera, Diarrh., Dysent^{y}	28	4	2	3	1	1	11	1	1	-	1	-	-	2	1	7	3	1
Other Zymotic Dis.	35	10	2	2	1	2	17	1	1	-	1	3	1	3	2	6	-	-
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	3	-
Scrofula, Tabes Mesent.	26	4	1	3	-	3	11	4	2	2	-	2	-	4	1	-	-	-
Phthisis	156	3	-	1	-	-	4	3	3	14	27	43	27	15	13	7	-	-
Hydrocephalus	15	2	3	2	-	2	9	3	2	-	-	-	-	-	1	-	-	-
Diseases of Brain	199	88	12	8	2	1	111	1	5	3	3	-	5	8	12	29	20	2
Heart Dis. and Dropsy	84	1	1	1	-	1	4	-	1	-	3	2	1	6	14	37	16	-
Dis. of Lungs	124	27	10	7	3	2	49	6	1	1	-	6	4	7	13	23	7	7
Dis. of Stom. and Liver	77	8	1	-	2	1	12	4	4	4	2	3	3	5	15	16	8	1
Dis. of Kidneys	20	-	-	-	2	-	2	-	-	-	1	1	-	4	4	4	4	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Violent Deaths	36	-	2	1	1	2	6	2	-	3	3	4	2	4	5	5	1	1
Other Causes	246	56	14	1	3	-	74	-	1	1	3	-	1	8	4	41	74	39

* The mean Population, 1851-61, has been corrected on account of changes in the limits of these Districts.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

91.—WESTHAMPNETT.*

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	7062	-	-	-	-	-	948	894	763	601	523	928	822	659	454	310	137	23
TOTAL DEATHS	1302	188	51	40	25	19	323	81	52	62	65	91	87	60	83	167	177	54
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	10	-	1	3	1	2	7	2	-	-	-	1	-	-	-	-	-	-
Scarlatina	66	2	4	8	10	5	29	22	11	-	2	1	1	-	-	-	-	-
Diphtheria	12	1	-	-	1	1	3	7	-	2	-	-	-	-	-	-	-	-
Whooping-cough	19	7	4	2	3	1	17	1	1	-	-	-	-	-	-	-	-	-
Typhus	55	-	2	2	-	1	5	7	9	12	4	3	7	4	2	1	-	1
Cholera, Diarrh., Dysent^{y}	49	7	5	5	2	2	21	3	1	-	2	4	1	-	4	6	6	1
Other Zymotic Dis.	47	7	2	3	-	-	12	7	5	-	1	1	3	4	4	6	3	1
Cancer	27	-	1	-	-	-	1	-	-	-	-	-	1	6	12	5	2	-
Scrofula, Tabes Mesent.	12	-	4	-	1	-	5	1	4	1	1	-	-	-	-	-	-	-
Phthisis	221	3	1	1	-	1	6	8	10	32	39	54	39	21	10	-	2	-
Hydrocephalus	17	4	3	1	-	1	9	5	1	1	-	-	-	-	1	-	-	-
Diseases of Brain	160	62	4	5	3	1	75	3	2	6	2	3	6	5	11	31	16	-
Heart Dis. and Dropsy	93	-	-	-	-	-	-	2	1	1	1	6	7	5	13	31	26	-
Dis. of Lungs	103	23	10	5	2	3	43	5	2	2	3	3	2	4	5	21	12	1
Dis. of Stom. and Liver	47	5	-	-	-	-	5	1	-	-	4	4	4	4	8	12	4	1
Dis. of Kidneys	5	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	-
Diseases of the Joints	6	1	-	-	-	-	1	1	1	-	-	2	1	-	-	-	-	-
Diseases of the Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	15	-	-	-	-	-	-	-	-	-	4	4	7	-	-	-	-	-
Violent Deaths	20	4	-	-	2	1	7	1	1	2	-	1	2	1	2	2	1	-
Other Causes	310	60	10	5	-	-	75	5	2	2	2	4	3	4	10	49	105	49

92.—CHICHESTER.*

Mean Popul^{n}, 1851-61	7962	-	-	-	-	-	867	854	811	868	731	1132	926	743	551	332	124	23
TOTAL DEATHS	1560	198	79	47	31	18	373	55	48	74	69	116	134	120	149	202	165	55
Small-pox	5	3	-	-	-	-	3	-	-	-	1	1	-	-	-	-	-	-
Measles	16	1	7	3	3	1	15	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	35	1	3	4	5	4	17	8	4	4	1	1	-	-	-	-	-	-
Diphtheria	10	2	-	1	3	1	7	2	1	-	-	-	-	-	-	-	-	-
Whooping cough	27	10	6	4	1	2	23	4	-	-	-	-	-	-	-	-	-	-
Typhus	72	-	-	1	5	1	7	8	3	14	10	4	6	7	4	4	4	1
Cholera, Diarrh., Dysent^{y}	62	12	12	1	-	-	25	4	1	1	1	2	5	4	6	7	4	2
Other Zymotic Dis.	59	8	4	-	2	3	17	1	6	-	3	1	3	1	9	10	8	-
Cancer	53	-	-	1	-	-	1	1	-	-	2	1	5	17	12	8	3	3
Scrofula, Tabes Mesent.	46	5	-	3	2	1	11	4	7	3	2	5	4	1	1	2	1	-
Phthisis	253	2	1	3	-	-	6	5	16	29	36	63	54	20	16	8	-	-
Hydrocephalus	27	6	6	3	5	-	20	5	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	206	48	12	7	1	2	70	2	3	4	5	4	16	16	27	32	23	4
Heart Dis. and Dropsy	93	-	-	-	-	-	-	-	1	2	1	5	13	8	20	31	10	2
Dis. of Lungs	153	24	15	9	1	-	49	-	-	3	2	5	6	17	14	30	23	4
Dis. of Stom. and Liver	103	7	1	1	2	1	12	2	1	6	1	9	7	19	21	21	8	1
Dis. of Kidneys	19	1	-	-	-	-	1	2	-	1	1	1	4	3	3	1	1	1
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	1	-
Diseases of the Skin	8	1	-	-	-	-	1	-	1	-	-	-	-	-	1	4	-	1
Childbirth and Metria	11	-	-	-	-	-	-	-	-	-	2	4	4	1	-	-	-	-
Violent Deaths	24	3	1	3	1	2	10	2	-	-	-	2	-	3	1	4	1	1
Other Causes	262	64	11	3	-	-	78	3	3	1	-	6	5	2	12	39	78	35

93.—MIDHURST.

Mean Popul^{n}, 1851-61	6306	-	-	-	-	-	823	833	743	553	461	802	697	585	426	254	112	17
TOTAL DEATHS	1180	159	52	33	26	20	290	65	47	55	76	93	77	71	99	125	123	59
Small-pox	3	1	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Measles	11	1	-	3	1	2	7	3	-	1	-	-	-	-	-	-	-	-
Scarlatina	26	3	3	1	2	5	14	10	2	-	-	-	-	-	-	-	-	-
Diphtheria	27	1	-	3	4	-	8	10	8	-	1	-	-	-	-	-	-	-
Whooping-cough	22	6	10	-	4	1	21	1	-	-	-	-	-	-	-	-	-	-
Typhus	66	3	1	1	4	2	11	10	10	10	5	3	7	3	4	2	1	-
Cholera, Diarrh., Dysent^{y}	29	2	1	-	-	-	6	4	-	2	2	2	1	1	-	4	5	2
Other Zymotic Dis.	32	5	-	2	-	2	9	4	3	3	2	2	2	-	1	5	1	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	1	2	6	2	1	1
Scrofula, Tabes Mesent.	21	5	1	1	-	1	8	2	2	2	2	-	2	1	2	-	-	-
Phthisis	205	1	-	-	-	2	3	3	10	27	42	49	30	19	15	4	2	1
Hydrocephalus	4	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	164	55	14	4	3	1	77	7	2	3	3	5	2	15	16	22	12	-
Heart Dis. and Dropsy	110	-	1	-	-	2	3	2	2	2	2	9	9	12	22	26	18	3
Dis. of Lungs	103	18	9	5	6	-	38	4	2	1	3	2	6	6	9	23	10	2
Dis. of Stom. and Liver	60	2	1	-	-	2	5	1	4	2	4	4	7	9	9	9	5	1
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	-	3	2	1	3	4	1	-
Diseases of the Joints	3	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	-	5	6	5	-	-	-	-	-
Violent Deaths	15	3	-	3	-	-	6	1	-	-	2	2	-	1	-	-	1	2
Other Causes	227	53	11	5	1	-	70	1	1	2	3	2	2	1	9	23	66	47

* The mean Population has been corrected on account of changes in the limits of these Districts.

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
94.—WESTBOURNE.																		
Mean Popul^{n}, 1851-61	3513	-	-	-	-	-	427	430	383	359	264	439	381	343	249	160	67	11
TOTAL DEATHS	602	119	24	10	13	11	177	16	20	13	29	40	27	45	48	78	86	23
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	6	1	3	1	1	-	6	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	6	1	-	-	1	4	6	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	3	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	6	4	-	1	1	-	6	-	-	-	-	-	-	-	-	-	-	-
Typhus	22	-	1	-	-	-	1	3	3	2	3	-	3	2	3	-	1	1
Cholera, Diarrh., Dysent^{y}	21	11	1	-	2	-	14	1	-	-	-	-	-	1	-	2	3	-
Other Zymotic Dis.	19	5	-	1	1	-	7	2	-	-	-	2	2	-	3	2	1	-
Cancer	9	-	-	-	-	-	-	-	-	1	-	1	-	3	2	-	2	-
Scrofula, Tabes Mesent.	5	1	-	1	-	-	2	-	-	-	-	2	-	1	-	-	-	-
Phthisis	88	3	4	-	-	-	7	2	3	9	18	20	11	11	7	-	-	-
Hydrocephalus	5	2	-	1	1	1	5	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	100	41	6	-	1	3	51	1	6	-	3	3	3	7	5	14	6	1
Heart Dis. and Dropsy	40	2	-	1	-	1	4	1	2	-	-	2	3	7	6	8	5	2
Dis. of Lungs	53	6	7	3	-	-	16	1	-	1	-	2	4	5	5	9	10	-
Dis. of Stom. and Liver	21	2	-	-	1	-	3	1	-	-	1	1	-	3	4	7	1	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	25	-	-	1	3	1	5	2	2	-	4	2	-	3	3	3	1	-
Other Causes	160	39	2	-	-	-	41	1	3	-	-	4	1	2	7	28	54	19
95.—HAVANT.																		
Mean Popul^{n}, 1851-61	3425	-	-	-	-	-	442	418	397	330	249	437	385	297	246	149	63	12
TOTAL DEATHS	677	103	28	20	12	7	170	24	10	23	34	46	44	56	63	101	75	31
Small-pox	8	2	1	-	-	-	3	1	1	1	1	1	-	-	-	-	-	-
Measles	6	1	1	1	1	1	5	-	-	-	1	-	-	-	-	-	-	-
Scarlatina	11	-	-	3	1	2	6	4	-	-	-	-	-	1	-	-	-	-
Diphtheria	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	4	-	1	3	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Typhus	43	-	1	2	1	2	6	3	3	5	7	6	2	4	4	3	-	-
Cholera, Diarrh., Dysent^{y}	19	3	2	3	-	-	8	-	-	-	-	1	-	2	3	3	1	1
Other Zymotic Dis.	18	4	1	-	1	1	7	1	-	-	-	-	-	1	1	6	2	-
Cancer	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
Scrofula, Tabes Mesent.	15	1	1	2	1	1	6	4	-	1	-	-	2	2	-	-	-	-
Phthisis	90	3	-	-	-	-	3	1	2	6	18	22	14	15	6	3	-	-
Hydrocephalus	11	5	4	1	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	83	18	6	-	3	-	27	3	-	1	1	2	4	7	8	16	11	3
Heart Dis. and Dropsy	49	1	-	-	-	-	1	2	-	1	-	-	9	4	13	14	5	-
Dis. of Lungs	88	16	4	2	2	-	24	1	1	1	1	3	5	5	9	19	14	5
Dis. of Stom. and Liver	31	5	1	1	-	-	7	-	-	1	2	1	1	4	7	5	2	1
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	1	-	1	1	-	-	1	1	-	1	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	42	-	-	-	1	-	1	2	3	5	2	9	5	5	5	2	1	2
Other Causes	135	44	5	1	-	-	50	1	-	-	-	1	2	4	4	24	30	19
96.—PORTSEA ISLAND.																		
Mean Popul^{n}, 1851-61	41905	-	-	-	-	-	5520	4371	3850	4113	5147	7492	4774	3029	1932	1201	429	47
TOTAL DEATHS	9800	2221	902	496	307	202	4128	383	154	249	479	844	759	609	624	815	620	136
Small-pox	203	38	25	29	23	14	129	23	5	9	14	17	1	3	2	-	-	-
Measles	173	23	48	57	20	12	160	11	1	1	-	-	-	-	-	-	-	-
Scarlatina	388	23	60	65	62	52	262	93	15	4	6	3	2	1	2	-	-	-
Diphtheria	19	2	3	2	4	2	13	1	-	-	1	1	2	1	-	-	-	-
Whooping-cough	168	68	49	32	12	5	166	1	1	-	-	-	-	-	-	-	-	-
Typhus	514	32	40	46	44	28	190	63	37	36	50	59	29	17	11	17	5	-
Cholera, Diarrh., Dysent^{y}	604	223	97	29	6	10	365	10	1	8	51	53	28	7	20	29	24	8
Other Zymotic Dis.	312	82	23	16	12	11	144	8	5	9	21	31	26	22	18	18	7	3
Cancer	82	-	-	-	-	-	-	-	-	-	3	6	12	13	20	19	7	2
Scrofula, Tabes Mesent.	192	62	40	18	8	6	134	17	9	5	7	12	1	2	1	2	2	-
Phthisis	1265	18	8	11	6	3	46	19	27	94	196	359	288	147	61	23	5	-
Hydrocephalus	192	58	54	25	16	9	162	24	4	2	-	-	-	-	-	-	-	-
Diseases of Brain	1318	488	93	44	26	13	664	40	10	14	16	54	66	88	107	163	90	6
Heart Dis. and Dropsy	524	10	2	4	6	5	27	7	5	13	16	49	83	83	77	114	49	1
Dis. of Lungs	1701	354	204	76	29	15	678	23	4	18	42	76	75	104	142	192	128	20
Dis. of Stom. and Liver	430	51	17	4	8	6	86	13	9	6	13	36	62	56	59	62	25	3
Dis. of Kidneys	159	3	-	1	-	-	4	3	4	-	5	11	12	11	36	45	26	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	32	-	-	1	2	1	4	7	4	3	4	2	4	-	2	1	-	1
Diseases of the Skin	20	7	1	2	-	-	10	-	-	-	-	4	-	-	3	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	328	15	12	7	15	7	56	10	11	22	21	64	47	38	28	17	9	2
Other Causes	1376	664	126	27	8	3	828	11	2	5	10	7	21	16	35	111	242	88

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

94.—WESTBOURNE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	3438	-	-	-	-	-	472	415	388	292	271	445	389	324	225	142	66	9
TOTAL DEATHS	613	97	33	11	7	10	158	18	22	26	42	43	47	42	51	59	74	31
Small-pox	6	1	-	1	-	-	2	1	-	-	3	-	-	-	-	-	-	-
Measles	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	13	1	-	2	2	1	6	-	5	1	-	-	1	-	-	-	-	-
Diphtheria	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-
Whooping-cough	16	9	3	2	1	1	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	28	1	2	-	2	1	6	3	3	3	3	2	4	-	2	1	-	1
Cholera, Diarrh., Dysent^{y}	11	2	2	1	-	-	5	-	1	-	-	-	-	-	1	3	-	1
Other Zymotic Dis.	24	8	1	-	-	1	10	1	1	1	-	-	-	2	5	2	1	1
Cancer	13	-	-	-	-	-	-	-	-	1	-	-	1	5	2	3	1	-
Scrofula, Tabes Mesent.	6	-	2	-	-	1	3	1	-	1	-	-	-	1	-	-	-	-
Phthisis	126	2	3	1	-	-	6	1	6	14	26	28	26	11	6	1	1	-
Hydrocephalus	3	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	68	18	10	2	2	-	32	3	1	2	1	1	1	4	8	6	9	-
Heart Dis. and Dropsy	41	-	-	-	-	1	1	2	-	-	-	2	-	6	9	13	8	-
Dis. of Lungs	36	8	2	-	-	1	11	1	-	1	-	1	4	1	5	8	2	2
Dis. of Stom. and Liver	25	-	-	-	-	-	-	1	1	1	-	-	3	7	3	4	4	1
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
Childbirth and Metria	9	-	-	-	-	-	-	-	-	-	4	4	1	-	-	-	-	-
Violent Deaths	14	1	2	1	-	-	4	-	-	-	-	1	2	2	1	1	2	1
Other Causes	159	45	4	1	-	3	53	1	3	1	3	3	3	3	8	15	42	24

95.—HAVANT.

Mean Popul^{n}, 1851-61	3786	-	-	-	-	-	473	456	390	373	344	505	420	331	246	166	74	8
TOTAL DEATHS	673	88	31	12	8	9	148	41	20	26	31	60	39	42	62	76	94	34
Small-pox	10	5	-	-	-	-	5	2	-	1	1	-	1	-	-	-	-	-
Measles	4	-	2	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	11	-	-	3	-	2	5	5	1	-	-	-	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	12	6	2	1	2	1	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	52	-	2	1	2	-	5	19	7	5	2	4	1	4	2	3	-	-
Cholera, Diarrh., Dysent^{y}	20	8	3	-	1	-	12	1	-	-	-	2	1	-	-	1	2	1
Other Zymotic Dis.	28	3	-	3	-	2	8	-	-	1	1	4	1	2	3	4	3	1
Cancer	22	-	-	-	-	-	-	-	-	-	1	1	-	5	8	2	5	-
Scrofula, Tabes Mesent.	17	4	4	-	-	-	8	2	2	3	-	1	-	-	-	1	-	-
Phthisis	94	3	-	2	-	-	5	2	3	8	13	33	16	10	3	-	1	-
Hydrocephalus	14	4	5	1	-	2	12	1	-	-	-	1	-	-	-	-	-	-
Diseases of Brain	67	9	1	-	-	2	12	2	1	-	4	2	5	3	7	10	17	4
Heart Dis. and Dropsy	61	-	-	-	-	-	-	-	1	-	-	5	3	5	15	16	12	4
Dis. of Lungs	75	11	3	-	1	-	20	4	1	1	1	2	2	4	11	12	12	5
Dis. of Stom. and Liver	25	-	-	1	-	-	1	1	-	1	-	-	2	2	7	7	4	-
Dis. of Kidneys	4	-	-	-	1	-	-	-	-	1	-	-	-	1	2	-	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	1	-	-	3	1	2	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	3	3	5	1	-	-	-	-	-
Violent Deaths	10	-	3	-	-	-	3	-	1	1	1	-	-	-	1	3	-	-
Other Causes	123	35	1	-	1	-	37	1	1	1	2	-	6	2	2	14	38	19

96.—PORTSEA ISLAND.

Mean Popul^{n}, 1851-61	41572	-		-	-	-	5507	4396	3810	3649	4154	7229	5202	3377	2291	1375	506	76
TOTAL DEATHS	9217	1871	842	453	280	200	3646	429	180	223	369	818	625	537	659	806	701	224
Small-pox	184	35	54	21	13	20	143	22	4	2	6	5	1	1	-	-	-	-
Measles	168	30	43	37	33	12	155	10	-	-	-	1	1	1	-	-	-	-
Scarlatina	357	20	44	52	58	47	221	100	16	9	3	5	1	1	-	1	-	-
Diphtheria	28	3	5	2	1	1	12	10	2	3	-	1	-	-	-	-	-	-
Whooping-cough	231	84	79	35	17	7	222	8	-	-	-	-	-	-	-	1	-	-
Typhus	598	24	30	47	43	44	188	82	42	57	52	67	23	30	25	22	8	2
Cholera, Diarrh., Dysent^{y}	493	215	83	16	6	4	324	16	3	1	5	21	15	9	13	32	43	11
Other Zymotic Dis.	251	73	15	18	9	7	122	19	3	10	14	28	15	8	12	10	9	1
Cancer	190	-	-	-	2	-	2	-	-	1	1	13	36	55	36	25	15	6
Scrofula, Tabes Mesent.	177	63	35	24	5	1	128	16	6	6	2	7	5	3	2	1	1	-
Phthisis	1080	15	8	7	6	7	43	23	48	79	167	365	208	94	41	11	1	-
Hydrocephalus	127	34	30	24	15	7	110	13	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	1290	393	86	41	25	12	557	36	9	12	35	52	60	92	126	172	119	20
Heart Dis. and Dropsy	534	12	4	3	-	2	21	5	13	16	14	45	62	56	123	126	49	4
Dis. of Lungs	1319	279	174	77	31	15	576	24	9	7	14	52	54	71	142	208	129	33
Dis. of Stom. and Liver	434	31	11	10	6	4	62	13	8	9	20	54	52	63	72	53	24	4
Dis. of Kidneys	60	3	-	-	-	-	3	-	-	2	3	8	10	8	14	8	4	-
Dis. of Gener. Organs	62	-	-	-	-	-	-	-	-	1	3	10	16	13	12	6	1	-
Diseases of the Joints	25	-	-	-	1	1	2	2	3	2	2	2	4	3	3	1	-	1
Diseases of the Skin	22	9	1	-	-	-	10	1	-	-	-	2	2	-	3	-	4	-
Childbirth and Metria	110	-	-	-	-	-	-	-	-	2	22	58	26	2	-	-	-	-
Violent Deaths	115	15	7	4	3	3	32	18	8	4	2	4	13	6	8	8	10	2
Other Causes	1362	533	133	35	6	6	713	11	2	-	4	18	21	21	27	121	284	140

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
97.—ALVERSTOKE.																		
Mean Popul^{n}, 1851-61	10833	-	-	-	-	-	1221	991	829	1070	1645	2149	1285	751	462	299	100	11
TOTAL DEATHS	3282	480	168	88	70	39	845	476	36	143	383	585	352	242	187	214	176	43
Small-pox	39	4	2	4	6	1	17	3	2	3	8	4	1	-	-	1	-	-
Measles	42	5	7	10	3	6	31	2	3	2	1	3	-	-	-	-	-	-
Scarlatina	95	4	10	15	17	9	55	17	4	8	7	2	1	-	1	-	-	-
Diphtheria	8	1	1	1	2	-	5	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough	29	13	7	4	4	1	29	-	-	-	-	-	-	-	-	-	-	-
Typhus	143	4	9	9	6	4	32	7	8	18	21	25	4	9	5	10	4	-
Cholera,Diarrh.,Dysent^{y}	217	78	28	5	-	-	111	2	-	5	20	30	13	8	6	12	4	3
Other Zymotic Dis.	171	27	7	11	6	5	56	4	-	4	18	32	18	17	5	11	6	-
Cancer	30	-	-	-	-	-	-	-	-	1	-	2	3	7	11	4	2	-
Scrofula, Tabes Mesent.	67	13	4	5	1	-	23	4	2	9	9	13	3	2	1	1	-	-
Phthisis	783	5	4	1	2	-	12	3	3	51	205	275	137	64	16	14	3	-
Hydrocephalus	30	9	14	1	1	-	25	3	-	-	-	1	1	-	-	-	-	-
Diseases of Brain	412	92	16	7	4	6	125	5	2	3	11	38	55	41	31	49	44	8
Heart Dis. and Dropsy	172	3	2	-	-	-	5	4	1	7	7	40	31	15	24	22	11	5
Dis. of Lungs	368	58	32	11	8	3	112	5	1	10	32	39	34	31	38	33	26	7
Dis. of Stom. and Liver	143	13	1	1	2	-	17	2	3	5	15	26	20	23	14	11	4	3
Dis. of Kidneys	51	-	-	-	1	-	1	1	-	-	3	11	9	1	6	13	4	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	15	-	-	-	1	-	1	-	-	1	4	2	3	2	1	1	-	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	1	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	145	5	5	2	2	2	16	6	6	14	22	34	12	13	13	4	4	1
Other Causes	317	144	19	1	4	2	170	7	-	1	-	8	4	8	14	28	63	14
98.—FAREHAM.																		
Mean Popul^{n}, 1851-61	7139	-	-	-	-	-	901	851	793	669	594	947	772	672	497	311	110	17
TOTAL DEATHS	1553	278	73	33	27	23	434	52	32	47	64	102	131	124	164	210	139	59
Small-pox	6	1	-	-	-	-	1	-	-	1	1	1	1	-	-	1	-	-
Measles	10	1	2	1	2	1	7	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	32	1	5	2	4	3	15	10	4	1	1	-	-	1	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	9	6	-	3	-	-	9	-	-	-	-	-	-	-	-	-	-	-
Typhus	65	1	1	5	2	-	9	9	10	7	8	4	7	7	2	2	-	-
Cholera,Diarrh.,Dysent^{y}	31	13	3	-	-	-	16	-	-	1	-	3	2	-	5	2	2	-
Other Zymotic Dis.	44	4	4	1	2	2	13	4	3	1	1	1	4	4	7	6	-	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	1	-
Scrofula, Tabes Mesent.	20	8	2	1	-	1	12	2	2	-	1	2	-	-	1	-	-	-
Phthisis	201	2	2	-	-	-	4	3	-	19	29	54	32	23	30	7	-	-
Hydrocephalus	19	7	8	-	-	1	16	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	291	52	12	2	3	4	73	4	4	7	9	19	42	39	26	46	17	5
Heart Dis. and Dropsy	89	2	-	-	-	1	3	1	1	1	3	2	11	6	15	32	13	1
Dis. of Lungs	202	62	11	10	7	8	98	4	2	2	1	2	11	16	22	32	8	4
Dis. of Stom. and Liver	82	2	3	1	3	1	10	3	1	1	5	4	7	16	14	13	7	1
Dis. of Kidneys	20	1	-	-	-	-	1	-	-	-	-	1	1	3	5	5	4	-
Dis. of Gener. Organs	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	47	-	3	3	-	-	6	3	3	4	3	7	5	4	5	6	1	-
Other Causes	373	115	16	3	4	1	139	3	-	1	2	2	7	5	27	53	86	43
99.—ISLE OF WIGHT.																		
Mean Popul^{n}, 1851-61	25817	-	-	-	-	-	3361	3099	2861	2903	2217	3571	2933	2119	1458	901	346	48
TOTAL DEATHS	4622	920	276	137	80	66	1479	186	106	179	233	391	338	315	342	477	432	144
Small-pox	23	3	1	1	-	-	5	4	-	2	8	3	1	-	-	-	-	-
Measles	50	10	20	12	1	4	47	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	169	11	17	20	25	19	92	47	17	5	4	4	-	-	-	-	-	-
Diphtheria	14	1	-	2	1	2	6	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough	91	36	36	6	4	4	86	4	-	-	-	-	-	1	1	-	-	-
Typhus	224	4	7	11	3	11	36	18	22	28	29	30	18	18	10	10	4	1
Cholera,Diarrh.,Dysent^{y}	144	60	14	5	4	-	83	2	3	2	1	5	7	3	6	15	15	2
Other Zymotic Dis.	152	34	9	5	5	2	55	7	4	6	4	8	15	15	14	13	11	-
Cancer	47	1	-	-	-	-	1	-	-	-	-	1	4	4	14	13	9	1
Scrofula, Tabes Mesent.	75	14	6	8	4	3	35	9	7	6	3	4	5	3	1	2	-	-
Phthisis	668	10	10	5	3	1	29	9	15	64	109	199	123	79	33	7	1	-
Hydrocephalus	78	17	22	14	4	5	62	11	1	2	-	1	1	-	-	-	-	-
Diseases of Brain	570	138	38	10	8	4	248	17	9	9	11	20	27	33	51	83	49	13
Heart Dis. and Dropsy	302	4	-	2	1	-	7	8	8	11	8	18	31	23	55	77	53	3
Dis. of Lungs	488	124	53	17	11	6	211	6	1	4	11	26	30	40	33	68	48	10
Dis. of Stom. and Liver	216	21	8	3	-	1	33	4	5	7	10	16	24	33	38	34	10	2
Dis. of Kidneys	96	-	-	-	-	1	1	4	-	1	5	10	12	11	21	15	16	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	13	-	2	1	-	-	3	2	1	1	1	3	1	-	1	-	-	-
Diseases of the Skin	9	2	1	-	-	-	3	-	-	-	1	1	-	-	2	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	211	18	8	5	4	2	37	11	8	20	21	32	20	23	19	15	4	1
Other Causes	981	362	24	10	2	1	399	15	4	11	7	10	18	29	43	123	211	111

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
97.—ALVERSTOKE.																		
Mean Popul^{n}, 1851-61	8948	-	-	-	-	-	1201	989	811	747	873	1577	1101	742	484	282	120	21
TOTAL DEATHS	1828	371	148	75	47	40	681	78	56	27	78	153	132	94	130	176	163	60
Small-pox	26	8	4	2	2	2	18	2	2	-	2	1	1	-	-	-	-	-
Measles	37	4	15	8	-	4	31	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	81	6	9	15	9	13	52	18	7	1	1	1	1	-	-	-	-	-
Diphtheria	4	-	2	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	29	11	5	4	5	2	27	2	-	-	-	-	-	-	-	-	-	-
Typhus	96	5	5	8	6	6	30	11	10	4	6	10	8	2	6	6	3	-
Cholera, Diarrh., Dysent^{y}	110	56	22	3	1	-	82	1	2	1	3	3	2	-	1	5	7	3
Other Zymotic Dis.	86	18	5	3	6	2	34	5	4	3	3	11	4	4	5	6	6	1
Cancer	58	1	-	-	-	-	1	-	-	-	-	1	12	16	10	13	4	1
Scrofula, Tabes Mesent.	27	4	8	-	3	-	15	2	3	2	2	-	2	1	-	-	-	-
Phthisis	226	4	5	-	-	-	9	6	12	14	34	68	50	14	14	5	-	-
Hydrocephalus	21	7	5	4	1	-	17	2	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	222	53	11	5	5	4	78	9	7	-	4	11	7	7	25	42	30	2
Heart Dis. and Dropsy	105	3	1	-	1	-	5	3	-	-	2	12	9	12	18	25	16	3
Dis. of Lungs	230	58	28	15	5	5	111	3	1	-	4	5	9	6	24	28	27	12
Dis. of Stom. and Liver	91	4	1	1	1	-	7	4	1	-	4	10	11	15	12	15	10	2
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	-	1	2	5	3	2	1	-
Diseases of the Joints	4	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-
Diseases of the Skin	13	6	-	-	1	-	7	-	-	-	-	-	-	1	-	2	2	1
Childbirth and Metria	28	-	-	-	-	-	-	-	-	1	7	12	6	2	-	-	-	-
Violent Deaths	28	3	1	2	1	2	9	3	3	-	3	1	1	-	4	1	2	1
Other Causes	287	120	21	5	-	-	146	1	-	-	2	4	6	7	7	25	55	34
98.—FAREHAM.																		
Mean Popul^{n}, 1851-61	7255	-	-	-	-	-	878	791	751	620	627	1055	822	700	511	330	143	27
TOTAL DEATHS	1419	182	71	24	23	15	315	50	44	60	55	134	115	117	120	178	156	75
Small-pox	4	1	1	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Measles	11	2	2	1	1	1	7	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	35	-	5	1	4	3	13	12	7	1	-	1	-	-	1	-	-	-
Diphtheria	3	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
Whooping-cough	9	4	3	-	1	1	9	-	-	-	-	-	-	-	-	-	-	-
Typhus	79	1	2	1	2	2	8	13	10	17	3	14	6	5	1	2	-	-
Cholera, Diarrh., Dysent^{y}	40	14	2	1	-	-	17	-	-	-	2	2	1	3	1	8	4	2
Other Zymotic Dis.	29	6	3	1	-	1	11	2	-	2	-	1	1	3	1	3	4	1
Cancer	21	-	-	-	-	-	-	-	-	-	-	1	2	2	6	7	3	-
Scrofula, Tabes Mesent.	17	4	2	3	-	1	10	-	3	1	1	2	-	-	-	-	-	-
Phthisis	222	-	-	-	-	-	-	2	7	24	28	65	41	35	15	3	2	-
Hydrocephalus	17	1	5	3	2	1	12	1	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	220	43	5	4	3	-	55	-	6	5	6	16	20	25	34	39	11	3
Heart Dis. and Dropsy	95	3	1	2	1	-	7	1	1	2	3	2	9	12	15	27	13	3
Dis. of Lungs	126	18	11	3	5	2	39	7	3	3	2	5	3	11	9	23	15	6
Dis. of Stom. and Liver	73	3	1	3	-	-	7	2	-	1	2	5	15	10	15	12	4	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	-	1	3	2	3	2	2	-
Diseases of the Joints	4	1	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
Childbirth and Metria	17	-	-	-	-	-	-	-	-	-	1	10	6	-	-	-	-	-
Violent Deaths	26	-	4	-	1	2	7	3	2	1	1	2	3	1	-	1	3	2
Other Causes	351	81	23	1	3	1	109	2	1	2	4	5	4	6	15	51	94	53
99.—ISLE OF WIGHT.																		
Mean Popul^{n}, 1851-61	27026	-	-	-	-	-	3266	3055	2785	2632	2530	4153	3158	2407	1592	1009	378	81
TOTAL DEATHS	4412	674	249	127	90	71	1211	188	124	196	207	415	334	298	335	461	470	173
Small-pox	25	5	2	3	1	2	13	3	2	2	-	5	-	-	-	-	-	-
Measles	59	12	18	10	5	4	49	6	-	2	1	-	1	-	-	-	-	-
Scarlatina	164	12	22	21	23	16	94	43	13	7	-	3	2	1	1	-	-	-
Diphtheria	19	2	4	3	-	1	10	5	2	-	2	-	-	-	-	-	-	-
Whooping-cough	110	39	31	22	10	3	105	4	1	-	-	-	-	-	-	-	-	-
Typhus	218	4	4	7	9	4	28	30	18	28	27	28	16	13	15	12	2	1
Cholera, Diarrh., Dysent^{y}	115	38	13	4	1	2	58	2	1	-	2	6	10	4	11	8	10	3
Other Zymotic Dis.	113	25	17	3	1	5	51	8	5	3	2	8	6	5	4	10	9	2
Cancer	117	1	-	-	-	-	1	-	-	1	-	3	13	29	28	30	11	1
Scrofula, Tabes Mesent.	56	15	4	6	4	-	29	5	3	7	2	3	1	2	2	-	-	-
Phthisis	729	9	9	2	1	4	25	17	34	102	105	210	122	76	26	11	-	1
Hydrocephalus	64	13	14	4	8	7	46	12	2	-	1	1	1	-	1	-	-	-
Diseases of Brain	506	125	35	8	8	5	181	12	14	4	10	25	29	39	62	68	53	9
Heart Dis. and Dropsy	363	2	-	-	-	-	2	3	7	8	13	28	34	35	56	96	72	9
Dis. of Lungs	409	90	35	20	12	7	164	7	4	5	4	14	21	24	40	63	51	12
Dis. of Stom. and Liver	249	10	1	1	1	1	14	11	3	15	8	19	30	33	42	52	21	1
Dis. of Kidneys	37	-	-	-	-	2	2	-	1	-	3	5	4	6	6	8	1	1
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	-	-	2	3	6	2	2	2	-
Diseases of the Joints	14	-	-	-	-	-	-	1	2	2	3	2	1	2	1	-	-	-
Diseases of the Skin	4	2	-	1	-	-	3	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	70	-	-	-	-	-	-	-	-	2	16	29	23	-	-	-	-	-
Violent Deaths	76	9	2	5	6	5	27	12	6	1	3	4	2	4	4	4	8	1
Other Causes	878	261	38	7	-	3	309	7	4	7	5	20	15	19	34	93	230	132

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
100.—LYMINGTON.																		
Mean Popul^{n}, 1851-61	5843	-	-	-	-	-	814	757	697	581	420	704	612	526	385	243	92	12
TOTAL DEATHS	1067	172	60	36	27	16	311	61	28	27	58	77	59	67	80	136	132	31
Small-pox	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Measles	10	-	4	4	-	1	9	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	35	-	2	5	7	3	17	15	3	-	-	-	-	-	-	-	-	-
Diphtheria	5	-	-	2	1	1	4	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	11	5	5	-	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	55	-	1	2	-	2	5	8	2	3	8	8	6	9	3	3	-	-
Cholera, Diarrh., Dysent^{y}	20	8	2	-	-	-	10	-	-	-	-	-	-	1	2	2	5	-
Other Zymotic Dis.	46	8	3	4	2	1	18	3	-	2	1	1	1	2	4	6	5	3
Cancer	13	-	-	-	-	-	-	-	-	-	1	1	-	1	1	6	3	-
Scrofula, Tabes Mesent.	15	4	-	2	-	-	6	1	2	-	2	1	1	1	-	1	-	-
Phthisis	133	8	2	3	2	-	15	3	1	9	27	38	17	9	12	2	-	-
Hydrocephalus	30	7	7	3	3	1	21	6	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	129	33	9	2	2	2	48	7	3	4	4	4	4	9	7	26	12	1
Heart Dis. and Dropsy	110	2	4	1	-	1	8	2	3	-	2	6	9	21	31	25	3	-
Dis. of Lungs	139	37	10	4	7	3	61	3	4	2	5	6	7	10	10	16	11	4
Dis. of Stom. and Liver	36	4	-	1	-	-	5	3	3	-	-	3	4	3	5	7	3	-
Dis. of Kidneys	10	-	-	-	-	-	-	1	-	-	-	1	-	1	2	4	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	57	1	4	1	2	-	8	1	5	4	7	8	8	8	6	2	-	-
Other Causes	205	55	7	2	-	1	65	4	-	1	2	3	4	4	6	30	66	20
101.—CHRISTCHURCH.																		
Mean Popul^{n}, 1851-61	4483	-	-	-	-	-	570	560	493	455	347	613	504	376	282	192	76	10
TOTAL DEATHS	829	173	36	25	10	12	256	37	18	24	42	64	40	50	72	87	102	37
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	7	2	1	3	-	-	6	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	17	1	2	3	-	2	8	5	4	-	-	-	-	-	-	-	-	-
Diphtheria	14	-	-	1	1	1	3	9	1	-	-	-	1	-	-	-	-	-
Whooping-cough	8	4	3	-	-	-	7	1	-	-	-	-	-	-	-	-	-	-
Typhus	15	-	-	2	1	-	3	2	4	-	-	-	1	-	1	3	1	-
Cholera, Diarrh., Dysent^{y}	5	2	-	-	-	1	3	-	-	-	-	-	-	1	-	-	-	1
Other Zymotic Dis.	38	7	1	4	1	4	17	2	-	1	2	4	2	4	3	2	1	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	2	2	4	3	3	-
Scrofula, Tabes Mesent.	14	3	-	1	1	-	5	1	-	1	1	1	1	2	2	-	-	-
Phthisis	113	3	1	2	-	-	6	1	2	12	19	36	14	12	8	3	-	-
Hydrocephalus	14	4	5	2	2	-	13	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	90	36	4	2	1	2	45	4	1	-	1	3	2	5	13	6	9	1
Heart Dis. and Dropsy	57	2	-	-	1	-	3	1	1	3	6	5	3	4	12	11	8	-
Dis. of Lungs	101	25	8	3	-	1	37	3	2	1	5	5	2	8	11	11	15	1
Dis. of Stom. and Liver	32	2	1	-	1	-	4	1	1	1	2	1	6	4	3	8	1	-
Dis. of Kidneys	21	-	-	-	-	-	-	-	-	-	-	2	1	2	4	6	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	49	4	3	1	1	1	10	4	1	3	5	7	5	2	4	6	2	-
Other Causes	214	77	7	1	-	-	85	-	-	-	-	-	-	4	7	28	56	34
102.—RINGWOOD.																		
Mean Popul^{n}, 1851-61	2764	-	-	-	-	-	361	339	344	268	203	328	287	253	196	138	43	4
TOTAL DEATHS	465	95	23	11	11	11	151	17	11	9	12	25	25	20	38	67	67	23
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	2	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	15	-	1	1	-	3	5	6	4	-	-	-	-	-	-	-	-	-
Diphtheria	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Typhus	11	2	1	-	-	-	3	2	1	-	1	1	1	-	-	1	1	-
Cholera, Diarrh., Dysent^{y}	8	1	-	-	2	-	3	1	-	-	-	-	-	-	-	1	2	1
Other Zymotic Dis.	29	6	1	3	4	2	16	2	-	-	1	2	3	1	4	-	-	-
Cancer	11	-	-	-	-	-	-	-	1	-	-	-	-	2	3	3	2	-
Scrofula, Tabes Mesent.	8	1	2	-	-	1	4	1	-	-	1	1	-	-	1	-	-	-
Phthisis	45	3	-	-	-	1	4	-	-	4	6	13	10	2	2	3	1	-
Hydrocephalus	4	3	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	61	8	5	-	2	1	16	1	1	1	-	-	4	5	7	16	9	1
Heart Dis. and Dropsy	34	1	-	-	-	-	1	-	-	1	-	2	3	3	8	7	9	-
Dis. of Lungs	68	12	8	5	-	1	26	1	2	3	1	2	2	-	8	11	10	2
Dis. of Stom. and Liver	21	-	-	-	-	-	-	1	1	-	1	2	2	2	4	5	3	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	14	-	2	-	3	-	5	-	-	-	1	1	1	2	3	1	-	-
Other Causes	122	36	1	1	-	1	59	-	1	-	1	-	-	-	1	13	28	19

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1852-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
100.—LYMINGTON.																		
Mean Popul^{n}, 1851-61	6280	-	-	-	-	-	818	729	726	588	515	883	677	554	419	253	103	15
TOTAL DEATHS	1082	163	64	27	13	13	280	48	46	48	62	76	62	65	83	120	137	55
Small-pox	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Measles	8	2	1	1	2	1	7	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	41	1	6	2	5	3	17	14	4	1	1	1	1	-	1	1	-	-
Diphtheria	8	1	1	2	-	1	5	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	9	5	2	2	-	-	9	-	-	-	-	-	-	-	-	-	-	-
Typhus	62	2	-	-	2	-	4	4	9	13	7	5	3	3	3	5	1	-
Cholera, Diarrh., Dysent^{y}	20	7	-	3	-	-	10	-	-	-	-	3	2	2	-	2	1	-
Other Zymotic Dis.	43	6	2	4	2	2	16	3	3	-	-	1	2	5	2	9	2	-
Cancer	37	1	-	-	-	-	1	-	-	-	-	3	5	7	7	11	2	1
Scrofula, Tabes Mesent.	11	2	3	-	-	-	5	2	1	1	-	1	-	-	-	1	-	-
Phthisis	182	5	3	1	-	-	9	8	13	20	45	45	21	13	6	2	-	-
Hydrocephalus	24	7	7	1	-	2	17	3	3	-	1	-	-	-	-	-	-	-
Diseases of Brain	106	21	4	3	2	1	31	4	3	2	-	4	6	8	11	14	20	3
Heart Dis. and Dropsy	100	2	1	-	-	-	3	1	1	2	1	2	6	8	18	33	20	5
Dis. of Lungs	110	27	19	7	-	2	55	2	2	1	2	3	5	6	11	10	7	6
Dis. of Stom. and Liver	38	5	1	-	-	-	6	-	3	3	1	3	3	4	8	4	2	1
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	-	-
Diseases of the Joints	3	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	4	1	2	-	-	-	3	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	7	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	-	-
Violent Deaths	17	3	3	-	-	1	7	1	1	2	-	1	-	1	1	-	3	-
Other Causes	242	64	8	-	-	-	72	3	2	1	1	2	4	6	7	26	79	39
101.—CHRISTCHURCH.																		
Mean Popul^{n}, 1851-61	4977	-	-	-	-	-	589	523	495	498	474	770	572	437	324	205	75	15
TOTAL DEATHS	912	138	40	17	11	22	228	41	25	40	52	82	66	60	74	118	97	29
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	-	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	15	2	1	2	3	1	9	6	-	-	-	-	-	-	-	-	-	-
Diphtheria	23	1	3	1	2	4	11	4	5	2	-	-	1	-	-	-	-	-
Whooping-cough	14	8	4	2	-	-	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	39	-	-	1	1	1	3	7	1	5	3	4	3	3	1	7	2	-
Cholera, Diarrh., Dysent^{y}	12	3	2	-	2	-	7	-	-	-	-	-	-	1	1	2	1	-
Other Zymotic Dis.	22	6	1	1	1	4	13	3	1	1	-	-	-	1	1	2	-	-
Cancer	20	-	-	-	-	-	-	-	-	-	1	1	4	4	3	6	1	-
Scrofula, Tabes Mesent.	18	5	1	-	-	1	7	2	1	-	2	1	1	1	2	1	-	-
Phthisis	187	1	2	-	-	2	5	5	9	22	37	48	31	19	6	5	-	-
Hydrocephalus	14	4	5	2	-	2	13	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	117	15	3	1	-	1	20	7	4	-	2	3	11	8	23	24	13	2
Heart Dis. and Dropsy	53	-	1	1	-	1	3	-	1	2	1	2	3	3	10	20	8	-
Dis. of Lungs	107	27	8	5	2	4	46	4	-	2	-	3	2	8	12	15	9	1
Dis. of Stom. and Liver	39	3	-	-	-	-	3	1	2	2	1	5	3	7	5	6	1	-
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-
Diseases of the Joints	5	-	1	-	-	1	2	-	-	1	-	-	2	-	-	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	14	-	-	-	-	-	-	-	-	1	2	9	2	-	-	-	-	-
Violent Deaths	9	1	-	1	-	-	2	-	-	2	1	1	-	-	3	-	-	-
Other Causes	194	61	6	-	-	-	67	-	1	-	1	-	2	4	5	29	59	26
102.—RINGWOOD.																		
Mean Popul^{n}, 1851-61	2752	-	-	-	-	-	357	337	316	263	225	343	290	230	197	135	54	5
TOTAL DEATHS	546	86	26	9	13	6	140	20	22	28	22	27	31	24	51	74	86	21
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	14	1	1	1	3	1	7	3	3	1	-	-	-	-	-	-	-	-
Diphtheria	3	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
Whooping-cough	8	2	1	2	2	-	7	1	-	-	-	-	-	-	-	-	-	-
Typhus	17	-	-	-	1	-	1	2	2	4	2	1	1	-	2	2	-	-
Cholera, Diarrh., Dysent^{y}	4	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis.	17	6	1	1	2	-	10	2	1	-	-	-	-	1	-	3	-	-
Cancer	15	-	-	1	-	-	1	-	-	-	-	-	1	-	3	2	3	-
Scrofula, Tabes Mesent.	4	1	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-
Phthisis	83	1	1	1	-	-	3	1	7	11	13	17	15	7	7	2	-	-
Hydrocephalus	9	3	-	-	1	1	5	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	67	10	1	-	1	-	12	-	2	2	1	-	2	5	10	19	11	3
Heart Dis. and Dropsy	47	1	2	-	-	-	3	1	3	1	1	1	3	4	8	10	9	3
Dis. of Lungs	63	11	3	1	-	-	20	-	2	1	2	3	2	2	8	14	9	-
Dis. of Stom. and Liver	25	1	-	2	-	-	3	3	1	2	-	1	2	1	2	7	3	-
Dis. of Kidneys	7	-	1	-	-	-	1	-	-	1	-	1	1	2	-	1	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	8	-	-	-	-	-	-	-	-	1	1	3	3	-	-	-	-	-
Violent Deaths	15	3	3	-	2	1	9	1	-	3	-	-	-	-	-	1	1	-
Other Causes	135	44	6	-	1	1	52	1	-	1	-	-	-	1	3	13	19	15

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
103.—FORDINGBRIDGE.																		
Mean Popul^{n}, 1851-61	3342	-	-	-	-	-	458	438	382	358	242	381	363	293	223	143	55	6
TOTAL DEATHS	654	138	31	14	16	15	214	32	14	22	28	31	42	37	58	76	81	19
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Measles	10	1	3	1	1	1	7	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	27	2	2	1	2	5	12	9	4	2	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	3	1	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
Typhus	29	-	2	-	-	-	2	4	3	3	5	2	1	2	4	1	-	2
Cholera, Diarrh., Dysent^{y}	20	5	-	3	2	-	10	2	1	-	-	-	-	-	1	3	2	1
Other Zymotic Dis.	40	11	6	-	-	-	17	1	1	2	-	1	3	2	6	3	4	-
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-
Scrofula, Tabes Mesent.	24	5	2	3	1	2	13	3	2	1	2	-	-	2	1	-	-	-
Phthisis	76	2	1	-	-	1	4	-	1	7	11	15	20	9	7	2	-	-
Hydrocephalus	8	2	-	1	1	1	5	2	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	65	16	5	-	2	1	24	4	1	1	2	1	3	3	5	9	11	1
Heart Dis. and Dropsy	51	1	-	-	1	-	2	1	-	1	-	-	1	2	10	15	18	1
Dis. of Lungs	101	36	8	1	2	3	50	1	-	1	5	5	2	5	9	16	7	-
Dis. of Stom. and Liver	23	1	-	1	-	-	2	-	-	-	-	3	5	3	5	6	1	1
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	25	2	1	2	2	-	7	-	-	2	-	3	4	4	1	3	1	-
Other Causes	133	53	1	1	1	1	57	1	-	1	1	-	1	5	5	14	35	13
104.—NEW FOREST.																		
Mean Popul^{n}, 1851-61	6781	-	-	-	-	-	914	892	792	650	477	838	733	611	456	279	117	22
TOTAL DEATHS	1169	222	48	32	25	17	344	57	36	39	51	66	72	67	102	146	136	53
Small-pox	17	6	1	1	-	1	9	1	2	1	1	3	-	-	-	-	-	-
Measles	8	3	-	3	1	1	8	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	38	4	1	3	6	2	16	10	7	1	1	1	2	-	-	-	-	-
Diphtheria	13	1	-	1	-	1	3	7	2	-	1	-	-	-	-	-	-	-
Whooping-cough	14	9	3	-	-	1	13	1	-	-	-	-	-	-	-	-	-	-
Typhus	33	-	-	1	1	-	2	7	5	3	3	3	2	1	2	5	-	-
Cholera, Diarrh., Dysent^{y}	33	9	2	1	1	-	13	-	-	-	-	-	2	2	-	5	6	5
Other Zymotic Dis.	35	8	-	3	1	3	15	7	1	2	-	1	2	1	-	1	3	2
Cancer	11	-	-	-	-	-	-	-	-	-	1	-	-	-	2	5	2	1
Scrofula, Tabes Mesent.	26	9	4	1	-	2	16	4	2	-	1	1	1	1	-	-	-	-
Phthisis	146	2	3	-	-	-	5	2	2	15	27	33	21	20	15	5	1	-
Hydrocephalus	30	14	5	3	2	-	24	4	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	160	44	11	4	3	2	64	3	3	4	1	1	7	9	11	33	21	3
Heart Dis. and Dropsy	102	1	2	1	-	-	4	3	1	2	2	4	10	9	18	23	20	-
Dis. of Lungs	146	21	11	6	6	1	45	4	1	-	2	7	9	8	26	23	15	6
Dis. of Stom. and Liver	55	8	-	1	-	1	10	2	1	3	2	4	4	6	11	7	5	-
Dis. of Kidneys	25	-	-	-	1	-	1	-	-	-	1	1	3	3	6	5	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-
Diseases of the Skin	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	58	3	1	2	3	1	10	2	7	5	7	5	6	4	10	1	1	-
Other Causes	213	77	4	1	-	1	83	-	1	1	1	2	2	3	1	27	57	35
105.—SOUTHAMPTON.																		
Mean Popul^{n}, 1851-61	18157	-	-	-	-	-	2586	2091	1778	1706	1684	3202	2276	1437	842	410	133	12
TOTAL DEATHS	4992	1336	415	220	146	108	2225	199	96	118	190	431	438	400	343	300	197	55
Small-pox	100	15	12	5	14	13	59	11	3	3	6	13	3	2	-	-	-	-
Measles	83	17	29	15	11	5	77	5	-	-	-	1	-	-	-	-	-	-
Scarlatina	200	12	16	34	31	32	125	46	15	2	1	7	4	-	-	-	-	-
Diphtheria	5	1	-	-	1	2	4	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	85	30	28	11	7	5	81	4	-	-	-	-	-	-	-	-	-	-
Typhus	225	9	11	22	6	13	61	31	15	16	14	32	24	15	9	7	-	1
Cholera, Diarrh., Dysent^{y}	255	123	40	7	6	3	181	5	-	-	5	17	6	13	14	7	6	1
Other Zymotic Dis.	190	61	10	9	11	3	94	5	4	5	7	19	15	15	6	16	2	2
Cancer	37	2	-	-	-	-	2	-	-	-	1	1	10	6	9	6	2	-
Scrofula, Tabes Mesent.	82	26	13	10	5	5	59	6	5	1	4	2	2	2	-	-	1	-
Phthisis	658	14	13	8	6	2	43	13	9	44	78	172	154	88	40	16	1	-
Hydrocephalus	102	31	40	9	6	5	91	7	2	-	1	-	-	-	-	-	1	-
Diseases of Brain	580	187	50	24	12	5	278	20	11	4	10	32	55	42	58	46	20	4
Heart Dis. and Dropsy	240	3	1	5	3	1	13	10	6	2	7	16	36	45	49	37	18	1
Dis. of Lungs	697	251	109	51	13	8	432	6	1	7	7	29	32	47	66	44	18	3
Dis. of Stom. and Liver	199	17	4	3	1	1	26	7	2	4	8	18	33	44	35	18	4	-
Dis. of Kidneys	82	-	-	-	2	1	3	3	3	2	4	9	15	15	7	12	8	1
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	24	2	1	-	-	-	3	2	6	3	2	3	3	-	-	2	-	-
Diseases of the Skin	12	7	-	-	-	-	7	1	-	-	1	-	-	-	2	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	258	17	5	2	7	4	35	12	12	20	31	48	34	37	18	8	3	-
Other Causes	877	508	33	5	4	-	550	4	2	5	3	12	12	29	30	80	113	37

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
103.—FORDINGBRIDGE.																		
Mean Popul^{n}, 1851-61	3263	-	-	-	-	-	445	386	388	289	245	437	372	284	212	142	57	6
TOTAL DEATHS	692	95	37	18	15	15	180	33	26	23	24	53	35	38	67	98	87	28
Small-pox	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	10	–	6	–	1	2	9	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	33	1	1	4	3	3	12	9	10	1	–	–	–	–	1	–	–	–
Diphtheria	5	1	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–
Whooping-cough	5	2	3	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–
Typhus	47	2	2	3	–	3	10	5	4	3	4	3	6	1	3	8	–	–
Cholera, Diarrh., Dysent^{y}	11	1	2	–	–	–	3	–	–	1	–	2	1	1	–	2	–	1
Other Zymotic Dis.	29	9	1	–	2	1	13	3	2	1	–	–	–	–	1	5	3	1
Cancer	15	1	–	–	–	–	1	–	–	–	–	–	1	4	5	1	2	1
Scrofula, Tabes Mesent.	22	5	2	2	–	1	10	1	3	1	2	2	2	–	1	–	–	–
Phthisis	93	2	–	–	–	–	2	2	3	10	15	29	11	12	9	3	–	–
Hydrocephalus	6	–	–	–	3	1	4	2	–	–	–	–	–	–	–	–	–	–
Diseases of the Brain	79	16	4	3	1	–	24	1	2	–	1	4	3	6	10	19	7	2
Heart Dis. and Dropsy	62	–	1	–	–	–	1	1	–	–	–	–	4	4	14	21	16	1
Dis. of Lungs	82	13	9	2	3	2	29	3	–	1	1	3	4	5	13	12	8	3
Dis. of Stom. and Liver	16	–	–	1	–	–	1	–	–	1	–	2	–	3	4	3	2	–
Dis. of Kidneys	8	1	–	–	–	–	1	–	–	1	1	–	–	–	2	3	–	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
Diseases of the Joints	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diseases of the Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	7	–	–	–	–	–	–	–	–	–	–	5	2	–	–	–	–	–
Violent Deaths	13	–	2	1	2	1	6	–	1	1	–	–	–	1	1	–	3	–
Other Causes	140	40	4	2	–	1	47	2	1	1	–	–	–	1	3	20	46	19
104.—NEW FOREST.																		
Mean Popul^{n}, 1851-61	6744	-	-	-	-	-	895	868	773	604	490	901	756	614	444	278	102	19
TOTAL DEATHS	1150	179	51	36	27	19	312	52	39	52	48	79	87	54	87	157	137	46
Small-pox	5	2	1	–	–	–	3	1	1	–	–	–	–	–	–	–	–	–
Measles	8	2	–	1	–	1	4	2	–	–	–	1	1	–	–	–	–	–
Scarlatina	30	–	1	3	3	2	9	11	6	1	1	2	–	–	–	–	–	–
Diphtheria	10	–	–	–	1	2	3	4	2	–	–	1	–	–	–	–	–	–
Whooping-cough	19	7	6	3	2	–	18	1	–	–	–	–	–	–	–	–	–	–
Typhus	46	–	1	1	1	–	3	3	7	5	3	4	10	5	1	4	1	–
Cholera, Diarrh., Dysent^{y}	27	8	1	2	3	–	14	–	–	–	–	–	–	1	2	4	2	4
Other Zymotic Dis.	43	10	3	4	2	4	23	3	2	1	–	2	1	–	4	4	3	–
Cancer	22	–	–	–	–	–	–	–	–	–	–	1	3	3	6	5	4	–
Scrofula, Tabes Mesent.	25	3	2	3	–	1	9	4	1	1	2	4	–	2	2	–	–	–
Phthisis	190	2	2	–	–	–	4	6	12	28	28	44	40	7	18	3	–	–
Hydrocephalus	16	7	5	1	–	–	13	2	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	135	27	7	4	4	3	45	4	–	5	4	4	7	10	11	21	21	3
Heart Dis. and Dropsy	114	2	2	1	–	–	5	2	2	4	4	5	4	6	22	36	22	2
Dis. of Lungs	127	37	12	7	5	2	63	5	1	–	3	2	4	3	6	27	12	1
Dis. of Stom. and Liver	57	3	1	1	2	1	8	1	2	1	1	4	5	6	9	16	4	–
Dis. of Kidneys	6	1	–	–	–	–	1	–	–	–	–	1	1	3	–	–	–	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	1	–	–	5	1	1	1	–	–
Diseases of the Joints	4	–	–	–	1	–	1	–	–	1	–	1	–	–	1	–	–	–
Diseases of the Skin	4	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–	1	–
Childbirth and Metria	8	–	–	–	–	–	–	–	–	2	–	2	3	1	–	–	–	–
Violent Deaths	19	3	3	1	3	3	13	2	–	–	1	–	–	–	–	1	1	1
Other Causes	226	65	3	4	–	–	72	1	–	3	–	1	3	6	4	35	66	35
105.—SOUTHAMPTON.																		
Mean Popul^{n}, 1851-61	20599	-	-	-	-	-	2588	2130	1914	1998	2140	3658	2628	1667	1059	590	198	29
TOTAL DEATHS	4485	1042	409	216	126	89	1882	167	91	115	179	392	366	274	314	332	289	84
Small-pox	68	16	14	9	9	5	53	3	2	–	2	7	1	–	–	–	–	–
Measles	93	18	32	21	10	4	85	6	–	–	1	–	1	–	–	–	–	–
Scarlatina	189	11	33	31	25	18	118	48	11	3	4	4	1	–	–	–	–	–
Diphtheria	7	1	2	2	–	1	6	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	143	45	51	22	15	6	139	3	1	–	–	–	–	–	–	–	–	–
Typhus	196	5	10	13	14	15	57	20	16	16	15	19	15	15	12	8	2	1
Cholera, Diarrh., Dysent^{y}	246	118	42	6	2	4	172	10	3	3	2	8	10	8	5	13	9	3
Other Zymotic Dis.	137	39	10	8	4	9	70	2	4	5	8	13	8	6	7	9	5	–
Cancer	101	–	2	–	–	–	2	–	1	–	1	3	21	31	22	18	1	1
Scrofula, Tabes Mesent.	64	19	12	7	5	–	43	6	5	3	–	3	2	1	–	–	1	–
Phthisis	628	11	14	5	5	2	37	17	18	52	87	196	140	51	20	10	–	–
Hydrocephalus	90	31	27	15	5	–	78	8	4	–	–	–	–	–	–	–	–	–
Diseases of Brain	420	102	23	12	9	7	153	17	7	6	8	25	24	37	57	48	31	7
Heart Dis. and Dropsy	236	1	–	–	2	2	5	5	5	7	8	15	35	41	55	50	26	4
Dis. of Lungs	587	161	91	44	10	6	312	8	4	8	11	25	17	19	50	72	52	9
Dis. of Stom. and Liver	225	16	3	4	2	3	28	3	2	8	7	19	47	40	37	24	9	1
Dis. of Kidneys	51	–	–	1	–	–	1	1	1	–	4	9	9	6	11	6	3	–
Dis. of Gener. Organs	16	–	–	–	–	–	–	–	–	–	–	4	6	2	1	2	1	–
Diseases of the Joints	17	–	–	–	–	–	–	3	3	1	1	2	4	2	–	1	–	–
Diseases of the Skin	13	6	2	–	–	–	8	–	–	–	–	1	–	1	2	1	–	–
Childbirth and Metria	63	–	–	–	–	–	–	–	–	–	16	30	16	1	–	–	–	–
Violent Deaths	60	22	4	5	2	2	35	3	1	2	3	1	3	3	1	4	4	–
Other Causes	815	420	37	11	7	5	480	4	2	1	1	8	6	10	34	66	145	58

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
106.—SOUTH STONEHAM.																		
Mean Popul^{n}, 1851–61	9931	-	-	-	-	-	1440	1267	1109	907	779	1326	1185	857	590	331	126	14
TOTAL DEATHS	1779	450	112	66	50	35	713	62	36	47	55	100	106	136	123	176	167	53
Small-pox	11	-	1	1	1	2	5	-	-	-	-	3	2	-	-	-	-	1
Measles	27	1	7	9	4	1	22	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	65	1	4	9	9	11	34	23	4	1	-	1	1	1	-	-	-	-
Diphtheria	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	23	8	9	2	3	-	22	-	1	-	-	-	-	-	-	-	-	-
Typhus	77	1	7	4	3	5	20	9	10	7	7	7	6	4	3	4	-	-
Cholera, Diarrh., Dysent^{y}	95	56	10	6	1	-	73	1	-	-	2	1	2	4	3	2	5	2
Other Zymotic Dis.	31	26	5	4	8	1	44	2	2	1	1	7	5	4	5	5	5	-
Cancer	18	-	-	1	-	-	1	1	-	-	-	1	3	6	-	3	3	-
Scrofula, Tabes Mesent.	20	6	3	-	1	-	10	1	1	2	2	1	2	1	-	-	-	-
Phthisis	202	6	3	2	2	2	15	2	1	17	24	49	37	35	15	4	3	-
Hydrocephalus	37	14	7	3	4	5	33	1	1	2	-	-	-	-	-	-	-	-
Diseases of Brain	209	63	11	9	1	-	84	1	4	3	4	4	9	20	32	32	14	2
Heart Dis. and Dropsy	105	-	1	-	-	1	2	1	3	3	1	5	7	18	20	30	7	8
Dis. of Lungs	230	86	31	9	8	3	137	5	1	2	4	3	7	13	23	16	15	4
Dis. of Stom. and Liver	74	10	2	1	1	-	14	4	2	1	1	2	7	13	8	13	9	-
Dis. of Kidneys	35	-	-	1	-	1	2	-	1	-	1	1	2	5	4	14	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	1	2	1	-	-	2	-	-	-
Diseases of the Skin	4	-	1	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	77	9	4	4	3	1	21	3	3	7	5	12	11	5	3	3	3	1
Other Causes	382	163	5	1	-	2	171	4	1	-	1	2	5	7	10	49	99	33
107.—ROMSEY.																		
Mean Popul^{n}, 1851–61	5361	-	-	-	-	-	721	672	617	513	395	705	600	467	348	230	86	7
TOTAL DEATHS	1088	203	58	32	28	16	337	29	27	33	38	69	70	67	107	157	122	32
Small-pox	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	9	1	2	3	1	1	8	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	28	2	3	5	2	4	16	5	3	3	-	-	-	1	-	-	-	-
Diphtheria	5	1	-	-	2	-	3	1	-	-	-	-	1	-	-	-	-	-
Whooping-cough	12	9	1	1	1	-	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	40	1	1	1	-	4	7	6	5	2	3	9	4	2	1	1	-	-
Cholera, Diarrh., Dysent^{y}	24	7	5	1	1	-	14	-	-	-	1	1	1	2	-	5	-	-
Other Zymotic Dis.	38	4	-	6	3	-	13	5	3	1	1	3	3	3	2	4	-	-
Cancer	12	-	-	-	-	-	-	-	1	-	-	-	2	2	2	3	1	1
Scrofula, Tabes Mesent.	12	2	5	-	1	-	8	-	1	2	-	-	-	-	-	1	-	-
Phthisis	119	1	-	-	-	-	1	1	2	16	25	27	21	11	11	4	-	-
Hydrocephalus	18	7	4	2	3	-	16	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	151	32	9	4	4	2	51	3	2	-	1	13	12	12	17	21	16	3
Heart Dis. and Dropsy	81	1	1	1	-	-	3	-	1	2	1	5	6	8	18	27	10	-
Dis. of Lungs	150	36	14	1	4	3	58	2	2	2	3	2	10	10	18	32	8	3
Dis. of Stom. and Liver	53	7	2	2	1	-	12	1	1	1	1	3	2	6	15	8	3	-
Dis. of Kidneys	17	-	-	-	-	-	-	-	-	-	-	1	2	2	4	3	4	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-
Diseases of the Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	41	3	1	3	4	1	12	2	3	3	2	3	3	4	5	2	2	-
Other Causes	270	87	9	2	1	1	100	1	2	-	-	-	3	3	14	45	78	24
108.—STOCKBRIDGE.																		
Mean Popul^{n}, 1851–61	3840	-	-	-	-	-	453	427	455	443	298	477	423	363	269	168	58	6
TOTAL DEATHS	734	134	41	25	17	19	236	29	9	19	31	44	42	64	55	95	87	23
Small-pox	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Measles	12	1	2	3	-	4	10	-	1	1	-	-	-	-	-	-	-	-
Scarlatina	16	1	2	2	3	1	9	4	1	1	-	1	-	-	-	-	-	-
Diphtheria	3	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	18	7	7	2	-	-	16	2	-	-	-	-	-	-	-	-	-	-
Typhus	48	2	2	3	3	2	12	9	-	2	4	4	4	5	3	4	1	-
Cholera, Diarrh., Dysent^{y}	19	5	-	4	-	2	11	1	-	-	-	-	2	-	1	1	3	-
Other Zymotic Dis.	34	3	3	1	4	2	13	3	1	1	2	-	2	5	2	3	2	-
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	-
Scrofula, Tabes Mesent.	15	4	1	-	1	-	6	-	1	1	2	2	-	2	1	-	-	-
Phthisis	81	-	1	-	-	-	1	-	3	8	16	25	15	10	3	-	-	-
Hydrocephalus	8	4	1	1	2	-	8	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	91	19	5	1	-	2	27	2	-	2	-	2	2	10	7	22	15	2
Heart Dis. and Dropsy	59	-	-	-	-	-	-	-	-	-	2	4	3	10	9	20	10	1
Dis. of Lungs	105	16	11	5	1	2	35	1	-	-	2	-	4	10	16	23	11	3
Dis. of Stom. and Liver	27	2	1	-	1	-	4	2	-	-	1	2	3	3	5	3	4	-
Dis. of Kidneys	17	-	-	-	-	-	-	-	-	1	1	-	2	3	2	6	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	4	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Violent Deaths	25	1	1	1	2	2	7	2	2	2	1	3	4	-	1	1	3	-
Other Causes	142	65	4	2	-	1	72	1	-	-	-	-	1	5	4	9	33	17

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
106.—SOUTH STONEHAM.																		
Mean Popul^{n}, 1851-61	10327	-	-	-	-	-	1429	1292	1088	1043	964	1682	1316	933	609	341	117	13
TOTAL DEATHS	1750	356	99	47	40	27	569	78	32	65	74	152	139	105	150	190	151	45
Small-pox	14	3	2	-	2	-	7	2	1	1	1	-	2	-	-	-	-	-
Measles	14	2	3	2	1	2	10	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	59	1	3	7	10	3	24	27	5	1	1	1	-	-	-	-	-	-
Diphtheria	6	-	-	1	-	1	2	1	1	-	-	2	-	-	-	-	-	-
Whooping-cough	33	16	8	4	5	-	33	-	-	-	-	-	-	-	-	-	-	-
Typhus	90	2	1	2	3	7	15	8	10	16	9	10	6	2	7	7	-	-
Cholera, Diarrh., Dysent^{y}	83	42	8	3	2	2	57	1	-	2	-	-	2	2	5	9	4	1
Other Zymotic Dis.	73	24	6	3	4	4	41	6	-	1	-	3	3	3	5	5	6	-
Cancer	40	-	-	-	-	-	-	-	-	-	-	2	7	10	8	6	6	1
Scrofula, Tabes Mesent.	20	3	4	2	2	-	11	2	2	-	-	1	2	-	2	-	-	-
Phthisis	252	7	4	3	-	-	14	5	5	34	39	73	46	20	12	4	-	-
Hydrocephalus	28	12	8	2	2	-	24	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	209	36	12	4	3	3	55	3	2	5	4	11	18	16	36	30	22	4
Heart Dis. and Dropsy	123	5	-	-	1	-	6	1	-	2	3	12	15	15	30	29	9	1
Dis. of Lungs	174	51	24	10	4	2	91	4	2	-	1	2	9	10	13	23	15	4
Dis. of Stom. and Liver	76	7	2	1	1	-	11	1	-	-	6	3	5	14	14	17	4	1
Dis. of Kidneys	19	-	1	-	-	-	1	-	-	-	1	4	2	4	2	5	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	1	-	1	1	2	1	2	-	-
Diseases of the Joints	11	-	-	-	-	-	-	2	1	1	1	-	1	3	-	1	1	-
Diseases of the Skin	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	39	-	-	-	-	-	-	-	-	1	7	20	11	-	-	-	-	-
Violent Deaths	40	11	2	2	-	3	18	5	1	-	1	2	1	2	2	5	1	2
Other Causes	336	131	11	1	-	-	143	3	1	-	-	5	8	2	13	47	83	31
107.—ROMSEY.																		
Mean Popul^{n}, 1851-61	5429	-	-	-	-	-	692	654	595	489	446	750	630	489	356	228	89	11
TOTAL DEATHS	1017	165	53	28	20	12	278	46	26	36	51	67	72	61	90	151	106	33
Small-pox	3	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
Measles	17	2	6	5	1	-	14	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	34	-	3	1	2	4	10	16	6	1	1	-	-	-	-	-	-	-
Diphtheria	6	1	1	-	2	-	4	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	16	4	4	3	3	-	14	2	-	-	-	-	-	-	-	-	-	-
Typhus	39	1	1	1	-	2	5	4	5	7	5	6	2	2	1	2	-	-
Cholera, Diarrh., Dysent^{y}	18	7	2	-	-	-	9	2	-	-	-	1	1	-	4	1	-	-
Other Zymotic Dis.	39	10	1	2	1	2	16	2	2	-	3	-	2	1	5	6	2	-
Cancer	23	-	-	-	1	-	1	-	-	-	-	-	3	5	6	5	3	-
Scrofula, Tabes Mesent.	19	7	4	-	1	-	12	-	3	2	-	-	-	2	-	-	-	-
Phthisis	150	3	3	1	1	-	8	3	2	14	32	39	27	14	8	3	-	-
Hydrocephalus	14	4	5	2	-	-	11	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	124	21	3	2	1	-	27	1	1	5	2	5	11	9	18	29	13	3
Heart Dis. and Dropsy	81	-	-	1	1	-	2	-	1	-	1	3	6	11	10	34	12	1
Dis. of Lungs	84	23	6	2	3	-	34	2	-	1	1	2	6	5	10	17	6	-
Dis. of Stom. and Liver	35	2	-	2	-	3	7	3	-	1	2	2	2	5	8	4	1	-
Dis. of Kidneys	16	-	-	1	-	-	1	1	2	1	-	3	2	2	3	-	1	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	1	-	2	3	2	1	-
Diseases of the Joints	3	-	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	1	2	5	5	-	-	-	-	-
Violent Deaths	20	7	-	1	1	1	10	2	-	-	-	-	2	-	1	-	4	1
Other Causes	252	71	13	4	2	-	90	1	3	1	1	-	2	3	13	47	63	28
108.—STOCKBRIDGE.																		
Mean Popul^{n}, 1851-61	3543	-	-	-	-	-	470	454	379	321	262	464	412	333	253	136	53	6
TOTAL DEATHS	696	104	45	31	18	15	213	38	15	24	28	46	51	45	54	75	83	24
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	15	1	4	2	2	3	12	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	25	1	2	7	1	2	13	11	1	-	-	-	-	-	-	-	-	-
Diphtheria	5	-	-	1	2	-	3	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	20	7	4	3	2	1	17	3	-	-	-	-	-	-	-	-	-	-
Typhus	46	2	3	1	1	2	9	6	4	3	1	5	5	7	3	2	1	-
Cholera, Diarrh., Dysent^{y}	22	2	3	1	2	-	8	2	1	-	1	-	3	1	1	2	3	-
Other Zymotic Dis.	27	4	4	2	-	3	13	2	1	-	1	1	-	1	1	2	4	1
Cancer	10	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	1	-
Scrofula, Tabes Mesent.	9	2	1	1	-	-	4	2	-	1	-	1	-	1	-	-	-	-
Phthisis	95	2	3	1	-	-	6	1	3	13	13	27	18	10	3	1	-	-
Hydrocephalus	8	1	3	1	-	-	5	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	80	15	5	1	1	1	23	1	1	3	1	1	4	3	8	17	16	2
Heart Dis. and Dropsy	75	2	-	-	1	-	3	1	2	-	1	2	6	10	18	13	16	3
Dis. of Lungs	75	18	9	5	2	2	36	1	-	1	4	1	3	3	7	13	5	1
Dis. of Stom. and Liver	25	2	-	1	-	-	3	1	-	1	-	-	3	2	3	7	5	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Diseases of the Skin	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	14	-	-	-	-	-	-	-	-	-	5	4	5	-	-	-	-	-
Violent Deaths	14	2	2	2	3	-	9	-	-	1	-	2	1	1	-	-	-	-
Other Causes	123	43	2	1	1	1	48	-	1	1	-	-	1	2	7	14	32	17

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
109.—WINCHESTER.																		
Mean Popul^{n}, 1851-61	13473	-	-	-	-	-	1575	1383	1360	1454	1529	2132	1560	1071	754	458	172	25
TOTAL DEATHS	2792	477	158	77	53	34	799	109	59	135	168	231	235	201	229	288	269	69
Small-pox	31	8	-	1	1	-	10	4	-	5	5	4	2	1	-	-	-	-
Measles	25	7	5	2	5	1	20	3	-	1	1	-	-	-	-	-	-	-
Scarlatina	87	2	9	10	12	7	40	29	6	6	5	1	-	-	-	-	-	-
Diphtheria	9	-	-	1	2	3	6	1	1	-	1	-	-	-	-	-	-	-
Whooping-cough	29	10	14	2	1	-	27	2	-	-	-	-	-	-	-	-	-	-
Typhus	146	2	3	3	5	4	17	12	15	20	14	20	13	15	5	9	6	-
Cholera, Diarrh., Dysent^{y}	117	53	14	6	2	2	77	1	1	1	5	4	4	2	3	13	6	-
Other Zymotic Dis.	91	15	8	4	3	-	30	3	1	9	10	5	4	5	10	11	3	-
Cancer	22	-	-	-	-	-	-	-	-	-	2	-	2	4	6	4	4	-
Scrofula, Tabes Mesent.	46	10	11	1	1	4	27	3	3	5	2	2	2	1	-	1	-	-
Phthisis	394	2	1	4	1	-	8	2	6	41	64	107	83	43	27	10	3	-
Hydrocephalus	66	14	15	9	6	6	50	13	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	335	89	19	7	1	2	118	13	8	4	3	9	17	24	36	50	49	4
Heart Dis. and Dropsy	218	1	-	1	2	-	4	1	2	9	6	21	24	28	38	54	29	2
Dis. of Lungs	383	86	32	14	8	4	144	6	-	15	27	18	12	29	42	45	37	8
Dis. of Stom. and Liver	188	15	2	1	-	-	18	2	7	9	5	20	34	24	29	26	13	1
Dis. of Kidneys	52	-	-	1	-	-	1	1	-	1	1	2	8	10	9	10	9	-
Dis. of Gener. Organs	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	13	1	1	-	-	-	2	-	2	2	1	1	3	-	1	1	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	103	9	2	6	1	1	19	9	3	7	10	12	18	9	5	7	3	1
Other Causes	433	152	21	4	2	-	179	4	1	-	5	5	9	6	17	47	107	53
110.—DROXFORD.																		
Mean Popul^{n}, 1851-61	5448	-	-	-	-	-	717	683	627	542	392	632	620	511	369	238	100	17
TOTAL DEATHS	937	201	88	26	15	16	296	88	20	31	30	56	54	58	75	120	118	41
Small-pox	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Measles	6	1	2	-	1	-	4	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	29	2	1	2	6	3	14	13	2	-	-	-	-	-	-	-	-	-
Diphtheria	3	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	7	3	2	-	1	1	7	-	-	-	-	-	-	-	-	-	-	-
Typhus	57	3	2	3	1	1	10	2	3	5	5	6	5	9	4	6	2	-
Cholera, Diarrh., Dysent^{y}	27	10	1	1	-	3	15	1	1	-	-	-	-	2	2	3	2	1
Other Zymotic Dis.	28	6	-	1	-	3	10	4	-	2	2	2	-	2	1	2	1	2
Cancer	14	-	-	-	-	-	-	-	-	-	-	1	2	1	2	6	2	-
Scrofula, Tabes Mesent.	11	2	1	-	1	-	4	-	2	1	1	-	-	1	-	2	-	-
Phthisis	102	4	-	-	-	-	4	1	5	14	14	27	18	6	7	5	1	-
Hydrocephalus	24	12	3	3	1	1	20	3	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	98	29	3	3	-	1	36	2	-	4	1	5	5	6	8	16	14	1
Heart Dis. and Dropsy	59	-	-	-	-	-	-	1	1	-	1	2	5	12	15	31	17	4
Dis. of Lungs	122	43	13	5	2	1	64	4	1	1	1	3	3	3	11	15	12	4
Dis. of Stom. and Liver	52	6	2	1	1	-	10	1	-	1	2	3	5	7	9	6	3	-
Dis. of Kidneys	15	-	-	-	-	-	-	1	-	-	-	-	2	2	-	5	3	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
Diseases of the Skin	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	41	5	-	4	1	1	11	2	4	2	1	5	3	4	5	2	2	-
Other Causes	203	74	6	3	-	-	83	1	-	-	1	1	4	2	10	21	53	27
111.—CATHERINGTON.																		
Mean Popul^{n}, 1851-61	1273	-	-	-	-	-	177	147	139	134	83	157	140	117	92	57	23	2
TOTAL DEATHS	253	46	12	6	9	6	79	16	2	4	11	15	15	19	20	31	30	11
Small-pox	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Measles	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	9	-	-	1	-	-	1	7	1	-	-	-	-	-	-	-	-	-
Diphtheria	2	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Typhus	10	-	-	-	1	1	2	3	-	1	1	1	1	1	-	-	-	-
Cholera, Diarrh., Dysent^{y}	10	3	-	1	-	-	4	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.	9	3	2	-	-	1	6	-	-	1	-	1	-	1	-	3	2	-
Cancer	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula, Tabes Mesent.	3	1	-	-	1	-	2	-	-	-	1	-	-	-	-	2	-	-
Phthisis	32	2	-	-	1	-	3	-	1	-	5	7	8	6	1	1	-	-
Hydrocephalus	2	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of the Brain	37	11	-	1	-	-	12	2	-	-	-	1	1	2	4	7	7	1
Heart Dis. and Dropsy	15	-	1	-	-	-	1	-	-	1	1	-	1	-	4	4	3	-
Dis. of Lungs	26	7	2	1	2	1	13	1	-	-	-	1	1	2	3	3	1	1
Dis. of Stom. and Liver	14	1	2	-	-	1	4	1	-	-	-	1	1	2	1	3	1	-
Dis. of Kidneys	5	-	-	1	-	-	1	-	-	-	-	-	2	-	-	-	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	12	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-
Other Causes	59	15	3	1	1	2	22	-	-	-	2	1	-	1	4	7	13	9

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
109.—WINCHESTER.																		
Mean Popul^{n}, 1851-61	12661	-	-	-	-	-	1509	1361	1296	1205	1204	1918	1503	1144	811	439	197	24
TOTAL DEATHS	2513	405	135	69	52	25	686	102	68	102	129	202	190	159	214	322	253	86
Small-pox	18	2	4	3	2	1	12	2	1	3	-	-	-	-	-	-	-	-
Measles	21	4	3	2	5	-	14	4	2	-	-	-	-	-	1	-	-	-
Scarlatina	84	3	7	12	8	10	40	32	7	-	2	1	2	-	-	-	-	-
Diphtheria	6	1	-	-	-	1	2	2	1	-	-	-	-	-	1	-	-	-
Whooping-cough	33	14	9	7	1	1	32	1	-	-	-	-	-	-	-	-	-	-
Typhus	111	2	3	2	3	3	13	15	17	10	11	9	12	5	9	6	3	1
Cholera, Diarrh., Dysent^{y}	101	37	13	5	2	1	58	3	1	2	1	4	1	2	6	15	8	2
Other Zymotic Dis.	62	16	4	3	2	1	26	1	4	4	7	5	3	1	1	6	3	1
Cancer	54	-	-	-	-	-	-	-	-	1	-	1	10	14	9	12	7	-
Scrofula, Tabes Mesent.	27	7	4	2	3	1	17	1	3	1	-	3	1	1	-	-	-	-
Phthisis	364	6	2	-	-	1	9	4	11	43	61	101	66	38	20	10	1	-
Hydrocephalus	37	12	9	6	3	-	30	2	4	-	-	-	-	-	-	1	-	-
Diseases of Brain	330	81	19	6	7	2	115	7	3	2	6	9	14	22	45	65	35	7
Heart Dis. and Dropsy	202	4	1	1	1	-	7	1	1	6	7	14	22	22	47	52	19	4
Dis. of Lungs	321	62	35	17	8	1	123	10	3	8	9	8	19	9	33	55	37	7
Dis. of Stom. and Liver	172	10	4	1	2	-	17	5	4	7	8	12	14	27	23	33	19	3
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	3	1	3	-	4	1	2	-	-
Dis. of Gener. Organs	25	1	-	-	-	-	1	-	-	1	-	5	2	3	3	4	1	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	4	-	1	1	-	-	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-
Childbirth and Metria	42	-	-	-	-	-	-	-	-	4	12	13	12	1	-	-	-	-
Violent Deaths	33	7	2	2	2	-	13	6	2	2	-	1	4	2	-	1	2	-
Other Causes	446	135	16	-	3	2	156	6	4	1	4	11	7	3	15	60	118	61
110.—DROXFORD.																		
Mean Popul^{n}, 1851-61	5233	-	-	-	-	-	696	673	566	453	359	699	615	485	336	234	100	17
TOTAL DEATHS	955	156	48	28	15	15	262	42	29	33	47	74	59	56	74	116	118	45
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	7	-	2	3	-	-	5	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	15	-	-	-	2	2	4	4	4	1	-	1	1	-	-	-	-	-
Diphtheria	10	1	1	3	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Whooping-cough	11	3	4	1	-	-	8	2	1	-	-	-	-	-	-	-	-	-
Typhus	53	3	-	2	1	1	7	6	7	7	5	3	4	3	5	3	3	-
Cholera, Diarrh., Dysent^{y}	24	5	4	1	1	-	11	3	-	-	-	1	-	-	-	5	1	3
Other Zymotic Dis.	26	7	2	2	2	1	14	4	-	1	-	-	1	-	3	3	-	-
Cancer	36	-	-	-	-	-	-	-	-	-	1	3	2	5	13	9	3	-
Scrofula, Tabes Mesent.	13	-	2	-	1	1	4	1	3	-	1	2	2	-	-	-	-	-
Phthisis	157	3	2	3	-	1	9	5	8	13	24	43	28	15	7	4	1	-
Hydrocephalus	12	3	6	1	-	1	11	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	104	22	2	3	2	1	30	1	1	1	4	4	5	9	8	17	16	3
Heart Dis. and Dropsy	83	1	-	1	-	-	2	-	1	1	4	5	6	6	11	23	21	3
Dis. of Lungs	108	23	14	7	4	4	52	3	2	4	1	-	3	3	6	15	18	1
Dis. of Stom. and Liver	65	8	4	1	-	1	14	2	2	3	1	5	2	10	11	12	3	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Childbirth and Metria	10	-	-	-	-	-	-	-	-	1	3	4	2	-	-	-	-	-
Violent Deaths	15	3	1	-	2	2	8	1	-	-	-	-	-	2	1	1	2	-
Other Causes	190	71	4	-	-	-	75	2	-	-	1	-	1	1	9	24	47	30
111.—CATHERINGTON.																		
Mean Popul^{n}, 1851-61	1223	-	-	-	-	-	158	153	121	106	95	173	141	119	88	48	18	3
TOTAL DEATHS	225	47	4	7	5	5	68	12	8	13	14	14	12	10	20	19	24	11
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	6	-	1	1	2	1	5	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Typhus	21	2	-	1	1	-	4	6	3	2	2	-	1	1	2	-	-	-
Cholera, Diarrh., Dysent^{y}	7	3	-	1	-	-	4	-	-	1	1	-	-	-	-	-	1	-
Other Zymotic Dis.	5	2	-	-	-	-	2	2	-	-	-	-	-	-	-	1	-	-
Cancer	8	-	-	-	-	-	-	-	-	-	3	-	-	2	2	1	-	-
Scrofula, Tabes Mesent.	7	2	-	-	1	-	3	1	2	-	-	-	1	-	-	-	-	-
Phthisis	30	-	-	-	-	-	-	1	-	6	5	7	6	2	2	1	-	-
Hydrocephalus	3	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	34	13	-	-	-	-	13	-	1	-	-	1	1	3	3	4	5	3
Heart Dis. and Dropsy	14	2	-	-	-	1	3	-	1	1	1	-	-	1	2	3	2	-
Dis. of Lungs	27	3	1	2	1	1	8	1	-	2	2	3	-	-	5	3	2	1
Dis. of Stom. and Liver	8	2	1	-	-	-	3	-	-	-	-	-	1	-	2	2	-	-
Dis. of Kidneys	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Violent Deaths	2	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Other Causes	45	15	-	1	-	-	16	-	1	-	-	-	1	-	2	4	14	7

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

112.—PETERSFIELD.

CAUSES OF DEATH.	All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^n, 1851 61	3916	-	-	-	-	-	508	482	463	370	282	479	461	361	264	165	71	10
TOTAL DEATHS	775	191	38	25	21	13	288	35	12	26	24	42	29	39	57	90	98	35
Small-pox	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Measles	5	1	1	1	1	1	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	22	2	-	3	5	3	13	9	-	-	-	-	-	1	-	-	-	-
Diphtheria	13	1	2	2	2	-	7	1	-	3	-	1	-	-	-	-	-	-
Whooping-cough	10	5	3	1	1	-	10	-	-	-	-	-	1	2	1	1	-	-
Typhus	21	-	-	1	2	-	3	5	3	2	1	2	1	-	2	4	2	3
Cholera, Diarrh., Dysent^y	19	7	-	-	-	-	7	-	-	-	-	-	1	2	2	3	4	1
Other Zymotic Dis.	35	6	1	1	3	3	14	3	-	1	2	1	2	-	1	4	-	2
Cancer	7	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	1	-
Scrofula, Tabes Mesent.	12	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-
Phthisis	68	-	-	2	1	-	3	1	1	11	12	18	7	6	4	4	1	-
Hydrocephalus	6	-	3	2	-	-	5	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	83	23	4	1	1	1	30	2	3	2	2	-	3	6	6	17	10	2
Heart Dis. and Dropsy	58	1	-	-	-	-	1	1	-	1	-	-	1	6	14	21	11	2
Dis. of Lungs	115	37	9	8	1	2	57	-	1	1	6	7	6	6	8	10	11	2
Dis. of Stom. and Liver	27	3	1	-	1	1	6	3	-	-	-	3	2	1	4	3	4	1
Dis. of Kidneys	17	-	-	-	-	-	-	1	-	-	-	1	1	3	3	8	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Violent Deaths	28	2	1	1	2	-	6	2	1	4	-	2	1	4	2	5	-	1
Other Causes	221	100	13	2	1	2	118	3	-	1	1	3	3	-	7	12	51	22

113.—ALRESFORD.

Mean Popul^n, 1851 61	3733	-	-	-	-	-	458	458	412	372	291	489	416	345	262	163	61	6
TOTAL DEATHS	629	110	35	9	11	7	172	28	15	13	12	42	48	50	66	78	83	22
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	18	2	2	1	1	2	8	5	4	-	-	1	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	6	1	3	1	-	-	5	1	-	-	-	-	-	-	-	-	-	-
Typhus	26	-	-	2	-	-	2	7	-	1	2	1	4	3	4	2	-	-
Cholera, Diarrh., Dysent^y	10	3	1	-	-	-	4	-	-	-	-	-	1	1	-	3	-	1
Other Zymotic Dis.	28	4	3	2	2	2	13	-	-	1	-	2	-	2	2	5	3	-
Cancer	9	-	-	-	-	-	-	-	-	-	-	1	-	5	1	1	1	-
Scrofula, Tabes Mesent.	9	-	1	-	1	-	2	1	1	-	-	2	1	-	1	1	-	-
Phthisis	81	3	3	-	-	-	6	1	2	6	4	20	19	13	6	3	1	-
Hydrocephalus	19	1	8	2	4	-	15	2	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	84	22	3	-	-	1	26	3	1	-	2	3	2	5	15	15	10	2
Heart Dis. and Dropsy	89	3	1	-	-	-	4	2	1	2	-	4	5	10	19	22	19	1
Dis. of Lungs	43	11	1	-	2	-	14	3	1	-	1	2	4	5	2	8	3	-
Dis. of Stom. and Liver	32	5	1	-	-	2	8	2	2	1	2	1	6	2	5	2	1	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	15	1	2	-	1	-	4	-	1	1	-	2	2	1	3	-	1	-
Other Causes	154	53	6	1	-	-	60	1	1	-	1	2	4	3	7	15	42	18

114.—ALTON.

Mean Popul^n, 1851-61	6038	-	-	-	-	-	814	748	726	653	454	730	660	527	366	251	98	11
TOTAL DEATHS	1062	222	59	33	21	16	351	42	31	36	46	65	76	50	80	121	132	32
Small-pox	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Measles	10	3	4	2	-	-	9	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	56	4	7	5	7	6	29	21	5	-	-	-	-	1	-	-	-	-
Diphtheria	3	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	16	5	3	3	3	1	15	-	-	-	-	1	-	-	-	-	-	-
Typhus	50	-	-	-	1	2	3	7	8	8	5	6	4	3	3	2	1	-
Cholera, Diarrh., Dysent^y	40	11	5	5	1	-	22	-	1	1	-	-	-	2	2	7	4	1
Other Zymotic Dis.	54	12	6	3	3	2	26	1	2	1	3	4	5	-	2	6	4	-
Cancer	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-
Scrofula, Tabes Mesent.	10	1	2	1	-	-	4	1	-	1	-	3	-	1	-	-	-	-
Phthisis	113	1	-	-	-	-	1	-	2	12	23	29	29	9	4	3	1	-
Hydrocephalus	9	4	1	3	-	-	8	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	135	37	7	4	1	1	50	3	4	3	2	5	5	10	9	25	17	2
Heart Dis. and Dropsy	82	-	1	-	-	-	1	1	-	3	7	4	8	8	15	18	16	1
Dis. of Lungs	147	31	11	3	3	2	50	2	3	-	3	3	11	5	19	23	23	5
Dis. of Stom. and Liver	57	10	1	2	-	1	14	3	1	1	1	-	6	2	2	12	6	2
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	-	-	1	-	-	6	6	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	-
Diseases of the Skin	5	1	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	31	4	1	-	2	-	7	-	2	3	2	5	5	4	2	1	-	-
Other Causes	215	97	10	2	-	-	109	1	1	2	-	3	2	2	4	15	55	21

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

112.—PETERSFIELD.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	3917	-	-	-	-	-	540	484	469	337	315	505	454	328	236	166	73	10
TOTAL DEATHS	744	130	38	21	12	14	215	38	37	27	38	46	56	43	54	83	78	29
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	5	1	2	2	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	27	1	3	4	2	1	11	8	6	-	2	-	-	-	-	-	-	-
Diphtheria	17	1	2	2	1	3	9	3	2	1	-	-	1	-	1	-	-	-
Whooping-cough	15	8	3	2	1	-	14	1	-	-	-	-	-	-	-	-	-	-
Typhus	37	-	2	1	-	-	3	8	5	1	1	6	7	-	1	3	2	-
Cholera, Diarrh., Dysent^{y}	27	5	2	1	1	1	10	2	-	2	-	-	2	1	3	2	4	1
Other Zymotic Dis.	25	3	1	1	1	2	8	2	3	-	-	-	1	1	2	4	3	1
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	-	6	4	8	1	-
Scrofula, Tabes Mesent.	7	-	-	-	1	-	1	2	1	2	1	-	-	-	-	-	-	-
Phthisis	108	1	1	2	-	-	4	1	4	14	23	21	20	11	6	4	-	-
Hydrocephalus	4	1	2	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	81	14	3	-	-	-	17	1	4	3	5	5	2	6	10	17	8	8
Heart Dis. and Dropsy	53	1	-	-	-	-	1	-	-	-	-	4	3	6	11	14	13	1
Dis. of Lungs	88	18	6	4	1	3	32	4	5	1	1	7	4	2	3	11	13	5
Dis. of Stom. and Liver	35	2	-	-	-	1	3	1	2	-	-	-	3	6	9	5	6	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	3	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	9	-	-	-	-	-	-	-	-	-	2	1	6	-	-	-	-	-
Violent Deaths	20	3	1	-	4	2	10	3	2	1	-	1	2	1	-	-	-	-
Other Causes	159	69	9	2	-	-	80	2	3	1	3	-	5	3	3	14	27	18

113.—ALRESFORD.

Mean Popul^{n}, 1851-61	3568	-	-	-	-	-	480	424	414	303	294	491	415	309	237	134	59	8
TOTAL DEATHS	561	94	21	15	8	8	146	23	15	24	28	45	33	37	57	74	62	17
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	16	-	2	4	-	2	8	7	-	1	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	9	3	2	2	1	-	8	1	-	-	-	-	-	-	-	-	-	-
Typhus	13	-	-	-	-	-	-	-	2	4	2	2	-	1	2	-	-	-
Cholera, Diarrh., Dysent^{y}	4	2	1	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-
Other Zymotic Dis.	23	4	1	1	1	3	10	4	-	-	-	3	-	2	2	1	1	-
Cancer	15	-	-	-	-	-	-	-	-	-	-	-	2	3	4	4	2	-
Scrofula, Tabes Mesent.	4	1	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-
Phthisis	103	3	5	1	1	1	11	-	6	9	18	24	14	10	6	5	-	-
Hydrocephalus	7	2	-	2	1	-	5	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	57	15	2	1	1	1	20	2	1	2	3	3	1	1	7	9	6	2
Heart Dis. and Dropsy	70	1	-	2	-	-	3	-	-	1	1	2	1	11	17	21	13	-
Dis. of Lungs	51	12	3	1	2	1	19	2	3	3	1	3	2	2	5	7	4	-
Dis. of Stom. and Liver	25	2	1	-	-	-	3	2	-	2	1	1	2	1	7	4	2	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Diseases of the Joints	3	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
Diseases of the Skin	2	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	5	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-
Violent Deaths	9	1	-	-	-	-	1	-	-	-	-	1	3	2	-	1	1	-
Other Causes	137	47	2	-	1	-	50	1	2	-	1	3	5	1	4	22	33	15

114.—ALTON.

Mean Popul^{n}, 1851-61	5948	-	-	-	-	-	814	772	705	545	451	776	654	517	375	230	90	19
TOTAL DEATHS	1067	178	56	31	16	18	299	42	32	48	42	77	72	55	85	112	147	56
Small-pox	3	-	1	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Measles	7	1	2	2	-	-	5	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	22	-	2	5	4	2	13	5	2	1	1	-	-	-	-	-	-	-
Diphtheria	6	-	-	-	-	2	2	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	26	13	6	2	-	2	23	1	1	1	-	-	-	-	-	-	-	-
Typhus	47	-	-	-	-	-	-	9	7	8	7	5	2	2	2	3	2	-
Cholera, Diarrh., Dysent^{y}	31	9	2	2	1	-	14	-	1	1	-	1	-	-	4	-	6	4
Other Zymotic Dis.	41	10	1	1	4	2	18	2	1	-	1	4	6	1	4	1	3	-
Cancer	21	-	-	-	-	-	-	-	-	-	-	-	3	4	4	6	2	2
Scrofula, Tabes Mesent.	12	1	-	-	1	1	3	1	1	-	2	3	1	1	-	-	-	-
Phthisis	115	1	-	-	-	-	1	1	8	24	17	28	19	10	5	1	1	-
Hydrocephalus	11	5	2	1	-	1	9	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	151	37	7	6	3	3	56	4	1	4	3	4	10	10	18	27	11	6
Heart Dis. and Dropsy	100	-	-	-	-	-	-	2	3	3	2	5	6	8	22	26	21	4
Dis. of Lungs	123	32	11	4	1	2	50	3	-	2	1	3	5	5	8	20	15	8
Dis. of Stom. and Liver	59	4	2	1	-	1	8	3	1	1	3	6	8	3	7	6	7	1
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	1	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Diseases of the Joints	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	6	3	-	-	-	-	3	-	-	1	-	1	-	-	-	-	1	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	1	3	13	8	-	-	-	-	-
Violent Deaths	22	2	-	3	1	1	7	5	2	-	2	-	1	1	2	-	2	-
Other Causes	228	60	19	3	1	-	83	-	2	1	-	2	1	4	7	20	72	36

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	Ages of Males: Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
115.—HARTLEY WINTNEY.																		
Mean Popul^{n}, 1851-61	5782	-	-	-	-	-	769	784	656	591	438	690	623	493	371	252	98	12
TOTAL DEATHS	1121	210	72	36	42	25	385	55	28	43	39	56	67	77	93	120	118	40
Small-pox	5	-	1	-	-	-	1	-	-	1	-	1	-	-	2	-	-	-
Measles	13	-	1	5	5	-	11	-	-	2	-	-	-	-	-	-	-	-
Scarlatina	38	1	3	1	8	5	18	11	4	3	1	-	1	-	-	-	-	-
Diphtheria	15	1	1	1	2	2	7	5	-	2	-	1	-	-	-	-	-	-
Whooping-cough	14	8	2	1	2	-	13	1	-	-	-	-	-	-	-	-	-	-
Typhus	42	1	-	1	-	-	2	4	10	10	2	3	4	1	3	2	-	1
Cholera, Diarrh., Dysent^{y}	41	22	4	-	2	1	29	2	-	-	-	-	1	-	5	1	2	1
Other Zymotic Dis.	48	11	6	5	4	3	29	5	1	-	2	2	3	2	2	1	1	-
Cancer	6	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	2	-
Scrofula, Tabes Mesent.	21	1	4	1	-	2	8	5	2	-	-	2	2	2	-	-	-	-
Phthisis	134	10	1	1	-	1	13	2	3	13	25	25	25	18	8	2	-	-
Hydrocephalus	31	6	9	3	4	-	22	6	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	146	44	7	5	1	3	60	3	1	2	-	4	6	13	14	29	11	3
Heart Dis. and Dropsy	105	-	-	-	1	-	1	2	-	3	4	6	10	13	16	29	17	4
Dis. of Lungs	120	24	26	6	9	3	68	-	-	-	-	2	2	5	15	13	11	4
Dis. of Stom. and Liver	59	7	1	-	2	1	11	2	3	1	2	4	3	6	11	9	7	-
Dis. of Kidneys	20	-	-	-	-	-	-	2	-	-	1	1	-	2	3	8	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	1	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	35	1	-	2	2	2	7	2	1	4	-	4	5	3	7	2	-	-
Other Causes	221	73	5	4	-	2	84	3	-	-	2	-	4	7	6	24	64	27
116.—BASINGSTOKE.																		
Mean Popul^{n}, 1851-61	8967	-	-	-	-	-	1209	1104	1020	905	698	1105	977	815	590	381	144	19
TOTAL DEATHS	1661	331	93	30	37	30	521	82	45	40	57	105	98	117	137	209	194	56
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles	36	9	8	6	6	2	31	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	41	1	3	3	4	3	14	17	7	2	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Whooping-cough	30	16	7	3	-	2	28	2	-	-	-	-	-	-	-	-	-	-
Typhus	77	1	-	1	1	2	5	16	7	3	7	3	6	13	1	10	1	-
Cholera, Diarrh., Dysent^{y}	65	19	9	1	4	-	33	2	1	1	-	1	-	3	6	7	10	1
Other Zymotic Dis.	61	14	4	8	3	4	33	1	1	-	-	1	6	6	4	3	5	1
Cancer	11	-	-	-	1	-	1	-	-	-	-	-	1	3	3	1	1	1
Scrofula, Tabes Mesent.	45	9	11	1	4	2	27	6	3	1	3	3	-	1	1	-	-	-
Phthisis	201	4	3	-	2	-	9	7	6	17	27	56	35	29	10	5	-	-
Hydrocephalus	31	11	5	1	2	3	22	5	3	-	-	-	1	-	-	-	-	-
Diseases of Brain	223	68	11	1	5	4	89	4	2	4	3	8	6	8	25	41	32	1
Heart Dis. and Dropsy	112	1	-	-	-	-	1	-	2	3	2	6	10	8	27	35	18	-
Dis. of Lungs	230	55	15	4	1	6	81	5	3	2	3	6	12	18	28	30	36	6
Dis. of Stom. and Liver	81	12	-	1	-	-	13	1	1	1	2	7	6	10	12	14	12	2
Dis. of Kidneys	39	-	-	-	-	-	-	-	-	1	2	3	4	3	2	10	12	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	2	-	1	1	1	-	-	1	1	-	-
Diseases of the Skin	5	-	-	-	-	-	-	1	-	-	-	1	-	-	-	3	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	66	3	3	-	3	2	11	6	6	3	4	3	8	7	5	7	5	1
Other Causes	299	108	14	-	1	-	123	2	3	1	3	1	3	7	12	41	62	41
117.—WHITCHURCH.																		
Mean Popul^{n}, 1851-61	2840	-	-	-	-	-	356	349	344	290	219	336	318	254	203	117	46	8
TOTAL DEATHS	614	145	25	18	12	8	208	30	20	17	19	38	35	43	53	58	72	21
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	8	2	2	-	1	-	5	1	2	-	-	-	-	-	-	-	-	-
Scarlatina	17	-	1	2	2	1	6	9	1	1	-	-	-	-	-	-	-	-
Diphtheria	10	-	1	3	-	-	4	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough	9	4	3	1	1	-	9	-	-	-	-	-	-	-	-	-	-	-
Typhus	40	-	-	1	3	1	5	1	3	6	4	5	5	3	6	1	1	-
Cholera, Diarrh., Dysent^{y}	21	10	1	-	-	-	11	-	1	-	-	1	1	3	1	2	1	-
Other Zymotic Dis.	17	5	2	3	-	2	12	2	2	-	-	-	-	-	-	-	1	-
Cancer	6	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-
Scrofula, Tabes Mesent.	14	4	-	1	1	-	6	-	3	2	1	2	-	-	-	-	-	-
Phthisis	72	3	2	1	-	-	6	-	2	6	5	16	10	13	10	4	-	-
Hydrocephalus	12	4	-	4	-	-	8	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	71	26	2	1	-	3	32	3	4	1	2	1	1	4	4	11	7	1
Heart Dis. and Dropsy	29	1	-	-	2	-	3	1	-	-	1	1	2	2	8	6	5	-
Dis. of Lungs	79	18	9	-	1	1	29	2	-	1	1	4	6	8	10	10	7	1
Dis. of Stom. and Liver	41	6	-	1	-	-	7	1	-	-	2	2	4	3	8	9	5	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	13	2	-	-	1	-	3	1	1	-	1	2	1	3	-	1	-	-
Other Causes	143	60	2	-	-	-	62	-	-	-	1	2	1	-	3	11	44	19

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards
115.—HARTLEY WINTNEY.																		
Mean Popul^{n}, 1851-61	5570	-	-	-	-	-	751	702	660	462	448	720	635	463	364	243	103	16
TOTAL DEATHS	1066	163	66	37	23	13	302	45	38	48	43	75	74	58	100	116	115	52
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	13	2	3	4	1	-	10	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	25	-	2	1	3	2	8	8	8	1	-	-	-	-	-	-	-	-
Diphtheria	22	-	6	4	3	2	15	4	2	-	-	-	1	-	-	-	-	-
Whooping-cough	17	8	4	2	-	1	15	2	-	-	-	-	-	-	-	-	-	-
Typhus	49	1	-	2	2	1	6	4	7	8	4	5	1	5	7	-	2	-
Cholera, Diarrh., Dysent^{y}	42	11	6	5	1	-	23	1	1	1	1	2	-	1	1	5	6	-
Other Zymotic Dis.	34	4	3	4	4	-	15	5	-	1	-	3	6	-	2	2	-	-
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	2	6	1	6	3	-
Scrofula, Tabes Mesent.	13	3	3	-	-	-	6	3	2	-	1	-	-	1	-	-	-	-
Phthisis	167	4	-	1	-	2	7	3	6	24	26	39	32	18	9	3	-	-
Hydrocephalus	25	8	4	5	4	-	21	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	146	45	8	3	1	1	58	3	6	6	2	3	7	4	17	27	10	3
Heart Dis. and Dropsy	99	1	-	-	-	-	1	-	4	1	1	7	9	8	26	26	13	3
Dis. of Lungs	108	26	20	4	4	-	54	3	-	-	1	6	3	-	11	13	13	4
Dis. of Stom. and Liver	41	3	2	-	-	1	6	-	1	2	2	4	2	6	9	7	2	-
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	-	1	-	1	-	5	1	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	1	2	2	5	1	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	17	-	-	-	-	-	-	-	-	2	2	4	6	3	-	-	-	-
Violent Deaths	8	1	-	-	-	2	3	1	-	1	-	-	-	-	-	1	1	1
Other Causes	200	43	5	2	-	1	51	1	1	1	2	1	2	4	7	24	65	41
116.—BASINGSTOKE.																		
Mean Popul^{n}, 1851-61	8480	-	-	-	-	-	1157	1052	985	743	675	1129	934	742	554	346	134	29
TOTAL DEATHS	1623	252	89	46	36	26	449	78	44	56	75	121	108	101	118	207	186	80
Small-pox	3	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Measles	29	3	8	6	2	1	20	8	-	-	-	1	-	-	-	-	-	-
Scarlatina	29	1	2	3	4	2	12	13	4	-	-	-	-	-	-	-	-	-
Diphtheria	8	-	1	1	1	3	6	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	31	12	9	4	3	2	30	1	-	-	-	-	-	-	-	-	-	-
Typhus	99	1	-	1	4	5	11	16	14	9	12	12	5	5	7	6	2	-
Cholera, Diarrh., Dysent^{y}	51	12	7	1	-	-	20	2	-	1	1	1	3	2	5	7	7	2
Other Zymotic Dis.	50	14	2	5	5	2	28	2	1	-	2	1	-	1	7	6	1	1
Cancer	41	-	-	-	-	-	-	-	-	-	-	1	5	11	7	11	5	1
Scrofula, Tabes Mesent.	27	11	3	2	1	1	18	2	2	-	2	-	-	1	-	2	-	-
Phthisis	249	3	-	1	1	-	5	11	13	30	44	68	42	24	10	2	-	-
Hydrocephalus	20	4	3	3	3	1	14	6	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	179	44	9	7	3	4	67	3	4	3	3	6	11	12	15	30	17	8
Heart Dis. and Dropsy	115	-	-	-	-	-	-	1	1	1	-	7	8	7	24	42	23	1
Dis. of Lungs	212	40	26	4	7	1	78	6	2	3	2	3	9	9	14	40	35	11
Dis. of Stom. and Liver	76	3	3	4	-	1	11	3	2	3	1	5	8	12	10	14	6	1
Dis. of Kidneys	15	-	-	-	-	-	-	1	-	-	-	1	5	3	3	2	-	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	-	1	1	5	2	3	2	1
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Diseases of the Skin	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-
Childbirth and Metria	26	-	-	-	-	-	-	-	-	2	6	10	8	-	-	-	2	3
Violent Deaths	29	3	5	2	2	3	15	1	-	1	-	2	-	1	2	2	2	3
Other Causes	312	100	10	2	-	-	112	1	-	3	1	2	3	7	8	39	85	51
117.—WHITCHURCH.																		
Mean Popul^{n}, 1851-61	2731	-	-	-	-	-	366	305	280	249	190	381	327	251	197	125	51	9
TOTAL DEATHS	619	112	26	13	13	14	178	26	15	22	31	48	43	35	46	68	78	29
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	12	-	-	1	4	4	9	2	-	1	-	-	-	-	-	-	-	-
Diphtheria	12	2	2	1	1	4	10	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	16	5	7	2	1	-	15	1	-	-	-	-	-	-	-	-	-	-
Typhus	35	-	1	-	-	-	1	8	3	6	3	5	2	1	3	1	2	-
Cholera, Diarrh., Dysent^{y}	19	9	2	-	-	1	12	-	-	-	-	1	-	1	-	3	2	-
Other Zymotic Dis.	12	3	1	-	-	-	4	1	-	2	-	1	1	-	1	1	1	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	1	1	4	4	3	-	-
Scrofula, Tabes Mesent.	11	4	3	-	-	-	7	1	2	1	-	-	-	-	-	-	-	-
Phthisis	89	5	2	-	1	-	8	4	5	8	15	21	16	7	4	1	-	-
Hydrocephalus	7	2	2	1	-	-	5	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	74	21	3	2	-	1	27	-	-	3	3	1	2	4	14	9	10	1
Heart Dis. and Dropsy	50	2	-	-	-	1	3	1	-	-	1	3	5	4	9	16	8	-
Dis. of Lungs	55	9	1	1	3	1	15	2	1	-	4	5	4	8	2	12	2	-
Dis. of Stom. and Liver	44	2	-	1	-	1	4	3	2	-	3	3	5	6	7	7	3	1
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Diseases of the Skin	3	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	9	-	-	-	-	-	-	-	-	-	-	6	3	-	-	-	-	1
Violent Deaths	8	1	1	1	1	1	5	1	-	-	-	-	1	-	-	-	-	-
Other Causes	141	45	1	2	1	-	49	-	-	1	1	-	-	-	1	14	49	26

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

118.—ANDOVER.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	8628	-	-	-	-	-	1079	1020	945	882	680	1117	963	770	638	382	135	17
TOTAL DEATHS	1626	302	81	51	33	14	481	45	26	59	62	119	104	112	163	219	177	59
Small-pox	3	1	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Measles	13	1	8	2	5	-	11	1	-	-	1	-	-	-	-	-	-	-
Scarlatina	7	-	1	1	1	1	4	1	1	-	1	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	42	20	11	7	2	1	41	1	-	-	-	-	-	-	-	-	-	-
Typhus	64	2	3	2	5	-	12	6	3	13	3	6	3	6	5	5	1	1
Cholera, Diarrh., Dysent^{y}	15	5	2	1	-	-	8	-	1	1	1	1	-	-	-	1	2	-
Other Zymotic Dis.	60	16	4	7	4	2	33	4	1	1	1	2	5	4	2	5	2	-
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	1	4	5	8	1	-
Scrofula, Tabes Mesent.	22	3	6	-	1	1	11	3	2	3	3	-	-	-	-	-	-	-
Phthisis	208	2	3	3	-	1	9	3	3	19	30	64	43	21	12	4	-	-
Hydrocephalus	29	11	4	2	6	-	23	5	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	180	51	8	4	2	-	65	4	2	4	3	3	6	14	20	38	17	4
Heart Dis. and Dropsy	177	8	1	1	-	-	10	1	3	2	6	6	9	17	43	58	20	2
Dis. of Lungs	211	48	19	9	6	4	86	8	2	2	3	10	15	19	26	21	16	3
Dis. of Stom. and Liver	76	8	-	2	-	1	11	2	1	2	2	10	10	8	10	14	6	-
Dis. of Kidneys	31	-	1	-	-	-	1	-	-	3	2	3	3	4	6	6	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	1	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	54	3	-	6	1	1	11	3	4	7	6	4	2	7	6	2	2	-
Other Causes	407	121	15	3	-	1	140	3	1	1	-	9	6	8	26	57	107	49

119.—KINGSCLERE.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	4451	-	-	-	-	-	590	549	510	453	353	551	453	378	313	215	80	6
TOTAL DEATHS	814	187	40	29	18	13	287	39	21	25	28	34	42	35	55	115	108	25
Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	1	-	3	2	3	9	9	5	-	-	-	1	-	-	-	-	-
Diphtheria	10	-	-	1	-	1	2	3	2	2	-	1	-	-	-	-	-	-
Whooping-cough	12	7	3	-	-	1	11	1	-	-	-	-	-	-	-	-	-	-
Typhus	27	1	-	-	1	1	3	4	1	3	2	2	1	5	1	4	1	-
Cholera, Diarrh., Dysent^{y}	15	4	1	2	1	-	8	1	-	-	1	-	-	1	-	1	3	-
Other Zymotic Dis.	23	5	-	1	1	-	7	3	2	2	-	1	-	1	1	3	2	1
Cancer	12	1	-	-	-	-	1	-	1	-	-	-	-	1	2	3	4	-
Scrofula, Tabes Mesent.	24	9	3	3	1	2	18	2	1	1	-	1	-	-	1	-	-	-
Phthisis	83	10	-	1	1	-	12	5	3	9	15	16	9	6	3	5	-	-
Hydrocephalus	7	1	-	2	1	-	4	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	153	58	15	2	2	-	77	1	-	-	2	4	6	8	13	24	16	2
Heart Dis. and Dropsy	69	2	1	2	-	-	5	-	-	4	2	3	4	6	11	20	13	1
Dis. of Lungs	118	32	8	8	4	2	54	2	2	2	1	2	5	7	12	19	12	-
Dis. of Stom. and Liver	36	9	4	1	-	-	14	1	-	-	4	2	5	-	5	3	1	1
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Diseases of the Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	35	1	2	3	3	2	11	2	4	1	-	2	9	-	1	2	3	-
Other Causes	149	44	3	-	1	1	49	2	-	1	-	-	1	-	2	25	49	20

120.—NEWBURY.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	10009	-	-	-	-	-	1357	1243	1201	934	761	1231	1111	884	655	436	175	21
TOTAL DEATHS	2131	426	113	62	47	37	685	121	49	61	62	117	130	161	172	237	264	72
Small-pox	3	-	1	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Measles	11	3	4	1	1	-	9	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	80	1	9	7	14	9	40	34	5	-	1	-	-	-	-	-	-	-
Diphtheria	40	1	2	5	3	5	16	15	7	1	-	-	1	-	-	-	-	-
Whooping-cough	35	14	13	5	1	1	34	1	-	-	-	-	-	-	-	-	-	-
Typhus	64	2	2	4	2	4	14	8	5	7	5	3	3	8	7	5	1	-
Cholera, Diarrh., Dysent^{y}	43	19	3	-	-	2	24	2	-	1	-	1	1	2	-	5	5	2
Other Zymotic Dis.	84	17	3	7	3	7	37	10	5	2	1	1	5	8	5	5	3	2
Cancer	19	-	-	-	-	-	-	-	-	-	2	-	1	7	3	3	3	-
Scrofula, Tabes Mesent.	26	7	2	4	1	-	14	-	1	3	4	1	-	2	1	-	-	-
Phthisis	245	7	3	-	-	1	11	4	10	22	22	62	48	34	14	15	3	-
Hydrocephalus	33	6	8	6	2	1	23	7	2	-	-	-	-	-	-	1	-	-
Diseases of Brain	228	73	10	6	4	1	94	7	2	4	5	5	5	23	18	31	33	1
Heart Dis. and Dropsy	149	4	-	-	-	1	5	2	2	-	2	6	17	15	32	36	25	7
Dis. of Lungs	315	79	21	7	2	4	113	5	-	3	7	13	22	22	35	55	31	9
Dis. of Stom. and Liver	107	10	1	-	4	-	15	4	1	3	2	5	9	15	22	16	12	3
Dis. of Kidneys	36	-	-	-	-	-	-	-	-	1	1	2	4	2	4	12	9	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	11	-	-	-	-	-	-	3	1	-	3	1	-	1	1	1	-	-
Diseases of the Skin	5	1	1	-	-	-	2	-	-	1	-	-	-	1	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	92	5	5	2	4	1	17	13	6	8	5	11	12	7	8	2	2	1
Other Causes	505	177	25	7	6	-	215	6	2	5	2	6	2	14	20	50	137	46

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
118.—ANDOVER.																		
Mean Popul^{n}, 1851-61	8570	-	-	-	-	-	1111	1023	935	795	659	1179	961	759	603	377	146	22
TOTAL DEATHS	1544	251	81	42	25	21	420	64	36	55	55	129	96	99	133	206	189	62
Small-pox	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-
Measles	22	3	3	4	4	3	17	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	11	1	1	1	-	1	4	2	3	-	-	-	-	1	-	1	-	-
Diphtheria	3	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	31	14	6	4	3	1	28	3	-	-	-	-	-	-	-	-	-	-
Typhus	68	3	1	-	3	4	11	7	10	5	3	8	2	10	4	6	1	1
Cholera, Diarrh., Dysent^{y}	15	3	4	1	1	-	9	1	-	1	-	-	-	1	1	1	1	-
Other Zymotic Dis.	52	15	4	4	-	2	25	6	-	1	-	1	1	3	4	8	3	-
Cancer	21	-	-	-	-	-	-	-	-	1	-	1	3	2	3	6	5	-
Scrofula, Tabes Mesent.	19	3	2	1	1	1	8	2	-	3	1	2	2	-	-	-	1	-
Phthisis	237	8	2	-	-	-	10	5	10	26	30	70	46	22	12	4	2	-
Hydrocephalus	23	4	6	1	-	3	14	5	1	2	1	-	-	-	-	-	-	-
Diseases of Brain	183	30	10	8	3	1	52	3	3	5	4	8	5	16	28	37	18	4
Heart Dis. and Dropsy	175	7	3	-	1	-	11	-	2	1	3	9	13	18	40	50	24	4
Dis. of Lungs	129	35	16	11	2	1	65	9	1	2	5	6	2	5	8	14	10	2
Dis. of Stom. and Liver	66	6	1	1	2	2	12	3	2	2	-	4	8	9	9	15	2	-
Dis. of Kidneys	10	-	-	-	1	-	1	-	1	1	-	1	1	2	1	1	1	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	-	3	11	6	-	-	-	-	-
Violent Deaths	19	2	2	-	-	-	4	3	-	-	1	1	-	-	2	1	2	-
Other Causes	431	117	20	5	4	2	148	3	1	4	4	5	6	9	21	61	118	51
119.—KINGSCLERE.																		
Mean Popul^{n}, 1851-61	4263	-	-	-	-	-	603	569	494	381	311	548	463	388	265	170	64	7
TOTAL DEATHS	849	125	36	25	17	19	222	46	41	34	43	60	60	50	66	105	98	24
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	27	2	2	3	3	2	12	8	5	2	-	-	-	-	-	-	-	-
Diphtheria	19	-	1	1	1	-	3	7	8	1	-	-	-	-	-	-	-	-
Whooping-cough	16	9	2	2	1	1	15	1	-	-	-	-	-	-	-	-	-	-
Typhus	40	-	-	-	2	4	6	8	7	5	1	4	2	4	1	2	-	-
Cholera, Diarrh., Dysent^{y}	19	4	3	1	2	-	10	-	-	1	1	-	-	1	4	-	2	-
Other Zymotic Dis.	25	8	1	2	2	2	15	1	-	-	1	2	-	1	-	3	2	-
Cancer	9	-	-	-	-	-	-	-	-	-	-	1	3	2	2	1	-	-
Scrofula, Tabes Mesent.	27	7	3	3	1	1	15	3	3	1	-	2	1	1	1	-	-	-
Phthisis	120	3	2	1	-	-	6	-	10	13	24	23	19	13	5	6	1	-
Hydrocephalus	8	1	1	-	-	1	3	2	1	2	-	-	-	-	-	-	-	-
Diseases of Brain	112	35	6	3	1	1	46	1	2	1	3	5	4	6	14	18	11	1
Heart Dis. and Dropsy	84	1	1	-	-	1	3	2	2	1	1	3	10	9	21	19	11	2
Dis. of Lungs	91	24	9	6	3	3	45	8	1	1	3	2	2	5	5	15	4	-
Dis. of Stom. and Liver	51	2	1	-	-	1	4	3	1	2	4	7	4	1	11	13	1	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-
Diseases of the Joints	3	-	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	15	-	-	-	-	-	-	-	-	-	1	9	5	-	-	-	-	-
Violent Deaths	14	1	1	2	-	1	5	2	-	2	1	-	2	2	-	-	-	-
Other Causes	156	28	3	-	-	-	31	-	1	1	3	-	4	2	1	26	66	21
120.—NEWBURY.																		
Mean Popul^{n}, 1851-61	10398	-	-	-	-	-	1275	1221	1114	1004	876	1419	1170	936	690	455	199	39
TOTAL DEATHS	2169	336	104	67	41	39	587	120	57	75	93	140	144	142	164	272	276	99
Small-pox	3	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Measles	9	2	1	2	2	1	8	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	77	3	6	15	7	6	37	27	8	2	1	1	1	-	-	-	-	-
Diphtheria	49	-	1	2	7	4	14	24	6	2	1	-	2	-	-	-	-	-
Whooping-cough	31	8	10	5	3	4	30	1	-	-	-	-	-	-	-	-	-	-
Typhus	81	-	3	5	4	5	17	13	10	6	8	2	8	6	5	4	2	-
Cholera, Diarrh., Dysent^{y}	44	17	2	1	-	1	21	4	1	1	-	3	-	2	4	5	1	2
Other Zymotic Dis.	72	11	5	8	4	5	33	8	1	-	1	2	3	3	3	7	9	2
Cancer	55	-	-	-	-	-	-	-	-	1	1	3	6	13	9	16	5	1
Scrofula, Tabes Mesent.	31	4	3	1	2	-	10	3	3	3	1	4	1	3	1	1	-	1
Phthisis	287	10	5	-	1	-	16	5	11	34	52	73	51	21	13	9	2	-
Hydrocephalus	24	8	4	4	1	-	17	5	1	-	-	-	-	1	-	1	-	-
Diseases of Brain	222	43	7	5	3	3	61	7	2	6	2	4	11	14	17	46	43	9
Heart Dis. and Dropsy	172	4	-	-	-	1	5	2	6	3	5	10	7	20	26	44	38	6
Dis. of Lungs	277	58	24	6	3	2	93	5	2	4	7	9	13	15	30	55	36	3
Dis. of Stom. and Liver	145	3	-	1	-	-	4	6	1	5	2	7	14	26	33	29	16	2
Dis. of Kidneys	11	-	-	-	-	-	-	1	1	-	2	1	2	2	1	-	1	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	-	1	6	3	2	-	1	-
Diseases of the Joints	13	1	1	-	-	-	2	-	1	2	-	1	2	1	1	2	1	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	3	6	13	8	1	-	-	-	-
Violent Deaths	32	5	3	2	1	4	15	3	1	-	1	-	2	4	3	1	2	-
Other Causes	488	158	28	9	3	3	201	5	1	3	3	6	7	8	16	51	119	68

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
121.—HUNGERFORD.																		
Mean Popul^{n}, 1851-61	10036	-	-	-	-	-	1324	1254	1161	1083	756	1233	1045	891	630	423	164	22
TOTAL DEATHS	2013	490	118	61	35	22	726	101	52	46	66	111	87	109	149	241	251	74
Small-pox	5	1	-	-	2	-	3	1	-	-	-	-	1	-	-	-	-	-
Measles	17	7	3	4	-	2	16	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	79	4	10	9	9	4	36	30	10	2	-	1	-	-	-	-	-	-
Diphtheria	6	3	-	-	2	1	6	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	22	10	6	1	2	2	21	-	-	-	1	-	-	-	-	-	-	-
Typhus	73	6	1	1	1	2	11	11	7	10	6	9	5	5	6	3	-	1
Cholera, Diarrh., Dysent^{y}	37	14	1	3	2	-	20	2	-	1	-	2	-	1	1	5	4	1
Other Zymotic Dis.	66	13	5	4	3	2	27	8	1	2	2	5	2	4	7	5	2	1
Cancer	17	-	-	-	-	-	-	-	-	-	-	1	-	3	5	5	3	-
Scrofula, Tabes Mesent.	69	28	6	7	-	3	44	7	3	2	3	2	4	1	-	1	1	1
Phthisis	209	13	5	2	1	-	21	6	7	12	30	61	32	24	11	5	-	-
Hydrocephalus	24	14	7	-	1	-	22	1	-	-	-	-	-	1	-	-	-	-
Diseases of Brain	259	84	9	6	5	-	104	13	2	3	4	5	8	18	22	25	43	12
Heart Dis. and Dropsy	157	3	-	1	-	-	4	3	5	-	1	3	7	8	21	60	38	7
Dis. of Lungs	319	80	41	15	6	2	144	6	4	3	6	6	10	13	31	52	37	7
Dis. of Stom. and Liver	111	10	2	-	-	-	12	4	2	4	4	3	8	14	21	22	11	1
Dis. of Kidneys	28	-	2	-	-	-	2	-	-	-	2	-	1	3	3	11	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	80	9	1	4	1	2	17	7	9	6	4	6	5	7	6	8	3	2
Other Causes	432	188	19	4	-	2	213	2	2	1	2	2	4	7	15	39	103	42
122.—FARINGDON.																		
Mean Popul^{n}, 1851-61	7909	-	-	-	-	-	1049	958	915	819	638	952	864	720	544	290	134	16
TOTAL DEATHS	1624	390	93	59	32	30	604	70	43	58	57	84	96	113	98	186	167	48
Small-pox	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Measles	15	2	6	3	-	1	12	1	1	-	1	-	-	-	-	-	-	-
Scarlatina	66	9	7	12	7	7	42	16	5	1	-	2	-	-	-	-	-	-
Diphtheria	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough	24	10	4	5	-	1	20	4	-	-	-	-	-	-	-	-	-	-
Typhus	82	2	-	1	6	-	9	10	6	8	4	12	13	7	6	7	-	-
Cholera, Diarrh., Dysent^{y}	38	16	4	-	2	1	23	1	-	1	-	1	2	1	1	-	7	1
Other Zymotic Dis.	70	23	8	7	2	4	44	4	-	1	-	2	-	4	4	6	5	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	4	-
Scrofula, Tabes Mesent.	31	7	1	1	1	-	10	2	2	4	2	3	2	2	1	3	-	-
Phthisis	212	31	7	3	2	1	44	4	11	20	30	40	34	22	4	3	-	-
Hydrocephalus	27	5	7	6	-	2	20	4	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	163	39	4	7	5	4	59	3	6	7	3	6	11	9	11	25	19	4
Heart Dis. and Dropsy	140	1	3	1	1	-	6	4	2	1	3	8	10	21	19	42	21	3
Dis. of Lungs	242	80	27	10	4	4	125	6	-	2	3	2	8	8	19	38	27	4
Dis. of Stom. and Liver	97	13	3	-	1	-	17	5	3	3	2	4	7	15	16	13	11	1
Dis. of Kidneys	36	1	-	-	-	-	1	-	-	1	-	-	1	8	4	13	6	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	64	9	2	2	1	4	18	4	5	4	6	2	6	8	8	3	-	-
Other Causes	294	140	9	1	-	1	151	1	-	1	3	1	1	6	3	27	67	33
123.—ABINGDON.																		
Mean Popul^{n}, 1851-61	10177	-	-	-	-	-	1352	1267	1180	1006	776	1283	1137	924	682	396	155	19
TOTAL DEATHS	2467	573	154	61	41	26	855	96	47	68	71	160	186	170	238	295	225	56
Small-pox	16	1	1	2	1	-	5	4	2	1	-	3	-	-	1	-	-	-
Measles	32	4	13	4	3	2	26	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	52	6	2	4	8	3	23	16	6	4	-	2	-	-	-	1	-	-
Diphtheria	7	1	-	1	2	1	5	1	-	-	-	1	-	-	-	-	-	-
Whooping-cough	37	19	10	2	3	2	36	1	-	-	-	-	-	-	-	-	-	-
Typhus	128	2	3	4	2	2	13	10	9	15	6	21	12	10	14	12	3	1
Cholera, Diarrh., Dysent^{y}	92	41	14	2	2	-	59	2	-	-	1	1	2	3	8	9	7	-
Other Zymotic Dis.	72	26	3	6	-	1	36	2	1	1	1	2	5	6	7	5	6	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	5	-	5	2	2	-
Scrofula, Tabes Mesent.	66	26	5	3	3	3	40	6	3	-	1	3	4	3	1	3	2	-
Phthisis	262	7	4	2	2	-	15	10	4	13	38	58	55	34	23	11	1	-
Hydrocephalus	53	20	14	7	3	2	46	3	2	-	-	-	1	-	1	-	-	-
Diseases of Brain	374	87	9	3	2	3	104	7	3	10	4	21	46	34	47	61	35	2
Heart Dis. and Dropsy	168	11	1	3	1	-	16	-	2	6	2	5	14	20	36	47	18	2
Dis. of Lungs	415	117	52	12	5	2	188	11	4	4	5	11	21	19	43	69	37	3
Dis. of Stom. and Liver	94	11	2	-	-	1	14	4	-	4	1	12	7	11	17	16	8	-
Dis. of Kidneys	32	1	-	1	-	-	2	-	-	-	-	3	-	4	9	9	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	1	-	-	-	1	-	1	-	1	-	1	1	-	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	101	4	2	3	2	3	14	8	9	9	10	10	8	15	8	3	6	1
Other Causes	445	139	18	2	2	1	212	6	-	1	1	7	5	10	18	46	92	47

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards
121.—HUNGERFORD.																		
Mean Popul^{n}, 1851-61	10058	-	-	-	-	-	1364	1270	1115	930	782	1360	1078	855	667	448	164	25
TOTAL DEATHS	2070	378	135	64	48	39	664	92	69	77	78	134	115	107	158	275	227	74
Small-pox	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-
Measles	20	3	6	2	2	3	16	2	1	1	-	-	-	-	-	-	-	-
Scarlatina	100	2	6	14	13	13	48	31	16	4	-	1	-	-	-	-	-	-
Diphtheria	18	1	5	1	-	3	10	5	3	-	-	-	-	-	-	-	-	-
Whooping-cough	30	8	12	6	2	1	29	1	-	-	-	-	-	-	-	-	-	-
Typhus	88	3	-	1	2	-	6	6	9	14	10	11	8	6	10	8	-	-
Cholera, Diarrh., Dysent^{y}	29	11	2	2	2	-	17	-	1	-	-	2	2	-	-	2	5	-
Other Zymotic Dis.	71	12	10	8	5	1	36	6	1	-	1	2	2	2	2	12	5	2
Cancer	38	-	-	-	-	-	-	-	-	-	1	-	5	4	11	11	5	1
Scrofula, Tabes Mesent.	44	16	9	1	-	-	26	3	3	1	2	5	-	-	3	1	-	-
Phthisis	268	8	8	2	2	2	22	7	11	32	39	68	45	22	13	7	2	-
Hydrocephalus	23	6	5	7	2	-	20	1	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	237	74	12	3	2	2	93	7	4	10	6	4	16	17	27	47	33	3
Heart Dis. and Dropsy	198	2	1	2	-	1	6	2	3	6	3	7	7	16	40	59	37	12
Dis. of Lungs	271	54	31	10	8	5	108	9	8	1	5	7	9	11	21	48	36	8
Dis. of Stom. and Liver	129	13	1	1	2	2	19	3	-	4	5	8	9	19	16	34	11	1
Dis. of Kidneys	8	1	-	-	-	-	1	-	1	-	-	2	2	-	1	1	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	1	-	3	3	1	3	-
Diseases of the Joints	4	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-
Diseases of the Skin	6	3	-	1	-	-	4	-	-	-	-	-	-	-	-	2	-	-
Childbirth and Metria	24	-	-	-	-	-	-	-	-	1	5	11	6	1	-	-	-	-
Violent Deaths	27	2	4	1	3	4	14	7	2	1	-	-	1	2	-	-	-	-
Other Causes	393	159	23	2	3	2	189	1	3	1	1	3	3	4	10	42	89	47
122.—FARINGDON.																		
Mean Popul^{n}, 1851-61	7301	-	-	-	-	-	1006	1014	876	734	602	1033	872	693	477	329	147	18
TOTAL DEATHS	1635	285	108	47	31	27	498	81	59	64	62	130	118	100	103	186	178	56
Small-pox	4	1	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-
Measles	7	1	3	-	-	1	5	-	1	-	1	-	-	-	-	-	-	-
Scarlatina	69	5	8	11	10	5	39	19	6	2	1	1	1	-	-	-	-	-
Diphtheria	4	1	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	18	8	6	1	1	-	16	2	-	-	-	-	-	-	-	-	-	-
Typhus	83	1	1	1	4	7	14	7	12	11	4	14	6	5	4	5	1	-
Cholera, Diarrh. Dysent^{y}	34	9	6	1	-	1	17	1	-	-	-	2	-	1	4	2	6	1
Other Zymotic Dis.	46	16	4	2	2	2	26	3	2	1	4	-	2	1	2	-	4	1
Cancer	33	1	-	-	-	-	1	-	-	-	-	1	2	11	7	8	3	-
Scrofula, Tabes Mesent.	32	5	5	3	2	1	16	4	3	1	1	4	-	2	1	-	-	-
Phthisis	275	23	5	2	4	-	34	9	15	27	35	77	47	22	8	1	-	-
Hydrocephalus	30	5	9	3	-	-	17	9	3	1	-	-	-	-	-	-	-	-
Diseases of Brain	175	33	12	6	1	1	53	2	8	8	2	2	11	8	21	37	21	2
Heart Dis. and Dropsy	150	-	1	-	-	-	1	2	3	3	1	2	13	21	21	51	27	5
Dis. of Lungs	234	63	40	11	4	4	122	10	1	2	1	8	7	12	8	37	21	5
Dis. of Stom. and Liver	93	6	3	1	1	1	12	2	3	6	5	5	12	7	17	12	11	1
Dis. of Kidneys	7	-	-	-	-	1	1	-	-	1	1	2	-	-	1	1	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	1	4	3	-	-	-	-
Diseases of the Joints	5	1	-	-	-	-	1	-	-	-	-	1	1	1	-	1	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	4	9	4	1	-	-	-	-
Violent Deaths	21	1	-	1	1	3	6	6	-	-	-	1	2	2	2	2	-	-
Other Causes	285	103	5	4	-	-	112	3	2	-	2	-	4	3	7	28	84	40
123.—ABINGDON.																		
Mean Popul^{n}, 1851-61	10726	-	-	-	-	-	1424	1288	1154	1011	903	1498	1229	948	640	428	180	23
TOTAL DEATHS	2444	473	140	84	48	37	782	87	64	90	97	193	171	159	198	268	268	67
Small-pox	30	3	1	2	2	2	10	6	3	2	-	3	3	2	1	-	-	-
Measles	30	6	11	6	4	1	28	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	61	3	11	5	9	6	34	17	8	2	-	-	-	-	-	-	-	-
Diphtheria	4	-	1	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	48	22	11	9	3	1	46	2	-	-	-	-	-	-	-	-	-	-
Typhus	118	1	2	7	1	3	14	16	9	13	16	10	12	7	5	9	7	-
Cholera, Diarrh., Dysent^{y}	97	40	8	4	2	-	54	-	-	1	1	6	2	5	6	12	10	-
Other Zymotic Dis.	68	16	6	2	1	4	29	4	5	1	3	3	4	4	4	6	5	-
Cancer	41	-	1	-	-	-	1	1	-	-	1	1	4	8	8	9	7	1
Scrofula, Tabes Mesent.	51	17	8	2	2	1	30	6	4	3	3	2	-	1	1	-	1	-
Phthisis	347	8	5	5	-	3	21	7	14	38	42	97	64	37	19	6	2	-
Hydrocephalus	44	15	14	3	3	3	38	4	1	-	-	-	1	-	-	-	-	-
Diseases of Brain	329	52	9	6	4	1	72	3	8	8	7	27	26	30	37	65	42	4
Heart Dis. and Dropsy	168	6	1	-	-	1	8	1	2	1	2	10	13	21	37	42	27	4
Dis. of Lungs	356	84	33	26	15	5	163	8	4	9	3	5	18	13	36	53	38	6
Dis. of Stom. and Liver	96	7	2	-	-	-	9	3	3	5	3	7	6	13	18	17	12	-
Dis. of Kidneys	11	-	2	-	-	1	3	-	-	-	-	1	1	2	3	-	1	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	2	-	2	3	4	2	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-
Childbirth and Metria	26	-	-	-	-	-	-	-	-	4	5	10	6	1	-	-	-	-
Violent Deaths	39	4	3	3	1	4	15	3	-	1	3	3	3	2	4	1	4	-
Other Causes	458	188	11	3	1	1	204	3	2	1	4	7	4	10	14	45	112	52

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
124.—WANTAGE.																		
Mean Popul^{n}, 1851-61	8353	-	-	-	-	-	1197	1091	1033	913	655	1079	978	828	579	343	141	16
TOTAL DEATHS	1816	426	111	54	49	30	670	87	39	52	53	98	87	113	146	209	190	72
Small-pox	4	-	1	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-
Measles	37	8	7	5	4	5	29	6	2	-	-	-	-	-	-	-	-	-
Scarlatina	85	3	8	7	20	9	47	27	4	4	1	2	-	-	-	-	-	-
Diphtheria	5	-	1	1	-	-	2	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	40	21	10	3	2	1	37	3	-	-	-	-	-	-	-	-	-	-
Typhus	89	-	4	1	3	2	10	18	6	10	9	11	8	2	7	6	2	-
Cholera, Diarrh.,Dysent^{y}	70	25	6	2	1	1	35	1	-	-	1	3	-	4	5	10	8	3
Other Zymotic Dis.	78	33	8	1	2	3	47	3	-	2	2	3	6	4	5	3	3	-
Cancer	23	-	-	-	-	-	-	-	-	-	-	-	4	5	7	5	2	-
Scrofula, Tabes Mesent.	27	13	3	1	-	-	17	-	2	1	2	2	-	1	-	2	-	-
Phthisis	198	10	4	3	1	2	20	6	8	14	26	41	26	31	12	12	2	-
Hydrocephalus	35	10	6	6	3	-	25	5	2	1	-	-	-	-	2	-	-	-
Diseases of Brain	188	63	8	6	4	-	81	3	1	1	1	4	7	6	22	34	21	7
Heart Dis. and Dropsy	118	7	3	-	-	-	10	2	-	-	5	2	10	12	25	31	19	2
Dis. of Lungs	265	74	22	10	6	3	115	1	2	6	1	10	10	15	33	43	25	4
Dis. of Stom. and Liver	86	16	3	1	-	-	20	1	2	5	1	6	7	11	11	10	11	1
Dis. of Kidneys	28	-	1	-	-	-	1	-	1	-	1	4	2	4	2	9	4	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-
Diseases of the Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	51	1	8	2	2	3	11	5	7	6	2	3	1	8	4	1	1	2
Other Causes	382	140	13	5	1	1	160	2	1	1	1	4	5	9	11	43	92	53
125.—WALLINGFORD.																		
Mean Popul^{n}, 1851-61	7056	-	-	-	-	-	934	874	856	682	527	862	771	636	479	304	116	15
TOTAL DEATHS	1348	276	97	26	18	19	436	63	33	34	47	81	83	74	117	152	168	60
Small-pox	9	3	1	-	-	-	4	-	1	1	1	1	-	-	1	-	-	-
Measles	15	3	7	-	1	1	12	2	-	1	-	-	-	-	-	-	-	-
Scarlatina	45	1	6	3	2	4	16	15	7	2	1	1	1	-	1	-	1	-
Diphtheria	7	2	-	1	1	-	4	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	28	16	5	4	1	1	27	1	-	-	-	-	-	-	-	-	-	-
Typhus	63	2	4	2	2	1	11	8	5	7	3	7	10	3	5	1	3	-
Cholera, Diarrh., Dysent^{y}	57	16	6	2	-	1	25	2	-	-	1	1	1	-	3	8	12	4
Other Zymotic Dis.	68	19	8	1	5	2	35	-	3	-	1	1	2	4	8	3	6	5
Cancer	15	-	-	-	-	-	-	-	-	-	1	-	3	1	3	4	3	-
Scrofula, Tabes Mesent.	30	9	6	4	2	-	21	2	2	1	1	2	-	-	-	1	-	-
Phthisis	150	6	1	-	-	2	9	3	5	9	29	45	24	19	6	1	-	-
Hydrocephalus	23	7	8	1	2	-	18	4	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	138	27	7	2	-	-	36	4	2	1	2	5	8	6	13	30	25	6
Heart Dis. and Dropsy	123	5	1	-	-	2	8	3	-	1	2	2	3	6	29	33	31	5
Dis. of Lungs	183	44	19	4	1	3	71	4	1	3	2	5	9	16	17	23	27	5
Dis. of Stom. and Liver	66	6	2	-	-	-	8	1	1	1	-	5	9	8	11	13	8	1
Dis. of Kidneys	36	-	1	-	-	-	1	3	1	-	-	1	6	4	6	7	6	1
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Diseases of the Skin	5	1	2	-	-	-	3	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	41	3	-	2	1	1	7	6	2	5	2	5	3	2	5	4	-	-
Other Causes	242	105	13	-	-	1	119	3	1	2	1	-	2	3	8	24	46	33
126.—BRADFIELD.																		
Mean Popul^{n}, 1851-61	8176	-	-	-	-	-	1078	976	928	783	613	1025	932	760	570	350	134	22
TOTAL DEATHS	1548	331	83	33	27	22	496	60	27	44	53	105	84	93	109	204	210	63
Small-pox	4	2	-	-	1	-	3	-	-	-	-	1	-	-	-	-	-	-
Measles	14	1	8	1	2	1	13	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	28	2	1	5	3	3	14	10	2	1	1	-	-	-	-	-	-	-
Diphtheria	14	-	-	1	1	2	4	9	1	-	-	-	-	-	-	-	-	-
Whooping-cough	12	4	3	2	1	1	11	1	-	-	-	-	-	-	-	-	-	-
Typhus	70	4	2	-	2	-	8	4	9	9	5	7	6	6	4	5	7	-
Cholera, Diarrh.,Dysent^{y}	66	27	8	3	-	-	38	-	1	-	1	-	2	1	2	9	3	4
Other Zymotic Dis.	57	13	2	2	5	2	24	2	1	3	-	2	5	2	3	7	7	1
Cancer	16	-	-	-	-	-	-	-	-	1	-	-	-	3	2	6	4	-
Scrofula, Tabes Mesent.	27	3	6	2	-	-	11	3	4	1	3	2	1	1	-	1	-	-
Phthisis	168	10	2	-	-	1	13	-	1	13	29	48	29	17	12	6	-	-
Hydrocephalus	31	11	7	1	-	5	24	7	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	181	47	9	2	3	2	63	2	2	3	2	6	8	9	17	34	28	7
Heart Dis. and Dropsy	138	4	1	2	1	1	9	4	2	1	2	6	8	18	21	37	23	7
Dis. of Lungs	239	47	17	8	5	1	78	2	1	6	6	12	9	20	15	39	44	7
Dis. of Stom. and Liver	67	11	1	1	1	-	14	2	1	1	1	5	4	6	10	16	7	-
Dis. of Kidneys	35	-	-	-	-	-	-	-	-	1	-	2	2	3	2	12	12	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	1	-	-	-	1	-	-	1	-	3	-	-	-	-	-	-
Diseases of the Skin	4	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	62	3	2	2	2	1	10	10	2	3	3	6	6	4	10	7	1	-
Other Causes	310	140	12	1	-	2	155	3	-	-	-	5	4	3	11	25	68	36

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
124.—WANTAGE.																		
Mean Popul^{n}, 1851-61	8517	-	-	-	-	-	1202	1128	977	767	645	1076	942	736	536	333	150	25
TOTAL DEATHS	1743	329	120	55	33	29	566	77	53	74	57	114	117	106	138	173	207	61
Small-pox	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Measles	33	4	8	8	2	5	27	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	65	12	8	3	8	9	40	15	6	1	1	2	-	-	-	-	-	-
Diphtheria	12	-	3	1	-	1	5	3	1	-	-	-	2	-	-	-	1	-
Whooping-cough	55	20	15	6	4	3	48	7	-	-	-	-	-	-	-	-	-	-
Typhus	82	6	7	2	3	1	19	12	5	13	2	9	1	6	4	7	3	1
Cholera, Diarrh., Dysent^{y}	53	21	8	4	-	-	33	-	1	-	-	-	2	-	1	7	7	2
Other Zymotic Dis.	53	26	2	3	1	1	33	2	-	1	1	2	2	3	1	4	4	-
Cancer	39	-	-	-	-	-	-	-	-	1	-	3	7	13	9	6	-	-
Scrofula, Tabes Mesent.	20	7	1	1	-	-	9	3	1	-	-	5	-	-	1	1	-	-
Phthisis	255	11	5	2	3	1	22	4	17	29	39	52	52	21	11	5	3	-
Hydrocephalus	26	10	3	3	1	2	19	2	3	-	-	-	-	1	1	-	-	-
Diseases of Brain	156	35	6	3	1	1	46	8	2	4	4	5	6	11	21	22	25	2
Heart Dis. and Dropsy	140	-	-	1	-	1	2	2	4	4	2	5	7	19	35	30	27	3
Dis. of Lungs	184	41	29	10	3	4	87	5	3	6	1	6	7	4	19	22	19	5
Dis. of Stom. and Liver	90	7	4	1	3	-	15	4	3	6	3	6	9	12	13	12	5	2
Dis. of Kidneys	9	2	-	-	-	-	2	-	-	1	-	1	1	1	3	-	-	-
Dis. of Gener. Organs	6	-	1	-	-	-	1	-	-	-	-	-	1	3	-	1	-	-
Diseases of the Joints	4	1	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
Childbirth and Metria	33	-	-	-	-	-	-	-	-	3	2	16	12	-	-	-	-	-
Violent Deaths	29	9	3	-	2	-	14	2	2	2	-	1	-	-	2	3	1	2
Other Causes	393	115	17	7	2	-	141	2	3	2	1	1	8	11	16	52	112	44
125.—WALLINGFORD.																		
Mean Popul^{n}, 1851-61	7034	-	-	-	-	-	925	856	766	639	552	944	769	622	486	325	136	14
TOTAL DEATHS	1402	237	65	35	23	11	371	51	46	55	50	116	92	92	112	165	187	65
Small-pox	2	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Measles	22	1	10	2	3	-	16	3	2	-	-	1	-	-	-	-	-	-
Scarlatina	39	1	2	4	6	1	14	11	7	5	1	1	-	-	-	-	-	-
Diphtheria	7	1	1	-	-	1	3	2	-	1	-	-	-	1	-	-	-	-
Whooping-cough	32	19	3	7	2	-	31	1	-	-	-	-	-	-	-	-	-	-
Typhus	65	1	2	3	2	-	8	3	9	9	4	12	9	5	-	2	2	2
Cholera, Diarrh., Dysent^{y}	41	19	3	-	-	-	22	2	-	-	-	-	-	1	4	3	9	-
Other Zymotic Dis.	54	16	5	1	2	1	25	2	3	-	2	2	-	2	5	6	3	4
Cancer	38	-	-	-	-	-	-	-	-	-	1	1	5	8	7	11	4	1
Scrofula, Tabes Mesent.	28	8	2	1	-	-	11	1	3	2	3	4	2	1	-	1	-	-
Phthisis	199	10	4	-	-	1	15	3	6	25	26	59	32	22	8	3	-	-
Hydrocephalus	21	6	4	3	2	-	15	4	-	2	-	-	-	-	-	-	-	-
Diseases of Brain	150	16	4	4	1	-	25	5	6	4	3	4	9	12	14	36	27	5
Heart Dis. and Dropsy	133	4	-	-	-	1	5	-	1	1	-	9	5	14	23	38	33	4
Dis. of Lungs	149	34	9	6	2	1	52	5	3	4	4	4	5	5	18	19	19	11
Dis. of Stom. and Liver	77	2	-	1	-	1	4	1	4	1	3	5	8	8	18	14	9	2
Dis. of Kidneys	15	-	-	-	-	-	-	-	-	-	1	2	1	5	2	3	1	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	-
Diseases of the Joints	4	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-
Diseases of the Skin	5	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	2
Childbirth and Metria	21	-	-	-	-	-	-	-	-	-	2	8	11	-	-	-	-	-
Violent Deaths	31	-	3	2	3	-	11	6	-	-	-	2	1	2	1	1	5	2
Other Causes	259	98	12	1	-	-	111	1	1	-	-	2	2	4	10	25	71	32
126.—BRADFIELD.																		
Mean Popul^{n}, 1851-61	7899	-	-	-	-	-	1100	1017	867	644	637	1042	896	695	491	340	148	24
TOTAL DEATHS	1487	291	73	42	23	25	454	54	45	55	60	93	86	99	108	186	182	65
Small-pox	3	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Measles	11	2	5	2	1	-	10	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	23	2	5	3	1	3	14	5	2	2	-	-	-	-	-	-	-	-
Diphtheria	9	-	-	1	4	3	8	5	5	1	-	-	-	-	-	-	-	-
Whooping-cough	19	8	7	2	1	-	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	82	1	4	6	2	4	17	11	7	8	5	3	6	5	8	5	3	4
Cholera, Diarrh., Dysent^{y}	59	20	5	4	1	2	32	1	1	1	-	-	1	1	2	8	10	2
Other Zymotic Dis.	45	14	-	3	-	2	19	3	3	4	1	-	2	2	3	5	3	-
Cancer	39	1	-	1	-	-	2	-	-	1	-	2	5	7	7	10	3	2
Scrofula, Tabes Mesent.	20	6	4	1	1	-	12	1	1	2	1	1	-	-	-	-	1	-
Phthisis	183	3	2	1	-	-	6	2	11	24	28	42	25	27	12	4	1	1
Hydrocephalus	20	7	6	-	2	3	18	1	-	-	-	-	-	-	-	1	-	-
Diseases of Brain	168	29	5	4	1	-	39	1	2	7	2	7	5	13	14	35	38	5
Heart Dis. and Dropsy	149	3	-	2	2	2	9	5	3	2	3	6	3	15	26	46	23	3
Dis. of Lungs	193	47	14	6	5	1	73	5	3	3	9	7	12	12	22	20	22	5
Dis. of Stom. and Liver	77	11	1	1	2	1	16	2	3	-	4	5	6	8	9	16	7	1
Dis. of Kidneys	14	-	-	1	-	-	1	-	-	-	-	2	3	1	-	4	2	1
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-
Diseases of the Skin	8	3	-	-	-	-	3	1	-	-	-	-	1	2	-	1	-	-
Childbirth and Metria	26	-	-	-	-	-	-	-	-	-	3	10	11	2	-	-	-	-
Violent Deaths	30	4	3	1	-	3	11	5	-	-	1	3	1	1	-	5	3	-
Other Causes	291	129	12	3	-	1	145	3	2	1	2	1	4	2	4	25	61	41

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

127.—READING.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	11140	-	-	-	-	-	1531	1339	1160	1101	1005	1673	1302	949	618	337	111	14
TOTAL DEATHS	2611	542	212	95	58	37	944	109	43	75	104	188	196	226	214	258	205	49
Small-pox	16	5	2	1	-	-	8	2	-	1	-	2	2	1	-	-	-	-
Measles	35	5	15	6	4	1	31	3	-	1	-	-	-	-	-	-	-	-
Scarlatina	64	2	8	12	12	9	43	18	1	2	-	-	-	-	-	-	-	-
Diphtheria	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	56	22	17	8	6	2	55	1	-	-	-	-	-	-	-	-	-	-
Typhus	71	2	3	5	5	1	16	14	4	5	7	7	4	5	3	4	2	-
Cholera, Diarrh., Dysent^{y}	119	59	18	4	2	-	83	1	-	-	2	1	1	1	3	13	13	1
Other Zymotic Dis.	150	49	19	8	4	6	86	6	2	4	6	6	5	12	6	6	10	1
Cancer	42	-	-	1	1	-	2	-	-	1	2	3	3	8	10	5	5	3
Scrofula, Tabes Mesent.	51	12	10	1	2	3	28	6	2	4	5	2	1	1	1	1	-	-
Phthisis	372	9	13	7	2	1	32	9	6	28	46	87	72	58	21	11	2	-
Hydrocephalus	68	20	20	7	6	-	53	12	1	1	1	-	-	-	-	-	-	-
Diseases of Brain	275	71	10	6	4	4	95	9	5	5	4	12	15	20	24	51	30	5
Heart Dis. and Dropsy	204	4	1	1	1	1	8	8	6	4	4	13	21	32	42	33	32	1
Dis. of Lungs	394	110	47	12	5	3	177	3	2	3	10	13	34	27	37	43	39	6
Dis. of Stom. and Liver	159	23	5	5	1	1	35	5	3	3	5	11	11	21	26	31	8	-
Dis. of Kidneys	83	1	-	2	-	1	4	-	-	1	-	5	9	11	9	26	14	4
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	15	-	-	-	-	-	-	1	1	-	1	4	-	3	2	2	1	-
Diseases of the Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	139	6	7	5	3	4	25	5	10	12	9	18	15	16	15	7	7	-
Other Causes	293	140	16	4	-	-	160	5	-	-	2	4	3	9	15	25	42	28

128.—WOKINGHAM.

Mean Popul^{n}, 1851-61	7180	-	-	-	-	-	926	862	808	708	565	953	800	643	464	310	122	19
TOTAL DEATHS	1273	246	51	37	18	22	374	53	27	37	41	83	82	94	118	153	148	63
Small-pox	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
Measles	6	1	1	1	-	1	4	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	43	1	5	12	5	4	27	10	4	-	1	-	-	1	-	-	-	-
Diphtheria	10	-	1	-	-	2	3	6	-	-	1	-	-	-	-	-	-	-
Whooping-cough	21	11	5	2	-	1	19	2	-	-	-	-	-	-	-	-	-	-
Typhus	32	3	-	-	2	2	7	5	2	4	6	2	3	1	-	2	-	-
Cholera, Diarrh., Dysent^{y}	44	24	4	1	-	-	29	1	-	-	-	1	-	1	3	4	5	-
Other Zymotic Dis.	26	4	1	-	1	-	6	2	-	3	1	3	2	1	3	4	-	1
Cancer	17	-	-	-	-	-	-	-	-	-	-	1	2	4	3	3	3	1
Scrofula, Tabes Mesent.	24	9	3	-	-	1	13	3	1	2	-	2	2	-	1	-	-	-
Phthisis	118	3	-	1	1	1	6	-	2	10	15	39	24	12	8	2	-	-
Hydrocephalus	13	6	2	-	1	2	11	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	146	29	7	3	-	2	41	2	2	3	1	2	6	15	23	27	19	5
Heart Dis. and Dropsy	89	-	1	3	1	-	5	2	4	4	1	7	8	10	13	20	12	3
Dis. of Lungs	268	57	15	8	3	3	86	10	2	4	6	12	16	24	31	45	23	9
Dis. of Stom. and Liver	48	5	1	1	-	-	7	1	1	1	1	3	7	8	9	6	4	-
Dis. of Kidneys	32	-	-	-	-	-	-	-	1	-	1	1	2	4	7	9	5	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	1	-	-	-	-	1	-	1	1	-	-	-	-	1	1	1	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	70	2	3	5	4	2	16	5	7	4	3	4	6	10	7	5	3	-
Other Causes	255	90	2	-	-	1	93	1	-	1	3	5	3	2	9	23	73	42

129.—COOKHAM.

Mean Popul^{n}, 1851-61	6195	-	-	-	-	-	834	770	738	605	473	842	692	548	379	222	83	9
TOTAL DEATHS	1119	252	47	25	33	21	378	51	28	30	25	74	71	55	111	135	133	28
Small-pox	6	3	-	-	1	1	5	-	-	-	1	-	-	-	-	-	-	-
Measles	7	2	-	1	1	1	5	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	41	3	6	6	7	2	24	14	3	-	-	-	-	-	-	-	-	-
Diphtheria	6	-	2	-	1	1	4	1	1	-	-	-	-	-	-	-	-	-
Whooping cough	8	3	1	2	1	-	7	1	-	-	-	-	-	-	-	-	-	-
Typhus	35	-	2	1	2	1	6	5	1	4	-	6	4	3	4	2	-	-
Cholera, Diarrh., Dysent^{y}	57	35	7	-	-	-	42	-	-	-	-	1	-	2	2	5	5	-
Other Zymotic Dis.	44	4	1	2	6	-	13	1	1	3	-	4	2	3	8	6	3	-
Cancer	11	1	-	-	-	-	1	-	-	-	-	-	1	1	2	5	1	-
Scrofula, Tabes Mesent.	8	1	-	2	-	-	3	1	-	1	2	-	-	-	-	1	-	-
Phthisis	106	1	3	-	-	1	5	1	1	5	8	32	26	13	13	2	-	-
Hydrocephalus	14	-	4	1	-	4	9	4	-	-	-	-	1	-	-	-	-	-
Diseases of Brain	128	42	3	1	1	1	48	5	2	1	1	5	7	9	17	18	15	-
Heart Dis. and Dropsy	94	4	-	-	1	-	5	3	5	3	1	9	6	7	19	25	11	-
Dis. of Lungs	145	29	7	2	6	3	47	6	3	2	2	7	12	7	21	22	15	1
Dis. of Stom. and Liver	69	12	2	2	1	1	18	1	1	3	4	4	5	6	9	10	8	-
Dis. of Kidneys	20	-	-	-	-	-	-	-	-	2	2	1	2	1	5	5	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	43	8	-	1	1	4	14	4	5	3	3	4	3	1	3	1	2	-
Other Causes	271	104	9	4	4	1	122	1	3	3	-	-	2	2	7	33	71	27

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

127.—READING.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	12386	-	-	-	-	-	1470	1294	1275	1347	1278	2056	1551	1125	804	473	184	29
TOTAL DEATHS	2599	441	160	110	65	47	823	108	64	104	91	197	173	167	241	299	253	79
Small-pox	17	3	1	6	2	2	14	1	1	1	–	–	–	–	–	–	–	–
Measles	45	8	17	9	6	1	41	2	2	–	–	–	–	–	–	–	–	–
Scarlatina	69	1	4	17	13	12	47	14	3	1	2	2	–	–	–	–	–	–
Diphtheria	14	3	1	3	2	1	10	3	–	1	–	–	–	–	–	–	–	–
Whooping-cough	73	28	22	12	6	4	72	1	–	–	–	–	–	–	–	–	–	–
Typhus	78	–	2	4	8	1	15	15	3	9	2	9	5	3	7	6	4	–
Cholera, Diarrh., Dysent^{y}	123	54	21	2	2	1	80	2	3	1	1	2	1	5	–	11	12	5
Other Zymotic Dis.	126	46	6	6	7	6	71	6	3	4	2	6	6	3	4	7	8	–
Cancer	112	–	–	1	–	–	1	1	–	3	–	3	17	22	28	22	12	3
Scrofula, Tabes Mesent.	56	7	6	4	–	1	18	12	5	5	4	7	1	2	1	1	–	–
Phthisis	399	8	11	7	3	1	30	10	21	48	50	102	75	38	14	7	3	1
Hydrocephalus	47	18	9	4	3	2	36	8	3	–	–	–	–	–	–	–	–	–
Diseases of Brain	295	65	7	7	1	4	84	10	5	6	5	5	8	21	41	61	45	4
Heart Dis. and Dropsy	187	4	2	1	1	–	8	1	2	4	3	7	14	22	46	54	24	2
Dis. of Lungs	331	63	34	17	2	5	121	5	5	4	3	8	8	17	40	59	50	11
Dis. of Stom. and Liver	146	11	4	–	2	–	17	5	2	7	5	10	13	17	27	30	10	3
Dis. of Kidneys	33	–	–	–	–	–	–	1	–	–	1	8	4	5	10	2	1	1
Dis. of Gener. Organs	20	–	–	–	–	–	–	–	–	1	1	3	3	5	3	4	–	–
Diseases of the Joints	15	1	–	–	–	–	1	1	2	2	2	–	2	–	3	1	1	–
Diseases of the Skin	10	4	–	–	–	1	5	–	–	–	–	–	–	–	2	2	1	–
Childbirth and Metria	36	–	–	–	–	–	–	–	–	2	6	17	10	1	–	–	–	–
Violent Deaths	59	7	1	7	6	5	23	7	3	3	1	–	3	1	3	4	4	4
Other Causes	314	110	12	3	1	–	126	3	1	2	3	8	3	5	12	28	78	45

128.—WOKINGHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	6886	-	-	-	-	-	882	857	757	600	556	975	766	618	441	304	112	18
TOTAL DEATHS	1202	218	53	37	17	18	343	49	35	31	38	87	74	81	106	148	148	62
Small pox	4	1	1	1	–	1	4	–	–	–	–	–	–	–	–	–	–	–
Measles	3	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	37	4	3	5	5	3	20	12	4	–	–	–	–	1	–	–	–	–
Diphtheria	11	1	1	1	–	1	4	5	1	–	–	–	–	1	–	–	–	–
Whooping-cough	21	6	2	8	1	1	18	1	1	–	–	–	1	–	–	–	–	–
Typhus	49	1	1	2	2	2	8	7	8	4	3	5	5	4	3	2	–	–
Cholera, Diarrh., Dysent^{y}	52	19	7	2	1	–	29	–	–	1	2	3	2	2	4	1	6	2
Other Zymotic Dis.	29	9	2	3	–	1	15	3	–	1	1	1	–	1	–	2	3	2
Cancer	34	–	–	–	1	–	1	–	–	–	–	1	5	9	13	4	1	–
Scrofula, Tabes Mesent.	36	16	9	2	–	–	27	3	1	2	1	1	1	–	–	–	–	–
Phthisis	98	2	1	–	–	–	3	2	4	12	15	31	17	6	5	3	–	–
Hydrocephalus	2	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	140	26	4	1	2	1	34	2	5	4	2	6	5	10	19	28	20	5
Heart Dis. and Dropsy	88	3	–	1	–	–	4	–	2	1	–	6	8	9	18	21	17	2
Dis. of Lungs	227	40	17	8	2	3	70	8	7	5	9	16	14	17	23	32	18	8
Dis. of Stom. and Liver	59	1	–	1	–	1	3	2	–	1	2	3	2	12	8	14	11	1
Dis. of Kidneys	8	–	–	–	–	–	–	–	–	–	–	2	2	1	2	1	–	–
Dis. of Gener. Organs	11	–	–	–	–	–	–	–	–	–	–	1	–	4	1	4	1	–
Diseases of the Joints	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Diseases of the Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Childbirth and Metria	17	–	–	–	–	–	–	–	–	–	–	9	8	–	–	–	–	–
Violent Deaths	25	4	1	2	3	1	11	2	1	–	3	1	3	–	1	3	–	–
Other Causes	247	83	4	–	–	2	89	–	–	–	–	1	1	4	7	32	71	42

129.—COOKHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	6204	-	-	-	-	-	804	751	670	534	533	901	728	567	382	225	100	9
TOTAL DEATHS	1140	209	52	32	20	18	331	56	32	36	55	94	72	72	111	129	113	39
Small-pox	11	2	2	–	1	1	6	1	1	2	1	–	–	–	–	–	–	–
Measles	6	1	2	–	–	1	4	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	61	3	10	12	6	6	37	13	7	1	1	–	1	–	–	–	1	–
Diphtheria	13	–	–	1	2	2	5	5	1	–	–	1	1	–	–	–	–	–
Whooping-cough	15	8	4	2	1	–	15	–	–	–	–	–	–	–	–	–	–	–
Typhus	51	–	1	–	1	1	3	9	7	4	4	7	4	2	4	6	1	–
Cholera, Diarrh., Dysent^{y}	42	20	10	1	1	–	32	1	–	–	–	–	–	1	–	5	2	1
Other Zymotic Dis.	27	7	–	1	1	–	9	4	1	–	3	4	1	–	3	1	1	–
Cancer	24	–	–	–	–	–	–	–	–	–	2	–	3	5	8	3	3	–
Scrofula, Tabes Mesent.	6	–	–	1	1	–	2	2	1	–	–	1	–	–	–	–	–	–
Phthisis	148	3	–	–	–	–	3	4	5	18	26	43	25	13	11	–	–	–
Hydrocephalus	6	4	–	2	–	–	6	–	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	112	33	3	2	1	2	41	3	1	–	3	6	9	12	11	13	11	2
Heart Dis. and Dropsy	89	–	1	–	–	–	1	1	–	2	1	3	6	12	21	28	11	3
Dis. of Lungs	137	22	13	5	3	2	45	3	–	4	4	9	6	7	20	24	14	1
Dis. of Stom. and Liver	87	8	–	3	1	1	13	4	4	–	5	1	7	13	19	13	8	–
Dis. of Kidneys	3	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–
Dis. of Gener. Organs	13	–	1	–	–	–	1	–	–	–	1	3	3	2	1	1	1	–
Diseases of the Joints	3	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Diseases of the Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	1	2	12	5	–	–	–	–	–
Violent Deaths	17	4	–	–	–	1	5	2	2	1	–	3	–	–	2	2	–	–
Other Causes	249	94	5	2	–	1	102	1	–	2	2	1	1	5	11	32	60	32

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards
130.—EASTHAMPSTEAD.																		
Mean Popul^{n}, 1851-61	3573	-	-	-	-	-	459	369	409	458	281	488	405	296	216	131	52	9
TOTAL DEATHS	556	107	22	16	13	11	169	34	14	13	12	43	40	35	51	58	57	30
Small-pox	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Measles	4	2	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
Scarlatina	30	-	4	2	1	5	12	11	5	1	-	1	-	-	-	-	-	-
Diphtheria	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	7	5	1	-	1	-	7	-	-	-	-	-	-	-	-	-	-	-
Typhus	9	-	-	-	-	-	-	2	2	-	2	1	1	1	-	-	1	-
Cholera, Diarrh., Dysent^{y}	10	4	1	1	1	1	8	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.	25	7	1	-	1	-	9	3	1	1	1	1	3	1	1	4	-	-
Cancer	9	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	-	1
Scrofula, Tabes Mesent.	9	-	2	2	-	-	4	2	1	-	-	1	1	-	-	-	-	-
Phthisis	74	-	1	1	-	-	2	3	1	8	5	23	16	10	5	1	-	-
Hydrocephalus	14	2	-	4	2	2	10	2	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	87	25	2	1	3	1	32	5	1	2	2	1	3	4	12	11	11	3
Heart Dis. and Dropsy	48	1	1	-	-	-	2	-	-	-	-	4	5	6	10	12	7	2
Dis. of Lungs	52	14	5	-	-	-	19	1	1	-	-	1	1	3	9	9	7	1
Dis. of Stom. and Liver	26	3	1	-	1	-	5	1	-	-	1	2	3	4	7	3	-	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	2	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	15	2	1	2	2	1	8	2	-	1	-	1	1	2	-	-	-	-
Other Causes	121	41	2	2	1	1	47	1	-	-	-	2	1	1	2	15	29	23
131.—WINDSOR.																		
Mean Popul^{n}, 1851-61	10108	-	-	-	-	-	1143	1084	1105	869	1063	1668	1263	870	602	315	110	16
TOTAL DEATHS	2123	389	128	70	47	33	667	86	50	47	98	179	188	196	187	219	153	53
Small-pox	10	1	-	-	-	-	1	-	-	1	2	4	-	-	1	1	-	-
Measles	31	5	10	5	5	-	25	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	70	1	9	10	11	3	34	24	9	1	-	-	1	1	-	-	-	-
Diphtheria	4	-	1	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-
Whooping-cough	39	15	9	6	5	1	36	2	1	-	-	-	-	-	-	-	-	-
Typhus	89	3	5	3	3	5	19	10	5	7	11	9	8	8	4	5	3	-
Cholera, Diarrh., Dysent^{y}	54	22	5	2	-	-	29	1	-	1	-	-	3	5	2	10	3	-
Other Zymotic Dis.	98	23	8	6	2	5	44	4	2	3	3	6	13	5	9	7	2	-
Cancer	22	-	-	-	-	-	-	-	-	-	1	2	1	4	2	7	4	1
Scrofula, Tabes Mesent.	51	21	9	4	6	1	41	3	1	-	1	1	1	2	1	-	-	-
Phthisis	327	2	3	2	1	3	11	4	7	15	52	86	71	45	26	8	2	-
Hydrocephalus	57	20	14	5	5	5	49	6	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	306	68	9	9	2	1	89	7	4	2	4	18	14	38	36	53	36	5
Heart Dis. and Dropsy	187	3	4	2	1	-	6	1	5	4	3	14	13	19	28	29	14	1
Dis. of Lungs	298	75	27	9	5	3	119	9	3	4	4	6	20	32	32	34	31	4
Dis. of Stom. and Liver	94	8	1	-	-	1	10	1	3	-	2	9	14	19	16	14	5	1
Dis. of Kidneys	44	-	1	-	-	1	2	-	1	-	1	3	6	5	3	17	5	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Diseases of the Joints	4	1	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	113	9	3	4	-	2	18	4	8	8	12	18	17	8	8	8	4	-
Other Causes	269	112	14	3	1	2	132	1	-	-	1	2	5	4	16	26	42	40

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
130.—EASTHAMPSTEAD.																		
Mean Popul^{n}, 1851-61	3321	-	-	-	-	-	454	414	363	265	273	516	367	276	198	131	55	9
TOTAL DEATHS	553	85	21	16	7	9	138	25	16	24	21	48	43	42	40	61	74	21
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	2	1	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	18	1	1	3	1	2	8	4	4	1	-	-	1	-	-	-	-	-
Diphtheria	4	2	1	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	11	7	1	2	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Typhus	21	-	-	2	-	1	3	1	6	1	4	2	2	-	-	1	1	-
Cholera, Diarrh., Dysent^{y}	11	2	1	-	-	1	4	1	-	-	-	2	-	-	2	1	1	-
Other Zymotic Dis.	27	6	2	1	1	1	11	8	1	-	1	2	1	1	-	1	1	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	-	-
Scrofula, Tabes Mesent.	7	-	1	1	-	-	2	2	2	-	-	-	-	1	-	-	-	-
Phthisis	85	1	-	1	-	1	3	3	-	14	8	22	20	9	2	4	-	-
Hydrocephalus	3	-	2	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	69	14	1	2	1	1	19	1	2	2	2	2	2	5	6	16	10	-
Heart Dis. and Dropsy	62	1	1	-	-	-	2	1	1	4	2	5	3	13	11	10	10	-
Dis. of Lungs	50	8	4	2	1	-	15	1	-	-	1	2	6	2	3	10	7	3
Dis. of Stom. and Liver	30	-	2	-	2	-	4	1	-	1	2	2	2	4	6	6	-	2
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	4	2	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	5	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-
Violent Deaths	8	2	-	-	-	1	3	-	-	-	-	2	2	1	-	-	-	-
Other Causes	116	37	3	1	-	-	41	-	-	1	1	-	1	1	4	8	43	16
131.—WINDSOR.																		
Mean Popul^{n}, 1851-61	10232	-	-	-	-	-	1180	1072	963	961	886	1652	1325	982	664	380	141	27
TOTAL DEATHS	1916	306	113	61	59	38	577	86	52	53	78	138	148	134	168	214	190	78
Small-pox	5	-	2	1	1	1	5	-	-	-	-	-	-	-	-	-	-	-
Measles	29	5	5	5	6	1	22	6	1	-	-	-	-	-	-	-	-	-
Scarlatina	86	4	14	15	7	13	53	23	4	2	3	-	1	-	-	-	-	-
Diphtheria	12	-	2	1	4	1	8	2	-	2	-	-	-	-	-	-	-	-
Whooping-cough	48	21	13	6	2	-	42	5	-	-	-	-	-	1	-	-	-	-
Typhus	87	3	2	4	6	5	20	5	5	9	9	9	9	5	6	6	3	1
Cholera, Diarrh., Dysent^{y}	61	31	2	3	2	1	39	1	-	1	-	3	2	2	5	4	3	1
Other Zymotic Dis.	84	19	3	4	3	4	33	4	5	2	4	8	4	3	1	12	6	2
Cancer	45	-	-	-	-	-	-	-	-	-	-	-	11	12	11	5	5	1
Scrofula, Tabes Mesent.	32	9	2	3	3	1	18	4	1	-	3	1	1	-	2	2	-	-
Phthisis	268	7	4	4	1	2	18	8	14	20	43	59	52	27	17	7	3	-
Hydrocephalus	40	11	16	2	3	1	33	4	2	-	-	1	-	-	-	-	-	-
Diseases of Brain	224	31	6	2	4	2	45	7	6	4	5	9	13	29	34	45	29	7
Heart Dis. and Dropsy	147	1	2	2	3	1	9	2	2	7	3	11	10	18	21	31	32	1
Dis. of Lungs	245	50	27	6	7	4	94	6	3	2	1	6	9	12	26	44	32	10
Dis. of Stom. and Liver	116	7	-	-	1	-	8	3	4	3	4	15	10	12	27	16	13	1
Dis. of Kidneys	15	-	-	-	-	-	-	1	-	-	-	-	3	5	3	3	-	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	1	-	-	1	1	3	3	3	1	-
Diseases of the Joints	6	-	-	-	-	-	-	2	2	-	-	-	-	1	1	-	-	-
Diseases of the Skin	8	2	2	-	-	-	4	1	-	-	-	-	1	1	-	1	-	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-
Violent Deaths	38	6	3	1	3	1	14	1	2	1	2	3	7	-	3	1	3	1
Other Causes	287	99	8	2	3	-	112	1	-	-	1	2	4	3	3	34	69	53

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
132.—STAINES.																		
Mean Popul^{n}, 1851-61	7504	-	-	-	-	-	964	926	973	732	571	1034	825	663	458	270	103	15
TOTAL DEATHS	1449	335	94	45	27	17	518	71	25	44	44	78	89	108	144	138	153	37
Small-pox	16	2	1	-	1	-	4	1	2	-	3	3	2	-	-	1	-	-
Measles	32	6	13	2	8	1	25	6	-	1	-	-	-	-	-	-	-	-
Scarlatina	36	-	6	5	6	1	18	12	5	-	-	-	1	-	-	-	-	-
Diphtheria	19	1	2	2	2	1	8	9	1	-	-	-	-	1	-	-	-	-
Whooping-cough	14	11	1	2	-	-	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	64	5	2	2	2	4	15	9	5	9	6	6	4	1	3	2	4	-
Cholera, Diarrh., Dysent^{y}	86	47	12	2	-	-	61	3	2	-	-	2	1	4	5	4	4	-
Other Zymotic Dis.	37	17	1	-	3	2	23	1	-	-	-	1	1	2	4	4	1	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	1	1	5	3	3	1	-
Scrofula, Tabes Mesent.	29	10	8	-	4	-	22	-	-	4	1	1	-	1	-	-	-	-
Phthisis	133	2	3	1	-	-	6	4	3	14	16	24	26	19	13	7	-	1
Hydrocephalus	29	12	13	4	-	-	29	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	198	80	7	3	2	1	93	7	1	3	4	6	5	15	20	15	23	6
Heart Dis. and Dropsy	130	8	-	-	1	1	10	3	2	1	2	2	11	12	32	30	23	2
Dis. of Lungs	195	47	15	13	2	3	80	6	-	1	3	11	10	11	26	26	17	4
Dis. of Stom. and Liver	91	11	1	-	1	2	15	1	1	2	1	7	8	12	21	16	6	1
Dis. of Kidneys	34	-	-	-	-	-	-	1	1	2	2	1	1	8	4	6	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	76	5	2	4	-	1	12	4	1	6	6	12	12	10	8	3	2	-
Other Causes	212	70	7	5	-	-	82	3	1	1	-	1	5	7	5	21	64	22
133.—UXBRIDGE.																		
Mean Popul^{n}, 1851-61	10562	-	-	-	-	-	1357	1311	1180	924	836	1501	1308	985	652	366	127	15
TOTAL DEATHS	2462	472	150	55	66	31	774	94	57	57	71	197	267	242	209	252	195	47
Small-pox	19	3	-	3	1	1	8	3	3	1	1	2	1	-	-	-	-	-
Measles	23	6	8	3	2	-	19	3	-	-	-	1	-	-	-	-	-	-
Scarlatina	71	4	7	7	12	10	40	22	5	2	-	1	1	-	-	-	-	-
Diphtheria	8	1	2	1	1	2	7	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	22	7	4	2	3	2	18	4	-	-	-	-	-	-	-	-	-	-
Typhus	96	6	3	4	7	-	20	8	7	7	8	9	8	6	8	9	4	2
Cholera, Diarrh., Dysent^{y}	100	45	12	3	3	-	63	5	1	1	2	4	4	6	4	7	2	1
Other Zymotic Dis.	105	26	8	8	9	3	54	3	5	3	1	6	4	10	7	7	3	2
Cancer	23	-	-	-	-	-	-	-	-	-	-	-	1	5	5	8	3	1
Scrofula, Tabes Mesent.	19	6	-	2	-	-	8	1	2	2	-	2	1	1	1	1	-	-
Phthisis	222	5	2	1	1	1	10	3	2	15	24	56	59	31	15	5	2	-
Hydrocephalus	51	15	11	3	7	1	37	9	2	-	-	2	1	-	-	-	-	-
Diseases of Brain	513	109	7	2	5	-	123	10	2	7	7	42	97	82	55	58	28	2
Heart Dis. and Dropsy	181	5	1	-	1	1	8	3	5	6	2	5	19	31	37	40	23	2
Dis. of Lungs	333	67	38	10	4	4	123	7	6	5	13	36	35	34	27	31	14	2
Dis. of Stom. and Liver	106	16	2	-	1	2	21	1	6	1	7	13	11	9	23	6	8	-
Dis. of Kidneys	21	-	-	-	-	-	-	-	1	1	1	1	3	2	4	7	1	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	7	-	-	-	-	-	-	2	-	-	-	1	-	-	3	1	-	-
Diseases of the Skin	5	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	95	2	8	2	5	1	18	7	7	5	3	9	12	18	8	5	3	-
Other Causes	441	149	37	4	4	3	197	2	2	1	2	7	10	5	11	65	104	35
134.—BRENTFORD.																		
Mean Popul^{n}, 1851-61	21705	-	-	-	-	-	2948	2770	2585	1895	1796	3055	2521	1863	1281	722	241	28
TOTAL DEATHS	5007	1191	368	206	130	112	2007	225	119	112	141	352	352	384	376	486	355	98
Small-pox	55	7	8	5	5	5	30	10	-	6	3	3	2	1	-	-	-	-
Measles	91	19	35	16	7	9	86	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	184	6	26	30	24	22	108	51	17	1	-	2	4	1	-	-	-	-
Diphtheria	18	3	4	2	2	-	11	5	1	-	-	1	-	-	-	-	-	-
Whooping-cough	64	32	17	6	5	3	63	1	-	-	-	-	-	-	-	-	-	-
Typhus	183	13	7	14	11	8	53	27	19	11	10	17	13	10	9	11	3	-
Cholera, Diarrh., Dysent^{y}	380	164	39	22	10	11	246	16	7	5	11	15	17	13	16	21	10	3
Other Zymotic Dis.	178	55	13	12	14	3	97	5	3	4	1	8	15	11	15	14	4	1
Cancer	37	-	-	-	1	-	1	-	-	1	-	3	2	7	11	8	4	-
Scrofula, Tabes Mesent.	149	61	24	16	8	5	114	12	5	3	2	3	2	2	3	2	1	-
Phthisis	572	5	3	4	1	1	14	8	13	40	64	176	119	93	33	11	1	-
Hydrocephalus	91	37	27	6	5	5	80	5	4	1	-	-	-	-	1	-	-	-
Diseases of Brain	547	137	26	12	9	9	213	17	6	6	2	28	29	52	52	81	53	8
Heart Dis. and Dropsy	339	14	-	2	7	3	26	10	8	7	9	28	35	49	60	75	25	3
Dis. of Lungs	721	194	77	30	12	12	325	19	3	6	11	18	50	57	78	98	50	6
Dis. of Stom. and Liver	246	40	2	4	2	4	52	8	6	7	2	14	21	41	37	44	12	2
Dis. of Kidneys	69	-	-	1	-	-	1	2	1	-	1	2	14	10	14	17	6	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	15	-	-	-	-	-	-	2	2	1	2	1	2	1	2	1	1	-
Diseases of the Skin	14	9	-	-	-	-	9	-	-	-	-	-	-	3	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	216	14	7	3	5	10	59	18	22	13	20	29	19	23	15	12	6	-
Other Causes	837	361	53	21	2	2	439	4	2	-	3	4	8	10	30	89	174	74

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
132.—STAINES.																		
Mean Popul^{n}, 1851-61	7470	-	-	-	-	-	923	917	778	612	638	1117	893	664	432	280	115	21
TOTAL DEATHS	1421	284	94	47	35	32	492	62	28	51	52	96	85	78	99	181	147	50
Small-pox	8	2	-	1	-	-	3	3	-	-	-	1	-	1	-	-	-	-
Measles	27	5	5	6	2	2	20	7	-	-	-	-	-	-	-	-	-	-
Scarlatina	31	-	1	3	7	5	16	10	2	2	-	1	-	-	-	-	-	-
Diphtheria	8	-	-	-	2	1	3	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough	29	11	8	2	2	2	25	4	-	-	-	-	-	-	-	-	-	-
Typhus	75	2	2	-	4	2	10	9	9	10	6	8	10	1	2	9	1	-
Cholera, Diarrh., Dysent^{y}	90	47	18	3	-	-	68	-	-	2	3	1	3	1	3	2	6	1
Other Zymotic Dis.	44	17	2	6	2	3	30	3	1	-	1	1	-	-	5	2	1	-
Cancer	42	-	-	-	-	-	-	-	-	-	-	3	4	15	6	12	2	-
Scrofula, Tabes Mesent.	34	16	5	2	-	2	25	2	-	1	3	2	-	-	1	-	-	-
Phthisis	156	3	4	-	2	1	10	1	3	14	22	49	34	12	9	2	-	-
Hydrocephalus	13	5	4	2	1	-	12	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	162	47	11	3	4	2	67	6	3	5	2	4	5	8	19	29	13	1
Heart Dis. and Dropsy	123	3	1	1	-	1	6	3	3	1	5	5	6	14	20	38	17	5
Dis. of Lungs	158	39	16	11	6	5	77	3	-	4	3	3	4	9	11	26	14	4
Dis. of Stom. and Liver	78	7	-	1	1	2	11	-	-	2	3	4	3	9	13	25	7	1
Dis. of Kidneys	13	1	-	-	-	-	1	-	1	2	-	1	-	2	2	2	1	-
Dis. of Gener. Organs	7	1	-	-	-	-	1	-	-	-	-	-	1	2	3	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	2	1	1	-	1	-	-	1	-	-	-
Diseases of the Skin	5	1	1	-	-	-	2	-	-	1	1	-	1	-	-	-	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	1	2	9	11	-	-	-	-	-
Violent Deaths	23	4	4	2	1	2	13	1	-	1	1	1	1	1	1	1	2	-
Other Causes	266	73	12	4	1	2	92	4	3	4	-	2	2	3	2	33	83	33
133.—UXBRIDGE.																		
Mean Popul^{n}, 1851-61	10754	-	-	-	-	-	1350	1262	1103	840	876	1615	1331	1034	750	411	156	26
TOTAL DEATHS	2205	382	136	86	48	35	687	81	39	57	68	170	177	177	217	220	228	84
Small-pox	14	3	2	2	1	2	10	2	-	-	1	-	1	-	-	-	-	-
Measles	32	5	9	10	2	3	29	2	-	-	1	-	-	-	-	-	-	-
Scarlatina	57	3	10	4	8	4	29	18	5	4	1	-	-	-	-	-	-	-
Diphtheria	5	-	1	-	1	-	2	1	2	-	-	-	-	-	-	-	-	-
Whooping-cough	32	13	7	8	3	1	32	-	-	-	-	-	-	-	-	-	-	-
Typhus	114	3	4	6	5	6	24	20	8	7	8	19	6	7	6	2	6	1
Cholera, Diarrh., Dysent^{y}	109	39	17	5	1	-	62	4	1	1	2	9	3	8	8	3	6	2
Other Zymotic Dis.	72	15	6	11	2	4	38	1	1	1	1	1	4	6	7	3	6	3
Cancer	44	-	-	-	-	1	1	-	-	-	-	2	10	13	10	5	2	1
Scrofula, Tabes Mesent.	29	6	9	3	-	-	18	3	-	3	1	2	1	1	-	-	-	-
Phthisis	204	4	4	-	1	1	10	3	9	18	23	53	44	21	11	4	8	-
Hydrocephalus	44	11	10	10	6	1	38	4	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	373	64	3	7	6	2	82	5	3	6	8	26	38	41	66	63	28	7
Heart Dis. and Dropsy	151	4	1	-	1	-	6	1	3	1	3	14	11	19	30	39	21	3
Dis. of Lungs	247	53	20	14	5	2	94	1	3	11	8	19	21	22	25	24	16	3
Dis. of Stom. and Liver	93	9	1	-	1	4	15	1	2	3	3	5	8	17	16	15	7	1
Dis. of Kidneys	14	-	-	-	-	-	-	1	-	-	-	-	4	2	4	1	2	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	1
Diseases of the Joints	12	-	-	-	1	-	1	1	1	1	2	2	-	-	1	1	2	-
Diseases of the Skin	3	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	-	5	8	15	1	-	-	-	-
Violent Deaths	54	6	5	1	3	3	18	10	-	-	-	7	6	5	3	1	4	-
Other Causes	465	144	26	5	1	1	177	3	-	-	1	2	4	11	27	58	120	62
134.—BRENTFORD.																		
Mean Popul^{n}, 1851-61	24215	-	-	-	-	-	2979	2724	2552	2165	2266	3787	2865	2153	1455	863	345	61
TOTAL DEATHS	4902	986	340	180	133	100	1739	208	129	159	170	300	321	321	379	496	473	207
Small-pox	34	5	2	5	6	3	21	6	2	-	1	3	1	-	-	-	-	-
Measles	112	22	37	17	14	11	101	9	1	1	-	-	-	-	-	-	-	-
Scarlatina	173	7	25	31	30	14	107	44	14	4	2	1	-	1	-	-	-	-
Diphtheria	21	1	2	2	1	2	8	9	2	-	-	-	1	-	1	-	-	-
Whooping-cough	94	28	33	17	11	2	91	3	-	-	-	-	-	-	-	-	-	-
Typhus	166	-	6	3	8	17	84	22	20	29	15	12	8	7	6	6	6	1
Cholera, Diarrh., Dysent^{y}	388	152	45	12	3	3	215	19	4	7	12	22	17	21	24	21	20	6
Other Zymotic Dis.	140	45	9	6	8	8	76	8	3	3	5	4	4	8	7	14	7	1
Cancer	133	1	-	-	1	-	2	-	1	-	-	2	13	36	42	27	7	3
Scrofula, Tabes Mesent.	120	34	20	14	5	8	81	9	12	4	3	5	2	2	1	1	-	-
Phthisis	518	9	2	3	2	1	17	15	35	54	77	143	106	48	21	1	1	-
Hydrocephalus	97	34	24	14	8	7	87	6	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	509	125	24	14	10	6	179	11	2	15	10	20	18	29	49	93	76	7
Heart Dis. and Dropsy	376	9	3	-	-	1	13	4	11	8	12	19	43	54	69	89	45	9
Dis. of Lungs	609	151	53	23	15	13	260	19	4	13	11	15	21	43	60	81	65	17
Dis. of Stom. and Liver	245	14	1	2	1	-	18	7	8	8	8	18	36	35	46	34	24	3
Dis. of Kidneys	21	-	-	-	1	-	1	-	1	1	1	1	5	3	4	2	2	-
Dis. of Gener. Organs	35	-	-	-	-	-	-	-	-	-	1	2	9	10	10	2	1	-
Diseases of the Joints	10	-	-	-	-	-	-	3	1	-	2	1	-	2	1	-	-	-
Diseases of the Skin	15	7	-	1	-	1	9	-	1	2	-	-	-	-	1	-	2	-
Childbirth and Metria	49	-	-	-	-	-	-	-	-	3	5	22	18	1	-	-	-	-
Violent Deaths	80	17	8	5	5	-	35	8	1	2	2	4	8	7	5	2	3	3
Other Causes	957	325	46	6	4	3	384	6	2	5	3	6	11	14	32	123	214	157

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
135.—HENDON.																		
Mean Popul^{n}, 1851-61	8647	-	-	-	-	-	1105	1031	1060	900	706	1183	1015	802	486	249	95	15
TOTAL DEATHS	1614	335	77	67	33	25	537	73	39	47	68	91	144	136	158	154	125	42
Small-pox	7	4	-	1	-	-	5	-	-	1	1	-	-	-	-	-	-	-
Measles	24	3	4	5	2	4	18	4	1	-	-	1	-	-	-	-	-	-
Scarlatina	64	4	3	7	8	9	31	21	6	5	-	1	-	-	-	-	-	-
Diphtheria	8	-	3	1	-	-	4	3	-	-	-	-	1	-	-	-	-	-
Whooping-cough	28	17	2	3	4	1	27	1	-	-	-	-	-	-	-	-	-	-
Typhus	51	1	1	4	3	2	11	4	5	6	4	4	5	1	4	5	2	-
Cholera,Diarrh.,Dysent^{y}	91	47	3	4	3	-	57	-	-	1	1	4	5	3	5	5	9	1
Other Zymotic Dis.	97	23	6	6	4	1	40	8	2	2	3	4	6	11	9	6	5	1
Cancer	15	-	-	-	-	-	-	-	-	1	-	-	2	3	2	6	1	-
Scrofula, Tabes Mesent.	36	12	4	7	1	1	25	3	2	1	1	-	1	-	1	1	1	-
Phthisis	208	9	5	3	-	-	17	2	8	16	29	41	48	28	14	2	3	-
Hydrocephalus	27	6	9	4	2	1	22	5	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	194	48	7	6	-	2	63	6	3	2	1	5	13	18	31	30	19	3
Heart Dis. and Dropsy	125	3	1	-	1	-	5	1	4	2	3	4	18	12	33	27	13	3
Dis. of Lungs	205	50	17	6	2	2	77	5	2	1	4	6	15	17	24	24	24	6
Dis. of Stom. and Liver	94	12	3	-	1	-	16	3	2	3	6	5	5	20	16	12	4	2
Dis. of Kidneys	24	-	-	1	-	-	1	-	-	-	-	-	4	6	1	4	6	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	93	3	1	7	2	2	15	3	3	4	12	12	14	11	11	5	2	1
Other Causes	215	92	8	2	-	-	102	2	-	2	1	3	6	6	7	27	36	23
136.—BARNET.																		
Mean Popul^{n}, 1851-61	8225	-	-	-	-	-	956	987	1018	717	657	1209	1010	767	518	277	102	7
TOTAL DEATHS	2313	293	83	54	34	24	488	54	42	54	89	243	388	295	253	228	150	29
Small-pox	13	2	-	2	1	-	5	1	2	2	2	-	-	1	-	-	-	-
Measles	26	7	6	6	5	-	24	1	-	-	1	-	-	-	-	-	-	-
Scarlatina	42	2	3	5	5	5	20	13	7	1	1	-	-	-	-	-	-	-
Diphtheria	4	-	1	-	1	-	2	1	-	-	-	-	1	-	-	-	-	-
Whooping-cough	23	10	7	3	1	2	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	47	1	2	3	1	1	8	6	6	7	5	8	-	1	5	1	-	-
Cholera,Diarrh.,Dysent^{y}	97	45	3	3	1	2	59	3	2	-	2	1	7	5	10	3	5	-
Other Zymotic Dis.	57	10	6	4	2	2	24	4	1	1	3	5	4	2	6	5	2	-
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	2	4	6	6	1	-
Scrofula, Tabes Mesent.	22	3	-	1	2	2	8	1	-	2	2	7	2	-	-	-	-	-
Phthisis	253	4	1	1	-	-	6	3	3	11	36	60	58	41	23	10	2	-
Hydrocephalus	58	14	12	4	7	1	38	7	3	-	-	1	5	2	1	1	-	-
Diseases of Brain	855	52	7	3	4	2	68	2	9	13	23	130	241	164	109	61	31	4
Heart Dis. and Dropsy	122	1	1	-	-	2	4	3	2	1	2	6	14	16	21	38	14	1
Dis. of Lungs	193	38	16	13	3	1	71	1	2	2	1	7	20	18	24	29	18	-
Dis. of Stom. and Liver	98	10	4	1	-	1	16	2	-	5	2	9	7	13	17	20	6	1
Dis. of Kidneys	30	-	1	-	-	1	2	1	-	-	-	1	5	8	2	6	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	1	1	3	-	-	-	-	1	3	-	-
Diseases of the Skin	4	2	1	-	-	-	3	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	86	3	1	2	1	1	8	3	2	6	7	8	16	11	7	8	9	1
Other Causes	255	89	6	3	-	1	99	1	2	-	2	-	6	9	21	36	58	21
137.—EDMONTON.																		
Mean Popul^{n}, 1851-61	24966	-	-	-	-	-	3365	3106	2988	2337	2022	3569	2856	2106	1498	789	294	36
TOTAL DEATHS	4804	1124	305	179	98	87	1793	221	114	122	140	272	318	364	423	545	393	99
Small-pox	48	10	6	2	2	2	22	6	2	3	4	3	1	3	2	2	-	-
Measles	77	10	28	24	2	4	68	7	1	-	-	-	1	-	-	-	-	-
Scarlatina	156	5	18	21	27	21	92	46	8	4	-	2	3	1	-	-	-	-
Diphtheria	24	2	4	3	2	2	13	9	-	2	-	-	-	-	-	-	-	-
Whooping-cough	95	38	30	10	3	7	88	5	2	-	-	-	-	-	-	-	-	-
Typhus	164	3	1	5	6	8	23	22	16	13	20	18	13	12	13	11	3	-
Cholera,Diarrh.,Dysent^{y}	291	160	22	7	5	4	198	12	5	4	-	1	2	12	12	18	23	4
Other Zymotic Dis.	226	55	12	19	6	9	101	7	7	8	6	15	12	16	22	17	12	3
Cancer	55	-	1	1	-	-	2	1	-	-	-	1	4	17	12	15	3	-
Scrofula, Tabes Mesent.	98	37	13	6	3	2	61	15	3	4	5	3	1	4	-	1	1	-
Phthisis	503	9	4	4	1	1	19	4	17	35	56	137	112	66	34	19	3	1
Hydrocephalus	157	70	38	18	4	6	136	14	5	1	1	-	-	-	-	-	-	-
Diseases of Brain	551	147	21	15	6	5	194	16	7	6	16	19	38	46	59	97	45	8
Heart Dis. and Dropsy	339	3	2	-	2	3	10	10	8	5	5	8	30	34	86	102	37	4
Dis. of Lungs	594	153	57	23	18	6	257	14	3	5	9	15	31	45	66	92	46	11
Dis. of Stom. and Liver	240	21	2	1	1	1	26	9	10	3	3	17	17	40	49	48	17	1
Dis. of Kidneys	70	1	-	-	-	-	1	1	-	-	1	5	6	13	11	21	11	-
Dis. of Gener. Organs	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Joints	19	1	-	1	-	-	2	6	2	1	2	-	2	2	1	1	-	-
Diseases of the Skin	16	7	-	1	-	-	8	-	-	-	-	-	1	2	3	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	229	6	10	6	4	4	30	12	17	27	10	21	31	33	24	17	7	-
Other Causes	850	385	36	12	6	2	441	5	1	1	2	7	12	18	29	82	185	67

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
135.—HENDON.																		
Mean Popul^{n}, 1851-61	8930	-	-	-	-	-	1071	983	886	820	853	1457	1107	780	521	306	128	18
TOTAL DEATHS	1491	294	93	53	38	21	499	76	49	45	48	97	94	84	108	165	159	67
Small-pox	10	4	-	2	-	-	6	-	2	1	-	1	-	-	-	-	-	-
Measles	30	6	10	4	2	2	24	3	1	1	-	-	1	-	-	-	-	-
Scarlatina	78	3	11	15	15	4	48	17	9	2	1	1	-	-	-	-	-	-
Diphtheria	10	-	1	-	-	-	1	7	2	-	-	-	-	-	-	-	-	-
Whooping-cough	32	16	6	4	3	2	31	1	-	-	-	-	-	-	-	-	-	-
Typhus	53	-	3	1	1	2	7	8	8	5	3	6	4	3	3	3	3	-
Cholera, Diarrh., Dysent^{y}	67	35	7	-	-	-	42	-	1	-	-	1	1	-	2	6	12	2
Other Zymotic Dis.	74	18	4	2	3	1	28	7	3	2	-	5	8	3	5	8	5	-
Cancer	33	-	-	-	-	-	-	-	-	1	-	1	3	8	6	8	5	1
Scrofula, Tabes Mesent.	28	9	3	2	3	1	18	5	2	1	1	-	1	-	-	-	-	-
Phthisis	173	6	2	-	1	-	9	4	12	18	27	47	30	15	6	5	-	-
Hydrocephalus	21	9	5	4	1	-	19	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	185	38	10	3	1	4	56	5	2	1	3	1	9	14	17	45	28	4
Heart Dis. and Dropsy	112	2	-	1	-	-	3	2	1	1	1	8	7	8	35	28	14	4
Dis. of Lungs	184	60	16	11	5	3	95	7	1	1	1	5	6	12	11	22	20	3
Dis. of Stom. and Liver	86	10	2	-	-	1	13	3	2	6	5	10	7	10	12	11	6	1
Dis. of Kidneys	11	-	1	-	-	-	1	-	-	1	-	2	3	2	1	1	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	-	1
Diseases of the Joints	6	-	-	-	-	-	-	2	-	-	-	1	1	-	1	-	1	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	7	-	-	-	-	-	-	-	-	-	-	6	1	-	-	-	-	-
Violent Deaths	40	11	1	4	2	1	19	2	1	2	3	1	3	3	3	1	1	1
Other Causes	242	67	11	-	1	-	79	2	1	2	2	1	7	5	6	24	63	50
136.—BARNET.																		
Mean Popul^{n}, 1851-61	8649	-	-	-	-	-	926	904	837	720	759	1382	1130	865	615	365	120	26
TOTAL DEATHS	1866	227	75	41	27	27	397	53	36	38	69	194	204	186	202	237	179	71
Small-pox	13	2	1	1	1	-	5	-	-	2	2	2	2	-	-	-	-	-
Measles	24	3	9	3	1	4	20	1	1	-	-	2	-	-	-	-	-	-
Scarlatina	35	-	5	3	5	7	20	9	4	1	-	1	-	-	-	-	-	-
Diphtheria	14	2	1	1	1	2	7	5	1	1	-	-	-	-	-	-	-	-
Whooping-cough	36	17	12	4	2	-	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	36	1	1	-	1	4	7	6	5	1	2	2	3	4	1	4	1	-
Cholera, Diarrh., Dysent^{y}	76	32	6	2	-	-	40	3	2	-	-	1	4	6	5	7	6	2
Other Zymotic Dis.	63	12	4	3	3	4	26	4	3	-	-	5	6	5	4	5	5	-
Cancer	54	-	-	-	-	-	-	-	-	-	2	3	13	11	13	11	1	-
Scrofula, Tabes Mesent.	13	1	2	-	-	-	3	2	1	2	1	-	1	1	-	2	-	-
Phthisis	251	-	2	1	-	-	3	5	12	13	30	78	43	40	18	6	2	1
Hydrocephalus	22	5	7	4	-	-	16	4	1	-	-	-	1	-	-	-	-	-
Diseases of Brain	469	26	4	3	6	2	41	3	2	7	17	60	81	68	66	80	36	8
Heart Dis. and Dropsy	119	-	-	-	-	-	-	1	2	2	1	6	18	12	29	24	19	5
Dis. of Lungs	193	33	16	9	5	3	66	4	-	-	3	6	14	12	22	36	25	5
Dis. of Stom. and Liver	100	8	-	-	1	1	10	2	1	3	2	9	3	16	30	13	10	1
Dis. of Kidneys	19	-	-	-	-	-	-	-	-	-	2	3	3	1	2	4	3	1
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	2	2	1	3	1	1	-
Diseases of the Joints	5	-	-	1	-	-	1	-	1	-	-	-	-	2	1	-	-	-
Diseases of the Skin	8	3	-	-	-	-	3	-	-	-	1	-	-	-	-	1	3	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	1	5	10	4	-	-	-	-	-
Violent Deaths	33	4	1	-	1	-	6	2	-	3	1	3	5	6	1	5	1	-
Other Causes	253	78	4	6	-	-	88	1	-	2	-	1	1	1	7	38	66	48
137.—EDMONTON.																		
Mean Popul^{n}, 1851-61	27338	-	-	-	-	-	3309	2985	2706	2488	2648	4408	3280	2394	1709	977	376	58
TOTAL DEATHS	4613	855	279	155	125	69	1483	201	117	139	137	325	300	317	398	546	484	166
Small-pox	41	12	8	1	1	4	26	4	5	1	1	3	-	1	-	-	-	-
Measles	74	9	23	11	13	5	61	8	2	2	-	-	1	-	-	-	-	-
Scarlatina	173	8	14	32	26	14	94	48	18	4	2	6	1	-	-	-	-	-
Diphtheria	19	1	1	3	4	3	12	7	-	-	-	-	-	-	-	-	-	-
Whooping-cough	109	42	26	16	10	6	100	9	-	-	-	-	-	-	-	-	-	-
Typhus	156	4	7	7	13	3	34	21	10	17	13	23	10	9	8	9	2	-
Cholera, Diarrh., Dysent^{y}	268	131	28	3	2	2	166	8	2	2	2	6	14	11	18	19	17	3
Other Zymotic Dis.	152	37	9	15	10	6	77	10	7	4	4	10	5	6	8	12	4	5
Cancer	142	-	1	2	-	-	3	-	-	-	-	7	26	36	33	26	10	1
Scrofula, Tabes Mesent.	75	19	14	3	4	3	43	7	5	7	3	4	-	5	1	-	-	-
Phthisis	504	9	2	1	2	1	15	14	25	53	67	143	94	52	29	10	1	1
Hydrocephalus	101	32	29	9	6	4	80	14	4	2	1	-	-	-	-	-	-	-
Diseases of Brain	527	104	14	12	9	6	145	21	13	8	13	21	24	46	60	96	66	14
Heart Dis. and Dropsy	366	3	2	3	-	-	8	4	6	9	5	22	23	47	80	100	58	4
Dis. of Lungs	521	111	53	21	12	6	203	6	7	5	4	19	28	36	60	90	53	10
Dis. of Stom. and Liver	274	19	3	2	2	2	28	6	5	6	4	14	26	40	55	60	28	2
Dis. of Kidneys	29	-	-	-	2	-	2	1	-	2	-	2	3	5	4	5	5	-
Dis. of Gener. Organs	36	-	-	-	-	-	-	-	-	-	1	6	5	6	9	6	3	-
Diseases of the Joints	25	-	1	2	1	-	4	1	3	3	1	2	4	1	1	4	1	-
Diseases of the Skin	8	4	-	-	-	-	4	-	-	-	1	-	-	1	-	2	-	-
Childbirth and Metria	59	-	-	-	-	-	-	-	-	3	9	22	23	2	-	-	-	-
Violent Deaths	87	12	8	5	7	1	33	8	4	9	4	5	3	4	4	8	3	2
Other Causes	867	298	36	7	1	3	345	4	1	2	2	10	10	9	28	99	233	124

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
138.—WARE.																		
Mean Popul^{n}, 1851-61	8248	-	-	-	-	-	1087	1022	978	846	677	1084	947	729	463	312	92	11
TOTAL DEATHS	1494	276	74	43	34	16	443	42	34	39	42	102	136	108	136	195	176	41
Small-pox	16	5	2	-	1	-	8	2	1	-	2	2	1	-	-	-	-	-
Measles	20	3	5	5	3	4	20	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	11	-	2	2	3	3	10	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	6	1	-	-	1	1	3	1	2	-	-	-	-	-	-	-	-	-
Whooping-cough	23	16	4	2	1	-	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	49	1	3	3	2	1	10	-	7	7	3	7	4	3	2	3	3	-
Cholera, Diarrh., Dysent^{y}	42	16	3	-	1	-	20	1	2	1	-	1	2	2	4	5	4	-
Other Zymotic Dis.	86	22	3	3	2	2	32	1	4	2	2	6	12	5	7	10	3	2
Cancer	25	-	-	-	-	-	-	-	-	-	-	2	2	2	7	10	2	-
Scrofula, Tabes Mesent.	31	9	4	2	1	-	16	1	2	4	2	3	1	1	-	1	-	-
Phthisis	183	5	3	-	1	-	9	3	2	9	16	40	47	28	22	5	2	-
Hydrocephalus	18	3	5	1	4	-	13	2	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	176	42	5	2	4	2	55	4	4	3	2	2	12	11	12	46	23	2
Heart Dis. and Dropsy	96	-	1	1	-	-	2	2	1	1	2	6	7	14	17	29	15	-
Dis. of Lungs	233	49	24	12	4	1	90	11	-	2	5	8	16	9	26	33	28	5
Dis. of Stom. and Liver	87	7	1	2	2	-	12	-	-	3	2	7	12	15	18	12	3	3
Dis. of Kidneys	23	-	-	-	-	-	-	-	-	-	-	-	2	2	1	10	6	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-
Diseases of the Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	88	3	2	4	1	2	12	10	5	6	4	12	11	11	6	5	6	-
Other Causes	274	92	7	4	3	-	106	2	1	-	1	6	7	5	13	26	81	23
139.—BISHOP STORTFORD.																		
Mean Popul^{n}, 1851-61	10151	-	-	-	-	-	1368	1273	1140	1030	786	1287	1123	927	672	390	139	16
TOTAL DEATHS	1823	373	95	46	37	21	572	69	43	50	61	112	98	120	173	238	225	62
Small-pox	6	2	-	-	-	-	2	-	-	-	-	2	1	1	-	-	-	-
Measles	10	-	4	2	-	-	6	3	-	-	-	1	-	-	-	-	-	-
Scarlatina	24	4	2	1	7	3	17	4	1	1	-	1	-	-	-	-	-	-
Diphtheria	5	1	1	-	1	1	3	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	31	14	10	2	3	1	30	1	-	-	-	-	-	-	-	-	-	-
Typhus	59	-	-	-	-	-	-	9	6	3	5	8	5	5	7	6	4	1
Cholera, Diarrh., Dysent^{y}	78	30	4	1	4	-	39	2	2	-	-	2	1	4	5	7	12	4
Other Zymotic Dis.	82	17	5	4	3	3	32	5	3	2	-	5	6	7	9	6	7	-
Cancer	28	-	-	-	1	-	1	-	-	-	-	1	4	7	5	7	3	-
Scrofula, Tabes Mesent.	42	14	2	2	-	-	18	5	6	2	2	3	2	1	1	1	1	-
Phthisis	169	-	1	-	2	-	3	3	8	17	38	40	24	22	8	8	3	-
Hydrocephalus	23	6	5	2	-	1	14	7	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	208	51	13	7	3	5	79	5	-	1	2	8	9	9	22	32	36	5
Heart Dis. and Dropsy	147	6	3	-	1	1	11	5	1	4	3	8	4	16	29	46	19	1
Dis. of Lungs	330	67	30	17	7	3	124	5	3	7	3	12	15	17	33	56	46	9
Dis. of Stom. and Liver	116	11	2	2	1	1	17	4	-	7	1	6	9	11	28	20	11	2
Dis. of Kidneys	36	-	-	-	-	-	-	-	1	-	2	4	5	3	7	10	4	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	8	-	1	-	-	-	1	-	-	-	1	1	1	2	1	-	1	-
Diseases of the Skin	5	1	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	87	4	3	2	4	2	15	8	9	4	1	9	8	11	9	9	3	1
Other Causes	328	145	9	4	1	-	159	2	1	2	2	1	4	4	6	34	74	39
140.—ROYSTON.																		
Mean Popul^{n}, 1851-61	13118	-	-	-	-	-	1775	1648	1549	1414	1054	1614	1391	1155	856	479	162	20
TOTAL DEATHS	2398	633	178	59	51	21	942	82	65	69	84	117	105	149	196	258	265	66
Small-pox	24	8	1	-	-	-	9	2	-	1	4	7	1	-	-	-	-	-
Measles	42	7	13	10	2	1	33	6	-	2	1	-	-	-	-	-	-	-
Scarlatina	25	5	7	1	2	3	18	6	1	-	-	-	-	-	-	-	-	-
Diphtheria	6	2	1	1	1	-	5	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	38	19	9	3	5	-	36	2	-	-	-	-	-	-	-	-	-	-
Typhus	133	-	8	4	3	1	11	13	11	19	9	17	17	12	13	8	2	1
Cholera, Diarrh., Dysent^{y}	118	68	23	2	-	-	93	1	-	1	-	1	2	-	2	7	9	2
Other Zymotic Dis.	95	25	11	6	5	-	47	5	2	1	1	-	3	9	10	10	6	1
Cancer	28	-	-	-	1	-	1	-	-	-	-	-	4	5	7	8	2	1
Scrofula, Tabes Mesent.	47	17	9	2	2	1	31	6	1	3	1	2	-	2	1	-	-	-
Phthisis	304	27	16	4	3	1	51	9	12	20	46	63	37	35	24	5	2	-
Hydrocephalus	30	10	13	2	1	1	27	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	294	112	13	5	6	2	138	4	8	4	2	6	8	20	27	36	39	2
Heart Dis. and Dropsy	148	2	3	-	1	1	7	4	4	4	5	3	4	18	34	42	20	3
Dis. of Lungs	288	86	35	14	13	6	154	7	4	2	5	4	9	19	28	36	16	4
Dis. of Stom. and Liver	111	7	5	-	1	2	15	4	5	3	3	5	12	12	20	19	13	-
Dis. of Kidneys	51	-	1	-	-	-	1	-	-	4	-	1	2	8	7	22	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	1	-	-	-	1	1	1	-	-	1	-	-	2	1	-	-
Diseases of the Skin	9	2	1	-	-	-	3	-	1	-	-	1	-	-	1	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	77	6	3	3	4	1	17	9	15	3	6	5	4	6	3	3	4	2
Other Causes	523	230	10	2	1	1	244	-	-	2	1	-	2	3	17	59	146	49

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
138.—WARE.																		
Mean Popul^{n}, 1851-61	8251	-	-	-	-	-	1103	991	945	713	662	1123	960	730	529	325	150	20
TOTAL DEATHS	1425	215	87	38	28	20	388	61	45	50	49	77	98	89	106	189	217	65
Small-pox	11	1	-	1	2	-	4	2	1	-	-	1	2	1	-	-	-	-
Measles	15	2	7	1	3	-	13	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	11	-	1	2	1	2	6	3	1	-	-	-	-	-	1	-	-	-
Diphtheria	9	-	-	-	-	1	1	6	1	1	-	-	-	-	-	-	-	-
Whooping-cough	27	9	8	2	3	2	24	3	-	-	-	-	-	-	-	-	-	-
Typhus	63	3	1	1	2	2	9	14	12	7	3	3	3	2	3	5	2	-
Cholera, Diarrh., Dysent^{y}	40	10	7	1	-	-	18	-	-	-	-	3	1	2	-	9	4	3
Other Zymotic Dis.	66	15	4	4	1	3	27	4	3	3	2	1	4	2	3	9	6	2
Cancer	41	-	-	-	-	-	-	-	-	1	-	3	4	11	9	6	7	-
Scrofula, Tabes Mesent.	28	4	3	3	2	-	12	5	-	3	2	-	1	2	1	2	-	-
Phthisis	186	6	4	3	1	-	14	3	12	24	27	32	38	21	10	4	1	-
Hydrocephalus	18	7	4	2	2	-	15	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	190	30	5	4	4	5	48	5	5	4	4	5	13	13	15	31	39	5
Heart Dis. and Dropsy	122	2	-	1	-	-	3	2	3	1	2	6	8	11	30	33	29	3
Dis. of Lungs	180	32	26	7	4	3	72	2	2	1	3	4	6	6	14	27	33	10
Dis. of Stom. and Liver	79	7	2	-	-	-	9	6	1	1	3	7	5	8	10	17	9	3
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	1	-	-	2	2	1	4	-	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	-	-
Diseases of the Joints	5	1	-	-	-	1	2	-	1	-	-	-	-	-	-	1	1	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	2	8	8	-	-	-	-	-
Violent Deaths	25	2	2	4	2	1	11	2	1	3	-	1	1	1	2	-	2	1
Other Causes	270	83	13	2	1	-	99	-	1	-	1	1	-	6	4	27	93	38
139.—BISHOP STORTFORD.																		
Mean Popul^{n}, 1851-61	10133	-	-	-	-	-	1383	1282	1162	915	800	1342	1133	891	633	397	169	26
TOTAL DEATHS	1810	321	106	53	29	27	536	64	45	69	75	111	127	97	151	208	255	72
Small-pox	5	1	1	1	1	-	4	-	-	-	-	-	-	-	1	-	-	-
Measles	11	3	5	1	-	1	10	-	-	-	1	-	-	-	-	-	-	-
Scarlatina	32	1	6	6	2	4	19	4	3	2	1	2	1	-	-	-	-	-
Diphtheria	4	-	1	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	65	23	20	10	4	4	61	4	-	-	-	-	-	-	-	-	-	-
Typhus	72	1	4	1	2	2	10	7	5	9	8	9	6	7	7	1	3	-
Cholera, Diarrh., Dysent^{y}	68	18	12	1	3	3	37	-	1	1	1	-	1	2	3	6	12	4
Other Zymotic Dis.	66	13	5	2	4	2	26	9	4	-	3	1	2	6	1	5	6	3
Cancer	51	-	-	-	-	-	-	-	1	-	1	3	8	6	13	11	6	2
Scrofula, Tabes Mesent.	38	9	3	2	-	1	15	5	5	3	3	2	3	1	1	-	-	-
Phthisis	222	4	3	-	-	1	8	6	11	26	36	53	41	22	11	8	-	-
Hydrocephalus	15	6	4	2	1	-	13	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	237	45	6	6	3	-	60	10	5	9	7	3	13	12	24	49	38	7
Heart Dis. and Dropsy	139	1	-	1	1	-	3	2	-	6	1	4	9	15	31	38	28	2
Dis. of Lungs	238	53	23	14	3	4	97	4	3	3	3	6	9	5	15	30	54	9
Dis. of Stom. and Liver	131	12	1	-	1	-	14	6	-	3	1	9	12	13	31	26	16	-
Dis. of Kidneys	16	-	-	-	1	-	1	-	1	1	-	1	3	-	3	3	3	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	1	2	2	5	1	1	2	1
Diseases of the Joints	5	-	-	-	-	1	1	-	1	-	1	2	-	-	-	-	-	-
Diseases of the Skin	6	2	-	-	-	-	2	-	-	-	-	-	1	-	-	1	1	1
Childbirth and Metria	33	-	-	-	-	-	-	-	-	4	4	13	12	-	-	-	-	-
Violent Deaths	25	4	1	4	2	2	13	2	-	1	-	1	1	-	2	1	3	1
Other Causes	316	125	11	2	1	2	141	2	3	1	3	-	3	3	7	28	83	42
140.—ROYSTON.																		
Mean Popul^{n}, 1851-61	12567	-	-	-	-	-	1772	1588	1475	1132	961	1670	1389	1071	799	484	201	25
TOTAL DEATHS	2359	544	150	75	43	30	842	77	70	97	87	163	140	120	165	257	266	75
Small-pox	13	5	-	1	-	-	6	3	1	1	-	1	1	-	-	-	-	-
Measles	20	5	6	7	-	1	19	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	33	2	5	3	3	7	20	8	1	2	-	-	1	1	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	58	26	18	9	1	-	54	4	-	-	-	-	-	-	-	-	-	-
Typhus	132	5	1	5	3	6	20	12	22	20	13	14	9	5	9	6	1	1
Cholera, Diarrh., Dysent^{y}	83	32	18	4	1	-	55	-	1	-	1	-	4	2	3	7	8	2
Other Zymotic Dis.	85	15	6	6	2	4	33	5	2	4	2	4	3	2	7	9	12	2
Cancer	50	1	-	-	1	-	2	-	1	-	-	2	7	9	18	8	3	-
Scrofula, Tabes Mesent.	60	15	8	6	-	-	29	2	4	3	2	3	2	2	2	1	-	-
Phthisis	377	25	10	6	5	1	47	16	19	47	48	79	52	41	18	10	-	-
Hydrocephalus	17	1	2	5	1	2	11	1	1	3	1	-	-	-	-	-	-	-
Diseases of Brain	206	87	8	2	5	1	103	5	6	2	3	9	11	14	24	49	35	5
Heart Dis. and Dropsy	157	3	1	-	-	-	4	-	1	5	4	11	11	16	35	40	27	3
Dis. of Lungs	235	70	37	13	11	6	137	8	3	3	4	6	8	3	12	29	17	5
Dis. of Stom. and Liver	117	11	5	2	2	1	21	1	4	3	1	9	8	11	25	22	11	1
Dis. of Kidneys	14	-	-	-	-	-	-	-	1	-	-	1	1	3	2	5	1	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	4	4	1	1	-	1	-
Diseases of the Joints	4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-
Diseases of the Skin	8	5	-	-	1	-	6	-	-	-	-	1	-	-	-	1	-	-
Childbirth and Metria	37	-	-	-	-	-	-	-	-	2	8	13	13	1	-	-	-	-
Violent Deaths	33	4	2	2	4	1	13	5	1	-	-	3	2	2	-	5	2	-
Other Causes	559	232	23	4	3	-	262	5	2	2	-	3	3	6	8	65	147	56

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
141.—HITCHIN.																		
Mean Popul^{n}, 1851-61	12184	-	-	-	-	-	1744	1554	1421	1173	961	1668	1348	1026	722	417	134	16
TOTAL DEATHS	2381	707	160	69	31	24	991	81	65	65	76	110	143	134	189	240	234	53
Small-pox	13	3	1	-	1	-	5	2	1	1	-	2	1	-	1	-	-	-
Measles	39	6	18	7	3	3	37	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	37	1	5	6	2	2	16	17	3	1	-	-	-	-	-	-	-	-
Diphtheria	15	1	1	2	1	1	6	5	-	3	-	-	-	1	-	-	-	-
Whooping-cough	49	25	10	8	2	1	46	3	-	-	-	-	-	-	-	-	-	-
Typhus	84	3	1	2	2	2	10	6	10	11	10	10	9	10	4	4	-	-
Cholera, Diarrh., Dysent^{y}	110	69	18	5	-	-	92	1	-	-	1	-	3	2	4	3	4	-
Other Zymotic Dis.	90	19	9	3	1	2	34	5	4	2	2	4	5	8	11	8	7	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	1	1	1	7	4	-	-
Scrofula, Tabes Mesent.	51	15	6	4	2	-	27	7	4	5	1	4	1	1	-	1	-	-
Phthisis	225	3	1	1	1	-	6	5	7	20	42	50	48	32	11	3	1	-
Hydrocephalus	27	2	7	4	2	2	17	4	5	1	-	-	-	-	-	-	-	-
Diseases of Brain	319	144	15	6	6	2	173	9	7	6	6	8	15	16	24	31	24	-
Heart Dis. and Dropsy	144	1	-	1	-	1	3	-	2	4	1	4	12	17	41	35	25	-
Dis. of Lungs	284	56	36	10	5	2	109	2	3	7	3	4	13	15	36	60	28	4
Dis. of Stom. and Liver	100	6	1	1	-	-	8	3	3	1	2	7	14	20	18	17	7	-
Dis. of Kidneys	28	-	-	-	-	-	-	1	-	-	1	2	3	3	5	9	3	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	73	4	3	3	2	3	15	3	14	3	4	10	9	7	3	1	3	1
Other Causes	673	349	28	6	1	2	386	6	2	-	2	3	7	2	24	63	131	47
142.—HERTFORD.																		
Mean Popul^{n}, 1851-61	7764	-	-	-	-	-	947	1123	967	747	632	994	842	664	470	271	94	13
TOTAL DEATHS	1422	292	77	38	27	22	456	75	37	41	43	86	108	105	132	171	132	36
Small-pox	14	2	2	1	1	-	6	4	1	1	-	-	1	1	-	-	-	-
Measles	8	-	2	3	-	2	7	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	22	2	2	1	5	5	15	4	2	-	-	1	-	-	-	-	-	-
Diphtheria	23	2	2	-	1	3	8	12	2	-	-	-	-	1	-	-	-	-
Whooping-cough	17	10	5	-	2	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	53	-	2	-	-	1	3	10	6	8	2	6	7	3	1	6	1	-
Cholera, Diarrh., Dysent^{y}	49	19	3	2	3	2	29	2	1	-	2	2	1	3	1	2	6	-
Other Zymotic Dis.	40	8	3	5	2	1	19	8	-	-	-	2	3	3	-	3	1	1
Cancer	23	-	-	-	-	-	-	-	1	1	-	1	-	8	4	8	-	-
Scrofula, Tabes Mesent.	12	3	4	2	-	1	10	-	-	2	-	-	-	-	-	-	-	-
Phthisis	200	5	6	2	1	-	14	2	4	13	25	48	47	23	18	5	1	-
Hydrocephalus	20	5	4	2	4	2	17	2	-	-	-	-	1	-	-	-	-	-
Diseases of Brain	238	134	11	4	5	-	154	6	2	2	4	2	11	8	17	21	11	-
Heart Dis. and Dropsy	90	-	1	-	-	-	1	4	4	3	1	3	12	14	21	20	7	-
Dis. of Lungs	167	36	13	8	1	2	60	4	3	2	3	6	9	17	24	28	11	2
Dis. of Stom. and Liver	64	11	2	1	1	2	17	2	3	2	-	6	2	9	12	7	4	-
Dis. of Kidneys	14	-	-	-	-	-	-	1	-	-	-	-	1	3	2	5	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	1	-	-	1	1	-	1	-	2	-	-
Diseases of the Skin	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	68	2	1	4	1	1	9	9	6	8	3	6	7	7	6	5	2	-
Other Causes	292	53	13	3	-	-	69	2	2	1	-	2	6	4	26	61	86	33
143.—HATFIELD.																		
Mean Popul^{n}, 1851-61	4294	-	-	-	-	-	568	506	434	433	378	593	502	385	281	151	54	9
TOTAL DEATHS	778	166	39	14	7	7	233	31	11	17	15	61	48	53	78	114	88	29
Small-pox	2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Measles	4	1	-	2	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	18	2	-	2	2	2	8	8	1	-	-	-	-	-	-	-	-	-
Diphtheria	4	1	1	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-
Whooping-cough	12	7	4	1	-	-	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	25	-	-	-	1	-	1	5	4	5	-	5	1	1	2	1	-	-
Cholera, Diarrh., Dysent^{y}	30	13	3	-	-	-	16	-	-	1	-	1	2	3	1	1	2	4
Other Zymotic Dis.	31	6	3	2	1	-	12	4	-	1	1	2	3	1	2	4	1	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	-	1
Scrofula, Tabes Mesent.	6	3	-	-	-	-	3	1	-	-	1	1	-	-	-	-	-	-
Phthisis	68	-	1	-	-	-	1	4	-	2	7	22	15	10	5	2	-	-
Hydrocephalus	13	6	4	-	-	2	12	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	122	32	3	4	-	-	39	1	-	1	2	4	2	7	11	31	19	5
Heart Dis. and Dropsy	45	2	-	-	-	-	2	-	-	1	-	2	5	6	8	15	5	1
Dis. of Lungs	118	27	10	1	-	1	39	1	1	-	3	6	6	10	17	18	13	4
Dis. of Stom. and Liver	45	7	1	-	-	1	9	1	-	-	1	4	2	6	11	10	-	1
Dis. of Kidneys	15	1	-	-	-	-	1	-	-	2	-	1	2	4	-	2	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	6	1	-	-	1	1	3	-	-	-	-	1	1	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	42	2	1	1	1	-	5	3	3	4	-	9	6	2	5	5	-	-
Other Causes	161	55	7	1	1	-	64	-	1	-	-	1	1	2	12	20	43	17

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
141.—HITCHIN.																		
Mean Popul^{n}, 1851-61	12982	-	-	-	-	-	1733	1626	1396	1326	1148	1844	1419	1075	778	438	172	25
TOTAL DEATHS	2338	535	156	75	45	36	847	85	58	81	85	175	149	143	180	239	226	70
Small-pox	18	6	1	1	-	-	8	3	2	-	1	2	1	-	-	-	1	-
Measles	36	5	14	8	1	1	29	7	-	-	-	-	-	-	-	-	-	-
Scarlatina	28	1	1	2	6	3	13	8	2	2	-	2	1	-	-	-	-	-
Diphtheria	11	-	-	2	2	2	6	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	83	33	22	11	11	3	80	3	-	-	-	-	-	-	-	-	-	-
Typhus	81	1	1	1	2	1	6	16	10	9	9	7	9	3	4	5	2	1
Cholera, Diarrh., Dysent^{y}	111	41	17	5	1	2	66	1	1	-	1	1	4	3	6	12	13	3
Other Zymotic Dis.	65	17	3	7	4	6	37	2	4	2	-	3	1	3	5	3	4	1
Cancer	53	-	-	-	-	-	-	-	-	-	-	1	6	18	16	10	1	1
Scrofula, Tabes Mesent.	45	12	7	1	1	3	24	2	4	3	2	2	4	2	2	-	-	-
Phthisis	309	2	7	1	1	-	11	7	16	44	40	86	53	27	19	6	-	-
Hydrocephalus	26	8	4	4	1	5	22	3	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	307	120	13	9	2	7	151	5	3	4	5	7	10	18	33	33	33	5
Heart Dis. and Dropsy	199	1	-	1	1	-	3	4	4	4	2	16	12	29	41	55	27	2
Dis. of Lungs	207	40	23	4	2	3	72	6	1	4	8	9	6	10	14	42	31	4
Dis. of Stom. and Liver	78	5	1	-	2	-	8	1	-	4	5	5	12	12	14	8	8	1
Dis. of Kidneys	11	-	-	-	-	-	-	1	-	1	-	1	2	1	1	2	2	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	-	2	4	4	1	1	-
Diseases of the Joints	5	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Childbirth and Metria	44	-	-	-	-	-	-	-	-	-	9	21	12	2	-	-	-	-
Violent Deaths	28	-	5	3	2	-	10	2	-	1	-	3	2	2	4	1	1	2
Other Causes	579	243	37	15	6	-	301	10	9	2	2	8	11	8	17	60	101	50
142.—HERTFORD.																		
Mean Popul^{n}, 1851-61	7432	-	-	-	-	-	951	861	845	640	626	1057	871	673	489	293	113	13
TOTAL DEATHS	1230	211	66	42	21	27	367	56	35	32	33	82	81	87	106	176	132	43
Small-pox	8	4	-	1	-	-	5	2	-	1	-	-	-	-	-	-	-	-
Measles	9	-	3	2	2	2	9	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	22	-	4	4	3	4	15	5	1	-	1	-	-	-	-	-	-	-
Diphtheria	15	-	1	2	1	1	5	5	5	-	-	-	-	-	-	-	-	-
Whooping-cough	29	11	6	7	1	2	27	2	-	-	-	-	-	-	-	-	-	-
Typhus	35	-	1	-	1	1	3	5	4	4	-	8	1	3	2	5	-	-
Cholera, Diarrh., Dysent^{y}	43	12	4	2	1	2	21	3	-	1	2	3	4	1	3	4	1	-
Other Zymotic Dis.	43	6	2	5	3	2	18	8	1	-	-	1	2	2	3	7	-	1
Cancer	25	-	-	-	-	-	-	-	1	-	-	1	2	5	7	5	3	1
Scrofula, Tabes Mesent.	7	1	-	-	-	-	1	1	1	1	-	-	1	1	1	-	-	-
Phthisis	185	2	5	3	1	2	13	10	7	16	18	43	32	32	11	3	-	-
Hydrocephalus	14	7	1	1	2	1	12	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	185	91	8	4	2	4	109	2	1	2	1	5	5	12	13	27	7	1
Heart Dis. and Dropsy	101	-	-	-	-	-	-	1	6	2	2	4	10	8	22	23	17	1
Dis. of Lungs	116	25	15	7	2	4	53	6	1	2	2	6	6	7	12	12	7	2
Dis. of Stom. and Liver	54	4	1	-	-	-	5	1	1	-	3	2	3	7	13	15	3	1
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	10	-	-	-	-	-	-	-	-	-	-	2	4	2	-	-	-	-
Violent Deaths	21	-	1	2	2	1	6	3	2	-	-	2	3	2	1	2	-	-
Other Causes	298	47	14	2	-	1	64	-	1	3	1	5	7	3	17	67	94	36
143.—HATFIELD.																		
Mean Popul^{n}, 1851-61	4155	-		-	-	-	543	498	454	357	315	627	476	372	267	174	62	10
TOTAL DEATHS	732	150	32	18	15	8	223	26	21	20	18	49	51	51	73	83	80	37
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	-	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	17	-	2	3	3	-	8	6	3	-	-	-	-	-	-	-	-	-
Diphtheria	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough	11	7	1	1	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	31	1	2	-	-	2	5	3	5	1	1	4	3	3	5	-	1	-
Cholera, Diarrh., Dysent^{y}	32	13	2	2	-	1	18	1	-	-	1	1	1	2	-	3	2	3
Other Zymotic Dis.	45	10	1	5	2	4	22	3	4	1	-	3	2	4	2	2	1	1
Cancer	23	-	-	-	-	-	-	-	1	-	-	-	2	6	7	4	2	1
Scrofula, Tabes Mesent.	6	1	-	-	1	-	2	1	-	-	1	-	1	1	-	-	-	-
Phthisis	88	1	2	-	1	-	4	3	2	11	10	18	23	9	5	1	2	-
Hydrocephalus	7	4	1	1	-	-	6	-	-	-	-	-	-	1	-	-	-	-
Diseases of Brain	101	25	3	-	2	-	30	1	-	1	1	2	3	8	20	16	16	3
Heart Dis. and Dropsy	61	2	-	-	-	-	2	2	1	-	2	4	5	6	8	20	10	1
Dis. of Lungs	87	27	8	2	1	-	38	3	3	2	-	4	2	3	11	12	6	3
Dis. of Stom. and Liver	36	1	1	1	-	-	3	2	1	2	-	1	5	5	8	4	3	2
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	7	-	-	-	-	-	-	-	-	-	1	3	3	-	-	-	-	-
Violent Deaths	17	2	-	-	2	-	4	-	-	1	-	3	-	1	-	4	2	2
Other Causes	147	56	7	2	2	-	67	-	-	-	1	3	-	-	6	15	34	21

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

144.—ST. ALBANS.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	8693	-	-	-	-	-	1147	1118	985	849	690	1163	937	735	530	323	104	12
TOTAL DEATHS	1798	486	103	47	45	33	714	65	42	37	62	77	110	126	151	192	192	30
Small-pox	28	8	-	2	3	1	14	6	4	2	-	1	-	1	-	-	-	-
Measles	32	6	7	5	6	3	27	2	2	1	-	-	-	-	-	-	-	-
Scarlatina	39	-	8	3	8	8	27	10	2	-	-	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Whooping-cough	27	13	6	3	2	2	26	1	-	-	-	-	-	-	-	-	-	-
Typhus	68	1	2	2	1	3	9	8	8	5	7	9	5	2	8	5	1	1
Cholera, Diarrh., Dysent^{y}	72	29	8	1	1	4	43	2	1	2	-	-	2	2	3	13	4	-
Other Zymotic Dis.	48	16	4	5	2	2	29	3	1	-	-	3	2	3	4	1	2	-
Cancer	10	-	-	-	-	-	-	-	-	-	-	1	-	2	3	2	2	-
Scrofula, Tabes Mesent.	27	11	5	2	-	-	18	2	2	-	1	2	2	-	-	-	-	-
Phthisis	218	7	2	4	1	2	16	4	6	10	36	26	42	33	27	14	2	2
Hydrocephalus	19	9	5	1	2	1	18	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	255	100	12	7	6	3	128	8	3	1	3	6	8	13	19	33	29	4
Heart Dis. and Dropsy	106	5	-	-	-	1	6	6	2	1	2	2	6	14	20	27	20	-
Dis. of Lungs	268	78	19	8	8	1	114	5	1	2	4	4	11	19	23	33	42	10
Dis. of Stom. and Liver	110	16	8	1	2	2	29	3	3	2	2	8	9	15	17	13	8	1
Dis. of Kidneys	29	-	-	-	1	-	1	-	-	-	-	1	3	4	3	10	7	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of the Joints	8	-	-	-	-	-	-	-	-	3	1	1	1	1	-	-	-	1
Diseases of the Skin	5	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	68	2	2	2	-	-	6	4	6	7	4	8	9	6	13	3	2	-
Other Causes	358	184	15	1	2	-	202	-	-	1	1	4	9	11	11	38	71	10

145.—WATFORD.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	9592	-	-	-	-	-	1235	1186	1122	924	769	1297	1118	849	602	341	129	20
TOTAL DEATHS	1979	467	125	68	41	38	739	81	41	48	58	112	125	136	153	232	201	53
Small-pox	37	5	4	3	1	2	15	6	-	2	6	7	1	-	-	-	-	-
Measles	33	5	11	9	3	2	30	1	1	-	-	-	-	-	-	1	-	-
Scarlatina	34	4	8	3	6	5	26	5	2	1	-	-	-	-	-	-	-	-
Diphtheria	10	2	1	-	1	1	5	2	1	-	-	-	1	1	-	-	-	-
Whooping-cough	23	14	6	1	1	1	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	104	7	7	8	7	5	34	13	7	9	5	4	4	8	8	10	2	-
Cholera, Diarrh., Dysent^{y}	60	38	3	2	-	-	43	2	3	1	2	1	1	2	1	3	-	1
Other Zymotic Dis.	72	16	7	6	3	8	40	7	1	1	2	1	7	5	2	2	2	2
Cancer	20	-	-	-	-	-	-	1	-	-	1	3	2	5	5	2	1	-
Scrofula, Tabes Mesent.	12	5	-	3	-	-	8	-	-	-	2	-	1	-	1	-	-	-
Phthisis	254	9	8	2	3	3	25	5	8	16	26	57	50	33	24	10	-	-
Hydrocephalus	35	13	8	4	2	3	30	4	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	293	120	16	9	6	-	151	5	2	4	2	8	12	19	22	39	28	1
Heart Dis. and Dropsy	114	2	1	1	-	2	6	4	1	1	1	4	10	14	18	33	16	3
Dis. of Lungs	275	67	25	8	4	5	109	11	1	1	1	10	9	17	30	47	35	4
Dis. of Stom. and Liver	68	11	2	1	-	-	14	2	3	3	2	1	4	8	11	16	3	1
Dis. of Kidneys	32	-	-	1	-	-	1	-	-	-	-	2	3	5	4	7	9	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	1	-	-	1	-	2	-	-	1	-	-	4	-	-	-	-	-
Diseases of the Skin	10	3	1	-	-	-	4	2	1	-	-	-	-	-	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	98	4	4	3	3	1	15	7	8	6	6	12	12	11	5	10	6	-
Other Causes	388	141	13	4	-	-	158	4	1	2	2	2	4	8	21	48	98	40

146.—HEMEL HEMPSTEAD.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	6502	-	-	-	-	-	902	883	775	664	527	819	743	550	350	203	77	9
TOTAL DEATHS	1425	416	104	60	38	13	631	57	42	35	51	69	79	96	107	120	110	28
Small-pox	16	5	1	1	-	2	9	5	1	-	-	-	-	-	1	-	-	-
Measles	21	5	4	7	2	1	19	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	30	3	1	6	8	-	18	10	2	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	26	14	5	2	4	1	26	-	-	-	-	-	-	-	-	-	-	-
Typhus	77	3	2	4	4	2	15	6	9	8	10	11	4	5	2	5	2	-
Cholera, Diarrh., Dysent^{y}	60	30	12	3	2	-	47	1	1	1	1	1	1	2	3	-	2	-
Other Zymotic Dis.	34	9	2	4	2	1	18	3	1	2	1	1	-	2	3	2	1	-
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	1	2	5	1	-	1
Scrofula, Tabes Mesent.	20	4	-	1	1	-	6	3	3	-	3	-	1	3	1	-	-	-
Phthisis	134	4	2	3	1	-	10	4	8	8	22	25	26	19	11	1	-	-
Hydrocephalus	14	7	6	-	1	-	14	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	167	68	10	5	2	1	86	5	5	2	-	8	9	12	14	17	8	1
Heart Dis. and Dropsy	75	2	1	1	-	-	4	1	-	2	2	2	7	11	16	22	6	2
Dis. of Lungs	215	57	32	14	6	3	112	8	3	2	3	8	13	17	20	22	7	-
Dis. of Stom. and Liver	48	8	-	1	-	-	9	2	1	1	-	2	3	10	11	8	1	-
Dis. of Kidneys	21	-	-	-	-	-	-	-	1	1	-	-	3	1	6	2	5	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	1	-	-	1	1	-	-	1	1	-	-	1	-	-	-
Diseases of the Skin	6	3	1	-	-	-	4	-	-	-	-	-	1	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	65	6	3	2	1	1	13	4	5	7	7	9	4	6	4	3	3	-
Other Causes	381	188	22	5	4	1	220	2	2	1	1	1	6	6	9	36	75	22

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
144.—ST. ALBANS.																		
Mean Popul^{n}, 1851-61	9772	-	-		-	-	1172	1097	1048	993	915	1439	1138	833	595	387	138	17
TOTAL DEATHS	1795	364	106	48	38	16	572	66	48	70	68	120	128	102	149	205	199	68
Small-pox	22	3	4	3	2	-	12	4	1	1	1	2	1	-	-	-	-	-
Measles	32	3	9	3	3	1	24	6	1	-	-	1	-	-	-	-	-	-
Scarlatina	26	2	6	3	4	2	17	7	2	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	-	1	1	2	-	-	-	-	1	1	-	-	-	-	-
Whooping-cough	42	14	15	1	7	1	38	3	1	-	-	-	-	-	-	-	-	-
Typhus	112	-	2	1	-	3	6	12	18	17	5	14	12	12	6	7	3	-
Cholera, Diarrh., Dysent^{y}	74	26	4	2	2	-	34	5	1	2	3	3	2	-	3	7	7	7
Other Zymotic Dis.	52	15	5	3	1	3	27	4	1	2	1	2	6	2	1	3	3	-
Cancer	46	-	-	-	-	-	-	-	-	-	-	2	7	11	17	5	4	-
Scrofula, Tabes Mesent.	29	7	2	2	2	-	13	4	2	2	-	-	2	3	2	-	1	-
Phthisis	217	6	2	2	2	-	12	-	6	27	36	47	36	15	12	16	8	2
Hydrocephalus	14	5	6	1	-	-	12	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	250	85	13	8	4	1	111	2	3	4	3	11	6	13	18	45	26	8
Heart Dis. and Dropsy	141	4	-	1	-	-	5	2	5	3	7	10	13	11	28	38	16	3
Dis. of Lungs	239	53	22	8	7	2	92	10	3	3	3	5	9	8	21	35	40	10
Dis. of Stom. and Liver	110	7	3	-	1	1	12	3	1	3	2	5	11	12	27	14	17	3
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	2	3	5	-	1	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Diseases of the Skin	6	-	1	-	-	-	1	-	-	-	-	-	-	1	-	2	1	1
Childbirth and Metria	29	-	-	-	-	-	-	-	-	2	5	9	11	2	-	-	-	-
Violent Deaths	19	3	-	1	1	-	5	2	2	-	-	3	1	2	2	1	-	1
Other Causes	313	131	12	4	1	1	149	-	1	4	2	3	7	3	10	29	72	33
145.—WATFORD.																		
Mean Popul^{n}, 1851-61	9985	-	-	-	-	-	1270	1219	1068	899	830	1440	1176	919	624	377	138	25
TOTAL DEATHS	1934	370	145	68	45	36	664	88	49	66	64	121	117	107	172	229	183	74
Small-pox	26	5	5	6	1	3	20	2	1	-	2	-	-	1	-	-	-	-
Measles	43	6	16	10	2	3	37	4	2	-	-	-	-	-	-	-	-	-
Scarlatina	48	1	3	7	5	9	25	13	3	-	1	-	1	-	-	-	-	-
Diphtheria	6	-	-	2	-	-	2	1	1	1	-	-	1	-	-	-	-	-
Whooping-cough	32	14	14	-	1	1	30	2	-	-	-	-	-	-	-	-	-	-
Typhus	103	5	7	5	5	3	25	7	13	8	4	13	6	4	7	11	5	-
Cholera, Diarrh., Dysent^{y}	58	25	7	1	-	-	33	3	-	1	-	-	5	-	3	2	7	4
Other Zymotic Dis.	61	12	9	5	4	5	35	5	2	2	1	1	3	-	5	2	5	-
Cancer	49	-	-	-	-	-	-	-	-	-	1	-	5	15	14	10	4	-
Scrofula, Tabes Mesent.	12	7	2	-	-	-	9	-	-	-	-	1	-	1	1	-	-	-
Phthisis	283	9	10	4	2	1	26	12	18	40	32	60	50	29	13	3	-	-
Hydrocephalus	26	8	7	4	2	-	21	3	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	254	98	17	7	6	3	131	5	2	2	4	7	6	14	27	32	21	3
Heart Dis. and Dropsy	152	1	3	-	2	-	6	5	-	4	3	8	5	13	39	49	16	4
Dis. of Lungs	215	53	21	10	7	5	96	9	2	4	8	9	5	10	20	29	16	7
Dis. of Stom. and Liver	99	11	2	-	2	2	17	4	1	2	2	4	13	10	22	17	7	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of the Skin	8	1	1	-	-	-	2	-	-	-	-	1	-	-	3	1	1	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	-	2	10	8	-	-	-	-	-
Violent Deaths	37	4	1	1	5	1	12	11	-	1	-	1	1	3	1	6	-	1
Other Causes	399	110	20	6	1	-	137	2	2	-	3	6	7	7	13	66	101	55
146.—HEMEL HEMPSTEAD.																		
Mean Popul^{n}, 1851-61	7019	-	-	-	-	-	951	812	785	680	660	1033	839	568	384	223	72	12
TOTAL DEATHS	1375	285	84	48	38	25	480	51	38	50	67	90	115	92	102	134	121	35
Small-pox	15	3	4	1	1	3	12	1	-	-	1	1	-	-	-	-	-	-
Measles	17	1	6	3	2	-	12	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	24	-	1	3	10	2	16	8	-	-	-	-	-	-	-	-	-	-
Diphtheria	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	32	10	13	7	-	1	31	1	-	-	-	-	-	-	-	-	-	-
Typhus	105	1	2	4	3	6	16	10	20	9	10	10	12	6	7	2	3	-
Cholera, Diarrh., Dysent^{y}	55	23	4	4	1	1	33	-	-	-	1	5	3	6	1	3	2	1
Other Zymotic Dis.	33	10	4	3	1	1	19	2	1	-	3	1	1	1	1	3	1	-
Cancer	42	-	-	-	-	-	-	1	-	-	-	3	7	15	6	8	1	1
Scrofula, Tabes Mesent.	18	5	6	1	1	-	13	1	1	-	-	-	2	1	-	-	-	-
Phthisis	176	7	2	-	2	-	11	7	7	26	24	34	40	15	9	2	1	-
Hydrocephalus	7	2	-	1	1	-	4	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	150	36	6	3	4	2	51	2	2	1	6	8	7	9	18	27	18	1
Heart Dis. and Dropsy	94	3	1	1	-	-	5	2	1	6	4	5	9	13	16	17	15	1
Dis. of Lungs	157	42	22	8	6	6	84	1	2	2	4	8	2	7	19	17	11	-
Dis. of Stom. and Liver	65	4	-	1	1	-	6	4	-	1	1	5	13	12	8	12	3	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	1	1	1	-	-	-	2	2	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	1	4	1	1	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	2	9	4	7	-	-	-	-	-
Violent Deaths	24	2	1	4	3	2	12	5	-	1	1	2	-	1	-	1	2	-
Other Causes	319	134	12	3	2	1	152	-	1	2	2	3	6	5	14	39	64	31

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
147.—BERKHAMPSTEAD.																		
Mean Popul^{n}, 1851-61	6065	-	-	-	-	-	874	753	743	616	478	780	672	511	366	203	62	7
TOTAL DEATHS	1328	346	113	68	31	19	577	60	27	35	32	70	83	78	98	143	95	30
Small-pox	6	1	1	1	1	-	4	1	-	-	-	-	-	-	-	1	-	-
Measles	31	4	10	6	2	2	24	7	-	-	-	-	-	-	-	-	-	-
Scarlatina	37	4	3	7	9	2	25	10	2	-	-	-	-	-	-	-	-	-
Diphtheria	3	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	20	6	8	4	1	-	19	1	-	-	-	-	-	-	-	-	-	-
Typhus	39	2	2	1	4	3	12	6	5	6	5	5	6	4	4	4	2	-
Cholera, Diarrh., Dysent^{y}	93	46	12	6	-	1	65	3	2	1	1	-	2	3	4	3	5	1
Other Zymotic Dis.	62	16	6	6	2	1	31	2	2	6	1	2	7	4	3	2	2	-
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	1	2	4	-	-	-
Scrofula, Tabes Mesent.	19	2	5	3	1	-	11	1	1	-	1	3	-	-	1	1	-	-
Phthisis	126	1	2	1	1	1	6	4	5	11	12	30	34	13	9	2	-	-
Hydrocephalus	37	13	11	6	2	-	32	5	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	152	39	3	4	2	3	51	8	-	3	3	6	5	9	8	34	23	2
Heart Dis. and Dropsy	84	4	1	1	-	-	6	1	1	2	-	1	5	9	19	30	9	1
Dis. of Lungs	198	51	28	13	3	1	96	5	1	-	1	10	11	14	20	26	11	3
Dis. of Stom. and Liver	49	4	2	1	-	1	8	1	1	1	1	6	4	7	10	10	-	-
Dis. of Kidneys	25	-	-	-	-	-	-	-	1	-	2	2	4	4	4	5	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	51	2	2	4	-	1	9	4	3	5	4	2	4	6	7	4	3	-
Other Causes	264	151	17	4	1	2	175	1	3	-	1	2	-	3	4	16	36	23
148.—AMERSHAM.																		
Mean Popul^{n}, 1851-61	9021	-	-	-	-	-	1249	1143	1125	883	678	1138	973	758	572	356	133	13
TOTAL DEATHS	1973	538	145	76	47	20	826	71	50	42	58	94	101	96	159	209	225	42
Small-pox	10	4	-	-	-	1	5	2	-	-	-	-	2	1	-	-	-	-
Measles	16	3	4	6	1	1	15	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	60	1	6	10	8	4	29	18	10	-	1	-	1	1	-	-	-	-
Diphtheria	3	1	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	35	13	16	5	1	-	35	-	-	-	-	-	-	-	-	-	-	-
Typhus	30	-	3	2	-	1	6	7	9	3	7	10	8	3	9	4	4	-
Cholera, Diarrh., Dysent^{y}	99	47	13	4	3	-	67	3	-	1	1	2	2	3	3	6	10	1
Other Zymotic Dis.	113	34	15	5	6	6	66	4	1	2	3	7	5	2	4	12	5	2
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	1	4	7	3	3	-
Scrofula, Tabes Mesent.	53	20	13	5	2	1	41	5	2	1	2	1	-	1	-	-	-	-
Phthisis	200	7	6	4	-	-	17	8	4	16	31	49	31	16	20	5	3	-
Hydrocephalus	71	34	18	7	4	1	64	4	2	-	-	1	-	-	-	-	-	-
Diseases of Brain	220	62	7	5	2	1	77	2	7	2	3	3	9	6	18	49	37	7
Heart Dis. and Dropsy	107	2	1	2	-	-	5	2	1	-	-	4	2	12	27	27	26	1
Dis. of Lungs	280	68	29	12	13	1	123	3	2	2	2	3	13	15	27	36	48	6
Dis. of Stom. and Liver	116	17	2	3	2	2	26	6	4	6	2	4	7	11	21	17	10	2
Dis. of Kidneys	30	-	-	-	1	-	1	-	2	1	1	-	3	-	6	10	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	-	-	1	-	1	1	-	-	-	1	3	1	-	1	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	62	4	3	1	2	1	11	4	3	3	5	7	12	6	3	5	3	-
Other Causes	388	220	9	4	-	-	233	1	3	-	-	1	2	8	14	33	71	22
149.—ETON.																		
Mean Popul^{n}, 1851-61	10875	-	-	-	-	-	1401	1297	1357	1198	860	1422	1176	958	676	383	129	18
TOTAL DEATHS	2069	440	96	61	43	28	668	92	62	51	80	149	134	180	189	218	196	50
Small-pox	13	1	2	1	2	-	6	-	-	1	2	2	2	-	-	-	-	-
Measles	19	1	5	5	2	1	14	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	46	2	4	6	6	4	22	18	4	-	-	1	-	-	1	-	-	-
Diphtheria	11	-	1	-	1	3	5	2	1	3	-	-	-	-	-	-	-	-
Whooping-cough	29	17	4	4	2	1	28	1	-	-	-	-	-	-	-	-	-	-
Typhus	35	3	1	4	5	4	17	15	11	6	6	6	4	11	5	2	2	-
Cholera, Diarrh., Dysent^{y}	88	44	8	6	2	1	61	1	-	1	3	-	2	1	4	8	6	1
Other Zymotic Dis.	87	25	7	6	2	4	44	2	4	3	2	5	3	9	6	6	2	1
Cancer	19	-	-	-	-	-	-	1	-	-	-	-	2	4	4	5	3	-
Scrofula, Tabes Mesent.	47	20	6	5	-	-	31	2	5	1	1	3	-	-	1	3	-	-
Phthisis	232	3	1	-	-	-	4	3	2	13	30	72	47	39	15	5	2	-
Hydrocephalus	37	16	9	2	4	-	31	4	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	204	46	10	3	7	-	66	6	4	4	6	9	16	12	21	37	16	7
Heart Dis. and Dropsy	155	9	2	1	-	-	12	6	6	2	2	9	22	18	31	28	16	3
Dis. of Lungs	323	84	23	10	5	5	127	7	3	3	6	11	16	32	40	34	41	3
Dis. of Stom. and Liver	114	17	-	1	1	1	20	3	6	3	6	6	5	24	20	18	3	-
Dis. of Kidneys	32	-	1	-	-	-	1	-	1	1	1	-	1	4	8	7	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-
Diseases of the Skin	7	1	1	-	-	-	2	-	-	-	-	1	-	-	1	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	120	3	2	2	2	3	12	10	10	8	13	21	9	12	15	5	4	1
Other Causes	397	148	9	5	2	1	165	5	2	2	2	3	5	14	16	58	92	33

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
147.—BERKHAMPSTEAD.																		
Mean Popul^{n}, 1851-61	6801	-	-	-	-	-	843	783	761	711	622	1000	800	564	400	223	76	16
TOTAL DEATHS	1422	286	124	54	25	13	502	48	56	76	57	104	99	85	122	138	100	35
Small-pox	5	2	1	-	-	-	3	-	-	1	-	-	-	-	-	1	-	-
Measles	25	6	12	1	2	1	22	1	2	-	-	-	-	-	-	-	-	-
Scarlatina	30	-	6	2	8	4	20	5	4	-	-	1	-	-	-	-	-	-
Diphtheria	4	-	2	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough	26	7	11	6	1	-	25	1	-	-	-	-	-	-	-	-	-	-
Typhus	82	-	2	7	-	2	11	7	11	12	8	10	4	6	6	7	-	-
Cholera, Diarrh., Dysent^{y}	84	28	19	6	-	2	55	3	2	1	1	1	3	2	4	3	7	2
Other Zymotic Dis.	49	12	6	4	5	-	27	4	1	-	1	2	1	5	3	3	1	1
Cancer	33	-	-	-	-	-	-	-	-	-	-	2	5	8	9	7	2	-
Scrofula, Tabes Mesent.	13	2	2	1	-	-	5	3	1	-	1	3	-	-	-	-	-	-
Phthisis	212	2	5	-	-	1	8	5	14	41	26	47	38	14	13	5	1	-
Hydrocephalus	23	8	4	6	3	-	21	1	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	169	34	5	6	-	-	45	7	6	2	5	6	8	12	22	33	17	6
Heart Dis. and Dropsy	128	-	1	-	-	-	1	2	4	7	3	3	13	20	33	24	15	3
Dis. of Lungs	178	46	30	8	5	2	91	4	3	6	4	7	12	5	15	22	8	1
Dis. of Stom. and Liver	62	2	2	1	-	-	5	1	3	2	3	6	7	7	11	14	8	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of the Skin	5	3	-	-	-	-	3	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	3	12	3	-	-	-	-	-
Violent Deaths	15	1	-	3	1	-	5	1	3	-	1	1	2	-	-	1	1	-
Other Causes	252	133	16	3	-	1	153	3	-	2	1	3	-	3	6	15	44	22
148.—AMERSHAM.																		
Mean Popul^{n}, 1851-61	9417	-	-	-	-	-	1261	1138	1064	828	752	1258	1082	841	621	399	158	15
TOTAL DEATHS	2080	417	146	65	44	35	707	71	55	70	77	144	98	114	146	270	261	67
Small-pox	9	1	-	1	2	1	5	-	1	1	1	1	-	-	-	-	-	-
Measles	17	2	8	2	1	3	16	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	54	2	4	6	5	11	28	19	4	-	1	1	-	-	1	-	-	-
Diphtheria	5	1	-	-	2	1	4	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	37	23	9	2	2	-	36	1	-	-	-	-	-	-	-	-	-	-
Typhus	90	-	-	3	1	2	6	9	17	20	7	5	6	5	6	5	4	-
Cholera, Diarrh., Dysent^{y}	102	33	15	4	1	1	54	-	1	2	1	2	2	5	3	11	18	3
Other Zymotic Dis.	82	26	8	6	8	3	51	4	-	2	-	4	-	1	3	6	10	1
Cancer	43	-	-	-	-	-	-	1	-	-	-	1	5	7	13	11	4	1
Scrofula, Tabes Mesent.	59	19	20	9	2	-	50	2	3	1	1	-	1	-	1	-	-	-
Phthisis	251	3	1	1	1	2	8	7	18	35	38	74	29	25	11	6	-	-
Hydrocephalus	34	12	9	4	4	2	31	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	257	43	9	6	1	3	62	9	5	2	4	9	8	20	22	60	48	8
Heart Dis. and Dropsy	138	3	-	1	-	-	4	-	3	1	3	8	14	13	25	39	23	5
Dis. of Lungs	272	64	30	13	8	1	116	4	-	2	2	9	6	12	27	45	41	8
Dis. of Stom. and Liver	123	8	4	-	2	1	15	5	2	-	5	8	11	15	19	25	17	1
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	-	1	1	1	3	3	5	-	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	-	3	4	5	2	1	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	1	-
Diseases of the Skin	7	3	1	-	-	-	4	-	-	-	-	-	-	-	-	-	3	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	2	7	13	6	-	-	-	-	-
Violent Deaths	36	4	4	1	1	3	13	3	1	1	4	1	3	1	1	5	2	1
Other Causes	402	170	24	6	3	1	204	1	-	1	1	2	2	2	9	51	90	39
149.—ETON.																		
Mean Popul^{n}, 1851-61	11047	-	-	-	-	-	1392	1275	1191	978	965	1612	1309	1009	713	421	157	25
TOTAL DEATHS	1962	339	118	70	28	38	593	62	46	69	76	122	132	152	176	229	235	70
Small-pox	14	4	1	1	-	-	6	1	1	4	-	-	1	-	1	-	-	-
Measles	17	5	3	3	-	2	13	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	52	3	7	13	5	6	34	14	3	-	-	-	-	-	1	-	-	-
Diphtheria	7	1	-	1	1	-	3	2	-	1	1	-	-	-	-	-	-	-
Whooping-cough	41	15	17	5	4	-	41	-	-	-	-	-	-	-	-	-	-	-
Typhus	82	3	4	2	1	7	17	12	11	11	7	6	8	2	3	4	-	1
Cholera, Diarrh., Dysent^{y}	85	35	17	2	1	2	57	2	1	-	3	-	2	3	1	3	11	2
Other Zymotic Dis.	87	22	4	5	6	6	43	5	3	1	1	4	4	8	6	6	6	-
Cancer	67	-	-	-	-	-	-	-	-	-	1	5	9	17	17	9	9	-
Scrofula, Tabes Mesent.	40	16	6	5	-	-	27	3	-	3	1	2	3	1	-	-	-	-
Phthisis	233	3	-	1	-	-	4	2	5	26	37	60	49	34	9	3	1	-
Hydrocephalus	31	10	8	9	2	-	29	-	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	196	38	8	4	-	5	55	4	8	9	4	9	13	11	25	29	23	3
Heart Dis. and Dropsy	162	9	1	1	-	-	11	4	4	4	3	7	6	23	30	42	25	2
Dis. of Lungs	249	57	29	9	4	7	106	6	3	2	4	4	5	12	21	46	33	7
Dis. of Stom. and Liver	120	8	1	2	-	1	12	3	2	3	5	3	14	19	32	20	7	-
Dis. of Kidneys	11	1	-	-	-	-	1	-	-	-	-	2	2	-	2	4	-	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	-	1	3	4	3	2	1	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	1
Diseases of the Skin	8	4	-	-	-	-	4	-	-	-	-	-	-	-	1	2	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	1	4	13	3	2	-	-	-	-
Violent Deaths	28	2	3	-	3	1	9	1	-	1	1	3	1	5	2	3	1	1
Other Causes	390	103	9	7	1	1	121	-	-	1	-	3	9	9	20	60	114	53

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
150.—WYCOMBE.																		
Mean Popul^{n}, 1851-61	17025	-	-	-	-	-	2406	2192	1984	1744	1433	2177	1779	1424	1025	613	217	31
TOTAL DEATHS	3452	977	231	107	74	60	1449	143	88	85	99	165	178	202	263	358	324	98
Small-pox	36	9	–	6	–	2	17	2	–	5	3	2	2	1	2	1	1	–
Measles	67	12	23	9	8	2	54	10	1	–	–	1	–	1	–	–	–	–
Scarlatina	86	4	9	5	7	14	39	25	16	2	1	–	1	1	1	–	–	–
Diphtheria	16	3	–	–	1	3	7	5	1	–	–	–	1	1	–	–	1	–
Whooping-cough	68	39	14	9	1	1	64	4	–	–	–	–	–	–	–	–	–	–
Typhus	145	4	6	5	3	5	23	12	18	20	14	16	9	10	13	8	2	–
Cholera, Diarrh., Dysent^{y}	159	77	12	3	3	2	97	4	2	2	3	3	5	6	11	9	12	5
Other Zymotic Dis.	150	43	8	10	8	7	76	5	3	1	1	6	10	8	16	11	11	2
Cancer	15	–	–	–	–	–	–	–	–	–	–	–	1	1	4	6	3	–
Scrofula, Tabes Mesent.	89	29	16	9	3	2	59	9	1	3	3	6	2	2	1	2	1	–
Phthisis	326	24	7	4	3	–	38	13	12	23	50	70	54	41	16	9	–	–
Hydrocephalus	47	16	12	5	1	3	37	9	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	345	96	18	4	7	7	132	11	6	7	3	16	12	19	37	45	50	7
Heart Dis. and Dropsy	204	8	–	1	2	–	11	3	7	2	3	9	11	25	38	60	29	6
Dis. of Lungs	462	120	53	16	14	6	209	8	6	5	5	11	26	32	44	74	32	10
Dis. of Stom. and Liver	138	13	6	2	–	1	22	4	1	2	3	3	20	16	34	20	13	–
Dis. of Kidneys	57	–	–	–	–	–	–	–	2	1	2	1	6	7	10	15	12	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	9	–	–	–	–	–	–	–	1	–	2	3	2	–	1	–	–	–
Diseases of the Skin	7	3	1	–	–	–	4	–	–	–	–	–	–	1	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	109	3	5	6	8	2	24	14	8	9	–	12	9	9	11	10	3	–
Other Causes	917	474	41	13	5	3	536	5	2	3	6	6	7	21	24	86	154	67
151.—AYLESBURY.																		
Mean Popul^{n}, 1851-61	11475	-	-	-	-	-	1571	1419	1279	1129	853	1427	1249	1047	780	512	186	23
TOTAL DEATHS	2476	650	148	83	41	24	946	101	39	66	64	146	138	130	187	303	276	80
Small-pox	6	3	–	–	–	–	3	1	–	1	–	–	1	–	–	–	–	–
Measles	34	7	13	8	3	2	33	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	29	3	8	3	4	2	20	6	1	1	–	–	–	–	1	–	–	–
Diphtheria	6	1	–	1	–	–	2	3	1	–	–	–	–	–	–	–	–	–
Whooping-cough	42	20	9	9	–	–	38	4	–	–	–	–	–	–	–	–	–	–
Typhus	108	3	3	3	2	3	14	29	5	17	8	11	5	8	6	3	2	–
Cholera, Diarrh., Dysent^{y}	137	74	13	3	2	–	92	2	–	–	1	1	4	2	2	11	19	3
Other Zymotic Dis.	90	23	3	5	5	5	46	7	2	4	–	4	5	4	3	12	3	–
Cancer	27	–	–	–	–	–	–	–	–	1	–	2	2	2	6	10	4	–
Scrofula, Tabes Mesent.	62	16	13	5	2	2	38	5	2	1	–	4	6	1	1	2	2	–
Phthisis	220	7	2	2	–	1	12	5	3	19	41	57	43	19	14	7	–	–
Hydrocephalus	29	9	3	6	2	1	21	8	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	277	64	7	1	3	3	78	4	3	4	5	23	22	19	35	50	34	–
Heart Dis. and Dropsy	88	3	1	1	–	–	5	2	–	1	–	6	7	3	10	34	16	4
Dis. of Lungs	422	122	44	19	12	4	201	7	3	2	2	13	15	27	37	61	47	7
Dis. of Stom. and Liver	141	15	1	2	–	–	18	3	3	6	2	9	16	21	31	24	7	1
Dis. of Kidneys	48	1	–	–	–	–	1	1	–	1	–	3	1	3	7	17	11	3
Dis. of Gener. Organs	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	5	–	–	1	–	–	1	–	–	1	–	2	–	–	–	1	–	–
Diseases of the Skin	5	2	–	–	–	–	2	–	–	–	–	–	1	1	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	91	6	3	6	2	–	17	3	14	4	5	5	5	12	5	9	6	1
Other Causes	608	270	20	8	4	1	303	5	2	3	–	6	5	8	28	63	124	61
152.—WINSLOW.																		
Mean Popul^{n}, 1851-61	4655	-	-	-	-	-	692	581	566	444	335	560	516	389	309	186	70	7
TOTAL DEATHS	988	273	72	28	13	20	406	42	31	26	27	40	45	46	76	112	109	28
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	12	–	5	–	2	3	10	1	–	–	1	–	–	–	–	–	–	–
Scarlatina	26	2	5	3	3	4	17	4	2	1	1	–	–	1	–	–	–	–
Diphtheria	6	–	1	–	–	2	3	3	–	–	–	–	–	–	–	–	–	–
Whooping-cough	22	12	8	1	–	–	21	1	–	–	–	–	–	–	–	–	–	–
Typhus	59	2	1	2	1	2	8	6	10	3	10	4	5	6	5	–	1	1
Cholera, Diarrh., Dysent^{y}	31	22	3	1	–	–	26	–	–	–	–	–	3	–	1	1	–	–
Other Zymotic Dis.	71	20	9	5	1	4	39	3	1	1	1	2	4	3	4	8	4	1
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	1	3	3	3	1	–
Scrofula, Tabes Mesent.	21	4	5	2	–	–	11	4	–	3	–	2	1	–	–	–	–	–
Phthisis	79	–	1	1	–	–	2	–	7	8	10	21	11	12	6	2	–	–
Hydrocephalus	16	6	2	1	1		10	4	1	–	–	–	1	–	–	–	–	–
Diseases of Brain	119	50	5	–	1	1	57	2	2	5	–	2	1	6	15	19	10	–
Heart Dis. and Dropsy	54	–	–	1	–	–	1	1	–	2	–	2	5	4	15	15	9	–
Dis. of Lungs	119	38	20	6	2	4	70	6	2	2	2	2	4	4	7	10	9	1
Dis. of Stom. and Liver	42	7	2	1	–	–	10	2	1	1	1	2	2	3	4	11	5	–
Dis. of Kidneys	10	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	2	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diseases of the Joints	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Diseases of the Skin	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	21	1	1	–	–	–	2	3	3	–	–	2	1	2	4	1	2	1
Other Causes	265	109	4	4	2	–	119	2	1	–	1	–	5	1	8	38	66	24

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

150.—WYCOMBE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	17325	-	-	-	-	-	2448	2116	1895	1654	1478	2396	1883	1442	1089	653	234	37
TOTAL DEATHS	3590	746	236	113	72	41	1208	133	95	138	157	233	237	219	260	423	369	118
Small-pox	31	7	4	4	2	1	18	2	4	2	1	2	1	–	–	1	–	–
Measles	46	6	17	8	4	6	41	4	–	–	–	–	1	–	–	–	–	–
Scarlatina	80	4	8	9	8	6	35	27	9	5	2	–	1	–	1	–	–	–
Diphtheria	14	1	2	1	–	1	5	5	2	1	–	–	–	–	–	–	1	–
Whooping-cough	79	35	19	13	3	1	76	3	–	–	–	–	–	–	–	–	–	–
Typhus	179	3	4	6	4	4	21	22	20	25	22	29	9	12	6	8	5	–
Cholera, Diarrh., Dysent^{y}	153	54	14	7	5	1	81	2	6	1	2	6	5	5	12	16	14	3
Other Zymotic Dis.	113	38	10	9	4	4	65	7	4	2	–	2	4	5	6	12	3	3
Cancer	71	–	–	–	–	–	–	–	–	–	1	2	12	15	16	17	8	–
Scrofula, Tabes Mesent.	78	27	22	4	3	1	57	5	4	–	5	2	2	2	1	–	–	–
Phthisis	459	14	5	4	1	–	24	8	20	65	70	99	98	40	25	7	2	1
Hydrocephalus	35	15	8	3	3	1	30	3	2	–	–	–	–	–	–	–	–	–
Diseases of Brain	379	70	14	10	7	1	102	16	5	10	11	20	12	22	33	87	51	10
Heart Dis. and Dropsy	262	5	3	2	–	1	11	1	2	4	3	14	23	36	53	70	40	5
Dis. of Lungs	433	91	56	22	13	3	185	7	6	5	7	10	14	29	43	65	51	11
Dis. of Stom. and Liver	162	14	4	–	2	1	21	9	1	10	9	13	17	15	20	30	17	
Dis. of Kidneys	11	–	–	–	–	–	–	–	–	–	–	1	2	4	2	1	–	1
Dis. of Gener. Organs	14	–	–	–	–	–	–	–	–	–	–	–	3	6	3	2	–	–
Diseases of the Joints	9	–	–	–	–	–	–	–	1	1	2	–	4	–	1	–	–	–
Diseases of the Skin	15	4	–	–	–	–	4	1	–	–	1	–	1	1	3	4	–	–
Childbirth and Metria	54	–	–	–	–	–	–	–	–	3	13	23	15	–	–	–	–	–
Violent Deaths	36	5	4	1	1	4	15	4	2	–	1	–	–	4	–	5	3	2
Other Causes	877	353	42	10	7	5	417	7	7	4	7	10	13	23	35	98	174	82

151.—AYLESBURY.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	11860	-	-	-	-	-	1598	1486	1233	1057	989	1566	1318	1051	803	512	197	30
TOTAL DEATHS	2550	464	157	78	38	31	768	85	80	109	108	187	154	181	195	325	283	75
Small-pox	5	1	–	–	–	–	1	–	–	–	3	–	1	–	–	–	–	–
Measles	34	3	8	9	6	3	29	3	1	1	–	–	–	–	–	–	–	–
Scarlatina	26	2	6	3	6	–	17	3	1	–	2	2	–	1	–	–	–	–
Diphtheria	10	–	1	–	1	2	4	2	1	–	1	2	–	–	–	–	–	–
Whooping-cough	61	30	22	3	3	2	60	1	–	–	–	–	–	–	–	–	–	–
Typhus	165	3	4	10	8	3	28	22	19	33	13	15	10	9	7	8	1	–
Cholera, Diarrh., Dysent^{y}	126	47	19	3	–	–	69	1	1	1	2	3	3	3	4	18	16	5
Other Zymotic Dis.	56	12	4	5	1	–	22	5	3	2	1	2	1	6	2	7	4	1
Cancer	63	–	–	–	–	–	–	–	1	–	–	–	5	19	15	17	6	–
Scrofula, Tabes Mesent.	61	16	8	3	–	3	30	7	3	2	2	4	1	6	3	3	–	–
Phthisis	333	6	5	–	1	2	14	12	31	49	52	88	47	28	9	3	–	–
Hydrocephalus	24	9	5	2	–	3	19	1	2	2	–	–	–	–	–	–	–	–
Diseases of Brain	231	41	3	5	3	2	54	5	3	3	3	13	19	17	28	43	36	7
Heart Dis. and Dropsy	167	2	1	2	2	2	9	1	4	1	6	11	11	19	31	48	21	5
Dis. of Lungs	312	69	33	20	4	4	130	10	1	8	3	7	12	16	28	56	35	6
Dis. of Stom. and Liver	136	6	3	1	–	2	12	4	4	2	4	11	15	34	31	27	11	1
Dis. of Kidneys	21	–	–	–	–	–	–	–	–	–	–	–	3	3	6	2	5	2
Dis. of Gener. Organs	14	–	–	–	–	–	–	–	–	–	1	3	6	2	2	–	–	–
Diseases of the Joints	11	2	–	–	–	–	2	1	1	2	–	3	2	–	–	–	–	–
Diseases of the Skin	5	–	–	1	–	–	1	–	–	1	–	–	–	–	–	2	–	1
Childbirth and Metria	34	–	–	–	–	–	–	–	–	–	12	12	10	–	–	–	–	–
Violent Deaths	31	1	3	5	1	1	11	2	4	–	–	1	1	1	3	5	2	1
Other Causes	604	214	32	6	2	2	256	5	–	2	3	7	7	14	30	83	149	48

152.—WINSLOW.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	4666	-	-	-	-	-	656	550	513	448	397	646	516	387	291	188	65	8
TOTAL DEATHS	1049	204	57	35	24	19	339	47	36	47	44	86	62	56	89	111	106	26
Small-pox	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	11	2	5	2	1	–	10	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	26	2	4	1	4	1	12	8	4	1	1	–	–	–	–	–	–	–
Diphtheria	8	–	1	1	–	–	3	3	1	–	–	–	1	–	–	–	–	–
Whooping-cough	29	13	8	4	3	1	29	–	–	–	–	–	–	–	–	–	–	–
Typhus	69	1	1	4	1	4	11	8	7	14	8	9	4	3	–	4	–	1
Cholera, Diarrh., Dysent^{y}	23	13	2	1	–	–	16	–	–	–	–	2	–	–	1	1	2	1
Other Zymotic Dis.	77	18	2	1	8	1	30	8	3	2	2	3	2	6	5	7	9	–
Cancer	17	–	–	–	–	–	–	–	–	–	–	2	3	–	3	9	2	1
Scrofula, Tabes Mesent.	28	6	3	4	–	–	13	1	4	–	2	2	3	–	2	1	–	–
Phthisis	162	2	–	1	1	3	7	5	10	21	21	37	28	13	17	3	–	–
Hydrocephalus	10	6	–	1	1	2	10	–	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	94	24	4	1	–	2	31	2	3	3	3	2	3	5	9	23	8	2
Heart Dis. and Dropsy	88	3	–	–	1	–	4	1	1	1	2	8	6	10	21	21	13	–
Dis. of Lungs	91	23	11	10	3	4	56	4	–	–	–	5	2	1	10	7	6	–
Dis. of Stom. and Liver	52	4	–	1	1	–	6	3	1	3	2	4	4	11	8	8	2	–
Dis. of Kidneys	4	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–
Diseases of the Joints	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
Diseases of the Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	14	–	–	–	–	–	–	–	–	–	1	6	6	1	–	–	–	–
Violent Deaths	10	2	2	1	–	–	5	–	–	1	–	–	–	–	1	–	3	–
Other Causes	223	80	14	2	–	–	96	2	–	1	1	1	3	2	6	32	62	22

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
153.—NEWPORT PAGNELL.																		
Mean Popul^{n}, 1851-61	11793	-	-	-	-	-	1669	1476	1317	1121	940	1542	1277	1016	799	465	154	17
TOTAL DEATHS	2372	646	162	84	54	35	981	90	55	50	81	107	104	119	165	291	260	69
Small-pox	14	3	-	2	-	1	6	-	3	-	-	3	1	1	-	-	-	-
Measles	16	4	5	1	4	1	15	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	71	6	3	9	13	12	43	24	4	-	-	-	-	-	-	-	-	-
Diphtheria	7	2	-	1	2	-	5	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	27	11	12	3	-	1	27	-	-	-	-	-	-	-	-	-	-	-
Typhus	63	1	3	1	3	1	9	10	10	10	4	3	6	3	5	3	-	-
Cholera, Diarrh., Dysent^{y}	80	31	14	5	-	1	51	1	-	1	-	1	3	3	3	9	8	-
Other Zymotic Dis.	110	30	14	14	11	-	69	7	2	5	2	1	1	3	7	9	4	-
Cancer	17	-	-	-	-	-	-	-	-	-	1	1	2	3	5	3	1	1
Scrofula, Tabes Mesent.	78	33	16	6	4	1	60	2	2	4	1	2	1	2	2	2	-	-
Phthisis	253	14	11	5	1	2	33	3	7	14	42	48	34	34	20	17	1	-
Hydrocephalus	27	11	5	3	-	3	22	1	3	-	1	-	-	-	-	-	-	-
Diseases of Brain	281	100	17	7	2	3	129	5	3	5	4	8	10	12	17	54	32	2
Heart Dis. and Dropsy	125	4	-	1	1	-	6	2	3	1	3	7	6	6	23	41	21	1
Dis. of Lungs	319	117	33	17	3	3	178	3	2	-	6	8	12	20	26	32	25	2
Dis. of Stom. and Liver	110	12	1	-	2	-	15	6	3	4	6	9	15	11	17	16	7	1
Dis. of Kidneys	33	-	-	-	-	-	-	-	1	1	-	2	2	3	6	12	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	10	-	2	-	-	-	2	2	1	-	-	2	-	1	1	1	-	-
Diseases of the Skin	5	2	1	-	-	-	3	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	86	4	2	2	2	5	15	11	9	3	5	9	6	10	7	5	5	1
Other Causes	640	261	23	7	1	1	293	6	2	1	6	3	5	7	21	36	150	60
154.—BUCKINGHAM.																		
Mean Popul^{n}, 1851-61	6890	-	-	-	-	-	951	823	783	691	507	889	750	609	477	293	103	14
TOTAL DEATHS	1480	410	99	43	30	21	603	56	42	42	45	76	84	72	101	170	155	34
Small-pox	7	1	1	-	-	-	2	-	1	-	-	1	1	-	1	1	-	-
Measles	11	-	4	4	1	1	10	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	32	1	3	4	8	4	20	11	1	-	-	-	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	20	14	3	1	1	-	19	1	-	-	-	-	-	-	-	-	-	-
Typhus	96	-	3	4	4	4	15	15	14	7	8	11	6	6	5	7	2	-
Cholera, Diarrh., Dysent^{y}	48	21	5	4	1	-	31	1	-	1	-	1	-	2	3	3	5	1
Other Zymotic Dis.	65	15	6	3	4	3	31	5	4	1	1	-	2	6	3	6	6	-
Cancer	14	-	-	-	-	-	-	1	-	-	-	1	-	2	4	2	3	1
Scrofula, Tabes Mesent.	42	8	8	4	2	-	22	3	1	3	2	1	6	2	1	1	-	-
Phthisis	140	5	4	-	1	-	10	3	3	16	25	35	20	13	10	5	-	-
Hydrocephalus	23	6	9	4	1	1	21	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	134	49	6	2	1	-	58	2	1	3	3	5	4	5	14	21	15	3
Heart Dis. and Dropsy	74	2	1	-	2	-	5	-	1	4	1	2	6	6	15	21	12	1
Dis. of Lungs	187	72	24	5	2	4	107	3	3	2	-	8	10	10	16	19	9	-
Dis. of Stom. and Liver	74	18	4	1	-	1	24	2	6	3	1	2	0	9	9	6	3	-
Dis. of Kidneys	15	-	-	-	-	-	-	-	-	-	-	-	5	2	1	6	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	1	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-
Diseases of the Skin	3	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	44	3	4	3	2	1	13	5	5	1	1	6	9	1	1	2	-	-
Other Causes	446	194	14	3	-	2	213	2	-	1	2	3	6	6	17	69	99	28
155.—HENLEY.																		
Mean Popul^{n}, 1851-61	8977	-	-	-	-	-	1120	1128	1057	914	688	1096	943	795	607	379	161	19
TOTAL DEATHS	1746	380	106	52	38	27	603	53	31	52	59	96	92	123	160	199	226	52
Small-pox	9	6	1	1	-	-	8	-	-	-	-	-	-	1	-	-	-	-
Measles	19	5	5	6	2	-	18	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	29	1	1	2	5	5	14	9	3	2	1	-	-	-	-	-	-	-
Diphtheria	7	-	-	2	-	-	2	2	3	-	-	-	-	-	-	-	-	-
Whooping-cough	37	16	10	4	4	2	36	1	-	-	-	-	-	-	-	-	-	-
Typhus	58	1	6	-	2	-	9	3	2	8	3	3	6	5	14	2	3	-
Cholera, Diarrh., Dysent^{y}	65	30	10	-	-	1	41	-	-	-	1	1	1	-	2	6	12	1
Other Zymotic Dis.	100	24	6	4	4	3	41	4	3	4	1	1	3	8	9	12	10	4
Cancer	16	-	-	-	-	-	-	-	-	1	-	1	1	5	5	1	1	1
Scrofula, Tabes Mesent.	39	11	2	-	3	3	19	1	2	3	2	2	4	5	-	1	-	-
Phthisis	188	3	-	2	-	1	6	3	2	15	33	50	25	25	19	9	-	1
Hydrocephalus	35	10	9	5	2	3	29	4	-	-	1	-	-	-	-	1	-	-
Diseases of Brain	191	46	6	7	3	1	63	3	3	1	5	3	7	18	22	26	30	5
Heart Dis. and Dropsy	144	4	-	1	-	-	5	3	2	4	2	5	7	16	24	41	33	2
Dis. of Lungs	289	62	31	13	7	3	116	3	1	2	3	8	13	18	27	37	53	3
Dis. of Stom. and Liver	75	7	1	1	1	2	12	4	1	2	1	5	9	5	16	10	10	-
Dis. of Kidneys	47	-	-	1	-	-	1	-	-	2	1	1	4	7	4	10	13	4
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	1	2	-	-	2	-	-	-	1	-	-
Diseases of the Skin	4	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	97	7	5	3	3	2	20	8	7	7	3	7	9	6	9	14	7	-
Other Causes	290	147	12	-	2	1	162	2	-	-	1	2	3	4	9	28	54	25

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

153.—NEWPORT PAGNELL.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
Mean Popul^{n}, 1851-61	12189	-	-	-	-	-	1613	1450	1290	1068	1022	1703	1332	1082	845	540	220	24
TOTAL DEATHS	2619	502	161	88	57	33	841	101	92	106	117	184	123	131	239	328	278	79
Small-pox	8	1	-	-	1	-	2	-	-	-	1	3	-	-	1	1	-	-
Measles	18	5	2	3	3	2	17	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	84	4	11	15	16	6	52	21	7	-	1	-	-	-	3	-	-	-
Diphtheria	4	1	1	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	33	12	10	5	2	1	30	3	-	-	-	-	-	-	-	-	-	-
Typhus	93	1	7	4	5	4	21	15	15	9	9	12	5	1	6	2	3	-
Cholera, Diarrh., Dysent^{y}	86	27	14	4	2	1	48	1	2	-	4	5	1	1	3	11	8	2
Other Zymotic Dis.	112	22	8	7	7	7	51	6	3	3	3	7	4	5	11	10	8	1
Cancer	44	-	-	-	-	-	-	-	-	1	1	1	2	10	10	15	4	-
Scrofula, Tabes Mesent.	65	12	7	3	1	2	25	8	6	6	2	1	4	5	3	5	-	-
Phthisis	380	7	4	10	1	1	23	5	33	61	61	85	47	31	18	10	1	-
Hydrocephalus	15	5	2	2	1	1	11	1	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	294	66	17	4	7	4	98	10	5	4	6	11	9	14	38	65	31	3
Heart Dis. and Dropsy	191	1	1	1	1	-	4	4	1	6	8	12	13	18	48	51	23	3
Dis. of Lungs	274	78	35	14	8	-	135	6	6	4	3	11	8	18	33	30	17	3
Dis. of Stom. and Liver	125	7	2	2	-	1	12	7	2	3	4	10	9	13	30	24	10	1
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	1	1
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	1	2	3	3	-	-	-	-
Diseases of the Joints	4	1	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-
Diseases of the Skin	8	1	1	1	-	-	3	-	-	-	-	-	-	1	-	2	2	-
Childbirth and Metria	36	-	-	-	-	-	-	-	-	2	6	13	14	1	-	-	-	-
Violent Deaths	30	6	2	2	-	1	11	5	-	3	2	2	-	-	-	3	4	-
Other Causes	693	245	37	9	2	1	294	6	5	2	4	5	3	10	34	99	166	65

154.—BUCKINGHAM.

Mean Popul^{n}, 1851-61	7198	-	-	-	-	-	956	808	719	681	616	1026	815	660	505	292	114	6
TOTAL DEATHS	1640	287	99	52	32	24	494	69	45	78	65	132	108	108	140	190	168	43
Small-pox	3	1	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
Measles	14	3	2	4	1	1	11	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	28	3	4	-	8	1	16	5	3	1	1	-	-	2	-	-	-	-
Diphtheria	2	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	28	12	12	4	-	-	28	-	-	-	-	-	-	-	-	-	-	-
Typhus	135	1	3	5	2	5	16	17	14	16	14	23	10	7	13	4	1	-
Cholera, Diarrh., Dysent^{y}	47	18	7	2	1	-	29	-	1	1	1	3	4	1	2	2	2	1
Other Zymotic Dis.	50	8	6	10	5	3	32	4	2	-	-	-	4	2	3	3	-	-
Cancer	43	-	-	-	-	-	-	-	1	-	-	-	5	12	12	8	3	2
Scrofula, Tabes Mesent.	21	5	3	2	-	1	11	2	2	1	2	1	1	1	-	-	-	-
Phthisis	231	5	2	-	1	-	8	9	12	41	27	57	36	24	12	4	1	-
Hydrocephalus	15	3	4	3	1	-	11	2	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	133	16	3	1	-	3	23	5	-	8	6	4	12	12	22	24	15	2
Heart Dis. and Dropsy	117	1	-	-	-	-	1	1	3	1	2	8	11	18	22	35	15	-
Dis. of Lungs	179	52	26	11	8	3	100	6	-	4	3	6	6	6	16	18	13	1
Dis. of Stom. and Liver	81	10	2	1	-	2	15	2	2	4	3	12	6	12	9	13	2	1
Dis. of Kidneys	10	1	-	-	-	-	1	-	-	-	-	1	2	3	2	1	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-
Diseases of the Joints	5	-	1	-	-	-	1	-	-	-	-	1	-	-	1	2	-	-
Diseases of the Skin	2	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	-	2	14	4	-	-	-	-	-
Violent Deaths	18	1	-	2	1	3	7	4	2	-	-	-	-	-	1	2	2	-
Other Causes	452	147	23	7	3	-	180	7	2	-	3	2	5	6	23	74	114	36

155.—HENLEY.

Mean Popul^{n}, 1851-61	9070	-	-	-	-	-	1215	1057	976	777	739	1259	1034	826	607	390	154	26
TOTAL DEATHS	1680	289	82	54	26	34	485	60	42	54	71	107	111	101	147	224	199	79
Small-pox	8	-	-	-	1	-	1	1	1	1	-	2	-	-	1	1	-	-
Measles	21	5	6	3	2	1	17	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	11	-	-	2	1	1	4	4	3	-	-	-	-	-	-	-	-	-
Diphtheria	9	-	-	-	2	3	5	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	39	12	13	1	4	4	34	5	-	-	-	-	-	-	-	-	-	-
Typhus	88	1	4	3	1	3	12	5	13	6	9	9	8	10	5	7	4	-
Cholera, Diarrh., Dysent^{y}	70	26	6	6	2	1	41	2	2	1	1	2	1	1	6	6	6	1
Other Zymotic Dis.	87	18	3	9	2	1	33	6	3	-	6	3	3	5	2	15	9	2
Cancer	56	-	-	-	-	1	1	-	1	-	-	3	4	6	12	20	6	3
Scrofula, Tabes Mesent.	40	6	4	5	-	-	15	4	2	5	2	4	3	3	1	1	-	-
Phthisis	206	1	1	2	1	1	6	3	8	23	35	42	44	23	12	8	2	-
Hydrocephalus	26	7	5	5	2	2	21	2	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	192	36	7	1	1	5	50	11	3	2	4	8	11	6	25	36	29	7
Heart Dis. and Dropsy	145	1	1	1	-	-	3	-	-	4	1	4	9	17	31	44	23	9
Dis. of Lungs	218	53	18	8	4	5	88	6	-	5	2	9	4	10	19	38	30	7
Dis. of Stom. and Liver	82	5	1	1	1	2	10	2	2	1	1	6	5	12	20	11	11	1
Dis. of Kidneys	14	-	1	-	-	-	1	-	-	-	-	4	2	1	3	1	2	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	-	1
Diseases of the Joints	7	1	-	1	-	-	2	-	-	1	-	-	2	-	1	1	-	-
Diseases of the Skin	10	2	-	1	-	-	3	-	-	-	-	-	1	-	-	1	5	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	-	8	9	8	-	-	-	-	-
Violent Deaths	35	3	4	3	1	2	13	1	1	2	1	2	2	3	1	1	7	3
Other Causes	280	112	8	2	1	2	125	1	-	2	1	2	2	2	4	31	65	45

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards
156.—THAME.																		
Mean Popul^{n}, 1851-61	7684	-	-	-	-	-	1051	985	922	783	546	899	807	677	520	341	132	21
TOTAL DEATHS	1621	405	98	52	33	19	607	74	49	46	49	82	69	82	123	176	189	75
Small-pox	10	3	-	-	-	-	3	-	1	-	-	2	-	3	1	-	-	-
Measles	18	4	6	3	4	-	17	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	40	5	2	5	3	5	20	15	4	1	-	-	-	-	-	-	-	-
Diphtheria	7	2	2	-	1	-	5	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	31	16	8	4	2	-	30	1	-	-	-	-	-	-	-	-	-	-
Typhus	103	-	2	7	4	3	16	14	15	13	7	9	11	8	5	4	1	-
Cholera, Diarrh., Dysent^{y}	52	20	8	2	-	-	30	4	-	-	1	1	2	2	3	5	2	2
Other Zymotic Dis.	62	7	5	3	3	2	20	5	3	6	1	7	2	4	5	4	5	-
Cancer	23	-	-	-	-	-	-	-	-	-	2	-	1	2	5	6	6	1
Scrofula, Tabes Mesent.	62	23	15	4	1	-	43	5	2	3	5	2	-	-	1	1	-	-
Phthisis	123	1	2	-	-	-	3	2	8	10	27	36	15	13	9	5	-	-
Hydrocephalus	15	6	2	2	1	-	11	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	128	38	3	6	1	3	51	2	3	3	1	4	6	7	9	24	16	2
Heart Dis. and Dropsy	88	2	-	-	-	-	2	2	1	2	1	4	5	10	17	21	20	3
Dis. of Lungs	258	94	24	10	8	2	138	7	-	4	2	8	9	14	26	32	15	3
Dis. of Stom. and Liver	70	10	1	1	-	1	13	7	2	1	1	2	11	5	14	13	1	-
Dis. of Kidneys	23	-	-	-	-	-	-	1	-	-	-	-	1	3	2	9	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	4	-	1	1	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	52	5	5	1	4	1	16	2	8	2	-	3	4	4	6	4	3	-
Other Causes	446	169	11	3	1	2	186	1	1	1	1	4	2	6	19	48	113	64
157.—HEADINGTON.																		
Mean Popul^{n}, 1851-61	7989	-	-	-	-	-	1112	935	935	771	631	1028	880	694	515	305	112	21
TOTAL DEATHS	1975	436	128	48	35	27	674	89	48	77	86	128	120	145	168	210	175	55
Small-pox	30	5	1	3	1	-	10	4	3	4	3	4	1	-	-	1	-	-
Measles	22	1	11	3	4	1	20	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	59	6	10	9	6	5	36	12	6	3	1	1	-	-	-	-	-	-
Diphtheria	5	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	-	-
Whooping-cough	20	10	5	2	1	1	19	1	-	-	-	-	-	-	-	-	-	-
Typhus	100	8	2	5	3	2	20	11	5	6	5	12	9	9	7	10	6	-
Cholera, Diarrh., Dysent^{y}	108	52	14	3	2	3	74	3	1	1	2	1	4	6	5	3	8	-
Other Zymotic Dis.	62	26	2	1	3	3	35	3	1	1	2	2	2	3	6	4	2	1
Cancer	27	-	-	-	-	-	-	-	-	-	-	-	3	7	8	8	1	-
Scrofula, Tabes Mesent.	48	16	7	2	-	1	26	7	5	3	2	2	2	1	-	-	-	-
Phthisis	268	15	7	3	1	-	26	6	7	22	38	65	42	34	25	3	-	-
Hydrocephalus	37	12	12	3	3	2	32	4	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	174	36	9	-	1	-	46	3	-	3	3	5	10	12	25	35	21	6
Heart Dis. and Dropsy	117	1	3	-	-	-	4	3	1	2	5	8	9	15	19	35	16	-
Dis. of Lungs	254	67	36	7	5	3	118	10	2	3	4	5	9	21	30	31	18	3
Dis. of Stom. and Liver	81	8	1	-	-	3	12	2	2	2	2	6	6	12	12	17	7	1
Dis. of Kidneys	43	-	-	-	-	-	-	-	2	3	3	4	4	4	7	11	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	14	-	1	1	-	-	2	3	3	2	1	-	2	-	-	1	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	112	6	2	2	2	2	14	10	8	10	13	12	13	14	7	6	5	-
Other Causes	392	167	5	4	3	1	180	3	2	4	1	1	3	7	17	45	85	44
158.—OXFORD.																		
Mean Popul^{n}, 1851-61	9834	-	-	-	-	-	1219	1062	1009	1074	1279	1428	1115	821	515	233	74	5
TOTAL DEATHS	2110	544	185	94	54	41	918	102	48	54	64	148	147	199	147	166	97	20
Small-pox	65	8	7	9	8	2	34	16	1	4	-	4	4	2	-	-	-	-
Measles	32	6	14	5	4	2	31	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	79	2	7	17	13	11	50	27	-	1	-	-	-	1	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough	44	17	13	3	5	6	44	-	-	-	-	-	-	-	-	-	-	-
Typhus	76	3	5	6	3	5	22	9	13	3	4	9	3	2	4	6	1	-
Cholera, Diarrh., Dysent^{y}	129	64	21	4	5	-	94	1	4	1	1	5	3	7	5	4	4	-
Other Zymotic Dis.	70	22	3	3	2	2	32	3	2	3	2	4	5	8	3	4	4	-
Cancer	35	-	-	-	-	-	-	-	-	-	-	2	3	3	14	7	1	-
Scrofula, Tabes Mesent.	52	12	14	1	2	-	29	5	7	3	3	-	2	2	-	-	1	-
Phthisis	315	4	9	2	1	2	18	6	4	18	35	79	63	59	24	7	2	-
Hydrocephalus	41	19	11	6	1	2	39	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	196	48	8	6	3	3	68	10	7	1	5	12	17	18	26	22	9	1
Heart Dis. and Dropsy	89	1	-	-	-	-	1	3	1	4	2	6	11	9	18	30	8	1
Dis. of Lungs	320	109	53	19	5	1	187	5	-	2	1	12	9	23	22	37	21	1
Dis. of Stom. and Liver	102	11	1	3	1	1	17	4	1	2	5	6	10	27	15	12	3	-
Dis. of Kidneys	38	1	1	-	-	-	2	-	2	-	1	2	3	8	4	11	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	67	5	5	2	1	2	15	7	6	6	3	4	8	10	4	2	2	-
Other Causes	384	212	13	8	-	1	234	3	-	4	1	3	6	14	12	24	37	16

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
156.—THAME.																		
Mean Popul^{n}, 1851-61	7789	-	-	-	-	-	1060	988	890	692	598	1046	868	660	503	326	136	22
TOTAL DEATHS	1611	285	101	53	32	27	498	81	37	51	77	98	107	86	120	209	197	59
Small-pox	9	3	1	1	-	-	5	2	-	1	1	-	-	-	-	-	-	-
Measles	28	4	12	3	4	1	24	3	-	-	-	1	-	-	-	-	-	-
Scarlatina	41	4	2	8	5	4	23	13	3	1	-	-	1	-	-	-	-	-
Diphtheria	13	1	2	2	-	1	6	5	1	-	-	-	-	-	-	1	-	-
Whooping-cough	35	19	8	4	1	3	35	-	-	-	-	-	-	-	-	-	-	-
Typhus	110	1	5	3	10	3	22	18	11	12	5	8	10	7	10	4	3	-
Cholera, Diarrh., Dysent^{y}	55	18	6	2	-	2	28	4	-	-	1	2	3	3	-	5	4	5
Other Zymotic Dis.	49	17	2	3	3	3	28	5	1	2	-	2	-	-	3	3	3	2
Cancer	30	-	-	-	-	-	-	-	-	-	-	-	5	4	11	4	6	-
Scrofula, Tabes Mesent.	53	17	9	5	-	2	33	3	2	-	3	2	2	1	3	3	-	-
Phthisis	205	-	-	2	-	-	2	3	10	26	41	41	48	21	10	3	-	-
Hydrocephalus	10	2	2	1	1	2	8	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	143	34	6	1	4	-	45	2	1	1	6	3	7	6	10	37	20	5
Heart Dis. and Dropsy	115	1	1	-	-	-	2	3	1	3	3	3	9	11	20	35	23	2
Dis. of Lungs	290	49	24	11	2	5	91	5	2	1	3	11	6	7	23	35	15	1
Dis. of Stom. and Liver	79	6	3	2	-	-	11	1	2	2	6	6	4	12	10	17	7	1
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	1	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	1	2	-	1	3	-	-	-	-	-
Diseases of the Joints	6	1	-	1	1	-	3	-	1	-	1	1	-	-	-	-	-	-
Diseases of the Skin	6	1	-	1	-	-	2	-	-	-	-	-	1	-	1	2	-	-
Childbirth and Metria	17	-	-	-	-	-	-	-	-	-	2	9	5	1	-	-	-	-
Violent Deaths	20	3	3	1	-	1	8	7	1	-	-	-	-	1	-	2	-	1
Other Causes	374	104	15	2	1	-	122	5	-	1	1	8	4	8	19	49	115	42
157.—HEADINGTON.																		
Mean Popul^{n}, 1851-61	8489	-	-	-	-	-	1051	960	924	842	762	1211	954	732	523	363	135	32
TOTAL DEATHS	1839	356	97	50	32	23	558	64	61	71	75	164	124	124	143	185	193	77
Small-pox	11	2	-	-	3	-	5	2	1	-	-	1	2	-	-	-	-	-
Measles	25	1	8	6	4	2	21	3	-	-	-	-	-	1	-	-	-	-
Scarlatina	38	3	5	5	4	5	22	10	5	-	-	1	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	24	13	7	3	1	-	24	-	-	-	-	-	-	-	-	-	-	-
Typhus	98	2	6	8	3	2	21	15	11	13	5	12	2	1	8	7	3	-
Cholera, Diarrh., Dysent^{y}	112	44	15	6	2	3	70	3	-	1	2	4	8	1	6	9	7	1
Other Zymotic Dis.	45	16	3	2	1	-	22	1	1	1	-	6	5	-	1	7	1	-
Cancer	39	-	-	-	-	-	-	-	1	1	-	4	5	8	10	8	2	-
Scrofula, Tabes Mesent.	40	13	1	1	1	1	17	2	6	4	2	5	2	1	-	-	1	-
Phthisis	264	7	3	2	2	1	15	8	13	29	29	74	44	29	14	6	1	-
Hydrocephalus	27	13	7	3	-	3	26	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	171	32	5	3	2	3	45	4	7	3	3	8	9	15	27	30	15	2
Heart Dis. and Dropsy	133	2	-	-	-	1	3	3	4	7	6	12	9	19	29	25	13	6
Dis. of Lungs	236	70	27	9	4	-	110	2	2	6	11	10	9	12	21	27	23	3
Dis. of Stom. and Liver	96	6	1	-	1	1	9	2	6	4	9	12	7	16	12	13	5	1
Dis. of Kidneys	17	-	-	-	-	-	-	1	1	-	2	-	2	3	1	5	2	-
Dis. of Gener. Organs	19	-	-	-	-	-	-	-	-	-	1	1	5	5	4	2	1	-
Diseases of the Joints	7	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	-	-
Diseases of the Skin	5	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	2	2	5	3	-	-	-	-	-
Violent Deaths	41	4	4	-	1	1	10	6	1	-	-	3	2	2	5	5	5	2
Other Causes	378	128	5	2	3	-	138	1	-	-	2	4	9	7	13	24	136	62
158.—OXFORD.																		
Mean Popul^{n}, 1851-61	10271	-	-	-	-	-	1152	1034	998	1155	1099	1627	1235	934	579	320	120	18
TOTAL DEATHS	2051	435	145	87	60	30	757	87	44	67	74	135	155	155	182	201	185	69
Small-pox	41	3	4	1	6	3	17	10	1	5	3	5	-	-	-	-	-	-
Measles	36	2	16	9	6	-	33	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	64	3	3	8	13	8	35	14	10	1	2	-	2	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	38	11	14	5	2	-	35	3	-	-	-	-	-	-	-	-	-	-
Typhus	69	2	4	8	5	2	19	9	6	10	5	7	2	4	2	5	-	-
Cholera, Diarrh., Dysent^{y}	159	59	10	13	3	2	87	3	4	2	1	11	10	8	12	9	2	1
Other Zymotic Dis.	54	28	5	3	2	1	39	2	-	2	1	3	1	-	4	1	1	-
Cancer	64	1	-	-	-	-	1	-	-	1	-	4	11	20	13	9	4	1
Scrofula, Tabes Mesent.	49	18	12	3	-	1	34	2	3	4	-	3	-	2	1	-	-	-
Phthisis	277	3	2	2	1	2	10	8	10	26	41	50	60	44	21	7	-	-
Hydrocephalus	40	15	7	4	4	2	32	6	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	136	34	8	1	2	2	47	4	3	6	3	6	7	11	23	23	12	4
Heart Dis. and Dropsy	126	1	3	-	1	-	5	-	-	2	1	7	9	18	34	35	16	4
Dis. of Lungs	316	72	39	27	9	4	151	12	2	3	2	3	6	18	28	29	21	5
Dis. of Stom. and Liver	114	10	-	-	-	1	11	3	1	3	4	13	17	19	17	19	6	1
Dis. of Kidneys	15	-	-	1	-	-	1	-	-	-	-	5	3	2	2	2	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	1	1	4	1	1	3	-	-
Diseases of the Joints	3	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	-	1	4	11	15	-	-	-	-
Violent Deaths	33	4	2	1	2	1	10	4	-	-	6	1	3	3	1	3	1	1
Other Causes	352	165	18	3	3	1	190	4	1	1	-	5	5	3	13	26	61	13

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

159.—BICESTER.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popuⁿ, 1851-61	7867	-	-	-	-	-	1101	951	841	775	605	1049	854	672	533	338	125	18
TOTAL DEATHS	1661	449	109	51	28	21	649	69	32	32	51	108	86	90	127	176	189	52
Small-pox	6	1	-	1	-	-	2	1	-	-	1	1	-	-	-	1	-	-
Measles	14	4	1	6	1	1	13	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	31	8	6	6	2	4	21	6	3	1	-	-	-	-	-	-	-	-
Diphtheria	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	27	16	8	2	1	-	27	-	-	-	-	-	-	-	-	-	-	-
Typhus	116	6	3	5	6	3	23	15	7	10	9	23	12	7	5	4	1	-
Cholera, Diarrh., Dysent	38	17	3	-	1	-	21	-	-	-	-	-	1	1	2	4	8	1
Other Zymotic Dis.	56	9	4	3	7	2	25	6	1	2	-	3	3	2	3	8	3	-
Cancer	23	-	-	-	-	-	-	-	-	1	-	2	1	6	6	1	6	-
Scrofula, Tabes Mesent.	25	9	4	-	-	1	14	2	1	-	1	5	-	-	1	-	1	-
Phthisis	204	18	3	2	-	2	25	3	4	11	28	41	32	29	17	6	3	-
Hydrocephalus	9	1	4	-	-	1	6	2	1	-	-	+	+	-	-	-	-	-
Diseases of Brain	157	55	7	3	1	2	68	7	2	-	2	6	5	7	14	30	15	1
Heart Dis. and Dropsy	118	9	4	1	1	-	15	3	2	-	-	5	2	11	24	31	19	6
Dis. of Lungs	184	60	27	7	4	3	101	5	2	2	4	8	10	6	17	16	11	2
Dis. of Stom. and Liver	76	16	6	2	-	-	24	1	-	-	1	4	9	8	13	14	2	-
Dis. of Kidneys	17	-	1	-	-	-	1	-	-	1	1	1	2	2	3	4	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
Diseases of the Skin	11	1	4	1	-	-	6	-	-	-	-	-	1	1	2	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	54	3	2	3	2	1	11	6	6	1	2	5	4	5	4	6	3	1
Other Causes	490	216	17	9	2	1	245	5	3	1	2	3	4	5	16	50	115	41

160.—WOODSTOCK.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popuⁿ, 1851-61	7186	-	-	-	-	-	979	866	777	696	595	943	808	633	482	291	98	18
TOTAL DEATHS	1491	363	107	43	26	14	553	59	39	28	50	77	89	87	107	184	170	48
Small-pox	5	-	1	-	-	-	1	1	-	-	-	-	-	1	1	1	-	-
Measles	29	5	7	4	1	4	21	5	1	1	1	-	-	-	-	-	-	-
Scarlatina	34	1	5	6	4	5	21	6	3	1	2	-	1	-	-	-	-	-
Diphtheria	8	2	1	1	1	-	5	1	1	-	1	-	-	-	-	-	-	-
Whooping-cough	32	14	11	4	3	-	32	-	-	-	-	-	-	-	-	-	-	-
Typhus	69	2	1	-	5	-	8	10	7	2	4	7	7	9	10	2	2	1
Cholera, Diarrh., Dysentᵞ	56	29	11	3	-	-	43	1	1	-	1	-	1	1	3	2	2	1
Other Zymotic Dis.	60	13	8	5	1	1	28	2	1	-	1	2	4	5	4	11	1	1
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	2	1	8	6	2	-
Scrofula, Tabes Mesent.	24	5	3	2	2	-	12	4	1	2	1	-	2	1	-	1	-	-
Phthisis	176	5	5	3	1	-	14	7	10	10	24	44	29	21	12	4	1	-
Hydrocephalus	43	11	7	4	1	1	24	7	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	147	48	11	1	2	-	62	3	2	1	1	6	6	4	8	28	23	3
Heart Dis. and Dropsy	100	3	1	-	1	1	6	1	3	4	1	1	9	12	18	27	17	1
Dis. of Lungs	179	53	20	5	3	1	82	4	-	1	3	3	4	9	12	37	19	5
Dis. of Stom. and Liver	63	9	2	-	-	-	11	2	1	1	4	2	10	5	10	11	6	-
Dis. of Kidneys	21	1	-	-	-	-	1	-	-	1	-	1	2	2	4	7	3	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-
Diseases of the Skin	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	57	3	-	3	-	1	7	4	4	3	3	3	7	10	-	3	3	-
Other Causes	372	159	12	2	1	-	174	1	1	-	1	3	3	6	17	44	36	36

161.—WITNEY.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popuⁿ, 1851-61	11866	-	-	-	-	-	1566	1506	1377	1186	924	1433	1280	1097	778	487	211	21
TOTAL DEATHS	2359	538	146	67	51	33	835	87	58	67	76	129	121	164	184	278	278	82
Small-pox	23	6	1	1	1	3	12	1	-	3	-	3	1	1	1	1	-	-
Measles	24	7	6	3	4	2	22	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	64	5	6	7	12	7	37	17	6	3	-	-	1	-	-	-	-	-
Diphtheria	8	2	1	2	-	-	5	-	-	2	-	1	-	-	-	-	-	-
Whooping-cough	26	18	6	1	1	-	26	-	-	-	-	-	-	-	-	-	-	-
Typhus	116	2	2	4	3	4	15	10	15	7	17	7	10	11	10	11	3	-
Cholera, Diarrh., Dysentᵞ	90	33	15	5	-	-	53	3	-	3	-	2	2	1	4	13	8	1
Other Zymotic Dis.	77	14	10	6	1	2	33	2	1	4	5	2	5	10	4	6	4	1
Cancer	82	-	-	-	-	-	-	1	-	1	-	1	2	7	8	8	3	1
Scrofula, Tabes Mesent.	45	2	10	3	1	1	17	4	5	-	3	10	4	1	-	1	-	-
Phthisis	249	5	5	3	2	1	16	6	9	21	34	71	31	39	13	9	-	-
Hydrocephalus	21	6	4	5	1	1	17	3	-	-	1	-	-	-	-	-	-	-
Diseases of Brain	264	60	8	4	5	2	79	11	9	7	3	8	10	15	20	48	44	10
Heart Dis. and Dropsy	167	3	2	1	-	-	6	3	1	3	2	4	17	18	35	43	29	6
Dis. of Lungs	364	103	42	15	10	6	176	6	2	4	3	6	18	23	37	51	37	6
Dis. of Stom. and Liver	122	18	1	3	2	2	26	2	4	2	2	2	6	22	22	20	12	2
Dis. of Kidneys	55	-	-	-	-	1	1	1	-	-	-	3	6	4	13	17	10	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	1	1	1	1	2	-	-	2	1	-	-
Diseases of the Skin	9	4	-	2	-	-	6	-	-	-	1	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	80	8	5	1	6	-	20	12	5	4	3	6	9	7	3	7	3	1
Other Causes	514	242	22	1	2	1	268	2	-	2	1	1	4	5	11	41	125	54

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

159.—BICESTER.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	7691	-	-	-	-	-	1053	906	800	655	638	1126	850	666	521	338	122	16
TOTAL DEATHS	1616	348	87	36	28	21	520	61	47	45	73	121	91	106	123	171	198	60
Small-pox	7	3	-	-	1	-	4	1	-	-	-	-	2	-	-	-	-	-
Measles	14	3	4	1	1	-	9	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	34	1	11	4	5	6	27	7	-	-	-	-	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	31	17	8	1	2	1	29	2	-	-	-	-	-	-	-	-	-	-
Typhus	110	4	4	2	-	4	14	12	16	4	10	17	12	9	9	3	4	-
Cholera, Diarrh., Dysent^{y}	29	14	1	2	-	1	18	-	1	-	-	-	2	-	2	3	2	1
Other Zymotic Dis.	40	11	4	1	3	-	19	1	3	-	-	4	1	-	2	4	6	-
Cancer	29	-	-	-	-	-	-	1	-	-	-	2	2	5	5	10	4	-
Scrofula, Tabes Mesent.	28	12	3	1	2	1	19	2	-	2	2	-	-	2	-	1	-	-
Phthisis	255	13	4	1	3	-	21	8	18	24	41	52	41	25	18	11	1	-
Hydrocephalus	11	4	2	1	-	1	8	2	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	142	28	7	-	3	-	38	4	1	6	4	7	6	16	17	22	15	6
Heart Dis. and Dropsy	143	3	2	-	-	1	6	2	3	2	7	7	7	22	30	32	22	3
Dis. of Lungs	140	38	22	10	4	3	77	3	2	2	1	1	8	5	12	15	11	3
Dis. of Stom. and Liver	78	16	-	-	-	1	17	1	2	1	1	4	3	8	15	16	10	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	3	-	-
Dis of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-
Diseases of the Joints	4	-	-	1	-	-	1	-	1	-	-	-	-	1	1	-	-	-
Diseases of the Skin	5	-	-	1	-	-	1	1	-	-	1	-	1	-	-	1	-	-
Childbirth and Metria	26	-	-	-	-	-	-	-	-	-	5	16	3	2	-	-	-	-
Violent Deaths	26	3	-	4	1	1	9	7	-	2	-	2	-	2	1	1	1	1
Other Causes	454	178	15	6	3	1	203	1	-	1	1	7	2	7	15	49	122	46

160.—WOODSTOCK.

Mean Popul^{n}, 1851-61	7158	-	-	-	-	-	970	852	727	661	606	1004	822	637	451	297	119	12
TOTAL DEATHS	1386	272	83	36	36	19	446	49	36	31	61	99	105	79	106	159	171	44
Small-pox	6	3	-	-	3	-	3	-	-	-	-	-	1	-	-	1	1	-
Measles	26	7	3	6	3	2	21	2	2	-	-	-	-	-	1	-	-	-
Scarlatina	28	1	2	4	7	3	17	7	3	-	-	1	-	-	-	-	-	-
Diphtheria	3	2	2	-	-	1	5	2	-	-	-	-	-	-	1	-	-	-
Whooping-cough	34	17	8	6	3	-	34	-	-	-	-	-	-	-	-	-	-	-
Typhus	66	3	2	1	1	2	9	8	6	7	6	5	10	5	5	5	-	-
Cholera, Diarrh., Dysent^{y}	42	15	5	3	1	-	24	2	-	-	-	2	1	1	2	5	5	-
Other Zymotic Dis.	37	6	3	2	4	-	15	1	2	1	-	4	1	3	3	6	1	-
Cancer	24	-	-	-	3	1	-	-	-	-	-	-	2	7	6	7	1	1
Scrotula, Tabes Mesent.	21	4	2	-	3	1	10	3	2	-	1	1	2	-	2	-	-	-
Phthisis	204	4	3	1	4	2	16	2	11	18	34	54	46	15	6	2	-	-
Hydrocephalus	24	10	2	1	2	4	19	5	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	141	28	4	1	2	-	35	5	3	-	-	9	6	4	21	30	27	1
Heart Dis. and Dropsy	108	4	1	-	-	-	5	1	1	1	4	1	11	14	22	33	14	1
Dis. of Lungs	128	34	18	4	3	-	59	3	2	2	9	2	3	11	6	17	13	1
Dis. of Stom. and Liver	49	5	3	2	-	1	11	2	1	1	1	6	1	7	8	7	4	-
Dis. of Kidneys	11	1	-	-	-	-	1	-	1	-	-	1	-	2	4	2	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	30	-	-	-	-	-	-	-	-	-	4	7	17	2	-	-	-	-
Violent Deaths	23	5	2	-	2	1	10	2	1	-	-	2	-	-	2	1	4	1
Other Causes	369	122	20	5	1	2	150	3	1	1	1	4	3	7	17	42	101	39

161.—WITNEY.

Mean Popul^{n}, 1851-61	11533	-	-	-	-	-	1503	1379	1285	1077	939	1537	1286	1028	756	485	226	32
TOTAL DEATHS	2351	435	137	66	43	37	718	89	81	87	96	162	148	120	175	282	289	104
Small-pox	10	-	-	2	-	-	2	1	2	2	-	1	-	1	1	-	-	-
Measles	28	6	7	5	3	5	26	-	2	-	-	-	-	-	-	-	-	-
Scarlatina	64	2	8	11	11	5	37	19	7	1	-	-	-	-	-	-	-	-
Diphtheria	10	1	3	1	2	1	8	-	1	-	-	-	-	1	-	-	-	-
Whooping-cough	27	9	11	3	1	1	25	2	-	-	-	-	-	-	-	-	-	-
Typhus	130	5	2	3	4	6	20	18	20	14	10	13	6	8	8	7	6	-
Cholera, Diarrh., Dysent^{y}	103	35	11	3	5	-	54	2	1	2	1	1	3	3	3	9	20	4
Other Zymotic Dis.	75	19	7	4	5	2	37	5	3	-	2	5	4	3	1	10	3	2
Cancer	45	1	-	-	-	-	1	-	-	-	-	1	8	7	11	8	9	-
Scrofula, Tabes Mesent.	37	10	3	3	1	1	18	5	3	1	2	3	3	1	-	1	-	-
Phthisis	309	4	7	2	-	1	14	6	22	45	56	76	42	28	15	5	-	-
Hydrocephalus	23	5	7	3	2	3	20	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	240	35	8	4	3	2	52	8	5	7	4	7	16	17	26	54	38	6
Heart Dis. and Dropsy	189	2	-	-	-	1	3	6	5	4	5	12	20	14	34	53	32	1
Dis. of Lungs	302	81	35	15	3	4	138	5	-	2	2	12	6	9	32	52	33	11
Dis. of Stom. and Liver	137	9	4	1	1	2	17	3	6	3	5	9	17	14	22	25	15	1
Dis. of Kidneys	14	-	-	-	-	-	-	1	-	-	2	2	1	5	2	1	-	-
Dis. of Gener. Organs	22	1	-	-	-	-	1	-	-	-	-	1	5	6	4	4	1	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	-
Diseases of the Skin	5	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	2	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	3	5	13	10	-	-	-	-	-
Violent Deaths	24	3	3	-	1	-	7	5	2	-	2	-	3	-	1	2	1	1
Other Causes	520	206	21	6	1	3	237	1	1	2	-	5	4	2	13	51	126	78

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
162.—CHIPPING NORTON.																		
Mean Popul^{n}, 1851-61	8870	-	-	-	-	-	1173	1074	980	897	709	1162	958	801	602	354	142	18
TOTAL DEATHS	1713	427	102	56	30	23	638	61	42	43	59	93	77	86	140	212	198	64
Small-pox	9	3	-	-	-	-	3	1	1	1	-	1	1	1	-	-	-	-
Measles	15	4	6	2	1	2	15	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	65	5	8	11	9	1	34	15	8	3	1	2	1	-	1	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough	14	7	4	3	-	-	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	79	1	3	4	3	5	16	14	9	4	6	4	7	7	5	6	1	-
Cholera, Diarrh., Dysent^{y}	39	16	5	3	2	-	26	1	1	-	-	1	-	1	-	5	4	-
Other Zymotic Dis.	42	6	3	2	1	2	14	3	-	1	1	1	3	1	6	8	4	-
Cancer	22	-	-	-	-	-	-	1	-	-	-	-	-	4	8	4	4	1
Scrofula, Tabes Mesent.	25	4	2	2	3	-	11	2	2	-	3	3	3	1	-	-	-	-
Phthisis	154	10	6	2	2	1	21	3	8	15	25	32	20	15	11	4	-	-
Hydrocephalus	18	9	-	3	-	1	13	1	1	2	-	1	-	-	-	-	-	-
Diseases of Brain	162	42	4	6	2	2	56	6	-	3	3	9	4	7	16	29	26	3
Heart Dis. and Dropsy	142	3	-	1	1	-	5	1	3	3	5	7	6	11	31	44	24	2
Dis. of Lungs	231	89	34	7	2	2	134	6	3	3	3	7	9	7	16	21	18	4
Dis. of Stom. and Liver	74	6	3	-	-	1	10	3	-	5	-	7	8	6	12	16	6	1
Dis. of Kidneys	35	-	-	-	-	-	-	-	-	1	-	3	1	3	6	17	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	59	3	4	1	3	3	14	1	4	1	6	8	6	9	4	2	3	1
Other Causes	521	218	20	9	1	3	251	3	2	-	6	5	8	12	22	56	104	52
163.—BANBURY.																		
Mean Popul^{n}, 1851-61	14954	-	-	-	-	-	1985	1841	1623	1485	1129	2052	1651	1311	977	646	236	18
TOTAL DEATHS	3193	813	207	92	67	50	1229	123	70	64	97	160	163	189	224	399	384	91
Small-pox	23	5	1	3	-	-	9	2	2	-	1	4	3	-	2	-	-	-
Measles	27	6	10	5	5	1	27	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	66	3	21	8	5	5	42	17	2	4	-	-	1	-	-	-	-	-
Diphtheria	21	-	1	1	4	2	8	5	5	2	1	-	-	-	-	-	-	-
Whooping-cough	44	21	11	6	4	-	42	2	-	-	-	-	-	-	-	-	-	-
Typhus	142	3	7	8	5	8	31	19	13	8	5	16	15	8	13	11	3	-
Cholera, Diarrh., Dysent^{y}	137	53	8	5	2	-	68	2	3	1	1	4	6	4	7	17	19	5
Other Zymotic Dis.	148	44	16	11	7	9	87	6	2	1	2	4	7	4	9	10	14	2
Cancer	23	-	-	-	-	-	-	-	-	-	1	2	-	4	9	5	1	1
Scrofula, Tabes Mesent.	63	29	4	4	2	2	41	10	2	3	2	3	-	-	1	1	-	-
Phthisis	301	15	5	5	1	1	27	10	11	16	54	72	51	33	16	10	1	-
Hydrocephalus	38	10	12	6	3	1	32	5	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	362	125	14	4	3	3	149	1	3	4	4	13	18	17	27	69	49	8
Heart Dis. and Dropsy	200	7	1	1	2	1	12	2	4	3	6	8	12	26	33	52	42	-
Dis. of Lungs	424	100	57	15	16	7	195	7	4	6	6	11	19	29	33	69	41	4
Dis. of Stom. and Liver	185	15	3	2	3	5	28	7	5	2	5	5	15	27	36	41	11	3
Dis. of Kidneys	42	-	-	-	-	-	-	-	2	1	-	1	4	6	7	12	9	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	10	-	-	-	-	-	-	-	1	1	1	3	-	1	1	2	-	-
Diseases of the Skin	10	2	1	1	-	-	4	-	-	-	1	-	-	1	-	1	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	118	11	3	3	3	3	23	24	6	9	5	9	7	15	7	6	7	-
Other Causes	808	364	32	4	2	2	404	4	4	3	2	5	5	13	23	93	184	68
164.—BRACKLEY.																		
Mean Popul^{n}, 1851-61	6719	-	-	-	-	-	847	829	749	661	526	879	737	588	478	298	111	16
TOTAL DEATHS	1337	337	88	43	29	14	511	46	39	28	37	60	66	72	112	154	169	43
Small-pox	3	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
Measles	9	1	1	3	2	-	7	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	24	3	2	4	2	3	14	8	2	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	1	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	17	9	4	1	2	-	16	1	-	-	-	-	-	-	-	-	-	-
Typhus	76	5	2	3	4	6	20	6	5	4	8	11	8	6	3	3	2	-
Cholera, Diarrh., Dysent^{y}	42	14	2	1	1	-	18	2	2	-	1	1	1	-	6	3	7	1
Other Zymotic Dis.	58	21	9	4	4	-	38	4	3	1	-	-	3	1	2	3	2	1
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	-	1	6	3	-	-
Scrofula, Tabes Mesent.	43	16	7	4	2	1	30	1	3	1	1	-	4	2	1	-	-	-
Phthisis	100	1	2	1	-	-	4	-	4	10	19	28	15	9	8	2	1	-
Hydrocephalus	27	8	9	2	3	-	22	3	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	150	39	3	-	-	-	42	1	6	2	1	2	4	8	17	33	33	10
Heart Dis. and Dropsy	80	1	1	1	-	-	3	2	3	-	2	1	2	8	17	24	16	2
Dis. of Lungs	167	44	19	9	4	-	76	5	1	1	2	6	9	16	13	22	16	-
Dis. of Stom. and Liver	97	15	1	2	-	-	18	3	2	4	-	6	9	12	21	16	5	1
Dis. of Kidneys	19	-	-	-	-	-	-	-	-	-	1	1	1	3	-	7	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	1	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-
Diseases of the Skin	6	2	-	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	50	6	1	2	3	-	12	5	6	3	1	-	8	4	6	2	3	-
Other Causes	342	151	23	5	2	2	183	2	-	1	1	2	2	2	10	34	78	27

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

162.—CHIPPING NORTON.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popln, 1851-61	8496	-	-	-	-	-	1169	1039	929	805	689	1188	925	733	541	321	141	16
TOTAL DEATHS	1662	313	102	45	33	20	513	64	59	64	73	132	105	96	124	173	200	59
Small-pox	4	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
Measles	18	3	4	4	3	-	14	1	3	-	-	-	-	-	-	-	-	-
Scarlatina	63	1	10	7	4	7	29	19	12	1	1	-	1	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	25	14	5	2	3	-	24	1	-	-	-	-	-	-	-	-	-	-
Typhus	85	2	3	1	6	3	15	13	3	12	8	10	4	4	5	5	1	-
Cholera, Diarrh., Dysent[y]	32	11	3	2	1	-	17	1	-	1	-	1	-	1	3	4	3	1
Other Zymotic Dis.	51	20	5	1	2	1	29	3	1	-	-	1	2	2	1	7	5	-
Cancer	31	-	-	-	-	-	-	-	-	-	-	-	3	12	11	3	2	-
Scrofula, Tabes Mesent.	25	4	5	4	-	-	13	1	2	3	1	2	2	1	-	-	-	-
Phthisis	247	8	8	2	3	1	22	5	17	23	43	58	39	22	13	4	1	-
Hydrocephalus	13	2	2	2	3	-	9	2	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	122	20	3	3	1	1	28	2	1	6	4	5	8	9	13	23	21	2
Heart Dis. and Dropsy	127	2	1	1	-	-	4	1	1	1	4	9	7	16	37	34	13	-
Dis. of Lungs	157	58	27	8	4	4	101	3	1	4	4	5	5	5	7	14	8	-
Dis. of Stom. and Liver	73	2	1	1	-	-	4	1	6	4	1	7	12	8	14	12	4	-
Dis. of Kidneys	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	-	-
Diseases of the Joints	7	-	-	1	-	-	1	-	1	1	-	2	1	1	-	-	-	-
Diseases of the Skin	7	3	-	-	-	-	3	-	-	-	-	-	1	-	2	1	-	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	2	2	21	5	1	-	-	-	-
Violent Deaths	22	4	2	2	1	2	11	2	-	1	-	-	3	1	-	1	2	1
Other Causes	514	159	23	3	2	1	188	7	5	4	3	7	12	11	18	64	140	55

163.—BANBURY.

Mean Popln, 1851-61	15016	-	-	-	-	-	2023	1785	1668	1336	1234	2137	1681	1324	972	616	216	24
TOTAL DEATHS	3198	614	214	90	69	57	1044	134	91	93	115	235	197	216	266	400	332	75
Small-pox	18	3	1	-	2	3	9	2	2	-	1	1	1	1	-	1	-	-
Measles	42	4	15	10	6	1	36	5	-	1	-	-	-	-	-	-	-	-
Scarlatina	81	5	15	12	9	11	52	14	10	1	2	1	1	-	-	-	-	-
Diphtheria	21	1	1	3	2	1	8	9	2	1	1	-	-	-	-	-	-	-
Whooping-cough	55	17	18	4	7	4	50	4	1	-	-	-	-	-	-	-	-	-
Typhus	177	2	5	7	4	6	24	33	27	15	16	17	10	11	17	6	1	-
Cholera, Diarrh., Dysent[y]	100	26	13	4	1	1	45	1	-	1	1	1	5	7	9	18	11	1
Other Zymotic Dis.	132	20	16	14	10	8	68	7	2	1	2	7	4	6	10	14	11	-
Cancer	60	-	-	-	-	-	-	-	-	-	-	1	7	24	13	9	5	1
Scrofula, Tabes Mesent.	60	22	9	2	1	1	35	4	4	3	4	3	3	-	2	1	1	-
Phthisis	424	7	8	3	2	1	21	7	16	44	62	117	76	49	21	10	1	-
Hydrocephalus	36	9	9	4	3	1	26	7	2	-	-	-	-	-	1	-	-	-
Diseases of Brain	326	68	19	4	2	2	95	9	5	5	7	7	15	19	39	71	46	8
Heart Dis. and Dropsy	276	7	4	1	-	-	12	3	4	3	3	14	17	35	54	90	36	5
Dis. of Lungs	403	113	45	11	9	11	189	13	4	5	2	17	12	19	42	58	37	5
Dis. of Stom. and Liver	151	8	2	2	3	1	16	3	5	3	9	13	12	22	27	31	10	-
Dis. of Kidneys	9	1	-	-	-	-	1	-	-	-	-	4	1	-	-	2	1	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	1	6	1	1	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	1	-	2	-	2	1	3	-	-	-	-
Diseases of the Skin	6	2	2	-	-	-	4	-	-	-	-	-	-	-	-	1	-	1
Childbirth and Metria	43	-	-	-	-	-	-	-	-	1	3	19	20	-	-	-	-	-
Violent Deaths	62	8	1	4	6	3	22	6	3	3	-	-	2	4	5	5	9	3
Other Causes	698	291	31	5	2	2	331	6	4	4	2	10	4	15	25	83	163	51

164.—BRACKLEY.

Mean Popln, 1851-61	6890	-	-	-	-	-	909	816	736	604	569	934	792	634	476	287	118	15
TOTAL DEATHS	1511	286	84	32	29	22	453	61	53	73	68	96	92	68	115	202	179	51
Small-pox	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-
Measles	9	2	3	-	2	1	8	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	37	-	5	6	8	3	22	7	6	1	-	-	1	-	-	-	-	-
Diphtheria	5	1	1	-	1	1	4	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	49	25	14	2	2	1	44	4	1	-	-	6	6	3	5	6	1	-
Typhus	80	-	3	3	1	1	8	9	15	12	9	6	6	3	5	6	1	-
Cholera, Diarrh., Dysent[y]	53	16	7	-	-	-	23	2	-	1	-	-	3	1	2	2	10	6
Other Zymotic Dis.	62	15	6	6	2	7	36	6	1	-	1	-	-	2	2	11	2	1
Cancer	23	-	-	-	-	-	-	-	-	-	-	1	1	6	3	10	1	1
Scrofula, Tabes Mesent.	37	13	3	1	1	1	19	6	2	4	3	1	1	-	1	-	-	-
Phthisis	182	3	-	-	1	-	4	3	13	31	30	43	32	11	11	3	1	-
Hydrocephalus	26	3	5	3	3	2	16	4	2	3	-	-	-	-	1	-	-	-
Diseases of Brain	168	36	4	2	-	1	43	4	3	3	2	5	10	5	27	40	23	1
Heart Dis. and Dropsy	148	5	-	-	-	-	5	-	1	3	3	6	9	16	25	48	31	1
Dis. of Lungs	143	34	9	4	4	3	54	4	5	4	5	4	5	9	14	18	16	5
Dis. of Stom. and Liver	95	10	5	-	-	1	16	4	1	2	5	11	11	10	13	19	3	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	24	-	-	-	-	-	-	-	-	1	0	7	7	-	-	-	-	-
Violent Deaths	27	5	3	1	1	-	10	5	1	1	-	2	-	-	-	2	3	3
Other Causes	327	117	16	4	3	-	149	1	1	6	1	5	6	2	8	31	90	36

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
165.—TOWCESTER.																		
Mean Popul^{n}, 1851-61	6293	-	-	-	-	-	824	763	686	605	482	842	695	557	455	237	105	12
TOTAL DEATHS.	1425	416	87	42	22	22	589	65	29	33	30	59	76	75	106	162	162	39
Small-pox	8	1	1	-	-	-	2	1	-	1	-	-	-	3	-	1	-	-
Measles	19	6	5	4	3	-	18	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	34	1	6	6	3	4	20	12	-	1	-	1	-	-	-	-	-	-
Diphtheria	14	5	1	2	-	3	11	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	15	10	4	1	-	-	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	60	2	4	1	2	3	12	18	7	7	1	3	4	1	3	7	2	-
Cholera, Diarrh., Dysent^{y}	73	10	7	2	1	1	21	6	1	3	1	2	3	4	3	5	14	-
Other Zymotic Dis.	60	11	10	6	2	1	30	5	2	-	-	2	5	2	5	5	4	-
Cancer	20	-	-	-	-	-	-	-	-	-	-	-	4	3	5	6	2	-
Scrofula, Tabes Mesent.	35	9	5	1	1	3	19	3	2	-	5	-	1	3	-	1	1	-
Phthisis	121	14	7	1	2	2	26	1	2	8	16	26	19	10	7	6	-	-
Hydrocephalus	17	12	2	1	1	1	17	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	170	51	6	1	-	2	60	5	2	3	1	4	6	7	14	32	29	7
Heart Dis. and Dropsy	100	3	-	-	-	-	3	-	4	4	3	3	9	6	15	32	18	3
Dis. of Lungs	195	83	18	11	5	-	117	2	1	2	-	6	4	12	12	19	16	4
Dis. of Stom. and Liver	101	24	3	1	-	1	29	4	1	1	1	7	5	12	15	13	11	2
Dis. of Kidneys	26	1	-	-	-	-	1	-	-	-	-	1	2	2	5	6	7	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	52	6	1	2	2	1	12	5	6	2	-	4	6	5	6	2	4	-
Other Causes	297	166	7	2	-	-	175	-	1	1	1	-	3	5	9	27	54	21
166.—POTTERSPURY.																		
Mean Popul^{n}, 1851-61	5666	-	-	-	-	-	764	638	629	562	579	835	628	458	319	181	63	10
TOTAL DEATHS	1045	265	89	47	33	22	456	51	20	23	28	56	58	47	70	94	112	30
Small-pox	8	3	1	-	-	-	4	-	-	2	1	-	1	-	-	-	-	-
Measles	14	2	6	4	-	2	14	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	37	1	2	5	3	7	18	14	2	2	-	-	1	-	-	-	-	-
Diphtheria	6	1	1	1	2	-	5	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	17	3	5	3	1	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	58	1	7	3	5	2	18	7	4	5	4	7	2	2	7	1	1	-
Cholera, Diarrh., Dysent^{y}	40	12	2	3	4	1	22	1	-	2	1	3	2	-	-	6	2	1
Other Zymotic Dis.	46	14	4	6	5	3	32	1	3	1	-	2	2	-	2	2	1	-
Cancer	13	-	-	-	-	1	1	-	-	-	-	-	2	2	4	2	1	1
Scrofula, Tabes Mesent.	33	14	6	2	1	1	24	5	-	1	1	1	-	1	-	-	-	-
Phthisis	80	2	1	1	2	-	6	1	5	5	13	19	13	10	7	1	-	-
Hydrocephalus	19	7	6	1	3	1	18	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	94	26	5	4	-	-	35	3	-	-	-	1	6	5	13	14	16	1
Heart Dis. and Dropsy	62	1	1	-	-	1	3	-	2	-	1	4	4	8	9	17	13	1
Dis. of Lungs	103	27	21	5	2	-	55	3	1	2	-	3	6	7	6	11	8	1
Dis. of Stom. and Liver	35	4	2	1	-	1	8	1	1	-	2	1	4	5	7	5	1	-
Dis. of Kidneys	13	-	-	-	-	-	-	1	1	-	-	1	1	1	3	2	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	53	2	1	-	4	2	9	7	1	3	5	8	9	3	4	2	1	1
Other Causes	310	140	13	8	1	-	167	5	-	-	-	6	5	3	8	29	63	24
167.—HARDINGSTONE.																		
Mean Popul^{n}, 1851-61	4654	-	-	-	-	-	676	569	527	452	372	610	515	400	289	184	53	7
TOTAL DEATHS	906	277	50	24	16	10	377	44	19	27	23	44	41	59	59	100	87	26
Small-pox	9	3	-	1	1	-	5	1	1	-	2	-	-	-	-	-	-	-
Measles	12	2	5	2	1	-	10	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	12	-	1	1	2	-	4	6	1	-	-	1	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	17	10	5	2	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	58	1	3	1	2	1	8	12	8	2	5	5	2	6	3	3	3	1
Cholera, Diarrh., Dysent^{y}	14	2	4	-	1	-	7	-	-	-	-	-	-	1	1	-	3	2
Other Zymotic Dis.	36	13	4	2	1	1	21	5	-	2	-	-	2	1	1	4	-	-
Cancer	6	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	-	-
Scrofula, Tabes Mesent.	8	2	1	-	-	-	3	1	-	-	1	1	1	1	-	-	-	-
Phthisis	99	17	2	1	2	-	22	5	1	6	7	18	14	15	7	4	-	-
Hydrocephalus	8	4	1	-	1	-	6	1	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	95	42	2	2	1	-	47	-	1	1	-	3	1	4	8	14	16	-
Heart Dis. and Dropsy	55	2	-	1	-	2	5	-	1	2	-	1	6	8	12	14	4	2
Dis. of Lungs	82	26	11	3	3	2	45	-	-	1	1	5	2	3	5	12	5	3
Dis. of Stom. and Liver	33	6	2	-	-	-	8	1	-	5	2	3	1	4	4	5	-	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	45	-	1	3	-	1	5	7	5	5	3	4	6	3	1	4	1	1
Other Causes	308	147	8	5	1	2	163	3	1	1	2	2	5	8	15	36	55	17

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.																Ages unknown
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	
165.—TOWCESTER.																		
Mean Popul^{n}, 1851-61	6612	-	-	-	-	-	821	774	704	591	570	947	759	608	462	270	94	12
TOTAL DEATHS	1502	327	99	47	31	11	515	53	49	50	65	88	97	80	128	180	158	39
Small-pox	7	4	-	-	-	-	4	1	-	-	1	-	1	-	-	-	-	-
Measles	10	2	5	2	1	-	10	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	33	4	4	7	3	4	22	9	1	-	-	-	1	-	-	-	-	-
Diphtheria	3	2	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	24	12	5	5	1	-	23	1	-	-	-	-	-	-	-	-	-	-
Typhus	70	1	2	5	6	2	16	6	11	6	4	6	5	3	3	5	5	-
Cholera, Diarrh., Dysent^{y}	104	26	10	6	2	-	44	5	4	2	2	3	4	10	8	14	5	3
Other Zymotic Dis.	53	11	4	4	5	1	25	3	3	1	2	1	3	5	2	5	3	-
Cancer	26	-	-	-	-	-	-	-	-	-	-	-	4	6	9	4	2	1
Scrofula, Tabes Mesent.	24	5	4	1	-	-	10	3	1	2	2	2	2	-	1	1	-	-
Phthisis	205	11	4	3	-	-	18	7	18	25	34	43	37	11	-	1	-	-
Hydrocephalus	21	9	7	-	1	-	17	3	-	-	-	1	-	-	-	-	-	-
Diseases of Brain	163	41	2	2	2	-	47	6	-	5	1	3	5	6	18	41	27	4
Heart Dis. and Dropsy	120	4	1	2	-	-	7	3	5	1	4	3	7	9	24	28	23	6
Dis. of Lungs	175	45	28	3	8	2	86	2	1	1	7	5	2	8	18	27	16	2
Dis. of Stom. and Liver	116	17	2	4	-	-	23	1	1	4	3	5	10	13	24	17	14	1
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	1	-	1	2	3	-	-	1	-
Diseases of the Joints	4	-	1	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-
Diseases of the Skin	7	4	-	-	-	-	4	-	-	-	-	-	-	-	-	3	-	-
Childbirth and Metria	17	-	-	-	-	-	-	-	-	-	3	7	7	-	-	-	-	-
Violent Deaths	19	-	3	1	-	1	5	3	3	-	1	-	1	1	-	2	3	-
Other Causes	286	129	17	2	2	-	150	-	1	2	1	7	3	5	7	30	58	22
166.—POTTERSPURY.																		
Mean Popul^{n}, 1851-61	5481	-	-	-	-	-	729	675	529	432	498	852	626	475	319	202	73	11
TOTAL DEATHS	1183	232	83	52	28	15	410	54	31	47	37	81	64	75	98	143	118	25
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	10	1	4	3	-	-	8	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	20	1	-	2	3	3	9	7	2	2	-	-	-	-	-	-	-	-
Diphtheria	8	2	2	1	2	-	7	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	25	13	6	5	1	-	25	-	-	-	-	-	-	-	-	-	-	-
Typhus	66	1	2	4	4	3	14	17	8	6	2	6	3	5	5	-	-	-
Cholera, Diarrh., Dysent^{y}	46	10	2	2	1	2	17	4	-	2	-	2	2	2	5	7	5	-
Other Zymotic Dis.	40	8	-	3	5	3	19	3	2	-	-	1	1	1	5	6	1	1
Cancer	23	-	-	-	-	-	-	-	-	-	-	-	3	7	6	6	1	-
Scrofula, Tabes Mesent.	37	13	1	4	3	1	22	-	2	1	2	2	2	1	2	3	-	-
Phthisis	137	-	-	2	-	-	2	6	9	26	18	37	14	14	7	4	-	-
Hydrocephalus	13	4	6	2	-	-	12	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	128	29	12	6	3	1	51	1	3	1	1	3	7	10	9	26	13	3
Heart Dis. and Dropsy	92	3	2	1	-	-	6	1	-	2	2	3	9	13	19	21	15	1
Dis. of Lungs	108	25	11	5	2	1	44	4	-	2	4	7	6	2	14	17	8	-
Dis. of Stom. and Liver	59	4	1	-	1	-	6	2	-	-	1	6	6	11	10	14	3	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	1	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Skin	6	1	2	1	-	-	4	-	1	-	-	-	-	-	1	-	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	-	-	3	6	3	-	-	-	-
Violent Deaths	17	5	1	1	1	-	8	2	-	-	1	2	-	-	1	1	1	1
Other Causes	321	111	31	10	2	1	155	3	4	5	1	5	6	6	12	35	70	19
167.—HARDINGSTONE.																		
Mean Popul^{n}, 1851-61	4389	-	-	-	-	-	707	605	549	419	421	671	551	409	317	178	52	9
TOTAL DEATHS	1011	205	56	42	21	15	339	36	41	46	43	76	74	43	78	119	92	24
Small-pox	5	1	1	-	1	1	4	-	-	1	-	-	-	-	-	-	-	-
Measles	20	2	4	7	2	2	17	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	11	-	1	1	3	-	5	5	-	1	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	2	1	-	3	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	26	15	6	2	1	1	25	1	-	-	-	-	-	-	-	-	-	-
Typhus	68	-	3	6	1	1	11	6	15	5	6	7	6	-	7	4	1	-
Cholera, Diarrh., Dysent^{y}	24	4	4	6	-	-	14	-	1	-	-	-	1	3	2	2	1	-
Other Zymotic Dis.	36	9	5	4	2	2	22	4	1	2	-	-	2	2	1	2	-	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	1	4	2	6	-	-
Scrofula, Tabes Mesent.	9	-	-	1	1	-	2	1	1	2	1	1	1	-	-	-	-	-
Phthisis	169	14	2	2	2	1	21	3	13	23	21	33	33	12	3	2	-	-
Hydrocephalus	6	1	3	1	-	1	6	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	67	11	5	1	4	-	21	1	-	3	-	2	3	6	10	11	10	-
Heart Dis. and Dropsy	77	1	-	-	-	-	1	4	2	1	5	7	6	5	17	19	10	-
Dis. of Lungs	74	24	10	6	1	1	42	3	3	-	-	3	7	-	5	9	2	-
Dis. of Stom. and Liver	31	1	1	-	1	-	3	2	-	1	2	5	1	5	5	6	1	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	-	-
Diseases of the Joints	2	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	17	-	-	-	-	-	-	-	-	-	5	7	5	-	-	-	-	-
Violent Deaths	13	-	-	-	-	-	-	2	1	3	1	1	1	-	1	-	2	1
Other Causes	229	122	11	3	1	4	141	2	1	3	1	3	5	4	24	37	65	23

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
	AGES OF MALES.																	
168.—NORTHAMPTON.																		
Mean Popul^{n}, 1851-61	18618	-	-	-	-	-	2467	2073	1911	1897	1877	2954	2235	1596	974	484	131	19
TOTAL DEATHS	4668	1436	402	208	115	62	2223	155	93	124	146	312	289	317	333	356	268	52
Small-pox	163	38	18	23	15	17	111	14	6	3	11	11	2	1	3	1	-	-
Measles	109	19	45	21	6	5	96	12	-	-	-	1	-	-	-	-	-	-
Scarlatina	91	8	11	24	9	4	56	24	5	1	3	1	1	-	-	-	-	-
Diphtheria	7	-	1	2	-	1	4	2	-	-	-	-	-	1	-	-	-	-
Whooping-cough	88	36	29	13	6	3	87	-	-	1	-	-	-	-	-	-	-	-
Typhus	211	10	15	19	15	8	67	20	15	18	10	21	12	16	6	18	8	-
Cholera, Diarrh., Dysent^{y}	223	138	20	4	1	-	163	1	1	1	2	7	4	11	8	12	11	2
Other Zymotic Dis.	145	44	12	10	10	2	78	5	1	2	-	10	12	10	10	10	5	2
Cancer	53	-	-	-	-	-	-	-	1	1	1	1	12	12	14	8	3	-
Scrofula, Tabes Mesent.	122	66	13	6	5	4	94	5	4	6	2	1	6	2	2	-	-	-
Phthisis	509	19	15	3	5	3	45	12	16	52	65	140	85	59	27	8	-	-
Hydrocephalus	61	18	15	10	4	2	49	7	1	2	-	1	-	-	1	-	-	-
Diseases of Brain	618	262	27	5	5	3	302	11	10	11	10	34	41	39	65	56	36	3
Heart Dis. and Dropsy	216	4	1	3	3	1	12	1	5	3	5	18	23	41	50	43	15	-
Dis. of Lungs	554	191	84	31	17	4	327	6	5	5	7	18	25	34	43	48	30	6
Dis. of Stom. and Liver	183	28	3	3	2	1	37	5	4	7	9	13	15	27	33	26	7	-
Dis. of Kidneys	47	-	-	2	-	1	3	-	2	1	3	5	10	5	9	7	2	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	2	2	-	-	-	1	1	-	1	-	-
Diseases of the Skin	11	7	1	-	-	-	8	1	-	-	1	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	186	5	5	4	4	2	20	18	14	8	14	25	24	28	19	14	2	-
Other Causes	1063	543	87	25	8	1	664	9	1	2	3	5	16	29	42	104	149	39
169.—DAVENTRY.																		
Mean Popul^{n}, 1851-61	10979	-	-	-	-	-	1370	1246	1143	1043	1086	1607	1211	935	716	437	166	19
TOTAL DEATHS	2234	564	142	62	38	24	830	71	47	78	68	129	119	128	182	285	232	65
Small-pox	23	2	1	-	1	-	4	-	-	3	1	1	4	2	4	2	2	-
Measles	24	4	8	7	2	1	22	-	2	-	-	-	-	-	-	-	-	-
Scarlatina	46	5	7	4	6	5	27	11	4	1	-	-	1	2	-	-	-	-
Diphtheria	11	2	2	1	-	1	6	3	1	-	1	-	-	-	-	-	-	-
Whooping-cough	16	9	3	-	2	2	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	118	1	5	3	3	4	16	14	13	9	4	12	5	15	12	7	1	-
Cholera, Diarrh., Dysent^{y}	87	32	9	2	1	1	45	3	3	1	-	2	1	1	3	14	10	4
Other Zymotic Dis.	75	12	10	9	1	2	34	4	2	5	1	8	6	3	4	6	2	-
Cancer	25	-	-	-	-	-	-	-	-	-	1	1	4	2	8	7	2	-
Scrofula, Tabes Mesent.	44	22	2	4	-	-	28	1	1	2	4	3	1	1	2	1	-	-
Phthisis	197	7	3	1	2	2	15	5	6	21	31	52	31	22	9	4	1	-
Hydrocephalus	16	2	6	3	1	1	13	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	241	71	13	8	4	2	98	6	5	6	2	5	8	11	25	43	26	6
Heart Dis. and Dropsy	141	13	1	1	1	1	17	1	2	1	3	4	2	18	24	50	19	1
Dis. of Lungs	312	107	37	6	5	1	156	5	-	3	6	7	12	19	32	46	19	7
Dis. of Stom. and Liver	109	13	3	2	-	-	18	3	1	4	3	6	11	8	26	17	10	2
Dis. of Kidneys	35	1	1	-	-	-	2	-	1	2	-	1	3	4	1	14	5	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	9	2	-	-	-	-	2	-	-	-	3	3	-	-	1	-	-	-
Diseases of the Skin	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	109	6	5	3	2	1	17	6	4	7	6	15	18	9	12	8	6	1
Other Causes	592	250	26	8	7	-	291	6	2	3	2	9	12	11	19	65	129	43
170.—BRIXWORTH.																		
Mean Popul^{n}, 1851-61	7624	-	-	-	-	-	1059	929	822	724	600	1014	831	684	505	320	123	13
TOTAL DEATHS	1506	419	88	50	31	14	602	44	30	29	38	70	56	80	119	187	203	48
Small-pox	4	1	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-
Measles	19	4	3	8	3	1	19	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	36	1	7	8	9	2	27	7	-	1	1	-	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	31	18	7	3	1	2	31	-	-	-	-	-	-	-	-	-	-	-
Typhus	115	4	4	2	3	-	13	14	9	8	6	13	12	12	9	12	7	-
Cholera, Diarrh., Dysent^{y}	58	25	6	1	1	-	33	3	-	-	-	-	-	-	2	18	5	2
Other Zymotic Dis.	62	15	3	2	3	2	25	3	1	1	-	2	5	4	5	9	7	-
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	-	3	7	6	1	-
Scrofula, Tabes Mesent.	10	1	1	-	-	-	2	-	1	1	2	2	-	1	1	-	-	-
Phthisis	113	4	1	-	-	1	6	2	4	9	12	33	9	15	13	9	1	-
Hydrocephalus	15	9	2	3	-	1	15	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	179	79	11	1	1	-	92	3	4	1	4	1	3	8	13	24	23	3
Heart Dis. and Dropsy	67	-	-	-	1	-	1	2	2	2	1	3	1	6	14	19	14	2
Dis. of Lungs	225	59	20	12	8	4	103	2	3	1	4	8	6	11	20	27	40	5
Dis. of Stom. and Liver	53	9	-	1	-	-	10	1	1	-	1	-	8	7	12	5	7	1
Dis. of Kidneys	31	-	-	-	-	-	-	-	-	-	1	1	1	1	3	11	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	1	-	-	1	-	-	2	1	-	-	-	-	-	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	46	3	5	3	1	-	12	3	3	-	3	5	3	5	4	6	2	-
Other Causes	416	185	18	5	-	1	209	3	2	2	2	5	8	7	10	46	87	35

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
168.—NORTHAMPTON.																		
Mean Popul^{n}, 1851-61	18890	-	-	-	-	-	2508	2087	1987	1985	1889	2941	2179	1535	1022	560	169	23
TOTAL DEATHS	4564	1154	370	203	139	83	1949	170	100	156	193	343	324	307	289	395	264	74
Small-pox	159	42	25	23	22	4	116	13	6	7	5	5	5	1	1	-	-	-
Measles	112	16	40	26	16	6	104	8	-	-	-	-	-	-	-	-	-	-
Scarlatina	88	6	8	16	14	12	56	23	5	2	1	1	-	-	-	-	-	-
Diphtheria	5	-	-	1	1	1	3	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	99	38	33	13	9	4	97	1	1	-	-	-	-	-	-	-	-	-
Typhus	283	7	17	19	21	19	83	43	15	32	26	28	16	17	7	14	2	-
Cholera, Diarrh., Dysent^{y}	229	108	28	9	3	4	152	1	2	3	5	5	6	8	14	17	13	3
Other Zymotic Dis.	148	48	10	14	8	5	85	4	1	3	1	7	7	8	15	12	4	1
Cancer	91	-	-	-	-	-	-	-	1	-	-	8	23	25	15	16	1	2
Scrofula, Tabes Mesent.	112	50	22	3	2	5	82	2	5	3	3	8	4	3	1	-	1	-
Phthisis	576	22	11	5	4	3	45	16	37	59	89	140	109	56	19	5	1	-
Hydrocephalus	35	18	5	3	4	1	31	2	-	2	-	-	-	-	-	-	-	-
Diseases of Brain	499	178	20	19	6	4	227	11	5	12	8	27	28	45	50	57	26	3
Heart Dis. and Dropsy	251	3	-	3	1	1	8	3	4	4	8	22	39	31	46	68	17	1
Dis. of Lungs	490	136	72	28	17	6	259	18	5	5	9	11	19	32	40	54	38	-
Dis. of Stom. and Liver	190	23	2	3	1	-	29	7	-	7	8	23	24	30	28	25	7	2
Dis. of Kidneys	23	-	-	-	-	1	1	2	-	1	-	6	4	6	3	-	-	-
Dis. of Gener. Organs	29	-	-	-	-	-	-	-	-	1	1	9	3	8	6	1	-	-
Diseases of the Joints	12	2	-	-	-	-	2	1	1	-	2	1	1	3	-	1	-	-
Diseases of the Skin	13	4	4	-	-	-	8	-	-	1	1	-	1	-	1	1	-	-
Childbirth and Metria	74	-	-	-	-	-	-	-	-	7	18	31	18	-	-	-	-	-
Violent Deaths	62	8	-	1	8	2	19	7	7	4	4	1	3	8	2	2	3	2
Other Causes	984	445	73	17	2	5	542	6	5	3	4	10	14	26	41	122	151	60
169.—DAVENTRY.																		
Mean Popul^{n}, 1851-61	10284	-	-	-	-	-	1339	1191	1104	917	887	1469	1165	908	674	435	177	18
TOTAL DEATHS	2094	380	128	61	40	29	638	83	50	74	78	154	127	112	178	270	267	63
Small-pox	21	4	3	1	1	1	10	1	1	2	1	1	-	5	-	-	-	-
Measles	21	2	6	6	1	-	15	3	1	1	-	1	-	-	-	-	-	-
Scarlatina	51	4	5	6	8	4	27	18	3	-	1	1	-	-	1	-	-	-
Diphtheria	14	3	-	1	3	2	9	5	-	-	-	-	-	-	-	-	-	-
Whooping-cough	21	6	12	2	1	-	21	-	-	-	-	-	-	-	-	-	-	-
Typhus	125	2	3	6	3	4	18	19	18	14	19	16	8	3	7	9	4	-
Cholera, Diarrh., Dysent^{y}	67	19	10	-	-	1	30	1	-	-	1	3	1	3	5	10	13	-
Other Zymotic Dis.	73	15	10	6	9	4	44	3	1	6	-	4	1	2	4	6	2	-
Cancer	54	-	-	-	-	-	-	-	1	-	-	3	3	13	18	9	7	-
Scrofula, Tabes Mesent.	40	11	7	6	1	-	25	3	1	1	2	3	2	-	3	-	-	-
Phthisis	240	3	2	-	-	2	7	8	15	29	45	66	40	20	9	1	-	-
Hydrocephalus	16	3	5	4	-	1	13	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	197	47	10	4	2	1	64	2	1	5	2	10	3	11	18	48	27	6
Heart Dis. and Dropsy	179	5	3	1	1	-	10	-	2	8	5	12	15	13	34	52	25	3
Dis. of Lungs	201	51	28	9	2	3	93	7	2	2	3	5	7	13	15	31	18	5
Dis. of Stom. and Liver	132	10	1	3	2	1	17	3	1	2	2	8	18	11	33	27	9	1
Dis. of Kidneys	9	1	-	-	-	-	1	-	-	-	-	2	-	1	1	2	2	-
Dis. of Gener. Organs	14	1	-	-	-	-	1	-	-	-	-	2	2	4	3	-	2	-
Diseases of the Joints	5	-	1	-	-	-	1	-	2	-	-	-	-	-	-	1	1	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	1	5	7	16	-	-	-	-	-
Violent Deaths	30	6	2	2	3	-	13	2	-	-	1	3	1	2	1	2	4	1
Other Causes	552	186	20	4	3	5	218	6	-	3	1	7	10	10	26	71	153	47
170.—BRIXWORTH.																		
Mean Popul^{n}, 1851-61	7441	-	-	-	-	-	1012	930	778	630	584	1051	861	653	494	320	117	11
TOTAL DEATHS	1572	341	84	40	37	19	521	59	32	51	58	121	86	66	133	211	175	59
Small-pox	2	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	18	6	5	4	-	-	15	2	-	1	-	-	-	-	-	-	-	-
Scarlatina	41	2	7	7	8	4	28	11	1	1	-	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	28	13	7	3	3	1	27	1	-	-	-	-	-	-	-	-	-	-
Typhus	96	3	2	3	5	6	19	21	9	5	6	9	6	5	7	6	3	-
Cholera, Diarr[illegible]at^{y}	49	21	4	-	2	-	27	-	-	-	-	-	-	2	3	7	9	1
Other Zymotic Dis.	48	4	2	5	4	2	17	2	1	1	3	2	1	3	2	8	7	1
Cancer	35	-	-	-	-	-	-	-	-	-	-	2	4	9	9	7	3	1
Scrofula, Tabes Mesent.	20	5	2	-	-	1	8	-	1	1	-	2	1	-	5	1	1	-
Phthisis	194	1	-	1	-	-	2	3	10	23	33	58	31	14	13	7	-	-
Hydrocephalus	22	4	5	1	3	1	14	4	1	2	-	-	-	-	-	1	-	-
Diseases of Brain	162	59	2	2	2	-	65	1	2	2	2	2	2	2	21	33	26	4
Heart Dis. and Dropsy	101	-	-	-	-	-	-	-	1	2	2	11	9	4	23	33	15	1
Dis. of Lungs	199	56	21	6	6	1	90	3	2	4	2	9	8	7	14	34	20	6
Dis. of Stom. and Liver	69	3	2	-	1	-	6	1	-	2	1	9	3	10	15	14	7	1
Dis. of Kidneys	6	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	1	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-
Diseases of the Joints	7	1	-	-	-	-	1	-	-	1	-	-	-	1	1	3	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-
Childbirth and Metria	33	-	-	-	-	-	-	-	-	3	5	13	12	-	-	-	-	-
Violent Deaths	20	4	1	1	-	1	7	4	2	-	-	-	-	1	2	3	-	1
Other Causes	409	158	24	7	2	2	193	4	1	2	2	3	7	5	15	51	83	43

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
171.—WELLINGBOROUGH.																		
Mean Popul^n, 1851-61	11215	–	–	–	–	–	1590	1331	1243	1078	952	1571	1276	959	685	384	136	10
TOTAL DEATHS	2372	794	189	94	40	28	1145	82	35	66	68	116	90	114	162	240	204	50
Small-pox	23	9	1	1	–	2	13	3	1	1	2	2	–	–	1	–	–	–
Measles	39	3	19	8	4	3	37	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	29	2	8	3	3	7	23	6	–	–	–	–	–	–	–	–	–	–
Diphtheria	4	–	2	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–
Whooping-cough	64	28	20	11	3	–	62	2	–	–	–	–	–	–	–	–	–	–
Typhus	143	6	4	13	9	4	36	19	11	20	13	19	6	5	5	6	2	1
Cholera, Diarrh., Dysent^y	87	48	6	4	1	1	60	2	2	1	–	–	–	7	1	5	9	–
Other Zymotic Dis.	105	34	14	7	7	3	65	2	1	1	1	4	1	5	3	10	10	2
Cancer	41	–	–	–	–	–	–	–	–	–	–	–	4	9	12	12	4	–
Scrofula, Tabes Mesent.	22	1	4	1	1	–	7	2	2	1	4	2	–	–	3	1	–	–
Phthisis	242	24	9	4	1	2	40	7	4	26	22	59	34	31	11	8	–	–
Hydrocephalus	27	6	12	5	–	1	24	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	331	183	15	6	1	1	206	10	1	2	7	8	5	10	20	39	21	2
Heart Dis. and Dropsy	111	1	–	3	–	–	4	–	2	3	–	4	3	12	38	37	8	–
Dis. of Lungs	270	97	37	13	5	2	154	9	4	2	4	7	13	6	24	29	15	3
Dis. of Stom. and Liver	95	18	–	2	–	1	21	2	4	3	4	4	10	11	12	13	11	–
Dis. of Kidneys	22	–	1	–	–	–	1	–	–	–	3	1	3	–	3	3	7	1
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
Diseases of the Joints	5	–	–	–	–	–	–	–	1	1	–	–	–	1	1	1	–	–
Diseases of the Skin	3	2	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	77	5	1	9	3	–	18	10	1	4	8	4	4	9	9	7	3	–
Other Causes	629	327	36	3	2	1	369	3	–	1	–	2	6	7	18	68	114	41
172.—KETTERING.																		
Mean Popul^n, 1851-61	9201	–	–	–	–	–	1307	1129	1051	912	738	1261	1014	786	559	327	105	12
TOTAL DEATHS	1811	607	124	54	40	26	851	59	41	55	39	64	97	82	152	164	172	35
Small-pox	29	6	1	1	3	1	12	3	3	3	–	3	1	4	–	–	–	–
Measles	24	6	12	2	3	1	24	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	41	3	7	2	7	8	27	10	2	1	–	–	1	–	–	–	–	–
Diphtheria	7	–	–	2	1	–	3	2	2	–	–	–	–	–	–	–	–	–
Whooping-cough	24	12	5	4	1	–	22	1	1	–	–	–	–	–	–	–	–	–
Typhus	89	6	9	3	5	2	25	7	6	15	7	6	7	4	8	3	1	–
Cholera, Diarrh., Dysent^y	61	30	9	2	–	–	41	–	1	–	–	1	1	–	5	6	3	1
Other Zymotic Dis.	97	32	9	4	8	2	55	4	–	3	–	+	2	3	11	10	4	–
Cancer	14	–	–	–	1	–	1	–	–	–	–	2	1	2	4	3	1	–
Scrofula, Tabes Mesent.	35	23	3	3	1	–	30	–	2	2	1	–	–	–	–	–	–	–
Phthisis	141	8	4	–	2	1	15	3	3	13	19	27	31	15	14	1	–	–
Hydrocephalus	40	16	7	6	1	1	31	4	2	3	–	–	–	–	–	–	–	–
Diseases of Brain	261	129	7	3	4	1	144	5	3	3	2	3	10	7	21	30	33	–
Heart Dis. and Dropsy	102	3	1	1	1	1	7	7	–	–	4	7	11	11	21	18	16	–
Dis. of Lungs	193	64	25	12	1	5	107	3	4	–	1	3	11	9	20	22	12	1
Dis. of Stom. and Liver	84	18	2	3	–	–	23	1	4	3	–	8	11	10	10	12	1	1
Dis. of Kidneys	15	–	–	–	–	–	–	1	–	–	–	1	3	1	1	3	5	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	2	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Diseases of the Skin	3	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	59	5	5	3	–	1	14	5	5	8	5	2	3	6	7	2	2	–
Other Causes	490	246	18	3	1	1	269	2	2	1	–	1	4	5	29	53	92	32
173.—THRAPSTON.																		
Mean Popul^n, 1851-61	6735	–	–	–	–	–	911	846	724	720	553	938	715	547	448	242	79	12
TOTAL DEATHS	1309	393	83	40	29	17	562	47	44	39	36	56	49	60	108	143	123	42
Small-pox	3	–	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Measles	16	3	6	2	3	1	15	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	33	3	5	6	6	2	22	8	2	1	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	12	6	2	3	1	–	12	–	–	–	–	–	–	–	–	–	–	–
Typhus	96	4	8	7	7	6	32	10	20	3	6	9	5	3	3	–	–	–
Cholera, Diarrh., Dysent^y	28	8	5	1	2	–	16	–	1	–	–	–	–	1	4	3	3	–
Other Zymotic Dis.	59	18	10	5	4	3	40	1	4	1	–	2	–	2	1	2	5	1
Cancer	17	–	–	–	–	–	–	–	–	–	–	–	2	3	4	7	1	–
Scrofula, Tabes Mesent.	22	5	4	–	2	–	11	2	2	1	1	–	3	1	1	–	–	–
Phthisis	111	8	4	1	–	3	11	1	3	14	18	24	16	13	5	6	–	–
Hydrocephalus	15	5	3	1	–	–	9	3	1	–	1	–	–	–	–	1	–	–
Diseases of Brain	149	76	6	1	1	–	84	1	2	6	1	4	3	1	11	20	12	4
Heart Dis. and Dropsy	58	1	1	–	–	–	2	1	1	–	1	2	1	4	15	20	10	1
Dis. of Lungs	130	36	14	6	1	1	58	5	–	3	2	4	4	9	13	23	7	2
Dis. of Stom. and Liver	52	7	–	–	1	–	8	1	–	–	1	2	2	10	13	10	5	–
Dis. of Kidneys	15	1	–	–	–	–	1	–	–	2	–	–	1	–	3	5	3	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diseases of the Joints	6	–	–	–	–	–	–	1	–	–	–	2	2	–	–	1	–	–
Diseases of the Skin	4	1	1	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	58	5	2	1	–	1	9	5	7	3	4	3	9	3	6	3	6	–
Other Causes	424	211	11	6	1	–	229	5	1	–	1	3	1	10	29	41	70	34

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

171.—WELLINGBOROUGH.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	11581	-	-	-	-	-	1581	1409	1249	1090	1045	1669	1267	955	727	424	127	18
TOTAL DEATHS	2698	594	197	107	65	32	995	95	78	105	104	203	185	152	180	290	245	66
Small-pox	39	11	3	3	1	3	21	3	3	4	2	4	-	1	-	-	-	1
Measles	55	10	24	11	6	1	52	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	34	3	7	5	6	5	26	7	1	-	-	-	-	-	-	-	-	-
Diphtheria	3	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Whooping-cough	84	36	27	10	4	1	78	6	-	-	-	-	-	-	-	-	-	-
Typhus	220	1	5	13	15	7	41	34	24	28	14	24	23	13	10	7	2	-
Cholera, Diarrh., Dysent^{y}	109	48	12	2	1	-	63	-	3	-	2	3	2	1	5	15	12	3
Other Zymotic Dis.	99	25	16	6	5	3	55	8	1	3	3	3	3	6	3	7	6	1
Cancer	64	2	-	-	-	-	2	2	-	-	-	4	5	17	21	9	3	1
Scrofula, Tabes Mesent.	28	2	3	4	1	1	11	2	6	1	5	-	1	2	-	-	-	-
Phthisis	392	19	9	8	4	4	44	7	29	43	49	97	68	31	18	6	-	-
Hydrocephalus	19	5	3	3	2	-	13	3	1	1	-	1	-	-	-	-	-	-
Diseases of Brain	333	124	10	6	7	2	149	4	5	2	5	4	10	14	24	63	49	4
Heart Dis. and Dropsy	146	3	1	1	-	-	5	3	-	2	3	8	13	20	31	40	24	1
Dis. of Lungs	260	64	42	21	5	2	134	3	-	7	3	8	15	10	22	38	18	1
Dis. of Stom. and Liver	126	8	4	-	-	2	14	2	1	5	8	10	15	21	20	24	8	2
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	-	-	1	2	4	2	2	1	1
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-
Diseases of the Skin	4	2	-	-	1	-	3	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	48	-	-	-	-	-	-	-	-	-	4	5	22	17	-	-	-	-
Violent Deaths	29	1	-	1	2	1	5	5	1	2	1	1	3	4	-	5	2	-
Other Causes	585	230	30	13	5	-	278	2	3	2	3	9	5	7	22	75	127	52

172.—KETTERING.

Mean Popul^{n}, 1851-61	9345	-	-	-	-	-	1286	1150	1038	871	800	1275	999	812	599	368	129	18
TOTAL DEATHS	1929	460	139	55	37	35	726	55	52	65	67	138	121	104	160	209	180	52
Small-pox	19	4	3	1	2	1	11	2	3	1	-	-	1	1	-	-	-	-
Measles	30	4	11	6	5	2	28	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	36	1	5	4	3	9	22	8	3	1	-	1	-	1	-	-	-	-
Diphtheria	6	1	1	-	-	1	3	-	1	1	-	-	1	-	-	-	-	-
Whooping-cough	48	21	15	3	4	3	46	2	-	-	-	-	-	-	9	6	1	-
Typhus	119	4	4	4	4	2	18	11	9	14	16	11	12	12	3	6	2	1
Cholera, Diarrh., Dysent^{y}	52	20	14	1	-	-	35	1	-	-	-	1	3	-	10	7	6	-
Other Zymotic Dis.	99	30	9	7	4	5	55	5	2	1	1	4	3	5	9	8	4	-
Cancer	37	-	-	-	-	-	-	-	-	-	1	2	8	5	9	8	-	-
Scrofula, Tabes Mesent.	25	10	2	2	-	-	14	-	3	1	2	3	1	1	-	-	-	-
Phthisis	195	4	5	-	3	1	13	5	10	24	26	55	35	15	11	1	-	-
Hydrocephalus	34	14	7	4	-	1	26	1	6	-	-	1	-	-	-	-	-	-
Diseases of Brain	232	90	10	1	2	1	104	-	2	2	4	7	8	9	32	36	22	6
Heart Dis. and Dropsy	173	1	-	2	1	1	5	5	4	9	5	13	13	19	31	53	15	1
Dis. of Lungs	180	50	24	8	5	4	91	6	3	-	3	10	7	11	13	20	14	2
Dis. of Stom. and Liver	85	10	1	4	3	1	19	2	1	1	1	8	5	12	15	12	9	-
Dis. of Kidneys	6	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	3	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	1	-
Diseases of the Joints	3	-	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-
Diseases of the Skin	6	1	-	-	1	-	2	-	-	-	1	1	-	-	-	1	1	-
Childbirth and Metria	35	-	-	-	-	-	-	-	-	3	6	14	12	-	-	-	-	-
Violent Deaths	25	3	3	2	-	2	10	-	2	1	1	2	2	-	1	3	3	-
Other Causes	476	192	24	6	-	1	223	4	3	5	1	4	8	9	23	55	99	42

173.—THRAPSTON.

Mean Popul^{n}, 1851-61	6718	-	-	-	-	-	947	847	751	627	594	915	717	552	426	236	93	13
TOTAL DEATHS	1349	298	86	43	27	20	474	62	41	56	58	85	93	85	94	130	132	39
Small-pox	4	1	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-
Measles	16	1	4	4	1	3	13	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	47	2	7	8	7	6	30	10	5	1	-	1	-	-	-	-	-	-
Diphtheria	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	30	14	6	5	2	-	27	3	-	-	-	-	-	-	-	-	-	-
Typhus	91	2	8	3	3	7	23	11	11	13	10	10	8	2	1	2	-	-
Cholera, Diarrh., Dysent^{y}	32	8	5	2	-	-	15	-	1	1	1	1	2	-	1	3	6	1
Other Zymotic Dis.	55	25	3	5	2	1	36	5	-	-	-	3	2	3	3	2	1	-
Cancer	26	-	-	-	-	-	-	-	-	-	-	4	2	6	6	6	2	-
Scrofula, Tabes Mesent.	18	1	1	-	3	-	5	3	2	4	1	-	2	-	1	-	-	-
Phthisis	177	3	4	1	-	-	8	4	13	25	30	36	35	16	8	2	-	-
Hydrocephalus	7	2	1	2	-	-	5	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	124	51	6	1	-	1	59	-	1	2	2	5	5	8	12	18	10	2
Heart Dis. and Dropsy	100	2	-	-	-	-	2	5	1	1	5	6	9	16	18	24	12	1
Dis. of Lungs	131	46	20	5	3	-	74	3	1	2	1	2	3	10	10	12	10	3
Dis. of Stom. and Liver	49	-	-	1	-	-	1	4	1	2	1	4	8	10	11	5	2	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	1	-	-	3	-	-	1	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	30	-	-	-	-	-	-	-	-	3	5	10	10	2	-	-	-	-
Violent Deaths	18	-	1	-	3	2	6	5	-	-	-	-	-	1	2	3	1	-
Other Causes	378	139	20	5	3	-	167	3	4	1	2	3	4	8	18	50	86	32

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
174.—OUNDLE.																		
Mean Popul^{n}, 1851-61	7802	-	-	-	-	-	1063	998	915	805	597	991	839	684	482	311	107	10
TOTAL DEATHS	1486	433	79	45	27	19	603	57	31	32	37	61	83	108	106	161	167	40
Small-pox	2	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Measles	16	2	9	3	2	-	16	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	36	3	5	4	3	4	19	12	5	-	-	-	-	-	-	-	-	-
Diphtheria	6	-	1	-	1	-	2	2	-	1	-	-	-	-	-	1	-	-
Whooping-cough	27	13	7	5	1	-	26	1	-	-	-	-	-	-	-	-	-	-
Typhus	67	1	-	1	3	1	6	10	4	6	3	7	8	12	6	5	-	-
Cholera, Diarrh., Dysent^{y}	35	18	2	1	-	-	21	-	-	-	-	-	-	5	1	5	2	1
Other Zymotic Dis.	94	42	5	7	8	4	66	5	2	1	1	2	2	8	3	1	3	-
Cancer	11	-	-	-	-	-	-	-	1	-	-	1	1	2	3	1	2	-
Scrofula, Tabes Mesent.	11	1	-	-	-	-	1	1	2	4	-	1	1	-	-	-	1	-
Phthisis	127	4	2	2	-	2	10	4	6	10	15	26	30	15	9	2	-	-
Hydrocephalus	24	5	5	2	4	1	17	5	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	145	66	4	3	1	-	74	2	1	3	2	6	8	9	13	20	7	-
Heart Dis. and Dropsy	114	7	-	2	-	1	10	1	2	2	3	4	13	15	19	28	16	1
Dis. of Lungs	123	45	18	8	2	1	74	2	-	-	1	3	6	12	13	13	4	-
Dis. of Stom. and Liver	69	9	-	2	-	1	12	1	1	2	2	3	5	18	10	10	5	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	1	3	-	1	2	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
Diseases of the Skin	3	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	45	4	1	2	2	1	10	6	5	1	5	4	3	6	4	-	1	-
Other Causes	516	213	19	2	-	3	237	4	1	1	2	3	3	5	23	73	126	38
175.—PETERBOROUGH.																		
Mean Popul^{n}, 1851 61	15474	-	-	-	-	-	2170	1946	1643	1488	1338	2201	1742	1290	938	519	175	24
TOTAL DEATHS	3195	1020	211	110	77	59	1477	123	64	84	101	194	163	155	234	290	245	65
Small-pox	40	9	6	5	2	3	25	3	1	1	2	3	1	1	2	1	-	-
Measles	34	5	10	10	3	3	31	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	110	5	15	21	15	13	69	32	4	3	-	1	1	-	-	-	-	-
Diphtheria	21	3	3	3	3	-	12	6	1	2	-	-	-	-	-	-	-	-
Whooping-cough	74	45	15	9	3	-	72	2	-	-	-	-	-	-	-	-	-	-
Typhus	145	7	4	4	15	9	39	18	12	6	9	20	8	8	11	8	6	-
Cholera, Diarrh., Dysent^{y}	172	108	24	4	-	1	137	1	-	-	1	2	1	1	7	6	14	2
Other Zymotic Dis.	159	70	9	7	10	3	99	9	1	2	1	7	10	4	7	15	3	1
Cancer	46	-	-	-	-	1	1	-	1	-	-	-	5	14	11	11	3	-
Scrofula, Tabes Mesent.	33	8	5	4	-	1	18	2	1	4	3	3	1	-	1	-	-	-
Phthisis	322	19	6	3	-	1	29	10	4	32	46	79	54	27	28	10	2	1
Hydrocephalus	50	13	11	5	3	5	37	9	1	1	1	-	1	-	-	-	-	-
Diseases of Brain	359	177	16	7	3	4	207	4	4	4	5	14	13	11	28	42	22	5
Heart Dis. and Dropsy	165	6	-	-	1	-	7	1	8	6	5	14	11	21	31	40	21	-
Dis. of Lungs	356	109	42	16	10	7	184	5	1	4	1	9	13	23	41	44	29	2
Dis. of Stom. and Liver	116	13	3	1	-	1	18	-	1	3	5	5	12	15	25	23	8	1
Dis. of Kidneys	59	-	3	-	-	-	3	-	1	2	3	5	4	6	10	16	8	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	-	-	-	-	-	-	2	1	1	2	1	-	-	1	-	-
Diseases of the Skin	12	5	-	1	1	-	7	1	-	1	-	1	2	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	170	7	5	2	4	4	22	16	16	11	16	26	17	10	17	12	6	1
Other Causes	744	411	34	8	4	3	460	1	5	1	2	3	8	14	15	61	123	51
176.—HUNTINGDON.																		
Mean Popul^{n}, 1851-61	10270	-	-	-	-	-	1448	1276	1195	1073	858	1334	1125	868	629	323	124	17
TOTAL DEATHS	2077	606	139	69	48	31	893	85	51	53	72	122	127	117	164	179	174	40
Small-pox	10	2	2	-	-	-	4	-	2	-	1	3	-	-	-	-	-	-
Measles	25	3	12	3	4	1	23	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	59	4	11	9	11	4	39	15	2	1	-	2	-	-	-	-	-	-
Diphtheria	15	1	3	-	1	1	6	3	-	3	2	1	-	-	-	-	-	-
Whooping-cough	47	27	10	5	4	-	46	1	-	-	-	-	-	-	-	-	-	-
Typhus	150	4	3	9	7	5	28	15	17	9	16	15	15	10	10	12	3	-
Cholera, Diarrh., Dysent^{y}	105	52	8	5	1	1	67	-	1	-	1	1	3	1	9	11	11	-
Other Zymotic Dis.	112	51	6	7	3	1	68	4	2	2	2	4	4	5	8	6	5	2
Cancer	38	-	-	-	-	-	-	-	-	-	-	1	2	7	16	12	-	-
Scrofula, Tabes Mesent.	38	9	2	-	3	1	15	4	4	2	2	4	3	1	2	1	-	-
Phthisis	225	8	7	3	1	1	20	10	7	21	30	52	42	23	15	4	1	-
Hydrocephalus	18	5	5	1	2	-	13	4	-	-	-	1	-	-	-	-	-	-
Diseases of Brain	194	65	12	6	3	1	87	5	4	2	-	7	8	13	23	19	22	4
Heart Dis. and Dropsy	102	2	2	-	1	-	5	-	2	3	2	2	9	18	19	27	13	2
Dis. of Lungs	259	76	28	10	4	4	122	3	1	1	7	7	11	7	28	32	33	7
Dis. of Stom. and Liver	91	12	-	-	2	1	15	4	2	4	1	3	12	8	12	19	10	1
Dis. of Kidneys	44	-	-	-	-	1	1	-	-	-	1	3	1	8	8	8	12	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	-	-	1	1	4	-	-	2	1	-	-
Diseases of the Skin	9	4	2	-	-	-	6	1	-	-	-	-	-	1	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	108	7	8	8	-	8	31	12	6	4	5	10	13	9	6	8	4	-
Other Causes	419	274	18	3	1	1	297	2	1	-	1	2	4	6	6	19	59	22

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

174.—OUNDLE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	7756	-	-	-	-	-	1078	994	910	695	592	1014	824	658	509	333	129	20
TOTAL DEATHS	1447	300	74	43	35	16	468	68	25	52	67	91	84	86	110	172	174	50
Small-pox	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	19	4	4	6	1	1	16	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	38	2	6	4	7	4	23	13	-	2	-	-	-	-	-	-	-	-
Diphtheria	9	-	1	-	2	1	4	1	3	-	-	1	-	-	-	-	-	-
Whooping-cough	30	17	6	3	3	-	29	-	1	-	-	-	-	-	-	-	-	-
Typhus	68	2	2	2	4	2	12	12	7	10	4	8	8	2	2	3	-	-
Cholera, Diarrh., Dysent^{y}	17	4	2	-	-	-	6	-	-	1	1	1	1	1	2	3	1	1
Other Zymotic Dis.	73	26	5	6	7	4	48	10	1	-	2	2	3	1	4	2	-	-
Cancer	33	1	-	-	-	-	1	-	-	-	-	1	3	7	11	6	4	-
Scrofula, Tabes Mesent.	8	-	-	-	-	-	-	1	1	-	2	1	1	2	-	-	-	-
Phthisis	180	1	3	1	2	-	7	5	7	22	36	46	30	20	7	-	-	-
Hydrocephalus	13	4	5	3	-	-	12	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	147	53	4	3	-	-	60	4	2	7	2	5	9	8	12	24	13	1
Heart Dis. and Dropsy	132	10	2	1	-	-	13	1	2	4	11	5	12	15	21	26	22	-
Dis. of Lungs	71	14	10	3	2	1	30	4	-	2	2	3	4	5	11	8	1	1
Dis. of Stom. and Liver	69	11	1	1	1	-	14	2	-	2	-	3	3	10	15	13	2	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Skin	9	-	1	-	2	-	3	-	-	1	-	1	-	1	1	2	-	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	-	2	11	7	1	-	-	-	-
Violent Deaths	20	3	2	1	1	-	7	6	-	1	1	-	-	1	1	2	1	-
Other Causes	481	147	20	9	3	3	182	5	1	1	3	3	3	7	22	78	129	47

175.—PETERBOROUGH.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	15594	-	-	-	-	-	2200	1922	1660	1486	1358	2255	1688	1269	958	558	206	36
TOTAL DEATHS	3016	848	197	110	79	60	1294	140	69	101	102	210	171	154	180	249	245	101
Small-pox	33	10	2	5	2	5	24	2	1	1	-	2	1	2	-	-	-	-
Measles	43	5	16	9	7	2	39	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	106	9	8	17	18	10	62	36	5	1	-	2	-	-	-	-	-	-
Diphtheria	23	-	2	7	4	5	18	5	4	-	-	-	-	1	-	-	-	-
Whooping-cough	96	43	31	10	7	3	94	2	-	-	-	-	-	-	-	-	-	-
Typhus	161	1	5	12	6	7	31	25	19	24	16	11	12	7	10	3	3	-
Cholera, Diarrh., Dysent^{y}	157	94	12	2	1	-	109	1	1	1	2	6	3	5	4	11	9	5
Other Zymotic Dis.	133	68	8	1	3	4	84	9	4	2	3	1	3	7	6	8	6	-
Cancer	76	-	-	-	-	-	-	1	-	-	-	2	20	16	18	12	7	-
Scrofula, Tabes Mesent.	33	9	5	5	1	1	21	2	4	1	2	1	-	-	1	1	-	-
Phthisis	352	22	9	5	1	1	38	6	14	38	48	101	52	34	11	9	1	-
Hydrocephalus	44	9	10	3	3	5	30	9	3	1	-	1	-	-	-	-	-	-
Diseases of Brain	316	125	14	6	5	7	157	6	4	6	5	10	12	22	30	39	23	2
Heart Dis. and Dropsy	181	3	-	1	1	-	5	6	1	9	3	12	16	29	37	35	23	5
Dis. of Lungs	283	81	45	16	13	9	164	5	2	3	6	8	9	9	22	41	10	4
Dis. of Stom. and Liver	102	8	3	-	1	-	12	4	1	1	4	12	8	11	24	17	7	1
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	1	1	3	2	1	1	3	2	-
Dis. of Gener. Organs	13	-	1	-	-	-	1	-	-	-	-	4	2	2	-	4	-	-
Diseases of the Joints	10	-	-	-	-	-	-	4	1	1	1	1	-	2	-	-	-	-
Diseases of the Skin	8	1	1	-	-	-	2	-	-	1	-	-	1	1	1	1	1	-
Childbirth and Metria	45	-	-	-	-	-	-	-	-	2	8	19	16	-	-	-	-	-
Violent Deaths	52	7	-	8	4	-	19	5	3	5	-	5	5	1	2	1	5	1
Other Causes	730	353	25	3	2	1	384	9	1	3	3	9	9	4	13	64	148	83

176.—HUNTINGDON.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	10439	-	-	-	-	-	1470	1338	1170	1019	868	1420	1101	842	657	383	146	25
TOTAL DEATHS	1999	479	121	53	41	28	722	104	86	92	80	106	112	97	152	203	185	60
Small-pox	5	1	1	-	-	-	2	-	-	1	-	1	-	-	1	-	-	-
Measles	22	6	6	3	2	2	19	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	60	4	6	6	8	4	28	18	9	1	1	1	1	-	-	1	-	-
Diphtheria	13	1	4	2	-	3	10	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	53	28	10	4	5	-	47	6	-	-	-	-	-	-	-	-	-	-
Typhus	154	5	3	5	5	4	22	27	25	17	13	13	9	4	10	7	7	-
Cholera, Diarrh., Dysent^{y}	108	43	11	2	4	-	60	1	1	-	1	1	3	-	4	11	18	5
Other Zymotic Dis.	106	35	7	5	3	4	54	10	4	4	2	3	6	2	8	8	5	-
Cancer	65	-	-	-	-	-	-	-	2	-	-	4	9	12	21	13	2	2
Scrofula, Tabes Mesent.	26	5	3	-	-	2	10	2	7	3	1	-	-	3	-	-	-	-
Phthisis	262	7	6	4	1	-	18	9	17	48	36	44	36	26	18	6	4	-
Hydrocephalus	12	3	2	2	3	-	10	-	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	175	48	7	2	1	1	59	4	4	-	5	6	6	9	21	25	31	5
Heart Dis. and Dropsy	100	6	-	-	-	-	6	1	3	2	5	3	9	13	22	25	8	3
Dis. of Lungs	276	68	29	8	6	4	115	9	5	9	4	5	8	12	20	36	44	9
Dis. of Stom. and Liver	69	5	1	2	-	-	8	1	4	2	3	3	5	7	10	21	3	2
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	1	2	2	-	5	-	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	-	1	3	2	1	4	2	-
Diseases of the Joints	3	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
Diseases of the Skin	6	-	-	-	-	1	1	-	-	-	-	-	-	-	1	2	2	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	2	4	11	9	-	-	-	-	-
Violent Deaths	42	1	3	5	3	2	14	8	2	3	2	3	2	1	2	5	-	-
Other Causes	393	213	21	3	-	1	238	2	2	-	2	6	3	3	13	31	59	34

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
177.—ST IVES.																		
Mean Popul^{n}, 1851-61	10065	-	-	-	-	-	1407	1286	1164	1030	784	1235	1087	864	659	364	139	16
TOTAL DEATHS	2178	642	151	61	43	30	927	100	51	65	64	89	123	138	185	197	185	54
Small-pox	3	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-
Measles	38	10	16	5	4	-	35	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	49	4	4	11	8	3	30	14	2	2	1	-	-	-	-	-	-	-
Diphtheria	10	3	-	-	-	1	4	1	2	1	1	-	1	-	-	-	-	-
Whooping-cough	39	19	13	2	2	-	36	3	-	-	-	-	-	-	-	-	-	-
Typhus	85	-	4	3	5	5	17	15	7	11	7	5	9	2	3	5	4	-
Cholera, Diarrh., Dysentry	86	32	10	2	1	-	45	2	1	1	-	2	2	6	8	8	9	2
Other Zymotic Dis.	77	21	5	5	7	5	43	11	2	1	3	2	2	3	2	5	3	-
Cancer	39	-	-	-	-	-	-	-	1	-	-	3	2	11	15	1	5	1
Scrofula, Tabes Mesent.	31	10	3	1	-	2	16	1	2	5	3	1	-	1	2	-	-	-
Phthisis	262	10	4	4	1	1	20	12	7	32	31	53	40	39	19	7	1	1
Hydrocephalus	43	15	11	1	3	3	33	7	1	-	-	-	1	-	-	-	1	-
Diseases of Brain	223	89	12	2	1	1	105	5	6	2	3	5	15	13	19	30	16	4
Heart Dis. and Dropsy	108	-	-	1	-	-	1	4	5	1	4	2	8	16	21	31	15	-
Dis. of Lungs	248	79	24	7	6	4	120	5	2	2	2	5	18	19	22	32	19	2
Dis. of Stom. and Liver	123	25	3	3	-	-	31	1	5	-	4	2	14	13	31	13	9	-
Dis. of Kidneys	29	1	-	-	-	-	1	-	1	1	-	-	1	2	8	8	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	-	1	1	1	2	-	2	-	1	1	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	68	-	1	8	1	1	11	10	4	4	4	4	9	4	12	5	1	-
Other Causes	604	323	41	6	4	3	377	6	2	1	-	2	1	6	22	50	94	43
178.—ST. NEOTS.																		
Mean Popul^{n}, 1851-61	9243	-	-	-	-	-	1331	1183	1114	926	712	1170	983	778	575	338	112	16
TOTAL DEATHS	1825	528	108	55	27	35	753	70	47	53	48	87	92	99	146	209	171	50
Small-pox	3	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
Measles	9	-	3	3	1	1	8	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	40	4	4	8	1	8	25	9	5	-	-	1	-	-	-	-	-	-
Diphtheria	12	-	-	2	1	1	4	6	2	-	-	-	-	-	-	-	-	-
Whooping-cough	30	16	7	2	2	2	29	1	-	-	-	-	-	-	-	-	-	-
Typhus	88	4	1	1	2	6	14	12	8	8	5	9	7	7	12	4	2	-
Cholera, Diarrh., Dysentry	80	32	13	-	1	-	46	-	1	1	-	1	3	3	3	10	10	2
Other Zymotic Dis.	89	34	8	8	3	3	56	3	4	1	1	6	1	5	6	5	1	-
Cancer	35	-	-	-	-	1	1	-	-	1	-	2	4	5	5	11	6	-
Scrofula, Tabes Mesent.	52	19	9	4	4	2	38	5	1	-	2	1	3	-	2	-	-	-
Phthisis	131	10	2	1	-	1	14	6	4	20	22	35	30	18	21	11	-	-
Hydrocephalus	22	6	7	2	1	-	16	3	1	2	-	-	-	-	-	-	-	-
Diseases of Brain	173	44	9	2	-	2	57	7	4	2	3	4	7	9	14	31	28	7
Heart Dis. and Dropsy	102	2	-	2	-	-	4	1	1	3	2	3	9	7	24	33	14	1
Dis. of Lungs	191	58	17	9	3	2	89	3	2	1	-	5	7	14	20	25	10	6
Dis. of Stom. and Liver	112	14	6	2	1	1	24	3	2	2	2	4	11	10	21	24	8	1
Dis. of Kidneys	44	-	-	1	-	-	1	-	-	-	-	1	5	9	8	13	5	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	1	1	-	1	2	2	-	-	-	-	-	-	-
Diseases of the Skin	4	1	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	83	3	1	2	4	4	14	6	10	8	5	14	3	9	6	5	2	1
Other Causes	489	281	20	5	3	-	309	4	1	2	3	1	2	2	4	37	74	30
179.—BEDFORD.																		
Mean Popul^{n}, 1851-61	17835	-	-	-	-	-	2463	2290	2179	1802	1340	2309	1940	1554	1132	585	213	28
TOTAL DEATHS.	3580	939	231	116	76	63	1425	151	90	96	124	205	203	217	283	359	322	105
Small-pox	23	2	1	2	1	1	7	-	-	2	6	3	1	2	1	1	-	-
Measles	38	2	16	13	4	1	36	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	113	5	10	15	19	17	66	32	11	2	1	-	1	-	-	-	-	-
Diphtheria	6	-	-	-	2	-	2	2	1	-	-	-	1	-	-	-	-	-
Whooping-cough	68	29	23	8	4	1	65	3	-	-	-	-	-	-	-	-	-	-
Typhus	174	3	3	3	10	8	27	32	23	18	21	14	10	7	7	13	2	-
Cholera, Diarrh., Dysentry	166	83	24	6	-	1	114	3	2	-	2	4	2	10	2	8	17	2
Other Zymotic Dis.	170	40	24	11	10	4	89	15	-	3	1	8	8	8	14	7	14	3
Cancer	33	-	-	-	-	-	-	-	-	-	-	3	5	3	8	9	3	2
Scrofula, Tabes Mesent.	76	34	13	8	1	2	58	2	-	4	4	2	1	4	1	-	-	-
Phthisis	332	23	18	7	1	1	50	10	15	24	51	99	55	42	32	10	2	1
Hydrocephalus	42	14	6	3	4	3	30	9	1	-	-	1	1	-	-	-	-	-
Diseases of Brain	478	152	14	9	5	6	186	10	8	6	11	24	48	23	44	64	42	7
Heart Dis. and Dropsy	207	2	1	-	1	1	5	-	1	8	5	7	19	29	45	57	28	3
Dis. of Lungs	398	119	37	19	5	7	187	9	3	2	5	8	11	32	52	41	44	4
Dis. of Stom. and Liver.	138	19	3	2	-	1	25	4	3	6	1	7	12	17	19	29	12	3
Dis. of Kidneys	52	-	1	-	-	-	1	1	-	-	2	6	2	6	8	19	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	10	-	-	-	-	-	-	-	3	2	1	2	2	-	-	-	-	-
Diseases of the Skin	10	3	-	-	-	-	3	-	-	1	-	2	-	-	1	1	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	187	6	6	6	4	6	28	11	14	15	9	18	18	13	13	16	2	-
Other Causes	839	403	31	4	5	3	446	6	5	3	4	6	6	16	36	84	148	79

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
177.—ST. IVES.																		
Mean Popul^{n}, 1851-61	10059	-	-	-	-	-	1343	1253	1184	932	839	1341	1081	853	637	370	155	21
TOTAL DEATHS	1942	435	110	73	37	28	683	89	60	95	82	125	117	114	123	186	190	78
Small-pox	3	1	–	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–
Measles	22	5	5	7	1	1	19	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	49	3	4	13	7	–	27	18	2	1	–	–	–	–	1	–	–	–
Diphtheria	6	–	1	1	–	1	3	2	1	–	–	–	–	–	–	–	–	–
Whooping-cough	46	24	11	7	4	–	46	–	–	–	–	–	–	–	–	–	–	–
Typhus	98	6	4	3	3	–	16	16	15	16	11	6	6	4	5	2	1	–
Cholera, Diarrh., Dysent^{y}	74	26	6	1	–	1	34	2	–	–	–	3	4	2	5	4	14	6
Other Zymotic Dis.	69	21	11	4	5	5	46	5	2	–	1	–	4	–	5	3	2	1
Cancer	46	–	–	–	–	–	–	–	–	–	1	2	5	14	12	7	5	–
Scrofula, Tabes Mesent.	30	5	2	2	–	1	10	3	5	5	2	1	2	2	–	–	–	–
Phthisis	328	14	2	3	3	2	24	12	19	57	46	62	53	32	15	7	1	–
Hydrocephalus	23	8	7	–	1	2	18	3	2	–	–	–	–	–	–	–	–	–
Diseases of Brain	175	41	8	4	1	4	58	6	3	7	3	9	5	9	11	37	21	6
Heart Dis. and Dropsy	97	–	–	1	–	–	1	–	–	1	3	7	6	15	20	25	17	2
Dis. of Lungs	180	52	18	15	6	1	92	5	4	2	3	3	4	8	11	20	15	8
Dis. of Stom. and Liver	109	11	3	3	–	1	18	5	2	4	3	5	6	18	15	19	13	1
Dis. of Kidneys	10	–	–	–	–	–	–	–	–	–	–	1	2	1	3	2	1	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–	–
Diseases of the Joints	5	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	–
Diseases of the Skin	6	1	1	–	–	–	2	–	–	–	–	–	–	–	1	2	1	–
Childbirth and Metria	26	–	–	–	–	–	–	–	–	–	5	9	12	–	–	–	–	–
Violent Deaths	26	2	2	2	1	3	10	4	2	–	1	1	1	1	1	4	–	1
Other Causes	508	215	25	7	5	5	257	6	2	2	2	6	4	7	17	53	99	53
178.—ST. NEOTS.																		
Mean Popul^{n}, 1851-61	9652	-	-	-	-	-	1337	1202	1076	900	792	1290	1059	823	630	375	147	21
TOTAL DEATHS	1744	372	93	58	31	29	583	66	50	81	88	103	78	91	126	203	206	69
Small-pox	3	–	–	1	–	2	3	–	–	–	–	–	–	–	–	–	–	–
Measles	9	1	4	2	1	–	8	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	40	2	8	4	5	4	23	9	5	2	1	–	–	–	–	–	–	–
Diphtheria	8	–	–	–	2	2	4	1	1	2	–	–	–	–	–	–	–	–
Whooping-cough	23	12	7	2	1	1	23	–	–	–	–	–	–	–	–	–	–	–
Typhus	120	–	8	6	2	8	19	15	9	16	15	10	5	3	9	11	7	1
Cholera, Diarrh., Dysent^{y}	78	24	12	2	1	–	39	–	2	1	2	1	1	2	2	9	13	5
Other Zymotic Dis.	82	25	8	11	2	3	49	2	1	2	3	2	3	5	1	7	5	2
Cancer	41	–	–	–	–	–	–	–	–	–	–	3	3	10	15	8	2	–
Scrofula, Tabes Mesent.	42	10	5	2	3	1	21	7	4	1	1	1	3	2	2	–	–	–
Phthisis	244	8	3	1	1	1	14	5	16	39	44	51	29	24	15	6	1	–
Hydrocephalus	17	6	1	2	–	1	10	5	1	–	–	–	1	–	–	–	–	–
Diseases of Brain	187	38	6	8	2	1	55	5	1	2	5	7	4	9	27	35	31	6
Heart Dis. and Dropsy	113	1	1	–	–	–	2	1	1	3	3	4	6	10	21	37	24	1
Dis. of Lungs	160	30	15	9	7	1	62	5	2	1	3	7	2	11	14	25	25	3
Dis. of Stom. and Liver	95	11	–	–	2	–	13	5	3	6	5	5	7	7	11	19	12	2
Dis. of Kidneys	9	–	–	–	–	–	–	–	1	–	–	–	1	1	2	4	–	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–
Diseases of the Joints	7	1	–	1	–	1	3	–	–	1	2	–	–	–	–	1	–	–
Diseases of the Skin	6	–	1	–	–	1	2	–	–	1	–	–	1	1	–	1	–	–
Childbirth and Metria	18	–	–	–	–	–	–	–	–	–	3	8	7	–	–	–	–	–
Violent Deaths	27	6	2	3	–	1	12	2	–	2	1	1	–	1	1	5	1	1
Other Causes	412	197	17	4	2	1	221	3	3	2	–	2	5	4	6	36	33	47
179.—BEDFORD.																		
Mean Popul^{n}, 1851-61	18962	-	-	-	-	-	2490	2220	2083	1823	1628	2681	2182	1668	1206	690	260	31
TOTAL DEATHS	3819	744	224	111	79	46	1204	155	119	177	172	270	264	260	343	425	334	96
Small-pox	8	1	–	–	–	–	1	1	–	1	2	1	2	–	–	–	–	–
Measles	31	9	10	7	4	–	30	–	–	–	–	–	–	1	–	–	–	–
Scarlatina	107	9	7	14	17	6	53	35	10	5	3	1	–	–	–	–	–	–
Diphtheria	6	–	–	1	–	2	3	3	–	–	–	–	–	–	–	–	–	–
Whooping-cough	89	39	22	10	10	6	87	2	–	–	–	–	–	–	–	–	–	–
Typhus	211	–	9	6	7	7	29	23	29	38	18	21	19	11	12	3	7	1
Cholera, Diarrh., Dysent^{y}	203	77	24	5	6	–	112	4	2	1	4	4	10	5	19	19	14	9
Other Zymotic Dis.	162	30	12	18	7	6	73	14	2	7	6	6	4	8	17	12	11	2
Cancer	80	–	–	–	–	–	–	–	–	–	3	6	10	19	18	17	6	1
Scrofula, Tabes Mesent.	54	23	9	3	–	–	35	2	5	2	1	1	2	3	3	–	–	–
Phthisis	607	26	14	7	3	3	53	15	39	77	87	124	102	61	36	12	1	–
Hydrocephalus	24	6	5	2	2	3	18	2	1	1	–	–	–	–	1	1	–	–
Diseases of Brain	453	96	18	9	4	5	132	15	7	14	12	26	30	37	59	68	45	8
Heart Dis. and Dropsy	257	1	1	–	1	–	3	8	3	4	11	16	28	35	54	69	22	4
Dis. of Lungs	357	95	41	15	11	3	165	10	4	7	6	14	11	20	36	68	25	1
Dis. of Stom. and Liver	189	8	6	1	1	–	16	5	9	8	5	14	18	24	36	39	15	–
Dis. of Kidneys	13	–	–	–	–	1	1	1	–	1	1	–	–	4	4	–	1	–
Dis. of Gener. Organs	16	–	–	–	–	–	–	–	–	–	–	2	2	6	4	2	–	–
Diseases of the Joints	20	–	1	–	–	–	1	2	2	7	–	3	1	2	–	2	–	–
Diseases of the Skin	10	5	1	–	–	–	6	–	–	–	–	–	–	2	–	1	–	1
Childbirth and Metria	41	–	–	–	–	–	–	–	–	1	4	20	15	1	–	–	–	–
Violent Deaths	72	11	9	7	5	4	36	8	2	–	2	2	3	4	4	5	6	–
Other Causes	809	308	35	6	1	–	350	5	4	3	7	9	7	17	40	117	131	69

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
180.—BIGGLESWADE.																		
Mean Popul^{n}, 1851-61	11976	–	–	–	–	–	1723	1496	1441	1205	934	1571	1343	1021	718	369	145	10
TOTAL DEATHS	2627	897	186	91	56	48	1278	104	70	70	60	144	134	111	182	218	212	44
Small-pox	15	3	1	–	–	–	4	2	1	–	1	2	2	1	–	1	1	–
Measles	32	5	12	3	7	3	30	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	84	7	9	18	14	8	56	19	7	1	1	–	–	–	–	–	–	–
Diphtheria	20	4	6	2	1	–	13	2	3	1	–	1	–	–	–	–	–	–
Whooping-cough	67	42	17	3	1	3	66	1	–	–	–	–	–	–	–	–	–	–
Typhus	156	6	6	7	2	9	30	25	20	16	12	18	9	3	9	11	2	1
Cholera, Diarrh., Dysent^{y}	202	112	25	7	3	2	149	1	1	1	–	2	–	1	8	14	20	5
Other Zymotic Dis.	86	20	4	10	5	4	43	7	2	3	–	5	10	4	4	5	3	–
Cancer	34	–	–	–	–	–	–	1	–	–	1	2	–	3	10	8	4	–
Scrofula, Tabes Mesent.	101	51	20	7	1	1	80	5	2	1	1	6	1	2	1	2	–	–
Phthisis	215	7	2	3	1	1	14	5	9	13	21	58	47	21	20	6	1	–
Hydrocephalus	32	21	7	1	–	–	29	1	1	–	–	–	–	–	–	1	–	–
Diseases of Brain	302	142	9	6	1	3	161	9	6	6	3	9	12	18	20	25	28	5
Heart Dis. and Dropsy	108	–	2	–	2	–	4	2	5	4	1	4	14	11	18	31	12	2
Dis. of Lungs	422	131	43	14	10	8	203	4	–	5	1	14	16	22	43	48	54	9
Dis. of Stom. and Liver	125	18	2	3	4	1	28	7	3	5	3	11	12	10	22	18	6	–
Dis. of Kidneys	23	–	–	–	–	–	–	–	–	–	–	–	1	3	3	7	4	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Diseases of the Joints	8	–	–	–	–	–	–	2	2	2	1	–	–	–	–	1	–	–
Diseases of the Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	102	8	5	2	2	4	21	6	8	12	13	9	7	6	10	5	4	1
Other Causes	490	319	16	5	2	1	343	3	–	–	1	3	3	1	9	35	71	21
181.—AMPTHILL.																		
Mean Popul^{n}, 1851-61	8211	–	–	–	–	–	1210	1087	991	849	638	1038	855	679	485	263	103	13
TOTAL DEATHS	1721	583	130	73	27	33	846	75	33	56	44	80	72	70	116	143	141	45
Small-pox	17	5	–	–	–	2	7	1	1	–	–	2	3	–	3	–	–	–
Measles	29	4	11	8	–	3	26	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	40	2	3	6	5	3	19	16	3	2	–	–	–	–	–	–	–	–
Diphtheria	6	3	–	1	–	–	4	1	1	–	–	–	–	–	–	–	–	–
Whooping-cough	45	25	10	4	1	2	42	3	–	–	–	–	–	–	–	–	–	–
Typhus	72	–	2	2	1	2	7	14	5	13	7	6	6	5	2	2	5	–
Cholera, Diarrh., Dysent^{y}	89	33	13	5	3	2	56	3	–	2	–	2	1	–	2	5	14	4
Other Zymotic Dis.	45	16	2	3	4	–	25	2	–	–	–	2	4	4	4	1	2	1
Cancer	20	1	–	–	–	1	2	–	–	–	–	–	2	2	6	4	4	–
Scrofula, Tabes Mesent.	29	10	5	3	1	–	19	–	4	1	–	2	1	1	–	1	–	–
Phthisis	169	14	3	1	–	2	20	4	7	16	22	36	24	13	19	7	1	–
Hydrocephalus	11	6	2	1	–	1	10	1	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	196	94	10	5	1	4	114	4	2	5	2	3	4	6	15	27	12	2
Heart Dis. and Dropsy	55	1	1	–	–	–	2	3	1	3	3	1	5	4	11	10	12	–
Dis. of Lungs	277	81	43	21	4	6	155	8	4	3	4	12	9	12	23	27	15	5
Dis. of Stom. and Liver	71	5	1	4	–	2	12	2	2	3	2	4	3	10	10	19	4	–
Dis. of Kidneys	24	1	–	–	–	–	1	–	–	1	1	1	1	1	5	8	4	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Skin	6	3	–	–	–	–	3	–	–	–	–	–	1	–	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	59	2	6	3	3	2	16	7	3	5	1	5	6	5	9	2	–	–
Other Causes	460	277	18	5	4	1	305	3	–	2	2	4	2	7	7	28	68	32
182.—WOBURN.																		
Mean Popul^{n}, 1851-61	5708	–	–	–	–	–	816	719	694	569	435	699	603	510	362	211	82	8
TOTAL DEATHS	1215	366	79	48	43	22	558	42	28	28	40	58	49	61	81	114	116	40
Small-pox	3	1	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Measles	10	4	3	2	1	–	10	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	33	1	5	5	10	3	24	7	1	–	–	–	–	–	–	1	–	–
Diphtheria	5	–	–	1	1	–	2	3	–	–	–	–	–	–	–	–	–	–
Whooping-cough	19	9	6	1	1	1	18	1	–	–	–	–	–	–	–	–	–	–
Typhus	58	1	–	2	2	1	6	7	11	6	5	5	8	5	1	4	–	–
Cholera, Diarrh., Dysent^{y}	52	19	8	1	3	–	31	1	1	–	2	–	1	–	9	3	3	1
Other Zymotic Dis.	52	19	6	2	4	3	34	4	1	–	2	1	1	1	2	1	4	1
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	2	1
Scrofula, Tabes Mesent.	22	6	2	1	2	2	13	2	2	1	–	1	1	2	–	–	–	–
Phthisis	106	2	–	3	2	–	7	1	4	11	19	27	7	19	9	2	–	–
Hydrocephalus	18	5	4	2	2	2	15	3	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	146	42	12	3	6	1	64	2	1	6	4	5	6	6	8	20	21	3
Heart Dis. and Dropsy	72	–	–	1	1	–	2	4	–	–	4	6	5	5	15	18	11	2
Dis. of Lungs	210	71	23	17	–	6	117	5	–	1	1	3	4	10	12	21	29	7
Dis. of Stom. and Liver	67	11	2	–	3	–	16	–	4	2	1	4	3	6	8	10	11	2
Dis. of Kidneys	22	–	–	–	–	–	–	–	–	–	–	2	1	–	3	12	4	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	5	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–
Diseases of the Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	32	1	2	1	1	2	7	1	–	1	1	2	6	4	5	3	2	–
Other Causes	269	173	6	5	4	1	189	1	2	–	–	1	3	1	5	16	28	23

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
180.—BIGGLESWADE.																		
Mean Popul^{n}, 1851-61	12438	-	-	-	-	-	1762	1517	1415	1210	1083	1742	1377	1010	740	411	151	21
TOTAL DEATHS	2617	713	192	94	58	39	1096	122	69	115	103	170	132	139	178	206	220	67
Small-pox	8	1	-	1	1	-	3	3	-	-	-	-	-	1	-	1	-	-
Measles	40	9	13	11	5	-	38	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	77	5	9	10	15	7	46	18	8	1	1	1	2	-	-	-	-	-
Diphtheria	16	-	-	2	1	3	6	6	3	1	-	-	-	-	-	-	-	-
Whooping-cough	70	27	17	11	6	2	63	6	1	-	-	-	-	-	-	-	-	-
Typhus	183	4	3	12	5	8	32	24	22	31	16	22	6	7	9	7	3	4
Cholera, Diarrh., Dysent^{y}	157	76	31	6	2	-	115	3	1	-	1	2	1	4	5	5	17	3
Other Zymotic Dis.	77	22	6	5	7	4	44	7	3	-	1	3	1	3	3	6	6	-
Cancer	56	-	-	-	-	-	-	-	-	-	-	4	6	16	13	13	4	-
Scrofula, Tabes Mesent.	71	31	18	3	1	1	54	4	-	2	2	3	3	2	-	1	-	-
Phthisis	308	9	6	2	1	2	20	9	17	47	49	78	43	13	15	7	-	-
Hydrocephalus	25	10	6	3	1	-	20	4	1	-	-	-	-	-	-	-	-	-
Diseases of the Brain	296	106	8	3	1	1	119	8	4	6	8	9	9	18	27	38	40	10
Heart Dis. and Dropsy	141	3	3	1	1	-	8	1	-	6	3	12	13	20	23	39	15	1
Dis. of Lungs	351	102	46	17	7	5	177	10	2	11	6	5	12	14	35	31	39	9
Dis. of Stom. and Liver	134	13	2	1	2	2	20	5	4	3	2	5	13	19	29	20	12	2
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	3	1	2	1	2	1	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	1	1	1	1	7	-	1	-
Diseases of the Joints	4	-	1	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-
Diseases of the Skin	5	1	-	-	-	-	1	-	-	-	-	-	1	2	-	-	1	-
Childbirth and Metria	46	-	-	-	-	-	-	-	-	4	10	16	16	-	-	-	-	-
Violent Deaths	37	9	1	-	2	2	14	9	1	2	1	1	3	1	2	-	2	1
Other Causes	493	285	22	6	-	2	315	3	1	-	2	5	1	5	9	36	79	37
181.—AMPTHILL.																		
Mean Popul^{n}, 1851-61	8545	-	-	-	-	-	1195	1064	940	842	734	1200	936	675	523	311	110	15
TOTAL DEATHS	1844	420	107	57	38	23	645	79	63	91	91	132	109	101	127	202	161	43
Small-pox	13	1	-	2	-	-	3	3	-	1	1	2	-	1	1	-	-	1
Measles	17	4	7	3	1	1	16	-	-	-	1	-	-	-	-	-	-	-
Scarlatina	44	4	3	3	8	2	20	19	5	-	-	-	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough	47	15	16	10	1	-	42	5	-	-	-	-	-	-	-	-	-	-
Typhus	101	-	3	3	6	3	15	13	11	19	9	10	9	11	3	1	-	-
Cholera, Diarrh., Dysent^{y}	97	29	13	2	-	3	47	4	-	-	1	1	3	5	2	16	14	4
Other Zymotic Dis.	50	15	7	4	1	3	30	6	4	-	-	1	2	-	2	5	-	-
Cancer	34	-	-	-	-	-	-	-	-	-	-	-	4	6	7	9	8	-
Scrofula, Tabes Mesent.	25	7	3	1	-	-	11	1	3	2	-	3	2	2	-	1	-	-
Phthisis	345	14	2	2	-	-	18	8	20	54	58	78	52	29	22	6	-	-
Hydrocephalus	15	5	5	1	2	-	13	1	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	184	60	3	5	3	3	74	3	4	1	5	4	6	14	17	30	23	3
Heart Dis. and Dropsy	88	2	-	2	1	-	5	2	5	3	1	3	2	11	15	32	8	1
Dis. of Lungs	208	52	23	12	6	6	99	6	2	3	4	5	9	6	17	33	19	5
Dis. of Stom. and Liver	101	5	2	-	3	-	10	6	3	4	3	11	5	10	26	16	7	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-
Diseases of the Joints	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	2	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	27	-	-	-	-	-	-	-	-	2	6	8	11	-	-	-	-	-
Violent Deaths	19	-	-	1	3	1	5	1	3	-	-	1	1	-	1	5	1	1
Other Causes	412	207	20	5	3	-	235	1	3	-	1	4	2	6	9	42	81	28
182.—WOBURN.																		
Mean Popul^{n}, 1851-61	6171	-	-	-	-	-	776	760	671	613	544	870	679	507	406	241	92	12
TOTAL DEATHS	1340	252	73	38	25	18	406	53	63	61	67	99	87	86	98	133	145	42
Small-pox	9	4	2	1	-	-	7	-	-	-	-	-	2	-	-	-	-	-
Measles	20	4	7	2	4	1	18	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	23	1	1	2	4	3	11	7	2	1	1	1	-	-	-	-	-	-
Diphtheria	5	2	-	-	-	-	2	1	-	-	-	1	-	1	-	-	-	-
Whooping-cough	20	7	5	6	2	-	20	-	-	-	-	-	-	-	-	-	-	-
Typhus	88	1	1	2	1	3	8	15	16	11	8	9	7	5	6	3	-	-
Cholera, Diarrh., Dysent^{y}	50	11	9	-	2	-	22	-	-	-	1	2	2	2	3	7	7	4
Other Zymotic Dis.	51	15	5	3	1	3	27	1	2	2	-	3	2	-	4	9	1	-
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	2	5	5	5	1	1
Scrofula, Tabes Mesent.	25	9	5	2	4	-	20	1	1	1	-	-	1	1	-	-	-	-
Phthisis	213	1	-	-	-	1	2	5	22	32	39	46	30	27	7	3	-	-
Hydrocephalus	15	6	2	-	1	-	9	3	1	-	1	-	1	-	-	-	-	-
Diseases of Brain	131	32	6	3	2	-	43	3	7	2	1	5	4	6	8	25	26	1
Heart Dis. and Dropsy	124	2	-	1	-	-	3	3	2	3	3	9	9	10	29	31	21	1
Dis. of Lungs	162	34	17	10	3	4	68	4	4	2	3	3	5	5	15	25	25	3
Dis. of Stom. and Liver	79	4	4	2	-	-	10	3	3	3	5	4	10	11	11	8	10	1
Dis. of Kidneys	10	-	-	-	-	-	-	1	1	-	-	-	1	2	3	1	1	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	1	1	4	4	2	-	-
Diseases of the Joints	7	-	1	-	-	1	2	-	-	-	-	2	1	-	1	1	-	-
Diseases of the Skin	5	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	1	1
Childbirth and Metria	24	-	-	-	-	-	-	-	-	2	5	8	8	1	-	-	-	-
Violent Deaths	12	1	1	-	-	2	4	3	2	-	-	1	-	1	-	-	-	1
Other Causes	235	116	6	4	1	-	127	1	-	2	-	4	1	5	2	13	52	29

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
183.—LEIGHTON BUZZARD.																		
Mean Popul^{n}, 1851-61	8477	-	-	-	-	-	1274	1117	1030	843	674	1070	916	696	476	278	91	12
TOTAL DEATHS	1864	580	136	71	53	29	869	84	59	63	56	85	94	109	110	157	154	24
Small-pox	13	5	-	-	-	1	6	1	-	1	1	1	1	-	1	-	1	-
Measles	18	3	6	4	2	2	17	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	38	3	4	3	8	6	24	10	4	-	-	-	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	38	18	7	7	2	1	35	3	-	-	-	-	-	-	-	-	-	-
Typhus	127	9	9	4	8	5	35	17	16	15	10	10	8	8	4	2	2	-
Cholera, Diarrh., Dysent^{y}	97	53	11	4	2	-	70	-	1	1	-	3	3	1	3	7	8	-
Other Zymotic Dis.	110	40	12	11	9	2	74	6	2	1	3	3	4	3	2	7	3	2
Cancer	14	-	-	-	-	-	-	-	-	-	-	1	2	1	5	4	1	-
Scrofula, Tabes Mesent.	53	15	9	2	3	1	30	6	5	4	1	3	1	2	1	-	-	-
Phthisis	182	7	3	-	1	-	11	9	8	16	22	35	27	31	16	7	-	-
Hydrocephalus	32	10	10	5	3	1	29	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	229	82	9	6	3	1	101	4	3	3	3	6	6	8	19	33	38	5
Heart Dis. and Dropsy	81	-	-	-	-	-	-	3	1	3	2	3	8	10	17	22	12	-
Dis. of Lungs	242	75	35	11	5	4	130	7	4	7	2	5	8	16	15	28	18	2
Dis. of Stom. and Liver	105	17	2	3	1	-	23	5	8	2	5	4	13	11	12	13	8	1
Dis. of Kidneys	26	-	-	-	1	-	1	1	-	-	1	-	5	2	5	6	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-
Diseases of the Skin	5	2	2	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	76	3	3	2	1	4	13	4	6	6	5	9	7	11	7	5	2	1
Other Causes	374	238	14	9	3	1	265	3	1	1	1	2	1	5	3	23	56	13
184.—LUTON.																		
Mean Popul^{n}, 1851-61	12275	-	-	-	-	-	1867	1622	1399	1224	1090	1736	1372	975	600	287	93	10
TOTAL DEATHS	2730	935	240	104	82	52	1413	132	77	45	66	142	142	153	175	207	154	24
Small-pox	67	14	4	6	5	2	31	11	2	-	6	5	6	3	3	-	-	-
Measles	75	18	27	10	6	3	64	11	-	-	-	-	-	-	-	-	-	-
Scarlatina	97	4	11	15	16	15	61	27	9	-	-	-	-	-	-	-	-	-
Diphtheria	2	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	53	25	13	8	5	-	51	2	-	-	-	-	-	-	-	-	-	-
Typhus	157	6	8	6	9	6	35	23	19	5	14	16	15	13	10	6	1	-
Cholera, Diarrh., Dysent^{y}	211	126	27	7	-	2	162	4	4	-	1	-	3	9	6	12	9	1
Other Zymotic Dis.	99	40	16	9	8	2	75	5	1	1	-	2	3	2	4	5	1	-
Cancer	21	-	-	-	-	-	-	-	-	-	-	3	1	1	7	6	3	-
Scrofula, Tabes Mesent.	30	11	4	-	1	-	16	2	2	-	2	4	2	1	-	1	-	-
Phthisis	322	45	20	7	3	-	75	10	8	19	28	64	61	31	19	5	2	-
Hydrocephalus	39	19	7	4	5	1	36	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	315	138	17	2	4	3	164	10	5	2	1	9	5	14	27	45	32	1
Heart Dis. and Dropsy	124	15	1	1	-	-	17	1	4	4	2	4	7	10	30	33	12	-
Dis. of Lungs	358	124	59	14	12	7	216	8	4	3	3	15	15	22	23	31	16	2
Dis. of Stom. and Liver	141	21	5	1	4	1	32	8	5	2	3	9	12	21	26	20	3	-
Dis. of Kidneys	36	-	-	-	-	-	-	1	1	-	1	5	2	10	5	6	5	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	8	-	-	1	1	1	3	-	1	1	-	1	-	-	1	-	1	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	82	10	7	4	2	6	29	6	7	7	4	2	6	10	6	2	2	1
Other Causes	490	318	14	9	1	2	344	-	5	1	1	3	4	6	7	34	67	18
185.—CAXTON.																		
Mean Popul^{n}, 1851-61	5688	-	-	-	-	-	828	734	680	581	444	705	578	470	360	209	87	12
TOTAL DEATHS	1050	324	75	30	20	16	465	41	28	29	28	45	51	42	82	111	95	33
Small-pox	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Measles	10	4	2	2	-	1	9	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	31	1	5	5	6	4	21	6	2	-	1	-	1	-	-	-	-	-
Diphtheria	5	-	1	-	1	-	2	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	24	16	4	3	-	-	23	1	-	-	-	-	-	-	-	-	-	-
Typhus	37	1	-	3	3	2	9	9	8	7	6	4	5	3	4	1	1	-
Cholera, Diarrh., Dysent^{y}	46	23	10	1	-	-	34	1	1	-	-	1	2	-	4	1	1	1
Other Zymotic Dis.	39	12	6	4	2	2	26	2	-	2	-	2	2	-	1	2	1	1
Cancer	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-
Scrofula, Tabes Mesent.	9	1	-	-	-	-	1	1	1	1	1	2	1	-	1	-	-	-
Phthisis	120	18	9	2	5	-	34	4	3	7	15	18	17	11	10	1	-	-
Hydrocephalus	10	3	2	1	-	-	6	-	3	-	-	-	-	-	1	-	-	-
Diseases of Brain	67	10	5	1	-	2	18	2	2	3	1	5	8	2	7	13	6	-
Heart Dis. and Dropsy	48	-	1	-	-	1	2	-	1	2	1	1	3	5	14	13	6	-
Dis. of Lungs	86	32	7	4	1	1	45	1	-	1	1	3	2	5	13	12	2	1
Dis. of Stom. and Liver	46	5	-	-	-	-	5	1	2	1	-	6	4	6	10	10	1	-
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	-	-	1	2	1	1	4	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
Diseases of the Skin	3	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	35	5	1	-	2	2	10	4	5	2	1	1	2	3	4	3	-	-
Other Causes	393	193	22	4	-	-	219	5	-	1	1	-	1	3	10	50	73	30

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
183.—LEIGHTON BUZZARD.																		
Mean Popul^{n}, 1851-61	8919	-	-	-	-	-	1245	1121	1032	933	821	1265	975	675	477	268	96	11
TOTAL DEATHS	1881	431	140	57	44	31	703	88	63	99	86	147	133	100	133	167	131	31
Small-pox	9	1	2	1	-	1	5	2	-	-	-	-	1	-	-	1	-	-
Measles	21	3	9	4	2	-	18	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	36	1	3	3	8	4	19	13	3	-	1	-	-	-	-	-	-	-
Diphtheria	3	-	-	1	-	1	2	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough	48	20	13	5	3	2	43	5	-	-	-	-	-	-	-	-	-	-
Typhus	148	5	12	8	10	5	40	24	13	16	10	21	11	6	4	2	1	-
Cholera, Diarrh., Dysent^{y}	86	42	17	2	-	1	62	-	-	1	1	3	3	2	2	6	3	3
Other Zymotic Dis.	95	32	8	7	5	2	54	6	4	-	4	5	4	2	6	5	4	1
Cancer	24	-	-	-	-	-	-	-	-	-	-	1	2	5	6	6	4	-
Scrofula, Tabes Mesent.	37	10	6	1	-	-	17	1	3	3	5	2	2	2	1	1	-	-
Phthisis	295	3	2	3	1	1	10	6	20	51	41	68	46	33	17	2	1	-
Hydrocephalus	24	5	8	2	1	3	19	4	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	210	58	7	4	1	2	72	5	3	11	6	8	8	8	24	39	24	2
Heart Dis. and Dropsy	116	-	1	-	1	-	2	3	3	6	6	8	13	12	24	30	8	1
Dis. of Lungs	189	43	31	8	7	5	94	8	-	4	1	7	8	8	16	20	19	4
Dis. of Stom. and Liver	106	7	4	2	1	1	15	3	5	4	5	6	11	11	20	14	12	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	1	-	3	-	-	1	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	2	2	3	2	-	-	-
Diseases of the Joints	7	-	-	2	-	-	2	2	1	-	1	-	-	-	1	-	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-
Childbirth and Metria	32	-	-	-	-	-	-	-	-	3	2	15	12	-	-	-	-	-
Violent Deaths	23	5	2	2	1	-	10	1	3	-	-	-	-	2	-	3	4	-
Other Causes	354	196	15	2	3	3	219	3	3	-	2	-	6	6	9	35	51	20
184.—LUTON.																		
Mean Popul^{n}, 1851-61	15624	-	-	-	-	-	1874	1614	1666	2093	1882	2512	1683	1085	706	382	114	13
TOTAL DEATHS	2932	747	235	111	61	64	1218	136	71	124	137	259	172	146	191	235	195	48
Small-pox	65	14	9	5	3	2	33	4	6	6	6	7	3	-	-	-	-	-
Measles	58	9	19	15	5	4	52	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	93	4	7	11	14	17	53	28	4	5	1	2	-	-	-	-	-	-
Diphtheria	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	77	34	25	7	2	3	71	6	-	-	-	-	-	-	-	-	-	-
Typhus	191	2	4	7	6	8	27	27	15	32	20	22	18	7	12	8	3	-
Cholera, Diarrh., Dysent^{y}	205	117	31	14	5	4	171	2	1	2	2	3	1	2	7	10	4	-
Other Zymotic Dis.	103	30	11	8	5	5	59	4	1	2	1	10	4	2	6	6	8	-
Cancer	55	1	-	-	-	-	1	-	-	-	-	8	8	12	6	14	6	-
Scrofula, Tabes Mesent.	21	2	4	3	1	1	11	3	2	-	1	1	2	1	-	-	-	-
Phthisis	461	30	21	7	-	4	62	8	21	44	67	136	56	27	26	11	3	-
Hydrocephalus	27	10	8	-	1	1	20	6	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	303	107	15	6	2	3	133	5	2	6	5	4	10	20	24	58	31	5
Heart Dis. and Dropsy	186	4	-	-	2	1	7	7	4	10	7	12	16	20	40	42	19	2
Dis. of Lungs	347	92	44	21	10	6	173	10	5	7	7	7	17	18	31	37	31	4
Dis. of Stom. and Liver	143	15	3	3	1	-	22	4	6	-	6	15	10	22	23	19	12	1
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	1	1	4	-	1	3	-	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	2	1	3	1	1	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	3	-	1	-	1	2	-	2	-	-	-
Diseases of the Skin	6	2	2	-	-	-	4	-	-	-	-	-	-	-	-	-	2	-
Childbirth and Metria	46	-	-	-	-	-	-	-	-	-	4	7	20	14	1	-	-	-
Violent Deaths	38	10	2	1	2	3	18	5	-	1	3	1	1	4	2	-	3	-
Other Causes	478	264	29	3	2	2	300	7	3	3	1	5	7	8	5	30	73	36
185.—CAXTON.																		
Mean Popul^{n}, 1851-61	5328	-	-	-	-	-	780	701	619	475	410	675	585	445	332	205	87	14
TOTAL DEATHS	996	225	81	35	24	17	382	33	28	37	44	65	56	42	67	104	107	31
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	11	4	3	2	1	-	10	-	-	-	1	-	-	-	-	-	-	-
Scarlatina	20	1	4	3	4	2	14	4	2	-	-	-	-	-	-	-	-	-
Diphtheria	6	-	1	-	2	-	3	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	31	16	9	4	-	1	30	1	-	-	-	-	-	-	-	-	-	-
Typhus	48	1	1	1	4	-	7	5	9	10	4	8	2	2	1	-	-	-
Cholera, Diarrh., Dysent^{y}	44	21	13	1	-	-	35	-	-	-	-	-	-	2	2	2	1	2
Other Zymotic Dis.	20	4	4	2	2	2	14	-	-	-	-	-	-	1	2	3	-	-
Cancer	15	-	-	-	-	-	-	-	-	-	-	-	3	3	7	1	1	-
Scrofula, Tabes Mesent.	12	3	1	-	1	1	6	-	1	3	-	-	-	-	2	-	-	-
Phthisis	162	8	9	2	1	3	23	7	6	20	24	34	21	16	7	4	-	-
Hydrocephalus	8	2	2	-	-	1	5	1	-	-	1	-	-	1	-	-	-	-
Diseases of Brain	55	12	3	2	1	1	19	3	1	1	2	2	1	2	4	7	11	2
Heart Dis. and Dropsy	69	2	1	-	-	-	3	-	-	-	3	5	11	4	12	25	6	-
Dis. of Lungs	75	24	7	7	3	1	42	2	1	-	2	-	2	4	8	9	4	1
Dis. of Stom. and Liver	47	2	-	1	1	-	4	1	3	1	-	6	1	5	10	13	3	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	-	4	7	8	-	-	-	-	-
Violent Deaths	17	2	1	2	1	2	8	4	1	-	-	-	-	1	-	1	1	1
Other Causes	326	123	22	8	3	3	159	2	3	2	2	3	2	1	11	36	80	25

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
186.—CHESTERTON.																		
Mean Popul^n, 1851-61	12660	-	-	-	-	-	1788	1569	1399	1284	1025	1689	1353	1072	800	480	176	25
TOTAL DEATHS	2545	757	159	74	54	55	1099	107	69	70	90	140	121	114	183	233	237	82
Small-pox	5	-	-	1	-	-	1	-	-	1	-	-	-	1	1	1	-	-
Measles	29	5	12	5	-	3	25	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	99	6	7	12	20	19	64	20	9	1	3	1	-	1	-	-	-	-
Diphtheria	4	1	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
Whooping-cough	48	24	18	-	3	1	46	2	-	-	-	-	-	-	-	-	-	-
Typhus	122	3	1	4	3	4	15	14	11	12	9	17	21	9	6	6	2	-
Cholera, Diarrh., Dysent^y	103	52	16	2	-	-	70	3	-	1	-	3	1	3	4	10	7	1
Other Zymotic Dis.	75	12	4	7	9	5	37	6	2	3	-	5	4	4	3	6	3	2
Cancer	32	1	-	-	-	-	1	1	1	-	-	-	1	6	8	6	7	1
Scrofula, Tabes Mesent.	83	33	14	3	-	2	52	8	6	1	2	6	2	1	4	1	-	-
Phthisis	317	27	10	3	2	-	42	11	13	34	48	58	41	22	39	9	-	-
Hydrocephalus	31	10	5	3	5	2	25	4	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	209	66	7	3	1	6	83	7	5	1	5	8	12	21	13	27	23	4
Heart Dis. and Dropsy	113	5	-	-	2	1	8	3	4	2	2	7	9	11	27	31	7	2
Dis. of Lungs	277	110	24	15	4	9	162	5	-	2	4	10	5	11	24	29	25	-
Dis. of Stom. and Liver	105	23	3	1	1	-	28	1	1	2	3	6	10	8	16	23	7	-
Dis. of Kidneys	29	1	1	-	-	-	2	-	1	1	2	3	1	2	6	8	2	1
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	-	1	-	-	1	-	-	1	2	2	-	-	1	1	-	-
Diseases of the Skin	5	1	-	-	-	-	1	-	-	-	-	-	1	-	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	105	4	4	10	1	1	20	4	10	8	8	13	10	11	14	3	3	1
Other Causes	745	372	32	4	3	2	413	15	3	-	1	-	3	3	16	70	151	70
187.—CAMBRIDGE.																		
Mean Popul^n, 1851-61	12861	-	-	-	-	-	1522	1352	1333	1411	1723	1835	1394	1098	745	332	105	11
TOTAL DEATHS	2856	608	206	107	55	56	1032	125	62	107	137	220	230	245	252	252	157	37
Small-pox	38	2	4	3	3	3	15	12	-	5	1	3	1	1	-	-	-	-
Measles	47	12	14	8	7	3	44	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	93	5	14	15	6	13	53	32	4	2	2	-	-	-	-	-	-	-
Diphtheria	12	2	-	-	1	2	5	3	2	-	-	2	-	-	-	-	-	-
Whooping-cough	45	17	18	5	1	3	44	1	-	-	-	-	-	-	-	-	-	-
Typhus	102	1	-	4	2	5	12	12	15	17	15	11	6	7	6	1	-	-
Cholera, Diarrh., Dysent^y	111	61	14	3	1	-	79	2	1	2	1	2	5	4	7	4	3	1
Other Zymotic Dis.	93	20	2	6	6	4	38	5	2	2	5	10	8	11	6	4	2	-
Cancer	49	-	-	-	-	-	-	2	-	2	-	3	7	9	15	9	2	-
Scrofula, Tabes Mesent.	92	34	17	8	4	3	66	5	8	3	2	2	1	1	1	2	1	-
Phthisis	532	7	8	6	-	3	24	6	12	37	74	123	112	80	50	12	2	-
Hydrocephalus	55	22	13	9	3	3	50	3	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	271	50	22	8	6	3	89	8	3	6	7	12	23	23	42	35	20	3
Heart Dis. and Dropsy	163	3	-	-	-	2	5	3	3	3	6	11	7	36	35	39	14	1
Dis. of Lungs	370	104	47	22	6	1	180	4	1	4	3	7	23	22	41	57	26	2
Dis. of Stom. and Liver	141	17	7	5	-	2	31	9	2	5	4	9	16	24	17	15	8	1
Dis. of Kidneys	59	-	-	-	1	-	1	1	1	3	-	7	8	9	10	16	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	22	-	-	-	1	-	1	2	3	6	4	-	4	2	-	-	-	-
Diseases of the Skin	5	3	1	-	-	-	4	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	99	10	3	1	3	3	20	9	4	8	9	17	8	8	5	3	3	-
Other Causes	457	238	22	4	4	3	271	3	-	1	4	1	1	7	17	50	73	29
188.—LINTON.																		
Mean Popul^n, 1851-61	6906	-	-	-	-	-	976	908	812	699	539	815	701	597	456	266	120	17
TOTAL DEATHS	1324	304	58	42	29	24	457	83	38	43	45	73	64	73	89	164	155	40
Small-pox	4	1	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-
Measles	19	3	6	6	1	-	16	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	64	2	2	7	8	13	32	24	3	1	2	1	-	-	-	-	-	-
Diphtheria	5	-	-	3	1	-	4	1	-	-	-	-	-	-	-	1	-	-
Whooping-cough	22	13	4	2	2	-	21	1	-	-	-	-	-	-	-	-	-	-
Typhus	69	1	2	1	1	-	5	10	13	7	12	6	4	4	4	1	3	-
Cholera, Diarrh., Dysent^y	67	35	6	3	-	1	45	3	-	1	2	1	2	-	3	5	4	1
Other Zymotic Dis.	46	9	5	-	3	1	18	6	-	2	-	2	3	1	2	8	4	-
Cancer	16	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	5	-
Scrofula, Tabes Mesent.	17	4	2	-	-	-	6	1	3	1	-	2	-	1	-	2	1	-
Phthisis	171	9	4	2	3	1	19	5	6	15	17	40	25	19	18	7	-	-
Hydrocephalus	15	5	2	1	-	1	9	6	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	158	28	3	5	3	1	40	8	7	6	5	4	5	7	8	35	25	8
Heart Dis. and Dropsy	84	4	1	-	1	-	6	2	-	3	-	-	5	16	12	20	15	5
Dis. of Lungs	189	52	14	7	2	3	78	5	-	2	-	5	9	6	22	23	33	3
Dis. of Stom. and Liver	61	4	1	-	1	1	7	5	3	1	-	6	4	6	7	16	6	-
Dis. of Kidneys	26	-	-	-	-	-	-	-	-	-	1	1	2	-	3	12	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	1	-	-	-	-	1	1	-	1	2	-	-	-	1	1	2	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	40	-	1	2	1	1	5	2	3	3	2	3	3	6	4	7	2	-
Other Causes	238	131	5	3	2	1	142	-	-	-	1	1	1	3	1	19	48	22

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards
186.—CHESTERTON.																		
Mean Popul^{n}, 1851-61	12466	-	-	-	-	-	1715	1579	1358	1088	1022	1741	1406	1034	798	476	215	34
TOTAL DEATHS	2482	571	160	81	42	60	914	133	80	116	108	161	151	105	165	213	244	92
Small-pox	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Measles	27	3	9	5	1	4	22	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	99	4	6	22	7	20	59	30	7	1	-	-	2	-	-	-	-	-
Diphtheria	12	3	1	1	2	-	7	2	1	-	-	2	-	-	-	-	-	-
Whooping-cough	74	24	17	10	6	4	71	3	-	-	-	-	-	-	-	-	-	-
Typhus	164	3	6	-	4	6	19	22	22	24	21	17	19	7	8	5	-	-
Cholera, Diarrh., Dysent^{y}	89	39	13	1	1	1	55	1	-	1	1	2	-	1	5	11	12	-
Other Zymotic Dis.	61	10	6	5	5	7	33	10	-	2	2	-	1	2	3	4	3	1
Cancer	50	-	-	-	-	-	-	-	-	-	1	1	5	10	15	14	4	-
Scrofula, Tabes Mesent.	81	29	12	3	2	1	47	9	5	6	2	2	2	4	2	2	-	-
Phthisis	417	23	14	5	1	1	44	13	24	53	59	89	57	32	28	18	-	-
Hydrocephalus	20	9	5	2	-	1	17	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	181	41	9	3	4	1	58	9	5	4	4	7	12	9	16	32	20	5
Heart Dis. and Dropsy	127	-	-	1	-	1	2	3	5	2	4	7	10	13	28	21	23	4
Dis. of Lungs	219	70	25	16	3	6	120	5	4	7	2	4	7	4	20	24	19	3
Dis. of Stom. and Liver	117	17	2	1	2	1	23	2	2	8	1	10	12	11	23	20	5	-
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	-	1	1	2	4	-	3	1	1
Dis. of Gener. Organs	7	1	-	-	-	-	1	-	-	-	-	-	3	1	2	-	-	-
Diseases of the Joints	4	1	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
Diseases of the Skin	8	5	-	-	-	-	5	1	-	-	-	-	-	1	-	-	1	-
Childbirth and Metria	46	-	-	-	-	-	-	-	-	4	7	11	17	1	-	-	-	-
Violent Deaths	25	5	2	-	1	2	10	3	2	1	1	1	-	1	1	2	2	1
Other Causes	645	274	33	6	3	4	320	11	2	2	1	6	2	4	14	57	149	77
187.—CAMBRIDGE.																		
Mean Popul^{n}, 1851-61	14227	-	-	-	-	-	1506	1345	1403	1642	1516	2193	1650	1305	951	498	188	27
TOTAL DEATHS	2648	485	169	106	72	56	888	99	52	114	104	179	216	188	219	257	250	82
Small-pox	27	2	3	8	2	3	18	3	2	1	2	-	1	-	-	-	-	-
Measles	39	6	8	9	4	5	32	5	2	-	-	-	-	-	-	-	-	-
Scarlatina	91	5	8	11	16	10	50	32	2	3	3	-	-	1	-	-	-	-
Diphtheria	6	-	-	2	-	-	2	1	-	-	-	3	-	-	-	-	-	-
Whooping-cough	58	20	21	7	4	2	54	4	-	-	-	-	-	-	-	-	-	-
Typhus	120	1	5	7	7	6	26	17	9	15	13	16	13	3	3	3	2	-
Cholera, Diarrh., Dysent^{y}	113	64	13	2	1	1	81	2	-	1	-	2	7	2	3	6	7	2
Other Zymotic Dis.	77	16	4	4	7	-	31	2	6	3	1	5	4	5	6	9	5	-
Cancer	105	-	-	-	-	-	-	-	-	1	-	7	17	34	23	16	7	-
Scrofula, Tabes Mesent.	64	13	16	7	5	3	44	1	5	6	3	1	2	1	1	-	-	-
Phthisis	399	3	7	2	1	5	18	7	15	54	55	86	97	35	23	6	-	-
Hydrocephalus	44	18	11	3	5	4	41	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	249	35	15	8	3	5	66	6	4	10	5	11	12	20	32	52	25	6
Heart Dis. and Dropsy	179	1	-	1	1	-	3	2	1	4	2	11	16	26	44	42	27	1
Dis. of Lungs	318	83	33	23	13	7	159	3	-	6	3	5	13	17	36	36	34	6
Dis. of Stom. and Liver	144	23	3	1	-	2	29	6	3	5	3	9	8	24	25	16	14	2
Dis. of Kidneys	22	1	-	-	-	-	1	1	-	2	1	3	3	3	1	7	-	-
Dis. of Gener. Organs	20	-	-	-	-	-	-	-	-	-	-	5	3	7	2	3	-	-
Diseases of the Joints	9	-	-	-	-	1	1	1	-	-	-	-	5	2	-	-	-	-
Diseases of the Skin	8	3	-	-	-	1	4	-	-	-	-	-	1	-	1	2	-	-
Childbirth and Metria	54	-	-	-	-	-	-	-	-	1	10	15	8	-	-	-	-	-
Violent Deaths	54	17	1	4	2	-	24	3	2	1	2	-	3	4	1	4	6	4
Other Causes	468	174	21	7	1	1	204	1	-	1	1	-	3	4	15	55	123	61
188.—LINTON.																		
Mean Popul^{n}, 1851-61	6923	-	-	-	-	-	960	913	798	596	568	887	723	608	444	276	127	23
TOTAL DEATHS	1238	218	70	33	33	16	370	76	49	56	64	78	72	62	85	118	149	59
Small-pox	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Measles	29	2	9	1	3	1	16	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	54	3	4	6	7	4	24	23	2	2	2	1	-	-	-	-	-	-
Diphtheria	3	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	28	16	6	3	1	1	27	1	-	-	-	-	-	-	-	-	-	-
Typhus	68	1	2	1	1	3	8	16	13	11	3	7	3	2	3	2	-	-
Cholera, Diarrh., Dysent^{y}	53	21	3	2	5	1	32	1	1	1	1	-	1	2	-	2	9	3
Other Zymotic Dis.	30	7	1	-	2	1	11	1	2	1	1	1	-	2	3	2	2	4
Cancer	28	-	-	-	-	-	-	-	-	-	-	2	4	8	7	3	2	2
Scrofula, Tabes Mesent.	15	3	-	1	-	-	4	2	-	1	2	2	1	-	-	1	2	-
Phthisis	218	7	6	2	1	-	16	8	14	27	42	38	28	23	16	6	-	-
Hydrocephalus	12	5	1	1	2	2	11	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	130	13	7	3	1	1	25	6	4	3	4	4	5	9	14	31	21	4
Heart Dis. and Dropsy	75	-	-	-	-	1	1	2	1	-	1	4	8	7	14	17	19	1
Dis. of Lungs	148	29	20	11	7	-	67	6	6	-	3	2	2	3	15	19	16	9
Dis. of Stom. and Liver	64	5	-	1	2	-	8	-	1	3	3	9	6	4	8	14	8	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	3	1	-	-	1	-	1	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	2	1	2	8	-	-	-	-	-
Violent Deaths	10	2	1	-	-	-	3	1	1	-	-	-	1	1	-	1	-	2
Other Causes	251	104	9	-	-	1	114	2	1	3	-	5	1	-	2	19	70	34

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
189.—NEWMARKET.																		
Mean Popul^{n}, 1851-61	14884	-	-		-	-	2080	1883	1760	1588	1201	1830	1520	1276	960	564	193	29
TOTAL DEATHS	3009	798	216	103	72	51	1240	177	89	93	98	168	159	150	230	277	256	72
Small-pox	12	1	-	-	-	-	1	1	-	1	3	-	-	1	2	3	-	-
Measles	40	13	9	9	6	-	37	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	105	4	6	12	13	12	47	40	10	5	1	1	-	-	1	-	-	-
Diphtheria	15	-	1	2	-	-	3	6	3	3	-	-	-	-	-	-	-	-
Whooping-cough	55	30	18	3	3	-	54	-	-	-	-	-	-	-	-	1	-	-
Typhus	164	12	2	5	10	6	25	26	16	17	13	18	13	10	9	13	4	-
Cholera,Diarrh.,Dysent^{y}	183	77	20	10	7	4	118	8	3	3	1	4	6	5	7	10	16	2
Other Zymotic Dis.	110	28	8	4	4	3	47	12	5	6	1	7	6	3	6	11	6	-
Cancer	47	-	1	-	-	-	1	-	-	1	-	1	9	5	18	7	4	1
Scrofula, Tabes Mesent.	70	21	12	4	2	-	39	5	4	3	3	5	4	4	1	1	1	-
Phthisis	346	9	9	5	1	2	26	19	7	31	54	77	63	42	20	6	1	-
Hydrocephalus	33	12	8	4	1	3	28	1	3	-	1	-	-	-	-	-	-	-
Diseases of Brain	295	58	15	12	5	7	97	14	10	5	6	12	14	13	36	47	32	9
Heart Dis. and Dropsy	162	4	2	-	1	3	10	2	3	6	5	11	8	13	26	43	30	5
Dis. of Lungs	478	164	62	21	14	6	267	18	6	1	5	9	16	19	42	45	42	8
Dis. of Stom. and Liver	124	18	-	3	1	2	24	7	4	2	1	10	7	15	26	21	3	1
Dis. of Kidneys	33	-	-	-	-	-	-	1	-	1	2	2	3	5	3	10	5	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	8	-	-	-	-	-	-	-	1	2	-	-	-	1	3	-	1	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	81	9	2	3	4	3	21	5	3	5	2	5	7	5	14	6	3	-
Other Causes	643	346	41	6	-	-	393	9	6	1	-	6	3	8	16	49	107	45
190.—ELY.																		
Mean Popul^{n}, 1851-61	11117	-	-	-	-	-	1569	1378	1313	1140	904	1468	1212	922	665	381	145	20
TOTAL DEATHS	2480	831	178	96	57	36	1198	110	64	73	62	94	107	133	159	204	204	72
Small-pox	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	36	9	9	8	5	3	34	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	45	7	8	9	2	7	33	9	1	1	1	-	-	-	-	-	-	-
Diphtheria	6	1	-	-	-	3	4	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	42	23	9	5	4	-	41	1	-	-	-	-	-	-	-	-	-	-
Typhus	129	8	8	7	9	4	36	15	15	19	6	8	7	6	6	9	2	-
Cholera,Diarrh.,Dysent^{y}	152	68	17	4	4	1	94	8	3	3	4	2	5	5	6	9	11	2
Other Zymotic Dis.	138	46	13	11	7	4	81	11	1	3	2	5	10	10	7	5	3	-
Cancer	18	-	-	-	-	-	-	-	-	1	-	1	1	5	2	5	3	-
Scrofula, Tabes Mesent.	46	18	6	3	-	2	29	4	5	3	1	2	-	-	1	1	-	-
Phthisis	219	17	9	1	-	-	27	8	6	25	30	40	29	27	16	11	-	-
Hydrocephalus	23	9	5	5	2	-	21	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	216	60	10	8	4	1	83	8	3	5	4	5	12	13	23	34	24	2
Heart Dis. and Dropsy	107	5	2	-	-	1	8	-	4	3	2	8	11	15	28	22	5	1
Dis. of Lungs	218	68	29	18	10	4	129	7	1	-	3	3	5	21	16	18	13	2
Dis. of Stom. and Liver	111	17	3	1	2	1	24	4	3	1	2	7	13	12	22	20	2	1
Dis. of Kidneys	26	-	-	-	-	-	-	2	1	1	1	1	1	2	3	6	7	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	2	1	-	-	-	-	1	-	-	-
Diseases of the Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	124	8	8	8	5	3	32	17	14	4	6	10	11	10	7	7	5	1
Other Causes	814	435	42	8	3	2	520	9	4	3	-	2	2	7	21	56	128	62
191.—NORTH WITCHFORD.																		
Mean Popul^{n}, 1851-61	7676	-	-	-	-	-	1085	930	857	803	619	998	842	665	493	242	82	10
TOTAL DEATHS	1678	566	143	57	45	29	840	95	32	51	53	81	78	72	106	127	110	33
Small-pox	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Measles	29	9	8	5	2	2	26	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	50	3	9	2	8	10	32	14	3	1	-	-	-	-	-	-	-	-
Diphtheria	10	3	-	-	2	1	6	1	-	1	-	-	-	-	1	1	-	-
Whooping-cough	15	7	5	2	1	-	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	79	5	7	4	1	1	18	16	5	5	8	5	5	1	8	6	2	-
Cholera,Diarrh.,Dysent^{y}	79	45	11	-	1	-	57	-	-	-	-	3	2	2	4	4	7	-
Other Zymotic Dis.	72	18	3	5	5	5	31	5	1	2	7	4	2	7	3	7	3	-
Cancer	23	2	-	-	-	-	2	-	-	-	-	1	5	1	7	7	-	-
Scrofula, Tabes Mesent.	45	19	9	3	4	-	35	1	3	1	-	1	-	3	1	-	-	-
Phthisis	153	13	9	4	1	-	27	4	1	18	24	37	18	13	10	1	-	-
Hydrocephalus	33	11	4	3	2	2	22	9	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	121	43	7	4	3	1	58	8	3	4	1	3	6	6	9	11	11	1
Heart Dis. and Dropsy	63	3	-	2	-	1	6	1	3	1	3	2	9	6	13	15	7	2
Dis. of Lungs	229	72	35	7	7	3	124	9	3	6	2	6	12	10	24	23	7	3
Dis. of Stom. and Liver	73	16	4	3	1	1	25	6	1	1	1	5	6	7	9	6	5	1
Dis. of Kidneys	30	-	-	-	-	-	-	1	1	-	-	3	2	2	5	10	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	1	1	-	-	1	3	1	-	1	-	1	1	-	-	-	1	-
Diseases of the Skin	7	3	1	-	-	-	4	1	-	-	-	1	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	94	8	8	8	7	1	32	11	7	3	5	7	8	3	3	3	2	-
Other Causes	458	290	22	5	-	-	317	3	-	1	1	2	2	6	9	33	58	26

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
189.—NEWMARKET.																		
Mean Popul^{n}, 1851-61	14781	-	-	-	-	-	2067	1832	1724	1383	1291	1966	1572	1214	915	528	243	46
TOTAL DEATHS	3012	573	208	94	61	53	989	138	104	126	143	252	183	159	218	252	320	128
Small-pox	7	2	-	-	1	-	3	-	1	-	-	1	-	2	-	-	-	-
Measles	36	8	14	4	1	3	30	5	-	-	1	-	-	-	-	-	-	-
Scarlatina	85	6	12	5	12	9	44	20	13	5	-	2	-	-	-	1	-	-
Diphtheria	14	1	1	2	2	1	7	5	2	-	-	-	-	-	-	-	-	-
Whooping-cough	49	21	14	8	3	3	49	-	-	-	-	-	-	-	-	-	-	-
Typhus	153	2	3	7	2	5	19	28	11	23	17	24	10	7	2	4	3	-
Cholera, Diarrh., Dysent^{y}	143	44	14	7	2	4	71	9	2	2	4	10	7	3	8	9	13	5
Other Zymotic Dis.	80	18	5	8	4	1	36	10	4	2	3	4	2	5	3	5	5	1
Cancer	57	-	1	-	-	-	1	-	2	-	-	1	7	12	18	10	5	1
Scrofula, Tabes Mesent.	59	11	13	3	2	1	30	6	9	2	2	6	2	2	-	-	-	-
Phthisis	552	11	18	6	1	2	38	17	36	61	83	131	74	53	31	7	1	-
Hydrocephalus	22	10	4	3	-	1	18	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	273	27	19	9	5	6	66	8	9	5	4	14	11	14	45	49	44	4
Heart Dis. and Dropsy	165	4	-	-	-	-	4	-	5	2	8	11	13	12	32	44	29	5
Dis. of Lungs	354	90	45	22	18	6	181	13	4	5	4	3	10	11	25	42	46	10
Dis. of Stom. and Liver	156	16	1	2	1	1	21	4	1	6	7	14	17	18	28	24	14	2
Dis. of Kidneys	14	-	-	-	1	-	1	-	-	1	-	-	3	-	4	4	1	-
Dis. of Gener. Organs	20	-	-	-	-	1	1	-	-	-	2	2	2	11	2	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	-	-	3	1	2	1	-	-	-	-	-
Diseases of the Skin	6	1	1	-	-	-	2	-	-	-	-	1	-	2	-	1	-	-
Childbirth and Metria	51	-	-	-	-	-	-	-	-	-	6	26	19	-	-	-	-	-
Violent Deaths	43	9	2	2	1	5	19	6	1	1	-	-	-	1	5	4	5	1
Other Causes	686	292	41	6	5	4	348	4	3	3	1	-	5	6	15	48	154	99
190.—ELY.																		
Mean Popul^{n}, 1851-61	11286	-	-	-	-	-	1592	1418	1235	1131	940	1528	1245	906	678	411	170	32
TOTAL DEATHS	2295	594	189	82	58	40	963	93	79	94	92	140	137	90	142	191	195	79
Small-pox	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Measles	30	3	9	10	1	2	25	3	2	-	-	-	-	-	-	-	-	-
Scarlatina	58	8	10	5	5	9	37	13	5	1	1	1	-	-	-	-	-	-
Diphtheria	9	-	1	-	2	-	3	3	1	2	-	-	-	-	-	-	-	-
Whooping-cough	48	27	15	3	2	1	48	-	-	-	-	-	-	-	-	-	-	-
Typhus	166	2	4	4	5	7	22	27	27	23	19	12	9	7	12	7	2	1
Cholera, Diarrh., Dysent^{y}	125	39	23	8	5	3	78	1	7	1	3	5	9	4	8	4	3	2
Other Zymotic Dis.	98	38	9	8	9	6	70	5	4	2	-	2	3	3	2	3	2	2
Cancer	44	-	-	-	-	-	-	-	-	-	-	3	7	6	11	8	8	1
Scrofula, Tabes Mesent.	48	15	12	4	1	4	36	-	1	1	1	1	1	-	6	-	1	-
Phthisis	293	13	8	4	1	-	26	6	18	43	42	66	43	29	13	7	-	-
Hydrocephalus	24	10	7	2	2	-	21	1	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	182	42	12	4	7	1	66	8	3	3	5	8	10	8	22	24	24	1
Heart Dis. and Dropsy	92	1	1	-	1	-	3	1	2	1	3	5	14	8	18	24	13	-
Dis. of Lungs	216	57	29	17	9	4	116	16	-	2	2	6	12	3	15	27	15	2
Dis. of Stom. and Liver	88	9	1	1	1	-	12	4	2	2	5	5	8	11	13	21	4	1
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	2	1	2	-	1	1	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Skin	3	1	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	1	5	13	12	-	-	-	-	-
Violent Deaths	46	9	3	5	5	1	23	5	-	2	1	1	-	2	3	4	2	3
Other Causes	681	320	43	7	2	2	374	2	6	8	2	8	7	9	18	60	121	66
191.—NORTH WITCHFORD.																		
Mean Popul^{n}, 1851-61	7341	-	-	-	-	-	1031	932	856	816	693	1080	870	628	449	279	92	15
TOTAL DEATHS	1523	418	129	54	32	34	667	66	34	63	55	91	92	71	92	133	131	28
Small pox	6	1	-	1	-	-	2	2	-	2	-	-	-	-	-	-	-	-
Measles	25	4	10	2	4	1	21	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	38	5	4	6	5	9	29	6	-	1	-	-	-	1	-	1	-	-
Diphtheria	7	2	-	-	1	3	6	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	27	11	9	4	2	-	26	1	-	-	-	-	-	-	-	-	-	-
Typhus	73	1	2	3	3	3	12	9	5	13	11	8	6	2	3	3	1	-
Cholera, Diarrh., Dysent^{y}	80	27	9	3	2	3	44	1	2	1	-	4	1	2	6	6	12	1
Other Zymotic Dis.	55	8	6	6	2	3	25	5	2	4	2	4	5	-	-	5	3	-
Cancer	45	-	-	-	-	-	-	1	-	-	-	-	11	11	10	8	3	1
Scrofula, Tabes Mesent.	36	14	8	5	1	-	28	1	2	-	2	3	-	-	-	-	-	-
Phthisis	184	12	6	3	1	-	22	4	11	24	24	57	35	16	8	3	-	-
Hydrocephalus	24	5	6	4	1	1	17	4	1	1	-	-	1	-	-	-	-	-
Diseases of Brain	106	30	9	2	1	1	43	4	1	-	1	4	7	8	10	17	10	1
Heart Dis. and Dropsy	81	5	1	1	-	1	8	1	2	2	2	6	7	11	13	20	7	2
Dis. of Lungs	180	53	26	5	6	4	94	6	2	4	1	3	4	8	16	21	21	-
Dis. of Stom. and Liver	64	3	-	4	-	-	7	2	-	5	6	8	5	8	12	6	4	1
Dis. of Kidneys	8	1	-	-	-	-	1	-	-	-	-	2	-	-	3	2	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
Diseases of the Joints	8	1	-	-	-	-	1	2	2	-	-	1	-	-	-	2	-	-
Diseases of the Skin	6	3	2	-	-	-	5	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	15	-	-	-	-	-	-	-	-	-	2	5	5	1	-	-	-	-
Violent Deaths	35	4	2	4	2	2	14	6	3	3	1	2	-	-	2	1	1	2
Other Causes	419	228	29	1	1	3	262	6	1	3	2	4	4	2	9	37	69	20

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
192.—WHITTLESEY.																		
Mean Popul^{n}, 1851-61	3545	-	-	-	-	-	544	443	396	349	246	460	394	307	239	120	41	6
TOTAL DEATHS	839	286	55	32	23	16	412	35	18	27	28	40	39	39	65	66	56	14
Small-pox	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Measles	14	5	2	4	2	-	13	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	28	2	4	7	5	3	21	6	-	1	-	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Whooping-cough	24	12	10	2	-	-	24	-	-	-	-	-	-	-	-	-	-	-
Typhus	51	4	1	1	2	3	11	5	5	4	6	3	2	3	3	7	2	-
Cholera,Diarrh.,Dysent^{y}	63	38	3	3	-	1	45	3	2	-	1	1	2	1	2	2	4	-
Other Zymotic Dis.	23	16	1	-	-	-	17	1	-	1	-	-	3	1	-	-	-	-
Cancer	11	-	1	-	-	-	1	-	-	-	-	1	1	1	5	-	2	-
Scrofula, Tabes Mesent.	14	6	1	-	1	-	8	2	1	2	-	-	-	-	1	-	-	-
Phthisis	93	11	7	1	2	-	21	-	2	9	10	20	12	10	5	4	-	-
Hydrocephalus	7	1	2	1	-	-	4	1	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	74	31	3	1	1	1	37	5	-	2	2	4	3	4	7	5	4	1
Heart Dis. and Dropsy	24	1	2	-	-	-	3	1	-	-	-	2	-	2	3	10	3	-
Dis. of Lungs	97	35	6	4	3	4	52	-	1	1	1	1	3	8	7	12	10	1
Dis. of Stom. and Liver	43	8	-	-	-	-	8	-	-	1	1	1	3	5	11	7	6	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	1	-	-	1	-	2	-	-	-	-	-	1	-	-	-
Diseases of the Skin	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	46	-	-	2	5	2	9	7	2	5	3	4	4	4	4	2	1	1
Other Causes	210	115	11	5	2	1	134	2	1	1	3	1	5	-	15	15	22	11
193.—WISBEACH.																		
Mean Popul^{n}, 1851-61	16959	-	-	-	-	-	2254	2151	1931	1749	1284	2223	1936	1502	1103	593	200	33
TOTAL DEATHS	3917	1283	329	150	83	75	1920	181	98	106	103	175	227	203	232	324	271	77
Small-pox	26	3	3	3	-	-	9	1	-	4	3	5	3	1	-	-	-	-
Measles	45	11	21	7	2	2	43	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	154	11	19	26	19	23	98	40	8	2	2	1	2	1	-	-	-	-
Diphtheria	13	1	2	-	3	1	7	1	-	1	1	1	-	-	-	1	1	-
Whooping-cough	102	52	29	9	6	3	99	3	-	-	-	-	-	-	-	-	-	-
Typhus	186	11	11	11	4	8	45	26	23	13	9	6	16	11	13	16	7	1
Cholera,Diarrh.,Dysent^{y}	235	90	20	11	5	2	128	15	7	3	2	8	11	11	15	8	23	4
Other Zymotic Dis.	168	47	8	6	9	8	78	12	7	7	2	5	13	14	13	10	5	2
Cancer	24	-	-	-	-	-	-	-	-	-	-	-	1	7	10	3	3	-
Scrofula, Tabes Mesent.	77	26	13	5	5	1	50	3	3	7	4	2	1	2	2	3	-	-
Phthisis	315	21	8	3	1	4	37	12	9	29	45	59	56	33	21	9	5	-
Hydrocephalus	71	28	16	7	2	2	55	11	4	1	-	-	-	-	-	-	-	-
Diseases of Brain	414	194	30	11	2	5	242	7	7	3	3	11	18	15	20	44	35	9
Heart Dis. and Dropsy	196	14	5	1	4	2	26	5	6	3	7	8	27	12	38	43	18	3
Dis. of Lungs	490	136	57	13	8	4	218	10	3	5	6	16	29	38	45	68	45	7
Dis. of Stom. and Liver	158	24	3	5	1	1	34	5	1	1	4	14	14	23	16	30	16	-
Dis. of Kidneys	36	-	-	-	-	-	-	-	-	1	2	1	4	2	4	12	9	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	10	-	-	-	-	1	1	1	1	-	1	1	2	2	1	-	-	-
Diseases of the Skin	11	5	1	-	-	-	6	-	-	1	-	-	-	1	3	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	232	17	11	11	10	5	54	24	16	20	11	33	20	16	14	16	6	2
Other Causes	953	592	72	21	2	3	690	3	3	5	1	4	10	14	17	60	98	48

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
192.—WHITTLESEY.																		
Mean Popul^{n}, 1851-61	3781	-	-	-	-	-	530	447	424	363	301	506	420	312	251	150	60	7
TOTAL DEATHS	814	254	58	27	16	14	369	42	24	28	20	42	45	32	43	82	66	21
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	15	10	2	2	–	–	14	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	23	3	4	3	4	2	16	5	1	1	–	–	–	–	–	–	–	–
Diphtheria	3	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Whooping cough	29	15	6	5	2	1	29	–	–	–	–	–	–	–	–	–	–	–
Typhus	42	1	–	2	2	4	9	8	5	6	1	4	2	–	3	2	2	–
Cholera, Diarrh., Dysent^{y}	64	38	5	–	–	–	43	2	–	1	2	1	3	1	2	7	2	–
Other Zymotic Dis.	28	13	1	2	–	1	17	1	1	–	2	–	2	1	1	1	1	1
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	3	4	3	3	–	–
Scrofula, Tabes Mesent.	20	8	1	–	1	1	11	3	1	1	1	1	1	1	–	–	–	–
Phthisis	84	9	7	–	–	–	16	1	3	12	13	17	9	8	1	3	1	–
Hydrocephalus	8	3	1	–	1	–	5	2	–	1	–	–	–	–	–	–	–	–
Diseases of Brain	93	37	5	2	2	2	48	5	4	1	1	2	1	2	8	12	8	1
Heart Dis. and Dropsy	37	2	–	3	–	–	5	1	1	–	–	2	6	3	7	5	5	2
Dis. of Lungs	84	21	11	7	2	1	42	4	2	2	–	2	1	3	5	12	9	2
Dis. of Stom. and Liver	37	4	–	–	–	–	4	–	2	–	–	3	6	4	1	10	6	1
Dis. of Kidneys	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	1	–
Diseases of the Joints	4	–	–	–	–	1	1	–	–	–	–	–	–	1	1	1	–	–
Diseases of the Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	10	–	–	–	–	–	–	–	–	–	–	4	6	–	–	–	–	–
Violent Deaths	13	–	1	–	–	–	1	5	–	1	–	1	–	2	2	1	–	–
Other Causes	198	89	14	1	2	1	107	1	4	2	–	5	2	2	7	23	31	14
193.—WISBEACH.																		
Mean Popul^{n}, 1851-61	17310	-	-	-	-	-	2293	2137	1938	1708	1582	2512	2052	1518	1102	666	264	38
TOTAL DEATHS	3741	1004	236	135	99	64	1538	189	111	131	150	241	218	178	228	322	303	132
Small-pox	23	7	2	1	–	3	13	5	1	1	2	–	–	–	1	–	–	–
Measles	50	10	17	9	2	5	43	5	2	–	–	–	–	–	–	–	–	–
Scarlatina	142	4	16	17	20	11	68	46	14	5	6	3	–	–	–	–	–	–
Diphtheria	9	1	2	1	–	1	5	3	1	–	–	–	–	–	–	–	–	–
Whooping-cough	119	55	34	11	9	3	112	7	–	–	–	–	–	–	–	–	–	–
Typhus	227	11	11	12	11	8	53	34	22	17	14	24	17	13	10	4	13	6
Cholera, Diarrh., Dysent^{y}	218	58	13	8	8	3	90	9	5	6	8	14	17	12	14	16	21	6
Other Zymotic Dis.	138	40	12	5	5	4	66	8	8	6	5	6	4	7	15	6	4	3
Cancer	73	–	1	–	–	–	1	–	–	–	–	5	19	12	11	20	3	2
Scrofula, Tabes Mesent.	46	20	7	1	2	–	30	–	3	3	4	1	–	1	1	1	1	1
Phthisis	371	20	3	4	3	–	30	9	22	55	63	85	51	33	16	3	3	1
Hydrocephalus	56	20	7	3	3	3	36	11	3	–	–	–	–	–	–	–	–	–
Diseases of Brain	406	161	17	14	6	4	202	10	7	5	9	13	13	23	31	53	30	10
Heart Dis. and Dropsy	246	22	4	5	2	1	34	5	10	6	9	23	23	15	35	52	27	7
Dis. of Lungs	424	86	33	23	10	10	162	15	3	11	7	21	19	22	44	66	46	8
Dis. of Stom. and Liver	139	9	–	1	4	3	17	1	3	2	9	12	17	20	25	23	8	2
Dis. of Kidneys	15	–	–	–	–	1	1	–	–	1	–	2	2	2	2	4	1	–
Dis. of Gener. Organs	24	–	–	–	–	–	–	–	–	4	2	5	5	4	1	2	1	–
Diseases of the Joints	5	–	–	–	–	–	–	2	1	–	–	–	–	1	1	–	–	–
Diseases of the Skin	10	2	–	–	1	–	3	–	–	–	–	1	3	–	1	1	1	–
Childbirth and Metria	24	–	–	–	–	–	–	–	–	1	5	18	10	–	–	–	–	–
Violent Deaths	78	8	3	11	5	1	28	11	4	3	3	3	7	3	2	5	7	2
Other Causes	894	470	54	9	8	3	544	8	2	5	4	5	11	10	18	66	137	84

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
194.—WEST HAM.																		
Mean Popul^{n}, 1851-61	22737	-	-	-	-	-	3320	3006	2589	1917	1898	3602	2858	1766	1034	548	172	27
TOTAL DEATHS	4725	1264	418	204	134	114	2134	266	117	116	146	278	343	288	327	351	284	75
Small-pox	56	7	5	4	1	4	21	10	1	5	9	7	3	-	-	-	-	-
Measles	107	16	34	25	14	6	95	11	1	-	-	-	-	-	-	-	-	-
Scarlatina	205	10	30	26	31	23	120	64	15	3	-	-	1	-	1	1	-	-
Diphtheria	13	5	5	1	1	-	12	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	128	56	37	19	4	6	122	6	-	-	-	-	-	-	-	-	-	-
Typhus	160	5	6	4	6	6	27	35	18	14	16	17	11	8	4	9	1	-
Cholera, Diarrh., Dysent^{y}	398	228	51	6	5	7	297	8	2	9	6	16	10	10	15	13	10	2
Other Zymotic Dis.	194	66	24	13	12	8	123	12	1	4	5	4	10	9	8	5	11	2
Cancer	37	-	-	-	-	1	1	-	1	-	-	3	3	2	12	9	2	4
Scrofula, Tabes Mesent.	114	41	21	10	6	4	82	12	8	5	2	-	-	2	2	1	-	-
Phthisis	507	9	10	4	4	6	33	6	11	27	63	123	119	72	42	9	2	-
Hydrocephalus	144	56	41	8	9	11	125	15	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	586	157	30	21	11	10	229	29	6	10	11	16	35	37	60	85	55	13
Heart Dis. and Dropsy	193	5	2	1	2	4	14	7	4	5	3	10	27	22	34	39	26	2
Dis. of Lungs	791	240	84	43	13	11	391	22	6	4	5	27	33	50	68	98	73	14
Dis. of Stom. and Liver	170	21	1	2	4	-	28	6	8	5	6	9	25	23	26	26	8	-
Dis. of Kidneys	59	-	-	-	1	1	2	1	-	2	4	-	10	6	13	10	9	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	22	1	-	1	-	1	3	2	4	1	-	4	3	1	1	1	2	-
Diseases of the Skin	13	5	-	1	-	-	6	2	-	1	-	-	-	-	-	2	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	218	8	7	2	5	3	25	12	25	19	14	32	38	28	15	7	3	-
Other Causes	610	328	30	13	5	2	378	5	2	2	2	10	15	18	26	36	80	36
195.—EPPING.																		
Mean Popul^{n}, 1851-61	8204	-	-	-	-	-	1051	997	1028	800	624	1049	922	727	535	317	131	13
TOTAL DEATHS	1523	323	85	48	21	31	508	63	41	41	44	74	88	101	149	169	183	62
Small-pox	14	4	-	1	-	-	5	3	-	-	2	1	1	2	-	-	-	-
Measles	24	4	4	8	1	3	20	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	44	1	6	9	4	4	24	12	7	-	-	1	-	-	-	-	-	-
Diphtheria	4	1	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	36	16	9	4	2	4	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	57	1	1	1	1	2	6	8	7	11	5	3	5	3	5	2	2	-
Cholera, Diarrh., Dysent^{y}	89	26	11	1	-	1	39	6	4	1	3	4	2	5	3	9	8	-
Other Zymotic Dis.	64	16	3	4	2	3	28	3	2	1	2	3	7	7	5	2	4	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	3	3	9	4	2	1
Scrofula, Tabes Mesent.	47	15	9	1	3	2	30	3	1	1	2	5	2	-	-	3	-	-
Phthisis	138	6	2	1	-	1	10	2	4	10	21	28	28	20	13	2	-	-
Hydrocephalus	29	12	8	3	-	1	24	3	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	166	35	6	3	1	1	46	4	3	3	3	4	10	11	23	27	26	6
Heart Dis. and Dropsy	107	11	1	1	-	1	14	-	2	2	-	3	4	11	13	24	27	7
Dis. of Lungs	235	55	18	6	3	6	88	4	-	-	1	10	12	16	34	33	27	10
Dis. of Stom. and Liver	92	9	1	2	1	1	14	4	3	1	1	5	6	11	13	21	13	-
Dis. of Kidneys	27	-	-	-	-	-	-	-	1	1	1	-	3	3	2	9	5	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Diseases of the Skin	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	43	5	1	1	2	1	10	5	2	7	2	2	3	5	5	1	1	-
Other Causes	281	106	4	1	1	-	112	-	3	3	1	4	1	3	18	32	68	36
196.—ONGAR.																		
Mean Popul^{n}, 1851-61	6056	-	-	-	-	-	773	740	697	602	493	759	671	553	413	245	97	13
TOTAL DEATHS	1112	265	54	19	16	11	365	50	22	25	47	52	70	61	98	128	159	35
Small-pox	9	2	-	-	-	-	2	1	-	-	-	1	-	3	2	-	-	-
Measles	7	3	-	1	-	-	4	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	18	1	1	1	3	3	9	7	2	-	-	-	-	-	-	-	-	-
Diphtheria	11	2	-	1	-	-	3	6	1	1	-	-	-	-	-	-	-	-
Whooping-cough	16	9	7	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	24	-	-	-	1	1	2	2	4	4	1	3	2	1	3	2	-	-
Cholera, Diarrh., Dysent^{y}	47	23	5	1	-	-	29	-	-	1	2	1	2	-	2	4	6	-
Other Zymotic Dis.	39	8	-	2	2	1	13	8	3	-	2	2	2	4	3	5	2	-
Cancer	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	-
Scrofula, Tabes Mesent.	21	4	7	1	-	-	12	3	2	-	1	1	1	-	1	-	-	-
Phthisis	64	4	1	1	3	-	9	1	1	2	12	13	12	4	9	1	-	-
Hydrocephalus	6	3	1	2	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	118	29	6	1	1	-	37	5	2	3	2	2	6	11	16	10	22	2
Heart Dis. and Dropsy	46	2	-	-	-	-	2	-	2	2	2	2	2	4	6	12	11	1
Dis. of Lungs	222	52	16	5	2	3	78	15	-	5	17	16	23	14	19	21	11	3
Dis. of Stom. and Liver	60	10	2	-	-	1	13	1	1	1	2	2	6	7	16	8	3	-
Dis. of Kidneys	11	1	-	-	-	-	1	-	-	-	-	-	2	1	4	2	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	29	3	1	1	-	1	6	1	3	2	-	1	5	3	3	5	-	-
Other Causes	354	109	7	2	4	1	123	2	1	4	5	6	7	8	12	54	103	29

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
194.—WEST HAM.																		
Mean Popul^{n}, 1851-61	24120	-	-	-	-	-	3295	3003	2612	2007	2145	3919	2995	1857	1252	735	261	39
TOTAL DEATHS	4417	992	383	204	130	108	1817	231	94	108	110	308	298	259	303	421	350	118
Small-pox	59	10	4	8	5	4	31	12	2	2	2	7	1	2	-	-	-	-
Measles	91	9	28	20	15	10	82	6	-	2	-	1	-	-	-	-	-	-
Scarlatina	169	9	23	24	20	20	96	56	7	4	3	2	-	-	-	1	-	-
Diphtheria	22	2	3	1	2	2	10	8	2	-	-	-	-	1	-	-	-	-
Whooping-cough	152	44	44	22	18	13	136	16	-	-	-	-	-	-	-	-	-	-
Typhus	198	10	10	9	7	10	46	37	24	6	17	15	13	9	9	13	9	-
Cholera, Diarrh., Dysent^{y}	353	175	52	8	8	3	246	14	6	1	5	10	11	16	11	19	9	5
Other Zymotic Dis.	186	64	15	20	10	8	117	8	5	6	1	8	11	2	9	11	7	1
Cancer	115	-	-	-	-	-	-	-	-	1	-	6	19	31	26	23	9	-
Scrofula, Tabes Mesent.	99	31	22	8	3	6	70	8	5	7	1	2	1	1	2	2	-	-
Phthisis	492	10	10	1	3	-	24	15	23	51	56	147	103	47	18	7	1	-
Hydrocephalus	100	32	27	13	8	5	85	10	3	-	-	-	1	-	-	-	1	-
Diseases of Brain	534	126	27	15	12	5	185	8	6	2	4	14	20	37	73	91	75	19
Heart Dis. and Dropsy	239	3	1	3	-	-	7	6	4	11	5	16	23	31	40	69	22	5
Dis. of Lungs	654	174	73	33	17	16	313	12	2	4	1	18	28	30	53	97	33	13
Dis. of Stom. and Liver	189	14	1	-	2	2	19	3	1	2	2	17	22	26	36	35	21	4
Dis. of Kidneys	21	-	-	-	-	-	-	1	-	-	2	4	4	3	2	4	1	-
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	-	1	4	3	2	3	2	2	-
Diseases of the Joints	15	-	-	-	2	-	2	2	1	3	-	1	2	1	3	-	-	-
Diseases of the Skin	15	6	1	-	-	-	7	-	-	-	-	-	1	1	1	2	2	1
Childbirth and Metria	64	-	-	-	-	-	-	-	-	1	9	26	27	1	-	-	-	-
Violent Deaths	58	14	5	9	2	-	30	3	-	3	-	4	2	3	5	4	2	2
Other Causes	575	259	37	10	1	4	311	6	3	2	1	6	5	15	12	40	106	68
195.—EPPING.																		
Mean Popul^{n}, 1851-61	7885	-	-	-	-	-	1067	983	890	631	645	1068	891	701	522	328	134	26
TOTAL DEATHS	1362	244	78	41	30	15	408	62	39	52	46	103	88	75	109	143	161	76
Small-pox	6	1	-	-	-	-	1	1	-	1	-	1	1	-	-	1	-	-
Measles	16	3	7	1	2	1	14	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	35	2	1	2	7	3	15	14	4	-	2	-	-	-	-	-	-	-
Diphtheria	8	-	-	2	1	-	3	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	50	21	7	12	4	1	45	5	-	-	-	-	-	-	-	-	-	-
Typhus	58	1	1	3	-	3	8	4	6	7	4	11	5	2	4	5	2	-
Cholera, Diarrh., Dysent^{y}	54	22	5	3	1	-	31	-	1	2	1	-	1	3	3	4	6	2
Other Zymotic Dis.	44	11	6	3	3	-	23	4	-	-	3	1	4	2	2	2	2	1
Cancer	50	1	-	-	-	-	1	-	-	2	2	2	4	5	12	11	10	1
Scrofula, Tabes Mesent.	39	11	6	3	2	-	22	4	1	4	2	3	-	1	1	1	-	-
Phthisis	168	7	2	-	-	-	9	7	9	17	18	52	35	15	5	1	-	-
Hydrocephalus	27	7	8	-	-	3	18	5	3	-	-	1	-	-	-	-	-	-
Diseases of Brain	149	28	8	4	1	-	41	1	5	4	4	7	7	12	13	26	24	5
Heart Dis. and Dropsy	115	8	1	-	-	1	10	2	2	-	1	2	3	7	26	29	22	11
Dis. of Lungs	150	39	14	4	6	1	64	4	2	4	2	6	3	7	14	17	22	5
Dis. of Stom. and Liver	87	7	2	2	-	-	11	3	3	5	-	7	12	7	15	13	10	1
Dis. of Kidneys	8	-	-	-	-	-	-	1	-	-	1	-	1	-	2	2	1	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	1	-	-	2	4	1	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Diseases of the Skin	5	3	-	-	-	-	3	-	-	-	-	-	-	-	2	-	-	-
Childbirth and Metria	17	-	-	-	-	-	-	-	-	2	5	6	3	1	-	-	-	-
Violent Deaths	28	-	3	2	2	2	9	1	-	1	-	2	3	2	-	4	4	2
Other Causes	238	72	7	-	1	-	80	1	1	1	1	2	4	7	9	26	58	48
196.—ONGAR.																		
Mean Popul^{n}, 1851-61	5530	-	-	-	-	-	788	717	603	440	421	715	618	493	374	234	105	17
TOTAL DEATHS	997	187	49	28	15	14	293	42	34	37	47	77	46	65	77	111	123	45
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	6	-	3	1	-	1	5	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	18	2	1	1	1	1	6	8	3	-	-	-	-	1	-	-	-	-
Diphtheria	8	-	-	1	-	1	2	1	1	4	-	-	-	-	-	-	-	-
Whooping-cough	22	12	3	4	-	1	20	2	-	-	-	-	-	-	-	-	-	-
Typhus	37	-	-	-	1	1	2	2	2	8	4	7	1	5	2	3	1	-
Cholera, Diarrh., Dysent^{y}	37	21	3	-	1	2	27	1	1	-	1	-	-	-	2	3	1	1
Other Zymotic Dis.	31	5	5	3	4	-	17	2	3	1	1	-	1	1	1	3	1	-
Cancer	28	-	-	-	-	-	-	-	-	1	-	2	1	8	7	6	3	-
Scrofula, Tabes Mesent.	20	2	3	2	-	2	9	3	2	-	2	1	-	1	1	-	1	-
Phthisis	78	3	1	-	-	-	4	1	3	10	17	18	11	7	4	3	-	-
Hydrocephalus	6	2	1	-	1	-	4	-	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	123	27	11	5	-	1	44	4	3	4	1	3	4	10	13	20	15	2
Heart Dis. and Dropsy	62	1	-	1	-	-	2	3	3	1	1	1	3	9	15	9	10	5
Dis. of Lungs	156	37	13	4	3	2	59	9	6	4	12	22	14	9	10	8	3	-
Dis. of Stom. and Liver	42	5	2	1	-	-	8	-	3	1	4	7	1	3	8	6	1	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-
Diseases of the Joints	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	-	2	5	4	1	-	-	-	-
Violent Deaths	13	1	-	1	2	1	5	2	1	-	-	1	-	1	1	-	2	-
Other Causes	284	66	3	4	2	1	76	3	1	3	2	7	5	7	12	47	84	37

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
197.—ROMFORD.																		
Mean Popul^{n}, 1851-61	12920	-	-	-	-	-	1840	1699	1409	1243	1050	1716	1421	1091	812	448	169	22
TOTAL DEATHS	2736	695	201	97	58	36	1087	140	72	75	78	189	157	177	210	276	220	55
Small-pox	22	5	3	2	-	-	10	5	-	4	-	3	-	-	-	-	-	-
Measles	26	5	9	3	2	2	21	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	96	6	14	12	8	8	48	35	7	3	-	1	1	-	1	-	-	-
Diphtheria	16	1	3	1	-	2	7	7	-	-	1	1	-	-	-	-	-	-
Whooping-cough	37	17	6	7	3	2	35	2	-	-	-	-	-	-	-	-	-	-
Typhus	116	4	6	4	3	4	21	12	8	6	11	18	9	12	7	7	5	-
Cholera, Diarrh., Dysent^{y}	252	121	26	8	1	3	159	7	7	5	4	11	13	7	15	13	9	2
Other Zymotic Dis.	113	39	12	7	7	3	68	8	1	1	3	7	3	3	6	10	2	1
Cancer	27	-	-	-	-	-	-	-	-	1	-	1	1	8	9	4	3	-
Scrofula, Tabes Mesent.	50	17	14	3	2	-	36	2	4	3	2	-	1	1	-	1	-	-
Phthisis	301	14	10	4	2	1	31	5	4	17	35	76	57	37	30	9	-	-
Hydrocephalus	55	23	14	5	5	-	47	6	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	325	118	17	10	4	3	152	6	7	5	2	10	13	21	24	50	28	7
Heart Dis. and Dropsy	169	5	2	5	1	1	14	4	5	5	4	8	14	20	34	30	30	1
Dis. of Lungs	378	93	36	15	12	4	160	11	5	8	4	12	14	20	40	58	41	5
Dis. of Stom. and Liver	121	10	-	2	2	-	14	6	4	2	2	12	12	21	16	27	5	-
Dis. of Kidneys	29	-	-	1	-	-	1	1	-	-	1	2	1	3	5	10	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	11	1	-	-	-	-	1	2	3	1	-	2	1	-	-	1	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	117	3	7	4	2	1	17	9	14	10	7	17	9	14	9	6	5	-
Other Causes	471	211	22	4	4	2	243	7	1	4	2	8	7	10	14	49	87	39
198.—ORSETT.																		
Mean Popul^{n}, 1851-61	6097	-	-	-	-	-	759	716	651	622	554	935	750	523	332	193	56	6
TOTAL DEATHS	1280	314	77	63	27	31	512	61	31	34	51	71	106	105	91	113	82	23
Small-pox	10	1	-	1	2	1	5	2	-	-	1	-	-	1	-	-	-	1
Measles	12	2	4	-	2	-	8	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	53	4	3	9	6	10	32	14	5	-	-	1	1	-	-	-	-	-
Diphtheria	4	2	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	22	8	8	4	2	-	22	-	-	-	-	-	-	-	-	-	-	-
Typhus	104	1	8	3	4	-	16	17	5	10	5	5	10	13	10	10	2	1
Cholera, Diarrh., Dysent^{y}	88	46	4	3	-	2	55	1	-	1	2	4	5	7	2	6	3	2
Other Zymotic Dis.	108	22	6	5	4	6	43	5	3	1	2	4	9	13	6	8	10	4
Cancer	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-
Scrofula, Tabes Mesent.	12	7	1	1	-	-	9	-	2	1	-	-	-	-	-	-	-	-
Phthisis	151	10	5	6	-	1	22	4	4	8	11	27	27	24	17	5	2	-
Hydrocephalus	15	6	3	3	1	-	13	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	139	53	6	7	2	4	77	3	2	4	3	2	10	6	13	11	6	2
Heart Dis. and Dropsy	65	1	-	1	-	1	3	1	-	1	2	4	2	6	9	21	14	2
Dis. of Lungs	181	41	20	12	2	3	78	4	4	3	4	4	11	15	14	24	17	3
Dis. of Stom. and Liver	56	6	-	-	1	1	8	1	1	-	3	3	8	9	5	11	7	-
Dis. of Kidneys	20	-	-	-	-	-	-	-	-	-	1	2	5	2	4	5	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	1	-	-	1	1	1	1	-	-	1	-	-	1	-	-
Diseases of the Skin	4	2	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	74	4	1	3	-	-	8	2	3	3	14	13	11	6	7	3	4	-
Other Causes	151	93	8	4	-	1	106	-	-	1	3	2	6	3	3	6	13	8
199.—BILLERICAY.																		
Mean Popul^{n}, 1851-61	7460	-	-	-	-	-	910	866	816	682	896	941	844	664	462	268	93	18
TOTAL DEATHS	1595	309	80	51	26	24	490	46	32	44	98	102	145	127	155	180	130	46
Small-pox	5	1	-	-	-	-	1	-	-	1	2	-	1	-	-	-	-	-
Measles	9	-	3	1	1	-	5	2	1	1	-	-	-	-	-	-	-	-
Scarlatina	44	3	4	6	5	8	26	6	2	5	4	1	-	-	-	-	-	-
Diphtheria	6	2	-	1	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	25	13	5	2	3	1	24	1	-	-	-	-	-	-	-	-	-	-
Typhus	62	-	1	2	1	1	5	8	4	8	6	2	8	3	12	5	1	-
Cholera, Diarrh., Dysent^{y}	75	19	10	3	3	1	36	-	1	2	1	7	4	4	12	5	2	1
Other Zymotic Dis.	71	10	4	7	1	3	25	5	-	-	5	3	6	8	8	5	4	2
Cancer	18	-	-	-	-	-	-	-	-	-	-	1	5	3	1	7	1	-
Scrofula, Tabes Mesent.	21	6	1	1	-	1	9	-	2	1	5	2	1	-	-	1	-	-
Phthisis	176	3	-	-	-	1	4	1	5	14	38	39	33	25	15	2	-	-
Hydrocephalus	31	9	10	3	1	4	27	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	258	33	6	5	4	-	48	3	4	5	8	20	36	35	32	40	22	5
Heart Dis. and Dropsy	109	6	-	-	-	-	6	2	2	2	5	2	10	17	21	26	14	2
Dis. of Lungs	228	51	21	11	5	-	88	4	-	3	12	11	13	18	20	39	15	5
Dis. of Stom. and Liver	79	18	2	1	-	-	21	2	2	1	3	2	9	6	13	12	7	1
Dis. of Kidneys	31	-	-	-	-	-	-	-	-	-	2	-	4	-	7	8	10	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Joints	4	1	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-
Diseases of the Skin	7	2	-	-	-	-	2	-	-	1	-	-	-	1	1	1	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	44	4	1	2	2	2	11	2	3	-	3	7	6	4	4	3	1	-
Other Causes	291	128	12	6	-	2	148	5	2	-	3	5	8	3	9	26	53	29

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

197.—ROMFORD.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	12866	-	-	-	-	-	1317	1653	1442	1080	1055	1810	1491	1106	768	451	163	30
TOTAL DEATHS	2446	572	162	94	69	45	942	126	61	88	82	166	135	139	183	223	220	72
Small-pox	17	4	4	4	-	-	12	1	-	2	1	-	1	-	-	-	-	-
Measles	37	3	10	8	5	1	27	6	3	-	1	-	-	-	-	-	-	-
Scarlatina	96	5	12	12	12	17	58	29	5	2	-	2	-	-	-	-	-	-
Diphtheria	19	1	2	2	1	1	7	9	1	-	-	1	1	-	-	-	-	-
Whooping-cough	65	33	13	9	5	3	63	2	-	-	-	-	-	-	-	-	-	-
Typhus	102	2	2	3	5	1	13	17	16	14	9	12	2	3	5	6	5	-
Cholera, Diarrh., Dysent^{y}	204	83	27	10	2	3	125	7	3	1	1	6	11	10	15	10	11	4
Other Zymotic Dis.	74	24	5	5	4	2	40	7	3	1	2	4	4	4	4	2	3	-
Cancer	63	-	-	-	-	-	-	-	-	-	2	2	5	16	21	11	5	1
Scrofula, Tabes Mesent.	47	20	5	3	2	3	33	4	4	-	2	2	-	2	-	-	-	-
Phthisis	256	9	6	2	2	-	19	3	9	39	35	67	45	20	11	3	5	-
Hydrocephalus	45	21	7	4	4	1	37	7	-	-	-	-	-	1	-	-	-	-
Diseases of Brain	302	83	15	7	8	4	117	8	4	11	5	11	14	14	26	49	33	7
Heart Dis. and Dropsy	155	4	6	-	3	-	13	3	5	2	8	5	12	12	32	34	22	7
Dis. of Lungs	304	77	30	17	9	4	137	10	3	4	2	9	14	16	27	47	24	11
Dis. of Stom. and Liver	115	8	-	2	2	1	13	4	2	7	6	11	9	16	19	17	10	1
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	-	-	2	1	5	2	3	1	-
Dis. of Gener. Organs	21	-	-	-	-	-	-	-	-	-	-	4	6	6	3	1	1	-
Diseases of the Joints	12	-	-	-	1	-	1	1	-	2	-	2	-	2	2	1	1	-
Diseases of the Skin	7	2	-	-	-	-	2	-	-	-	-	1	1	2	-	-	1	-
Childbirth and Metria	26	-	-	-	-	-	-	-	-	3	5	15	3	-	-	-	-	-
Violent Deaths	35	6	2	2	2	-	12	6	3	-	2	3	2	1	1	-	4	1
Other Causes	430	187	16	4	2	4	213	2	-	-	1	7	4	9	15	39	100	40

198.—ORSETT.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	5022	-	-	-	-	-	776	670	571	395	370	727	612	390	281	164	59	7
TOTAL DEATHS	1085	259	80	50	35	22	446	59	37	34	39	73	89	58	66	92	72	20
Small-pox	6	-	2	-	-	1	3	1	-	1	-	1	-	-	-	-	-	-
Measles	14	3	2	5	2	-	12	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	30	2	3	5	3	5	18	7	3	2	-	-	-	-	-	-	-	-
Diphtheria	3	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	32	12	12	4	1	-	29	3	-	-	-	-	-	-	-	-	-	-
Typhus	82	3	3	2	8	1	17	9	7	4	6	7	3	7	8	8	6	-
Cholera, Diarrh., Dysent^{y}	87	43	9	6	1	1	60	2	3	1	1	4	2	1	3	5	4	1
Other Zymotic Dis.	94	21	6	6	7	3	43	7	4	1	4	2	6	7	6	4	8	2
Cancer	16	-	-	-	-	-	-	-	-	-	-	4	2	5	3	2	-	-
Scrofula, Tabes Mesent.	12	4	1	2	1	-	8	2	1	-	1	-	-	-	-	-	-	-
Phthisis	165	16	10	3	-	-	29	7	10	16	14	26	38	14	10	1	-	-
Hydrocephalus	20	12	1	1	1	3	18	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	112	36	4	6	4	1	51	4	-	1	2	2	4	6	7	22	12	1
Heart Dis. and Dropsy	61	1	2	-	-	-	3	-	1	3	1	6	6	4	13	15	8	1
Dis. of Lungs	116	33	10	3	4	3	53	4	1	-	1	8	5	3	8	18	15	-
Dis. of Stom. and Liver	44	3	1	2	1	-	7	2	2	2	-	3	9	3	5	8	3	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	1	2	3	1	2	-	1
Diseases of the Joints	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	1	5	8	6	-	-	-	-	-
Violent Deaths	30	4	5	-	1	3	13	4	2	-	3	-	2	2	1	1	1	1
Other Causes	122	66	9	5	1	-	81	-	1	2	1	-	2	3	-	5	14	13

199.—BILLERICAY.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	6949	-	-	-	-	-	911	858	809	591	583	977	807	619	446	237	98	13
TOTAL DEATHS	1379	195	78	40	24	15	352	70	44	45	55	106	122	140	122	142	144	37
Small-pox	10	-	-	-	1	-	1	1	1	-	4	1	1	1	-	-	-	-
Measles	15	1	3	2	-	4	10	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	41	1	2	3	4	3	13	19	5	-	1	2	1	-	-	-	-	-
Diphtheria	13	1	2	-	1	-	4	5	4	-	-	-	-	-	-	-	-	-
Whooping-cough	22	7	7	4	2	1	21	1	-	-	-	-	-	-	-	-	-	-
Typhus	46	2	1	-	-	-	3	9	6	5	4	-	3	8	2	2	3	1
Cholera, Diarrh., Dysent^{y}	60	20	5	4	-	-	29	2	-	-	-	2	3	7	4	7	6	-
Other Zymotic Dis.	58	7	4	3	3	-	17	5	3	4	2	1	4	2	4	4	9	3
Cancer	42	-	-	-	-	-	-	-	-	-	-	4	12	8	8	6	2	2
Scrofula, Tabes Mesent.	17	5	1	-	1	-	7	2	2	4	-	-	1	1	-	-	-	-
Phthisis	176	1	3	-	-	1	5	3	6	24	21	48	34	24	8	3	-	-
Hydrocephalus	27	5	9	5	2	-	21	5	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	230	29	13	6	6	-	54	2	2	3	12	18	21	23	32	32	24	7
Heart Dis. and Dropsy	103	-	1	-	-	-	1	1	3	1	2	7	9	16	22	24	15	2
Dis of Lungs	148	27	13	7	3	3	53	3	3	-	2	4	8	18	12	20	24	1
Dis. of Stom. and Liver	72	3	1	1	-	-	5	4	4	1	1	5	6	9	14	15	7	1
Dis. of Kidneys	10	-	-	-	-	-	-	-	1	-	-	-	-	4	2	2	1	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	-	2	5	-	1	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	1	2	10	9	-	-	-	-	-
Violent Deaths	17	2	2	-	1	1	6	3	-	-	1	1	3	2	-	-	1	-
Other Causes	234	83	11	5	-	2	101	1	2	2	3	3	5	10	14	23	50	20

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
200.—CHELMSFORD.																		
Mean Popul^{n}, 1851-61	16290	-	-	-	-	-	2138	2068	1901	1605	1244	2112	1838	1426	1043	642	238	35
TOTAL DEATHS	3195	674	175	101	79	51	1080	122	72	85	114	189	214	204	265	394	354	102
Small-pox	6	1	-	-	-	-	1	2	-	1	2	-	-	-	-	-	-	-
Measles	29	8	9	6	2	1	26	2	-	-	-	-	1	-	-	-	-	-
Scarlatina	97	2	12	17	12	10	53	27	11	2	-	2	1	-	1	-	-	-
Diphtheria	34	1	3	3	10	3	20	6	3	2	-	2	1	-	-	-	-	-
Whooping-cough	56	33	16	2	4	1	56	-	-	-	-	-	-	-	-	-	-	-
Typhus	177	7	2	6	2	2	19	13	14	16	22	20	27	11	12	18	5	-
Cholera,Diarrh.,Dysent^{y}	115	51	11	4	3	-	69	2	-	-	2	1	5	4	7	11	13	1
Other Zymotic Dis.	117	27	5	8	9	7	56	7	3	1	4	4	10	10	6	9	7	-
Cancer	28	2	-	-	-	-	2	-	-	-	-	1	2	9	5	8	1	-
Scrofula, Tabes Mesent.	40	11	7	4	2	1	25	3	3	-	1	4	-	-	4	-	-	-
Phthisis	426	22	11	1	3	6	43	5	13	34	52	92	80	62	30	12	2	1
Hydrocephalus	69	22	16	6	7	2	53	8	7	-	-	-	1	-	-	-	-	-
Diseases of Brain	311	89	15	5	2	4	115	7	3	6	2	9	8	21	36	60	35	9
Heart Dis. and Dropsy	258	7	1	3	-	2	13	7	6	8	7	10	23	25	49	79	29	2
Dis. of Lungs	349	97	41	18	10	5	171	10	1	5	9	14	13	16	34	43	30	3
Dis. of Stom. and Liver	132	17	1	1	2	3	24	8	4	-	5	6	11	15	28	21	9	1
Dis. of Kidneys	67	-	-	1	-	-	1	1	-	-	2	3	6	10	13	21	9	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-
Diseases of the Skin	12	2	1	2	-	-	5	1	-	-	1	-	-	2	-	3	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	103	6	4	6	5	2	23	7	3	7	3	13	16	8	13	2	5	3
Other Causes	764	269	20	8	6	2	305	6	1	2	2	7	9	11	24	107	209	81
201.—ROCHFORD.																		
Mean Popul^{n}, 1851-61	9033	-	-	-	-	-	1213	1079	996	848	776	1298	1086	808	540	277	99	13
TOTAL DEATHS	1888	416	122	61	35	45	679	89	45	57	64	125	139	132	160	200	157	41
Small-pox	7	3	-	-	-	2	5	2	-	-	-	-	-	-	-	-	-	-
Measles	15	3	2	2	1	3	11	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	34	5	2	5	1	7	20	8	1	2	-	1	2	-	-	-	-	-
Diphtheria	26	-	3	2	2	4	11	12	-	-	-	-	2	1	-	-	-	-
Whooping-cough	42	20	16	4	-	2	42	-	-	-	-	-	-	-	-	-	-	-
Typhus	178	7	6	4	7	10	34	11	11	8	14	16	20	17	21	21	5	-
Cholera,Diarrh.,Dysent^{y}	117	40	13	2	-	1	56	5	2	3	9	8	4	6	7	10	5	2
Other Zymotic Dis.	90	21	5	7	7	3	43	6	1	1	3	6	6	9	7	6	2	-
Cancer	13	-	-	-	-	-	-	1	-	-	-	1	3	-	6	-	2	-
Scrofula, Tabes Mesent.	10	1	3	-	2	-	6	1	2	-	-	1	-	-	-	-	-	-
Phthisis	174	8	2	2	-	-	12	8	8	21	21	41	25	20	12	5	1	-
Hydrocephalus	12	2	5	3	-	-	10	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	202	76	11	6	3	2	98	6	3	6	4	11	11	13	15	21	11	3
Heart Dis. and Dropsy	93	-	-	-	-	1	1	1	1	3	2	6	5	15	18	31	9	1
Dis. of Lungs	279	59	19	11	5	7	101	8	5	-	4	8	34	27	41	35	15	1
Dis. of Stom. and Liver	73	9	2	2	2	-	15	1	4	1	-	4	6	10	18	12	2	-
Dis. of Kidneys	16	-	1	-	-	-	1	3	1	-	-	1	2	1	2	2	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	83	1	4	3	3	1	12	3	4	10	4	20	14	9	4	2	1	-
Other Causes	419	161	28	8	2	2	201	7	1	1	2	1	4	3	9	55	101	34
202.—MALDON.																		
Mean Popul^{n}, 1851-61	11438	-	-	-	-	-	1584	1395	1323	1093	840	1487	1339	1054	743	424	142	14
TOTAL DEATHS	2441	502	168	105	59	53	887	117	79	76	87	130	160	148	222	274	209	52
Small-pox	3	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
Measles	20	5	4	4	3	3	19	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	112	10	12	16	12	15	65	29	12	3	2	-	-	-	1	-	-	-
Diphtheria	50	3	5	5	3	4	20	18	5	5	-	1	1	-	-	-	-	-
Whooping-cough	72	33	22	12	3	1	71	1	-	-	-	-	-	-	-	-	-	-
Typhus	137	5	8	3	2	5	23	13	9	16	12	11	19	7	11	13	3	-
Cholera,Diarrh.,Dysent^{y}	119	41	9	3	7	3	63	4	2	3	2	8	8	8	4	8	8	1
Other Zymotic Dis.	93	31	5	7	5	1	52	4	6	1	1	2	4	6	7	6	4	-
Cancer	16	-	-	1	-	-	1	-	-	-	-	-	2	1	3	7	1	1
Scrofula, Tabes Mesent.	38	9	2	2	2	2	17	2	6	1	1	3	2	4	-	2	-	-
Phthisis	309	28	18	5	2	2	55	10	7	30	37	45	56	34	26	8	1	-
Hydrocephalus	45	20	14	4	-	4	42	1	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	285	71	24	9	5	-	109	12	7	3	7	12	16	14	41	42	18	4
Heart Dis. and Dropsy	197	7	2	6	-	5	20	3	1	4	6	13	12	18	40	52	26	2
Dis. of Lungs	241	57	25	14	10	3	109	7	3	2	6	6	12	22	34	31	9	-
Dis. of Stom. and Liver	83	7	-	1	-	1	9	1	1	1	3	6	10	13	17	16	5	1
Dis. of Kidneys	33	-	-	-	-	-	-	-	1	1	3	3	3	4	10	5	3	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	4	1	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	-
Diseases of the Skin	9	2	-	-	-	-	2	2	-	-	-	-	1	1	2	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	78	1	2	3	3	2	11	3	10	5	7	14	7	3	5	6	2	-
Other Causes	493	167	16	10	2	2	197	5	6	1	-	5	7	6	21	76	129	43

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
200.—CHELMSFORD.																		
Mean Popul^{n}, 1851-61	16228	-	-	-	-	-	2187	2011	1839	1424	1257	2180	1843	1375	1082	676	273	51
TOTAL DEATHS	3075	535	166	91	63	53	908	145	96	133	113	213	208	169	253	371	340	126
Small-pox	3	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Measles	29	5	8	4	3	4	24	3	1	1	-	-	-	-	-	-	-	-
Scarlatina	92	5	10	7	12	9	43	33	7	4	1	-	1	2	1	-	-	-
Diphtheria	32	1	1	3	2	8	15	13	3	-	-	-	1	-	-	-	-	-
Whooping-cough	65	32	16	8	6	2	64	1	-	-	-	-	-	-	-	-	-	-
Typhus	182	6	1	4	6	8	25	20	18	30	12	21	14	11	15	11	5	-
Cholera, Diarrh., Dysent^{y}	82	28	12	3	-	2	45	-	1	3	-	-	1	5	5	9	9	4
Other Zymotic Dis.	125	32	14	11	8	6	71	7	5	2	1	4	6	3	3	12	8	3
Cancer	59	-	-	-	1	-	1	-	-	1	-	3	7	13	12	14	7	1
Scrofula, Tabes Mesent.	56	17	6	6	-	4	33	3	3	6	3	2	2	1	2	1	-	-
Phthisis	489	15	9	4	2	2	32	17	29	49	69	114	93	44	28	13	-	1
Hydrocephalus	55	13	15	7	6	1	42	8	3	-	-	1	-	-	1	-	-	-
Diseases of Brain	309	79	10	8	3	1	101	8	8	9	3	10	6	16	40	64	39	5
Heart Dis. and Dropsy	249	5	1	1	2	-	9	7	2	4	6	15	26	28	51	67	32	2
Dis. of Lungs	268	70	38	14	6	2	130	10	2	7	3	7	8	10	21	36	21	3
Dis. of Stom. and Liver	123	12	2	2	2	-	18	3	7	4	7	9	7	16	22	23	7	-
Dis. of Kidneys	21	-	-	-	-	-	-	-	-	1	1	3	2	5	4	3	2	-
Dis. of Gener. Organs	21	-	-	-	-	-	-	-	1	-	-	1	5	3	7	4	-	-
Diseases of the Joints	8	-	-	-	-	1	1	1	2	2	1	-	1	-	-	-	-	-
Diseases of the Skin	10	5	-	-	-	-	5	-	-	-	-	1	-	1	-	-	3	-
Childbirth and Metria	33	-	-	-	-	-	-	-	-	2	2	13	15	1	-	-	-	-
Violent Deaths	39	3	2	2	-	-	9	7	1	-	1	3	2	2	4	6	1	3
Other Causes	735	205	21	7	2	3	238	4	3	7	3	6	11	8	37	108	206	104
201.—ROCHFORD.																		
Mean Popul^{n}, 1851-61	8027	-	-	-	-	-	1130	1060	930	736	644	1101	908	658	474	264	103	19
TOTAL DEATHS	1614	314	87	46	38	36	521	80	47	64	71	98	109	97	140	190	146	51
Small-pox	4	1	1	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-
Measles	11	1	2	1	1	2	7	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	38	2	4	3	8	6	23	10	2	2	-	-	-	1	-	-	-	-
Diphtheria	19	1	4	3	3	-	11	5	1	-	-	1	-	-	-	1	-	-
Whooping-cough	27	14	9	1	2	1	27	-	-	-	-	-	-	-	-	-	-	-
Typhus	144	5	6	-	1	6	18	17	16	9	10	10	13	13	15	17	6	-
Cholera, Diarrh., Dysent^{y}	75	30	10	3	2	1	46	1	1	1	1	-	1	7	8	8	1	-
Other Zymotic Dis.	63	10	5	3	6	9	33	4	3	2	2	3	5	1	8	3	4	-
Cancer	37	-	-	-	-	-	-	-	-	-	-	1	7	8	8	9	4	-
Scrofula, Tabes Mesent.	9	2	-	-	-	2	4	2	-	-	-	1	2	-	-	-	-	-
Phthisis	200	5	1	2	2	1	11	9	10	32	29	47	36	16	8	2	-	-
Hydrocephalus	8	4	-	2	1	-	7	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	184	47	19	14	1	3	84	12	3	4	4	3	2	9	30	21	9	3
Heart Dis. and Dropsy	86	-	-	1	1	-	2	1	2	1	8	3	12	8	17	23	9	-
Dis. of Lungs	175	36	12	7	6	1	62	2	1	5	2	2	10	14	22	36	10	-
Dis. of Stom. and Liver	67	4	1	-	2	2	9	3	2	4	2	6	10	9	7	12	3	-
Dis. of Kidneys	10	-	1	-	-	-	1	1	-	-	-	2	-	2	2	-	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-
Diseases of the Joints	4	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	27	-	-	-	-	-	-	-	-	2	9	10	6	-	-	-	-	-
Violent Deaths	16	1	2	1	1	-	5	4	-	-	2	2	-	-	-	1	2	-
Other Causes	397	150	10	5	1	-	166	5	3	1	2	4	3	7	14	55	89	48
202.—MALDON.																		
Mean Popul^{n}, 1851-61	10909	-	-	-	-	-	1538	1424	1222	1033	872	1508	1218	913	657	353	138	23
TOTAL DEATHS	2282	405	166	88	67	61	787	147	95	87	99	150	171	122	169	210	182	57
Small-pox	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	17	2	6	4	4	-	16	1	-	-	-	-	1	-	-	-	-	-
Scarlatina	116	7	6	14	14	18	59	32	17	5	1	1	1	-	-	-	-	-
Diphtheria	50	2	4	1	6	5	18	24	5	2	-	-	-	-	1	-	-	-
Whooping-cough	68	23	27	13	4	1	68	-	-	-	-	-	-	-	-	-	-	-
Typhus	159	5	8	4	3	5	25	21	20	12	11	13	17	15	8	15	2	-
Cholera, Diarrh., Dysent^{y}	123	31	15	8	2	2	58	6	5	2	2	8	10	4	13	12	3	-
Other Zymotic Dis.	72	23	5	5	7	3	43	10	1	3	1	2	3	2	3	-	3	1
Cancer	49	1	-	-	2	-	3	-	-	-	-	2	6	10	14	12	2	-
Scrofula, Tabes Mesent.	31	11	2	3	3	-	19	2	2	1	2	1	1	1	-	2	-	-
Phthisis	389	17	8	5	1	2	33	16	31	39	51	79	74	38	23	4	1	-
Hydrocephalus	33	13	5	5	1	4	28	3	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	238	63	19	4	6	7	99	12	4	6	8	8	6	11	22	35	23	4
Heart Dis. and Dropsy	143	1	-	-	1	2	4	2	1	2	2	7	19	21	31	34	20	-
Dis. of Lungs	195	43	36	14	7	5	110	4	-	3	5	4	5	7	15	20	19	3
Dis. of Stom. and Liver	74	9	1	1	-	3	14	5	3	4	4	6	5	4	13	11	4	1
Dis. of Kidneys	12	1	-	-	-	-	1	-	-	1	-	3	1	2	2	2	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	2	2	1	2	-	1	-	-
Diseases of the Joints	9	-	1	-	-	-	1	-	1	2	2	-	2	-	1	-	-	-
Diseases of the Skin	6	1	-	-	-	-	1	-	1	-	1	1	-	1	-	1	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	2	4	8	9	-	-	-	-	-
Violent Deaths	18	1	1	-	1	1	4	5	1	-	-	2	3	-	1	-	2	-
Other Causes	447	145	21	7	5	3	181	4	2	2	3	3	8	4	22	67	103	48

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

203.—TENDRING.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	13880	-	-	-	-	-	1876	1763	1589	1302	1021	1758	1568	1233	941	578	215	36
TOTAL DEATHS	2780	708	163	81	67	28	1047	120	67	104	89	122	139	151	212	333	309	87
Small-pox	25	-	2	2	1	-	5	5	-	2	2	3	3	2	3	-	-	-
Measles	24	7	7	7	1	-	22	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	61	5	5	7	7	6	30	21	5	3	1	1	-	-	-	-	-	-
Diphtheria	15	2	1	-	1	-	4	4	3	2	1	-	-	-	1	-	-	-
Whooping-cough	67	40	14	7	4	-	65	1	1	-	-	-	-	-	-	-	-	-
Typhus	126	2	4	2	6	4	18	16	11	15	15	14	12	11	5	6	2	1
Cholera, Diarrh., Dysent^{y}	114	43	10	7	-	2	62	2	-	1	1	1	3	3	7	10	23	1
Other Zymotic Dis.	103	37	6	7	9	1	60	5	4	2	2	3	4	6	6	9	2	-
Cancer	18	-	-	-	-	-	-	1	1	-	-	-	2	1	4	6	2	1
Scrofula, Tabes Mesent.	65	24	8	1	2	1	36	8	5	6	1	5	2	1	-	1	-	-
Phthisis	259	11	10	9	8	-	33	9	17	37	33	43	36	31	12	8	-	-
Hydrocephalus	33	13	7	1	3	1	25	6	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	296	77	12	9	7	4	109	9	3	10	6	12	19	14	34	48	27	5
Heart Dis. and Dropsy	175	2	-	1	-	1	4	5	3	8	2	11	10	18	33	50	29	2
Dis. of Lungs	363	115	41	10	9	4	179	9	4	8	9	7	13	21	33	40	35	10
Dis. of Stom. and Liver	131	16	2	2	3	1	24	3	2	3	5	4	8	16	27	30	8	1
Dis. of Kidneys	50	1	-	1	1	-	3	1	1	2	-	6	5	6	9	11	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	1	-	-	-	1	-	2	-	-	1	-	1	2	1	-	-
Diseases of the Skin	13	2	2	2	-	-	6	-	-	-	1	-	-	2	-	1	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	83	4	1	2	2	2	11	7	-	9	9	8	15	9	6	6	2	1
Other Causes	751	307	30	4	8	1	350	6	3	1	1	3	7	9	30	106	171	64

204.—COLCHESTER.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	10449	-	-	-	-	-	1306	1186	1070	1254	1010	1555	1185	821	587	338	114	21
TOTAL DEATHS	2342	561	156	76	55	40	888	78	56	84	118	179	143	152	173	230	186	55
Small-pox	12	2	-	1	-	2	5	-	-	1	3	2	-	1	-	-	-	-
Measles	27	8	8	3	3	1	23	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	30	-	5	3	4	3	15	9	4	2	-	-	-	-	-	-	-	-
Diphtheria	3	1	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	36	17	12	1	4	1	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	153	5	13	6	3	3	30	21	14	20	18	15	10	4	15	5	1	-
Cholera, Diarrh., Dysent^{y}	68	38	5	3	-	1	47	-	1	1	2	4	-	4	3	3	1	2
Other Zymotic Dis.	74	20	6	3	7	6	42	2	-	4	-	7	8	2	3	4	2	-
Cancer	16	-	-	-	-	-	-	-	-	-	-	-	-	6	4	6	-	-
Scrofula, Tabes Mesent.	31	8	4	4	2	-	18	2	2	5	3	1	-	-	-	-	-	-
Phthisis	315	3	4	-	-	7	14	6	12	22	52	95	58	33	20	3	-	-
Hydrocephalus	49	17	13	5	6	3	44	5	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	294	112	22	15	5	5	159	2	5	1	6	11	12	16	22	36	21	3
Heart Dis. and Dropsy	176	3	-	2	1	1	7	2	4	5	6	10	12	19	31	57	20	3
Dis. of Lungs	321	94	33	13	6	4	150	8	2	8	9	14	17	33	27	32	19	2
Dis. of Stom. and Liver	95	12	-	1	1	-	14	5	2	1	5	7	7	13	17	18	6	-
Dis. of Kidneys	31	1	-	-	-	-	1	1	-	1	1	3	7	6	4	3	3	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	1	3	1	-	1	1	2	-	-	-	-
Diseases of the Skin	8	1	1	1	-	1	4	-	-	-	-	-	-	-	2	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	83	8	4	1	6	2	21	4	4	7	10	7	8	5	10	4	3	-
Other Causes	511	211	26	14	6	-	257	5	2	5	3	2	3	8	15	57	110	44

205.—LEXDEN.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	10983	-	-	-	-	-	1620	1425	1310	1013	785	1305	1143	952	738	456	150	21
TOTAL DEATHS	2094	581	126	62	45	23	837	78	40	84	79	98	92	91	167	236	215	77
Small-pox	3	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Measles	17	8	5	2	3	-	18	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	36	4	6	6	4	5	25	3	5	2	-	1	-	-	-	-	-	-
Diphtheria	11	1	1	2	3	1	8	-	-	2	-	-	-	-	1	-	-	-
Whooping-cough	47	25	9	9	2	-	45	-	1	-	-	-	-	-	1	-	-	-
Typhus	151	3	7	4	5	5	24	22	7	29	16	16	9	10	4	12	1	1
Cholera, Diarrh., Dysent^{y}	77	38	8	2	4	1	53	-	2	1	-	3	1	1	2	5	8	1
Other Zymotic Dis.	99	21	5	1	4	3	34	11	1	3	2	4	5	7	9	12	9	2
Cancer	21	-	-	-	-	-	-	-	-	-	-	1	1	3	6	3	7	-
Scrofula, Tabes Mesent.	38	10	1	3	-	-	14	4	3	5	3	3	-	1	3	1	-	1
Phthisis	175	6	1	1	1	1	10	3	9	18	32	38	32	15	10	8	-	-
Hydrocephalus	35	11	13	7	1	-	32	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	231	83	10	3	5	2	103	3	4	5	7	6	7	12	21	33	25	5
Heart Dis. and Dropsy	140	2	-	-	-	2	4	2	1	1	5	3	10	12	25	47	26	4
Dis. of Lungs	336	86	31	16	10	3	146	9	4	5	5	9	13	12	39	50	35	9
Dis. of Stom. and Liver	83	8	2	3	1	-	14	7	1	2	2	6	3	5	14	20	8	1
Dis. of Kidneys	41	-	-	-	-	-	-	-	-	1	2	2	2	3	7	17	5	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	2	-	-	-	2	1	-	1	-	-	1	-	-	2	-	-
Diseases of the Skin	7	2	1	-	-	-	3	1	-	-	-	-	-	-	-	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	66	5	3	2	1	-	11	5	-	7	3	4	7	8	14	4	3	-
Other Causes	473	271	21	1	1	-	294	2	-	2	2	1	1	2	11	21	86	51

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
203.—TENDRING.																		
Mean Popul^{n}, 1851-61	13527	-	-	-	-	-	1845	1711	1571	1142	1065	1803	1524	1203	859	562	210	32
TOTAL DEATHS	2799	529	194	81	58	40	902	118	87	107	113	217	208	134	196	290	317	110
Small-pox	8	1	3	1	1	-	6	1	-	-	-	-	-	-	-	-	1	-
Measles	27	2	8	6	3	2	21	4	1	1	-	-	-	-	-	-	-	-
Scarlatina	58	3	2	5	9	9	28	18	10	1	-	-	-	1	-	-	-	-
Diphtheria	7	-	-	-	-	2	2	1	2	-	1	-	1	-	-	-	-	-
Whooping-cough	65	30	20	10	2	2	64	1	-	-	-	-	-	-	-	-	-	-
Typhus	141	3	4	4	7	2	20	27	16	14	8	14	15	11	9	5	1	1
Cholera, Diarrh., Dysent^{y}	85	25	19	5	2	-	51	2	-	3	-	-	5	4	2	5	12	1
Other Zymotic Dis.	97	32	10	4	3	8	57	6	4	1	2	2	8	3	7	5	2	-
Cancer	65	-	-	1	1	-	2	-	-	-	1	4	14	9	15	15	5	-
Scrofula, Tabes Mesent.	60	8	10	3	2	1	24	5	9	5	3	3	2	2	4	2	1	-
Phthisis	442	10	5	3	5	-	23	12	17	60	65	128	83	33	15	5	1	-
Hydrocephalus	17	5	2	2	1	1	11	4	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	262	61	18	7	2	1	89	4	4	6	13	16	14	13	28	43	29	3
Heart Dis. and Dropsy	156	4	-	2	-	1	7	3	4	3	6	5	9	14	41	41	21	2
Dis of Lungs	298	73	47	15	12	5	152	12	5	2	2	9	8	14	20	43	27	4
Dis. of Stom. and Liver	133	6	2	2	1	2	13	2	3	5	5	10	18	18	19	28	12	-
Dis. of Kidneys	15	-	-	-	1	-	1	1	2	-	1	3	3	1	-	1	1	1
Dis. of Gener. Organs	21	-	1	-	-	-	1	-	-	-	1	2	5	2	8	2	-	-
Diseases of the Joints	4	-	1	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-
Diseases of the Skin	6	3	-	-	-	-	3	-	-	-	-	2	-	-	1	-	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	1	1	4	10	-	-	-	-	-
Violent Deaths	30	3	1	1	3	2	10	7	2	-	-	1	3	2	-	1	2	2
Other Causes	786	260	41	10	3	2	316	8	5	5	3	14	9	7	27	94	202	93
204.—COLCHESTER.																		
Mean Popul^{n}, 1851-61	11180	-	-	-	-	-	1332	1193	1159	1189	1130	1720	1264	927	687	415	149	24
TOTAL DEATHS	2367	460	141	79	43	39	762	90	70	113	106	182	146	140	192	260	227	79
Small-pox	14	5	1	2	-	-	3	1	-	2	-	1	1	1	-	-	-	-
Measles	20	5	8	3	2	-	18	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	27	1	3	1	4	4	13	8	4	-	-	-	1	1	-	-	-	-
Diphtheria	5	-	1	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-
Whooping-cough	60	23	13	14	-	4	54	5	-	1	-	-	-	-	-	-	-	-
Typhus	149	3	6	4	11	6	30	22	15	14	14	14	12	12	9	6	1	-
Cholera, Diarrh., Dysent^{y}	69	35	8	3	2	1	49	1	-	1	-	4	2	1	4	1	5	1
Other Zymotic Dis.	52	15	5	4	-	5	29	2	-	1	-	2	-	3	5	6	4	-
Cancer	51	-	-	-	-	-	-	-	-	1	2	3	3	16	15	7	3	1
Scrofula, Tabes Mesent.	41	12	3	3	1	2	21	2	4	2	2	3	3	2	2	-	-	-
Phthisis	384	4	5	1	2	1	13	12	24	69	57	96	69	20	18	6	-	-
Hydrocephalus	35	11	8	3	2	2	26	5	2	1	-	-	-	-	1	-	-	-
Diseases of Brain	278	81	19	12	4	6	122	9	8	4	5	8	9	17	28	44	20	4
Heart Dis. and Dropsy	187	2	4	1	-	1	8	2	1	3	3	15	13	23	43	52	19	5
Dis. of Lungs	253	59	28	14	9	4	114	5	4	6	3	11	8	17	18	41	22	4
Dis. of Stom. and Liver	88	8	2	2	-	-	12	2	-	4	2	4	4	11	21	18	8	2
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	-	2	1	-	3	3	2	1	-
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	2	1	4	4	1	3	1	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
Diseases of the Skin	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	-	8	10	10	-	-	-	-	-
Violent Deaths	37	7	-	3	2	2	14	4	2	-	2	-	1	3	1	8	1	1
Other Causes	556	189	27	9	4	-	229	7	3	2	5	5	5	9	21	66	143	61
205.—LEXDEN.																		
Mean Popul^{n}, 1851-61	11325	-	-	-	-	-	1603	1453	1277	1012	918	1529	1243	943	733	424	167	23
TOTAL DEATHS	2120	390	125	62	44	29	650	91	83	115	123	165	145	106	164	208	197	73
Small-pox	4	-	2	-	1	-	3	-	-	-	-	-	-	1	-	-	-	-
Measles	11	4	2	2	-	1	9	1	-	-	-	-	1	-	-	-	-	-
Scarlatina	44	1	6	8	4	6	25	11	4	1	2	1	-	-	-	-	-	-
Diphtheria	16	1	2	1	1	1	6	6	1	1	1	-	-	1	-	-	-	-
Whooping-cough	42	23	6	6	5	1	41	1	-	-	-	-	-	-	-	-	-	-
Typhus	158	2	5	5	3	4	19	20	25	27	14	16	10	4	10	8	5	-
Cholera, Diarrh., Dysent^{y}	96	31	13	2	3	-	49	4	2	1	2	3	2	5	3	11	12	2
Other Zymotic Dis.	58	9	4	2	1	1	17	4	2	3	1	1	5	6	4	6	7	2
Cancer	47	-	-	-	-	-	-	-	-	-	1	1	4	8	15	13	4	1
Scrofula, Tabes Mesent.	44	3	6	1	1	1	12	4	7	4	6	1	4	2	1	3	-	-
Phthisis	350	5	5	2	2	1	15	7	22	60	64	84	57	24	12	4	1	-
Hydrocephalus	24	6	8	1	3	2	20	2	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	215	45	10	7	3	3	68	7	6	4	6	10	10	14	32	29	24	5
Heart Dis. and Dropsy	115	2	1	-	1	-	4	3	1	2	4	7	8	6	33	27	18	2
Dis. of Lungs	267	71	21	17	12	6	127	8	2	1	8	9	9	11	29	35	30	7
Dis. of Stom. and Liver	93	2	3	1	-	-	6	3	6	5	2	8	10	13	17	21	5	2
Dis. of Kidneys	14	-	-	-	-	-	-	-	1	1	-	1	1	2	3	4	1	-
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	-	2	3	2	2	3	6	-	-
Diseases of the Joints	6	-	-	-	-	-	-	2	-	-	1	-	1	1	1	-	-	-
Diseases of the Skin	8	3	-	1	-	-	4	1	-	-	-	-	-	1	1	1	-	-
Childbirth and Metria	43	-	-	-	-	-	-	-	-	4	5	16	17	1	-	-	-	-
Violent Deaths	34	4	4	3	2	1	14	4	1	-	1	1	3	2	-	2	5	1
Other Causes	408	178	27	3	2	1	211	3	1	1	3	3	1	2	9	38	85	51

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
206.—WITHAM.																		
Mean Popul^{n}, 1851-61	7984	-	-	-	-	-	1069	938	985	772	571	1036	892	700	518	311	128	14
TOTAL DEATHS	1655	428	93	48	37	27	638	72	40	45	49	93	101	89	132	179	176	41
Small-pox	8	2	2	1	1	1	7	–	–	1	–	–	–	–	–	–	–	–
Measles	16	5	5	2	3	1	16	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	17	1	–	1	2	2	6	9	2	–	–	–	–	–	–	–	–	–
Diphtheria	15	2	–	2	3	1	8	5	1	–	–	–	–	–	1	–	–	–
Whooping-cough	46	28	10	5	1	1	45	1	–	–	–	–	–	–	–	–	–	–
Typhus	54	2	2	1	3	2	10	9	7	1	3	3	5	5	2	6	1	2
Cholera, Diarrh., Dysent^{y}	52	24	10	1	–	–	35	1	–	–	1	–	–	2	1	6	6	–
Other Zymotic Dis.	61	13	4	6	4	3	30	4	2	3	2	1	5	–	5	5	4	–
Cancer	16	1	–	–	–	–	1	–	–	–	–	1	2	1	7	3	1	–
Scrofula, Tabes Mesent.	56	22	6	1	5	2	36	4	2	2	1	7	1	2	1	–	–	–
Phthisis	223	3	2	2	–	–	7	7	7	24	33	50	49	26	15	5	–	–
Hydrocephalus	29	8	4	3	–	2	17	8	4	–	–	–	–	–	–	–	–	–
Diseases of Brain	203	50	10	4	7	3	74	9	6	5	4	6	12	9	21	32	25	5
Heart Dis. and Dropsy	119	4	1	2	–	–	7	1	1	–	2	5	7	6	24	35	28	3
Dis. of Lungs	234	70	28	9	6	4	117	2	–	3	1	8	6	15	20	25	32	5
Dis. of Stom. and Liver	67	10	1	1	2	2	16	3	2	–	–	2	6	6	15	11	4	2
Dis. of Kidneys	27	–	–	–	–	–	–	–	1	–	–	4	1	4	9	4	4	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	5	–	–	–	–	–	–	1	1	1	–	–	1	–	1	–	–	–
Diseases of the Skin	5	3	–	1	–	–	4	–	–	–	–	1	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	59	4	2	3	–	3	12	6	3	5	2	4	5	9	3	6	3	1
Other Causes	338	176	11	3	–	–	190	2	1	–	–	1	1	4	7	41	68	23
207.—HALSTEAD.																		
Mean Popul^{n}, 1851-61	9032	-	-	-	-	-	1242	1123	1086	903	721	1186	987	750	573	328	134	14
TOTAL DEATHS	2034	550	142	81	49	37	859	93	52	73	95	103	95	93	131	200	187	53
Small-pox	8	2	–	–	–	–	2	3	1	1	1	–	–	–	–	–	–	–
Measles	50	5	19	14	4	4	46	2	–	1	–	–	–	–	–	1	–	–
Scarlatina	39	2	3	4	6	5	20	14	3	1	–	–	–	1	–	–	–	–
Diphtheria	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Whooping-cough	23	9	9	–	–	4	22	1	–	–	–	–	–	–	–	–	–	–
Typhus	147	–	7	3	6	4	20	22	16	16	14	14	12	11	11	7	4	–
Cholera, Diarrh., Dysent^{y}	104	46	10	9	3	–	68	1	1	–	–	1	2	3	4	9	13	2
Other Zymotic Dis.	90	19	14	9	8	2	52	9	1	–	4	3	1	–	6	9	5	–
Cancer	19	–	–	–	–	–	–	–	–	1	–	1	–	2	8	2	2	3
Scrofula, Tabes Mesent.	52	15	5	2	3	1	26	3	3	5	2	3	4	2	1	3	–	–
Phthisis	224	12	2	1	1	–	16	8	7	27	52	49	32	18	13	2	–	–
Hydrocephalus	47	12	15	3	3	7	40	6	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	233	86	12	8	2	3	111	7	2	5	3	8	9	8	13	40	27	–
Heart Dis. and Dropsy	123	4	2	–	–	–	6	2	1	3	–	6	6	11	23	34	25	6
Dis. of Lungs	279	62	28	20	8	3	121	5	3	6	6	14	8	15	27	27	37	10
Dis. of Stom. and Liver	79	8	1	1	1	1	12	3	4	2	5	1	6	11	12	10	13	–
Dis. of Kidneys	27	–	–	–	–	–	–	1	1	–	–	–	3	6	3	7	6	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	8	–	–	–	–	–	–	–	–	–	1	–	3	–	1	3	–	–
Diseases of the Skin	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	60	8	1	4	2	2	17	3	5	4	4	3	9	3	3	3	1	–
Other Causes	418	200	14	3	2	1	220	2	1	1	3	–	–	2	6	38	53	32
208.—BRAINTREE.																		
Mean Popul^{n}, 1851-61	8398	-	-	-	-	-	1163	1023	986	820	635	1046	954	766	547	315	130	13
TOTAL DEATHS	1776	496	115	53	35	34	733	74	39	50	54	106	96	105	120	183	171	45
Small-pox	10	2	1	–	–	1	4	2	–	1	–	–	2	1	–	–	–	–
Measles	24	3	6	8	3	3	23	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	35	2	5	5	3	7	22	9	2	–	1	–	1	–	–	–	–	–
Diphtheria	2	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
Whooping-cough	36	19	9	4	2	1	35	1	–	–	–	–	–	–	–	–	–	–
Typhus	70	1	–	2	3	2	8	11	8	16	2	9	6	1	4	4	1	–
Cholera, Diarrh., Dysent^{y}	50	26	5	–	2	1	34	–	–	–	–	2	1	2	2	3	6	–
Other Zymotic Dis.	50	9	4	1	2	1	17	2	1	–	2	5	5	3	5	4	4	2
Cancer	23	–	–	1	–	–	1	–	–	–	–	–	1	7	3	8	3	–
Scrofula, Tabes Mesent.	85	35	9	7	1	2	54	6	9	–	1	3	6	1	3	2	–	–
Phthisis	251	16	8	4	2	3	33	8	5	19	36	62	36	31	14	5	2	–
Hydrocephalus	20	4	10	2	–	1	17	3	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	265	101	15	8	7	3	134	11	6	3	4	5	8	13	17	37	24	3
Heart Dis. and Dropsy	97	–	1	–	–	–	1	–	1	–	3	3	6	13	19	30	20	1
Dis. of Lungs	247	81	27	8	7	6	129	6	2	4	1	5	8	8	23	34	21	6
Dis. of Stom. and Liver	98	13	–	–	1	2	16	6	1	2	2	5	8	11	16	21	10	–
Dis. of Kidneys	28	–	–	–	–	–	–	3	–	1	–	2	3	3	4	8	3	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	5	–	–	1	–	–	1	1	1	–	–	–	–	–	2	–	–	–
Diseases of the Skin	6	2	–	–	–	–	2	–	–	1	–	–	–	2	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	32	3	1	1	1	–	6	2	2	3	1	3	3	6	3	3	–	–
Other Causes	342	179	14	1	1	–	195	2	1	–	1	2	1	3	5	23	77	32

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

206.—WITHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	8227	-	-	-	-	-	1115	1018	909	772	700	1143	863	676	523	355	129	24
TOTAL DEATHS	1677	313	108	51	26	18	516	61	46	77	79	108	120	98	131	179	197	65
Small-pox	10	2	3	1	-	-	6	-	-	-	-	1	-	1	1	-	-	1
Measles	21	2	5	6	2	1	16	3	2	-	-	-	-	-	-	-	-	-
Scarlatina	18	2	-	2	2	3	9	5	3	1	-	-	-	-	-	-	-	-
Diphtheria	19	-	-	2	-	2	4	8	4	2	1	-	-	-	-	-	-	-
Whooping-cough	44	24	11	5	1	3	44	-	-	-	-	-	-	-	-	-	-	-
Typhus	54	-	3	2	1	1	7	4	10	10	3	5	6	3	1	2	2	1
Cholera, Diarrh., Dysent^{y}	55	24	8	-	1	-	33	2	-	1	-	-	2	1	4	1	7	4
Other Zymotic Dis.	51	9	5	5	3	1	23	3	-	2	-	5	3	3	1	2	6	3
Cancer	54	-	-	1	1	-	2	-	-	1	-	5	9	12	8	10	6	1
Scrofula, Tabes Mesent.	51	19	9	2	1	-	31	2	2	5	3	4	2	1	1	-	-	-
Phthisis	267	7	3	1	1	2	14	6	16	37	51	61	47	25	7	3	-	-
Hydrocephalus	30	9	6	7	-	2	24	5	-	-	1	-	-	-	-	-	-	-
Diseases of Brain	204	34	7	2	3	1	47	10	3	6	5	3	10	11	30	43	30	6
Heart Dis. and Dropsy	117	-	-	-	-	1	1	-	-	2	5	5	10	13	28	30	20	3
Dis. of Lungs	228	54	32	10	6	-	102	8	2	3	5	3	6	7	28	30	28	6
Dis. of Stom. and Liver	76	2	-	2	1	-	5	1	2	1	1	4	10	12	9	24	7	-
Dis. of Kidneys	15	-	-	-	1	-	1	-	1	1	-	4	1	-	3	3	1	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-
Diseases of the Skin	5	1	-	-	-	-	1	2	-	-	-	-	1	-	-	-	1	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	2	3	6	11	1	-	-	-	-
Violent Deaths	15	2	1	1	-	-	4	1	-	1	1	-	1	2	1	1	1	2
Other Causes	311	122	15	2	2	1	142	1	1	1	-	1	-	3	8	29	87	38

207.—HALSTEAD.

Mean Popul^{n}, 1851-61	9846	-	-	-	-	-	1336	1153	1085	974	911	1433	1077	774	580	356	147	20
TOTAL DEATHS	2132	415	153	59	38	35	700	102	85	126	112	175	143	119	144	180	181	65
Small-pox	9	2	3	-	-	-	5	1	-	1	-	1	1	-	-	-	-	-
Measles	33	8	10	4	5	2	29	3	-	1	-	-	-	-	-	-	-	-
Scarlatina	25	1	1	2	1	2	7	14	1	2	-	1	-	-	-	-	-	-
Diphtheria	4	-	-	-	-	1	1	1	-	1	-	-	-	1	-	-	-	-
Whooping-cough	40	20	14	3	1	-	38	2	-	-	-	-	-	-	-	-	-	-
Typhus	170	2	6	7	2	3	20	25	33	23	16	23	9	8	2	4	4	-
Cholera, Diarrh., Dysent^{y}	107	43	13	3	-	-	59	4	3	2	1	3	4	1	5	7	15	3
Other Zymotic Dis.	86	18	13	9	5	6	51	10	-	-	2	2	3	3	6	5	3	1
Cancer	39	-	-	-	-	-	-	-	-	-	-	1	10	5	9	11	2	1
Scrofula, Tabes Mesent.	43	11	6	2	1	-	20	4	5	3	1	3	1	5	1	-	-	-
Phthisis	397	9	7	2	3	2	23	8	22	65	73	102	58	27	15	4	-	-
Hydrocephalus	27	6	9	3	1	4	23	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	222	53	7	3	2	2	67	5	5	6	2	3	15	13	28	45	24	9
Heart Dis. and Dropsy	129	1	1	1	-	-	3	2	4	4	4	5	7	19	24	33	21	3
Dis. of Lungs	264	72	38	9	7	6	132	9	5	8	4	6	10	12	22	32	19	3
Dis. of Stom. and Liver	84	1	1	2	3	1	8	5	5	1	3	9	5	10	19	14	5	-
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	1	1	1	2	2	3	-	1	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	-	-	4	7	1	2	-	-
Diseases of the Joints	7	-	-	-	-	1	1	-	-	1	-	1	1	-	1	1	1	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Childbirth and Metria	22	-	-	-	-	-	-	-	-	3	3	8	8	-	-	-	-	-
Violent Deaths	18	-	4	3	1	8	3	1	-	1	-	2	1	1	-	1	-	-
Other Causes	379	168	24	5	4	4	205	2	1	1	1	6	3	5	6	22	85	42

208.—BRAINTREE.

Mean Popul^{n}, 1851-61	8968	-	-	-	-	-	1091	1034	1014	927	799	1247	1005	756	572	344	156	23
TOTAL DEATHS	1827	376	101	45	29	27	578	55	77	104	63	144	125	121	128	183	187	62
Small-pox	6	1	1	-	1	-	3	2	1	-	-	-	-	-	-	-	-	-
Measles	29	4	10	7	2	3	26	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	36	1	4	7	6	5	23	6	6	-	-	1	-	-	-	-	-	-
Diphtheria	2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Whooping-cough	52	30	14	2	3	1	50	2	-	-	-	-	-	-	-	-	-	-
Typhus	72	-	-	2	2	2	6	11	15	7	6	6	6	8	2	2	3	-
Cholera, Diarrh., Dysent^{y}	36	8	3	-	2	-	13	-	-	2	-	3	1	1	-	5	8	1
Other Zymotic Dis.	36	6	1	-	1	2	10	1	1	2	2	1	5	2	2	4	5	1
Cancer	40	-	-	-	-	-	-	-	-	-	-	2	7	11	10	5	3	2
Scrofula, Tabes Mesent.	81	33	7	4	2	3	49	5	8	5	1	3	2	2	2	3	1	-
Phthisis	406	9	12	5	2	2	30	5	28	69	45	90	61	44	23	9	2	-
Hydrocephalus	12	4	4	3	-	-	11	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	217	61	10	7	2	5	85	5	3	4	1	4	10	19	17	37	29	6
Heart Dis. and Dropsy	100	2	-	-	-	-	2	1	3	1	2	3	7	10	16	28	24	9
Dis. of Lungs	179	55	21	5	3	4	88	5	6	2	2	3	2	6	13	37	14	3
Dis. of Stom. and Liver	99	7	-	-	2	-	9	3	4	2	1	10	6	10	28	16	7	3
Dis. of Kidneys	9	1	-	-	-	-	1	-	-	-	-	1	2	1	2	2	-	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	1	-	1	3	3	4	-	1	-
Diseases of the Joints	11	-	1	-	-	-	1	-	2	2	-	2	-	1	1	1	1	-
Diseases of the Skin	5	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	3	3	9	9	1	-	-	-	-
Violent Deaths	19	2	-	-	-	-	2	4	-	2	-	3	2	-	-	4	2	-
Other Causes	342	151	12	3	1	-	167	1	-	2	-	1	2	2	7	20	85	46

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
209.—DUNMOW.																		
Mean Popul^{n}, 1851-61	10443	-	-	-	-	-	1352	1299	1203	1081	784	1307	1093	967	728	436	171	22
TOTAL DEATHS	2025	469	117	48	29	27	690	70	46	71	69	104	118	105	172	250	263	67
Small-pox	4	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-
Measles	26	4	10	1	3	2	20	4	2	-	-	-	-	-	-	-	-	-
Scarlatina	26	2	3	3	-	7	15	8	1	-	1	-	1	-	-	-	-	-
Diphtheria	5	-	-	1	-	3	4	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	21	12	8	1	-	-	21	-	-	-	-	-	-	-	-	-	-	-
Typhus	98	3	3	2	2	2	12	13	10	11	11	10	6	9	5	8	3	-
Cholera,Diarrh.,Dysent^{y}	59	31	3	3	1	-	38	1	-	-	-	1	2	3	5	4	5	-
Other Zymotic Dis.	80	25	3	5	4	1	38	2	2	3	-	3	7	2	8	8	5	2
Cancer	18	-	1	-	-	-	1	-	-	-	-	1	2	3	3	5	3	-
Scrofula, Tabes Mesent.	75	32	13	1	1	-	47	5	5	6	3	1	3	2	1	2	-	-
Phthisis	264	17	4	2	1	1	25	12	11	29	38	51	46	23	20	9	-	-
Hydrocephalus	39	11	11	4	7	1	34	4	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	205	65	12	9	2	3	91	1	2	3	3	10	8	5	19	29	31	3
Heart Dis. and Dropsy	134	3	-	-	-	1	4	1	1	1	1	4	6	16	19	47	34	-
Dis. of Lungs	288	95	32	9	6	4	146	6	3	2	1	9	14	11	28	39	25	4
Dis. of Stom. and Liver	118	12	1	2	2	-	17	7	1	10	4	-	8	16	27	20	8	-
Dis. of Kidneys	43	-	-	-	-	-	-	-	-	-	1	1	1	6	8	17	8	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	9	-	-	-	-	-	-	2	1	-	-	2	1	-	1	-	2	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	54	8	2	4	-	-	14	2	2	5	2	6	7	2	8	4	2	-
Other Causes	455	148	11	1	-	2	162	2	3	1	3	4	6	5	19	56	137	57
210.—SAFFRON WALDEN.																		
Mean Popul^{n}, 1851-61	10205	-	-	-	-	-	1382	1275	1149	1055	786	1238	1097	936	699	403	165	19
TOTAL DEATHS	1922	433	126	61	42	31	693	90	51	56	74	86	96	119	182	212	209	54
Small-pox	6	2	-	-	-	-	2	1	-	-	-	-	2	-	1	-	-	-
Measles	20	3	10	3	2	1	19	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	84	3	8	10	12	14	47	26	5	1	3	2	-	-	-	-	-	-
Diphtheria	4	-	-	1	1	-	2	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	30	16	12	1	-	-	29	1	-	-	-	-	-	-	-	-	-	-
Typhus	77	-	6	2	2	4	14	12	10	6	8	2	8	7	7	2	1	-
Cholera,Diarrh.,Dysent^{y}	63	27	10	1	2	-	40	2	-	-	-	-	3	3	7	2	5	1
Other Zymotic Dis.	72	21	5	-	1	5	32	5	3	2	3	2	3	6	7	6	2	1
Cancer	17	1	-	-	-	-	1	-	-	-	-	-	1	3	6	4	2	-
Scrofula, Tabes Mesent.	34	9	5	4	1	-	19	4	1	2	4	1	-	2	1	-	-	-
Phthisis	244	10	10	3	2	1	26	11	10	24	40	49	35	29	14	6	-	-
Hydrocephalus	26	7	8	2	2	-	19	5	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	224	86	11	11	1	2	111	4	4	4	7	1	4	10	15	40	22	2
Heart Dis. and Dropsy	116	4	1	-	-	-	5	2	2	4	2	-	6	11	27	30	25	2
Dis. of Lungs	271	56	23	12	12	1	104	4	5	5	1	9	11	18	33	52	28	1
Dis. of Stom. and Liver	111	14	2	2	-	3	21	2	2	-	1	5	11	17	26	15	11	-
Dis. of Kidneys	34	1	-	-	-	-	1	3	-	3	-	4	3	4	4	7	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-
Diseases of the Skin	5	1	-	-	-	-	1	-	-	-	1	-	1	-	2	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	48	3	2	3	1	-	9	3	7	4	2	5	2	3	6	3	4	-
Other Causes	431	169	13	6	3	-	191	3	-	-	1	5	5	6	26	43	104	47
211.—RISBRIDGE.																		
Mean Popul^{n}, 1851-61	8924	-	-	-	-	-	1310	1155	1044	874	671	1094	936	768	573	352	134	13
TOTAL DEATHS	1699	403	119	69	35	32	658	93	50	42	57	88	79	90	108	196	189	49
Small-pox	3	1	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-
Measles	29	2	3	3	1	3	12	7	1	-	-	-	-	-	-	-	-	-
Scarlatina	38	4	1	6	3	6	20	13	4	-	-	-	-	-	-	1	-	-
Diphtheria	27	-	3	3	1	3	10	11	2	4	-	-	-	-	-	-	-	-
Whooping-cough	46	17	14	5	4	2	42	4	-	-	-	-	-	-	-	-	-	-
Typhus	98	-	1	2	4	5	12	18	8	6	7	13	8	8	12	5	1	-
Cholera,Diarrh.,Dysent^{y}	41	17	2	7	1	-	27	-	-	-	-	1	-	1	1	6	5	-
Other Zymotic Dis.	66	11	6	5	3	4	29	2	3	-	2	3	5	5	5	10	2	-
Cancer	15	-	-	-	-	-	-	-	-	-	-	1	-	1	5	5	2	1
Scrofula, Tabes Mesent.	38	6	4	3	1	2	16	6	1	2	3	5	2	2	1	-	-	-
Phthisis	185	3	10	2	1	-	16	6	10	20	34	30	26	17	5	8	4	-
Hydrocephalus	13	7	5	-	-	-	12	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	154	36	8	7	2	1	54	4	5	3	1	6	14	7	18	27	13	2
Heart Dis. and Dropsy	94	3	1	1	1	-	6	7	2	-	4	6	5	8	12	31	11	2
Dis. of Lungs	188	55	26	6	5	-	92	3	3	1	3	4	5	14	24	18	18	3
Dis. of Stom. and Liver	76	9	2	-	1	2	14	5	3	1	-	4	7	11	11	14	5	1
Dis. of Kidneys	22	-	1	-	-	-	1	1	-	-	-	1	3	1	2	9	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	-	1	-	-	1	-	4	1	-	2	-	-	-	-	-	-
Diseases of the Skin	6	-	1	-	-	1	2	-	-	-	-	-	1	1	-	-	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	44	-	2	5	4	2	13	2	2	1	2	3	2	9	4	3	2	1
Other Causes	517	232	29	12	3	1	277	4	1	3	1	-	1	4	8	50	120	39

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
209.—DUNMOW.																		
Mean Popul^{n}, 1851-61	9685	-	-	-	-	-	1343	1219	1107	810	729	1289	1047	874	651	414	173	29
TOTAL DEATHS	1950	360	109	45	32	29	575	81	62	78	78	126	130	119	143	237	233	88
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	23	4	11	4	2	2	23	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	35	1	7	3	2	3	16	12	2	1	-	2	1	1	-	-	-	-
Diphtheria	8	2	1	-	1	-	4	2	1	-	-	-	1	-	-	-	-	-
Whooping-cough	30	14	8	2	4	2	30	-	-	-	-	-	-	-	-	-	-	-
Typhus	91	-	5	4	3	2	14	14	6	12	8	5	8	8	7	8	1	-
Cholera, Diarrh., Dysent^{y}	59	22	7	3	2	-	34	-	1	1	2	1	2	2	1	7	7	1
Other Zymotic Dis.	66	21	7	3	3	1	35	3	-	2	1	1	4	5	4	7	3	1
Cancer	42	-	-	1	-	-	1	-	1	1	-	-	9	8	10	8	4	-
Scrofula, Tabes Mesent.	82	26	12	4	4	2	48	5	6	4	2	4	4	3	3	1	2	-
Phthisis	332	7	5	1	2	5	20	13	24	42	45	73	60	29	19	5	2	-
Hydrocephalus	13	5	5	1	-	-	11	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	194	39	10	7	3	1	60	5	2	2	2	7	9	7	20	49	24	-
Heart Dis. and Dropsy	130	-	1	1	-	-	2	2	3	4	-	3	9	11	25	44	25	-
Dis. of Lungs	220	76	20	6	1	6	109	12	3	3	4	7	4	6	16	23	27	-
Dis. of Stom. and Liver	128	6	2	3	-	1	12	4	5	2	4	7	8	22	18	30	15	-
Dis. of Kidneys	11	1	-	-	-	-	1	-	2	-	-	1	-	3	2	1	1	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	2	1	3	4	3	2	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-
Diseases of the Skin	6	1	-	-	-	-	1	1	1	-	-	1	-	-	-	1	1	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	1	4	10	4	-	-	-	-	-
Violent Deaths	25	3	1	2	5	3	14	2	1	2	-	-	-	-	2	1	3	-
Other Causes	413	132	7	-	-	1	140	3	3	1	3	3	3	8	11	47	118	73
210.—SAFFRON WALDON.																		
Mean Popul^{n}, 1851-61	10014	-	-	-	-	-	1374	1236	1162	881	785	1331	1092	859	667	427	174	26
TOTAL DEATHS	1992	317	113	68	43	22	563	104	73	79	88	136	132	111	159	211	255	81
Small-pox	5	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	1	-
Measles	19	2	4	3	4	1	14	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	79	3	12	12	9	5	41	25	8	1	-	2	1	-	-	-	-	-
Diphtheria	8	-	1	3	-	-	4	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	43	17	13	7	2	1	40	3	-	-	-	-	-	-	-	-	-	-
Typhus	89	1	4	8	2	3	18	9	17	7	11	9	6	4	6	1	1	-
Cholera, Diarrh., Dysent^{y}	52	22	9	-	1	-	32	2	-	1	1	-	2	1	4	5	2	2
Other Zymotic Dis.	75	14	4	5	7	6	36	5	2	1	-	3	4	3	8	8	4	1
Cancer	44	-	1	-	-	-	1	-	-	-	-	3	4	8	12	11	5	-
Scrofula, Tabes Mesent.	47	10	6	3	1	-	20	7	3	2	4	3	4	1	1	2	-	-
Phthisis	321	10	4	4	2	-	20	12	24	42	49	67	57	33	10	6	1	-
Hydrocephalus	13	4	2	3	1	-	10	-	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	233	50	7	7	1	1	66	3	6	7	6	6	13	11	33	36	42	4
Heart Dis. and Dropsy	120	5	1	-	-	-	6	6	2	1	3	8	11	12	21	35	14	1
Dis. of Lungs	235	45	25	8	8	3	89	7	1	5	2	10	10	11	22	32	42	4
Dis. of Stom. and Liver	110	10	1	1	1	1	14	1	2	7	3	6	8	18	25	17	9	-
Dis. of Kidneys	9	-	-	1	-	-	1	1	-	1	1	-	-	1	4	-	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	2	4	3	-	-	-	-
Diseases of the Joints	9	1	-	-	-	-	1	1	-	1	1	3	1	-	1	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	1	4	11	5	1	-	-	-	-
Violent Deaths	28	4	2	2	3	-	11	4	2	1	-	-	1	-	2	3	3	1
Other Causes	420	118	16	1	1	1	137	7	3	-	3	2	1	4	9	55	131	68
211.—RISBRIDGE.																		
Mean Popul^{n}, 1851-61	8854	-	-	-	-	-	1256	1128	996	843	735	1170	912	692	545	375	167	30
TOTAL DEATHS	1839	325	107	44	50	26	552	101	76	94	88	155	95	86	104	215	184	89
Small-pox	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Measles	24	2	4	3	5	2	16	8	-	-	-	-	-	-	-	-	-	-
Scarlatina	42	-	5	6	6	7	24	9	7	2	-	-	-	-	-	-	-	-
Diphtheria	29	-	1	2	8	2	13	8	6	-	1	-	-	1	-	-	-	-
Whooping-cough	38	22	9	3	1	2	37	-	1	-	-	-	-	-	-	-	-	-
Typhus	102	4	2	1	4	1	12	12	16	16	12	13	7	3	6	5	-	-
Cholera, Diarrh., Dysent^{y}	48	13	9	4	1	1	28	1	-	-	1	2	-	1	4	3	4	4
Other Zymotic Dis.	50	10	4	1	3	2	20	7	2	2	1	2	1	2	4	5	3	1
Cancer	36	-	-	-	-	-	-	-	-	1	1	1	5	6	8	11	2	1
Scrofula, Tabes Mesent.	54	4	5	1	1	-	11	7	2	6	9	7	5	1	4	2	-	-
Phthisis	311	11	6	1	-	-	18	12	28	41	46	83	38	21	17	6	1	-
Hydrocephalus	12	5	3	1	1	-	10	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	158	21	7	1	3	1	33	8	4	6	4	12	4	14	14	34	20	5
Heart Dis. and Dropsy	111	1	1	-	-	3	5	4	1	4	4	8	4	11	17	35	17	1
Dis. of Lungs	149	34	24	10	4	1	73	7	3	2	3	8	7	6	7	24	9	-
Dis. of Stom. and Liver	80	3	2	-	4	-	9	1	1	5	2	4	7	9	12	20	9	1
Dis. of Kidneys	5	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-
Diseases of the Skin	5	3	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	1
Childbirth and Metria	24	-	-	-	-	-	-	-	-	1	3	10	9	1	-	-	-	-
Violent Deaths	37	1	2	3	7	2	15	10	1	1	-	1	-	1	2	3	3	-
Other Causes	515	191	23	7	2	1	224	5	3	5	1	4	4	6	7	65	116	75

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
212.—SUDBURY.																		
Mean Popul^{n}, 1851-61	15377	-	-	-	-	-	2107	1903	1729	1539	1193	1967	1660	1361	1021	631	236	30
TOTAL DEATHS	3076	793	188	114	82	49	1226	128	88	81	108	153	133	169	228	336	317	109
Small-pox	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	42	10	10	8	5	3	36	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	65	1	9	8	13	10	41	13	7	2	-	-	2	-	-	-	-	-
Diphtheria	5	-	2	-	1	-	3	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	68	31	20	9	6	-	66	2	-	-	-	-	-	-	-	-	-	-
Typhus	147	1	2	2	5	8	18	26	18	18	12	11	13	10	6	10	5	-
Cholera, Diarrh., Dysent^{y}	102	40	10	2	1	-	53	2	-	1	-	1	2	3	9	12	15	4
Other Zymotic Dis.	119	19	7	8	11	2	47	9	3	3	3	5	2	9	9	14	15	-
Chest Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other [illegible]ula, Tabes Mesent.	49	-	-	-	-	-	-	-	-	-	-	3	5	10	11	14	5	1
Cancer	104	30	10	12	4	-	56	12	1	3	6	8	4	7	5	1	1	-
Scrofulocephalus	372	18	10	7	1	2	38	13	18	25	61	86	53	37	26	14	1	-
Phthisis	69	19	20	8	4	6	57	10	1	-	-	-	-	1	-	-	-	-
Hydrocephalus	316	95	15	9	5	1	125	7	6	3	6	12	7	15	40	45	47	3
Heart Dis. and Dropsy	154	6	2	3	1	2	14	4	4	6	6	3	8	11	29	43	24	2
Disease of Lungs	443	135	42	23	10	8	218	6	7	4	3	6	16	22	80	65	44	22
Dis. of Stom. and Liver	129	8	1	1	2	-	12	5	3	4	7	5	12	19	21	25	13	3
Dis. of Kidneys	49	2	-	-	-	-	2	-	1	3	-	2	4	6	9	14	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	1	-	-	-	-	1	-	-	1	-	1	-	2	-	-	1	-
Diseases of the Skin	11	1	-	-	-	-	1	1	-	1	-	-	-	1	3	2	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	114	11	-	4	8	3	26	9	14	6	2	9	4	12	17	9	4	2
Other Causes	711	365	27	10	5	4	411	3	4	-	2	1	1	4	13	68	133	71
213.—COSFORD.																		
Mean Popul^{n}, 1851-61	8919	-	-	-	-	-	1260	1083	1012	919	657	1063	936	844	612	367	151	15
TOTAL DEATHS	1736	405	111	34	32	24	606	72	47	46	62	93	85	97	127	201	233	61
Small-pox	7	-	-	-	-	-	-	-	-	-	-	3	-	1	1	1	1	-
Measles	17	1	6	3	2	2	14	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	32	1	2	2	3	4	12	5	11	1	1	-	2	-	-	-	-	-
Diphtheria	9	-	1	-	2	2	5	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough	36	19	13	-	1	2	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	76	3	1	-	4	1	9	10	7	9	8	7	11	8	5	1	1	-
Cholera, Diarrh., Dysent^{y}	43	21	5	1	1	1	29	1	-	-	-	2	-	2	1	3	4	1
Other Zymotic Dis.	77	18	6	5	3	-	32	8	5	2	2	3	2	-	10	3	10	-
Cancer	24	-	-	-	1	-	1	-	-	-	1	-	2	5	3	7	5	-
Scrofula, Tabes Mesent.	41	5	4	2	2	-	13	5	2	5	5	6	-	3	2	-	-	-
Phthisis	152	3	2	1	1	-	7	8	3	17	32	37	31	12	2	3	-	-
Hydrocephalus	41	15	14	1	1	1	32	5	2	2	-	-	-	-	-	-	-	-
Diseases of Brain	157	24	5	6	1	2	38	8	2	2	2	6	6	12	12	46	22	1
Heart Dis. and Dropsy	95	3	2	-	1	-	6	3	1	-	2	5	5	7	22	24	18	2
Dis. of Lungs	245	68	21	5	4	5	103	5	3	3	4	11	9	20	23	36	27	1
Dis. of Stom. and Liver	95	15	-	1	1	1	18	1	2	1	1	3	9	16	20	16	3	-
Dis. of Kidneys	34	-	-	-	-	-	-	-	-	-	-	-	2	2	5	10	13	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	1	-	-	-	1	1	-	1	-	-	1	1	-	2	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	51	4	1	2	2	2	11	3	5	2	4	3	4	7	6	1	-	-
Other Causes	487	203	27	5	2	1	238	2	3	1	-	2	1	1	15	47	123	54
214.—THINGOE.																		
Mean Popul^{n}, 1851-61	9384	-	-	-	-	-	1249	1216	1104	953	706	1116	996	852	637	371	159	25
TOTAL DEATHS	1723	459	116	41	24	26	666	75	56	51	64	101	90	82	93	174	215	56
Small-pox	10	4	-	-	-	-	4	1	-	-	-	1	1	2	1	-	-	-
Measles	15	2	5	3	2	2	14	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	39	1	5	3	3	7	19	14	5	-	1	-	-	-	-	-	-	-
Diphtheria	11	1	-	-	2	1	4	3	2	-	-	1	1	-	-	-	-	-
Whooping-cough	24	11	12	1	-	-	24	-	-	-	-	-	-	-	-	-	-	-
Typhus	94	1	1	-	-	1	3	15	11	11	11	12	13	5	4	6	2	1
Cholera, Diarrh., Dysent^{y}	50	34	3	1	-	1	39	1	1	-	1	-	-	1	1	3	3	-
Other Zymotic Dis.	59	24	2	3	3	2	34	1	1	1	2	3	4	2	2	3	6	-
Cancer	22	-	-	-	-	1	1	-	-	-	-	-	1	2	6	6	6	-
Scrofula, Tabes Mesent.	27	7	6	1	1	-	15	2	1	3	1	1	2	1	1	-	-	-
Phthisis	208	12	12	-	-	1	25	6	10	19	35	53	30	13	13	4	-	-
Hydrocephalus	40	14	14	2	1	2	33	4	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	162	29	10	5	3	2	49	13	6	2	-	5	9	13	12	32	19	2
Heart Dis. and Dropsy	108	5	-	1	1	-	7	3	2	3	3	2	7	9	11	35	24	2
Dis. of Lungs	240	63	29	12	4	5	113	4	1	4	2	7	7	6	18	34	39	5
Dis. of Stom. and Liver	91	18	1	1	-	-	15	-	5	2	4	4	5	9	13	18	14	2
Dis. of Kidneys	29	-	-	1	1	-	2	1	1	-	-	2	2	3	2	3	7	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	1	-	1	-	1	-	4	-	-	-	-
Diseases of the Skin	6	1	1	-	-	-	2	-	1	-	-	1	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	59	7	-	1	3	-	11	5	4	2	4	7	6	4	5	6	5	-
Other Causes	421	230	15	6	-	1	252	1	2	2	-	1	1	3	3	19	39	43

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

212.—SUDBURY.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	15738	-	-	-	-	-	2035	1882	1723	1498	1365	2175	1715	1335	1008	656	292	54
TOTAL DEATHS	3204	624	173	111	57	50	1015	141	113	108	125	204	181	165	248	331	386	127
Small-pox	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	48	8	17	11	4	3	43	4	-	-	-	1	-	-	-	-	-	-
Scarlatina	77	6	9	6	11	8	40	26	7	2	1	1	-	-	-	-	-	-
Diphtheria	14	-	-	4	1	1	6	4	2	2	-	-	-	-	-	-	-	-
Whooping-cough	97	42	24	17	4	3	90	5	1	1	-	-	-	-	-	-	-	-
Typhus	166	3	4	3	1	3	14	23	25	21	10	18	21	13	4	13	3	1
Cholera, Diarrh., Dysent^{y}	122	31	8	2	1	2	44	3	-	-	3	3	4	1	8	23	26	7
Other Zymotic Dis.	96	14	5	6	3	3	31	6	5	4	3	6	6	4	4	11	14	2
Cancer	90	-	-	-	-	-	-	-	-	2	1	3	10	25	23	21	5	-
Scrofula, Tabes Mesent.	91	19	5	12	3	1	40	12	5	6	6	7	2	3	2	5	3	-
Phthisis	497	11	8	7	4	3	33	18	37	94	70	107	74	34	21	9	-	-
Hydrocephalus	41	13	10	3	2	5	33	4	3	1	-	-	-	-	-	-	-	-
Diseases of Brain	321	67	12	8	2	4	93	14	10	8	8	8	2	24	40	61	46	7
Heart Dis. and Dropsy	203	3	1	1	-	1	6	4	8	2	4	7	16	15	39	52	47	9
Dis. of Lungs	375	90	44	15	9	9	167	7	4	5	2	9	6	17	31	45	72	10
Dis. of Stom. and Liver	149	8	1	-	4	-	13	1	4	7	6	12	12	13	38	29	12	-
Dis. of Kidneys	25	1	-	-	-	-	1	1	-	3	1	4	4	3	3	5	-	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	2	3	2	3	1	1	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	36	2	1	6	5	1	15	5	-	2	1	2	1	1	3	1	3	2
Other Causes	703	303	24	10	3	3	343	4	2	3	2	4	8	8	28	54	154	93

213.—COSFORD.

Mean Popul^{n}, 1851-61	8822	-	-	-	-	-	1148	1025	935	811	752	1193	964	757	574	397	186	30
TOTAL DEATHS	1756	293	80	46	30	30	479	59	73	77	105	117	122	93	139	182	222	88
Small-pox	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	13	1	5	1	3	1	11	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	33	2	1	4	4	1	12	13	5	1	1	1	-	-	-	-	-	-
Diphtheria	10	-	1	-	-	4	5	3	1	-	-	-	-	-	1	-	-	-
Whooping-cough	29	15	5	2	1	3	26	3	-	-	-	-	-	-	-	-	-	-
Typhus	65	1	-	1	1	2	5	6	11	9	5	6	5	6	5	7	-	-
Cholera, Diarrh., Dysent^{y}	36	11	6	3	1	1	22	-	1	1	1	1	-	-	4	-	6	-
Other Zymotic Dis.	58	14	4	8	7	3	36	3	1	2	1	1	3	2	3	2	4	-
Cancer	53	-	-	-	-	-	-	-	-	-	-	4	8	8	13	13	6	1
Scrofula, Tabes Mesent.	46	7	4	3	-	2	16	5	6	6	1	4	3	3	2	-	-	-
Phthisis	286	3	5	1	-	-	9	7	26	46	64	58	50	19	5	1	1	-
Hydrocephalus	13	3	5	1	1	3	13	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	167	19	5	4	3	1	32	3	10	4	6	13	11	8	15	30	28	7
Heart Dis. and Dropsy	116	2	1	-	2	-	5	2	1	-	5	4	6	9	26	27	27	4
Dis. of Lungs	194	40	16	5	4	4	69	3	2	2	8	2	10	7	24	33	31	3
Dis. of Stom. and Liver	98	5	1	2	-	2	10	4	2	1	6	5	6	14	18	24	7	1
Dis. of Kidneys	19	1	-	-	-	-	1	-	2	1	1	3	2	4	4	1	-	-
Dis. of Gener. Organs	26	-	-	-	-	-	-	-	-	-	-	5	3	7	6	4	1	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-
Diseases of the Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	-	5	7	9	-	-	-	-	-
Violent Deaths	13	2	-	1	1	-	4	1	-	-	-	-	1	-	1	4	2	-
Other Causes	452	165	21	9	2	3	200	5	5	3	1	2	4	5	12	35	108	72

214.—THINGOE.

Mean Popul^{n}, 1851-61	9235	-	-	-	-	-	1268	1169	1061	797	743	1199	998	823	581	397	170	29
TOTAL DEATHS	1807	377	77	56	25	24	559	90	59	81	66	159	119	86	125	170	210	83
Small-pox	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Measles	9	2	2	3	-	1	8	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	49	3	2	4	7	4	20	22	6	-	-	-	1	-	-	-	-	-
Diphtheria	12	-	2	-	-	-	2	7	2	1	-	-	-	-	-	-	-	-
Whooping-cough	29	14	10	2	2	1	29	-	-	-	-	-	-	-	-	-	-	-
Typhus	83	2	-	-	2	2	6	12	9	9	8	14	3	4	5	10	3	-
Cholera, Diarrh., Dysent^{y}	34	13	2	1	1	1	18	3	-	-	1	-	-	-	3	2	5	2
Other Zymotic Dis.	52	18	3	7	3	3	34	5	1	-	-	-	-	3	1	3	1	1
Cancer	47	-	-	-	-	-	-	-	-	-	-	1	10	16	11	4	4	1
Scrofula, Tabes Mesent.	33	10	1	4	-	1	16	1	4	3	-	4	1	2	-	1	1	-
Phthisis	343	10	3	8	1	1	24	14	22	52	45	87	53	23	17	3	2	-
Hydrocephalus	29	12	10	3	-	1	26	2	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	169	33	5	5	3	3	49	5	5	4	1	6	4	6	17	31	34	7
Heart Dis. and Dropsy	129	2	1	-	-	-	3	-	3	3	2	5	8	13	22	37	28	5
Dis. of Lungs	223	61	12	12	4	4	93	9	2	3	2	12	12	3	11	32	40	4
Dis. of Stom. and Liver	84	6	2	-	-	-	8	4	4	4	1	3	4	5	17	18	15	1
Dis. of Kidneys	9	-	-	-	-	-	-	-	1	-	-	1	2	1	2	2	-	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	1	2	2	5	2	-	-
Diseases of the Joints	7	1	1	-	-	-	2	-	-	-	1	1	1	2	-	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-
Childbirth and Metria	32	-	-	-	-	-	-	-	-	-	3	14	11	4	-	-	-	-
Violent Deaths	22	5	1	2	-	-	8	3	-	1	-	1	2	-	3	2	1	1
Other Causes	394	184	20	5	2	2	213	2	-	-	2	7	1	2	8	22	73	61

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
215.—BURY ST. EDMUNDS.																		
Mean Popul^{n}, 1851-61	6177	-	-	-	-	-	796	770	758	620	448	808	724	541	377	245	79	11
TOTAL DEATHS	1573	348	71	62	33	33	547	67	41	34	50	114	105	119	143	170	132	51
Small-pox	17	6	1	1	1	2	11	2	1	-	1	2	-	-	-	-	-	-
Measles	24	5	3	7	5	1	21	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	36	1	1	4	6	6	18	11	5	1	-	-	1	-	-	-	-	-
Diphtheria	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	23	11	2	5	1	3	22	1	-	-	-	-	-	-	-	-	-	-
Typhus	83	2	1	6	4	5	18	12	13	4	2	11	4	5	6	6	1	1
Cholera, Diarrh., Dysent^{y}	52	26	4	1	1	-	32	-	-	1	-	1	3	-	2	4	6	3
Other Zymotic Dis.	48	9	4	7	4	-	24	3	-	1	-	6	3	1	1	5	3	1
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	1	3	1	5	-	1
Scrofula, Tabes Mesent.	23	2	1	-	-	-	3	4	4	1	1	3	5	2	-	-	-	-
Phthisis	238	10	4	4	2	-	20	11	5	19	31	51	44	29	21	5	2	-
Hydrocephalus	32	15	7	1	3	5	31	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	169	50	13	7	-	3	73	6	4	-	-	10	5	15	18	23	12	3
Heart Dis. and Dropsy	102	-	-	-	1	-	1	2	2	2	3	4	10	11	29	26	11	1
Dis. of Lungs	215	53	20	11	1	4	89	4	-	1	1	7	9	14	25	31	30	4
Dis. of Stom. and Liver	97	15	2	2	1	1	21	3	2	-	2	6	5	17	20	17	3	1
Dis. of Kidneys	47	-	-	-	1	-	1	1	-	-	1	3	3	6	8	11	10	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	57	2	-	4	1	2	9	1	2	3	7	6	9	13	2	5	-	-
Other Causes	291	140	8	2	1	1	152	3	1	-	-	3	3	3	8	31	54	33
216.—MILDENHALL.																		
Mean Popul^{n}, 1851-61	4987	-	-	-	-	-	722	620	584	511	380	604	519	456	319	186	76	10
TOTAL DEATHS	1020	265	70	27	22	15	399	52	33	36	34	56	58	52	72	89	114	25
Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Measles	6	1	2	1	1	-	5	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	23	-	1	3	2	2	8	7	6	1	-	-	-	1	-	-	-	-
Diphtheria	3	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
Whooping-cough	31	20	8	1	-	2	31	-	-	-	-	-	-	-	-	-	-	-
Typhus	56	8	2	-	4	3	13	8	8	1	7	8	1	3	4	4	-	-
Cholera, Diarrh., Dysent^{y}	20	5	4	2	1	-	12	2	-	-	-	-	1	-	-	2	2	1
Other Zymotic Dis.	46	18	1	-	2	-	21	3	2	3	1	-	3	3	6	1	3	-
Cancer	8	-	-	-	-	-	-	1	-	-	-	-	1	2	2	2	-	-
Scrofula, Tabes Mesent.	13	3	1	-	-	-	4	-	3	1	-	2	2	-	-	1	-	-
Phthisis	161	18	12	5	-	2	37	7	1	12	13	33	27	17	10	3	1	-
Hydrocephalus	12	4	3	-	1	1	9	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	68	18	-	1	1	1	21	-	2	2	3	3	7	5	10	8	7	-
Heart Dis. and Dropsy	49	1	2	-	-	-	3	1	1	2	1	2	4	7	9	14	5	-
Dis. of Lungs	43	10	6	1	-	-	17	1	-	-	2	1	3	2	6	7	3	1
Dis. of Stom. and Liver	35	3	1	-	-	-	4	3	1	3	-	1	3	2	10	5	3	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Violent Deaths	44	-	1	5	5	2	13	4	3	5	4	6	2	1	1	2	3	-
Other Causes	393	160	26	8	5	2	201	10	6	5	3	-	4	6	11	37	87	23
217.—STOW.																		
Mean Popul^{n}, 1851-61	10398	-	-	-	-	-	1428	1318	1179	1058	772	1304	1125	903	686	422	174	28
TOTAL DEATHS	2028	520	135	58	25	36	774	89	48	60	83	116	87	103	154	222	222	70
Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Measles	36	9	8	4	4	2	27	8	1	-	-	-	-	-	-	-	-	-
Scarlatina	36	3	2	9	1	2	17	9	3	2	1	1	1	-	2	-	-	-
Diphtheria	5	1	-	1	1	-	3	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	47	23	10	7	2	1	43	1	-	-	-	-	-	-	-	-	-	-
Typhus	98	3	2	3	3	6	17	14	14	8	7	8	7	6	5	6	6	-
Cholera, Diarrh., Dysent^{y}	54	28	5	4	-	-	37	-	-	-	2	2	1	-	3	4	5	-
Other Zymotic Dis.	88	27	5	5	2	5	44	2	4	3	1	1	5	6	7	10	5	-
Cancer	17	-	-	-	-	-	-	-	-	-	1	1	1	2	5	3	3	1
Scrofula, Tabes Mesent.	83	32	11	7	1	2	53	10	4	1	1	6	2	3	2	1	-	-
Phthisis	261	18	6	2	-	3	29	11	8	25	49	67	30	21	16	4	1	-
Hydrocephalus	30	13	8	-	-	-	21	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	194	27	10	3	3	4	47	5	2	8	3	6	9	15	23	39	30	7
Heart Dis. and Dropsy	130	-	-	-	1	-	1	-	3	1	3	6	9	11	22	41	27	6
Dis. of Lungs	257	78	38	7	3	6	132	9	1	1	4	6	3	8	22	40	23	8
Dis. of Stom. and Liver	84	11	2	1	-	2	16	2	4	2	3	3	7	12	15	15	5	-
Dis. of Kidneys	34	-	-	-	-	-	-	-	-	1	3	3	4	4	6	8	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-
Diseases of the Skin	9	4	-	-	-	-	4	1	-	-	1	-	-	1	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	63	2	3	2	3	1	11	2	3	7	2	4	7	5	11	2	3	1
Other Causes	497	238	24	3	1	2	268	5	-	1	2	2	1	7	14	48	103	46

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
215.—BURY ST. EDMUNDS.																		
Mean Popul^{n}, 1851-61	7432	-	-	-	-	-	796	788	790	849	722	1058	856	656	458	314	126	19
TOTAL DEATHS	1572	291	77	42	37	21	468	76	36	45	55	104	105	103	123	203	174	80
Small-pox	13	2	1	-	1	-	4	4	1	-	1	-	-	3	-	-	-	-
Measles	22	4	7	4	4	1	20	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	35	2	-	2	2	6	12	18	2	1	-	2	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	38	19	12	2	1	-	34	3	1	-	-	-	-	-	-	-	-	-
Typhus	67	-	1	2	3	3	9	9	9	7	4	9	6	6	3	3	2	-
Cholera, Diarrh., Dysent^{y}	50	26	4	1	2	-	33	1	-	-	-	1	-	-	3	5	5	-
Other Zymotic Dis.	41	10	3	2	3	-	18	3	1	1	3	-	4	4	1	2	2	2
Cancer	56	-	-	-	-	-	-	-	-	-	-	1	8	16	18	9	3	1
Scrofula, Tabes Mesent.	35	6	2	1	2	1	12	9	1	1	2	2	6	-	1	1	-	-
Phthisis	208	8	1	4	8	-	16	5	13	24	31	50	38	16	7	7	1	-
Hydrocephalus	23	8	5	3	4	2	22	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	194	30	10	4	4	4	52	6	-	3	1	8	11	16	28	42	23	4
Heart Dis. and Dropsy	123	1	-	-	-	-	1	3	3	3	2	10	9	13	22	37	17	3
Dis. of Lungs	200	48	21	12	5	1	87	3	1	2	3	3	1	9	20	42	26	3
Dis. of Stom. and Liver	91	8	3	-	-	-	11	2	-	1	4	5	8	12	12	23	12	1
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	2	1	3	-	3	1	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	-	3	1	3	2	-	-
Diseases of the Joints	3	-	-	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	15	-	-	-	-	-	-	-	-	2	-	6	7	-	-	-	-	-
Violent Deaths	34	4	2	2	3	2	13	7	1	-	3	-	-	-	1	3	5	1
Other Causes	305	115	5	2	-	1	123	1	2	-	-	5	3	4	4	23	77	63
216.—MILDENHALL.																		
Mean Popul^{n}, 1851-61	4988	-	-	-	-	-	689	667	593	477	390	663	519	402	306	167	35	10
TOTAL DEATHS	972	229	58	27	7	12	333	57	42	37	37	75	62	41	62	92	100	34
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	16	-	1	1	-	-	2	6	7	1	-	-	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	32	19	7	2	1	1	30	2	-	-	-	-	-	-	-	-	-	-
Typhus	50	4	1	3	-	-	8	10	9	4	4	5	3	3	2	2	-	-
Cholera, Diarrh., Dysent^{y}	7	1	1	-	-	-	2	-	2	-	-	1	-	-	-	-	1	1
Other Zymotic Dis.	47	22	3	2	1	-	28	2	4	-	1	2	-	1	3	1	4	1
Cancer	18	1	-	-	-	-	1	-	-	-	-	1	3	3	4	6	-	-
Scrofula, Tabes Mesent.	13	1	1	3	1	1	7	2	1	1	-	1	-	-	-	-	1	-
Phthisis	189	9	4	1	-	-	14	10	13	25	24	44	34	12	9	4	-	-
Hydrocephalus	5	2	1	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	47	7	1	2	-	-	10	1	3	1	2	4	-	3	7	12	4	-
Heart Dis. and Dropsy	50	1	-	2	-	-	3	2	-	2	1	2	8	8	8	14	1	1
Dis. of Lungs	37	12	5	1	-	1	19	2	1	-	-	2	1	1	2	2	7	-
Dis of Stom. and Liver	34	6	-	-	-	1	7	-	-	1	2	3	4	4	7	5	1	-
Dis. of Kidneys	3	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	2	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	-	1	4	7	-	-	-	-	-
Violent Deaths	16	3	3	2	-	2	10	1	-	-	-	2	1	-	-	1	1	-
Other Causes	389	140	29	5	4	6	184	16	2	2	2	3	1	4	19	45	80	31
217.—STOW.																		
Mean Popul^{n}, 1851-61	10611	-	-	-	-	-	1467	1329	1233	987	869	1425	1103	858	685	419	201	35
TOTAL DEATHS	1982	386	96	54	31	25	592	75	63	109	107	153	127	108	131	195	214	108
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	20	5	7	3	2	-	17	2	-	-	-	1	-	-	-	-	-	-
Scarlatina	26	2	3	4	3	6	18	6	1	1	-	-	-	-	-	-	-	-
Diphtheria	6	-	-	1	-	-	1	4	-	-	-	1	-	-	-	-	-	-
Whooping-cough	60	19	15	14	3	4	55	5	-	-	-	-	-	-	-	-	-	-
Typhus	111	2	2	3	3	4	14	13	9	22	7	12	8	6	9	7	4	-
Cholera, Diarrh., Dysent^{y}	42	20	2	-	-	-	22	-	-	-	-	2	1	3	3	4	5	2
Other Zymotic Dis.	65	15	7	2	5	3	32	2	2	2	2	1	2	2	2	9	6	3
Cancer	66	-	-	-	-	-	-	-	-	-	1	5	14	15	12	13	6	-
Scrofula, Tabes Mesent.	78	31	7	4	1	1	44	9	6	6	1	6	2	3	1	-	-	-
Phthisis	347	12	6	4	-	-	22	5	28	54	68	66	47	28	24	5	-	-
Hydrocephalus	19	5	2	3	1	1	12	5	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	166	14	6	2	5	1	28	6	4	4	3	9	8	15	17	36	28	8
Heart Dis. and Dropsy	142	2	-	-	-	-	2	2	1	2	1	6	12	12	31	40	27	6
Dis. of Lungs	205	61	24	10	8	3	101	4	2	6	3	10	7	5	10	20	28	9
Dis. of Stom. and Liver	90	4	-	-	1	-	5	4	1	8	7	13	5	8	10	10	9	1
Dis. of Kidneys	17	-	1	-	-	-	1	-	-	-	1	6	3	1	1	2	2	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	1	2	2	2	2	4	1	-
Diseases of the Joints	4	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
Diseases of the Skin	5	4	-	-	-	-	4	-	-	-	1	-	-	-	-	-	-	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	-	10	10	7	2	-	-	-	-
Violent Deaths	40	5	4	3	2	2	16	6	3	1	1	-	2	3	-	2	4	2
Other Causes	430	185	10	1	2	-	198	1	3	2	-	3	6	3	9	34	94	77

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
218.—HARTISMERE.																		
Mean Popul^{n}, 1851-61	9131	-	-	-	-	-	1266	1142	1112	925	686	1083	948	778	593	379	179	26
TOTAL DEATHS	1772	484	94	37	32	20	667	66	52	64	60	101	79	82	108	191	224	78
Small-pox	7	1	-	-	-	-	1	-	-	-	-	1	-	3	-	2	-	-
Measles	23	4	6	4	3	2	19	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	34	5	4	1	3	3	16	12	1	3	-	1	1	-	-	-	-	-
Diphtheria	9	1	-	-	1	1	3	4	1	1	-	-	-	-	-	-	-	-
Whooping-cough	25	12	9	1	2	1	25	-	-	-	-	-	-	-	-	-	-	-
Typhus	60	-	-	-	-	-	-	7	3	6	8	11	4	3	7	7	4	-
Cholera, Diarrh., Dysent^{y}	42	16	4	1	2	-	23	1	2	1	-	3	1	2	2	1	4	2
Other Zymotic Dis.	47	12	5	5	3	1	26	2	1	1	1	1	2	-	3	3	3	4
Cancer	20	-	-	-	-	-	-	-	-	-	-	1	-	1	3	10	3	2
Scrofula, Tabes Mesent.	84	20	9	-	3	1	42	7	7	4	2	9	1	3	4	5	-	-
Phthisis	196	2	2	3	2	1	10	7	8	22	35	46	28	19	10	11	-	-
Hydrocephalus	19	9	7	-	1	1	18	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	150	37	7	4	1	1	50	4	10	5	2	6	8	7	12	20	23	3
Heart Dis. and Dropsy	77	-	-	-	-	-	-	2	2	4	-	4	4	7	18	26	10	-
Dis. of Lungs	213	71	25	12	3	3	114	3	4	3	4	4	6	12	14	23	24	2
Dis. of Stom. and Liver	79	10	1	-	1	2	14	5	1	3	4	6	6	8	11	12	9	-
Dis. of Kidneys	53	-	-	-	-	-	-	1	-	1	1	3	8	4	5	19	10	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	9	1	1	-	-	-	2	-	1	2	-	-	-	1	1	1	1	-
Diseases of the Skin	5	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	62	2	1	4	5	2	14	3	6	5	2	3	9	9	6	2	1	2
Other Causes	557	271	13	2	2	1	289	4	3	3	1	2	1	3	11	48	131	61
219.—HOXNE.																		
Mean Popul^{n}, 1851-61	7737	-	-	-	-	-	1116	965	894	768	569	910	813	666	526	340	142	28
TOTAL DEATHS	1537	426	98	37	25	22	608	54	43	47	52	76	68	73	98	164	172	82
Small-pox	5	3	-	-	-	-	3	-	-	-	1	-	-	1	-	-	-	-
Measles	16	3	7	3	1	1	15	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	32	5	5	1	4	3	18	10	3	-	-	-	-	-	1	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	41	18	12	5	4	1	40	1	-	-	-	-	-	-	-	-	-	-
Typhus	69	3	-	-	-	2	5	5	5	13	5	6	10	8	6	3	3	-
Cholera, Diarrh., Dysent^{y}	46	14	6	4	-	1	25	2	1	1	-	-	-	3	1	3	9	1
Other Zymotic Dis.	74	18	5	3	-	2	28	5	2	2	1	1	6	3	5	7	11	3
Cancer	10	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	2	2
Scrofula, Tabes Mesent.	39	7	1	3	1	2	14	7	2	2	2	4	2	3	-	2	-	1
Phthisis	208	42	11	5	-	-	58	4	12	16	33	44	20	6	8	7	-	-
Hydrocephalus	27	14	7	1	1	-	23	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	102	24	2	2	5	2	35	2	6	4	1	3	2	8	7	17	15	2
Heart Dis. and Dropsy	58	1	-	-	-	-	1	1	2	-	1	-	3	3	17	13	13	4
Dis. of Lungs	200	55	24	4	4	3	90	5	2	2	2	1	7	16	16	27	25	7
Dis. of Stom. and Liver	95	21	5	1	2	1	30	-	2	1	2	6	4	9	9	20	10	2
Dis. of Kidneys	32	-	-	-	-	-	-	-	2	1	-	-	2	3	6	8	10	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	7	-	-	-	-	-	-	1	-	2	1	1	-	-	2	-	-	-
Diseases of the Skin	7	1	-	-	-	-	1	-	-	-	-	1	1	1	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	71	3	2	3	3	3	14	5	2	2	1	7	3	3	13	9	6	1
Other Causes	396	194	11	2	-	1	208	2	1	-	1	1	3	6	5	43	67	59
220.—BOSMERE.																		
Mean Popul^{n}, 1851-61	8420	-	-	-	-	-	1147	1032	966	869	637	1053	897	736	582	351	131	19
TOTAL DEATHS	1543	400	92	41	20	18	571	62	50	36	44	69	71	70	136	188	189	57
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	10	1	4	2	-	1	8	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	36	2	4	7	3	2	18	12	5	1	-	-	-	-	-	-	-	-
Diphtheria	3	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	27	14	11	-	2	-	27	-	-	-	-	-	-	-	-	-	-	-
Typhus	69	-	1	3	3	1	8	9	6	7	3	4	6	7	8	8	3	-
Cholera, Diarrh., Dysent^{y}	56	20	3	1	1	-	25	1	2	-	2	2	2	5	3	6	7	1
Other Zymotic Dis.	56	10	4	3	-	1	18	5	1	-	1	2	4	1	9	5	8	2
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	-
Scrofula, Tabes Mesent.	72	31	6	1	1	1	40	5	4	2	3	4	1	5	5	3	-	-
Phthisis	157	6	8	3	1	-	18	5	6	13	29	37	19	12	12	6	-	-
Hydrocephalus	17	3	5	1	-	1	10	5	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	131	23	7	4	2	3	39	4	6	3	3	4	6	8	18	22	16	2
Heart Dis. and Dropsy	78	-	-	-	-	-	-	1	3	1	1	3	6	6	13	27	14	3
Dis. of Lungs	194	57	27	7	3	2	96	2	4	2	1	4	10	15	11	27	18	4
Dis. of Stom. and Liver	75	4	-	1	-	-	5	2	2	2	-	3	5	8	21	18	9	-
Dis. of Kidneys	30	-	-	-	-	2	2	1	-	-	-	-	2	-	5	12	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	-	1	-	1	-	1	1	1	-	1	-	-	2	-	-
Diseases of the Skin	5	1	-	-	-	1	2	-	-	-	-	1	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	52	1	2	3	2	3	11	6	8	3	-	4	7	1	7	3	2	-
Other Causes	457	227	10	4	-	-	241	1	-	1	-	1	-	1	23	45	100	44

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
218.—HARTISMERE.																		
Mean Popul^{n}, 1851-61	9215	-	-	-	-	-	1254	1126	1038	861	717	1189	965	804	611	416	191	43
TOTAL DEATHS	1815	348	99	45	22	22	536	69	61	80	102	121	89	105	132	198	212	110
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Measles	19	6	4	4	2	-	16	1	2	-	-	-	-	-	-	-	-	-
Scarlatina	31	-	2	6	3	4	15	13	1	-	1	-	1	-	-	-	-	-
Diphtheria	9	-	1	1	1	1	4	1	2	2	-	-	-	-	-	-	-	-
Whooping-cough	38	15	13	5	-	-	33	3	2	-	-	-	-	-	-	-	-	-
Typhus	68	2	-	-	2	2	6	5	9	6	8	7	5	2	5	8	5	-
Cholera, Diarrh., Dysent^{y}	37	12	4	1	-	-	17	2	-	3	-	-	1	-	4	4	6	-
Other Zymotic Dis.	42	8	2	3	-	1	14	3	3	1	2	3	1	2	7	3	3	-
Cancer	39	-	-	-	-	-	-	-	-	-	-	3	5	10	10	5	5	1
Scrofula, Tabes Mesent.	54	20	7	2	-	1	30	7	3	1	3	3	2	2	-	2	1	-
Phthisis	276	3	9	1	3	2	18	5	17	48	49	61	34	28	14	2	-	-
Hydrocephalus	15	5	2	2	1	-	10	4	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	165	29	8	3	-	3	43	6	7	5	6	10	5	8	19	37	17	2
Heart Dis. and Dropsy	99	-	-	-	-	-	-	2	5	2	4	8	4	8	18	33	13	2
Dis. of Lungs	196	46	25	5	4	1	81	2	5	2	9	5	3	13	20	29	23	4
Dis. of Stom. and Liver	93	2	5	1	1	1	10	2	1	3	6	8	6	12	13	23	9	-
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	2	-	1	2	7	4	2	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	2	1	3	2	2	-	1	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	1
Diseases of the Skin	3	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	2	7	5	9	-	-	-	-	-
Violent Deaths	41	4	4	3	2	5	18	7	1	-	1	-	3	2	1	3	3	2
Other Causes	533	194	13	8	3	1	219	6	2	3	4	4	4	8	14	45	126	98
219.—HOXNE.																		
Mean Popul^{n}, 1851-61	7560	-	-	-	-	-	1069	922	846	671	607	980	782	652	494	342	162	33
TOTAL DEATHS	1556	344	94	33	22	19	512	63	47	71	71	112	81	84	85	151	186	93
Small-pox	3	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-
Measles	16	2	3	3	1	4	13	1	1	-	1	-	-	-	-	-	-	-
Scarlatina	35	3	5	3	4	5	20	9	3	1	1	-	-	-	-	-	1	-
Diphtheria	7	1	-	-	3	-	4	1	1	-	-	-	-	-	1	-	-	-
Whooping-cough	45	23	10	7	3	2	45	-	-	-	-	-	-	-	-	-	-	-
Typhus	58	1	2	1	2	1	7	6	7	13	4	8	6	3	2	2	-	-
Cholera, Diarrh., Dysent^{y}	36	8	3	1	-	1	13	2	-	-	1	2	2	-	1	4	7	4
Other Zymotic Dis.	60	18	7	1	1	2	29	2	2	1	2	1	1	2	6	7	3	4
Cancer	34	-	-	-	-	-	-	-	-	-	-	1	3	9	9	4	8	-
Scrofula, Tabes Mesent.	27	7	2	-	1	-	10	5	2	1	1	2	1	2	1	2	-	-
Phthisis	287	21	12	2	-	1	36	14	17	37	40	63	32	33	8	6	1	-
Hydrocephalus	22	7	5	1	-	-	13	5	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	96	12	4	2	-	2	20	2	3	4	3	-	4	4	8	13	28	7
Heart Dis. and Dropsy	86	1	-	-	-	-	1	1	1	3	3	2	4	5	19	26	17	4
Dis. of Lungs	168	39	22	4	3	1	69	3	2	4	4	8	7	10	6	30	20	5
Dis. of Stom. and Liver	101	22	2	1	-	-	25	5	1	3	1	8	7	7	7	28	7	2
Dis. of Kidneys	8	-	-	-	-	-	-	1	-	-	-	2	-	1	1	1	2	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	2	-
Diseases of the Joints	10	-	-	-	-	-	-	-	1	3	2	-	1	1	1	1	-	-
Diseases of the Skin	6	-	3	1	-	-	4	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	4	7	6	1	-	-	-	-
Violent Deaths	29	4	3	4	2	-	13	4	1	-	1	1	1	-	5	1	1	1
Other Causes	397	175	11	2	1	-	189	2	1	-	2	4	6	5	10	24	88	66
220.—BOSMERE.																		
Mean Popul^{n}, 1851-61	8276	-	-	-	-	-	1121	1051	907	720	671	1111	901	706	556	350	155	27
TOTAL DEATHS	1588	277	76	38	25	20	436	75	50	59	58	122	111	104	117	173	209	74
Small-pox	5	1	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-	1
Measles	16	6	3	2	3	-	14	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	35	2	4	3	4	2	15	12	6	1	-	1	-	-	-	-	-	-
Diphtheria	8	-	-	1	1	-	2	4	1	-	-	-	1	-	-	-	-	-
Whooping-cough	24	8	9	4	1	-	22	2	-	-	-	-	-	-	-	-	-	1
Typhus	72	1	-	1	3	3	8	13	8	8	6	7	4	3	5	6	3	1
Cholera, Diarrh., Dysent^{y}	42	12	5	1	3	2	23	2	-	-	-	2	1	-	1	5	7	1
Other Zymotic Dis.	52	8	4	1	3	5	21	2	-	1	-	1	1	4	2	8	9	3
Cancer	36	-	-	-	-	-	-	-	-	-	-	2	5	7	8	6	8	-
Scrofula, Tabes Mesent.	56	16	7	5	1	1	30	4	4	3	3	3	3	1	3	2	-	-
Phthisis	249	4	3	2	3	2	14	6	19	33	36	59	44	21	6	9	-	-
Hydrocephalus	17	4	1	4	-	1	10	6	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	136	11	5	5	2	1	24	6	6	6	3	10	7	11	20	21	19	3
Heart Dis. and Dropsy	100	3	-	-	-	-	3	1	2	-	2	6	14	13	14	24	19	2
Dis. of Lungs	148	33	18	4	1	1	57	2	3	1	-	5	5	12	18	23	19	3
Dis. of Stom. and Liver	86	3	1	2	-	1	7	2	-	2	4	5	10	14	17	18	11	1
Dis. of Kidneys	16	1	-	-	-	-	1	1	-	-	-	3	3	2	1	4	1	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	1	1	4	5	2	-	1	-
Diseases of the Joints	7	-	-	-	-	-	-	2	-	1	-	-	-	1	1	1	-	1
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	1	11	6	-	-	-	-	-
Violent Deaths	15	1	-	-	-	1	2	4	-	1	-	-	1	2	2	2	2	-
Other Causes	432	162	15	3	-	-	180	3	-	1	1	6	2	8	16	48	110	57

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
221.—SAMFORD.																		
Mean Popul^{n}, 1851-61	6457	-	-	-	-	-	871	836	728	594	489	816	708	594	450	263	95	13
TOTAL DEATHS	1222	292	54	30	25	18	419	60	25	45	51	63	58	79	93	141	148	40
Small-pox	5	1	-	1	-	-	2	1	1	-	-	1	-	-	-	-	-	-
Measles	8	1	-	1	1	2	5	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	25	1	1	2	6	2	12	8	4	-	-	-	-	-	-	-	1	-
Diphtheria	9	-	-	1	1	1	3	4	-	1	-	-	1	-	-	-	-	-
Whooping-cough	10	6	1	3	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	75	3	1	3	1	1	9	10	3	8	9	4	4	6	9	7	5	1
Cholera, Diarrh., Dysent^{y}	33	15	2	1	-	-	18	1	1	-	1	-	1	2	4	6	4	-
Other Zymotic Dis.	51	18	4	2	1	2	27	1	1	-	1	2	3	-	5	7	4	-
Cancer	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-
Scrofula, Tabes Mesent.	43	8	2	1	2	-	13	7	2	4	3	2	2	4	4	2	-	-
Phthisis	144	14	5	-	3	2	24	2	2	15	24	32	19	13	9	3	1	-
Hydrocephalus	6	2	2	-	1	-	5	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	101	17	10	5	2	2	36	5	2	3	-	4	2	10	7	21	10	1
Heart Dis. and Dropsy	58	1	1	-	-	-	2	1	-	2	-	2	4	5	12	19	8	3
Dis. of Lungs	158	50	15	6	4	-	75	3	3	1	1	7	4	13	13	19	16	3
Dis. of Stom. and Liver	48	9	-	-	-	-	9	1	-	2	4	-	3	8	15	4	2	-
Dis. of Kidneys	18	-	-	-	-	-	-	1	-	-	1	1	1	4	2	5	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-
Diseases of the Skin	4	2	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	52	1	-	1	1	1	4	6	6	4	5	5	9	6	1	6	-	-
Other Causes	361	143	10	3	2	4	162	4	-	5	1	3	5	7	10	38	94	32
222.—IPSWICH.																		
Mean Popul^{n}, 1851-61	16516	-	-	-	-	-	2343	1932	1810	1572	1396	2462	2007	1351	879	542	200	22
TOTAL DEATHS	3862	1122	294	136	80	63	1700	124	64	114	131	239	235	251	303	364	261	76
Small-pox	57	10	5	6	4	5	30	5	1	1	4	5	4	2	3	1	1	-
Measles	38	10	12	7	3	4	36	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	58	3	6	11	9	10	39	17	-	2	-	-	-	-	-	-	-	-
Diphtheria	6	2	1	1	-	-	4	1	-	-	1	-	-	-	-	-	-	-
Whooping-cough	67	29	21	8	5	3	66	1	-	-	-	-	-	-	-	-	-	-
Typhus	131	1	8	7	10	6	32	11	9	6	9	19	15	8	12	6	3	1
Cholera, Diarrh., Dysent^{y}	281	161	21	9	1	1	193	5	1	2	1	5	5	14	15	17	20	3
Other Zymotic Dis.	128	49	7	7	2	1	66	5	5	3	-	7	9	7	11	10	5	-
Cancer	25	-	1	-	-	-	1	-	-	-	-	1	3	6	8	4	2	-
Scrofula, Tabes Mesent.	144	54	21	8	5	3	91	8	6	4	4	6	6	9	7	3	-	-
Phthisis	461	27	9	5	4	3	48	13	11	34	69	118	89	47	21	9	2	-
Hydrocephalus	60	15	17	8	4	3	47	8	4	1	-	-	-	-	-	-	-	-
Diseases of Brain	462	132	40	13	6	6	197	10	4	14	6	17	21	39	56	68	29	1
Heart Dis. and Dropsy	209	2	1	2	3	-	8	3	3	6	7	12	23	27	43	48	24	5
Dis. of Lungs	595	150	75	30	16	15	286	12	2	6	9	13	27	39	58	90	45	8
Dis. of Stom. and Liver	150	14	1	2	2	3	22	3	8	7	4	9	12	17	28	26	13	1
Dis. of Kidneys	58	-	-	1	-	-	1	2	-	1	2	5	5	7	12	15	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
Diseases of the Skin	9	4	3	-	-	-	7	-	-	-	-	-	1	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	160	16	1	5	4	3	29	12	4	23	12	20	13	20	15	8	3	1
Other Causes	760	443	44	6	2	2	497	7	4	3	3	1	2	9	18	59	107	55
223.—WOODBRIDGE.																		
Mean Popul^{n}, 1851-61	11429	-	-	-	-	-	1476	1375	1275	1095	823	1487	1313	1046	816	513	234	33
TOTAL DEATHS	2357	519	97	63	47	32	758	79	44	58	82	149	131	148	205	284	313	106
Small-pox	3	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-
Measles	11	3	4	1	1	-	9	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	35	2	4	8	8	3	25	9	1	-	-	-	-	-	-	-	-	-
Diphtheria	9	-	2	-	1	2	5	2	-	-	-	2	-	-	-	-	-	-
Whooping-cough	25	8	11	4	1	-	24	1	-	-	-	-	-	-	-	-	-	-
Typhus	80	6	2	2	3	1	14	12	2	6	6	7	5	3	5	13	4	3
Cholera, Diarrh., Dysent^{y}	93	41	7	5	2	-	58	-	3	1	-	-	2	2	2	8	13	4
Other Zymotic Dis.	71	13	5	2	6	7	33	3	3	-	-	4	7	1	7	8	5	-
Cancer	29	-	-	-	-	-	-	1	-	-	-	1	3	3	9	7	5	-
Scrofula, Tabes Mesent.	43	13	3	1	-	-	17	5	3	1	2	7	4	1	3	-	-	-
Phthisis	270	20	4	4	2	2	32	10	4	26	44	54	35	31	23	9	2	-
Hydrocephalus	25	12	4	5	3	-	24	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	316	40	9	9	5	3	66	10	5	7	6	23	28	41	32	49	38	11
Heart Dis. and Dropsy	133	3	-	-	2	1	6	3	-	1	4	5	6	8	25	34	36	5
Dis. of Lungs	450	133	31	14	9	5	192	8	4	1	3	17	17	25	39	65	59	15
Dis. of Stom. and Liver	110	13	1	-	1	1	16	4	4	3	2	8	9	15	22	13	13	1
Dis. of Kidneys	59	1	-	-	-	1	2	1	3	1	1	2	1	2	9	19	17	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	14	1	-	-	-	1	2	-	2	3	1	2	1	-	1	2	-	-
Diseases of the Skin	6	2	-	-	-	-	2	-	-	-	-	-	-	-	2	-	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	77	6	1	3	-	2	12	4	7	6	6	10	3	7	8	8	6	-
Other Causes	497	193	9	5	3	3	219	3	3	2	1	6	10	8	18	48	113	66

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

221.—SAMFORD.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	6158	-	-	-	-	-	851	732	695	492	485	851	717	547	412	254	107	15
TOTAL DEATHS	1247	241	58	23	21	17	360	47	43	53	74	105	97	67	99	133	122	47
Small-pox	4	1	-	-	2	-	3	-	-	-	1	-	-	-	-	-	-	-
Measles	9	2	3	2	-	-	7	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	30	1	1	1	3	7	13	10	5	2	-	-	-	-	-	-	-	-
Diphtheria	5	-	1	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-
Whooping-cough	17	10	5	-	1	-	16	1	-	-	-	-	-	-	-	-	-	-
Typhus	71	1	3	5	2	2	13	9	11	4	5	6	6	5	6	2	3	1
Cholera, Diarrh., Dysentry	33	12	4	-	-	2	18	-	-	-	1	3	-	1	1	3	3	3
Other Zymotic Dis.	36	11	1	-	-	2	14	2	1	1	2	1	2	-	3	7	3	-
Cancer	25	-	-	-	-	-	-	-	-	-	-	-	4	6	7	5	2	1
Scrofula, Tabes Mesent.	49	6	3	2	3	-	14	2	2	5	4	10	4	2	1	4	1	-
Phthisis	226	7	3	-	2	-	12	6	12	32	43	55	32	19	14	1	-	-
Hydrocephalus	7	1	2	1	1	-	5	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	112	17	7	3	2	-	29	6	2	1	6	7	4	9	18	20	10	-
Heart Dis. and Dropsy	56	2	-	-	-	-	2	-	-	-	1	4	5	6	12	14	12	-
Dis. of Lungs	145	34	17	6	2	1	60	1	1	3	5	4	9	5	17	21	15	4
Dis. of Stom. and Liver	47	2	-	-	-	-	2	1	2	-	-	5	7	7	8	13	1	1
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	-	3	4	6	-	-	-	-	-
Violent Deaths	14	1	1	-	1	2	5	1	2	-	-	-	3	1	-	2	-	-
Other Causes	332	133	7	3	2	1	146	2	3	3	2	4	12	3	11	37	72	37

222.—IPSWICH.

Mean Popul^{n}, 1851-61	18304	-	-	-	-	-	2258	1969	1802	1907	1911	3003	2255	1614	1105	678	260	42
TOTAL DEATHS	4002	940	270	136	97	61	1504	130	72	125	161	323	291	251	299	360	351	135
Small-pox	55	11	7	3	5	3	29	8	2	-	2	9	2	2	1	-	-	-
Measles	30	6	10	10	2	-	28	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	66	3	4	16	12	9	44	11	6	2	1	2	-	-	-	-	-	-
Diphtheria	11	2	1	-	1	1	5	4	1	1	-	-	-	-	-	-	-	-
Whooping-cough	97	34	28	15	10	6	93	3	1	-	-	-	-	-	-	-	-	-
Typhus	163	3	4	12	10	12	41	24	11	11	14	17	10	13	8	3	-	-
Cholera, Diarrh., Dysentry	291	142	36	6	7	3	194	4	1	1	6	11	18	7	11	12	22	4
Other Zymotic Dis.	98	44	4	4	3	2	57	6	1	2	4	5	5	7	4	4	3	-
Cancer	32	-	-	-	-	-	-	1	-	1	-	6	17	24	9	16	8	-
Scrofula, Tabes Mesent.	115	36	14	9	2	3	64	3	6	4	-	9	9	6	8	5	-	1
Phthisis	585	30	12	4	3	4	53	16	18	61	94	146	101	59	21	11	5	-
Hydrocephalus	35	11	6	2	8	2	29	3	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	456	97	32	13	7	4	153	18	4	7	4	27	24	36	51	64	57	11
Heart Dis. and Dropsy	257	4	2	-	-	1	7	4	1	3	5	19	36	29	44	75	29	5
Dis. of Lungs	531	115	71	30	15	5	236	13	8	11	8	20	14	22	74	64	50	11
Dis. of Stom. and Liver	198	16	2	3	5	-	26	3	2	9	9	17	18	19	32	29	30	4
Dis. of Kidneys	16	-	1	1	-	-	2	-	-	-	1	2	3	3	4	1	-	-
Dis. of Gener. Organs	34	-	-	-	-	-	-	-	-	-	4	4	3	11	7	5	-	-
Diseases of the Joints	11	1	-	-	1	1	3	-	2	1	-	1	-	2	2	-	-	-
Diseases of the Skin	7	4	-	-	1	-	5	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	47	-	-	-	-	-	-	-	-	4	9	17	16	1	-	-	-	-
Violent Deaths	80	24	4	2	5	4	39	6	6	3	1	7	2	5	-	5	3	3
Other Causes	737	357	32	6	-	1	396	1	-	3	2	7	6	8	17	60	141	96

223.—WOODBRIDGE.

Mean Popul^{n}, 1851-61	11776	-	-	-	-	-	1526	1389	1233	990	938	1624	1337	1069	822	564	241	43
TOTAL DEATHS	2396	460	89	47	40	38	674	84	62	96	105	170	163	157	191	276	276	142
Small-pox	4	1	-	-	-	1	2	-	-	1	-	-	-	-	1	-	-	-
Measles	12	3	1	1	3	1	9	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	39	4	4	6	5	4	23	11	3	1	1	-	-	-	-	-	-	-
Diphtheria	9	-	3	1	-	2	6	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough	34	15	10	5	1	2	33	1	-	-	-	-	-	-	-	-	-	-
Typhus	78	-	1	1	3	2	7	6	10	9	9	7	3	3	7	10	4	3
Cholera, Diarrh., Dysentry	89	25	3	3	-	1	32	2	-	-	2	5	-	8	9	11	15	5
Other Zymotic Dis.	58	18	3	2	2	4	29	4	1	1	1	-	2	4	4	7	5	-
Cancer	46	-	-	-	-	-	-	1	-	-	-	1	9	9	8	11	4	3
Scrofula, Tabes Mesent.	49	12	2	1	1	-	16	4	5	6	5	3	1	3	3	3	-	-
Phthisis	352	17	8	4	1	2	32	15	18	50	46	76	53	34	17	8	3	-
Hydrocephalus	26	13	5	1	1	3	23	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	287	31	13	8	3	6	61	6	8	2	12	8	25	26	39	46	43	11
Heart Dis. and Dropsy	149	1	1	-	-	-	2	2	2	1	3	8	11	20	26	40	28	6
Dis. of Lungs	414	106	20	9	12	7	154	18	4	11	13	19	15	17	25	63	50	25
Dis. of Stom. and Liver	148	6	3	2	1	1	13	4	1	7	4	10	17	14	26	31	15	6
Dis. of Kidneys	16	-	-	-	1	1	2	-	-	-	-	3	2	2	3	2	2	-
Dis. of Gener. Organs	25	-	-	-	-	-	-	-	-	-	1	5	7	7	1	2	2	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-
Childbirth and Metria	26	-	-	-	-	-	-	-	-	1	3	14	8	-	-	-	-	-
Violent Deaths	36	7	-	1	4	-	12	2	3	2	3	1	2	3	1	3	3	1
Other Causes	491	200	12	2	2	1	217	2	5	3	2	10	8	3	21	37	101	82

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
224.—PLOMESGATE.																		
Mean Popul^{n}, 1851-61	10339	-	-	-	-	-	1424	1291	1250	993	729	1202	1065	932	733	460	214	41
TOTAL DEATHS	2043	466	103	53	29	35	686	91	48	99	69	110	85	121	132	228	258	116
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	16	-	6	5	1	2	14	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	45	3	2	4	6	3	18	21	2	2	1	-	-	1	-	-	-	-
Diphtheria	11	1	-	1	-	2	4	2	2	1	-	2	-	-	-	-	-	-
Whooping-cough	41	21	14	2	1	2	40	1	-	-	-	-	-	-	-	-	-	-
Typhus	49	2	-	2	1	-	5	4	5	7	3	6	3	3	4	6	3	-
Cholera, Diarrh., Dysent^{y}	59	15	1	1	-	1	18	3	-	1	2	1	2	2	5	9	11	5
Other Zymotic Dis.	91	18	5	3	4	3	33	10	3	7	-	1	5	7	6	7	10	2
Cancer	34	-	-	-	-	1	1	-	-	-	-	2	2	4	7	8	8	2
Scrofula, Tabes Mesent.	70	23	9	3	1	2	38	10	4	4	3	5	-	-	4	1	1	-
Phthisis	236	19	2	8	2	4	35	3	10	45	40	55	34	30	14	16	4	-
Hydrocephalus	25	9	9	2	-	-	20	3	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	174	31	8	5	2	2	48	9	7	3	6	10	7	8	14	22	32	8
Heart Dis. and Dropsy	87	1	-	-	-	2	3	-	2	7	1	1	4	9	18	26	14	2
Dis. of Lungs	325	98	27	9	5	5	144	9	3	3	6	9	7	15	21	44	48	16
Dis. of Stom. and Liver	121	17	-	2	-	1	20	5	3	3	3	3	6	18	14	31	11	4
Dis. of Kidneys	53	-	1	-	-	-	1	1	-	-	1	2	4	6	7	18	12	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	7	-	-	-	-	1	1	-	-	1	-	1	-	2	1	1	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	87	4	1	5	4	4	18	5	5	12	2	12	6	11	7	7	2	-
Other Causes	456	203	18	1	2	-	224	4	-	2	1	-	5	5	8	31	100	76
225.—BLYTHING.																		
Mean Popul^{n}, 1851-61	13496	-	-	-	-	-	1905	1710	1591	1284	939	1625	1419	1179	941	618	250	35
TOTAL DEATHS	2772	714	161	70	42	42	1029	123	72	85	99	126	112	127	212	338	336	113
Small-pox	5	1	-	-	1	-	2	-	-	-	1	-	-	1	1	-	-	-
Measles	32	9	9	5	3	1	27	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	83	7	7	10	6	8	38	31	7	3	2	1	-	-	1	-	-	-
Diphtheria	20	1	-	2	2	3	8	10	1	-	-	1	-	-	-	-	-	-
Whooping-cough	52	32	11	7	1	1	52	-	-	-	-	-	-	-	-	-	-	-
Typhus	97	1	1	-	1	1	4	11	8	11	11	8	12	2	13	14	2	1
Cholera, Diarrh., Dysent^{y}	92	43	9	2	6	2	62	2	1	1	1	2	1	3	4	4	7	1
Other Zymotic Dis.	113	14	5	4	2	8	33	10	10	5	-	5	4	2	9	19	16	-
Cancer	25	-	-	-	-	-	-	-	-	-	-	1	-	2	9	8	5	-
Scrofula, Tabes Mesent.	78	23	8	4	2	3	40	5	11	2	8	4	4	1	1	2	-	-
Phthisis	292	19	5	1	2	-	27	8	8	43	50	65	36	23	17	12	3	-
Hydrocephalus	51	17	11	6	1	5	40	9	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	209	46	16	2	4	-	68	4	2	2	4	3	6	17	22	39	37	5
Heart Dis. and Dropsy	124	7	3	-	1	1	12	2	3	-	1	2	8	4	27	44	20	1
Dis. of Lungs	395	127	38	17	6	2	190	12	5	4	3	7	12	24	44	51	39	4
Dis. of Stom. and Liver	133	13	-	-	1	2	16	3	4	1	4	6	11	23	22	30	13	-
Dis. of Kidneys	67	-	1	-	-	-	1	-	-	-	1	8	1	8	8	23	15	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	2	-	1	1	1	-	-	1	1	-	-
Diseases of the Skin	6	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	102	8	5	2	1	3	19	4	9	7	9	3	9	8	16	18	3	2
Other Causes	789	346	32	8	2	2	390	5	2	3	3	8	7	9	17	76	175	94
226.—WANGFORD.																		
Mean Popul^{n}, 1851-61	6700	-	-	-	-	-	893	798	828	642	507	802	705	608	456	309	132	20
TOTAL DEATHS	1413	343	74	30	24	14	485	53	36	47	48	80	69	71	98	173	186	67
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	11	1	2	1	-	1	5	3	2	-	-	-	1	-	-	-	-	-
Scarlatina	52	-	9	10	6	4	29	9	4	6	-	3	1	-	-	-	-	-
Diphtheria	8	1	-	1	-	-	2	3	2	-	-	1	-	-	-	-	-	-
Whooping-cough	28	16	5	3	2	1	27	-	-	-	-	1	-	-	-	-	-	-
Typhus	52	1	1	2	-	2	6	7	1	5	7	6	5	3	4	4	4	-
Cholera, Diarrh., Dysent^{y}	57	28	1	-	2	1	32	-	-	2	1	-	2	1	3	7	6	3
Other Zymotic Dis.	59	17	1	-	3	-	21	4	-	2	2	4	2	3	6	3	6	1
Cancer	10	-	-	-	-	-	-	-	-	-	1	-	-	1	3	5	-	-
Scrofula, Tabes Mesent.	49	24	7	4	1	-	36	3	3	2	3	-	-	2	-	-	-	-
Phthisis	140	12	2	-	-	-	14	5	7	16	20	35	20	11	6	3	3	-
Hydrocephalus	36	10	9	4	2	1	26	6	2	1	-	-	-	-	1	-	-	-
Diseases of Brain	124	25	7	1	1	-	34	2	3	2	3	8	7	6	13	22	21	3
Heart Dis. and Dropsy	77	3	-	-	-	-	3	-	1	-	1	3	7	4	7	27	20	4
Dis. of Lungs	195	35	20	3	3	2	63	5	4	3	1	4	5	15	27	35	26	7
Dis. of Stom. and Liver	55	11	-	-	-	-	11	-	-	2	1	2	7	7	10	7	7	1
Dis. of Kidneys	57	1	-	-	1	-	2	-	2	1	2	1	2	8	8	18	10	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	10	-	-	-	-	-	-	1	1	-	-	2	1	-	2	3	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	60	4	4	-	3	2	13	4	2	4	5	8	6	4	5	8	1	-
Other Causes	332	153	6	1	-	-	160	1	2	1	1	2	3	6	3	26	52	45

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
224.—PLOMESGATE.																		
Mean Popul^{n}, 1851-61	10760	-	-	-	-	-	1356	1277	1166	986	893	1446	1166	949	725	503	242	51
TOTAL DEATHS	2157	378	101	52	40	36	607	76	72	81	107	163	141	96	169	235	283	127
Small-pox	4	3	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-
Measles	18	3	7	4	1	1	16	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	38	-	1	9	6	9	25	10	3	-	-	-	-	-	-	-	-	-
Diphtheria	15	2	-	1	2	2	7	5	1	1	-	-	1	-	-	-	-	-
Whooping-cough	34	11	11	4	4	1	31	3	-	-	-	-	-	-	-	-	-	-
Typhus	68	-	3	3	1	3	10	8	4	8	9	9	6	1	7	3	3	-
Cholera, Diarrh., Dysent^{y}	44	13	2	2	-	1	18	-	-	-	-	2	-	1	7	9	5	2
Other Zymotic Dis.	86	25	2	4	5	3	39	7	4	2	2	4	7	1	1	11	6	2
Cancer	54	-	-	-	-	-	-	-	-	-	-	1	7	10	15	14	6	1
Scrofula, Tabes Mesent.	48	18	8	3	-	1	30	5	2	2	1	3	3	-	1	1	-	-
Phthisis	437	11	9	2	2	1	25	11	39	51	62	97	69	40	29	9	4	1
Hydrocephalus	11	4	1	2	1	1	9	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	232	23	14	6	6	2	51	8	7	3	10	7	15	13	22	38	46	12
Heart Dis. and Dropsy	102	2	-	-	-	-	2	-	-	3	4	6	4	4	28	36	13	2
Dis. of Lungs	274	69	27	5	5	6	112	6	5	4	5	6	1	9	19	38	46	23
Dis. of Stom. and Liver	149	10	3	2	1	2	18	1	1	3	3	12	12	11	24	39	22	3
Dis. of Kidneys	10	-	-	-	-	-	-	1	-	1	-	-	-	-	-	5	3	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
Diseases of the Skin	7	1	-	-	1	-	2	-	-	1	-	-	-	-	1	2	1	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	2	4	7	6	-	-	-	-	-
Violent Deaths	32	2	2	2	2	3	11	4	-	-	1	4	1	-	2	3	4	2
Other Causes	465	181	11	3	3	-	198	4	5	-	3	4	6	5	11	26	124	79
225.—BLYTHING.																		
Mean Popul^{n}, 1851-61	13869	-	-	-	-	-	1872	1700	1529	1189	1059	1847	1550	1205	912	646	298	62
TOTAL DEATHS	2758	573	146	69	66	56	910	119	85	91	90	199	146	139	176	300	345	158
Small-pox	4	2	-	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-
Measles	30	6	7	5	4	1	23	3	2	1	1	-	-	-	-	-	-	-
Scarlatina	97	3	7	9	16	14	49	24	13	4	3	1	1	1	1	-	-	-
Diphtheria	22	1	2	4	-	5	12	6	3	-	-	1	-	-	-	-	-	-
Whooping-cough	53	30	16	7	3	1	57	1	-	-	-	-	-	-	-	-	-	-
Typhus	73	1	-	1	2	2	6	17	10	7	5	5	8	5	2	6	2	-
Cholera, Diarrh. Dysent^{y}	69	24	1	2	4	1	32	4	1	-	-	2	2	2	3	4	14	5
Other Zymotic Dis.	98	24	8	7	6	10	55	7	4	1	-	5	-	2	5	9	8	2
Cancer	75	-	-	-	-	-	-	-	1	1	-	2	8	13	21	25	3	1
Scrofula, Tabes Mesent.	65	13	6	2	2	2	25	6	10	4	2	6	3	5	3	1	-	-
Phthisis	406	13	7	5	3	1	29	7	24	53	50	119	60	31	18	7	3	-
Hydrocephalus	41	14	7	2	3	3	29	10	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	242	32	10	7	7	3	59	12	6	5	6	8	10	14	20	46	43	13
Heart Dis. and Dropsy	146	7	2	-	-	2	11	2	1	-	3	4	7	20	29	36	28	5
Dis. of Lungs	337	95	41	11	8	5	160	10	2	4	2	15	9	8	25	55	38	9
Dis. of Stom. and Liver	119	10	1	-	3	1	15	-	1	3	3	11	7	13	27	25	7	1
Dis. of Kidneys	13	-	-	-	-	1	1	-	-	-	1	2	-	5	3	-	1	-
Dis. of Gener. Organs	18	-	1	-	-	-	1	-	-	-	-	-	4	6	3	4	-	-
Diseases of the Joints	15	2	2	-	-	-	4	1	2	-	-	2	-	2	2	2	-	-
Diseases of the Skin	6	1	-	-	-	-	1	1	-	-	-	-	1	-	1	1	1	-
Childbirth and Metria	38	-	-	-	-	-	-	-	-	1	7	10	18	2	-	-	-	-
Violent Deaths	48	8	2	2	2	2	16	6	2	1	1	2	4	1	2	5	2	6
Other Causes	738	237	26	5	3	1	322	2	2	1	1	2	4	9	11	73	195	116
226.—WANGFORD.																		
Mean Popul^{n}, 1851-61	7117	-	-	-	-	-	856	758	764	693	630	962	835	646	470	309	161	33
TOTAL DEATHS	1432	284	48	31	32	17	412	50	46	49	61	100	84	80	103	158	181	108
Small-pox	3	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
Measles	8	3	1	2	1	1	8	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	53	1	4	7	10	6	28	10	8	3	2	2	-	-	-	-	-	-
Diphtheria	2	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	33	20	6	3	1	1	31	2	-	-	-	-	-	-	-	-	-	-
Typhus	41	-	-	2	1	1	4	7	3	3	6	8	2	3	2	1	1	1
Cholera, Diarrh., Dysent^{y}	45	18	3	-	-	-	21	3	1	-	1	1	3	1	1	4	5	4
Other Zymotic Dis.	47	18	1	3	5	2	29	1	1	-	1	3	2	1	2	5	2	-
Cancer	48	-	-	-	-	-	-	1	-	-	-	1	9	9	9	10	6	3
Scrofula, Tabes Mesent.	36	16	5	2	1	-	24	3	3	2	1	3	-	-	-	-	-	-
Phthisis	201	7	4	-	1	-	12	3	14	31	31	46	29	23	12	-	-	-
Hydrocephalus	22	5	-	5	3	-	13	4	3	1	1	-	-	-	-	-	-	-
Diseases of Brain	116	19	3	-	1	-	23	3	6	2	2	8	7	7	7	22	23	6
Heart Dis. and Dropsy	94	2	-	-	1	-	3	-	3	1	-	2	4	10	16	31	18	3
Dis. of Lungs	202	37	14	3	3	3	60	3	1	4	4	6	10	10	16	40	31	17
Dis. of Stom. and Liver	79	4	-	1	-	-	5	3	-	2	1	6	5	10	23	11	11	2
Dis. of Kidneys	14	-	-	-	1	1	2	-	-	-	-	2	4	1	2	2	1	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
Diseases of the Skin	4	1	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	-	8	6	4	-	-	-	2	-
Violent Deaths	16	-	-	-	1	1	2	5	1	-	-	-	-	-	2	2	3	1
Other Causes	337	133	7	2	1	-	143	1	1	-	2	3	3	3	8	24	78	71

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
227.—MUTFORD.																		
Mean Popul^{n}, 1851-61	10471	-	-	-	-	-	1537	1345	1214	894	816	1381	1163	917	627	389	156	27
TOTAL DEATHS	2320	769	123	67	50	39	1048	110	49	72	75	117	109	123	129	200	211	77
Small-pox	30	6	4	4	4	2	20	3	-	-	6	1	-	-	-	-	-	-
Measles	16	3	3	3	2	2	13	-	2	-	-	-	1	-	-	-	-	-
Scarlatina	88	8	9	11	6	8	42	33	10	2	-	1	-	-	-	-	-	-
Diphtheria	10	1	1	-	1	-	3	3	1	-	1	1	-	-	-	-	1	-
Whooping-cough	25	19	4	1	-	1	25	-	-	-	-	-	-	-	-	-	-	-
Typhus	122	5	6	5	2	5	23	14	9	15	8	15	7	6	6	9	8	2
Cholera, Diarrh., Dysent^{y}	124	83	11	2	2	1	99	2	-	1	1	2	1	3	3	6	3	3
Other Zymotic Dis.	112	41	9	7	7	2	66	11	1	3	-	5	3	4	8	5	6	-
Cancer	20	-	-	-	-	-	-	-	-	-	-	-	2	2	8	3	3	2
Scrofula, Tabes Mesent.	33	18	1	1	1	1	22	3	-	1	2	4	-	-	1	-	-	-
Phthisis	207	10	-	1	1	-	12	3	9	22	35	46	33	25	13	9	-	-
Hydrocephalus	19	2	6	3	2	1	14	4	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	220	54	14	7	4	9	88	9	1	5	5	6	8	15	17	35	26	5
Heart Dis. and Dropsy	114	3	-	-	1	-	4	2	2	3	-	11	12	17	18	28	14	3
Dis. of Lungs	269	85	28	10	7	4	134	5	3	5	2	7	12	13	22	33	26	7
Dis. of Stom. and Liver	115	26	3	1	-	1	31	1	3	4	5	3	18	18	10	15	7	-
Dis. of Kidneys	58	3	1	1	2	-	7	1	-	-	3	1	2	5	7	20	10	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	82	3	-	2	4	1	10	11	7	9	4	13	6	7	7	4	4	-
Other Causes	651	398	23	8	4	1	434	4	1	1	2	1	3	8	9	33	103	52
228.—GREAT YARMOUTH.																		
Mean Popul^{n}, 1851-61	12655	-	-	-	-	-	1767	1514	1433	1137	1011	1794	1459	1118	791	437	172	22
TOTAL DEATHS	3420	1008	242	125	109	73	1557	161	66	84	100	171	207	203	233	314	240	84
Small-pox	69	15	7	11	14	8	55	8	3	1	1	1	-	-	-	-	-	-
Measles	36	11	7	6	2	4	30	3	3	-	-	-	-	-	-	-	-	-
Scarlatina	186	10	28	31	33	29	131	41	12	2	-	-	-	-	-	-	-	-
Diphtheria	7	-	1	-	1	2	4	1	1	-	1	-	-	-	-	-	-	-
Whooping-cough	52	20	14	9	6	2	51	1	-	-	-	-	-	-	-	-	-	-
Typhus	210	15	13	14	6	9	57	22	12	13	13	15	16	7	16	26	8	-
Cholera, Diarrh., Dysent^{y}	338	206	23	3	2	4	238	5	6	1	3	7	14	9	9	26	14	6
Other Zymotic Dis.	133	60	8	5	8	1	82	8	1	3	1	3	6	7	10	9	2	1
Cancer	25	1	-	-	-	-	1	-	-	-	-	1	6	5	8	2	1	1
Scrofula, Tabes Mesent.	188	130	28	-	4	1	163	7	3	1	2	-	2	3	3	2	1	1
Phthisis	332	15	5	3	1	2	26	12	10	26	38	76	70	40	23	9	2	-
Hydrocephalus	45	14	15	2	5	2	38	6	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	359	105	19	8	4	2	138	15	3	3	8	15	19	29	34	55	33	7
Heart Dis. and Dropsy	129	2	1	1	-	-	4	4	1	3	3	6	11	18	26	36	15	2
Dis. of Lungs	395	91	42	25	14	2	174	12	2	4	8	9	22	30	42	51	31	10
Dis. of Stom. and Liver	120	20	4	-	-	-	24	4	1	-	5	7	7	15	23	26	7	1
Dis. of Kidneys	62	2	-	-	3	1	6	2	-	1	-	9	3	4	8	16	13	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Joints	7	2	1	-	-	-	3	-	1	-	-	-	-	-	1	2	-	-
Diseases of the Skin	7	1	2	-	-	-	3	-	-	-	-	1	-	1	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	121	1	2	2	2	2	9	5	5	16	15	12	17	19	7	7	9	-
Other Causes	598	287	22	5	4	2	320	5	1	5	2	9	13	16	23	46	103	55
229.—FLEGG.																		
Mean Popul^{n}, 1851-61	4315	-	-	-	-	-	621	559	492	415	326	558	459	347	263	120	63	12
TOTAL DEATHS	876	268	46	26	16	15	371	34	25	29	33	50	52	55	57	66	75	29
Small-pox	4	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-
Measles	5	-	-	4	1	-	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	56	3	5	7	8	7	30	16	6	-	1	1	2	-	-	-	-	-
Diphtheria	7	-	-	-	1	-	1	1	2	1	1	1	-	-	-	-	-	-
Whooping cough	15	8	5	1	-	1	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	40	-	1	-	-	3	4	4	2	1	2	6	3	5	4	5	4	-
Cholera, Diarrh., Dysent^{y}	72	43	6	2	-	-	51	-	-	-	1	1	1	2	4	1	7	4
Other Zymotic Dis.	32	18	1	-	1	1	21	1	1	1	1	-	-	2	-	3	2	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	-	2
Scrofula, Tabes Mesent.	12	6	-	3	-	-	9	1	-	-	-	-	-	1	1	-	-	-
Phthisis	82	6	1	-	-	-	7	1	3	12	14	14	14	6	6	4	1	-
Hydrocephalus	6	2	2	-	1	-	5	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	72	19	5	1	1	-	23	2	2	2	-	5	2	7	8	6	9	3
Heart Dis. and Dropsy	42	-	-	-	-	-	-	-	2	1	1	3	4	7	7	8	7	2
Dis. of Lungs	101	28	5	5	3	1	42	3	-	1	2	2	4	7	9	8	19	4
Dis. of Stom. and Liver	43	6	4	-	-	-	10	1	1	2	-	1	1	5	5	13	4	-
Dis. of Kidneys	17	-	2	-	-	-	2	-	-	-	-	2	2	-	1	4	4	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	79	7	2	3	-	2	14	1	4	8	9	12	11	8	7	4	1	-
Other Causes	176	120	7	-	-	-	127	2	1	-	-	1	6	1	2	7	17	12

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

227.—MUTFORD.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	11635	-	-	-	-	-	1472	1373	1245	1093	1098	1705	1331	996	674	417	191	40
TOTAL DEATHS	2164	579	117	64	39	39	838	111	47	91	93	150	139	106	114	160	217	98
Small-pox	23	6	4	6	-	2	18	2	2	-	-	-	1	-	-	-	-	-
Measles	13	2	5	1	1	2	11	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	115	6	9	15	11	15	56	43	9	5	1	-	-	1	-	-	-	-
Diphtheria	6	-	1	-	-	1	2	3	-	-	-	-	-	-	1	-	-	-
Whooping-cough	27	17	7	2	1	-	27	-	-	-	-	-	-	-	-	-	-	-
Typhus	132	7	2	2	5	1	17	16	8	19	5	16	16	7	8	13	7	-
Cholera, Diarrh., Dysent^{y}	90	56	10	1	-	-	67	1	1	1	1	3	3	-	1	5	4	3
Other Zymotic Dis.	94	40	4	7	6	4	61	11	3	2	3	2	1	5	1	2	1	2
Cancer	67	-	1	-	-	-	1	-	1	-	-	2	10	22	12	13	5	1
Scrofula, Tabes Mesent.	31	14	3	1	-	-	18	2	3	2	1	3	-	1	-	1	-	-
Phthisis	266	5	3	-	1	2	11	5	9	41	47	67	49	20	10	6	1	-
Hydrocephalus	8	3	2	1	-	-	6	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	178	43	11	4	3	1	62	9	-	5	3	9	4	11	18	29	26	2
Heart Dis. and Dropsy	100	2	-	-	-	-	2	1	-	5	8	5	4	11	17	27	18	2
Dis. of Lungs	225	63	25	17	8	4	117	5	6	4	7	9	10	7	17	17	22	4
Dis. of Stom. and Liver	91	10	1	1	1	2	15	3	1	1	6	7	18	7	14	9	10	-
Dis. of Kidneys	18	-	-	-	-	1	1	-	-	-	1	2	3	2	4	3	2	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	-	3	4	3	3	1	-	-
Diseases of the Joints	5	-	-	-	-	1	1	-	1	1	-	1	1	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	32	-	-	-	-	-	-	-	-	2	9	14	7	-	-	-	-	-
Violent Deaths	31	-	3	1	-	3	7	2	3	2	-	2	1	5	3	1	5	-
Other Causes	596	304	26	5	2	-	337	4	-	1	1	4	7	4	5	33	116	84

228.—GREAT YARMOUTH.

Mean Popul^{n}, 1851-61	15954	-	-	-	-	-	1723	1576	1489	1607	1631	2530	1974	1446	1017	635	290	46
TOTAL DEATHS	3655	806	249	139	95	79	1368	161	79	88	135	246	223	206	284	349	357	159
Small-pox	54	12	6	6	7	8	39	9	1	2	1	2	-	-	-	-	-	-
Measles	40	4	13	13	2	4	36	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	179	8	20	34	30	25	117	45	9	5	1	2	-	-	-	-	-	-
Diphtheria	15	-	2	2	-	2	6	4	1	-	-	4	-	-	-	-	-	-
Whooping-cough	87	34	30	12	7	2	85	1	-	-	-	1	-	-	-	-	-	-
Typhus	298	12	18	9	10	12	61	30	26	23	23	29	18	22	25	25	13	3
Cholera, Diarrh., Dysent^{y}	287	148	25	4	4	2	183	4	3	3	4	8	8	9	9	19	29	8
Other Zymotic Dis.	108	41	13	9	7	2	72	3	4	1	1	2	5	4	4	3	9	-
Cancer	122	-	-	-	-	-	-	-	-	-	-	10	24	31	31	14	10	2
Scrofula, Tabes Mesent.	149	96	26	3	2	3	130	6	4	3	1	1	-	-	3	1	-	-
Phthisis	370	11	6	1	2	1	21	15	11	26	56	101	78	37	20	5	-	-
Hydrocephalus	28	12	3	2	2	1	20	6	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	376	97	14	12	10	8	141	13	3	7	8	13	17	19	39	53	45	18
Heart Dis. and Dropsy	151	3	-	1	-	-	4	2	2	3	4	15	14	16	24	46	18	3
Dis. of Lungs	421	76	49	22	9	8	164	7	6	1	3	15	21	22	51	68	45	13
Dis. of Stom. and Liver	143	17	3	1	-	-	21	1	4	4	6	14	15	17	29	25	7	-
Dis. of Kidneys	36	1	1	-	-	-	2	1	-	1	3	5	6	6	5	4	2	1
Dis. of Gener. Organs	21	-	-	-	-	-	-	-	-	2	-	4	6	5	3	1	-	-
Diseases of the Joints	7	-	-	-	-	-	-	1	-	1	1	-	2	-	2	-	-	-
Diseases of the Skin	12	2	-	1	-	-	3	-	-	-	-	-	1	1	1	4	2	-
Childbirth and Metria	33	-	-	-	-	-	-	-	-	3	18	14	2	1	-	-	-	-
Violent Deaths	37	4	1	3	1	1	10	3	1	2	2	-	3	2	4	4	6	-
Other Causes	681	228	19	4	2	-	253	6	2	1	3	6	3	14	34	77	171	111

229.—FLEGG.

Mean Popul^{n}, 1851-61	4249	-	-	-	-	-	592	523	457	359	350	620	472	353	260	165	82	16
TOTAL DEATHS	826	216	36	24	20	20	316	52	26	28	36	51	42	42	51	62	73	47
Small-pox	7	3	-	1	-	-	4	2	-	-	1	-	-	-	-	-	-	-
Measles	4	-	-	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	52	2	7	5	5	9	28	17	6	-	1	-	-	-	-	-	-	-
Diphtheria	4	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough	20	14	3	-	-	2	19	1	-	-	-	-	-	-	-	-	-	-
Typhus	44	1	-	3	2	1	7	4	3	6	4	4	-	7	4	2	2	1
Cholera, Diarrh., Dysent^{y}	53	22	2	-	1	-	25	2	-	1	-	-	-	2	4	2	10	7
Other Zymotic Dis.	27	16	1	3	-	2	22	-	-	-	1	1	-	-	1	1	1	-
Cancer	20	-	-	-	-	-	-	-	-	-	-	-	4	7	3	5	1	-
Scrofula, Tabes Mesent.	18	5	3	4	-	-	12	1	2	-	-	1	1	-	1	-	-	-
Phthisis	136	4	3	-	1	-	8	9	5	12	21	33	23	10	9	4	2	-
Hydrocephalus	6	2	1	-	-	1	4	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	72	15	2	2	2	2	23	3	4	2	2	2	3	1	5	9	14	4
Heart Dis. and Dropsy	38	-	-	-	-	-	-	-	-	2	-	4	2	3	6	10	8	3
Dis. of Lungs	86	30	5	3	7	2	47	6	1	1	2	1	1	3	8	7	7	2
Dis. of Stom. and Liver	40	3	1	-	-	-	4	-	2	2	-	1	3	6	6	9	5	2
Dis. of Kidneys	7	-	-	-	-	-	-	1	-	-	1	-	1	1	1	2	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	7	-	-	-	-	-	-	-	-	1	1	3	2	-	-	-	-	-
Violent Deaths	13	5	1	-	1	-	7	-	-	-	1	-	-	1	1	-	2	1
Other Causes	166	93	7	1	1	1	103	1	1	-	1	-	1	1	1	9	21	27

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
230.—TUNSTEAD.																		
Mean Popul^{n}, 1851-61	7482	-	-	-	-	-	990	932	836	743	574	905	769	683	555	328	146	21
TOTAL DEATHS	1545	410	68	30	26	27	561	93	66	60	47	59	66	72	111	169	166	75
Small-pox	4	2	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-
Measles	9	5	2	1	-	-	8	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	84	10	7	6	8	11	42	21	15	2	2	1	-	-	-	1	-	-
Diphtheria	67	5	5	4	5	4	23	24	10	5	3	-	2	-	-	-	-	-
Whooping-cough	25	19	3	2	1	-	25	-	-	-	-	-	-	-	-	-	-	-
Typhus	66	2	3	1	4	-	10	7	11	8	5	7	6	7	4	-	-	1
Cholera, Diarrh., Dysent^{y}	29	14	2	1	-	-	17	-	-	-	-	-	1	-	5	1	2	3
Other Zymotic Dis.	53	26	3	1	3	-	33	2	1	-	2	2	3	2	2	1	4	1
Cancer	15	-	-	-	-	-	-	-	1	-	-	-	-	3	4	5	2	-
Scrofula, Tabes Mesent.	49	16	6	2	2	2	28	7	2	2	1	4	1	-	2	2	-	-
Phthisis	161	22	1	1	-	-	24	9	7	24	24	25	17	17	10	4	-	-
Hydrocephalus	9	2	2	3	-	-	7	1	1	-	-	-	-	-	-	-	1	2
Diseases of Brain	123	28	8	1	1	-	38	5	3	2	1	2	4	10	10	21	22	5
Heart Dis. and Dropsy	53	1	-	-	-	1	2	-	-	1	1	3	7	8	9	15	6	1
Dis. of Lungs	140	28	12	1	1	4	46	2	2	3	-	2	5	6	16	32	21	5
Dis. of Stom. and Liver	77	8	-	-	-	1	9	1	3	2	1	2	4	6	17	20	12	-
Dis. of Kidneys	38	-	-	-	-	-	-	-	-	-	-	1	1	2	4	15	12	3
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2
Diseases of the Joints	8	-	1	-	-	-	1	2	-	-	-	2	1	2	-	-	-	-
Diseases of the Skin	3	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	63	3	1	1	-	4	9	2	9	7	4	4	5	4	10	6	2	1
Other Causes	465	218	11	5	1	-	235	8	1	4	3	4	8	4	17	46	82	53
231.—ERPINGHAM.																		
Mean Popul^{n}, 1851-61	10524	-	-	-	-	-	1342	1267	1196	1028	784	1365	1154	944	743	453	207	31
TOTAL DEATHS	2219	625	97	41	65	22	850	104	65	87	73	107	90	105	161	219	267	91
Small-pox	11	4	1	-	-	1	6	1	-	1	2	-	1	-	-	-	-	-
Measles	8	1	4	1	1	-	7	-	-	-	-	1	-	-	-	-	-	-
Scarlatina	76	7	2	4	21	4	38	19	8	5	3	3	-	-	-	-	-	-
Diphtheria	67	1	3	7	7	2	20	15	16	5	5	1	2	1	2	-	-	-
Whooping-cough	27	19	4	1	-	1	25	2	-	-	-	-	-	-	-	-	-	-
Typhus	83	3	3	5	4	1	16	13	9	10	8	12	3	5	2	5	-	-
Cholera, Diarrh., Dysent^{y}	65	23	1	3	2	-	29	4	2	1	2	2	1	2	5	7	9	1
Other Zymotic Dis.	120	57	5	1	4	4	71	8	1	4	1	2	2	4	7	15	4	1
Cancer	18	-	-	-	-	-	-	-	-	-	-	2	-	3	8	3	2	-
Scrofula, Tabes Mesent.	67	29	9	2	-	3	43	3	4	2	1	2	-	6	2	4	-	-
Phthisis	261	16	5	1	1	1	24	8	16	35	35	56	38	22	13	12	2	-
Hydrocephalus	16	5	6	1	-	-	12	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	176	52	7	-	6	-	65	3	-	5	1	4	7	7	27	32	21	4
Heart Dis. and Dropsy	70	4	1	-	-	-	5	1	2	1	2	-	3	5	17	19	15	-
Dis. of Lungs	229	44	21	10	12	2	89	7	2	2	2	4	10	16	28	31	31	7
Dis. of Stom. and Liver	81	7	2	1	-	1	11	2	1	4	1	3	4	9	23	18	5	-
Dis. of Kidneys	38	1	-	-	-	-	1	-	-	-	1	3	3	6	4	12	8	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	5	1	-	-	1	-	2	-	-	1	1	-	-	-	-	1	-	-
Diseases of the Skin	11	2	-	-	-	-	2	1	-	-	-	1	1	-	-	1	3	2
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	80	2	4	1	3	1	11	8	2	8	7	9	5	9	10	8	3	-
Other Causes	709	347	19	3	3	1	373	6	1	3	1	2	10	9	13	51	164	76
232.—AYLSHAM.																		
Mean Popul^{n}, 1851-61	9706	-	-	-	-	-	1254	1179	1114	1022	760	1166	1004	863	713	416	182	33
TOTAL DEATHS	2075	552	96	65	27	34	774	108	58	67	62	111	80	88	150	198	275	104
Small-pox	6	-	-	-	1	1	2	-	-	1	1	-	2	-	-	-	-	-
Measles	7	-	1	3	-	1	5	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	66	3	5	8	9	4	29	24	8	3	1	1	-	-	-	-	-	-
Diphtheria	55	4	1	9	4	2	20	24	8	1	-	1	-	-	-	1	-	-
Whooping-cough	39	20	9	7	-	1	37	2	-	-	-	-	-	-	-	-	-	-
Typhus	63	1	2	2	-	5	10	5	5	13	6	6	3	4	6	2	3	-
Cholera, Diarrh., Dysent^{y}	77	20	4	3	-	1	28	2	1	1	1	5	4	3	3	11	12	6
Other Zymotic Dis.	100	46	5	6	-	-	57	5	2	1	-	1	4	3	7	9	11	-
Cancer	13	-	-	-	-	-	-	-	-	-	1	-	-	4	4	3	1	-
Scrofula, Tabes Mesent.	44	10	6	1	1	-	18	4	5	5	3	6	1	1	-	1	-	-
Phthisis	216	3	4	1	1	3	12	5	14	27	31	53	28	26	13	5	2	-
Hydrocephalus	28	10	3	2	-	4	19	6	1	1	-	-	-	-	1	-	-	-
Diseases of Brain	193	58	9	4	-	1	72	5	4	3	4	4	7	3	13	37	33	3
Heart Dis. and Dropsy	97	-	1	-	-	-	1	4	-	1	2	4	3	11	27	21	21	2
Dis. of Lungs	196	58	20	5	4	3	90	9	1	1	2	1	11	4	23	25	24	5
Dis. of Stom. and Liver	100	5	-	2	1	-	8	2	-	2	3	10	8	17	23	14	12	1
Dis. of Kidneys	39	-	-	-	1	-	1	1	-	1	1	1	2	4	4	12	11	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-
Diseases of the Skin	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	81	7	3	6	4	7	27	5	5	3	3	13	5	7	6	6	1	-
Other Causes	648	306	23	6	1	1	337	3	2	3	3	3	2	1	20	50	143	81

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
230.—TUNSTEAD.																		
Mean Popul^{n}, 1851-61	7583	-	-	-	-	-	1007	899	810	656	641	1028	816	647	523	358	163	35
TOTAL DEATHS	1647	346	62	26	30	26	490	114	70	73	55	111	90	72	111	167	184	101
Small-pox	4	-	-	2	2	-	4	-	-	-	-	-	-	-	-	-	-	-
Measles	4	1	1	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	85	5	3	5	11	6	30	30	17	1	3	2	1	1	-	-	-	-
Diphtheria	77	3	1	2	1	11	18	31	12	4	1	2	2	3	2	1	1	-
Whooping-cough	31	19	7	3	1	-	30	1	-	-	-	-	-	-	-	-	-	-
Typhus	62	3	4	1	1	-	9	11	3	7	5	8	5	5	4	4	-	1
Cholera, Diarrh., Dysent^{y}	51	10	1	-	4	1	16	2	-	-	2	1	1	4	5	8	9	3
Other Zymotic Dis.	59	25	2	2	3	1	33	6	2	-	-	-	3	2	4	4	5	-
Cancer	34	-	1	-	-	1	2	-	-	-	2	1	2	5	10	10	2	-
Scrofula, Tabes Mesent.	36	16	7	1	2	-	26	1	2	-	-	2	2	1	1	1	-	-
Phthisis	254	24	2	-	-	-	26	9	23	44	28	60	35	13	12	4	-	-
Hydrocephalus	8	2	-	1	2	1	6	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	114	19	2	1	2	2	26	3	2	2	1	2	8	4	14	23	25	4
Heart Dis. and Dropsy	44	1	-	-	-	-	1	-	1	2	-	2	2	2	8	12	5	2
Dis. of Lungs	127	15	12	1	5	1	34	2	-	1	1	3	6	5	16	32	16	6
Dis. of Stom. and Liver	72	5	1	-	-	-	6	2	3	2	2	5	6	9	14	17	6	-
Dis. of Kidneys	5	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-
Dis of Gener. Organs.	11	-	-	-	-	-	-	-	-	-	1	-	1	2	4	2	1	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-
Diseases of the Skin	5	2	1	-	-	-	3	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	4	6	8	9	1	-	-	-	-
Violent Deaths	33	2	3	2	1	-	8	4	1	2	2	2	1	1	1	4	5	2
Other Causes	500	194	14	4	3	2	217	9	4	3	1	8	6	5	13	43	108	81
231.—ERPINGHAM.																		
Mean Popul^{n}, 1851-61	10773	-	-	-	-	-	1302	1197	1093	978	914	1537	1249	964	739	511	250	39
TOTAL DEATHS	2286	491	97	47	33	35	703	132	62	95	93	173	126	111	139	218	300	134
Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Measles	7	1	3	2	-	-	6	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	79	2	3	11	3	5	29	31	6	5	1	2	4	-	1	-	-	-
Diphtheria	70	2	4	5	3	6	20	29	11	7	1	1	-	1	-	-	-	-
Whooping-cough	43	20	17	1	1	2	41	2	-	-	-	-	-	-	-	-	-	-
Typhus	90	5	6	1	2	3	17	15	9	9	9	13	5	4	5	2	2	-
Cholera, Diarrh., Dysent^{y}	75	22	4	1	1	1	29	3	-	-	1	1	3	1	4	12	14	7
Other Zymotic Dis.	109	37	5	5	2	4	53	9	4	2	2	4	2	1	5	11	6	1
Cancer	43	-	-	-	-	-	-	-	-	-	-	1	5	8	16	8	4	1
Scrofula, Tabes Mesent.	39	12	4	-	1	1	18	2	2	1	-	4	4	2	3	2	1	-
Phthisis	566	17	2	1	3	2	25	8	23	58	49	100	52	27	16	7	1	-
Hydrocephalus	12	4	3	1	-	-	8	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	160	38	4	1	1	1	45	3	2	1	6	8	2	14	15	20	30	4
Heart Dis. and Dropsy	108	1	-	1	-	-	2	-	-	2	2	3	12	17	15	32	15	3
Dis. of Lungs	187	31	18	6	5	5	65	15	3	2	6	7	8	10	14	20	33	4
Dis. of Stom. and Liver	104	9	1	1	1	1	13	2	-	2	3	10	10	9	20	27	4	4
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	2	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	1	-	2	4	1	2	-	2	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
Diseases of the Skin	5	1	-	1	-	-	2	-	-	-	-	-	1	1	1	1	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	4	3	6	10	-	-	-	-	-
Violent Deaths	30	2	-	3	2	2	9	3	-	1	2	-	-	2	3	3	4	3
Other Causes	719	287	23	6	3	2	321	6	1	-	8	4	3	11	15	61	182	107
232.—AYLSHAM.																		
Mean Popul^{n}, 1851-61	9824	-	-	-	-	-	1230	1150	1033	878	796	1365	1050	897	686	462	221	56
TOTAL DEATHS	2038	418	69	48	42	35	612	118	70	77	84	128	115	91	130	197	290	123
Small-pox	3	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Measles	8	-	3	-	2	1	6	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	71	2	4	8	8	5	27	28	10	3	1	-	2	-	-	-	-	-
Diphtheria	53	1	2	6	4	3	21	11	9	7	1	2	-	1	-	1	-	-
Whooping-cough	40	20	9	2	4	3	38	1	1	-	-	-	-	-	-	-	-	-
Typhus	88	-	1	2	6	2	11	14	12	11	11	11	6	5	1	2	4	-
Cholera, Diarrh., Dysent^{y}	65	20	2	1	-	2	25	1	-	-	1	3	4	3	3	9	15	1
Other Zymotic Dis.	90	33	3	2	2	5	45	7	-	2	2	1	1	2	6	8	14	2
Cancer	44	-	-	-	-	-	-	-	-	-	1	-	7	8	16	6	6	-
Scrofula, Tabes Mesent.	36	11	3	2	1	-	17	3	4	3	2	3	1	2	1	-	-	-
Phthisis	221	7	-	1	2	1	11	15	19	43	49	66	39	19	14	5	1	-
Hydrocephalus	14	4	2	2	-	-	8	4	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	214	38	13	4	1	2	58	5	3	1	2	9	7	13	24	38	48	6
Heart Dis. and Dropsy	95	1	-	-	-	-	1	1	2	1	2	5	9	10	10	33	21	-
Dis. of Lungs	167	39	13	5	6	1	64	6	4	3	2	10	6	8	15	24	22	3
Dis. of Stom. and Liver	71	3	-	-	-	1	4	5	-	-	2	4	5	7	16	18	8	2
Dis. of Kidneys	15	-	-	-	-	-	-	-	-	-	-	1	6	2	4	2	-	-
Dis. of Gener. Organs	9	-	-	-	1	-	1	-	-	-	-	1	5	1	-	-	1	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Diseases of the Skin	5	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	2	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	1	3	8	9	1	-	-	-	-
Violent Deaths	28	4	1	3	2	2	12	3	2	-	-	1	1	1	1	1	4	2
Other Causes	617	233	12	8	3	2	258	12	1	2	5	3	6	7	19	50	144	110

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
233.—ST. FAITHS.																		
Mean Popul^{n}, 1851-61	5756	-	-	-	-	-	734	731	643	581	467	693	602	536	395	244	107	18
TOTAL DEATHS	1033	297	60	22	30	19	428	45	19	23	36	47	39	44	79	115	105	53
Small-pox	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	8	1	4	2	1	-	8	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	53	3	4	5	15	7	34	13	3	-	1	2	-	-	-	-	-	-
Diphtheria	4	-	-	-	1	-	1	2	-	-	-	-	-	-	1	-	-	-
Whooping-cough	16	10	3	-	2	1	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	36	2	2	2	2	-	8	1	2	-	8	6	3	2	2	3	1	-
Cholera, Diarrh., Dysent^{y}	37	14	1	2	-	-	17	-	-	1	-	-	2	3	6	4	4	-
Other Zymotic Dis.	64	33	4	2	3	3	45	4	1	1	2	2	3	1	1	3	1	-
Cancer	15	-	-	-	-	-	-	-	-	-	-	-	1	2	7	2	2	1
Scrofula, Tabes Mesent.	18	4	3	1	-	-	8	2	1	2	1	1	-	-	1	2	-	-
Phthisis	94	6	7	-	-	3	16	3	-	9	19	17	14	3	8	4	1	-
Hydrocephalus	13	2	1	1	1	1	6	4	1	2	-	-	-	-	-	-	-	-
Diseases of Brain	85	30	3	1	-	1	35	4	-	1	-	3	2	6	13	9	9	3
Heart Dis. and Dropsy	61	3	-	-	-	-	3	1	1	1	-	2	4	7	7	26	5	4
Dis. of Lungs	123	33	14	3	4	1	55	2	4	-	-	3	4	3	9	20	17	6
Dis. of Stom. and Liver	40	7	-	-	-	1	8	1	1	-	-	-	3	4	7	12	4	-
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	-	-	2	-	-	5	3	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	48	1	2	1	-	1	5	6	4	5	3	6	2	6	4	3	4	-
Other Causes	300	148	12	2	1	-	163	1	1	1	2	3	1	7	8	24	51	38
234.—NORWICH.																		
Mean Popul^{n}, 1851-61	32470	-	-	-	-	-	4279	3652	3310	2988	2774	4757	3770	2970	2205	1239	410	56
TOTAL DEATHS	8670	2627	637	323	236	126	3949	325	145	190	219	463	479	514	703	853	672	158
Small-pox	108	27	15	15	15	12	84	17	2	2	-	2	1	-	-	-	-	-
Measles	135	23	54	33	14	7	131	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	224	15	13	30	34	26	118	70	14	10	2	4	3	-	3	-	-	-
Diphtheria	17	-	2	1	2	1	6	6	3	-	-	-	1	-	-	1	-	-
Whooping-cough	183	79	50	32	15	5	181	2	-	-	-	-	-	-	-	-	-	-
Typhus	331	21	14	27	28	10	100	51	29	18	19	29	13	27	17	22	6	-
Cholera, Diarrh., Dysent^{y}	719	391	66	17	11	5	490	20	7	7	7	14	19	17	32	48	50	8
Other Zymotic Dis.	331	134	26	14	12	8	194	14	4	5	2	17	16	22	25	23	7	2
Cancer	85	-	-	-	-	-	-	2	1	1	1	5	5	15	23	26	6	-
Scrofula, Tabes Mesent.	175	64	24	10	10	2	110	12	5	7	6	11	7	8	6	3	-	-
Phthisis	878	20	11	8	7	4	50	18	24	65	118	219	181	116	66	17	4	-
Hydrocephalus	136	59	40	15	6	6	126	7	1	1	-	-	1	-	-	-	-	-
Diseases of Brain	1073	417	52	22	22	14	527	16	12	8	14	34	52	73	97	145	85	10
Heart Dis. and Dropsy	417	37	6	3	2	-	48	10	6	8	9	18	38	46	96	87	47	4
Dis. of Lungs	1062	295	129	53	28	12	517	17	5	6	9	27	33	50	121	171	90	16
Dis. of Stom. and Liver	347	39	2	3	4	5	53	9	7	10	3	17	40	50	82	55	16	5
Dis. of Kidneys	167	-	2	3	-	1	6	4	3	4	5	10	15	15	31	41	28	5
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
Diseases of the Joints	34	1	1	-	1	-	3	3	5	5	3	4	1	2	-	3	5	-
Diseases of the Skin	19	4	1	-	-	-	5	-	-	1	-	1	-	3	4	3	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	274	14	4	4	6	5	33	31	14	25	13	32	32	29	29	21	14	1
Other Causes	1952	987	125	33	19	3	1167	12	3	7	7	18	21	41	71	186	313	106
235.—FOREHOE.																		
Mean Popul^{n}, 1851-61	6503	-	-	-	-	-	853	804	730	644	485	798	634	615	431	265	119	25
TOTAL DEATHS	1351	372	68	35	26	26	527	72	43	36	45	53	53	59	104	135	160	64
Small-pox	9	2	2	-	1	-	5	1	2	-	-	1	-	-	-	-	-	-
Measles	10	3	3	1	-	1	8	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	80	6	14	8	8	7	43	24	9	2	-	1	-	-	1	-	-	-
Diphtheria	4	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	23	11	4	2	1	3	21	2	-	-	-	-	-	-	-	-	-	-
Typhus	81	1	4	-	4	2	11	9	12	6	6	11	9	-	3	6	8	-
Cholera, Diarrh., Dysent^{y}	36	17	1	3	-	-	21	1	-	-	1	-	-	1	5	4	2	1
Other Zymotic Dis.	67	36	2	4	2	-	44	5	1	-	-	1	-	1	6	2	6	1
Cancer	4	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1
Scrofula, Tabes Mesent.	13	2	1	1	-	2	6	1	-	-	1	2	2	1	-	-	-	-
Phthisis	107	-	-	-	-	1	1	3	3	14	27	24	17	8	8	2	-	-
Hydrocephalus	4	1	1	1	-	1	4	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	122	35	4	2	1	-	42	5	2	2	1	3	7	2	18	20	17	3
Heart Dis. and Dropsy	49	-	1	-	-	1	2	1	2	3	1	-	3	3	10	11	13	-
Dis. of Lungs	142	36	9	5	1	3	54	5	-	2	2	3	3	9	14	24	20	6
Dis. of Stom. and Liver	61	9	1	-	-	1	11	1	1	1	-	1	5	12	10	15	4	-
Dis. of Kidneys	27	-	-	-	-	-	-	-	1	-	-	-	1	2	2	14	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	47	7	2	1	2	1	13	2	3	4	1	-	1	7	9	3	1	1
Other Causes	459	205	19	7	5	2	238	9	5	2	4	6	4	13	15	32	81	50

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	7 –	85 & upwds.
233.—ST. FAITHS.																		
Mean Popul^{n}, 1851-61	6064	-	-	-	-	-	733	684	611	540	551	866	709	563	396	275	114	22
TOTAL DEATHS	1040	250	40	23	14	18	345	41	33	42	32	69	57	55	66	114	124	62
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Scarlatina	34	1	2	2	-	4	9	17	5	-	1	1	1	-	-	-	-	-
Diphtheria	4	-	-	1	-	2	3	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough	27	17	3	2	1	2	25	1	-	-	-	-	1	-	-	-	-	-
Typhus	61	3	1	2	1	1	8	8	7	7	4	5	2	4	6	5	5	-
Cholera, Diarrh., Dysent^{y}	40	15	2	-	-	1	18	-	1	-	1	1	1	2	1	9	5	1
Other Zymotic Dis.	62	37	1	2	4	5	49	1	1	2	-	-	1	-	2	2	4	-
Cancer	35	-	-	-	-	-	-	-	-	-	-	1	7	8	9	6	3	1
Scrofula, Tabes Mesent.	20	5	2	-	-	1	8	3	1	1	1	-	2	2	1	1	-	-
Phthisis	141	2	1	1	-	-	4	-	12	21	18	41	19	14	9	1	2	-
Hydrocephalus	10	5	-	-	1	-	6	3	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	97	28	3	3	-	-	34	1	-	3	1	2	4	6	9	18	18	1
Heart Dis. and Dropsy	62	-	-	1	-	-	1	-	2	3	-	1	5	6	11	19	12	2
Dis. of Lungs	86	25	9	4	1	1	40	3	1	1	-	2	-	3	7	11	13	5
Dis. of Stom. and Liver	32	3	-	1	1	-	5	-	-	2	1	3	3	3	4	9	2	-
Dis. of Kidneys	4	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	17	-	-	-	-	-	-	-	-	-	3	7	7	-	-	-	-	-
Violent Deaths	19	1	2	1	4	-	8	1	1	-	-	1	-	1	-	3	3	1
Other Causes	280	107	13	3	1	1	125	2	2	-	-	4	2	4	6	28	56	51
234.—NORWICH.																		
Mean Popul^{n}, 1851-61	38847	-	-	-	-	-	4351	3692	3465	3818	3808	6190	4641	3553	2696	1797	725	111
TOTAL DEATHS	9104	2003	602	326	216	165	3312	382	172	231	321	627	536	528	700	962	978	355
Small-pox	111	17	17	13	12	14	73	18	3	6	1	7	2	-	-	-	1	-
Measles	129	27	48	28	15	5	123	5	-	1	-	-	-	-	-	-	-	-
Scarlatina	239	10	24	34	30	34	132	78	11	8	4	-	2	3	1	-	-	-
Diphtheria	32	1	3	2	2	4	12	12	4	1	2	-	-	-	1	-	-	-
Whooping-cough	203	87	55	26	18	7	193	9	1	-	-	-	-	-	-	-	-	-
Typhus	405	13	21	30	26	25	115	71	43	34	24	36	19	20	19	18	5	1
Cholera, Diarrh., Dysent^{y}	650	285	54	26	15	5	385	17	7	6	12	28	21	23	35	54	49	13
Other Zymotic Dis.	308	126	20	19	18	10	193	22	6	4	3	12	8	14	13	17	14	2
Cancer	254	1	-	-	-	-	1	1	1	1	-	14	53	52	69	45	14	3
Scrofula, Tabes Mesent.	164	60	24	7	3	5	99	7	9	7	9	12	9	6	4	2	-	-
Phthisis	1026	13	9	9	7	5	43	22	41	105	169	283	185	103	54	18	3	-
Hydrocephalus	79	24	21	13	11	4	73	4	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	1016	275	55	32	13	13	388	23	15	11	15	41	58	70	109	161	106	21
Heart Dis. and Dropsy	532	22	6	1	1	3	33	9	3	3	13	31	36	72	114	138	72	8
Dis. of Lungs	1070	225	127	46	29	15	442	30	7	16	9	32	35	51	119	181	121	27
Dis. of Stom. and Liver	340	13	5	2	1	1	22	13	6	10	14	25	29	53	71	54	37	6
Dis. of Kidneys	49	-	-	-	-	-	-	2	1	1	2	12	7	6	10	4	4	-
Dis. of Gener. Organs	55	-	-	-	-	-	-	-	-	1	2	7	17	15	5	6	2	-
Diseases of the Joints	28	1	1	1	-	-	3	5	3	2	5	3	4	-	2	1	-	-
Diseases of the Skin	22	10	-	1	-	-	11	-	1	-	-	1	-	3	-	3	3	-
Childbirth and Metria	112	-	-	-	-	-	-	-	-	5	21	57	29	-	-	-	-	-
Violent Deaths	132	18	2	6	6	6	38	13	2	2	4	10	6	13	12	15	12	5
Other Causes	2148	775	110	30	9	9	933	21	7	6	12	16	18	24	62	245	535	269
235.—FOREHOE.																		
Mean Popul^{n}, 1851-61	6639	-	-	-	-	-	803	763	700	603	551	935	745	619	434	283	131	27
TOTAL DEATHS	1330	269	42	30	19	22	382	69	41	68	69	87	89	66	80	108	191	80
Small-pox	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
Measles	7	2	-	1	-	-	3	2	-	1	1	-	-	-	-	-	-	-
Scarlatina	63	3	5	6	2	8	24	22	9	6	1	-	-	-	1	-	-	-
Diphtheria	4	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-
Whooping-cough	29	16	5	3	2	1	27	2	-	-	-	-	-	-	-	-	-	-
Typhus	74	2	1	3	2	3	11	14	10	15	5	4	2	2	4	1	5	1
Cholera, Diarrh., Dysent^{y}	29	5	2	-	1	-	8	2	2	1	-	1	-	-	-	3	8	4
Other Zymotic Dis.	65	32	3	4	3	4	46	2	-	1	-	5	1	-	2	4	3	1
Cancer	27	1	-	-	-	-	1	-	-	-	-	2	3	5	5	8	2	1
Scrofula, Tabes Mesent.	15	1	-	-	-	-	1	-	2	1	3	1	2	2	1	-	1	1
Phthisis	165	1	-	-	1	-	2	2	4	27	36	39	35	14	6	-	-	-
Hydrocephalus	5	3	-	-	1	-	4	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	100	25	2	2	2	1	32	1	-	4	1	4	3	9	9	18	16	3
Heart Dis. and Dropsy	66	-	-	-	-	-	-	-	1	-	4	2	5	8	8	18	20	-
Dis. of Lungs	115	22	9	4	3	1	39	6	3	1	3	2	5	5	12	17	21	1
Dis. of Stom. and Liver	50	2	-	-	-	-	2	2	2	-	1	5	7	7	9	6	9	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	-	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	1	-	1	4	2	1	-	1	-
Diseases of the Joints	5	1	-	-	-	-	1	-	-	-	-	-	-	-	1	2	1	-
Diseases of the Skin	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	1	9	8	11	-	-	-	-	-
Violent Deaths	31	7	2	2	2	2	15	5	-	-	-	-	1	1	1	3	4	1
Other Causes	427	145	13	5	-	1	164	7	6	8	3	11	8	10	19	25	99	67

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
236.—HENSTEAD.																		
Mean Popul^{n}, 1851-61	5687	-	-	-	-	-	715	676	626	581	421	694	615	541	434	256	109	19
TOTAL DEATHS	1093	314	39	27	13	17	410	56	32	28	37	63	45	59	79	109	130	45
Small-pox	7	3	2	1	-	-	6	-	-	-	-	-	1	-	-	-	-	-
Measles	5	2	1	1	-	-	4	-	-	-	-	-	-	-	1	-	-	-
Scarlatina	30	3	2	2	7	1	15	11	1	1	1	-	-	-	1	-	-	-
Diphtheria	6	-	-	-	-	1	1	4	-	1	-	-	-	-	-	-	-	-
Whooping-cough	12	9	2	-	-	1	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	83	6	2	-	1	2	11	16	9	4	8	11	6	5	7	8	3	-
Cholera, Diarrh., Dysent^{y}	32	13	1	1	-	-	15	1	-	-	-	1	2	-	3	6	4	-
Other Zymotic Dis.	51	17	2	2	2	3	26	3	3	3	-	1	1	2	5	4	3	-
Cancer	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1
Scrofula, Tabes Mesent.	31	22	1	2	-	-	25	2	-	-	3	1	-	-	-	-	-	-
Phthisis	129	11	1	1	-	-	13	7	10	9	15	32	20	12	8	3	-	-
Hydrocephalus	7	3	-	2	-	1	6	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	84	27	3	2	1	1	34	-	-	2	1	-	1	4	8	12	17	5
Heart Dis. and Dropsy	53	3	-	-	-	1	4	-	2	1	2	3	1	6	5	16	12	1
Dis. of Lungs	104	23	8	6	-	3	40	3	1	2	3	1	4	6	14	19	9	2
Dis. of Stom. and Liver	62	5	1	-	-	-	6	1	-	2	1	7	3	15	8	12	6	1
Dis. of Kidneys	23	-	-	-	-	-	-	-	-	-	-	2	1	2	5	7	4	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	31	1	2	1	-	2	6	1	3	1	-	3	2	2	3	4	4	-
Other Causes	331	165	11	6	2	1	185	5	2	2	3	1	2	4	7	22	65	33
237.—BLOFIELD.																		
Mean Popul^{n}, 1851-61	5757	-	-	-	-	-	792	711	623	547	445	736	615	510	418	247	37	16
TOTAL DEATHS	1157	236	46	22	24	25	353	67	33	44	40	79	94	57	98	127	114	51
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	8	1	1	2	1	1	6	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	69	4	5	8	10	12	39	18	5	7	-	-	-	-	-	-	-	-
Diphtheria	22	1	4	-	4	-	9	10	1	1	-	1	-	-	-	-	-	-
Whooping-cough	10	5	4	-	-	-	9	1	-	-	-	-	-	-	-	-	-	-
Typhus	51	8	-	1	-	4	13	6	3	7	3	6	6	1	2	4	-	-
Cholera, Diarrh., Dysent^{y}	16	5	2	1	-	-	8	-	-	-	-	-	1	1	2	2	1	1
Other Zymotic Dis.	63	39	2	-	2	1	44	3	4	2	-	1	-	1	2	4	2	-
Cancer	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Scrofula, Tabes Mesent.	18	6	2	-	-	-	8	1	2	1	1	2	1	1	-	-	1	-
Phthisis	117	5	1	1	-	1	8	5	5	18	25	28	17	4	6	1	-	-
Hydrocephalus	15	3	3	1	-	3	10	4	-	-	-	-	-	1	-	-	-	-
Diseases of Brain	193	33	2	1	-	1	37	2	2	8	4	17	31	26	23	32	15	1
Heart Dis. and Dropsy	54	1	-	1	-	-	2	2	1	-	-	2	9	4	15	13	4	2
Dis. of Lungs	122	20	11	2	2	2	37	3	-	3	1	6	8	6	19	23	13	3
Dis. of Stom. and Liver	44	6	-	-	-	-	6	2	3	-	1	3	2	5	12	6	2	2
Dis. of Kidneys	18	-	-	-	-	-	-	1	-	-	-	2	2	2	1	7	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	53	2	1	4	4	-	11	8	5	2	5	6	8	-	5	2	1	-
Other Causes	276	97	7	-	1	-	105	-	1	-	-	5	7	4	10	31	71	42
238.—LODDON.																		
Mean Popul^{n}, 1851-61	7195	-	-	-	-	-	925	865	827	682	559	866	753	675	525	345	151	99
TOTAL DEATHS	1420	402	53	33	18	30	536	61	42	46	45	56	64	75	92	165	166	72
Small-pox	2	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
Measles	8	2	2	2	-	-	6	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	54	1	5	6	3	7	22	20	10	-	-	-	1	1	-	-	-	-
Diphtheria	12	-	1	1	1	4	7	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	14	9	3	1	1	-	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	65	1	-	2	2	2	7	7	7	10	4	8	4	6	3	6	3	-
Cholera, Diarrh., Dysent^{y}	44	18	1	2	-	1	22	1	2	-	-	1	1	2	1	7	6	1
Other Zymotic Dis.	60	22	2	1	1	3	29	5	1	1	2	-	6	4	4	5	2	1
Cancer	12	-	-	-	-	-	-	-	-	-	-	2	-	2	4	2	2	-
Scrofula, Tabes Mesent.	31	15	3	-	-	-	18	1	2	1	3	2	2	-	1	-	1	-
Phthisis	142	6	3	1	1	1	12	5	6	18	29	25	22	15	10	-	-	-
Hydrocephalus	27	12	3	-	1	4	20	6	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	107	27	7	2	-	2	38	2	5	3	1	3	1	9	8	20	16	1
Heart Dis. and Dropsy	59	1	-	-	-	-	1	-	-	1	-	2	6	4	11	25	7	2
Dis. of Lungs	165	42	11	6	3	2	64	6	2	4	1	3	9	9	14	29	18	6
Dis. of Stom. and Liver	68	9	-	1	1	1	12	-	1	3	3	3	5	9	10	15	6	1
Dis. of Kidneys	32	-	-	-	-	-	-	-	-	-	-	1	1	1	2	6	5	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Diseases of the Skin	4	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	58	2	2	5	3	1	13	3	3	3	1	5	4	8	8	9	1	-
Other Causes	454	232	10	3	1	-	246	-	-	2	-	-	2	4	11	33	99	57

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
236.—HENSTEAD.																		
Mean Popln, 1851-61	5730	-	-	-	-	-	729	654	599	478	468	807	644	522	427	255	124	23
TOTAL DEATHS	1110	239	38	27	21	18	343	50	41	47	42	66	70	68	66	128	136	53
Small-pox	7	2	2	1	-	-	5	1	-	1	-	-	-	-	-	-	-	-
Measles	9	-	1	2	1	1	5	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	37	2	2	5	4	2	15	15	2	2	1	-	1	-	-	-	1	-
Diphtheria	6	-	1	-	2	-	3	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough	15	10	2	1	-	-	13	2	-	-	-	-	-	-	-	-	-	-
Typhus	78	-	3	-	3	4	10	11	14	7	10	7	5	5	4	3	1	1
Cholera, Diarrh., Dysentv	24	11	2	-	2	-	15	-	-	-	-	2	1	1	-	4	-	1
Other Zymotic Dis.	45	21	1	3	1	3	29	1	1	1	-	1	1	1	-	4	6	-
Cancer	31	1	-	1	-	1	3	-	-	-	-	-	3	7	7	7	3	1
Scrofula, Tabes Mesent.	27	16	2	1	-	-	19	1	3	-	1	-	-	1	-	2	-	-
Phthisis	142	6	-	1	-	-	7	4	13	21	22	33	21	9	8	4	-	-
Hydrocephalus	5	2	1	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	88	12	2	3	2	1	20	2	-	1	1	2	6	8	10	20	13	5
Heart Dis. and Dropsy	73	-	-	-	-	-	-	-	1	1	3	2	7	11	12	25	11	-
Dis. of Lungs	93	18	7	3	5	3	36	3	3	2	1	4	3	4	4	16	15	2
Dis. of Stom. and Liver	42	3	-	-	-	-	3	1	-	1	-	4	3	3	11	8	3	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	-	-	4	2	3	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	3	1	7	11	-	-	-	-	-
Violent Deaths	10	1	-	1	-	1	3	-	-	1	-	-	1	2	1	-	2	-
Other Causes	237	134	12	4	1	2	153	4	2	5	2	4	4	6	5	29	80	43
237.—BLOFIELD.																		
Mean Popln, 1851-61	5791	-	-	-	-	-	740	699	598	475	496	840	672	519	386	239	104	23
TOTAL DEATHS	1173	210	36	29	25	15	315	55	40	39	54	96	87	80	104	106	124	73
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	6	1	-	2	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	52	1	2	7	8	5	23	13	11	1	2	-	1	-	-	1	-	-
Diphtheria	16	-	-	1	3	1	5	6	4	-	-	-	-	1	-	-	-	-
Whooping-cough	15	9	3	2	1	-	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	50	3	1	-	-	1	5	10	5	3	13	6	5	1	2	-	-	-
Cholera, Diarrh., Dysentv	31	13	1	-	-	-	14	-	1	1	-	5	1	-	2	2	3	2
Other Zymotic Dis.	50	27	1	2	1	-	31	2	2	1	-	1	2	3	2	2	4	-
Cancer	27	-	-	-	-	-	-	-	-	-	-	1	2	8	9	6	1	-
Scrofula, Tabes Mesent.	14	5	1	-	-	-	6	-	1	-	2	2	1	1	1	-	-	-
Phthisis	149	3	2	-	-	1	6	4	7	26	25	44	22	10	5	-	-	-
Hydrocephalus	6	2	-	1	1	-	4	-	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	197	22	4	2	2	3	33	4	2	-	7	15	30	24	32	34	13	3
Heart Dis. and Dropsy	45	1	1	-	-	-	2	-	-	2	-	5	4	3	11	9	9	-
Dis. of Lungs	130	19	12	10	5	3	49	6	3	-	2	3	8	8	12	15	19	5
Dis. of Stom. and Liver	39	4	-	1	-	-	5	3	-	-	-	6	3	7	7	6	2	-
Dis. of Kidneys	5	1	-	-	-	-	1	-	-	-	1	-	-	1	-	1	1	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	1	-	-	2	1	3	2	1	-
Diseases of the Joints	4	-	1	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	6	-	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-
Violent Deaths	12	-	1	-	3	-	4	1	-	-	-	1	1	2	-	-	2	1
Other Causes	308	99	6	1	1	1	108	3	2	-	2	3	5	10	17	27	69	62
238.—LODDON.																		
Mean Popln, 1851-61	7473	-	-	-	-	-	912	918	786	670	609	1024	851	659	518	341	159	26
TOTAL DEATHS	1430	318	47	29	19	30	443	71	45	55	72	71	96	67	103	145	182	80
Small-pox	6	2	-	1	-	-	3	1	1	-	-	1	-	-	-	-	-	-
Measles	8	-	2	3	-	-	5	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	57	2	3	4	6	5	20	21	10	4	1	-	-	-	-	1	-	-
Diphtheria	9	-	-	-	-	-	-	6	2	-	-	-	-	1	-	-	-	-
Whooping-cough	26	12	7	4	2	1	26	-	-	-	-	-	-	-	-	-	-	-
Typhus	42	2	-	1	-	1	4	7	2	8	2	4	3	1	3	5	3	-
Cholera, Diarrh., Dysentv	47	21	2	2	-	1	26	3	-	2	2	2	-	-	1	8	2	1
Other Zymotic Dis.	38	11	1	1	2	1	16	4	5	-	-	-	5	-	2	3	2	1
Cancer	33	-	-	-	-	1	1	-	-	-	-	-	6	5	11	7	3	-
Scrofula, Tabes Mesent.	33	15	-	1	-	1	17	2	1	2	2	4	3	-	2	-	-	-
Phthisis	214	12	2	2	-	4	20	4	13	26	41	38	38	20	10	4	-	-
Hydrocephalus	26	9	4	-	2	4	19	4	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	96	12	1	1	-	1	15	2	4	4	4	3	7	3	15	19	17	3
Heart Dis. and Dropsy	81	1	-	-	-	-	1	2	1	2	2	-	4	8	17	24	17	3
Dis. of Lungs	149	36	11	5	4	4	60	3	2	2	4	5	6	10	15	23	16	3
Dis. of Stom. and Liver	57	5	-	1	1	1	8	1	-	2	3	3	4	4	15	11	6	-
Dis. of Kidneys	20	-	1	1	-	-	2	2	-	-	-	3	3	1	3	5	1	-
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	-	-	3	4	5	1	3	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1
Childbirth and Metria	20	-	-	-	-	-	-	-	-	1	7	3	9	-	-	-	-	-
Violent Deaths	23	1	1	1	1	5	9	4	2	1	1	-	1	-	1	-	3	1
Other Causes	422	177	12	1	1	-	191	2	-	-	3	2	3	8	7	29	110	67

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
239.—DEPWADE.																		
Mean Popul^{n}, 1851-61	12723	-	-	-	-	-	1696	1594	1462	1246	950	1568	1347	1138	877	541	261	43
TOTAL DEATHS	2426	675	109	62	45	29	920	100	64	70	81	120	104	121	145	255	300	146
Small-pox	7	2	-	1	1	-	4	-	-	1	-	-	-	1	-	-	1	-
Measles	9	3	1	1	1	1	7	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	77	8	6	11	10	4	39	23	9	3	1	2	-	-	-	-	-	-
Diphtheria	21	2	2	2	4	-	10	6	2	1	-	1	-	1	-	-	-	-
Whooping-cough	47	27	12	4	-	-	43	4	-	-	-	-	-	-	-	-	-	-
Typhus	86	2	-	2	3	2	9	11	10	10	7	9	2	11	7	9	1	-
Cholera, Diarrh., Dysent^{y}	47	21	3	3	-	1	28	1	-	-	-	-	1	2	7	5	3	-
Other Zymotic Dis.	91	34	3	4	5	3	49	10	2	-	3	4	4	2	2	10	5	-
Cancer	27	-	-	-	-	-	-	-	-	-	-	1	4	4	4	10	4	-
Scrofula, Tabes Mesent.	71	24	11	-	2	1	38	4	5	1	4	5	5	1	4	4	-	-
Phthisis	283	39	5	3	3	1	51	10	14	30	44	59	37	14	12	11	1	-
Hydrocephalus	18	5	4	1	2	1	13	3	1	-	-	1	-	-	-	-	-	-
Dis. of Brain	195	40	9	8	1	8	66	8	3	5	3	7	7	9	18	34	24	11
Heart Dis. and Dropsy	110	3	-	-	-	1	4	2	2	4	1	6	6	8	17	32	26	2
Dis. of Lungs	273	93	26	12	5	2	138	4	4	2	5	9	17	19	19	25	25	6
Dis. of Stom. and Liver	115	16	-	1	1	1	19	4	2	2	3	3	4	22	18	24	13	1
Dis. of Kidneys	55	-	-	-	1	-	1	-	1	2	1	4	3	7	8	17	10	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	1	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	1	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	83	3	4	3	6	3	19	6	4	4	6	5	6	4	10	12	5	2
Other Causes	800	351	23	6	-	-	380	1	4	5	2	4	8	14	18	61	180	123
240.—GUILTCROSS.																		
Mean Popul^{n}, 1851-61	6075	-	-	-	-	-	808	762	695	617	456	703	610	537	423	279	159	26
TOTAL DEATHS	1368	364	74	34	29	19	520	65	35	45	51	66	58	70	83	135	160	80
Small-pox	8	2	-	-	1	-	3	1	-	-	1	-	-	2	-	1	-	-
Measles	7	4	1	-	1	1	7	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	52	4	4	8	9	4	29	11	8	3	-	1	-	-	-	-	-	-
Diphtheria	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Whooping-cough	17	8	9	-	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	59	3	-	-	2	2	7	10	6	5	8	7	6	4	2	4	-	-
Cholera, Diarrh., Dysent^{y}	20	4	1	1	1	-	7	2	-	-	-	-	-	5	-	5	1	-
Other Zymotic Dis.	66	22	3	2	6	2	35	5	1	4	3	1	2	3	4	6	-	2
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	1	1
Scrofula, Tabes Mesent.	24	6	1	-	3	1	11	1	2	1	-	3	1	1	2	-	2	-
Phthisis	178	12	8	1	-	1	22	13	8	22	28	32	26	18	7	1	1	-
Hydrocephalus	6	-	2	1	-	-	3	-	1	1	-	-	1	-	-	-	-	-
Diseases of Brain	82	24	7	3	-	-	34	3	-	1	-	5	6	3	4	11	13	2
Heart Dis. and Dropsy	68	5	-	1	-	-	6	1	-	1	1	1	2	6	10	24	13	3
Dis. of Lungs	111	31	14	6	2	1	54	2	2	-	3	1	4	4	17	16	6	2
Dis. of Stom. and Liver	50	4	1	-	-	1	6	3	1	4	1	5	3	7	9	8	2	1
Dis. of Kidneys	13	-	-	-	-	-	-	1	-	-	1	1	-	2	4	1	3	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	40	1	1	2	1	3	8	2	3	3	2	6	4	4	1	2	5	-
Other Causes	547	234	22	9	3	3	271	9	3	-	2	3	3	8	20	48	111	69
241.—WAYLAND.																		
Mean Popul^{n}, 1851-61	5863	-	-	-	-	-	784	711	662	585	429	727	660	524	393	249	114	25
TOTAL DEATHS	1200	354	50	18	17	12	451	56	35	32	46	70	49	54	81	115	154	57
Small-pox	3	1	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Measles	4	1	-	1	1	-	3	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	32	-	3	3	2	4	12	13	4	-	2	-	1	-	-	-	-	-
Diphtheria	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	22	16	6	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-
Typhus	59	3	-	-	-	-	3	6	6	7	9	10	6	4	4	2	1	1
Cholera, Diarrh., Dysent^{y}	8	1	1	1	-	-	3	1	-	-	-	-	1	1	-	-	2	
Other Zymotic Dis.	49	22	2	-	2	2	28	7	1	-	2	2	1	1	3	3	1	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	1	3	5	4	1	-
Scrofula, Tabes Mesent.	38	14	3	3	2	-	22	4	2	1	-	3	-	4	1	1	-	-
Phthisis	145	12	9	1	2	2	26	5	11	17	30	32	12	8	3	1	-	-
Hydrocephalus	9	3	2	1	1	-	7	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	90	27	4	-	-	-	31	1	-	1	2	2	5	5	13	11	18	1
Heart Dis. and Dropsy	48	-	-	-	-	-	-	4	1	-	-	3	1	4	14	15	5	1
Dis. of Lungs	145	41	6	3	4	-	54	7	2	1	-	4	1	7	10	23	30	6
Dis. of Stom. and Liver	68	6	2	2	-	1	11	1	-	1	-	7	9	7	15	13	4	-
Dis. of Kidneys	19	-	-	-	-	-	-	-	-	-	-	3	1	4	1	5	3	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	42	2	2	2	1	2	9	3	7	2	1	3	6	1	4	3	2	1
Other Causes	400	205	9	1	2	-	217	2	1	-	-	1	4	4	7	32	87	45

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
239.—DEPWADE.																		
Mean Popul^{n}, 1851-61	13094	-	-	-	-	-	1714	1503	1449	1224	1057	1736	1418	1157	865	602	310	59
TOTAL DEATHS	2621	587	114	56	41	32	830	113	88	113	96	178	154	130	162	256	336	165
Small-pox	4	-	-	1	-	-	1	-	-	-	-	2	-	1	-	-	-	-
Measles	8	-	1	1	1	2	5	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	75	2	4	5	11	4	26	28	15	5	1	-	-	-	-	-	-	-
Diphtheria	22	1	3	2	2	2	10	5	6	-	-	-	1	-	-	-	-	-
Whooping-cough	69	37	21	4	4	-	66	2	1	-	-	-	-	-	-	-	-	-
Typhus	101	1	1	3	-	3	8	16	7	12	11	12	13	9	7	4	2	-
Cholera, Diarrh., Dysent^{y}	58	22	5	1	2	-	30	2	-	-	-	5	1	1	5	4	8	2
Other Zymotic Dis.	83	26	3	2	4	4	39	9	4	2	1	3	3	3	6	7	5	1
Cancer	44	1	-	-	-	-	1	-	-	-	2	3	9	8	7	8	6	-
Scrofula, Tabes Mesent.	58	20	5	-	1	1	27	7	4	6	3	2	3	-	3	2	1	-
Phthisis	419	35	10	5	3	1	54	10	30	63	59	91	60	28	18	5	1	-
Hydrocephalus	15	6	4	1	-	1	12	1	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	206	34	7	3	1	-	45	9	2	4	1	13	6	20	30	39	31	6
Heart Dis. and Dropsy	147	5	-	1	-	1	7	2	2	2	2	7	8	17	24	43	28	5
Dis. of Lungs	263	81	20	14	7	6	128	11	6	8	3	8	12	11	12	33	26	5
Dis. of Stom. and Liver	102	13	2	-	-	2	17	1	2	1	3	10	8	9	22	24	4	1
Dis. of Kidneys	13	2	-	-	-	-	2	-	-	-	1	-	-	2	1	1	6	-
Dis. of Gener. Organs	28	-	-	-	-	-	-	-	-	-	-	2	2	9	9	6	-	-
Diseases of the Joints	7	-	1	-	-	-	1	-	2	2	-	1	-	-	-	1	-	-
Diseases of the Skin	7	1	2	-	-	-	3	-	-	-	-	1	-	1	-	-	2	-
Childbirth and Metria	46	-	-	-	-	-	-	-	-	6	3	14	21	2	-	-	-	-
Violent Deaths	48	5	3	6	2	3	19	4	3	1	-	-	1	1	4	5	6	4
Other Causes	793	295	22	7	3	2	329	3	3	1	5	4	6	8	14	74	210	141
240.—GUILTCROSS.																		
Mean Popul^{n}, 1851-61	6067	-	-	-	-	-	799	738	639	541	470	788	645	511	404	301	152	29
TOTAL DEATHS	1333	299	67	28	17	21	432	55	52	53	61	86	82	57	82	117	170	86
Small-pox	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Measles	5	1	2	-	1	-	4	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	44	-	5	6	6	6	23	14	6	1	-	-	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	21	11	8	1	-	1	21	-	-	-	-	-	-	-	-	-	-	-
Typhus	41	1	1	1	-	2	5	2	10	3	5	7	4	2	3	-	-	-
Cholera, Diarrh., Dysent^{y}	14	1	2	-	-	-	3	-	2	-	1	-	1	1	2	1	3	-
Other Zymotic Dis.	72	31	5	4	4	2	46	4	3	1	1	-	1	2	3	5	5	1
Cancer	28	-	-	-	-	-	-	-	-	-	-	1	1	8	6	10	2	-
Scrofula, Tabes Mesent.	26	5	4	1	-	-	10	4	1	-	1	2	2	1	1	3	1	-
Phthisis	233	6	1	3	-	1	11	12	24	36	40	48	38	16	6	2	-	-
Hydrocephalus	8	3	-	-	1	1	5	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	82	15	3	1	2	1	22	1	1	1	2	1	4	4	9	12	23	2
Heart Dis. and Dropsy	71	2	-	-	-	-	2	3	-	2	1	4	6	7	18	12	13	3
Dis. of Lungs	84	15	12	8	-	3	38	4	-	1	2	1	1	3	9	14	9	2
Dis. of Stom. and Liver	56	4	-	-	-	-	4	1	1	2	-	3	6	7	16	11	5	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	1	4	13	5	-	-	-	-	-
Violent Deaths	11	2	1	-	1	1	5	-	-	-	-	-	-	-	1	2	3	-
Other Causes	493	202	23	3	2	3	233	6	2	5	1	4	11	5	3	39	106	78
241.—WAYLAND.																		
Mean Popul^{n}, 1851-61	5988	-	-	-	-	-	775	728	645	548	469	820	668	501	384	274	127	29
TOTAL DEATHS	1174	268	43	18	29	15	373	56	24	48	59	84	60	59	64	124	148	75
Small-pox	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Measles	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	27	2	2	2	3	3	12	10	1	-	1	2	1	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough	17	9	5	2	-	-	16	1	-	-	-	-	-	-	-	-	-	-
Typhus	60	1	-	-	4	3	8	6	3	10	8	8	7	4	2	3	1	-
Cholera, Diarrh., Dysent^{y}	11	4	1	-	1	1	7	1	-	-	-	-	-	-	-	2	-	1
Other Zymotic Dis.	43	17	-	1	7	2	27	4	1	-	-	1	-	3	1	5	-	1
Cancer	25	-	-	-	-	-	-	-	-	-	-	2	2	6	5	6	4	-
Scrofula, Tabes Mesent.	36	8	4	2	-	1	15	7	3	1	6	1	1	1	1	-	-	-
Phthisis	180	13	4	4	1	1	23	8	8	25	29	44	25	13	5	-	-	-
Hydrocephalus	5	-	2	2	1	-	5	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	79	8	2	1	4	-	15	3	2	3	3	2	2	7	11	12	13	6
Heart Dis. and Dropsy	52	-	1	-	1	-	2	-	1	2	-	4	2	6	10	13	11	1
Dis. of Lungs	150	31	9	2	3	1	46	4	-	5	2	3	6	4	8	28	32	12
Dis. of Stom. and Liver	60	9	1	-	2	-	12	4	2	-	2	5	2	9	9	11	4	-
Dis. of Kidneys	11	-	-	-	-	-	-	2	-	-	1	1	2	1	2	2	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	1	5	8	7	-	-	-	-	-
Violent Deaths	9	-	-	-	2	2	4	3	-	-	-	-	-	1	-	-	1	-
Other Causes	376	165	11	2	-	1	179	1	2	-	1	2	2	3	8	42	82	54

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

242.—MITFORD.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	14231	-	-	-	-	-	1815	1717	1679	1451	1074	1765	1564	1257	1017	609	269	44
TOTAL DEATHS	2841	775	170	65	51	34	1095	119	88	71	105	135	134	115	245	286	316	132
Small-pox	6	-	1	-	1	-	2	1	-	1	-	1	1	-	-	-	-	-
Measles	17	2	6	3	3	1	15	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	33	6	8	14	7	8	43	23	9	5	2	1	-	-	-	-	-	-
Diphtheria	22	2	2	1	3	3	11	8	3	-	-	-	-	-	-	-	-	-
Whooping-cough	47	27	13	3	3	-	46	1	-	-	-	-	-	-	-	-	-	-
Typhus	112	1	5	2	5	2	15	14	17	11	8	13	7	7	11	6	2	1
Cholera, Diarrh., Dysent^{y}	54	21	2	3	2	-	28	3	-	-	-	1	1	2	6	8	3	2
Other Zymotic Dis.	129	63	8	8	4	5	88	6	4	3	2	3	1	4	7	7	4	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	1	3	4	7	4	3	-
Scrofula, Tabes Mesent.	60	21	7	1	1	-	30	4	3	4	2	6	5	1	3	2	-	1
Phthisis	407	34	14	4	3	1	56	17	21	35	75	72	48	26	40	12	4	1
Hydrocephalus	25	5	6	2	3	4	20	4	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	217	53	17	2	2	3	77	7	3	2	3	1	11	10	26	34	39	4
Heart Dis. and Dropsy	127	2	-	-	-	-	2	2	3	-	1	6	9	9	31	43	19	2
Dis. of Lungs	316	100	47	11	2	3	163	8	3	1	1	5	11	18	33	42	26	5
Dis. of Stom. and Liver	113	15	-	-	-	1	16	5	2	3	3	6	8	7	31	26	6	-
Dis. of Kidneys	45	1	-	-	-	-	1	-	-	-	-	3	7	4	9	12	8	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	89	7	6	3	3	1	20	5	11	5	6	9	7	7	7	8	2	2
Other Causes	946	414	28	8	9	2	461	10	7	1	1	6	14	16	34	82	200	114

243.—WALSINGHAM.

Mean Popul^{n}, 1851 61	10370	-	-	-	-	-	1387	1255	1197	999	769	1279	1107	954	761	441	192	29
TOTAL DEATHS	2261	666	127	53	37	32	915	95	47	63	89	116	98	111	149	202	290	86
Small-pox	5	2	-	1	-	-	3	1	-	-	-	-	-	1	-	-	-	-
Measles	9	2	3	1	1	1	8	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	52	7	8	6	6	3	30	16	3	1	1	-	-	-	1	-	-	-
Diphtheria	12	-	1	-	1	2	4	6	-	-	-	2	-	-	-	-	-	-
Whooping-cough	55	33	15	2	4	1	55	-	-	-	-	-	-	-	-	-	-	-
Typhus	76	3	3	5	3	5	19	16	7	8	4	2	6	3	3	6	2	-
Cholera, Diarrh., Dysent^{y}	65	19	5	2	2	2	30	5	1	1	-	1	3	6	3	4	6	-
Other Zymotic Dis.	101	46	4	7	3	1	61	5	2	6	-	4	3	4	8	6	2	-
Cancer	16	-	-	-	-	-	-	-	-	-	-	-	-	2	5	6	3	-
Scrofula, Tabes Mesent.	34	6	2	1	1	1	11	4	3	2	5	4	2	1	-	2	-	-
Phthisis	297	14	13	2	2	2	33	16	13	32	55	61	38	25	19	5	-	-
Hydrocephalus	15	5	4	2	2	1	14	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	207	90	10	4	1	4	109	4	-	2	3	7	8	6	23	27	16	2
Heart Dis. and Dropsy	88	4	-	1	1	1	7	1	2	1	2	4	6	11	21	18	15	-
Dis. of Lungs	174	34	13	8	9	4	68	4	1	3	4	8	14	20	18	21	12	1
Dis. of Stom. and Liver	74	7	-	-	-	2	9	3	2	2	5	6	6	7	14	14	6	-
Dis. of Kidneys	28	1	-	-	1	-	2	-	-	-	-	2	1	3	10	4	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	72	3	2	1	-	-	6	9	10	3	9	9	6	10	5	4	1	-
Other Causes	875	390	43	10	-	2	445	3	2	2	1	4	5	12	13	34	222	82

244.—DOCKING.

Mean Popul^{n}, 1851-61	8822	-	-	-	-	-	1161	1107	1053	905	668	1048	950	793	605	347	161	24
TOTAL DEATHS	1889	547	120	43	43	34	787	82	37	61	56	92	76	87	114	167	252	78
Small-pox	10	3	1	1	-	2	7	-	1	-	1	1	-	-	-	-	-	-
Measles	30	6	15	3	3	2	29	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	64	11	4	7	9	12	43	16	3	2	-	-	-	-	-	-	-	-
Diphtheria	12	1	2	-	1	2	6	3	1	1	1	-	-	-	-	-	-	-
Whooping-cough	41	21	10	3	3	1	38	3	-	-	-	-	-	-	-	-	-	-
Typhus	89	4	4	2	8	2	20	10	4	10	9	9	7	6	5	4	5	-
Cholera, Diarrh., Dysent^{y}	40	25	5	1	1	1	33	3	-	-	-	-	-	-	3	-	1	-
Other Zymotic Dis.	92	41	2	9	5	3	60	4	-	2	2	-	8	6	6	4	-	-
Cancer	7	-	-	-	-	-	-	1	-	1	-	-	1	1	-	2	1	-
Scrofula, Tabes Mesent.	16	3	4	1	-	-	8	1	1	-	1	2	2	1	-	-	-	-
Phthisis	160	1	1	1	-	3	6	8	9	31	25	41	21	8	9	2	-	-
Hydrocephalus	17	5	5	1	1	1	13	2	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	154	71	6	-	2	1	80	5	1	2	5	7	4	7	6	18	18	1
Heart Dis. and Dropsy	72	5	1	1	1	-	8	1	-	-	-	1	6	8	19	20	9	-
Dis. of Lungs	175	55	14	5	5	3	82	9	3	1	4	6	4	13	17	28	8	-
Dis. of Stom. and Liver	71	9	-	2	-	-	11	2	2	1	-	3	9	6	17	15	5	-
Dis. of Kidneys	23	-	-	1	-	-	1	-	1	1	1	-	-	5	2	6	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	1	-	-	-	-	1	2	-	-	-	-	-	2	3	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	82	1	2	1	1	-	5	4	4	7	5	19	9	10	9	3	5	2
Other Causes	723	283	44	4	3	1	335	7	5	2	2	3	5	13	17	65	104	75

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

242.—MITFORD.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	14444	-	-	-	-	-	1832	1708	1568	1287	1168	1963	1568	1270	979	668	333	53
TOTAL DEATHS	2876	610	121	78	54	39	902	135	91	118	110	185	165	132	192	273	493	170
Small-pox	7	4	1	1	-	-	6	-	-	-	-	-	1	-	-	-	-	-
Measles	23	2	6	5	1	3	17	4	1	-	1	-	-	-	-	-	-	-
Scarlatina	78	4	9	11	9	5	38	35	3	1	1	-	-	-	-	-	-	-
Diphtheria	32	2	-	1	3	4	10	11	6	2	3	-	-	-	-	-	-	-
Whooping-cough	51	23	18	4	3	2	50	1	-	-	-	-	-	-	-	-	-	-
Typhus	142	4	3	6	8	1	22	20	24	23	8	21	6	6	5	6	1	-
Cholera, Diarrh., Dysent^{y}	50	18	3	4	1	-	26	1	-	-	-	4	-	1	3	5	5	-
Other Zymotic Dis.	117	60	5	4	5	6	80	5	3	-	4	2	2	2	4	10	4	1
Cancer	85	-	-	-	-	-	-	-	-	-	2	5	12	16	31	7	11	1
Scrofula, Tabes Mesent.	40	16	6	2	-	-	24	3	2	2	-	2	3	1	-	2	1	-
Phthisis	469	25	12	11	3	-	51	18	28	68	66	99	76	31	21	10	1	-
Hydrocephalus	21	4	2	-	3	3	12	6	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	273	45	3	5	2	2	57	6	6	8	3	9	13	21	36	52	55	7
Heart Dis. and Dropsy	133	2	-	2	-	-	4	-	3	3	3	5	8	16	28	34	24	5
Dis. of Lungs	234	66	26	8	9	5	114	10	3	1	1	3	5	9	12	31	30	15
Dis. of Stom. and Liver	96	10	3	2	2	1	18	2	2	1	4	10	8	6	15	20	9	1
Dis. of Kidneys	18	-	-	-	-	-	-	-	1	1	2	2	3	5	2	1	1	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	1	3	4	3	1	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	35	-	-	-	-	-	-	-	-	2	6	12	14	1	-	-	-	-
Violent Deaths	37	3	2	6	1	-	12	8	-	2	1	2	1	1	1	-	6	3
Other Causes	917	321	22	6	4	7	360	5	5	3	5	7	8	12	26	94	255	137

243.—WALSINGHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	11131	-	-	-	-	-	1384	1300	1203	1027	946	1536	1213	973	755	503	245	45
TOTAL DEATHS	2141	487	118	44	29	39	717	83	53	82	87	159	114	124	139	197	255	131
Small-pox	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Measles	10	1	7	1	1	-	10	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	51	2	5	4	8	6	25	20	4	1	-	1	-	-	-	-	-	-
Diphtheria	12	2	1	2	-	2	7	2	2	1	-	-	-	-	-	-	-	-
Whooping-cough	57	28	15	5	3	1	52	4	1	-	-	-	-	-	-	-	-	-
Typhus	91	1	3	4	2	4	14	15	12	10	9	8	3	6	7	6	1	-
Cholera, Diarrh., Dysent^{y}	53	10	3	-	1	2	16	2	2	1	1	5	4	7	1	11	3	-
Other Zymotic Dis.	82	38	8	4	4	2	56	2	3	1	2	3	1	-	9	2	2	1
Cancer	41	-	-	-	-	-	-	-	-	-	-	4	8	12	6	7	2	2
Scrofula, Tabes Mesent.	22	6	3	-	-	-	9	1	3	1	-	2	2	2	-	2	-	-
Phthisis	385	12	6	2	1	5	26	19	15	57	56	96	49	35	23	7	2	-
Hydrocephalus	11	-	4	2	-	2	8	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	152	52	13	4	3	1	73	2	1	1	3	6	3	10	22	23	8	-
Heart Dis. and Dropsy	107	1	-	-	-	2	3	1	3	-	3	7	8	17	27	22	15	1
Dis. of Lungs	82	17	4	5	2	4	32	6	2	2	4	5	3	3	12	12	-	1
Dis. of Stom. and Liver	67	3	3	2	1	-	9	2	1	2	3	5	10	13	11	8	3	-
Dis. of Kidneys	8	-	1	-	-	-	1	-	-	-	-	1	-	-	1	5	-	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	-	-	3	5	5	2	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	1	4	12	10	2	-	-	-	-
Violent Deaths	23	3	1	1	2	2	9	1	3	-	-	-	1	4	2	1	1	1
Other Causes	835	310	41	8	1	6	366	2	-	3	2	4	7	8	12	88	218	125

244.—DOCKING.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	9049	-	-	-	-	-	1152	1083	997	859	722	1236	1010	778	619	400	164	29
TOTAL DEATHS	1783	396	97	58	37	25	613	74	50	51	69	122	114	71	104	192	226	97
Small-pox	9	3	1	-	1	1	6	2	-	-	-	-	1	-	-	-	-	-
Measles	21	4	8	4	1	2	19	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	55	6	9	6	7	6	34	16	1	3	-	1	-	-	-	-	-	-
Diphtheria	10	1	-	1	-	1	3	4	2	1	-	-	-	-	-	-	-	-
Whooping-cough	53	27	13	3	2	4	49	4	-	-	-	-	-	-	-	-	-	-
Typhus	112	5	5	5	3	3	21	13	13	17	11	14	7	5	6	6	1	-
Cholera, Diarrh., Dysent^{y}	39	20	4	2	1	-	27	1	-	1	-	-	-	3	1	4	2	-
Other Zymotic Dis.	80	36	8	6	8	1	59	4	1	-	1	3	3	1	3	4	-	1
Cancer	37	-	-	1	-	-	1	-	-	-	-	5	6	7	11	6	1	-
Scrofula, Tabes Mesent.	9	2	-	2	-	-	4	-	-	-	1	3	-	1	-	-	-	-
Phthisis	212	1	3	5	1	1	11	9	17	16	38	57	44	13	4	3	-	-
Hydrocephalus	6	3	-	1	1	-	5	-	-	-	-	1	-	-	-	-	-	-
Diseases of Brain	140	46	7	5	2	-	60	1	2	3	-	6	4	3	15	22	24	-
Heart Dis. and Dropsy	106	3	1	-	-	-	4	3	3	3	2	8	7	7	19	36	14	-
Dis. of Lungs	131	24	12	6	5	1	48	8	2	2	3	5	10	6	17	20	8	2
Dis. of Stom. and Liver	84	6	3	-	1	-	10	1	1	2	5	1	6	8	16	24	10	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	-	-	4	4	1	4	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	2	3	12	10	1	-	-	-	-
Violent Deaths	17	3	1	1	-	1	6	2	-	1	-	-	1	2	-	1	1	3
Other Causes	611	206	22	10	4	4	246	4	7	2	4	5	8	7	11	61	165	91

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
245.—FREEBRIDGE LYNN.																		
Mean Popul^{n}, 1851-61	6728	-	-	-	-	-	913	820	772	697	522	831	749	599	454	257	102	12
TOTAL DEATHS	1288	378	65	27	27	19	516	50	31	35	39	77	61	61	100	127	137	54
Small-pox	8	1	1	2	1	2	7	-	-	-	1	-	-	-	-	-	-	-
Measles	7	2	2	1	2	-	7	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	34	1	3	3	6	6	19	14	1	-	-	-	-	-	-	-	-	-
Diphtheria	6	1	2	-	-	-	3	-	2	1	-	-	-	-	-	-	-	-
Whooping-cough	26	15	9	1	1	-	26	-	-	-	-	-	-	-	-	-	-	-
Typhus	54	1	4	-	2	2	9	10	7	8	5	3	4	2	3	2	1	-
Cholera, Diarrh., Dysent^{y}	39	24	4	2	-	-	30	-	-	1	-	-	3	-	1	1	2	1
Other Zymotic Dis.	80	41	1	2	3	2	49	2	5	1	2	-	2	7	4	5	3	-
Cancer	18	-	-	-	-	-	-	-	-	-	-	2	-	1	4	6	4	1
Scrofula, Tabes Mesent.	31	16	5	2	1	-	24	1	2	-	-	1	2	-	1	-	-	-
Phthisis	137	3	3	-	1	-	7	4	4	11	21	39	22	13	13	3	-	-
Hydrocephalus	6	2	2	1	-	-	5	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	114	41	2	5	2	2	52	2	1	2	1	2	3	3	12	18	16	2
Heart Dis. and Dropsy	65	3	1	-	-	-	4	1	3	-	1	4	4	7	14	13	14	-
Dis. of Lungs	132	33	8	1	3	3	48	1	1	2	1	11	6	6	11	23	19	3
Dis. of Stom. and Liver	63	3	1	-	1	-	5	1	3	5	1	4	4	10	16	12	2	-
Dis. of Kidneys	22	1	-	-	-	-	1	-	-	-	-	2	-	1	9	5	3	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Diseases of the Skin	6	2	-	-	-	-	2	1	-	-	-	-	-	2	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	44	-	2	2	2	2	6	7	1	3	3	3	8	5	5	1	1	1
Other Causes	394	188	17	5	2	-	212	4	1	1	3	6	2	4	6	38	72	45
246.—KING'S LYNN.																		
Mean Popul^{n}, 1851-61	8606	-	-	-	-	-	1085	1037	934	840	681	1263	1025	756	560	300	111	14
TOTAL DEATHS	2057	519	134	64	53	15	785	89	56	65	55	130	126	138	198	213	156	46
Small-pox	30	6	4	2	3	1	16	6	3	1	1	2	1	-	-	-	-	-
Measles	35	7	18	5	3	-	33	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	60	3	9	14	13	2	41	14	5	-	-	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Whooping-cough	35	20	9	2	2	1	34	-	1	-	-	-	-	-	-	-	-	-
Typhus	87	3	3	2	6	1	15	14	7	5	4	7	6	4	9	9	6	1
Cholera, Diarrh., Dysent^{y}	100	54	6	2	2	1	65	-	-	-	1	3	3	4	8	9	6	1
Other Zymotic Dis.	102	33	7	7	5	2	54	7	2	1	3	5	6	5	7	9	2	1
Cancer	24	-	-	-	-	-	-	-	-	-	-	2	-	7	7	7	1	-
Scrofula, Tabes Mesent.	64	32	10	5	-	2	49	6	3	1	-	3	-	1	1	-	-	-
Phthisis	178	2	1	1	1	2	7	4	9	26	20	45	34	19	11	2	1	-
Hydrocephalus	26	6	9	1	1	-	17	6	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	280	100	14	9	7	1	131	13	5	3	4	12	11	10	30	35	25	1
Heart Dis. and Dropsy	156	4	-	-	-	-	4	3	4	3	3	12	16	22	38	34	15	2
Dis. of Lungs	244	59	21	8	7	1	96	2	1	3	4	8	18	23	25	34	25	5
Dis. of Stom. and Liver	100	9	1	-	-	-	10	2	2	3	2	5	9	22	20	19	6	-
Dis. of Kidneys	55	1	-	-	-	-	1	1	-	3	1	6	3	6	9	15	9	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Diseases of the Joints	13	-	-	1	-	-	1	-	2	2	2	1	2	1	1	1	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	101	2	-	1	2	1	6	6	10	12	10	15	10	10	12	6	4	-
Other Causes	363	178	22	4	-	-	204	3	-	1	-	4	7	3	19	32	56	34
247.—DOWNHAM.																		
Mean Popul^{n}, 1851 61	10190	-	-	-	-	-	1420	1273	1169	1027	790	1281	1141	885	675	372	137	20
TOTAL DEATHS	2187	645	153	79	35	42	954	88	55	69	68	118	110	109	132	186	227	71
Small-pox	6	-	3	-	1	-	4	-	-	-	1	-	-	-	1	-	-	-
Measles	34	5	8	7	3	4	27	6	-	-	-	-	1	-	-	-	-	-
Scarlatina	29	6	2	5	3	5	21	5	1	1	1	-	-	-	-	-	-	-
Diphtheria	9	1	1	-	3	1	6	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	51	23	18	6	3	-	50	1	-	-	-	-	-	-	-	-	-	-
Typhus	104	3	2	9	1	6	21	13	7	11	8	11	9	9	3	6	6	-
Cholera, Diarrh., Dysent^{y}	94	28	5	2	2	4	41	5	1	3	3	2	4	3	8	9	11	4
Other Zymotic Dis.	127	66	8	9	2	3	88	6	2	3	1	2	3	5	3	3	9	2
Cancer	22	-	-	-	-	-	-	-	-	1	-	1	3	3	5	6	3	-
Scrofula, Tabes Mesent.	35	9	1	2	-	1	13	3	6	2	4	3	1	-	1	2	-	-
Phthisis	220	1	2	-	-	-	3	3	9	21	28	63	39	30	15	8	1	-
Hydrocephalus	13	2	7	2	-	-	11	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	223	71	14	1	4	2	92	8	2	3	3	5	8	9	20	34	34	5
Heart Dis. and Dropsy	114	8	3	-	-	-	11	2	2	3	2	3	7	11	17	33	20	3
Dis. of Lungs	298	86	27	11	6	3	133	3	4	3	3	7	9	15	25	35	50	11
Dis. of Stom. and Liver	95	15	2	2	1	1	21	3	4	3	3	6	6	11	12	15	10	1
Dis. of Kidneys	48	1	-	-	-	-	1	-	-	-	-	2	5	2	5	11	21	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	-	1	1	3	-	1	1	1	-	1	-
Diseases of the Skin	7	3	-	-	-	1	4	-	-	-	-	1	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	114	6	3	9	3	6	27	15	13	12	5	9	10	7	6	3	5	2
Other Causes	535	311	47	14	3	5	330	10	3	2	3	3	4	3	9	21	55	42

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
245.—FREEBRIDGE LYNN.																		
Mean Popuⁿ, 1851-61	6794	-	-	-	-	-	890	862	755	621	544	952	723	572	448	287	121	19
TOTAL DEATHS	1184	312	64	39	23	22	460	42	34	47	41	68	68	53	70	108	128	65
Small-pox	4	1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Measles	11	1	1	4	1	1	8	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	34	2	3	9	2	5	21	7	3	3	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Whooping-cough	26	13	4	4	4	1	26	-	-	-	-	-	-	-	-	-	-	-
Typhus	55	7	3	-	2	6	18	8	8	4	2	1	6	2	3	3	-	-
Cholera, Diarrh., Dysent[y]	24	12	3	-	-	-	15	-	-	-	-	-	1	-	2	3	3	-
Other Zymotic Dis.	62	30	3	4	2	1	40	3	1	-	-	3	-	2	1	7	1	4
Cancer	19	-	-	-	-	-	-	-	-	-	-	1	3	4	4	4	2	1
Scrofula, Tabes Mesent.	32	13	8	2	-	-	23	1	3	2	1	2	-	-	-	-	-	-
Phthisis	160	3	3	1	-	1	8	6	13	25	21	28	32	16	9	1	1	-
Hydrocephalus	3	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	109	43	-	2	-	2	47	4	-	2	6	3	1	6	6	17	16	1
Heart Dis. and Dropsy	67	3	1	1	-	-	5	-	-	2	1	7	2	7	18	13	11	1
Dis. of Lungs	85	24	10	2	7	2	45	4	1	3	-	2	3	4	3	11	6	3
Dis. of Stom. and Liver	51	4	-	-	1	1	6	1	2	1	1	7	1	6	9	10	7	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Childbirth and Metria	29	-	-	-	-	-	-	-	-	-	8	11	10	-	-	-	-	-
Violent Deaths	10	1	1	2	-	2	6	-	-	1	-	-	3	-	-	-	-	-
Other Causes	387	155	22	7	4	-	188	1	-	2	1	2	3	4	14	37	81	54
246.—KING'S LYNN.																		
Mean Popuⁿ, 1851-61	10010	-	-	-	-	-	1069	1070	995	1019	927	1587	1210	901	648	390	169	25
TOTAL DEATHS	1991	419	138	58	48	43	706	79	44	52	71	118	144	113	144	239	208	73
Small-pox	23	5	1	1	2	7	16	5	1	-	-	1	-	-	-	-	-	-
Measles	34	9	11	5	5	3	33	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	50	1	8	11	8	7	35	10	4	-	1	-	-	-	-	-	-	-
Diphtheria	6	-	-	1	-	-	1	3	1	1	-	-	-	-	-	-	-	-
Whooping-cough	59	18	22	12	2	3	57	1	1	-	-	-	-	-	-	-	-	-
Typhus	115	6	5	2	11	5	29	17	9	6	3	10	4	8	6	10	12	1
Cholera, Diarrh., Dysent[y]	85	36	8	1	-	-	45	2	-	-	-	1	4	2	10	10	9	2
Other Zymotic Dis.	83	36	9	5	3	3	50	9	-	2	2	5	4	1	-	2	8	-
Cancer	71	-	-	-	-	-	-	-	-	1	1	2	8	20	19	15	4	1
Scrofula, Tabes Mesent.	54	26	8	2	2	6	44	1	1	1	1	1	3	-	1	1	-	-
Phthisis	215	3	-	-	-	-	3	6	12	21	42	52	43	15	15	6	-	-
Hydrocephalus	18	7	6	1	2	-	16	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	282	90	12	2	5	2	111	8	3	9	3	5	17	12	26	50	34	4
Heart Dis. and Dropsy	131	1	1	-	-	1	3	3	5	2	2	9	11	14	26	34	19	3
Dis. of Lungs	215	36	23	11	6	2	78	5	1	2	4	4	19	11	13	39	25	14
Dis. of Stom. and Liver	88	7	-	1	-	1	9	2	2	2	3	8	6	10	16	17	12	1
Dis. of Kidneys	16	3	-	-	-	-	3	-	-	-	1	5	1	2	1	3	-	-
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	1	-	1	5	5	2	4	-	-
Diseases of the Joints	7	-	-	-	-	-	-	1	1	1	-	-	1	1	-	2	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	-	6	9	7	1	-	-	-	-
Violent Deaths	28	2	3	1	1	1	8	2	1	1	-	3	1	4	1	3	4	-
Other Causes	386	137	21	2	1	2	163	1	2	2	2	1	10	7	7	43	81	47
247.—DOWNHAM.																		
Mean Popuⁿ, 1851-61	10434	-	-	-	-	-	1437	1312	1148	979	879	1459	1132	843	648	409	158	30
TOTAL DEATHS	2042	552	130	65	42	31	820	106	61	87	69	115	128	86	129	170	185	86
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	42	11	10	7	3	3	34	7	1	-	-	-	-	-	-	-	-	-
Scarlatina	33	3	5	4	5	3	20	4	6	1	1	-	1	-	-	-	-	-
Diphtheria	13	-	1	-	2	3	6	6	1	-	-	-	-	-	-	-	-	-
Whooping-cough	58	29	16	6	3	2	56	2	-	-	-	-	-	-	-	-	-	-
Typhus	95	2	4	4	5	1	16	17	19	13	5	5	5	5	4	5	1	-
Cholera, Diarrh., Dysent[y]	94	36	12	7	-	3	58	4	1	-	-	3	3	2	3	5	13	2
Other Zymotic Dis.	107	48	12	4	6	7	77	9	1	1	2	-	3	3	3	3	4	1
Cancer	70	-	-	-	1	-	1	-	1	-	-	3	11	17	17	13	5	2
Scrofula, Tabes Mesent.	29	5	2	1	1	-	9	6	2	2	1	3	3	1	1	1	-	-
Phthisis	244	5	1	-	-	2	8	4	11	47	37	57	41	18	13	8	-	-
Hydrocephalus	11	3	-	4	-	-	7	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	193	51	8	1	-	1	61	10	4	6	4	6	9	14	16	29	30	4
Heart Dis. and Dropsy	134	8	1	-	-	-	9	1	1	6	7	8	12	8	24	28	26	4
Dis. of Lungs	268	66	28	13	10	3	120	10	4	3	2	5	4	7	18	33	45	17
Dis. of Stom. and Liver	84	11	-	1	1	-	13	5	3	1	1	6	10	2	10	15	13	5
Dis. of Kidneys	10	-	-	-	-	-	-	-	1	-	-	1	-	-	5	3	-	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	-	4	3	1	4	2	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	-	6	7	15	-	-	-	-	-
Violent Deaths	41	5	2	6	-	3	16	11	1	2	1	1	-	1	2	4	1	1
Other Causes	466	269	28	7	5	-	309	6	4	5	2	4	5	6	9	20	46	50

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
248.—SWAFFHAM.																		
Mean Popul^{n}, 1851-61	7001	-	-	-	-	-	939	850	823	738	522	856	762	627	473	269	124	183
TOTAL DEATHS	1365	409	80	26	19	8	542	53	26	55	48	74	53	80	90	127	159	58
Small-pox	4	1	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Measles	6	2	1	2	1	-	6	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	5	-	-	1	1	-	2	1	1	1	-	-	-	-	-	-	-	-
Diphtheria	11	-	2	1	1	-	4	4	-	2	-	-	-	-	1	-	-	-
Whooping-cough	25	14	10	1	-	-	25	-	-	-	-	-	-	-	-	-	-	-
Typhus	74	-	2	2	4	2	10	12	5	10	4	8	7	5	5	5	3	-
Cholera, Diarrh., Dysent^{y}	44	15	3	-	-	-	18	1	-	1	1	-	1	3	3	9	5	2
Other Zymotic Dis.	60	35	1	-	2	1	39	3	1	4	2	1	2	1	2	2	3	-
Cancer	16	1	-	-	-	-	1	-	-	-	-	-	-	2	4	5	2	2
Scrofula, Tabes Mesent.	28	15	5	1	-	2	23	-	-	-	1	3	-	-	1	-	-	-
Phthisis	143	6	3	2	1	-	12	6	7	13	24	33	19	13	9	6	1	-
Hydrocephalus	24	7	11	2	-	-	20	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	119	32	3	1	-	1	37	6	1	4	1	3	3	11	10	19	21	3
Heart Dis. and Dropsy	71	2	-	-	-	-	2	2	3	4	1	5	5	6	13	12	14	4
Dis. of Lungs	168	43	17	5	4	1	70	3	2	2	3	7	6	13	16	23	17	6
Dis. of Stom. and Liver	38	3	-	1	-	-	4	-	1	2	1	2	1	4	11	7	5	-
Dis. of Kidneys	35	-	-	-	-	-	-	3	1	-	1	4	2	3	5	9	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	57	4	2	1	1	-	8	2	2	9	5	5	2	13	4	2	5	-
Other Causes	432	228	20	5	4	1	258	6	-	3	3	2	4	5	6	28	77	40
249.—THETFORD.																		
Mean Popul^{n}, 1851-61	8411	-	-	-	-	-	1225	1149	1048	993	721	1195	1041	862	633	369	149	217
TOTAL DEATHS	1921	557	139	53	44	29	822	66	71	61	62	96	87	87	153	164	194	58
Small-pox	5	-	2	1	-	-	3	-	-	-	-	1	1	-	-	-	-	-
Measles	19	1	11	2	4	1	19	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	54	2	6	5	5	7	25	15	10	3	-	-	1	-	-	-	-	-
Diphtheria	2	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	44	20	14	6	2	1	43	-	1	-	-	-	-	-	-	-	-	-
Typhus	72	-	3	2	1	2	8	7	12	10	7	6	5	4	6	5	2	-
Cholera, Diarrh., Dysent^{y}	38	14	4	3	-	1	22	1	-	2	-	-	-	-	7	5	1	-
Other Zymotic Dis.	93	33	4	9	4	6	56	6	2	2	-	1	5	5	11	6	4	-
Cancer	16	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	7	-
Scrofula, Tabes Mesent.	19	1	2	1	2	-	6	2	1	1	1	3	1	1	2	1	-	-
Phthisis	282	22	16	2	3	2	45	13	19	26	33	60	30	23	24	6	3	-
Hydrocephalus	20	6	5	2	2	-	15	4	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	152	40	7	2	6	1	56	4	10	4	2	1	4	9	18	24	15	5
Heart Dis. and Dropsy	118	4	-	-	-	-	4	1	4	5	4	8	7	10	18	33	20	4
Dis. of Lungs	247	115	35	8	7	3	168	3	1	1	2	3	9	11	16	17	12	4
Dis. of Stom. and Liver	87	13	2	1	1	1	18	2	2	2	4	4	10	9	19	12	5	-
Dis. of Kidneys	36	-	-	-	-	-	-	1	1	-	2	2	5	3	10	9	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	1	-	-	-	1	-	-	-	1	-	-	1	1	1	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	66	3	2	3	1	1	10	5	7	5	2	7	8	8	8	4	2	-
Other Causes	541	282	25	6	5	3	321	2	-	2	2	-	-	3	11	35	120	45

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
248.—SWAFFHAM.																		
Mean Popul^{n}, 1851-61	7033	-	-	-	-	-	897	852	785	624	586	961	777	607	459	310	146	29
TOTAL DEATHS	1281	304	63	25	19	13	424	58	56	54	35	75	79	61	83	123	162	71
Small-pox	4	1	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Measles	6	1	1	2	-	2	6	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	13	1	-	-	3	1	5	5	2	-	1	-	-	-	-	-	-	-
Diphtheria	7	-	1	-	2	1	4	-	2	-	1	-	-	-	-	-	-	-
Whooping-cough	20	9	3	5	1	-	18	2	-	-	-	-	-	-	-	-	-	-
Typhus	75	3	2	2	-	2	9	15	11	10	5	2	4	4	6	6	3	-
Cholera, Diarrh., Dysent^{y}	25	7	3	2	-	1	13	-	-	-	-	-	1	2	2	4	1	2
Other Zymotic Dis.	39	14	3	-	2	2	21	1	2	-	2	2	-	2	4	2	2	1
Cancer	27	-	-	-	-	-	-	-	-	1	-	-	4	3	4	10	3	2
Scrofula, Tabes Mesent.	35	7	4	-	-	-	11	5	8	4	-	1	4	-	1	1	-	-
Phthisis	152	2	3	1	1	-	7	9	9	22	15	39	32	13	4	2	-	-
Hydrocephalus	13	3	2	2	1	1	9	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	135	21	4	1	2	1	29	5	6	4	4	4	5	4	14	21	27	12
Heart Dis. and Dropsy	76	-	1	-	-	-	1	-	4	2	-	4	5	7	15	20	15	3
Dis. of Lungs	135	33	19	5	3	1	61	3	5	3	2	9	4	5	8	15	19	1
Dis. of Stom. and Liver	52	3	1	-	-	-	4	-	1	4	-	2	3	11	7	15	4	1
Dis. of Kidneys	11	1	-	-	-	-	1	1	-	-	-	-	1	1	2	2	3	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	1	1	4	3	3	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Diseases of the Skin	4	2	-	1	-	-	3	-	-	-	1	-	-	-	-	-	-	-
Childbirth and Metria	17	-	-	-	-	-	-	-	-	1	-	7	9	-	-	-	-	-
Violent Deaths	22	4	1	1	1	1	8	5	3	-	-	-	-	1	1	1	2	1
Other Causes	399	192	14	3	3	-	212	3	1	3	2	4	2	5	12	24	83	48
249.—THETFORD.																		
Mean Popul^{n}, 1851-61	9465	-	-	-	-	-	1211	1121	1028	920	755	1291	1079	827	608	401	191	33
TOTAL DEATHS	1905	410	127	55	27	25	644	91	50	77	110	113	116	103	115	165	237	84
Small-pox	5	2	-	-	1	-	3	-	-	-	-	-	-	2	-	-	-	-
Measles	19	1	10	6	-	2	19	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	46	3	4	5	3	4	19	13	11	-	2	-	1	-	-	-	-	-
Diphtheria	7	-	-	1	-	2	3	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough	64	31	18	4	4	1	58	6	-	-	-	-	-	-	-	-	-	-
Typhus	81	-	3	3	1	2	9	10	9	12	12	9	5	5	4	3	3	-
Cholera, Diarrh., Dysent^{y}	42	12	6	2	-	1	21	-	-	-	1	1	3	1	5	3	6	1
Other Zymotic Dis.	65	21	7	3	4	2	37	7	2	2	2	2	1	1	-	7	3	1
Cancer	34	-	-	-	-	-	-	-	-	-	-	3	7	9	7	5	2	1
Scrofula, Tabes Mesent.	13	-	-	-	-	-	-	2	2	1	1	3	-	1	2	-	1	-
Phthisis	371	26	19	6	1	1	53	14	20	48	69	56	53	33	18	6	1	-
Hydrocephalus	20	2	4	4	1	2	13	4	1	1	-	1	-	-	-	-	-	-
Diseases of Brain	162	24	7	7	1	1	40	6	1	3	1	5	8	12	27	34	24	1
Heart Dis. and Dropsy	120	2	-	-	-	-	2	1	2	1	1	4	10	15	13	42	25	4
Dis. of Lungs	192	87	23	8	6	6	130	10	-	4	5	4	4	6	9	12	8	-
Dis. of Stom. and Liver	82	10	4	-	1	-	15	6	1	-	3	10	6	8	15	14	4	-
Dis. of Kidneys	12	1	-	-	-	-	1	-	-	1	2	-	-	2	3	2	1	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-
Diseases of the Joints	7	2	-	-	-	-	2	-	1	1	-	-	1	-	2	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	34	-	-	-	-	-	-	-	-	1	11	10	12	-	-	-	-	-
Violent Deaths	30	6	2	3	2	1	14	3	-	-	-	1	1	1	4	2	1	3
Other Causes	494	180	20	3	2	-	205	5	-	2	-	3	2	6	6	34	158	73

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
250.—HIGHWORTH.																		
Mean Popul^{n}, 1851-61	9277	-	-	-	-	-	1302	1209	1027	982	768	1260	1044	795	481	275	113	21
TOTAL DEATHS	1924	532	145	87	46	31	841	81	51	57	66	111	130	116	117	159	144	51
Small-pox	6	1	1	-	1	-	3	-	1	-	-	-	1	-	1	-	-	-
Measles	48	15	11	9	3	4	42	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	67	4	1	18	14	8	45	15	4	1	1	-	-	-	1	-	-	-
Diphtheria	9	-	2	3	1	1	7	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	13	8	5	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-
Typhus	134	10	10	7	10	3	40	11	9	12	12	14	18	6	4	7	1	-
Cholera, Diarrh., Dysent^{y}	65	30	5	5	-	1	41	4	-	-	-	3	2	3	3	2	5	2
Other Zymotic Dis.	69	19	6	5	4	4	38	3	1	3	1	3	3	5	2	7	3	
Cancer	16	-	-	-	-	-	-	-	-	1	-	-	2	6	4	3	-	-
Scrofula, Tabes Mesent.	47	9	5	4	3	1	22	6	3	4	2	5	2	1	2	-	-	-
Phthisis	229	5	1	-	1	2	9	6	10	25	35	61	40	27	9	7	-	-
Hydrocephalus	22	6	8	3	-	2	19	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	225	83	14	9	-	2	108	3	5	1	2	6	10	18	16	25	25	6
Heart Dis. and Dropsy	106	-	1	-	-	-	1	2	2	3	5	5	14	12	13	28	19	2
Dis. of Lungs	240	88	35	11	4	2	140	7	2	1	1	3	13	15	23	22	11	2
Dis. of Stom. and Liver	77	24	3	1	-	-	28	3	2	1	1	2	6	11	11	10	2	-
Dis. of Kidneys	21	-	-	-	-	-	-	1	-	1	1	-	-	5	6	4	2	1
Dis. of Gener. Organs	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	5	-	-	-	-	1	1	-	1	-	-	-	-	-	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	88	8	5	6	2	-	21	9	9	3	4	6	11	4	8	4	8	1
Other Causes	434	221	32	5	3	-	261	1	1	-	1	3	8	3	14	38	67	37
251.—CRICKLADE.																		
Mean Popul^{n}, 1851-61	5601	-	-	-	-	-	804	700	644	549	388	659	610	506	372	244	108	17
TOTAL DEATHS	1082	287	68	33	20	13	421	47	23	30	28	43	63	53	71	109	146	48
Small-pox	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	12	2	5	1	1	-	9	2	-	-	-	-	-	1	-	-	-	-
Scarlatina	18	1	-	5	1	2	9	4	4	1	-	-	-	-	-	-	-	-
Diphtheria	8	1	1	-	2	2	6	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	16	6	3	6	-	-	15	-	-	1	-	-	-	-	-	-	-	-
Typhus	37	1	1	1	2	1	6	11	2	6	2	2	1	3	3	1	-	-
Cholera, Diarrh., Dysent^{y}	39	20	3	-	2	-	25	-	1	-	1	-	1	2	2	3	4	-
Other Zymotic Dis.	51	15	6	4	2	1	28	5	1	1	-	1	2	3	3	3	3	1
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	1	-
Scrofula, Tabes Mesent.	16	9	1	-	-	-	10	-	1	1	-	3	-	1	-	-	-	-
Phthisis	100	3	1	1	-	-	5	2	5	10	15	20	24	7	8	3	1	-
Hydrocephalus	15	5	3	2	-	1	11	1	-	1	-	-	1	1	-	-	-	-
Diseases of Brain	123	58	6	2	1	-	67	2	-	1	2	-	6	6	8	12	15	4
Heart Dis. and Dropsy	80	-	-	-	-	1	1	1	2	2	2	4	2	5	13	25	19	4
Dis. of Lungs	185	59	27	8	4	2	100	6	1	1	3	-	6	9	5	22	27	5
Dis. of Stom. and Liver	62	14	-	-	-	-	14	1	1	1	1	1	3	3	11	7	10	4
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	-	1	1	3	1	2	1	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	4	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	47	1	1	-	3	2	7	9	3	3	-	7	2	4	6	4	1	1
Other Causes	242	92	9	3	1	1	106	2	1	1	1	3	4	5	6	25	60	28
252.—MALMSBURY.																		
Mean Popul^{n}, 1851-61	7274	-		-	-	-	1019	896	823	720	548	918	759	630	512	303	130	16
TOTAL DEATHS	1341	309	85	55	27	22	498	54	33	43	41	70	62	56	110	149	168	57
Small-pox	3	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-
Measles	21	5	6	6	1	-	18	2	-	-	-	-	1	-	-	-	-	-
Scarlatina	23	2	4	4	4	3	17	5	1	-	-	-	-	-	-	-	-	-
Diphtheria	15	1	-	2	3	3	9	2	2	2	-	-	-	-	-	-	-	-
Whooping-cough	31	12	13	4	1	1	31	-	-	-	-	-	-	-	-	-	-	-
Typhus	74	2	2	7	2	2	15	11	5	9	3	4	4	-	6	7	9	1
Cholera, Diarrh., Dysent^{y}	28	4	3	1	1	1	10	1	-	-	-	1	1	-	1	3	9	2
Other Zymotic Dis.	69	17	6	5	4	4	36	5	3	-	1	1	3	2	5	10	2	1
Cancer	14	-	-	-	-	-	-	-	-	-	-	1	-	2	4	4	3	-
Scrofula, Tabes Mesent.	45	19	6	4	1	1	31	3	3	4	1	2	-	-	1	-	-	-
Phthisis	115	2	3	-	-	-	5	2	3	13	24	30	20	9	5	4	-	-
Hydrocephalus	27	9	3	3	2	-	17	2	5	3	-	-	-	-	-	-	-	-
Diseases of Brain	120	25	4	5	-	1	35	2	-	-	7	2	7	4	19	22	20	2
Heart Dis. and Dropsy	37	1	-	-	1	-	2	-	4	4	1	5	3	7	17	23	18	3
Dis. of Lungs	187	58	19	8	4	3	92	3	1	-	2	5	8	6	19	28	19	4
Dis. of Stom. and Liver	68	8	1	2	1	-	12	2	1	1	-	7	5	14	14	7	4	1
Dis. of Kidneys	23	-	-	-	-	-	-	2	-	1	1	2	3	1	1	9	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	3	-	-	-	-	2	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	64	4	3	2	1	1	11	10	3	2	1	7	5	10	10	2	3	-
Other Causes	317	140	12	2	1	1	155	2	2	1	-	2	1	1	6	30	73	43

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
250.—HIGHWORTH.																		
Mean Popul^{n}, 1851-61	9152	-	-	-	-	-	1337	1201	1000	854	743	1314	1026	726	484	310	137	20
TOTAL DEATHS	1920	380	149	50	46	34	659	109	58	84	87	119	137	118	106	182	192	69
Small-pox	3	-	-	2	-	-	2	-	-	-	1	-	-	-	-	-	-	-
Measles	38	7	15	5	2	1	30	6	1	-	-	-	1	-	-	-	-	-
Scarlatina	63	-	9	3	11	11	34	21	5	1	1	1	-	-	-	-	-	-
Diphtheria	13	1	2	-	2	3	8	2	1	1	-	-	-	1	-	-	-	-
Whooping-cough	25	15	6	-	1	1	23	2	-	-	-	-	-	-	-	-	-	-
Typhus	155	6	11	6	6	4	33	30	20	15	15	11	10	9	9	2	1	-
Cholera, Diarrh., Dysent^{y}	56	15	6	4	-	-	25	3	1	2	-	3	3	2	2	2	12	1
Other Zymotic Dis.	51	13	5	5	4	2	29	3	1	2	1	1	2	4	1	6	1	-
Cancer	40	-	-	-	-	1	1	-	-	-	1	2	6	13	9	7	1	-
Scrofula, Tabes Mesent.	40	6	4	3	3	1	17	5	3	5	-	2	4	3	1	-	-	-
Phthisis	262	4	2	-	1	1	8	5	15	38	36	72	54	23	9	1	1	-
Hydrocephalus	15	5	3	1	2	2	13	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	173	44	8	2	3	2	59	6	1	4	10	-	7	16	9	33	25	3
Heart Dis. and Dropsy	157	-	-	-	1	-	1	1	3	5	5	6	11	18	29	46	29	3
Dis. of Lungs	221	75	39	12	5	3	134	9	1	5	4	6	3	11	14	18	14	2
Dis. of Stom. and Liver	90	11	5	2	1	1	20	6	1	1	5	3	14	9	11	12	8	-
Dis. of Kidneys	7	1	-	-	-	-	1	-	-	-	-	-	2	1	-	2	1	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	1	3	4	3	1	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Diseases of the Skin	4	1	2	-	-	-	3	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	-	3	9	13	-	-	-	-	-
Violent Deaths	32	12	-	2	1	-	15	6	1	1	3	-	2	-	1	1	2	-
Other Causes	436	164	32	3	3	1	203	3	2	3	2	2	2	4	8	50	97	60
251.—CRICKLADE.																		
Mean Popul^{n}, 1851-61	5834	-	-	-	-	-	776	723	668	554	493	753	620	487	361	256	121	22
TOTAL DEATHS	1212	212	79	32	20	16	359	53	36	57	48	91	74	49	89	146	165	45
Small-pox	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Measles	12	1	2	1	1	1	6	3	3	-	-	-	-	-	-	-	-	-
Scarlatina	19	2	3	2	2	-	9	7	1	1	-	-	1	-	-	-	-	-
Diphtheria	7	1	1	-	-	3	5	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	26	8	9	5	1	1	24	1	-	1	-	-	-	-	-	-	-	-
Typhus	65	1	4	3	1	5	14	12	10	4	4	8	5	4	2	2	-	-
Cholera, Diarrh., Dysent^{y}	36	11	3	1	-	-	15	1	-	1	-	4	2	-	4	3	5	1
Other Zymotic Dis.	47	14	3	5	4	3	29	2	1	-	-	-	-	2	3	6	3	1
Cancer	15	-	1	-	-	-	1	-	-	-	-	1	-	-	5	5	3	-
Scrofula, Tabes Mesent.	15	5	2	1	-	-	8	3	1	-	2	-	-	-	-	1	-	-
Phthisis	173	1	1	-	1	1	4	2	11	31	25	44	26	11	9	8	1	1
Hydrocephalus	16	5	4	1	2	-	12	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	137	48	3	3	2	-	56	2	1	1	3	7	8	4	16	19	18	2
Heart Dis. and Dropsy	117	5	1	-	-	-	6	3	1	6	4	7	6	7	24	28	20	5
Dis. of Lungs	182	47	25	3	2	1	78	3	4	4	3	3	3	7	10	31	28	8
Dis. of Stom. and Liver	71	3	1	1	-	1	6	3	3	1	3	6	8	8	7	14	11	1
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	1	1	-	3	2	4	2	1	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	3	1	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	4	3	5	6	-	1	-	-	-
Violent Deaths	24	1	3	1	3	-	8	3	-	1	-	2	1	-	-	5	3	1
Other Causes	209	58	12	5	-	-	75	1	-	1	-	3	4	4	3	21	72	25
252.—MALMSBURY.																		
Mean Popul^{n}, 1851-61	7454	-	-	-	-	-	1035	940	820	682	602	966	801	630	507	322	128	21
TOTAL DEATHS	1401	263	77	46	36	23	445	55	41	49	64	100	79	70	113	173	152	60
Small-pox	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Measles	22	3	8	4	4	2	21	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	18	1	4	5	1	2	13	4	1	-	-	-	-	-	-	-	-	-
Diphtheria	11	1	1	2	2	-	6	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	20	10	6	2	2	-	20	-	-	-	-	-	-	-	-	-	-	-
Typhus	75	2	1	5	5	1	14	13	8	6	7	6	9	4	4	-	3	1
Cholera, Diarrh., Dysent^{y}	27	7	1	-	-	2	10	1	-	-	-	1	-	1	1	6	5	2
Other Zymotic Dis.	43	16	5	6	7	5	39	1	-	1	1	-	2	-	1	-	3	-
Cancer	39	-	-	-	-	-	-	-	-	-	-	1	2	11	15	8	2	-
Scrofula, Tabes Mesent.	39	10	4	1	2	1	18	6	4	3	5	1	1	1	-	-	-	-
Phthisis	167	2	1	-	1	1	5	1	9	28	38	39	28	8	8	2	1	-
Hydrocephalus	17	2	4	1	1	2	10	5	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	145	29	7	3	2	2	43	1	1	2	3	7	4	13	17	30	22	2
Heart Dis. and Dropsy	114	1	1	-	-	-	2	2	4	5	2	11	4	4	27	31	20	2
Dis. of Lungs	164	45	19	9	6	5	84	3	2	2	2	4	4	5	14	24	14	6
Dis. of Stom. and Liver	86	7	1	2	1	-	11	3	2	-	3	9	7	15	14	18	3	1
Dis. of Kidneys	6	1	-	-	-	-	1	-	-	-	-	1	1	2	-	1	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	2	4	-	1	-	1	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	-	1	13	12	1	-	-	-	-
Violent Deaths	37	7	1	4	2	-	14	9	1	1	1	1	-	1	3	2	3	1
Other Causes	320	118	12	2	-	-	132	2	4	-	1	2	-	2	7	50	75	45

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

253.—CHIPPENHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popuⁿ, 1851-61	10750	–	–	–	–	–	1440	1332	1285	1106	805	1369	1193	907	676	441	175	21
TOTAL DEATHS	2275	525	126	62	58	36	807	95	56	72	102	146	133	127	156	266	251	64
Small-pox	10	1	–	1	1	1	4	3	–	1	–	1	–	–	1	–	–	–
Measles	35	7	15	6	3	1	32	2	1	–	–	–	–	–	–	–	–	1
Scarlatina	95	6	13	11	13	10	53	28	7	2	1	2	–	1	–	–	–	–
Diphtheria	29	2	2	1	5	5	15	6	2	1	1	–	1	1	1	1	–	–
Whooping-cough	36	17	9	4	2	2	34	2	–	–	–	–	–	1	–	–	–	–
Typhus	87	1	2	2	5	4	14	8	7	13	11	9	6	7	3	6	2	1
Cholera, Diarrh., Dysent^{y}	68	25	5	3	1	1	35	3	–	–	1	–	4	2	–	9	13	1
Other Zymotic Dis.	85	18	2	2	5	3	30	6	3	1	3	3	7	7	6	8	10	1
Cancer	24	–	–	–	–	–	–	–	–	–	–	2	–	6	4	7	4	1
Scrofula, Tabes Mesent.	45	13	8	1	1	–	23	4	3	2	3	2	3	2	1	–	1	1
Phthisis	249	4	4	2	2	–	12	2	7	21	51	65	47	30	8	5	1	–
Hydrocephalus	51	17	14	7	5	1	44	5	2	–	–	–	–	–	–	–	–	–
Diseases of Brain	215	57	7	4	2	2	72	4	6	6	5	12	10	9	26	40	24	1
Heart Dis. and Dropsy	135	–	1	–	–	–	1	2	3	5	2	4	9	12	27	40	28	2
Dis. of Lungs	293	88	22	7	6	3	126	5	–	4	5	13	9	17	27	52	30	5
Dis. of Stom. and Liver	112	7	4	1	2	1	15	3	3	5	4	6	18	11	15	20	11	1
Dis. of Kidneys	32	–	–	1	–	–	1	–	–	–	–	3	3	7	2	11	3	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	11	–	1	–	–	–	1	–	3	1	1	2	1	–	–	2	–	–
Diseases of the Skin	6	2	–	–	–	–	2	–	–	–	–	–	–	1	–	1	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	132	11	1	4	3	1	20	11	7	6	13	19	15	9	15	8	7	2
Other Causes	525	249	16	5	2	1	273	1	2	4	1	3	–	5	20	56	115	45

254.—CALNE.

Mean Popuⁿ, 1851-61	4504	–	–	–	–	–	628	517	545	461	327	570	473	374	310	202	85	12
TOTAL DEATHS	868	187	48	26	18	9	288	42	18	35	30	47	54	46	77	91	106	34
Small-pox	6	1	–	–	–	–	1	–	–	2	1	1	1	–	–	–	–	–
Measles	14	4	2	4	1	1	12	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	16	–	3	–	1	2	6	7	3	–	–	–	–	–	–	–	–	–
Diphtheria	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Whooping-cough	13	7	5	1	–	–	13	–	–	–	–	–	–	–	–	–	–	–
Typhus	32	–	–	4	2	–	6	6	4	3	4	2	4	2	1	–	–	–
Cholera, Diarrh., Dysent^{y}	16	2	–	1	–	–	3	–	–	–	–	2	1	–	2	1	3	4
Other Zymotic Dis.	40	7	–	–	3	2	12	5	–	3	2	1	2	4	–	3	7	1
Cancer	6	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–
Scrofula, Tabes Mesent.	21	1	2	1	3	–	7	4	3	4	1	–	1	–	1	–	–	–
Phthisis	94	4	1	2	–	–	7	3	2	6	17	25	16	9	5	4	–	–
Hydrocephalus	5	–	3	–	1	–	4	1	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	100	28	2	2	1	2	35	2	1	1	2	2	5	3	17	22	10	1
Heart Dis. and Dropsy	51	1	1	–	–	–	2	–	–	1	–	2	6	1	12	9	17	1
Dis. of Lungs	184	60	19	5	4	1	89	4	–	4	–	1	10	7	19	25	18	7
Dis. of Stom. and Liver	59	4	3	1	1	1	10	1	1	3	–	3	3	11	9	7	11	–
Dis of Kidneys	17	–	–	–	–	–	–	1	–	1	–	3	2	2	2	3	2	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diseases of the Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	40	6	2	2	1	–	11	3	3	5	3	4	2	5	2	2	–	–
Other Causes	149	61	5	3	–	–	69	1	–	2	–	1	1	2	4	12	37	20

255.—MARLBOROUGH.

Mean Popuⁿ, 1851-61	5218	–	–	–	–	–	621	589	841	723	385	582	502	404	305	197	63	6
TOTAL DEATHS	946	213	79	35	24	14	365	29	30	20	24	67	43	57	79	106	107	19
Small-pox	4	–	1	–	–	–	1	–	–	–	–	–	1	1	–	1	–	–
Measles	20	2	9	4	2	1	18	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	15	1	3	3	2	–	9	1	2	2	–	–	1	–	–	–	–	–
Diphtheria	8	1	–	1	–	–	2	3	1	1	–	1	–	–	–	–	–	–
Whooping-cough	22	6	10	1	4	1	22	–	–	–	–	–	–	–	–	–	–	–
Typhus	47	–	3	5	1	–	9	4	9	1	3	11	4	1	2	2	1	–
Cholera, Diarrh., Dysent^{y}	14	5	–	2	1	–	8	–	–	–	–	–	–	1	2	2	1	–
Other Zymotic Dis.	35	14	1	1	4	1	21	–	1	1	–	4	–	4	2	1	1	–
Cancer	8	–	–	–	–	–	–	–	1	–	–	–	1	–	3	1	2	–
Scrofula, Tabes Mesent.	17	4	6	1	–	1	12	1	1	1	–	2	–	–	–	–	–	–
Phthisis	108	6	–	–	1	–	7	3	4	6	15	33	21	13	3	3	–	–
Hydrocephalus	23	4	10	4	1	1	20	2	–	–	–	1	–	–	–	–	–	–
Diseases of Brain	97	34	6	1	2	1	44	2	2	2	1	5	–	5	9	18	9	–
Heart Dis. and Dropsy	60	1	1	1	–	–	3	1	1	2	1	3	3	2	14	16	14	–
Dis. of Lungs	151	43	18	5	4	3	73	1	4	–	1	1	4	9	17	22	17	2
Dis. of Stom. and Liver	59	7	1	1	–	2	11	2	–	–	1	1	6	9	14	11	3	1
Dis. of Kidneys	17	–	–	–	–	–	–	2	–	–	–	1	–	2	2	6	4	–
Dis of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	3	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
Diseases of the Skin	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	42	3	2	1	2	3	11	4	3	3	2	3	1	6	5	1	3	–
Other Causes	195	82	8	4	–	–	94	1	–	–	–	–	1	3	6	22	52	16

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

253.—CHIPPENHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	10968	-	-	-	-	-	1453	1285	1199	982	877	1494	1264	965	722	499	196	32
TOTAL DEATHS	2218	374	127	68	44	25	638	112	71	72	101	156	154	134	154	267	253	106
Small-pox	5	-	-	-	1	-	1	2	-	-	1	1	-	-	-	-	-	-
Measles	20	2	9	6	-	1	18	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	89	3	7	12	8	5	35	38	9	1	3	2	1	-	-	-	-	-
Diphtheria	25	2	2	2	5	2	13	6	5	1	-	-	-	-	-	-	-	-
Whooping-cough	43	19	14	5	3	2	43	-	-	-	-	-	-	-	-	-	-	-
Typhus	113	2	4	4	7	2	19	17	12	16	9	8	11	9	4	7	1	-
Cholera, Diarrh., Dysent^{y}	61	24	5	3	-	1	33	1	-	-	-	3	2	4	3	4	5	6
Other Zymotic Dis.	73	13	4	6	3	2	28	5	-	3	2	3	6	4	2	9	8	3
Cancer	41	-	-	-	-	-	-	-	-	-	-	-	4	8	11	13	3	2
Scrofula, Tabes Mesent	66	10	9	5	3	2	29	7	5	6	3	5	3	3	3	1	1	-
Phthisis	292	3	5	2	1	1	12	6	17	31	62	75	50	28	8	3	-	-
Hydrocephalus	29	8	5	4	-	2	19	7	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	239	49	11	-	4	2	66	2	4	-	5	12	12	23	31	48	30	6
Heart Dis. and Dropsy	169	2	-	-	1	-	3	4	3	5	4	15	16	18	29	54	21	2
Dis. of Lungs	240	48	29	10	4	3	94	7	2	1	2	5	12	16	23	42	30	6
Dis. of Stom. and Liver	97	7	2	2	-	-	11	-	5	4	3	8	11	11	19	13	11	1
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	2	1	2	2	3	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	1	-	2	3	-	1	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	1
Childbirth and Metria	39	-	-	-	-	-	-	-	-	3	4	11	18	3	-	-	-	-
Violent Deaths	40	6	6	3	4	-	19	5	1	1	-	-	1	2	4	5	2	-
Other Causes	512	174	15	4	-	-	193	3	4	-	1	6	4	5	12	64	141	79

254.—CALNE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	4525	-	-	-	-	-	543	521	475	420	356	633	521	407	328	222	87	12
TOTAL DEATHS	920	164	49	28	20	11	272	36	24	35	45	60	59	47	71	133	96	42
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	19	1	7	3	3	1	15	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	19	2	2	3	4	2	13	4	2	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	1	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	26	10	8	4	3	1	26	-	-	-	-	-	-	-	-	-	-	-
Typhus	50	-	3	1	-	-	4	10	6	8	7	7	3	1	4	-	-	-
Cholera, Diarrh., Dysent^{y}	17	7	1	-	-	-	8	-	-	1	-	-	-	-	1	1	5	1
Other Zymotic Dis.	30	9	2	3	4	-	18	5	1	-	-	-	-	2	2	2	-	-
Cancer	22	-	-	-	-	-	-	-	-	-	1	2	4	3	6	4	1	1
Scrofula, Tabes Mesent.	14	5	1	-	-	-	6	1	2	2	-	2	-	-	1	-	-	-
Phthisis	113	1	1	2	-	-	4	2	6	13	20	33	23	7	3	2	-	-
Hydrocephalus	7	3	2	1	-	1	7	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	37	21	4	1	1	1	28	-	2	2	3	2	2	7	5	26	10	-
Heart Dis. and Dropsy	81	1	-	1	-	-	2	-	1	-	3	-	5	7	16	32	13	2
Dis. of Lungs	158	33	15	3	2	2	55	4	1	3	3	5	5	5	11	30	28	8
Dis. of Stom. and Liver	60	5	1	-	-	1	7	2	-	1	-	1	6	9	16	13	4	1
Dis. of Kidneys	11	-	-	-	-	-	-	-	1	2	-	-	2	4	1	1	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	2	-	1	2	1	1	-	-
Diseases of the Joints	7	-	-	-	-	-	-	1	1	1	-	1	2	-	-	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	14	-	-	-	-	-	-	-	-	1	3	5	5	-	-	-	-	-
Violent Deaths	19	3	1	2	1	2	9	1	-	1	1	1	-	-	1	3	2	-
Other Causes	153	62	3	2	1	-	68	-	-	-	2	1	-	-	3	17	33	29

255.—MARLBOROUGH.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	4800	-	-	-	-	-	615	559	521	479	434	682	519	396	307	197	81	10
TOTAL DEATHS	989	178	48	29	19	11	285	47	27	36	42	84	69	60	83	115	110	31
Small-pox	5	1	-	-	-	-	1	2	-	-	1	-	-	-	1	-	-	-
Measles	8	1	1	-	4	-	6	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	22	1	1	4	1	2	9	6	3	2	1	-	-	1	-	-	-	-
Diphtheria	6	-	1	1	1	1	4	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	22	9	6	3	2	1	21	1	-	-	-	-	-	-	-	-	-	-
Typhus	50	1	2	2	1	1	7	8	7	4	6	7	2	2	2	4	1	-
Cholera, Diarrh., Dysent^{y}	18	6	1	1	-	-	8	-	-	-	-	3	1	-	1	2	2	1
Other Zymotic Dis.	35	5	5	1	4	1	16	3	2	1	1	1	3	3	4	1	-	-
Cancer	32	-	-	-	-	-	-	-	-	-	-	1	7	7	8	8	1	-
Scrofula, Tabes Mesent.	19	1	2	1	-	-	4	3	1	-	1	5	1	2	-	1	1	-
Phthisis	155	5	1	1	1	-	8	5	4	21	19	43	29	12	10	3	1	-
Hydrocephalus	13	6	2	2	1	-	11	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	96	19	1	1	2	-	23	3	3	1	1	6	5	4	11	18	20	1
Heart Dis. and Dropsy	69	1	-	-	-	-	1	1	2	3	2	3	3	8	16	15	12	3
Dis. of Lungs	116	32	17	4	1	-	54	5	1	-	4	2	6	5	13	16	8	2
Dis. of Stom. and Liver	57	6	-	3	1	1	11	2	1	1	-	1	3	5	12	14	7	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	1	1	-	1	-	2	-	1	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	1	-	1	1	1	-	3	1	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	-	2	7	5	2	-	-	-	-
Violent Deaths	25	6	1	1	-	4	12	3	1	-	1	1	2	-	1	3	1	-
Other Causes	210	78	7	4	-	-	89	-	-	1	3	2	-	6	4	26	55	24

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
256.—DEVIZES.																		
Mean Popul^{n}, 1851-61	10781	-	-	-	-	-	1412	1306	1229	1134	822	1333	1177	1030	715	433	172	18
TOTAL DEATHS	2322	425	132	65	59	31	712	97	50	68	82	148	161	180	218	274	268	64
Small-pox	5	–	–	–	1	–	1	3	–	–	–	1	–	–	–	–	–	–
Measles	35	6	15	4	5	1	31	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	66	6	7	6	11	9	39	21	4	1	1	–	–	–	–	–	–	–
Diphtheria	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	43	21	4	9	4	1	39	2	2	–	–	–	–	–	–	–	–	–
Typhus	75	1	2	1	1	2	7	13	7	11	12	9	4	8	1	2	1	–
Cholera, Diarrh., Dysent^{y}	72	16	8	–	2	–	26	2	–	1	–	2	2	4	8	14	10	3
Other Zymotic Dis.	111	28	12	7	6	2	55	2	1	1	2	6	6	8	10	12	7	1
Cancer	20	1	–	–	–	–	1	–	–	–	–	–	2	5	3	7	1	1
Scrofula, Tabes Mesent.	44	5	7	3	1	2	18	5	4	3	4	1	5	1	2	–	1	–
Phthisis	295	9	3	4	–	2	18	7	5	24	39	68	49	41	30	11	3	–
Hydrocephalus	33	7	10	4	4	–	25	4	3	–	–	–	–	–	–	1	–	–
Diseases of Brain	305	68	9	8	4	1	90	7	5	4	5	21	36	34	37	44	20	2
Heart Dis. and Dropsy	162	5	1	1	1	–	8	–	2	5	6	8	11	21	32	33	33	3
Dis. of Lungs	338	67	27	7	6	6	113	4	2	5	2	6	21	24	45	75	37	4
Dis. of Stom. and Liver	95	11	2	–	–	–	13	4	1	2	2	10	6	13	18	15	6	5
Dis. of Kidneys	18	–	–	–	–	–	–	1	1	2	–	–	1	–	2	5	6	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	8	–	–	–	–	–	–	2	–	1	1	1	2	1	–	–	–	–
Diseases of the Skin	7	2	–	1	–	–	3	–	1	–	–	1	1	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	109	7	4	4	9	4	28	11	9	7	6	8	8	11	8	5	8	–
Other Causes	480	165	21	5	4	1	196	5	3	1	2	6	7	9	22	49	135	45
257.—MELKSHAM.																		
Mean Popul^{n}, 1851-61	8511	-	-	-	-	-	1119	1034	1099	876	636	1033	862	726	614	356	137	19
TOTAL DEATHS	1953	489	154	53	36	23	755	61	41	68	62	119	101	121	173	209	193	50
Small-pox	8	1	1	1	–	–	3	2	1	1	–	–	1	–	–	–	–	–
Measles	33	5	12	8	3	2	30	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	26	3	6	1	3	3	16	6	1	–	–	2	1	–	–	–	–	–
Diphtheria	11	3	2	–	2	1	8	–	2	1	–	–	–	–	–	–	–	–
Whooping-cough	29	14	8	5	–	1	28	1	–	–	–	–	–	–	–	–	–	–
Typhus	57	5	3	3	3	3	17	7	7	7	4	4	2	2	4	2	1	–
Cholera, Diarrh., Dysent^{y}	68	47	4	1	–	1	53	–	–	–	–	1	–	1	2	5	5	1
Other Zymotic Dis.	77	18	3	5	6	4	36	5	2	1	2	7	2	4	7	8	3	–
Cancer	20	–	–	–	–	–	–	–	–	–	–	1	1	4	7	6	1	–
Scrofula, Tabes Mesent.	72	20	12	3	4	–	39	8	4	8	5	3	2	1	–	2	–	–
Phthisis	195	3	3	1	1	–	8	–	3	23	28	50	33	21	20	9	–	–
Hydrocephalus	32	9	9	3	3	3	27	3	1	1	–	–	–	–	–	–	–	–
Diseases of Brain	252	93	19	2	4	–	118	11	4	8	3	9	10	10	24	39	14	2
Heart Dis. and Dropsy	126	3	1	1	–	–	5	2	1	2	2	9	13	20	27	26	17	2
Dis. of Lungs	360	106	48	13	5	2	174	4	4	3	3	6	13	26	36	48	34	9
Dis. of Stom. and Liver	111	18	4	1	–	1	24	1	2	4	5	11	11	15	16	11	10	1
Dis. of Kidneys	39	–	–	1	1	–	2	–	–	1	–	3	3	2	8	10	9	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	10	–	–	–	1	1	2	1	–	–	1	1	1	1	2	1	–	–
Diseases of the Skin	2	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	110	22	4	2	–	1	29	7	8	7	7	12	6	11	10	9	4	–
Other Causes	315	118	15	1	–	–	134	1	–	1	2	–	2	3	10	33	95	34
258.—BRADFORD.																		
Mean Popul^{n}, 1851-61	5342	-	-	-	-	-	728	677	635	534	360	644	542	479	392	238	98	15
TOTAL DEATHS	1177	204	65	39	23	17	348	45	35	34	40	66	66	71	122	160	142	48
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	26	3	8	7	3	2	23	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	36	6	3	3	5	6	23	8	4	–	*	–	1	–	–	–	–	–
Diphtheria	2	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Whooping-cough	14	8	2	2	–	1	13	1	–	–	–	–	–	–	–	–	–	–
Typhus	46	2	1	2	2	1	8	6	5	7	7	3	2	3	1	3	1	–
Cholera, Diarrh., Dysent^{y}	42	17	5	1	1	1	25	1	–	–	1	–	1	–	1	9	4	–
Other Zymotic Dis.	31	5	2	5	1	–	13	3	–	1	1	2	3	4	1	1	1	1
Cancer	5	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1
Scrofula, Tabes Mesent.	23	3	1	1	2	–	7	3	4	1	1	5	1	–	1	–	–	–
Phthisis	128	4	1	–	–	–	5	2	3	12	20	34	26	12	11	2	1	–
Hydrocephalus	13	5	2	2	–	–	9	1	2	1	–	–	–	–	–	–	–	–
Diseases of Brain	151	32	4	4	3	2	45	2	3	2	2	4	6	11	24	32	15	5
Heart Dis. and Dropsy	79	1	–	–	–	–	1	2	3	–	2	–	7	5	17	24	13	5
Dis. of Lungs	184	29	14	5	2	3	53	1	1	1	1	8	4	10	31	34	33	7
Dis. of Stom. and Liver	72	5	–	–	–	–	5	1	3	1	2	–	5	12	18	17	7	1
Dis. of Kidneys	25	–	–	–	–	–	–	1	–	–	–	–	2	2	6	9	3	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	5	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	1	–
Diseases of the Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	72	9	2	4	3	1	19	7	5	7	3	8	6	8	3	5	1	–
Other Causes	220	74	20	3	–	–	97	1	–		–	2	2	3	6	21	62	26

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
256.—DEVIZES.																		
Mean Popul^{n}, 1851-61	11177	-	-	-	-	-	1314	1321	1189	1034	877	1499	1298	1081	778	543	216	27
TOTAL DEATHS	2260	316	102	45	35	27	525	87	56	82	72	155	185	168	233	318	299	80
Small-pox	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Measles	30	5	11	6	3	2	27	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	53	4	3	7	12	1	27	21	2	-	1	1	1	-	-	-	-	-
Diphtheria	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	41	20	9	6	3	2	40	1	-	-	-	-	-	-	-	-	-	-
Typhus	100	1	3	3	1	4	12	15	18	14	6	8	7	8	6	5	1	-
Cholera, Diarrh., Dysent^{y}	56	9	2	1	1	1	14	2	-	1	-	4	-	3	6	12	13	1
Other Zymotic Dis.	87	16	6	-	3	5	30	4	2	4	1	3	5	4	11	12	9	2
Cancer	73	-	-	-	-	-	-	-	-	-	-	2	15	16	21	9	9	1
Scrofula, Tabes Mesent.	27	5	2	3	-	1	11	1	-	2	4	4	2	1	1	-	1	-
Phthisis	343	8	3	1	-	3	15	8	17	41	39	75	76	35	29	6	2	-
Hydrocephalus	25	9	7	1	-	2	19	5	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	253	42	6	5	1	1	55	1	3	4	3	14	13	23	39	47	43	6
Heart Dis. and Dropsy	203	-	1	-	-	-	1	2	2	3	4	3	13	30	40	71	29	5
Dis. of Lungs	251	56	20	8	3	1	88	7	2	8	1	4	10	10	28	58	34	1
Dis. of Stom. and Liver	119	11	3	-	2	-	16	1	2	-	4	5	8	20	28	25	8	2
Dis. of Kidneys	15	1	-	-	-	1	2	1	-	1	2	3	2	-	2	2	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	1	3	1	1	3	-	-
Diseases of the Joints	8	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	-	-
Diseases of the Skin	5	1	-	-	-	-	1	1	-	-	-	1	1	-	1	-	-	-
Childbirth and Metria	38	-	-	-	-	-	-	-	-	1	4	17	16	-	-	-	-	-
Violent Deaths	50	5	5	2	1	2	15	7	-	2	1	2	3	5	3	4	7	1
Other Causes	470	123	20	2	4	1	150	7	6	1	1	6	9	8	16	62	143	61
257.—MELKSHAM.																		
Mean Popul^{n}, 1851-61	9513	-	-	-	-	-	1153	1069	1001	963	859	1303	1017	835	712	427	143	21
TOTAL DEATHS	1978	332	143	81	44	29	629	80	51	72	53	108	113	114	187	282	221	68
Small-pox	10	3	-	2	-	1	6	-	1	2	-	1	-	-	-	-	-	-
Measles	38	3	15	8	6	1	33	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	27	1	4	-	7	3	15	8	2	2	-	-	-	-	-	-	-	-
Diphtheria	15	1	1	-	2	2	6	6	2	1	-	-	-	-	-	-	-	-
Whooping-cough	39	16	10	7	3	2	38	1	-	-	-	-	-	-	-	-	-	-
Typhus	94	-	6	6	5	2	19	20	9	13	4	7	8	6	7	-	1	-
Cholera, Diarrh., Dysent^{y}	79	43	5	1	1	1	51	1	1	1	1	1	-	2	1	12	6	2
Other Zymotic Dis.	73	8	9	9	5	3	34	1	-	1	3	4	2	6	2	8	8	4
Cancer	38	-	-	-	-	-	-	-	-	-	-	2	9	5	11	8	2	1
Scrofula, Tabes Mesent.	52	12	11	5	2	1	31	3	6	3	3	3	1	-	2	-	-	-
Phthisis	205	2	1	1	2	1	7	3	14	28	31	47	46	17	8	4	-	-
Hydrocephalus	14	1	5	1	1	2	10	3	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	281	65	12	14	2	1	94	10	4	5	2	9	13	14	43	49	32	6
Heart Dis. and Dropsy	106	-	-	-	-	-	-	1	2	2	5	3	9	27	31	56	26	4
Dis. of Lungs	364	71	43	23	7	4	148	7	5	2	2	9	8	15	42	67	47	12
Dis. of Stom. and Liver	116	11	1	1	-	1	14	1	3	6	-	11	6	13	24	29	9	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	1	-
Diseases of the Joints	8	-	1	-	-	1	2	1	-	-	-	1	1	2	1	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	2	1	4	4	-	-	-	-	-
Violent Deaths	48	13	5	1	-	2	21	4	1	2	-	-	1	3	3	5	7	1
Other Causes	281	82	14	2	1	1	100	5	1	1	-	6	1	1	7	40	81	38
258.—BRADFORD.																		
Mean Popul^{n}, 1851-61	5699	-	-	-	-	-	683	682	585	495	460	770	641	524	419	298	122	20
TOTAL DEATHS	1211	152	60	21	30	17	280	60	35	46	42	100	63	64	125	170	170	56
Small-pox	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Measles	12	1	4	-	2	2	9	-	2	1	-	-	-	-	-	-	-	-
Scarlatina	43	-	3	5	10	5	23	15	2	1	1	1	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	15	4	6	-	2	-	12	3	-	-	-	-	-	-	-	-	-	-
Typhus	61	2	2	3	1	1	9	13	12	9	3	5	2	2	-	7	-	-
Cholera, Diarrh., Dysent^{y}	39	12	1	1	2	-	16	-	-	-	-	-	-	-	5	3	12	3
Other Zymotic Dis.	36	7	4	-	3	2	16	2	-	1	2	3	-	1	5	3	3	-
Cancer	23	-	-	-	-	-	-	-	-	-	1	3	4	4	6	3	2	-
Scrofula, Tabes Mesent.	29	3	3	2	1	-	9	2	2	2	4	5	1	1	1	2	-	-
Phthisis	149	3	2	1	-	1	7	5	6	22	24	47	23	9	5	1	-	-
Hydrocephalus	12	3	4	-	-	-	7	4	-	-	-	1	-	-	-	-	-	-
Diseases of Brain	142	28	3	1	1	1	34	1	2	3	2	7	4	7	26	23	29	4
Heart Dis. and Dropsy	89	-	-	-	-	-	-	4	2	1	1	3	5	9	18	31	15	-
Dis. of Lungs	180	21	17	5	2	4	49	4	1	1	1	5	2	10	19	47	55	6
Dis. of Stom. and Liver	94	1	-	-	1	-	2	1	2	2	-	7	11	16	28	18	7	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	-	-
Diseases of the Joints	4	-	-	-	1	-	1	-	2	-	-	-	1	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Childbirth and Metria	10	-	-	-	-	-	-	-	-	-	-	2	7	1	-	-	-	-
Violent Deaths	26	4	2	2	1	-	9	5	1	2	3	1	-	1	1	2	-	1
Other Causes	235	63	9	1	3	-	76	1	1	1	-	6	2	3	9	28	66	42

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
259.—WESTBURY.																		
Mean Popul^{n}, 1851-61	5972	-	-	-	-	-	793	742	670	611	439	707	627	549	437	277	106	14
TOTAL DEATHS	1307	345	75	35	31	18	504	48	30	41	45	61	66	73	103	147	148	41
Small-pox	2	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Measles	24	4	5	7	4	1	21	1	2	-	-	-	-	-	-	-	-	-
Scarlatina	43	2	10	5	5	1	23	14	4	1	-	1	-	-	-	-	-	-
Diphtheria	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
Whooping-cough	19	10	6	2	-	1	19	-	-	-	-	-	-	-	-	-	-	-
Typhus	35	-	1	-	1	1	3	4	3	4	5	5	2	4	3	1	1	-
Cholera, Diarrh., Dysent^{y}	44	30	2	1	-	-	33	1	1	-	-	-	-	-	1	7	1	-
Other Zymotic Dis.	46	11	1	2	2	-	16	2	-	2	1	3	4	3	4	6	5	-
Cancer	15	-	-	-	-	-	-	-	-	-	-	1	-	2	6	5	1	-
Scrofula, Tabes Mesent.	23	4	5	-	-	3	12	2	-	3	1	3	1	-	1	-	-	-
Phthisis	107	-	1	-	-	-	1	2	2	7	22	23	18	18	11	2	1	-
Hydrocephalus	17	3	4	1	2	1	11	3	1	2	-	-	-	-	-	-	-	-
Diseases of Brain	144	34	2	3	5	4	48	7	1	4	3	3	10	6	16	22	23	1
Heart Dis. and Dropsy	84	1	-	-	-	-	1	-	2	5	4	3	7	6	15	28	12	1
Dis. of Lungs	227	59	18	6	6	3	92	6	3	2	3	4	7	16	23	37	31	3
Dis. of Stom. and Liver	77	9	2	1	2	1	15	1	4	4	1	5	11	3	11	14	8	-
Dis. of Kidneys	18	-	-	-	-	-	-	-	2	1	1	1	-	3	3	2	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	1	-	-	-	-	1	-	-	1	1	1	-	1	-	1	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	59	16	3	3	2	-	24	1	3	3	3	7	5	6	2	4	1	-
Other Causes	313	160	15	4	2	1	182	2	-	2	-	1	1	5	7	18	60	35
260.—WARMINSTER.																		
Mean Popul^{n}, 1851-61	8042	-	-	-	-	-	1061	999	963	842	604	975	857	693	546	358	127	17
TOTAL DEATHS	1624	344	108	34	29	19	534	60	52	44	58	77	77	96	151	209	217	49
Small pox	5	2	-	-	-	-	2	-	-	1	-	2	-	-	-	-	-	-
Measles	17	4	4	3	2	-	13	3	-	1	-	-	-	-	-	-	-	-
Scarlatina	25	-	3	3	4	1	11	12	2	-	-	-	-	-	-	-	-	-
Diphtheria	9	-	2	1	1	-	4	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough	19	9	5	1	1	1	17	1	-	1	-	-	-	-	-	-	-	-
Typhus	48	-	3	2	2	2	9	5	7	4	4	2	4	5	5	2	1	-
Cholera, Diarrh., Dysent^{y}	22	11	1	1	1	-	14	-	-	-	-	-	-	-	-	5	3	-
Other Zymotic Dis.	55	9	4	-	4	1	18	2	5	5	-	4	4	3	5	3	6	-
Cancer	20	-	-	-	1	-	1	-	-	-	-	-	4	2	5	7	1	-
Scrofula, Tabes Mesent.	63	8	11	6	1	1	27	9	10	2	5	4	1	3	2	-	-	-
Phthisis	145	1	1	-	-	1	3	3	2	12	26	47	27	13	12	-	-	-
Hydrocephalus	30	6	11	2	2	2	23	5	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	167	29	10	5	1	2	47	6	5	2	1	4	6	8	25	34	25	4
Heart Dis. and Dropsy	141	1	1	-	-	-	2	3	2	6	2	2	8	12	31	41	28	4
Dis. of Lungs	264	62	32	6	3	4	107	2	3	1	4	4	8	20	22	48	41	4
Dis. of Stom. and Liver	98	20	2	-	2	1	25	1	1	2	4	2	7	16	17	16	7	-
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	-	2	1	2	2	3	7	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	2	-	-	-	-	1	-	2	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	80	8	2	1	2	2	15	3	8	6	10	5	5	7	11	4	5	1
Other Causes	392	174	16	3	2	1	196	1	3	-	-	-	1	4	13	39	99	36
261.—PEWSEY.																		
Mean Popul^{n}, 1851-61	6304	-	-	-	-	-	864	783	718	665	476	774	667	552	431	268	94	12
TOTAL DEATHS	1161	277	79	43	27	23	449	42	16	33	22	75	46	73	100	129	134	42
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	9	2	5	-	1	1	9	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	14	1	2	1	2	1	7	6	-	-	-	-	-	-	-	1	-	-
Diphtheria	7	1	-	-	2	-	3	2	-	1	-	-	-	1	-	-	-	-
Whooping-cough	22	8	6	2	4	1	21	1	-	-	-	-	-	-	-	-	-	-
Typhus	46	1	1	5	1	2	10	4	3	6	3	6	1	4	5	4	-	-
Cholera, Diarrh., Dysent^{y}	26	9	4	-	1	1	15	-	-	-	-	-	-	2	2	4	2	1
Other Zymotic Dis.	39	5	1	1	2	2	11	2	1	-	-	7	4	3	2	6	3	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	-	1	8	4	-	-
Scrofula, Tabes Mesent.	41	9	10	7	-	1	27	4	2	1	-	3	2	1	-	1	-	-
Phthisis	112	2	-	2	1	2	7	1	-	5	11	33	16	20	10	7	2	-
Hydrocephalus	13	8	3	2	-	-	13	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	145	29	5	8	3	-	45	3	3	9	2	8	4	3	11	20	30	7
Heart Dis. and Dropsy	81	1	-	-	-	-	1	-	1	3	2	4	6	7	23	18	13	3
Dis. of Lungs	207	74	27	8	7	5	121	8	-	1	-	6	4	13	14	19	17	4
Dis. of Stom. and Liver	54	2	3	1	1	1	8	3	1	2	1	1	3	7	9	8	9	2
Dis. of Kidneys	26	-	-	-	-	-	-	-	-	-	-	1	1	4	5	11	3	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	54	5	3	3	2	5	18	5	5	5	2	4	5	3	3	4	-	-
Other Causes	248	120	9	3	-	1	133	3	-	-	-	2	-	3	7	21	55	24

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
259.—WESTBURY.																		
Mean Popul^{n}, 1851-61	6169	-	-	-	-	-	313	750	680	535	454	301	679	575	462	298	103	14
TOTAL DEATHS	1372	251	79	42	31	24	427	59	34	41	50	98	74	65	121	179	178	46
Small-pox	4	1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Measles	25	-	8	3	3	3	17	7	-	-	-	1	-	-	-	-	-	-
Scarlatina	43	1	5	6	6	6	24	16	1	-	-	2	-	-	-	-	-	-
Diphtheria	7	-	1	-	1	2	4	2	-	-	1	-	-	-	-	-	-	-
Whooping-cough	19	8	2	6	2	1	19	-	-	-	-	-	-	-	-	-	-	-
Typhus	48	1	1	2	2	-	6	7	6	9	4	4	7	1	2	-	2	-
Cholera, Diarrh., Dysent^{y}	35	17	5	2	-	-	24	1	-	-	-	-	2	1	1	1	4	1
Other Zymotic Dis.	41	14	2	3	3	1	23	-	1	1	-	1	-	2	5	3	4	1
Cancer	28	-	-	-	-	-	-	-	-	-	-	3	5	6	4	8	2	-
Scrofula, Tabes Mesent.	19	1	2	2	-	-	5	2	5	-	1	3	-	-	1	2	-	-
Phthisis	141	1	1	-	-	-	2	1	8	13	33	44	16	10	10	4	-	-
Hydrocephalus	13	4	1	-	1	-	6	3	3	1	-	-	-	-	-	-	-	-
Diseases of Brain	147	23	6	-	3	2	34	2	2	3	3	4	7	5	21	38	25	3
Heart Dis. and Dropsy	110	1	-	-	-	-	1	3	2	1	1	7	8	10	19	38	17	3
Dis. of Lungs	238	56	22	12	6	4	100	2	2	3	1	4	6	12	31	42	33	2
Dis. of Stom. and Liver	81	5	2	1	1	-	9	4	-	3	4	11	14	9	14	10	3	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	1	1	-	1	2	-	-	2	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	1	3	2	1	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	-	2	-	-	1	1	-	-	-	-
Diseases of the Skin	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	-	2	7	2	2	-	-	-	-
Violent Deaths	30	5	2	1	2	4	14	5	1	-	-	4	-	3	-	1	2	-
Other Causes	310	113	17	4	1	1	136	2	2	3	-	1	1	1	12	30	86	36
260.—WARMINSTER.																		
Mean Popul^{n}, 1851-61	8463	-	-	-	-	-	1046	978	913	807	669	1141	943	777	604	410	153	22
TOTAL DEATHS	1710	254	98	33	32	16	433	57	47	44	72	98	128	106	147	241	257	80
Small-pox	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Measles	23	3	13	-	3	-	19	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	28	4	1	1	6	3	15	7	4	1	1	-	-	-	-	-	-	-
Diphtheria	6	-	1	-	-	-	1	2	2	-	-	1	-	-	-	-	-	-
Whooping-cough	14	6	5	1	1	1	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	55	-	1	2	1	-	4	11	9	6	6	7	5	4	3	-	-	-
Cholera, Diarrh., Dysent^{y}	14	3	1	1	-	-	5	-	-	-	1	-	1	2	1	1	2	1
Other Zymotic Dis.	61	16	7	7	2	6	38	3	-	1	2	2	-	4	3	6	1	1
Cancer	54	-	-	-	-	-	-	-	-	-	1	-	6	15	11	10	8	3
Scrofula, Tabes Mesent.	51	9	9	2	3	-	23	6	5	2	5	6	2	-	-	2	-	-
Phthisis	198	-	-	-	-	-	-	1	12	26	34	45	48	18	12	1	1	-
Hydrocephalus	21	3	4	1	3	3	14	6	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	187	32	8	3	3	-	46	2	6	2	7	4	13	13	23	43	27	1
Heart Dis. and Dropsy	189	-	-	-	-	-	-	2	3	3	6	8	14	19	34	65	30	5
Dis. of Lungs	254	39	24	7	4	2	76	8	3	-	1	4	13	12	31	53	42	11
Dis. of Stom. and Liver	95	8	2	1	-	1	12	1	-	2	1	7	8	9	17	22	15	1
Dis. of Kidneys	5	-	1	-	-	-	1	-	-	-	1	2	1	-	-	-	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	1	2	1	4	-	1	-	-
Diseases of the Joints	4	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	-	5	6	10	-	-	-	-	-
Violent Deaths	35	7	1	2	4	-	14	4	-	1	-	-	3	2	2	2	7	-
Other Causes	380	123	19	5	2	-	149	-	1	-	-	4	2	3	10	33	121	57
261.—PEWSEY.																		
Mean Popul^{n}, 1851-61	6180	-	-	-	-	-	824	776	668	581	483	806	680	535	428	280	99	20
TOTAL DEATHS	1168	192	65	36	20	13	326	47	22	41	47	77	78	77	93	158	155	47
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	6	2	3	1	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	10	-	2	2	1	2	7	1	1	-	1	-	-	-	-	-	-	-
Diphtheria	8	1	2	1	1	-	5	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	23	9	6	6	1	1	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	48	1	1	4	1	-	7	8	6	7	2	8	2	2	2	3	1	-
Cholera, Diarrh., Dysent^{y}	38	6	2	-	1	1	10	-	-	-	-	1	1	2	3	9	10	2
Other Zymotic Dis.	29	5	6	2	-	1	14	2	-	-	-	-	1	4	1	1	6	-
Cancer	28	-	-	-	-	-	-	-	-	-	-	3	1	7	4	7	5	1
Scrofula, Tabes Mesent.	34	6	3	1	-	1	11	5	6	3	5	2	-	1	1	-	-	-
Phthisis	165	4	2	2	-	-	8	6	4	15	24	35	31	17	12	10	3	-
Hydrocephalus	18	7	6	-	2	1	16	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	129	17	3	3	3	-	26	4	2	3	4	4	9	8	18	19	23	4
Heart Dis. and Dropsy	110	2	1	-	-	-	3	-	-	3	2	5	13	12	16	33	21	2
Dis. of Lungs	158	46	19	6	8	4	83	7	1	1	-	3	4	6	10	23	15	5
Dis. of Stom. and Liver	69	3	1	2	-	-	6	4	2	5	1	4	3	11	13	13	5	2
Dis. of Kidneys	13	-	-	-	-	-	-	2	-	-	-	-	1	3	4	3	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	2	7	7	7	-	-	-	-	-
Violent Deaths	23	4	1	4	2	2	13	3	-	1	-	1	3	-	-	-	1	1
Other Causes	226	78	7	2	-	-	87	-	-	-	1	2	-	4	7	35	60	30

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
262.—AMESBURY.																		
Mean Popul^{n}, 1851-61	4147	-	-	-	-	-	540	485	442	444	340	552	449	379	289	164	58	5
TOTAL DEATHS	796	171	48	26	19	16	280	33	20	23	26	40	42	58	69	109	80	16
Small-pox	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	8	-	2	2	3	-	7	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	22	-	1	4	6	6	17	2	1	2	-	-	-	-	-	-	-	-
Diphtheria	3	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	19	8	6	1	3	-	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	60	2	5	4	1	3	15	9	3	5	4	6	2	8	1	4	3	-
Cholera, Diarrh., Dysent^{y}	14	2	2	-	-	1	5	1	-	1	-	1	-	-	-	3	2	1
Other Zymotic Dis.	37	6	4	1	-	-	11	1	4	-	1	1	1	3	6	4	5	-
Cancer	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Scrofula, Tabes Mesent.	15	2	3	3	-	1	9	1	-	-	2	1	-	1	1	-	-	-
Phthisis	94	7	1	2	-	-	10	3	-	7	14	20	14	11	12	2	1	-
Hydrocephalus	8	1	3	2	-	-	6	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	86	34	2	2	-	1	39	4	2	-	1	2	4	3	12	15	4	-
Heart Dis. and Dropsy	70	1	-	-	-	-	1	2	2	1	-	2	3	7	11	28	11	2
Dis. of Lungs	122	30	11	2	4	1	48	-	1	3	3	4	11	10	11	21	10	-
Dis. of Stom. and Liver	34	7	-	-	-	1	8	2	-	1	-	-	4	8	8	2	1	-
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	1	-	1	-	2	-	3	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	5	1	-	-	-	-	1	-	-	-	-	-	-	1	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	31	3	4	1	2	-	10	2	7	1	-	2	2	-	1	5	1	-
Other Causes	152	66	3	2	-	2	73	-	-	-	-	-	1	4	6	18	37	13
263.—ALDERBURY.																		
Mean Popul^{n}, 1851-61	7314	-	-	-	-	-	967	899	807	738	563	946	828	667	479	301	109	10
TOTAL DEATHS	1733	286	90	43	38	20	477	61	50	55	97	136	133	141	176	195	185	27
Small-pox	6	-	1	1	-	-	2	2	-	-	1	1	-	-	-	-	-	-
Measles	26	5	14	2	1	1	23	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	62	3	5	14	8	6	36	17	6	-	2	-	-	1	-	-	-	-
Diphtheria	16	3	3	-	2	1	9	4	-	1	-	1	-	-	1	-	-	-
Whooping-cough	13	6	3	3	1	-	13	-	-	-	-	-	-	-	-	-	-	-
Typhus	63	1	1	-	5	-	7	3	2	11	7	9	6	5	4	7	1	1
Cholera, Diarrh., Dysent^{y}	31	6	4	1	-	-	11	-	1	-	-	3	2	3	1	5	5	-
Other Zymotic Dis.	58	10	3	3	3	2	21	5	1	-	7	3	7	7	3	3	1	-
Cancer	23	1	-	-	-	-	1	-	-	1	-	-	1	4	5	6	4	1
Scrofula, Tabes Mesent.	25	3	7	-	-	-	10	4	5	1	2	2	1	-	-	-	-	-
Phthisis	214	3	1	-	1	1	6	5	7	21	38	49	32	29	21	6	-	-
Hydrocephalus	15	6	2	-	1	-	9	2	3	-	-	-	-	1	-	-	-	-
Diseases of Brain	246	34	4	3	5	-	46	4	4	3	12	20	24	22	32	43	32	4
Heart Dis. and Dropsy	157	3	-	1	2	2	8	1	4	1	7	11	10	14	28	42	28	3
Dis. of Lungs	203	36	21	7	2	4	70	4	2	2	7	10	14	22	27	28	16	1
Dis. of Stom. and Liver	68	3	-	-	-	-	3	1	4	4	2	7	9	9	16	8	5	-
Dis. of Kidneys	32	-	-	1	-	1	2	-	-	-	2	3	2	5	9	5	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	2	-	3	-	-	1	-	-	-	-
Diseases of the Skin	9	-	1	-	-	-	1	-	-	-	1	1	-	-	2	4	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	107	1	1	4	3	2	11	5	7	6	6	15	21	11	13	11	1	-
Other Causes	353	162	19	3	4	-	188	2	1	4	-	1	4	7	14	27	88	17
264.—SALISBURY.																		
Mean Popul^{n}, 1851-61	4123	-	-	-	-	-	583	474	445	404	347	568	510	366	231	139	53	3
TOTAL DEATHS	1029	210	81	50	24	16	381	44	22	22	23	59	80	87	88	110	83	30
Small-pox	19	5	-	1	1	1	8	6	-	1	1	2	1	-	-	-	-	-
Measles	24	2	7	10	3	2	24	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	40	2	5	6	5	2	20	15	4	-	-	1	-	-	-	-	-	-
Diphtheria	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	11	7	1	2	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Typhus	19	1	-	1	1	-	3	3	3	-	-	4	1	2	1	1	1	-
Cholera, Diarrh., Dysent^{y}	41	8	4	2	2	1	17	2	1	1	-	4	-	6	4	3	3	-
Other Zymotic Dis.	45	14	1	5	1	1	22	2	-	-	2	3	3	6	4	2	-	1
Cancer	10	-	-	-	-	-	-	-	-	1	-	-	6	1	1	1	-	-
Scrofula, Tabes Mesent.	30	3	10	5	2	4	24	2	2	2	-	-	-	-	-	-	-	-
Phthisis	147	3	2	-	1	1	7	3	2	10	14	34	42	23	10	2	-	-
Hydrocephalus	10	2	3	2	1	-	8	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	124	42	2	3	2	2	51	2	1	1	3	1	9	12	14	17	13	-
Heart Dis. and Dropsy	56	5	-	1	2	-	8	-	4	3	1	-	1	8	13	11	4	3
Dis. of Lungs	176	32	20	9	3	1	74	5	-	1	-	6	7	14	19	35	14	1
Dis. of Stom. and Liver	56	7	2	1	-	-	10	1	2	2	2	2	6	8	12	8	3	-
Dis. of Kidneys	18	-	-	-	-	-	-	-	1	-	-	1	-	2	3	7	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	14	1	-	-	-	1	2	-	-	-	-	1	4	2	3	1	1	-
Other Causes	184	75	13	2	-	-	90	1	-	-	-	-	-	3	4	21	40	25

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

262.—AMESBURY.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds
Mean Popul^{n}, 1851-61	4042	-	-	-	-	-	528	467	430	367	354	598	456	359	258	170	49	6
TOTAL DEATHS	840	131	58	28	16	13	246	32	24	31	43	69	57	56	71	106	85	20
Small-pox	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Measles	19	3	9	4	-	-	16	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	27	-	3	5	2	3	13	6	3	-	3	1	-	1	-	-	-	-
Diphtheria	7	1	-	-	-	2	3	-	3	1	-	-	-	-	-	-	-	-
Whooping-cough	21	8	4	4	2	1	19	1	1	-	-	-	-	-	-	-	-	-
Typhus	68	2	3	5	2	2	14	6	3	7	4	3	12	5	5	6	2	1
Cholera, Diarrh., Dysent^{y}	27	6	7	1	-	-	14	1	-	1	-	2	-	1	2	2	4	-
Other Zymotic Dis.	30	6	2	2	1	1	12	-	1	-	2	1	1	2	4	5	2	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	2	3	2	5	2	-
Scrofula, Tabes Mesent.	22	3	5	-	1	-	9	2	2	1	1	6	1	-	-	-	-	-
Phthisis	125	4	2	-	1	-	7	4	7	14	22	38	17	11	4	1	-	-
Hydrocephalus	4	-	2	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	93	26	4	1	1	-	32	2	-	1	2	1	5	10	10	19	10	1
Heart Dis. and Dropsy	73	1	-	-	-	-	1	1	2	1	2	2	3	8	16	23	13	1
Dis. of Lungs	88	20	12	6	4	4	46	4	-	-	1	1	4	4	7	14	7	-
Dis. of Stom. and Liver	30	3	-	-	-	-	3	1	1	-	-	4	2	4	9	4	2	-
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	1	6	9	4	-	-	-	-	-
Violent Deaths	9	3	-	-	-	-	3	-	-	1	-	1	2	1	-	1	-	-
Other Causes	149	45	5	-	1	-	51	-	-	1	-	-	2	4	5	26	43	17

263.—ALDERBURY.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds
Mean Popul^{n}, 1851-61	7525	-	-	-	-	-	964	836	797	703	629	1028	908	675	516	331	124	14
TOTAL DEATHS	1632	269	85	41	27	30	452	82	47	44	59	123	126	117	155	201	181	45
Small-pox	7	1	-	-	-	1	2	3	1	-	1	-	-	-	-	-	-	-
Measles	21	3	11	2	1	1	18	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	58	1	7	8	-	9	25	21	9	1	-	2	-	-	-	-	-	-
Diphtheria	22	2	-	2	3	1	8	6	4	2	-	1	-	1	-	-	-	-
Whooping-cough	22	10	4	4	1	1	20	2	-	-	-	-	-	-	-	-	-	-
Typhus	51	1	2	1	2	2	8	9	7	7	4	2	5	4	4	1	-	-
Cholera, Diarrh., Dysent^{y}	30	8	2	-	-	1	11	1	1	1	2	1	1	4	1	5	2	-
Other Zymotic Dis.	50	17	2	1	4	3	27	3	1	2	1	2	4	2	3	3	1	1
Cancer	33	-	-	-	1	-	1	-	-	-	-	3	5	5	10	7	1	1
Scrofula, Tabes Mesent.	18	1	1	1	3	-	6	2	1	1	1	2	-	-	2	2	1	-
Phthisis	212	3	2	-	2	2	9	1	10	18	28	63	40	26	15	2	-	-
Hydrocephalus	16	4	4	2	3	2	15	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	197	26	4	6	2	-	38	4	4	3	4	11	14	21	33	35	29	1
Heart Dis. and Dropsy	170	2	2	-	1	2	7	1	2	2	3	5	14	15	33	53	28	4
Dis. of Lungs	171	31	16	4	2	2	55	8	2	-	8	9	11	16	19	27	15	1
Dis. of Stom. and Liver	70	5	2	1	-	-	8	5	-	3	2	2	11	7	17	13	2	-
Dis. of Kidneys	14	-	-	-	-	-	-	1	-	1	-	1	3	2	4	1	1	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	1	1	1	6	-	2	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	2	3	14	9	-	-	-	-	-
Violent Deaths	35	5	3	3	1	2	14	8	2	-	1	-	2	2	2	1	2	1
Other Causes	387	148	23	6	1	1	179	4	1	1	-	2	6	4	12	43	99	36

264.—SALISBURY.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds
Mean Popul^{n}, 1851-61	4861	-	-	-	-	-	557	513	483	524	454	724	570	429	309	211	75	12
TOTAL DEATHS	1098	174	59	46	28	19	326	35	26	30	33	60	78	76	93	160	136	45
Small-pox	18	5	4	2	2	2	15	2	-	-	-	-	1	-	-	-	-	-
Measles	29	5	5	14	1	-	25	2	1	-	-	-	-	-	1	-	-	-
Scarlatina	28	3	1	1	8	3	16	8	4	-	-	-	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Whooping-cough	10	2	4	2	-	2	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	20	-	-	1	1	-	2	4	4	-	-	1	3	2	2	2	-	-
Cholera, Diarrh., Dysent^{y}	39	8	1	1	1	-	11	1	-	-	-	3	3	-	5	4	2	1
Other Zymotic Dis.	32	10	1	4	3	-	18	4	-	1	-	2	-	2	3	2	-	-
Cancer	29	-	-	-	-	-	-	-	-	-	-	1	-	10	3	3	3	-
Scrofula, Tabes Mesent.	26	3	6	1	1	-	11	3	4	3	2	1	1	-	-	1	-	-
Phthisis	151	3	-	3	1	-	7	3	5	18	26	29	25	26	9	1	2	-
Hydrocephalus	6	1	2	1	1	1	6	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	139	36	4	3	1	3	47	2	5	4	-	1	12	6	16	24	22	-
Heart Dis. and Dropsy	74	-	1	-	1	-	2	1	3	1	-	4	4	7	10	31	7	1
Dis of Lungs	183	32	24	7	6	4	73	3	-	1	2	4	10	10	20	41	17	2
Dis. of Stom. and Liver	59	2	-	1	-	3	6	1	-	1	1	3	6	8	18	11	4	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	3	-	1	3	1	2	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	1	2	4	9	-	-	-	-	-
Violent Deaths	10	-	-	2	1	1	4	-	-	-	-	-	2	1	-	2	-	1
Other Causes	231	64	6	3	-	-	73	1	-	-	-	3	2	2	3	30	77	40

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

265.—WILTON.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	5269	-	-	-	-	-	699	629	613	530	396	660	555	469	377	238	95	8
TOTAL DEATHS	1076	229	81	44	25	20	399	36	31	36	26	62	63	46	87	119	141	30
Small-pox	7	-	2	-	-	-	2	-	-	1	2	1	-	-	1	-	-	-
Measles	33	6	13	8	2	2	31	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	46	1	5	10	10	5	31	9	5	1	-	-	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	16	11	2	-	1	1	15	1	-	-	-	-	-	-	-	-	-	-
Typhus	42	1	2	3	2	3	11	4	-	7	5	3	3	2	3	3	1	-
Cholera,Diarrh.,Dysent^{y}	14	6	-	-	-	-	6	-	2	-	1	2	1	-	1	-	1	-
Other Zymotic Dis.	26	5	3	3	3	-	14	3	1	1	-	1	-	1	1	2	2	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	1	1	3	5	2	2	-
Scrofula, Tabes Mesent.	18	4	2	1	2	1	10	2	2	1	-	1	-	-	-	1	1	-
Phthisis	116	1	-	-	-	-	1	-	6	15	16	31	23	16	4	4	-	-
Hydrocephalus	18	6	4	4	1	-	15	2	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	118	40	3	3	-	1	47	4	1	4	1	7	3	3	12	23	12	1
Heart Dis. and Dropsy	103	-	-	-	1	1	2	3	3	1	1	3	3	6	28	29	23	1
Dis. of Lungs	129	26	19	4	2	2	53	4	4	1	-	8	8	5	10	16	20	-
Dis. of Stom. and Liver	39	4	1	-	-	-	5	-	-	1	-	-	7	6	13	7	-	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	1	3	1	-	3	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	39	2	1	5	1	3	12	1	4	1	-	3	8	2	4	2	-	2
Other Causes	284	116	23	3	-	-	142	-	3	1	-	-	3	1	5	26	77	26

266.—TISBURY.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	5019	-	-	-	-	-	670	606	535	517	404	682	527	446	338	199	86	9
TOTAL DEATHS	971	195	56	34	15	13	313	43	21	28	27	63	52	57	90	127	119	31
Small-pox	4	-	1	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-
Measles	4	-	1	1	1	-	3	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	21	-	1	4	3	-	8	10	1	-	-	1	-	1	-	-	-	-
Diphtheria	11	1	1	-	1	1	4	5	1	-	-	1	-	-	-	-	-	-
Whooping-cough	19	10	5	2	1	-	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	68	1	4	-	2	2	9	6	8	7	6	8	1	6	9	7	1	-
Cholera,Diarrh.,Dysent^{y}	23	7	1	2	-	-	10	-	-	-	1	2	2	1	2	2	2	1
Other Zymotic Dis.	30	8	1	1	-	1	11	1	-	1	-	2	3	1	4	2	4	1
Cancer	10	-	-	-	-	-	-	1	-	-	-	-	1	3	2	2	1	-
Scrofula, Tabes Mesent.	26	7	3	2	1	3	16	4	1	-	1	2	1	-	-	1	-	-
Phthisis	73	-	1	1	-	-	2	-	2	10	8	27	16	4	4	-	-	-
Hydrocephalus	22	8	5	5	1	-	19	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	109	31	3	1	2	2	39	3	2	2	1	3	7	7	8	23	12	2
Heart Dis. and Dropsy	100	3	1	-	-	-	4	2	3	1	-	3	-	11	23	33	19	1
Dis. of Lungs	146	34	17	7	2	2	62	3	1	1	2	5	9	11	14	18	18	2
Dis. of Stom. and Liver	43	5	2	-	1	-	8	-	-	2	3	3	4	6	5	6	6	-
Dis. of Kidneys	19	-	-	-	-	-	-	1	-	-	-	1	1	1	6	4	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	30	-	2	3	-	-	5	-	1	2	4	3	5	2	4	2	2	-
Other Causes	213	80	7	5	-	2	94	1	-	2	1	1	2	3	9	27	49	24

267.—MERE.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	3981	-	-	-	-	-	517	470	458	387	286	495	443	380	271	188	74	12
TOTAL DEATHS	822	190	49	23	16	13	291	36	19	21	25	47	36	52	74	96	96	29
Small-pox	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Measles	13	3	4	5	1	-	13	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	15	-	5	1	-	1	7	4	3	1	-	-	-	-	-	-	-	-
Diphtheria	17	4	2	4	-	1	11	3	1	1	1	-	-	-	-	-	-	-
Whooping-cough	11	6	4	-	-	1	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	52	5	1	2	2	4	14	8	2	6	4	3	2	2	5	4	1	1
Cholera,Diarrh.,Dysent^{y}	18	6	2	-	2	-	10	-	-	-	1	-	-	1	2	2	1	1
Other Zymotic Dis.	52	9	2	2	3	3	19	4	3	1	-	4	3	3	4	4	6	1
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	1	-
Scrofula, Tabes Mesent.	16	-	3	-	4	1	8	-	1	1	1	3	2	-	-	-	-	-
Phthisis	81	2	2	1	1	-	6	3	4	6	13	17	12	15	3	2	-	-
Hydrocephalus	9	4	-	-	-	-	4	4	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	134	44	7	3	-	1	55	1	2	2	-	2	4	5	13	29	17	4
Heart Dis. and Dropsy	55	-	1	-	-	-	1	1	-	2	1	2	-	6	8	16	15	3
Dis. of Lungs	127	32	9	2	3	-	46	5	-	-	2	6	5	11	12	16	20	4
Dis. of Stom. and Liver	42	4	-	-	-	-	4	2	1	-	-	3	6	1	8	11	5	1
Dis. of Kidneys	15	-	-	-	-	-	-	-	-	-	1	4	-	2	1	4	2	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	23	2	1	1	-	1	5	1	1	1	1	2	1	2	5	2	2	-
Other Causes	130	69	5	2	-	-	76	-	-	-	-	-	-	3	8	4	26	13

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

265.—WILTON.

CAUSES OF DEATH.	All Ages.	Females: Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	5439	-	-	-	-	-	692	665	566	519	426	729	590	502	393	255	92	10
TOTAL DEATHS	1157	149	70	29	19	26	293	52	25	39	64	85	66	75	98	164	155	41
Small-pox	9	2	-	1	1	-	4	4	-	-	-	1	-	-	-	-	-	-
Measles	21	3	5	2	3	-	13	3	2	1	-	-	-	-	-	-	-	-
Scarlatina	30	-	1	4	1	7	13	12	3	2	-	-	-	-	-	-	-	-
Diphtheria	12	1	2	1	1	3	8	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough	29	13	13	-	-	1	27	2	-	-	-	-	-	-	-	-	-	-
Typhus	43	2	1	1	2	1	7	9	3	6	4	4	4	4	2	-	-	-
Cholera, Diarrh., Dysent^{y}	10	2	-	-	-	1	3	1	1	1	2	-	-	-	-	1	1	-
Other Zymotic Dis.	21	3	2	1	-	2	8	2	1	-	2	1	1	3	2	-	1	-
Cancer	32	-	-	-	-	-	-	-	-	-	1	-	6	3	9	9	4	-
Scrofula, Tabes Mesent.	22	1	5	2	1	-	9	2	-	2	2	3	1	1	-	1	1	-
Phthisis	170	1	2	-	-	-	3	5	10	17	38	46	21	18	10	2	-	-
Hydrocephalus	13	-	3	2	4	2	11	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	116	24	4	4	-	-	32	2	2	2	3	5	7	7	11	27	17	1
Heart Dis. and Dropsy	155	1	-	-	-	-	1	1	-	3	2	11	10	20	28	53	23	3
Dis. of Lungs	109	18	10	6	3	2	39	3	-	1	3	4	4	7	11	24	12	1
Dis. of Stom. and Liver	31	3	-	-	-	2	5	-	1	1	2	2	2	3	7	4	4	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	1	-	1	3	4	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	1	3	3	4	1	-	-	-	-
Violent Deaths	15	1	-	2	3	-	6	-	1	-	1	1	-	3	1	1	1	-
Other Causes	290	74	22	3	1	2	102	-	-	2	-	3	4	1	13	38	91	36

266.—TISBURY.

CAUSES OF DEATH.	All Ages.	Females: Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	5003	-	-	-	-	-	630	601	555	447	422	671	576	457	334	221	80	9
TOTAL DEATHS	959	136	55	32	13	9	245	39	29	38	40	74	59	49	96	139	122	29
Small-pox	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Measles	2	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	20	1	-	4	2	3	10	5	3	2	-	-	-	-	-	-	-	-
Diphtheria	5	-	1	-	2	-	3	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	18	6	3	2	2	-	13	5	-	-	-	-	-	-	-	-	-	-
Typhus	64	1	4	3	2	-	10	8	9	8	3	5	6	3	7	4	-	1
Cholera, Diarrh., Dysent^{y}	22	3	2	2	-	1	8	1	1	2	2	2	-	-	1	3	1	1
Other Zymotic Dis.	28	2	4	3	1	-	10	-	1	-	1	1	1	2	2	7	3	-
Cancer	18	-	-	-	-	-	-	1	1	-	-	-	1	3	8	2	2	-
Scrofula, Tabes Mesent.	25	4	4	1	-	2	11	4	3	-	1	4	2	-	-	-	-	-
Phthisis	114	1	-	-	-	-	1	3	5	15	20	30	20	13	6	1	-	-
Hydrocephalus	11	2	6	2	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	96	20	2	2	-	1	25	2	-	2	4	5	6	7	16	18	11	-
Heart Dis. and Dropsy	124	3	-	1	-	-	4	2	-	4	2	7	7	10	30	42	16	-
Dis. of Lungs	111	29	21	8	2	1	61	4	1	1	2	2	2	3	7	18	9	1
Dis. of Stom. and Liver	38	2	3	-	-	-	5	2	2	1	2	2	6	2	7	8	1	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Diseases of the Joints	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	15	-	-	-	-	-	-	-	-	-	2	8	5	-	-	-	-	-
Violent Deaths	11	1	1	-	-	1	3	-	1	2	-	-	-	1	1	-	3	-
Other Causes	228	60	3	3	1	-	67	-	2	-	1	7	3	3	8	36	75	26

267.—MERE.

CAUSES OF DEATH.	All Ages.	Females: Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	4264	-	-	-	-	-	529	491	464	416	345	581	463	397	287	201	73	12
TOTAL DEATHS	904	141	41	18	25	16	241	46	23	42	52	58	57	60	85	102	106	32
Small-pox	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	12	3	2	-	-	2	7	3	2	-	-	-	-	-	-	-	-	-
Scarlatina	12	-	1	1	2	1	5	5	1	1	-	-	-	-	-	-	-	-
Diphtheria	14	-	1	1	3	2	7	4	1	1	-	1	-	-	-	-	-	-
Whooping-cough	22	10	2	2	5	3	22	-	-	-	-	-	-	-	-	-	-	-
Typhus	83	4	3	-	1	1	9	9	9	12	7	6	8	4	10	4	5	-
Cholera, Diarrh., Dysent^{y}	23	6	1	2	-	2	11	-	-	-	-	1	1	2	1	4	3	-
Other Zymotic Dis.	28	7	-	3	1	1	12	2	-	1	2	2	2	2	-	3	2	-
Cancer	27	-	-	-	-	-	-	-	-	-	-	-	3	5	8	7	4	-
Scrofula, Tabes Mesent.	20	3	1	-	1	-	5	2	1	3	4	2	1	2	-	-	-	-
Phthisis	119	1	2	1	5	-	9	5	2	16	23	29	17	10	5	3	-	-
Hydrocephalus	10	-	-	-	2	2	4	3	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	109	25	4	2	1	-	32	5	1	1	6	4	4	10	14	18	11	3
Heart Dis. and Dropsy	82	-	-	-	-	-	-	2	-	1	1	4	5	13	17	25	14	-
Dis. of Lungs	113	21	15	3	2	1	42	2	1	-	2	-	5	4	14	22	17	4
Dis. of Stom. and Liver	32	-	1	-	-	-	1	-	2	3	1	1	3	2	9	7	3	-
Dis. of Kidneys	4	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	1	5	6	6	-	-	-	-	-
Violent Deaths	21	4	2	2	2	1	11	2	-	-	-	1	-	2	2	-	3	-
Other Causes	152	57	6	1	-	-	64	1	-	1	-	-	1	4	4	8	44	25

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
268.—SHAFTESBURY.																		
Mean Popul^{n}, 1851-61	6280	-	-	-	-	-	819	781	701	649	477	801	693	560	417	263	103	16
TOTAL DEATHS	1194	251	88	43	32	22	436	39	25	39	36	62	68	71	101	139	142	36
Small-pox	5	2	-	1	-	1	4	-	-	1	-	-	-	-	-	-	-	-
Measles	13	2	2	5	1	2	12	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	49	3	8	13	9	6	39	6	3	-	1	-	-	-	-	-	-	-
Diphtheria	7	1	-	-	1	1	3	1	-	2	1	-	-	-	-	-	-	-
Whooping-cough	28	16	8	2	2	-	28	-	-	-	-	-	-	-	-	-	-	-
Typhus	47	2	2	-	3	2	9	5	4	4	3	5	3	5	2	5	2	-
Cholera, Diarrh., Dysent^{y}	14	1	1	-	3	-	5	-	-	-	-	-	1	1	1	5	1	-
Other Zymotic Dis.	35	12	-	3	1	2	18	1	-	2	1	1	3	3	1	3	2	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	4	2	4	1	-	-
Scrofula, Tabes Mesent.	31	2	4	1	-	-	7	7	4	4	1	2	1	3	1	1	-	-
Phthisis	127	1	3	2	2	-	8	4	3	16	17	29	24	14	11	1	-	-
Hydrocephalus	24	6	10	3	-	1	20	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	128	27	12	2	-	1	42	2	2	3	3	5	10	10	12	27	11	1
Heart Dis. and Dropsy	89	2	-	2	-	1	5	-	2	-	2	2	4	7	21	18	24	4
Dis. of Lungs	203	40	24	8	4	2	78	2	2	-	3	5	6	11	26	39	31	-
Dis. of Stom. and Liver	49	6	1	-	3	1	11	3	-	2	2	4	2	4	7	8	6	-
Dis. of Kidneys	25	-	-	1	-	-	1	1	-	2	-	1	1	1	3	6	7	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	1	1	-	1	-	-	1	2	1	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	35	1	2	-	2	1	6	2	1	3	1	2	6	5	6	3	-	-
Other Causes	267	127	11	-	1	-	139	-	2	-	1	5	5	2	8	19	57	29
269.—STURMINSTER.																		
Mean Popul^{n}, 1851-61	5065	-	-	-	-	-	687	646	600	495	373	607	530	458	337	233	89	10
TOTAL DEATHS	1015	254	63	35	14	17	383	43	21	29	30	54	50	56	76	113	125	35
Small-pox	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	14	2	3	5	1	2	13	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	3	2	2	3	4	14	6	-	3	1	-	-	-	-	-	-	-
Diphtheria	10	-	-	1	3	2	6	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	13	7	3	3	-	-	13	-	-	-	-	-	-	-	-	-	-	-
Typhus	38	-	1	1	-	2	4	6	6	3	3	2	4	3	4	2	1	-
Cholera, Diarrh., Dysent^{y}	14	3	2	1	-	-	6	-	-	-	1	-	-	1	1	2	3	-
Other Zymotic Dis.	31	7	2	5	1	2	17	1	-	2	1	2	1	2	2	3	-	-
Cancer	10	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	2	-
Scrofula, Tabes Mesent.	28	7	1	3	1	-	12	7	3	-	-	4	1	-	-	1	-	-
Phthisis	102	5	2	1	1	1	10	-	3	14	12	28	13	16	3	2	1	-
Hydrocephalus	19	10	7	1	-	-	18	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	90	20	7	1	1	-	29	3	1	1	4	1	6	5	13	8	18	1
Heart Dis. and Dropsy	64	-	-	-	-	-	-	1	3	1	1	2	1	5	11	24	14	1
Dis. of Lungs	133	27	19	2	-	2	50	6	1	1	2	4	9	8	18	17	17	-
Dis. of Stom. and Liver	54	6	3	-	-	-	9	2	-	2	2	3	7	5	7	13	4	-
Dis. of Kidneys	18	-	-	-	-	-	-	-	1	-	-	2	-	2	2	8	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	35	-	-	2	1	1	4	2	1	1	2	4	5	5	5	4	2	-
Other Causes	312	157	11	7	2	1	178	2	1	1	-	2	2	3	6	26	58	33
270.—BLANDFORD.																		
Mean Popul^{n}, 1851-61	7221	-	-	-	-	-	977	925	850	771	553	914	780	611	434	273	120	13
TOTAL DEATHS	1251	264	87	50	35	23	459	59	40	27	47	68	61	75	85	149	137	44
Small-pox	5	1	-	1	-	-	2	2	-	-	-	-	-	-	1	-	-	-
Measles	31	2	12	8	3	3	28	1	2	-	-	-	-	-	-	-	-	-
Scarlatina	50	6	5	7	4	7	29	13	6	1	-	1	-	-	-	-	-	-
Diphtheria	15	-	4	2	4	1	11	2	1	1	-	-	-	-	-	-	-	-
Whooping-cough	20	9	6	-	1	-	16	3	1	-	-	-	-	-	-	-	-	-
Typhus	36	-	1	2	1	-	4	6	2	4	5	7	2	-	2	3	1	-
Cholera, Diarrh., Dysent^{y}	18	6	1	-	1	-	8	1	2	-	-	-	-	-	3	3	1	-
Other Zymotic Dis.	52	10	6	4	1	4	25	4	1	3	4	2	2	4	3	3	1	-
Cancer	14	-	-	-	-	-	-	-	-	-	1	-	2	2	4	4	1	-
Scrofula, Tabes Mesent.	21	7	1	1	2	1	12	-	1	1	1	2	-	2	-	1	1	-
Phthisis	133	3	4	2	-	-	9	4	6	13	21	31	24	14	7	4	-	-
Hydrocephalus	12	2	3	1	3	1	10	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	115	36	4	1	2	1	44	5	2	1	1	5	5	7	12	18	13	2
Heart Dis. and Dropsy	86	1	-	-	-	-	1	2	1	1	1	2	9	10	12	28	17	2
Dis. of Lungs	150	46	10	7	4	4	71	2	4	1	4	8	5	12	8	27	3	-
Dis. of Stom. and Liver	39	4	3	2	-	-	9	2	2	-	1	-	5	3	7	3	2	-
Dis. of Kidneys	12	-	-	-	-	-	-	2	-	-	1	1	-	1	3	2	2	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
Diseases of the Skin	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	63	5	4	2	4	-	15	1	6	1	5	4	4	6	7	10	4	-
Other Causes	373	125	22	10	5	1	163	8	2	-	1	4	3	9	15	42	86	40

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
268.—SHAFTESBURY.																		
Mean Popul^{n}, 1851-61	6727	-	-	-	-	-	823	758	687	668	576	947	753	581	471	322	124	17
TOTAL DEATHS	1346	216	66	39	25	15	361	50	42	45	49	99	78	86	139	181	161	55
Small-pox	6	-	1	1	-	-	2	1	2	1	-	-	-	-	-	-	-	-
Measles	13	2	3	2	1	3	11	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	40	5	4	5	6	2	22	12	1	3	-	1	-	-	1	-	-	-
Diphtheria	10	2	-	-	1	1	4	5	-	-	-	1	-	-	-	-	-	-
Whooping-cough	26	15	6	3	2	-	26	-	-	-	-	-	-	-	-	-	-	-
Typhus	37	1	2	-	1	1	5	4	3	4	1	5	-	6	5	2	2	-
Cholera, Diarrh., Dysent^{y}	29	9	2	1	-	-	12	2	-	1	-	2	-	1	6	3	-	2
Other Zymotic Dis.	35	9	4	1	1	1	16	-	1	1	-	3	2	3	-	6	3	-
Cancer	40	-	-	-	-	-	-	-	1	-	-	3	6	6	18	3	3	-
Scrofula, Tabes Mesent.	43	3	6	3	1	1	14	7	5	4	-	4	2	3	2	2	-	-
Phthisis	191	3	5	1	2	1	12	5	13	18	32	46	30	19	10	5	1	-
Hydrocephalus	9	2	2	1	2	1	8	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	113	25	2	2	-	3	32	4	3	3	3	6	2	3	14	24	18	1
Heart Dis. and Dropsy	144	4	-	-	1	-	5	1	3	3	3	7	8	17	25	38	30	3
Dis. of Lungs	202	33	15	13	3	-	64	3	2	2	4	6	11	14	18	50	26	2
Dis. of Stom. and Liver	76	7	1	-	-	-	8	1	5	3	2	4	7	7	24	12	3	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	14	-	-	-	-	-	-	-	-	1	2	8	3	-	-	-	-	-
Violent Deaths	16	1	1	3	1	1	7	1	-	-	-	1	1	2	1	1	1	1
Other Causes	288	95	12	3	3	-	113	2	1	1	1	-	2	4	10	34	74	46
269.—STURMINSTER.																		
Mean Popul^{n}, 1851-61	5293	-	-	-	-	-	665	601	561	526	437	728	593	442	363	255	108	14
TOTAL DEATHS	1062	180	61	20	21	19	301	35	38	50	48	71	72	57	79	129	139	43
Small-pox	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Measles	17	4	3	1	1	3	12	3	1	1	-	-	-	-	-	-	-	-
Scarlatina	12	-	3	-	1	1	5	4	2	1	-	-	-	-	-	-	-	-
Diphtheria	21	-	2	1	4	3	10	5	3	-	-	2	1	-	-	-	-	-
Whooping-cough	20	5	7	5	2	-	19	1	-	-	-	-	-	-	-	-	-	-
Typhus	49	-	1	2	2	3	8	5	6	6	5	2	2	3	6	3	3	-
Cholera, Diarrh., Dysent^{y}	9	1	-	-	-	1	2	-	1	-	-	1	-	-	-	2	2	1
Other Zymotic Dis.	34	7	4	3	3	2	19	3	1	-	1	1	2	-	2	4	1	-
Cancer	27	-	-	-	-	-	-	-	-	-	-	1	6	9	6	3	2	-
Scrofula, Tabes Mesent.	11	3	-	1	2	1	7	-	2	-	-	-	-	1	-	-	1	-
Phthisis	162	2	2	-	1	-	5	3	12	29	29	30	36	9	6	3	-	-
Hydrocephalus	15	8	2	-	-	2	12	1	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	68	10	2	-	-	1	13	3	1	1	1	4	4	7	11	12	10	1
Heart Dis. and Dropsy	70	-	-	-	1	-	1	1	-	2	2	4	1	6	15	25	11	2
Dis. of Lungs	131	22	24	2	3	1	52	4	-	3	4	7	6	7	14	22	11	1
Dis. of Stom. and Liver	58	3	-	1	-	1	5	-	2	4	3	9	5	10	7	8	4	1
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	1	-	3	2	2	2	2	-	1
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-
Diseases of the Skin	3	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	6	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-
Violent Deaths	15	3	-	1	1	-	5	1	4	-	-	1	1	-	1	1	1	-
Other Causes	314	112	10	3	-	-	125	-	1	1	2	2	3	2	7	43	92	36
270.—BLANDFORD.																		
Mean Popul^{n}, 1851-61	7611	-	-	-	-	-	966	876	782	736	635	1103	876	703	470	323	120	21
TOTAL DEATHS	1299	208	84	50	30	19	391	38	48	36	46	97	82	82	109	157	159	54
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	24	3	10	3	4	-	20	2	1	-	1	-	-	-	-	-	-	-
Scarlatina	40	3	7	5	1	4	20	10	6	1	-	2	-	1	-	-	-	-
Diphtheria	17	2	1	2	2	2	9	5	3	-	-	-	-	-	-	-	-	-
Whooping-cough	22	9	6	4	1	-	20	2	-	-	-	-	-	-	-	-	-	-
Typhus	42	-	1	-	-	2	3	4	3	4	4	6	7	4	5	2	-	-
Cholera, Diarrh., Dysent^{y}	17	3	1	1	2	-	7	-	-	-	-	1	-	1	2	4	2	-
Other Zymotic Dis.	32	7	2	4	3	-	16	2	1	2	2	1	1	2	2	2	1	-
Cancer	38	-	-	-	-	-	-	-	-	1	-	1	2	13	9	6	5	1
Scrofula, Tabes Mesent.	22	7	5	4	2	-	18	-	-	2	-	-	-	-	2	-	-	-
Phthisis	194	2	3	1	3	-	9	7	21	15	22	49	35	25	7	4	-	-
Hydrocephalus	10	3	3	1	-	1	8	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	101	23	5	6	2	2	38	-	5	1	3	4	3	8	11	15	12	1
Heart Dis. and Dropsy	148	3	1	-	-	-	4	1	2	3	3	9	6	15	31	45	29	2
Dis. of Lungs	112	38	11	4	2	4	59	3	-	2	3	-	4	3	16	14	7	4
Dis. of Stom. and Liver	30	2	1	2	-	-	5	-	-	1	1	5	5	2	6	5	-	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	1	3	2	-	1	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Diseases of the Skin	4	1	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	27	-	-	-	-	-	-	-	-	1	4	11	11	-	-	-	-	-
Violent Deaths	23	5	2	1	2	1	11	1	2	-	1	2	1	2	2	-	-	1
Other Causes	383	97	25	12	5	3	142	-	3	3	1	3	3	3	15	60	102	49

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
271.—WIMBORNE.																		
Mean Popul^{n}, 1851-61	8478	-	-	-	-	-	1164	1069	993	869	624	1031	908	761	553	352	130	24
TOTAL DEATHS	1541	356	100	58	32	27	573	59	41	47	47	84	89	85	125	172	160	59
Small-pox	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Measles	26	6	8	5	1	-	20	4	1	1	-	-	-	-	-	-	-	-
Scarlatina	50	1	3	8	8	5	25	14	7	2	-	1	1	-	-	-	-	-
Diphtheria	28	7	2	5	2	2	18	5	3	1	1	-	-	-	-	-	-	-
Whooping-cough	23	11	8	2	1	-	22	1	-	-	-	-	-	-	-	-	-	-
Typhus	47	1	1	1	-	3	6	4	4	10	6	4	3	3	4	3	-	-
Cholera, Diarrh., Dysent^{y}	38	5	5	4	3	1	18	1	-	-	-	-	3	-	2	7	7	-
Other Zymotic Dis.	57	6	6	3	3	2	20	2	1	1	1	3	5	5	9	9	1	-
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	1	2	5	5	2	2
Scrofula, Tabes Mesent.	15	3	2	-	1	1	7	1	-	2	-	3	1	-	-	1	-	-
Phthisis	156	8	7	2	1	2	20	5	7	14	24	43	25	11	4	3	-	-
Hydrocephalus	22	6	6	2	-	1	15	5	1	-	-	-	1	-	-	-	-	-
Diseases of Brain	181	55	9	7	6	2	79	4	-	8	2	5	4	19	19	23	15	3
Heart Dis. and Dropsy	104	7	1	3	-	-	11	-	2	1	3	3	5	4	19	32	18	6
Dis. of Lungs	215	58	20	6	3	2	89	3	2	2	-	5	15	16	22	32	25	4
Dis. of Stom. and Liver	73	9	1	2	-	-	12	1	2	2	4	5	9	11	12	8	7	-
Dis. of Kidneys	22	-	-	-	-	-	-	1	1	-	1	2	5	2	3	3	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	69	2	2	3	2	3	12	7	10	1	3	9	6	4	10	2	5	-
Other Causes	390	170	19	5	1	3	198	1	-	2	2	-	4	7	15	41	76	44
272.—POOLE.																		
Mean Popul^{n}, 1851-61	6265	-	-	-	-	-	871	761	709	633	519	822	686	525	388	250	88	13
TOTAL DEATHS	1316	308	87	49	23	14	481	51	26	49	35	98	63	73	109	153	135	43
Small-pox	11	1	2	1	-	1	5	1	1	1	2	1	-	-	-	-	-	-
Measles	16	4	4	4	-	-	12	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	35	3	6	5	1	1	16	15	1	2	-	1	-	-	-	-	-	-
Diphtheria	13	1	1	3	1	1	7	2	2	2	-	-	-	-	-	-	-	-
Whooping-cough	12	3	7	1	1	-	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	48	-	3	1	1	2	7	5	3	5	3	4	3	6	4	4	3	1
Cholera, Diarrh., Dysent^{y}	25	6	2	-	-	-	8	-	-	-	-	1	-	2	4	4	4	2
Other Zymotic Dis.	55	12	4	4	5	-	25	4	2	2	1	3	2	4	4	6	1	1
Cancer	8	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	-
Scrofula, Tabes Mesent.	26	4	1	1	-	1	7	2	3	7	3	2	-	-	-	1	1	-
Phthisis	133	1	3	1	-	-	5	1	3	14	15	49	23	11	9	2	1	-
Hydrocephalus	14	8	-	1	1	1	11	1	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	168	46	12	5	4	2	69	4	5	5	2	5	8	9	17	23	15	6
Heart Dis. and Dropsy	71	1	-	-	-	-	1	-	2	1	-	5	3	5	13	26	15	-
Dis. of Lungs	279	94	29	13	6	5	147	6	-	1	1	11	4	18	26	37	24	4
Dis. of Stom. and Liver	52	5	2	1	1	-	9	4	1	-	-	3	4	4	14	6	7	-
Dis. of Kidneys	24	-	-	-	-	-	-	-	-	-	-	-	2	1	4	9	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Diseases of the Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	75	6	5	6	2	-	19	2	1	7	7	9	11	7	5	5	2	-
Other Causes	246	111	6	2	-	-	119	-	1	1	1	2	3	5	8	27	50	29
273.—WAREHAM.																		
Mean Popul^{n}, 1851-61	8445	-	-	-	-	-	1177	1088	1050	829	625	1039	900	719	531	338	136	13
TOTAL DEATHS	1571	355	103	70	31	32	591	59	48	44	68	67	83	94	107	167	180	63
Small-pox	3	1	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
Measles	33	8	6	11	1	2	28	3	2	-	-	-	-	-	-	-	-	-
Scarlatina	64	4	8	6	8	8	34	21	5	2	1	1	-	-	-	-	-	-
Diphtheria	12	4	2	-	1	1	8	2	1	1	-	-	-	-	-	-	-	-
Whooping-cough	17	10	5	2	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	56	1	1	1	2	-	5	6	11	3	4	5	6	7	4	2	2	1
Cholera, Diarrh., Dysent^{y}	18	6	1	2	-	-	9	1	1	-	-	1	-	-	-	-	5	1
Other Zymotic Dis.	98	26	9	10	5	4	54	5	3	1	3	5	1	5	5	9	7	-
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	2	3	5	4	4	1
Scrofula, Tabes Mesent.	63	18	9	7	-	5	39	4	3	3	7	1	-	2	2	2	-	-
Phthisis	153	5	-	2	-	-	7	1	4	15	31	35	23	23	9	4	1	-
Hydrocephalus	17	5	6	2	-	1	14	1	-	-	-	-	1	-	-	-	1	-
Diseases of Brain	181	54	12	7	3	1	77	4	5	6	4	1	9	7	12	27	22	7
Heart Dis. and Dropsy	123	-	-	-	1	1	2	-	2	3	3	3	4	14	20	45	21	6
Dis. of Lungs	191	44	16	8	4	5	77	4	1	2	4	4	5	9	19	27	28	11
Dis. of Stom. and Liver	74	11	-	1	-	-	12	2	1	4	2	3	6	9	9	14	12	-
Dis. of Kidneys	20	-	-	-	-	-	-	-	-	1	1	1	3	2	2	5	5	-
Dis. of Gener. Organs	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	70	2	5	6	2	-	15	2	7	2	5	3	15	10	8	2	1	-
Other Causes	354	156	22	5	4	4	191	3	2	1	3	2	6	3	11	25	71	36

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

271.—WIMBORNE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	8791	-	-		-	-	1182	1069	993	829	703	1193	967	753	560	378	136	28
TOTAL DEATHS	1606	255	79	55	32	26	447	59	44	68	78	114	122	90	139	185	195	65
Small-pox	2	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Measles	25	5	6	5	2	1	19	3	1	–	2	–	–	–	–	–	–	–
Scarlatina	48	4	5	7	3	3	22	15	5	5	–	–	–	–	1	–	–	–
Diphtheria	25	1	1	4	–	4	10	9	3	–	–	2	1	–	–	–	–	–
Whooping-cough	26	15	2	4	2	1	24	2	–	–	–	–	–	–	–	–	–	–
Typhus	54	–	3	2	2	–	7	4	4	10	6	1	9	6	3	3	1	–
Cholera, Diarrh., Dysent^{y}	30	4	4	2	3	1	14	1	–	1	2	1	–	1	1	5	4	–
Other Zymotic Dis.	47	9	1	4	1	1	16	4	4	3	–	3	1	2	6	4	4	–
Cancer	34	–	–	–	–	–	–	–	–	–	–	2	3	8	10	10	1	–
Scrofula, Tabes Mesent.	20	2	3	–	1	1	7	–	2	3	–	4	1	–	1	–	2	–
Phthisis	280	7	2	6	2	2	19	5	10	30	50	62	59	27	18	–	–	–
Hydrocephalus	18	8	4	1	2	1	16	1	–	–	–	–	–	–	1	–	–	–
Diseases of Brain	148	28	13	3	3	1	48	3	1	6	4	7	9	7	23	28	8	4
Heart Dis. and Dropsy	131	4	1	1	1	1	8	1	4	4	4	7	10	13	27	30	21	2
Dis. of Lungs	167	33	15	10	2	4	64	5	3	1	–	6	8	4	20	30	22	4
Dis. of Stom. and Liver	67	4	1	2	–	1	8	2	1	1	3	4	5	9	14	12	8	–
Dis. of Kidneys	12	–	–	–	–	–	–	–	–	–	–	1	2	4	–	5	–	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Diseases of the Joints	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diseases of the Skin	3	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–
Childbirth and Metria	22	–	–	–	–	–	–	–	–	5	10	6	1	–	–	–	–	–
Violent Deaths	25	2	5	–	6	2	15	1	–	1	–	–	–	1	3	2	2	–
Other Causes	418	129	13	2	2	2	148	3	4	3	2	4	7	6	10	54	122	55

272.—POOLE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	7050	-	-	-	-	-	868	787	712	670	636	1022	784	635	489	305	126	16
TOTAL DEATHS	1326	199	76	50	36	18	379	56	39	39	50	93	69	99	110	167	169	56
Small-pox	9	1	–	–	1	1	3	2	1	1	1	–	1	–	–	–	–	–
Measles	23	4	11	2	3	–	20	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	41	4	1	8	6	3	22	14	2	–	1	1	–	1	–	–	–	–
Diphtheria	21	2	–	2	3	3	10	10	1	–	–	–	–	–	–	–	–	–
Whooping-cough	21	6	8	2	3	–	19	1	1	–	–	–	–	–	–	–	–	–
Typhus	60	2	1	3	2	3	11	8	11	2	5	3	3	3	3	5	6	–
Cholera, Diarrh., Dysent^{y}	25	3	–	–	1	–	4	–	1	–	–	2	2	2	1	6	5	2
Other Zymotic Dis.	49	11	6	–	4	3	24	5	1	–	–	3	2	1	4	4	4	1
Cancer	42	–	–	–	–	–	–	–	1	–	–	3	4	11	8	13	2	–
Scrofula, Tabes Mesent.	18	2	1	1	1	–	5	1	4	1	2	1	–	–	2	1	1	–
Phthisis	160	–	2	3	1	1	7	–	7	15	27	50	20	20	6	8	–	–
Hydrocephalus	12	3	4	–	–	1	8	2	1	–	–	–	–	–	1	–	–	–
Diseases of Brain	178	40	6	7	2	1	56	1	3	3	5	5	7	14	22	35	25	2
Heart Dis. and Dropsy	99	5	–	–	–	–	5	4	3	3	1	7	6	7	17	17	24	5
Dis. of Lungs	197	48	27	10	5	1	91	1	1	5	1	4	8	17	17	27	19	6
Dis. of Stom. and Liver	62	2	–	3	–	1	6	1	–	3	4	4	2	10	11	14	7	–
Dis. of Kidneys	9	–	–	–	–	–	–	–	–	–	1	–	2	–	2	2	2	–
Dis. of Gener. Organs	14	–	–	–	–	–	–	–	–	–	–	–	3	6	2	3	–	–
Diseases of the Joints	7	–	–	–	–	–	–	–	–	1	–	–	–	2	1	2	1	–
Diseases of the Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	2	2	8	6	2	–	–	–	–
Violent Deaths	32	4	4	9	3	–	20	3	1	–	–	–	1	1	4	–	1	1
Other Causes	225	62	5	–	1	–	68	–	–	3	–	2	2	1	8	30	72	39

273.—WAREHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	8800	-	-	-	-	-	1202	1038	959	850	688	1173	968	769	571	365	145	22
TOTAL DEATHS	1621	249	93	54	37	41	474	77	60	68	73	122	111	76	135	174	197	54
Small-pox	4	–	–	–	–	1	1	–	1	1	–	–	–	–	1	–	–	–
Measles	32	7	7	6	3	2	25	3	3	–	–	–	–	1	–	–	–	–
Scarlatina	51	5	3	6	8	8	30	12	5	3	–	–	1	–	–	–	–	–
Diphtheria	14	2	–	2	1	4	9	2	2	–	–	–	–	–	–	1	–	–
Whooping-cough	21	8	4	5	2	1	20	–	1	–	–	–	–	–	–	–	–	–
Typhus	116	3	5	6	5	3	22	11	16	10	10	11	10	9	10	6	1	–
Cholera, Diarrh., Dysent^{y}	17	3	2	–	–	–	5	–	–	–	–	1	–	–	2	4	4	1
Other Zymotic Dis.	80	13	9	5	3	4	34	6	2	3	3	3	6	–	7	5	10	1
Cancer	32	–	–	–	–	–	–	–	–	–	–	3	3	3	11	10	2	–
Scrofula, Tabes Mesent.	46	14	6	2	2	2	26	3	4	–	–	3	1	–	1	3	–	–
Phthisis	251	3	3	1	2	2	11	7	10	39	43	58	40	20	13	5	5	–
Hydrocephalus	12	–	6	–	–	2	8	4	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	184	38	8	5	2	3	56	7	2	4	7	10	5	6	22	29	31	5
Heart Dis. and Dropsy	137	–	–	–	–	–	–	3	6	1	4	8	16	16	24	39	20	–
Dis. of Lungs	155	16	12	5	5	5	43	5	2	1	3	5	5	7	14	28	32	10
Dis. of Stom. and Liver	62	4	–	1	1	2	8	3	1	2	1	5	12	7	12	5	6	–
Dis. of Kidneys	6	–	–	–	–	1	1	–	–	–	–	2	1	–	1	1	–	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–
Diseases of the Joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Diseases of the Skin	2	1	–	1	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Childbirth and Metria	13	–	–	–	–	–	–	–	–	–	1	9	3	–	–	–	–	–
Violent Deaths	21	2	1	–	1	–	4	1	5	1	–	1	–	1	2	2	3	1
Other Causes	355	130	27	9	2	1	169	5	–	3	1	3	1	5	14	35	83	36

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upds.
274.—WEYMOUTH.																		
Mean Popul^{n}, 1851-61	12216	-	-	-	-	-	1490	1289	1210	1134	1422	2047	1472	992	605	376	160	13
TOTAL DEATHS	2247	511	147	91	67	50	866	101	55	67	92	159	140	142	145	207	199	74
Small-pox	28	4	2	2	2	1	11	6	1	5	1	3	1	-	-	-	-	-
Measles	46	8	11	8	11	2	40	-	5	-	-	1	-	-	-	-	-	-
Scarlatina	121	9	19	17	17	14	76	37	3	2	-	2	1	-	-	-	-	-
Diphtheria	9	2	2	1	-	-	5	3	-	-	-	1	-	-	-	-	-	-
Whooping-cough	25	15	4	5	1	-	25	-	-	-	-	-	-	-	-	-	-	-
Typhus	95	4	4	2	3	4	17	10	13	12	12	10	8	4	5	3	1	-
Cholera, Diarrh., Dysent^{y}	59	30	6	3	1	2	42	-	1	-	1	1	-	3	4	1	4	2
Other Zymotic Dis.	104	24	8	3	5	9	49	5	2	2	5	6	7	10	7	5	5	1
Cancer	23	-	-	-	-	-	-	-	-	-	-	1	2	4	6	6	4	-
Scrofula, Tabes Mesent.	28	4	6	-	1	2	13	2	1	1	4	5	-	1	-	1	-	-
Phthisis	186	2	2	3	3	1	11	-	3	23	33	46	35	22	8	4	1	-
Hydrocephalus	34	11	5	6	4	1	27	6	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	291	91	19	13	7	6	136	6	7	-	8	11	19	11	25	34	23	6
Heart Dis. and Dropsy	121	3	1	-	-	1	5	2	1	1	1	6	13	12	25	36	17	2
Dis. of Lungs	343	107	33	23	8	3	174	11	6	2	5	13	11	20	23	44	27	7
Dis. of Stom. and Liver	121	22	1	1	-	1	25	5	-	5	5	10	11	16	15	15	12	2
Dis. of Kidneys	33	-	-	-	-	-	-	-	-	1	1	6	1	8	5	7	8	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	1	-	-	-	1	1	1	-	-	2	1	1	-	-	1	-
Diseases of the Skin	8	3	1	-	-	-	4	-	-	1	-	-	1	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	150	9	4	-	2	1	16	7	7	9	12	28	27	21	8	7	3	5
Other Causes	409	163	18	4	2	2	189	-	3	3	4	7	2	9	13	44	87	48
275.—DORCHESTER.																		
Mean Popul^{n}, 1851-61	12264	-	-	-	-	-	1614	1432	1313	1301	1067	1656	1364	1096	755	438	202	26
TOTAL DEATHS	2613	544	176	61	34	41	856	106	60	94	99	159	183	187	213	295	279	82
Small-pox	9	2	1	-	-	-	3	3	-	-	-	2	-	1	-	-	-	-
Measles	13	3	5	2	2	1	13	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	77	9	12	9	6	10	46	20	8	3	-	-	-	-	-	-	-	-
Diphtheria	6	-	-	1	-	-	1	1	1	3	-	-	-	-	-	-	-	-
Whooping-cough	33	8	16	2	4	3	33	-	-	-	-	-	-	-	-	-	-	-
Typhus	114	1	2	1	2	2	8	18	8	20	13	14	17	8	2	6	-	-
Cholera, Diarrh., Dysent^{y}	55	16	5	2	1	1	25	3	2	2	-	2	3	4	4	5	4	1
Other Zymotic Dis.	87	16	6	7	2	3	34	4	-	-	1	7	7	10	11	9	4	-
Cancer	30	-	-	-	-	-	-	1	-	-	2	-	1	5	4	12	4	1
Scrofula, Tabes Mesent.	73	17	11	6	2	5	41	8	6	5	1	3	2	4	3	-	-	-
Phthisis	298	11	9	3	2	1	26	10	8	28	44	59	58	39	16	10	-	-
Hydrocephalus	47	14	13	8	2	3	40	5	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	223	56	12	3	3	1	75	7	5	2	9	11	14	22	26	28	20	4
Heart Dis. and Dropsy	205	4	4	2	-	-	10	-	6	6	4	13	15	18	35	61	23	9
Dis. of Lungs	351	85	32	6	2	3	128	9	4	7	8	14	22	27	42	55	31	4
Dis. of Stom. and Liver	101	14	4	-	1	1	20	1	3	4	4	6	11	14	24	10	4	-
Dis. of Kidneys	42	-	-	-	-	1	1	1	-	1	3	5	4	3	4	9	10	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	12	1	-	-	-	-	1	2	1	1	-	2	1	3	-	1	-	-
Diseases of the Skin	11	5	-	-	-	-	5	-	-	1	-	-	2	-	2	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	128	6	6	2	3	4	21	7	4	10	7	14	15	21	15	11	1	2
Other Causes	698	276	38	7	2	2	325	6	3	1	3	6	11	8	25	77	173	60
276.—SHERBORNE.																		
Mean Popul^{n}, 1851-61	6378	-	-	-	-	-	853	750	734	724	479	794	700	575	422	238	97	12
TOTAL DEATHS	1296	332	104	37	35	22	530	50	34	33	35	60	67	75	110	136	130	36
Small-pox	8	3	-	-	-	1	4	1	-	1	1	1	-	-	-	-	-	-
Measles	23	7	5	4	2	2	20	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	39	3	5	4	8	5	25	6	4	4	-	-	-	-	-	-	-	-
Diphtheria	8	-	2	-	-	2	4	3	-	-	-	-	1	-	-	-	-	-
Whooping-cough	26	12	11	-	3	-	26	-	-	-	-	-	-	-	-	-	-	-
Typhus	53	1	1	3	6	1	12	9	9	6	5	2	1	2	3	3	1	-
Cholera, Diarrh., Dysent^{y}	35	17	2	2	1	-	22	1	-	-	-	-	1	1	3	3	4	-
Other Zymotic Dis.	60	16	7	4	5	2	34	2	-	1	1	5	1	1	7	6	2	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	4	-
Scrofula, Tabes Mesent.	29	11	3	1	1	3	19	5	2	1	-	1	1	-	-	-	-	-
Phthisis	129	2	6	1	-	1	10	1	4	10	16	31	19	19	14	5	-	-
Hydrocephalus	23	7	9	2	2	-	20	1	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	162	70	12	4	-	2	88	4	2	1	2	4	9	9	16	15	8	4
Heart Dis. and Dropsy	77	1	2	1	-	-	4	1	2	1	-	3	6	10	18	21	11	-
Dis. of Lungs	169	37	18	7	4	-	66	5	-	2	1	2	10	12	27	24	19	1
Dis. of Stom. and Liver	64	8	1	1	-	-	10	3	2	1	4	3	6	9	7	18	5	1
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	-	1	-	2	3	2	2	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	-	2	-	-	1	1	2	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	51	5	3	1	-	3	12	4	6	3	3	5	3	4	3	2	1	-
Other Causes	305	132	17	2	3	-	154	1	-	-	2	1	2	3	4	39	70	20

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
274.—WEYMOUTH.																		
Mean Popul^{n}, 1851-61	12467	-	-	-	-	-	1525	1320	1228	1255	1197	1878	1476	1103	757	483	211	34
TOTAL DEATHS	2154	379	141	77	49	46	692	101	48	62	79	146	149	136	141	256	265	79
Small-pox	37	6	2	5	4	3	20	10	1	2	3	1	-	-	-	-	-	-
Measles	46	10	18	9	5	-	42	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	111	9	20	7	20	14	70	27	6	4	1	1	2	-	-	-	-	-
Diphtheria	10	-	-	1	-	3	4	3	1	-	-	1	-	-	1	-	-	-
Whooping-cough	29	19	5	1	2	1	28	-	1	-	-	-	-	-	-	-	-	-
Typhus	69	1	2	2	2	4	11	14	6	8	4	6	9	2	1	5	3	-
Cholera, Diarrh., Dysent^{y}	34	20	1	-	-	-	21	1	-	1	-	1	1	1	-	4	3	1
Other Zymotic Dis.	80	18	5	7	4	6	40	5	1	4	2	6	3	2	6	7	2	2
Cancer	46	-	-	-	-	-	-	-	1	-	-	4	3	11	12	8	7	-
Scrofula, Tabes Mesent.	23	1	1	4	-	1	7	6	2	3	-	1	1	2	1	-	-	-
Phthisis	245	5	5	3	-	-	13	4	17	26	34	58	41	29	16	7	-	-
Hydrocephalus	23	10	7	1	2	2	22	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	240	63	12	9	1	5	90	6	1	4	2	12	13	18	14	43	35	2
Heart Dis. and Dropsy	161	1	-	2	-	-	3	3	3	3	2	8	19	16	29	50	24	1
Dis. of Lungs	279	65	33	15	6	4	123	6	3	-	5	4	15	15	26	49	28	5
Dis. of Stom. and Liver	142	7	2	1	-	-	10	3	2	1	12	18	20	22	18	23	13	-
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	1	-	5	2	-	4	1	-	-
Diseases of the Joints	6	-	-	-	-	1	1	2	-	1	-	-	-	-	1	1	-	-
Diseases of the Skin	9	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	5	1
Childbirth and Metria	35	-	-	-	-	-	-	-	-	1	7	15	12	-	-	-	-	-
Violent Deaths	32	3	4	2	2	-	11	2	2	-	1	1	4	2	2	3	3	1
Other Causes	476	141	24	8	1	2	176	4	1	3	5	4	3	13	9	52	140	63
275.—DORCHESTER.																		
Mean Popul^{n}, 1851-61	12623	-	-	-	-	-	1549	1465	1249	1233	1169	1774	1483	1165	803	503	199	31
TOTAL DEATHS	2621	462	122	71	54	42	751	117	67	101	110	202	187	163	208	307	300	108
Small-pox	7	2	-	1	-	-	3	1	-	1	1	1	-	-	-	-	-	-
Measles	16	3	5	1	3	3	15	-	-	-	-	1	-	-	-	-	-	-
Scarlatina	74	4	4	8	9	9	34	24	5	5	2	2	1	1	-	-	-	-
Diphtheria	9	-	-	2	-	-	2	3	2	1	1	-	-	-	-	-	-	-
Whooping-cough	36	16	12	3	2	1	34	2	-	-	-	-	-	-	-	-	-	-
Typhus	146	-	4	4	3	2	13	20	14	20	19	23	11	5	9	11	-	1
Cholera, Diarrh., Dysent^{y}	62	12	6	3	2	3	26	5	1	2	3	6	6	2	3	4	3	1
Other Zymotic Dis.	77	20	-	5	7	1	33	6	1	2	2	2	5	3	3	11	6	3
Cancer	48	-	-	-	-	-	-	-	1	-	-	2	7	13	15	7	1	2
Scrofula, Tabes Mesent.	66	19	9	4	-	4	36	8	1	5	5	7	-	2	1	1	-	-
Phthisis	395	5	8	9	6	2	30	14	18	38	49	89	74	48	23	10	2	-
Hydrocephalus	42	15	11	4	3	-	33	5	3	1	-	-	-	-	-	-	-	-
Diseases of Brain	222	46	7	6	2	3	64	5	7	5	5	13	15	16	22	37	27	6
Heart Dis. and Dropsy	264	4	4	-	1	1	10	1	1	5	4	18	20	25	66	61	46	7
Dis. of Lungs	243	54	23	9	6	5	97	11	2	8	2	9	8	12	18	51	22	2
Dis. of Stom. and Liver	105	9	1	1	2	1	14	3	2	4	3	6	12	16	18	23	4	-
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	1	1	1	5	2	-	2	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	-	5	2	2	1	1	-
Diseases of the Joints	5	-	-	-	1	1	2	-	1	-	2	-	-	-	-	-	-	-
Diseases of the Skin	10	1	-	-	-	-	1	-	-	-	-	1	-	2	-	3	1	2
Childbirth and Metria	30	-	-	-	-	-	-	-	-	-	8	14	8	-	-	-	-	-
Violent Deaths	34	2	3	1	2	2	10	3	1	1	1	1	6	2	3	4	2	-
Other Causes	707	250	25	10	5	4	294	6	7	2	2	6	4	12	25	81	184	84
276.—SHERBORNE.																		
Mean Popul^{n}, 1851-61	6894	-	-	-	-	-	821	755	697	697	665	954	777	647	445	304	113	19
TOTAL DEATHS	1391	244	80	44	31	21	420	63	35	53	49	96	93	84	104	160	173	59
Small-pox	13	1	2	-	1	-	4	2	-	2	2	3	-	-	-	-	-	-
Measles	21	1	7	5	3	1	17	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	40	4	5	5	5	3	22	11	2	2	2	1	-	-	-	-	-	-
Diphtheria	3	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	20	9	6	2	1	-	18	-	2	-	-	-	-	-	-	-	-	-
Typhus	74	-	3	-	4	3	10	12	9	8	7	8	12	3	2	2	1	-
Cholera, Diarrh., Dysent^{y}	32	11	1	3	-	-	15	-	-	1	1	-	-	1	-	5	7	2
Other Zymotic Dis.	61	17	4	4	5	3	33	6	1	2	1	1	2	3	3	5	4	-
Cancer	29	-	-	-	-	-	-	-	-	-	-	-	2	9	8	7	3	-
Scrofula, Tabes Mesent.	26	5	3	2	3	1	14	3	1	-	3	2	1	2	-	-	-	-
Phthisis	187	4	2	3	-	-	9	11	10	23	23	42	35	15	14	5	-	-
Hydrocephalus	14	2	8	2	1	1	14	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	140	45	4	6	2	-	57	4	3	3	2	5	5	8	13	27	11	2
Heart Dis. and Dropsy	105	1	-	-	-	-	1	3	1	1	1	5	9	15	17	25	23	4
Dis. of Lungs	161	25	20	5	3	5	58	2	2	4	1	6	8	9	21	29	16	5
Dis. of Stom. and Liver	63	5	-	-	-	1	6	1	2	2	-	8	5	8	14	12	5	-
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	1	-	-	-	-	1	-	-	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	1	6	8	9	1	-	-	-	-
Violent Deaths	16	1	3	1	1	1	7	2	1	-	-	-	1	2	1	-	1	1
Other Causes	352	111	12	5	1	2	131	2	-	2	-	6	2	8	9	43	104	45

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

277.—BEAMINSTER.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popuⁿ, 1851-61	6800	-	-	-	-	-	925	864	800	698	495	791	733	622	436	288	130	18
TOTAL DEATHS	1407	348	70	39	23	23	503	67	31	33	36	61	71	83	119	191	157	55
Small-pox	16	4	1	-	-	-	5	2	1	2	2	1	3	-	-	-	-	-
Measles	12	3	1	2	2	1	9	2	-	1	-	-	-	-	-	-	-	-
Scarlatina	76	2	4	16	6	7	35	25	9	2	1	1	1	1	1	-	-	-
Diphtheria	4	-	-	1	1	1	3	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	12	9	-	1	1	-	11	1	-	-	-	-	-	-	-	-	-	-
Typhus	42	-	3	2	-	-	5	5	2	6	2	4	4	7	3	3	1	-
Cholera, Diarrh., Dysentʸ	34	18	2	1	-	-	21	-	-	1	1	-	-	2	2	2	5	-
Other Zymotic Dis.	50	8	5	3	-	6	22	9	1	2	-	1	4	2	2	6	1	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	-	1	6	5	2	-
Scrofula, Tabes Mesent.	25	7	3	1	2	-	13	-	3	2	-	1	1	4	1	-	-	-
Phthisis	84	2	-	1	-	-	3	1	1	6	14	24	14	8	7	5	1	-
Hydrocephalus	19	6	4	1	2	-	13	2	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	125	37	5	2	1	1	46	-	1	2	3	5	7	10	12	21	15	3
Heart Dis. and Dropsy	145	2	1	-	-	2	5	5	1	2	2	3	9	11	35	43	25	4
Dis. of Lungs	203	51	21	5	4	4	85	4	1	1	3	7	11	16	16	36	19	4
Dis. of Stom. and Liver	80	3	1	-	1	-	5	3	3	3	1	4	6	11	17	18	9	-
Dis. of Kidneys	19	-	-	-	-	-	-	-	-	-	-	1	1	-	3	6	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	61	8	6	1	1	1	17	3	2	3	6	5	4	3	6	7	-	-
Other Causes	384	188	13	2	2	-	205	4	1	-	1	3	6	2	3	39	72	43

278.—BRIDPORT.

Mean Popuⁿ, 1851-61	7855	-	-	-	-	-	1123	1019	959	795	570	916	830	670	516	320	121	16
TOTAL DEATHS	1745	442	116	82	46	28	714	71	40	36	51	89	79	92	130	197	194	52
Small-pox	29	11	4	6	1	1	23	3	-	-	1	1	-	1	-	-	-	-
Measles	29	7	7	5	1	-	20	9	-	-	-	-	-	-	-	-	-	-
Scarlatina	79	8	12	16	11	7	54	15	6	2	2	-	-	-	-	-	-	-
Diphtheria	5	1	2	1	-	1	5	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	29	14	6	5	1	2	28	1	-	-	-	-	-	-	-	-	-	-
Typhus	78	4	9	5	7	2	27	11	1	1	6	3	1	6	11	6	4	1
Cholera, Diarrh., Dysentʸ	33	17	5	-	-	1	23	1	-	-	-	-	-	1	-	4	3	1
Other Zymotic Dis.	43	5	5	3	3	2	18	1	-	2	1	2	2	2	4	7	4	-
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	1	2	4	7	2	1
Scrofula, Tabes Mesent.	42	16	3	4	-	1	24	3	5	2	2	4	1	1	-	-	-	-
Phthisis	152	8	3	1	1	1	14	3	3	13	22	38	30	19	7	3	-	-
Hydrocephalus	23	10	4	3	1	1	19	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	210	67	3	4	3	2	79	4	6	4	4	7	6	5	17	28	46	4
Heart Dis. and Dropsy	120	20	2	1	-	-	23	6	2	3	2	5	5	10	12	25	20	7
Dis. of Lungs	332	86	28	13	12	5	144	2	3	2	2	14	12	19	40	58	30	6
Dis. of Stom. and Liver	95	16	1	1	1	-	19	1	-	-	3	4	9	13	19	17	8	2
Dis. of Kidneys	32	1	1	-	-	-	2	-	1	-	1	-	3	3	3	11	6	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	-	-
Diseases of the Skin	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	82	13	1	4	4	1	23	6	7	6	5	8	5	5	7	7	3	-
Other Causes	309	138	20	9	-	1	168	2	4	1	-	2	3	5	6	22	68	23

279.—AXMINSTER.

Mean Popuⁿ, 1851-61	9559	-	-	-	-	-	1277	1204	1106	960	653	1139	1033	862	672	449	176	28
TOTAL DEATHS	1932	396	131	58	49	22	656	79	46	58	58	89	97	96	180	267	220	86
Small-pox	16	1	1	3	1	1	7	2	-	2	3	2	-	-	-	-	-	-
Measles	33	9	13	6	3	3	34	4	-	-	-	-	-	1	-	-	-	-
Scarlatina	48	4	3	7	7	2	23	13	9	1	-	-	-	1	1	-	-	-
Diphtheria	5	-	2	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-
Whooping cough	40	23	10	4	1	-	38	2	-	-	-	-	-	-	-	-	-	-
Typhus	71	-	2	3	4	4	13	13	4	6	5	2	4	9	7	8	-	-
Cholera, Diarrh., Dysentʸ	34	12	6	1	3	-	22	-	-	1	1	-	-	2	3	4	1	-
Other Zymotic Dis.	87	28	7	4	8	2	49	10	4	2	-	4	1	-	4	7	5	1
Cancer	30	-	-	-	-	-	-	-	-	-	-	1	1	1	8	11	6	2
Scrofula, Tabes Mesent.	24	6	2	3	2	-	13	4	1	-	-	3	1	-	1	1	-	-
Phthisis	187	4	7	4	-	1	16	3	8	19	31	35	25	16	24	8	2	-
Hydrocephalus	47	14	13	2	3	2	34	6	1	4	-	-	1	1	-	-	-	-
Diseases of Brain	224	58	13	2	4	2	77	1	2	6	3	6	11	11	31	49	24	3
Heart Dis. and Dropsy	150	1	-	2	1	1	5	2	5	1	1	7	11	13	28	45	27	5
Dis. of Lungs	218	29	20	7	4	-	60	3	2	4	8	8	9	14	27	49	34	5
Dis. of Stom. and Liver	96	10	3	1	1	1	16	2	-	3	1	5	8	11	16	28	5	1
Dis. of Kidneys	25	1	-	-	-	1	2	-	1	-	-	2	3	2	7	3	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	107	3	4	6	5	1	19	6	7	7	8	10	17	9	9	11	4	-
Other Causes	478	194	25	3	2	1	225	6	1	1	1	3	4	6	14	41	107	69

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
277.—BEAMINSTER.																		
Mean Popul^{n}, 1851-61	7128	-	-	-	-	-	907	857	807	664	601	928	775	623	456	333	151	21
TOTAL DEATHS	1414	240	82	40	37	24	423	72	32	54	50	96	80	76	101	160	200	70
Small-pox	7	1	-	-	-	-	1	-	-	-	3	3	-	-	-	-	-	-
Measles	4	1	3	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	78	-	10	7	9	9	35	29	3	3	1	2	4	-	1	-	-	-
Diphtheria	7	1	-	1	1	-	3	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	32	18	6	2	3	1	30	2	-	-	-	-	-	-	-	-	-	-
Typhus	61	1	-	2	1	1	5	9	3	11	7	8	4	2	1	9	2	-
Cholera, Diarrh., Dysent^{y}	12	3	1	1	-	1	6	-	-	-	-	1	-	-	2	1	1	1
Other Zymotic Dis.	44	12	3	4	5	4	28	4	2	2	-	1	-	2	-	2	3	-
Cancer	21	-	-	-	-	-	-	-	-	-	-	2	4	3	4	7	1	-
Scrofula, Tabes Mesent.	21	1	2	1	2	-	6	2	4	2	2	2	1	1	-	-	1	-
Phthisis	144	3	1	-	-	1	5	3	9	23	22	33	23	15	8	1	2	-
Hydrocephalus	16	1	6	2	1	1	11	4	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	112	19	5	3	2	1	30	1	3	2	5	5	4	9	15	15	19	4
Heart Dis. and Dropsy	151	3	1	-	1	-	5	1	-	3	2	9	17	15	21	46	31	1
Dis. of Lungs	192	39	25	9	7	2	82	4	2	3	4	4	4	11	16	32	28	2
Dis. of Stom. and Liver	67	7	-	1	-	1	9	2	2	3	2	7	7	6	14	7	7	1
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	14	-	-	-	-	-	-	-	-	-	1	6	5	2	-	-	-	-
Violent Deaths	20	3	1	1	2	1	8	2	2	1	1	3	-	1	1	-	1	-
Other Causes	400	127	18	6	3	1	155	6	1	-	-	7	7	6	15	38	104	61
278.—BRIDPORT.																		
Mean Popul^{n}, 1851-61	8992	-	-	-	-	-	1156	1035	943	906	788	1225	963	801	582	408	162	23
TOTAL DEATHS	1784	347	98	70	45	41	601	76	39	64	68	103	92	99	129	232	217	64
Small-pox	26	5	3	-	3	1	12	10	-	1	-	1	2	-	-	-	-	-
Measles	27	1	6	11	1	4	23	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	74	16	7	9	13	10	55	11	5	-	2	1	-	-	-	-	-	-
Diphtheria	4	1	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	33	15	10	6	1	1	33	-	-	-	-	-	-	-	-	-	-	-
Typhus	91	7	8	3	5	6	29	11	4	5	8	3	7	6	5	7	5	1
Cholera, Diarrh., Dysent^{y}	28	13	-	-	-	-	13	1	1	-	1	-	2	-	3	2	4	1
Other Zymotic Dis.	35	7	4	-	-	2	13	3	1	2	1	-	3	-	3	6	3	-
Cancer	46	1	-	-	-	-	1	-	-	-	-	-	9	12	10	9	3	2
Scrofula, Tabes Mesent.	44	14	5	4	-	-	23	3	4	2	6	1	1	2	1	1	-	-
Phthisis	190	3	1	3	1	-	8	5	11	32	29	52	15	21	10	3	4	-
Hydrocephalus	18	9	3	4	-	1	17	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	191	42	6	10	4	4	66	7	-	6	6	11	8	10	12	33	27	5
Heart Dis. and Dropsy	191	13	3	1	2	-	19	3	5	4	2	10	14	15	31	51	33	4
Dis. of Lungs	296	56	22	13	6	4	101	5	2	5	2	5	7	16	28	71	43	11
Dis. of Stom. and Liver	88	8	5	1	2	-	16	3	2	4	3	6	7	11	13	13	10	-
Dis. of Kidneys	6	-	-	-	-	1	1	-	-	-	-	-	1	-	3	-	1	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	1	1	4	2	2	2	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	1	4	10	6	-	-	-	-	-
Violent Deaths	47	10	3	4	4	6	27	5	1	2	-	-	2	2	2	2	3	1
Other Causes	310	125	12	1	3	1	142	2	1	-	1	1	4	2	6	32	81	38
279.—AXMINSTER.																		
Mean Popul^{n}, 1851-61	10472	-	-	-	-	-	1304	1186	1050	1028	890	1393	1143	977	729	515	219	38
TOTAL DEATHS	1989	289	97	73	50	39	548	90	53	70	81	128	106	112	177	242	270	112
Small-pox	12	3	-	-	-	1	4	4	1	-	1	1	-	1	-	-	-	-
Measles	39	4	6	10	5	8	33	4	1	-	1	-	-	-	-	-	-	-
Scarlatina	54	3	4	9	6	9	31	15	7	1	-	-	-	-	-	-	-	-
Diphtheria	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	43	16	14	6	3	3	42	-	-	1	-	-	-	-	-	-	-	-
Typhus	86	-	1	1	6	4	12	13	10	8	8	8	6	3	10	6	1	1
Cholera, Diarrh., Dysent^{y}	33	9	2	4	1	-	16	1	1	-	-	1	2	2	1	5	4	-
Other Zymotic Dis.	88	17	7	6	8	3	41	8	2	-	3	4	3	4	4	8	6	5
Cancer	49	-	-	-	-	-	-	-	-	-	-	1	6	12	11	14	5	-
Scrofula, Tabes Mesent.	26	-	2	3	1	1	7	2	-	-	1	5	3	3	-	2	1	-
Phthisis	245	1	7	3	2	1	14	5	19	34	44	55	33	17	15	6	3	-
Hydrocephalus	28	8	8	2	2	-	20	3	2	1	1	1	-	-	-	-	-	-
Diseases of Brain	196	34	6	3	3	1	47	7	3	6	5	8	6	9	27	44	29	5
Heart Dis. and Dropsy	165	-	-	3	1	-	4	3	2	2	6	10	13	22	35	45	21	2
Dis. of Lungs	189	31	13	14	7	4	69	7	2	4	1	3	9	9	23	33	26	3
Dis. of Stom. and Liver	117	6	-	2	-	-	8	2	1	4	2	5	9	17	23	22	22	2
Dis. of Kidneys	9	-	-	-	-	-	-	-	1	-	1	-	2	1	3	-	-	1
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	1	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	-	2	-	-	1	1	2	-	-
Diseases of the Skin	9	1	-	-	-	-	1	2	-	-	1	1	-	-	1	-	3	-
Childbirth and Metria	27	-	-	-	-	-	-	-	-	2	1	16	5	3	-	-	-	-
Violent Deaths	30	7	1	2	1	1	12	5	-	-	-	-	-	3	3	3	3	1
Other Causes	529	149	25	5	4	3	186	8	1	7	3	7	6	4	18	52	145	92

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

280.—HONITON.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	11122	-	-	-	-	-	1469	1388	1330	1141	822	1303	1176	1005	758	489	213	28
TOTAL DEATHS	2132	401	132	59	62	33	687	81	52	59	69	128	105	154	184	248	284	81
Small-pox	6	1	1	1	-	-	3	-	2	-	-	1	-	-	-	-	-	-
Measles	46	6	16	11	6	2	41	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	65	5	8	12	10	5	40	13	5	5	1	1	-	-	-	-	-	-
Diphtheria	9	1	1	-	1	3	6	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	20	14	2	1	1	1	19	1	-	-	-	-	-	-	-	-	-	-
Typhus	102	4	2	2	6	4	18	12	7	3	10	11	8	10	9	6	2	1
Cholera, Diarrh., Dysent^{y}	28	12	3	-	1	-	16	1	-	-	-	-	-	1	1	3	5	1
Other Zymotic Dis.	85	16	10	7	10	4	47	3	2	-	3	2	7	3	6	7	3	2
Cancer	27	-	-	-	1	-	1	-	-	-	1	2	3	6	7	5	1	1
Scrofula, Tabes Mesent.	38	10	4	2	1	-	17	5	3	2	3	4	-	2	-	2	-	-
Phthisis	205	4	3	-	3	-	10	4	5	17	28	50	40	25	18	8	-	-
Hydrocephalus	24	4	6	1	2	3	16	4	-	4	-	-	-	-	-	-	-	-
Diseases of Brain	259	91	16	4	4	2	117	8	4	5	2	12	11	17	21	34	25	3
Heart Dis. and Dropsy	166	1	1	1	1	-	4	1	5	4	3	9	7	27	21	37	43	5
Dis. of Lungs	284	52	22	7	10	1	92	7	3	1	6	10	14	22	35	49	40	5
Dis. of Stom. and Liver	110	14	3	-	1	1	19	2	3	4	2	6	6	12	28	13	13	2
Dis. of Kidneys	24	-	-	-	-	-	-	-	1	-	1	-	1	3	2	10	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	-	-	1	1	1	-	1	1	2	-	-	-	1	-	-
Diseases of the Skin	7	2	-	-	-	-	2	-	-	-	-	2	1	1	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	84	4	3	1	1	2	11	2	6	7	6	15	5	18	5	6	3	-
Other Causes	536	160	31	9	3	4	207	11	4	1	-	2	2	8	31	67	143	60

281.—ST. THOMAS.

Mean Popul^{n}, 1851-61	22548	-	-	-	-	-	2981	2816	2607	2195	1607	2731	2471	2111	1601	1013	337	48
TOTAL DEATHS	4638	894	259	148	100	66	1467	183	116	126	132	282	350	337	439	570	494	142
Small-pox	55	9	8	8	6	2	33	4	4	6	1	6	-	-	1	-	-	-
Measles	68	10	16	15	11	7	59	6	1	-	2	-	-	-	-	-	-	-
Scarlatina	128	10	21	13	20	15	79	31	13	3	-	1	1	-	-	-	-	-
Diphtheria	13	2	4	-	1	1	8	1	3	1	-	-	-	-	-	-	-	-
Whooping-cough	55	28	17	7	1	-	53	1	-	1	-	-	-	-	-	-	-	-
Typhus	213	2	14	13	12	7	48	26	15	20	16	20	12	13	19	13	10	1
Cholera, Diarrh., Dysent^{y}	113	56	13	4	4	1	78	-	1	-	2	2	1	3	1	13	10	-
Other Zymotic Dis.	190	46	13	14	10	8	91	17	3	2	6	6	8	16	9	18	10	4
Cancer	52	-	1	-	-	-	1	1	1	-	1	-	3	6	12	18	7	2
Scrofula, Tabes Mesent.	68	21	7	2	1	2	33	3	4	5	4	7	4	3	3	2	-	-
Phthisis	493	26	13	5	-	3	47	15	6	36	54	103	95	56	50	26	5	-
Hydrocephalus	78	16	21	10	8	3	58	16	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	719	132	15	12	5	6	170	18	17	14	8	53	91	63	89	112	65	14
Heart Dis. and Dropsy	363	7	2	1	1	1	12	6	9	6	8	11	30	39	81	98	54	9
Dis. of Lungs	615	153	50	23	6	2	234	11	3	4	9	24	35	52	69	95	66	13
Dis. of Stom. and Liver	230	32	4	3	-	-	39	3	5	3	3	10	27	28	45	37	29	1
Dis. of Kidneys	61	2	-	-	-	-	2	-	-	-	2	2	6	4	7	18	19	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	1	1	1	1	1	-	-	-	3	1	-
Diseases of the Skin	15	4	3	-	-	1	8	1	1	-	-	-	1	-	3	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	236	14	6	9	7	3	39	17	21	20	11	25	25	28	24	14	10	2
Other Causes	864	324	31	9	7	4	375	5	4	4	4	11	11	19	26	102	208	95

282.—EXETER.

Mean Popul^{n}, 1851-61	14746	-	-	-	-	-	1899	1729	1626	1477	1201	1990	1766	1410	947	504	172	25
TOTAL DEATHS	3919	894	281	131	93	60	1459	165	95	97	132	294	300	303	366	342	292	74
Small-pox	70	17	14	11	4	8	54	11	-	2	2	1	-	-	-	-	-	-
Measles	63	11	22	12	7	3	55	6	2	-	-	-	-	-	-	-	-	-
Scarlatina	130	5	19	29	18	16	87	36	6	-	1	-	-	-	-	-	-	-
Diphtheria	9	2	-	-	3	1	6	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	58	34	10	5	4	-	53	5	-	-	-	-	-	-	-	-	-	-
Typhus	112	9	4	3	8	5	29	18	3	13	6	7	9	6	10	8	2	1
Cholera, Diarrh., Dysent^{y}	138	96	9	3	3	-	111	-	1	-	-	2	3	2	6	7	5	1
Other Zymotic Dis.	155	41	12	6	4	4	67	6	2	5	10	13	16	12	14	6	2	2
Cancer	51	-	-	-	-	-	-	-	-	1	-	2	6	13	17	10	2	-
Scrofula, Tabes Mesent.	117	46	19	14	5	3	87	5	8	2	3	5	2	1	3	-	1	-
Phthisis	515	15	7	3	3	2	30	12	14	32	59	115	111	78	45	15	4	-
Hydrocephalus	62	24	21	7	3	2	57	1	2	-	-	1	1	-	-	-	-	-
Diseases of Brain	502	161	26	12	13	6	218	15	8	3	8	25	26	28	48	61	57	5
Heart Dis. and Dropsy	252	2	2	2	1	1	8	3	3	6	4	21	33	41	57	44	26	1
Dis. of Lungs	604	146	84	16	8	5	259	9	2	5	9	30	25	47	62	87	61	8
Dis. of Stom. and Liver	181	20	1	-	-	-	21	5	6	3	4	16	22	29	34	27	13	1
Dis. of Kidneys	84	-	-	1	1	1	3	2	6	4	1	16	7	10	13	14	7	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Diseases of the Joints	32	-	-	-	-	-	-	7	4	4	8	4	3	-	2	-	-	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	-	1	-	2	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	232	21	6	3	6	3	39	19	21	17	13	29	25	26	28	12	2	1
Other Causes	545	242	25	4	2	-	273	2	2	-	4	7	9	10	25	51	109	53

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

280.—HONITON.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	12154	-	-	-	-	-	1409	1371	1201	1219	1084	1706	1358	1115	846	575	232	38
TOTAL DEATHS	2250	340	119	87	39	36	621	90	73	76	81	141	133	139	177	236	295	138
Small-pox	9	3	1	1	1	-	6	-	1	1	-	1	-	-	-	-	-	-
Measles	43	3	12	7	3	2	27	10	3	-	1	1	-	-	-	-	1	-
Scarlatina	65	7	8	13	4	7	39	15	8	-	1	2	-	-	-	-	-	-
Diphtheria	7	-	1	2	1	-	4	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	30	18	5	3	2	1	29	1	-	-	-	-	-	-	-	-	-	-
Typhus	100	4	3	4	4	3	18	12	16	9	9	11	9	7	2	6	1	-
Cholera, Diarrh., Dysent^{y}	18	3	2	1	-	-	6	-	1	-	-	1	1	-	3	3	2	1
Other Zymotic Dis.	61	16	8	4	2	5	35	6	3	1	-	1	3	3	1	5	2	1
Cancer	37	1	-	1	-	-	2	-	-	-	1	-	1	9	10	6	8	-
Scrofula, Tabes Mesent.	34	5	4	6	-	1	16	4	4	-	3	2	2	1	-	2	-	-
Phthisis	302	5	4	1	2	-	12	9	18	42	44	70	45	34	17	10	1	-
Hydrocephalus	36	10	10	2	3	2	27	5	2	2	-	-	-	-	-	-	-	-
Diseases of Brain	261	83	13	7	3	2	108	4	5	5	2	4	9	20	25	37	32	10
Heart Dis. and Dropsy	201	4	-	-	-	-	4	3	1	2	5	12	14	14	43	66	32	5
Dis. of Lungs	232	33	18	18	8	5	82	7	1	7	4	7	12	12	28	41	26	5
Dis. of Stom. and Liver	94	6	3	1	1	2	13	2	3	1	4	8	6	12	13	21	11	-
Dis. of Kidneys	8	-	-	-	-	-	-	-	1	1	1	1	-	1	-	2	1	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	1	-	-	2	5	2	2	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	36	-	-	-	-	-	-	-	-	-	4	11	17	4	-	-	-	-
Violent Deaths	31	4	1	2	2	2	11	3	1	2	-	3	1	-	2	1	3	4
Other Causes	628	135	26	14	3	4	182	6	5	1	2	5	10	17	30	83	175	112

281.—ST. THOMAS.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	26052	-	-	-	-	-	2991	2763	2534	2343	2342	3738	3037	2520	1906	1271	525	88
TOTAL DEATHS	4785	704	199	169	114	73	1259	186	111	148	157	332	308	309	450	656	608	261
Small-pox	49	12	7	7	2	3	31	9	1	4	-	2	1	-	1	-	-	-
Measles	62	9	19	12	13	3	56	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	116	8	11	19	12	16	66	30	13	3	1	1	-	2	-	-	-	-
Diphtheria	22	2	2	2	5	2	13	3	4	-	-	1	-	-	-	1	-	-
Whooping-cough	66	37	10	11	4	2	64	2	-	-	-	-	-	-	-	-	-	-
Typhus	276	3	6	21	17	13	60	34	26	25	25	27	11	13	19	25	11	-
Cholera, Diarrh., Dysent^{y}	103	44	7	3	1	-	55	2	1	1	-	1	3	3	10	10	14	3
Other Zymotic Dis.	143	23	10	10	8	7	58	15	3	3	7	8	3	6	5	17	12	6
Cancer	143	1	1	-	-	-	2	-	1	-	-	6	16	23	36	38	18	3
Scrofula, Tabes Mesent.	77	17	8	9	3	2	39	9	5	4	4	2	5	5	3	1	-	-
Phthisis	673	10	12	3	4	5	34	19	28	70	84	163	106	81	55	26	7	-
Hydrocephalus	48	17	4	8	2	4	35	8	2	1	1	-	1	-	-	-	-	-
Diseases of Brain	624	104	25	11	8	4	152	9	4	9	8	34	43	51	81	121	77	35
Heart Dis. and Dropsy	397	4	3	1	2	2	12	8	6	7	8	22	29	39	74	123	56	13
Dis. of Lungs	530	107	38	30	11	5	191	8	5	8	4	11	21	29	60	89	86	18
Dis. of Stom. and Liver	242	21	2	3	-	-	26	10	2	6	7	19	23	29	36	60	22	2
Dis. of Kidneys	26	-	-	-	1	-	1	-	1	2	2	2	4	2	5	6	1	-
Dis. of Gener. Organs	24	-	-	-	-	-	-	-	-	-	-	2	4	7	7	3	1	-
Diseases of the Joints	10	-	-	-	-	-	-	-	1	1	1	2	1	-	4	-	-	-
Diseases of the Skin	11	3	-	-	1	-	4	1	-	-	-	-	1	-	3	1	1	-
Childbirth and Metria	47	-	-	-	-	-	-	-	-	2	4	14	23	4	-	-	-	-
Violent Deaths	77	16	3	2	9	5	35	5	1	1	1	3	2	4	9	6	6	4
Other Causes	1019	266	31	17	11	-	325	8	7	1	-	12	11	11	42	129	296	177

282.—EXETER.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	18537	-	-	-	-	-	1885	1670	1703	1869	1883	2907	2295	1793	1314	831	325	57
TOTAL DEATHS	4012	647	267	153	108	69	1244	171	81	102	145	288	284	278	346	476	444	153
Small-pox	74	15	13	12	7	5	52	13	3	1	1	2	1	1	-	-	-	-
Measles	74	12	25	15	12	5	69	3	1	-	-	1	-	-	-	-	-	-
Scarlatina	131	4	17	20	19	21	81	37	4	2	2	3	2	-	-	-	-	-
Diphtheria	14	2	3	-	4	2	11	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	77	25	28	15	7	-	75	1	1	-	-	-	-	-	-	-	-	-
Typhus	146	2	6	8	5	8	29	18	11	11	14	18	8	5	11	9	10	2
Cholera, Diarrh., Dysent^{y}	121	65	13	6	2	-	86	2	-	-	1	5	2	-	3	10	9	3
Other Zymotic Dis.	137	39	10	7	10	1	67	6	6	5	9	14	2	5	7	10	5	1
Cancer	141	1	-	-	-	-	1	-	1	-	-	8	21	30	27	38	14	1
Scrofula, Tabes Mesent.	97	29	12	9	5	2	57	9	7	9	4	6	3	1	1	-	-	-
Phthisis	529	7	7	7	2	1	24	19	21	49	64	126	115	59	36	15	1	-
Hydrocephalus	65	21	11	11	7	3	53	9	-	1	2	-	-	-	-	-	-	-
Diseases of Brain	492	112	32	8	9	8	169	10	5	3	10	13	21	31	47	87	80	16
Heart Dis. and Dropsy	325	2	-	3	1	-	6	2	6	6	3	25	31	41	69	89	45	2
Dis. of Lungs	547	109	58	21	15	3	206	12	5	3	8	17	13	44	80	91	58	10
Dis. of Stom. and Liver	174	8	3	-	1	2	14	7	2	3	9	12	16	30	27	34	14	6
Dis. of Kidneys	40	-	-	1	-	1	2	1	2	-	3	9	8	3	6	6	-	-
Dis. of Gener. Organs	25	-	-	-	-	-	-	-	-	1	-	5	7	5	5	2	-	-
Diseases of the Joints	14	-	-	-	-	1	1	1	2	-	-	2	1	3	2	2	-	-
Diseases of the Skin	9	3	-	-	-	-	3	1	-	-	-	-	-	2	1	1	-	1
Childbirth and Metria	46	-	-	-	-	-	-	-	-	3	9	16	18	-	-	-	-	-
Violent Deaths	75	12	4	4	1	5	28	14	3	3	4	1	6	4	5	5	4	-
Other Causes	659	179	25	6	1	1	212	3	1	2	2	5	9	14	19	77	204	111

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

283.—NEWTON ABBOT.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	25539	-	-	-	-	-	3504	3162	2819	2411	2013	3344	2917	2255	1658	1044	360	52
TOTAL DEATHS	4927	1108	287	151	120	79	1745	196	117	133	181	316	309	319	411	581	495	124
Small-pox	63	22	7	8	3	6	46	7	1	3	4	1	-	-	-	1	-	-
Measles	54	8	22	9	4	4	47	5	1	1	-	-	-	-	-	-	-	-
Scarlatina	112	11	14	14	22	14	75	27	6	1	1	-	2	-	-	-	-	-
Diphtheria	19	2	3	3	5	1	14	4	-	-	-	1	-	-	-	-	-	-
Whooping-cough	95	58	20	11	5	1	95	-	-	-	-	-	-	-	-	-	-	-
Typhus	202	7	10	13	12	6	48	31	20	19	15	7	12	18	10	12	9	1
Cholera, Diarrh., Dysent^{y}	150	70	8	2	3	2	85	1	1	1	2	6	7	9	4	19	13	2
Other Zymotic Dis.	196	35	11	13	11	10	80	11	7	3	-	7	12	10	17	20	27	2
Cancer	43	-	-	-	-	-	-	-	1	-	-	1	4	4	14	11	8	-
Scrofula, Tabes Mesent.	71	10	7	5	5	2	29	12	7	5	4	4	3	3	1	2	-	1
Phthisis	647	18	16	8	5	5	52	18	21	56	98	183	101	63	36	18	1	-
Hydrocephalus	33	22	22	9	6	6	65	13	2	2	-	-	-	-	1	-	-	-
Diseases of Brain	615	196	23	12	6	5	242	20	8	8	14	15	33	43	67	94	55	16
Heart Dis. and Dropsy	321	6	2	1	1	1	11	8	9	5	8	17	25	26	68	87	53	4
Dis. of Lungs	695	167	75	18	18	4	282	3	2	6	12	25	37	50	72	105	92	9
Dis. of Stom. and Liver	289	46	5	6	3	2	62	9	7	6	10	16	24	30	49	56	19	1
Dis. of Kidneys	55	-	-	-	-	-	-	-	-	1	2	5	1	6	11	18	11	-
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	22	1	1	-	-	-	2	3	2	4	-	2	3	1	2	1	2	-
Diseases of the Skin	13	3	-	-	-	1	4	-	-	-	-	-	3	1	2	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	199	6	4	8	6	6	30	13	16	8	9	17	30	34	17	17	7	1
Other Causes	982	419	37	11	5	3	475	11	6	4	2	9	12	21	40	118	197	87

284.—TOTNES.

Mean Popul^{n}, 1851-61	15542	-	-	-	-	-	2138	1926	1752	1481	1142	1856	1637	1403	1160	714	287	41
TOTAL DEATHS	3044	536	168	79	74	53	910	135	61	83	98	156	180	175	279	447	381	139
Small-pox	35	9	4	4	6	1	24	4	1	1	4	1	-	-	-	-	-	-
Measles	29	4	10	3	3	3	23	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	107	9	8	14	14	17	62	34	6	2	3	-	-	-	-	-	-	-
Diphtheria	12	3	-	-	1	-	4	5	2	-	-	-	-	-	-	1	-	-
Whooping-cough	34	13	12	1	4	3	33	1	-	-	-	-	-	-	-	-	-	-
Typhus	102	9	6	2	3	7	27	24	5	5	7	6	6	2	6	9	5	-
Cholera, Diarrh., Dysent^{y}	62	16	3	2	-	1	22	3	1	3	1	3	3	4	4	11	6	1
Other Zymotic Dis.	130	38	6	6	6	5	61	4	2	1	4	4	9	3	10	15	13	4
Cancer	28	-	-	-	-	-	-	-	1	-	-	1	3	5	4	7	7	-
Scrofula, Tabes Mesent.	35	3	2	2	-	1	8	6	4	4	2	5	2	1	1	2	-	-
Phthisis	289	12	9	1	-	1	23	4	6	26	41	62	56	38	25	8	-	-
Hydrocephalus	36	12	9	2	4	2	29	3	3	-	1	-	-	-	-	-	-	-
Diseases of Brain	420	105	27	10	8	5	155	11	2	10	10	14	11	15	43	89	43	17
Heart Dis. and Dropsy	226	-	1	1	-	-	2	2	3	3	3	11	16	25	46	71	42	2
Dis. of Lungs	383	74	26	15	14	1	130	9	6	3	6	12	28	25	55	64	42	3
Dis. of Stom. and Liver	178	17	4	3	5	1	30	2	1	4	5	12	19	19	35	34	14	3
Dis. of Kidneys	45	-	-	-	-	-	-	1	1	2	-	5	8	7	2	9	10	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	13	-	-	-	-	-	-	-	-	1	2	2	2	1	1	1	2	1
Diseases of the Skin	3	1	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	137	3	1	3	1	3	11	12	13	14	5	15	13	21	9	18	5	1
Other Causes	740	208	40	10	4	2	264	5	3	4	4	3	4	9	38	107	192	107

285.—KINGSBRIDGE.

Mean Popul^{n}, 1851-61	9861	-	-	-	-	-	1338	1303	1196	960	654	1059	1043	909	707	496	173	23
TOTAL DEATHS	1809	330	99	66	36	32	563	77	53	52	48	90	79	104	161	245	260	77
Small-pox	8	2	2	1	1	1	7	-	-	-	1	-	-	-	-	-	-	-
Measles	15	-	9	2	2	1	14	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	96	10	14	23	10	12	69	22	4	-	1	-	-	-	-	-	-	-
Diphtheria	18	2	-	2	1	1	6	7	4	1	-	-	-	-	-	-	-	-
Whooping-cough	22	10	7	2	2	-	21	1	-	-	-	-	-	-	-	-	-	-
Typhus	61	2	5	4	2	1	14	11	2	10	1	6	2	5	3	6	1	-
Cholera, Diarrh., Dysent^{y}	23	6	-	-	-	-	6	2	-	1	-	2	-	2	2	2	6	-
Other Zymotic Dis.	83	18	7	9	1	2	32	4	3	-	1	1	5	1	12	9	12	3
Cancer	26	-	-	-	-	-	-	-	-	-	-	1	3	3	8	4	7	-
Scrofula, Tabes Mesent.	26	9	-	-	1	1	11	3	4	1	2	3	-	-	-	1	1	-
Phthisis	205	3	4	1	1	-	9	5	8	19	26	38	33	23	18	21	5	-
Hydrocephalus	13	5	1	1	3	1	11	1	-	-	-	-	-	-	1	-	-	-
Diseases of Brain	235	68	9	3	2	3	85	5	8	3	3	5	5	16	24	40	38	3
Heart Dis. and Dropsy	132	-	3	-	1	-	4	3	3	3	1	5	5	8	25	42	31	2
Dis. of Lungs	238	45	17	8	3	7	80	2	2	3	2	9	6	16	30	43	34	11
Dis. of Stom. and Liver	72	13	3	-	-	-	16	1	1	1	-	3	8	7	10	17	8	-
Dis. of Kidneys	34	1	-	-	-	-	1	-	-	1	-	3	1	2	6	11	6	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-
Diseases of the Skin	8	2	-	-	-	-	2	-	-	-	1	-	-	1	-	-	4	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	81	2	2	3	5	2	14	3	10	8	5	10	6	9	7	6	3	-
Other Causes	407	137	16	7	1	-	161	6	3	1	8	3	4	10	14	43	104	55

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

283.—NEWTON ABBOT.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	30145	-	-	-	-	-	3472	3098	2851	2785	2949	4688	3627	2720	2070	1294	534	87
TOTAL DEATHS	5252	858	276	167	128	99	1528	217	117	196	218	409	348	324	431	617	599	218
Small-pox	69	20	9	7	6	6	48	12	3	4	1	–	–	1	–	–	–	–
Measles	63	9	19	12	7	7	54	6	1	1	1	–	–	–	–	–	–	–
Scarlatina	133	6	17	24	18	16	81	40	9	1	1	–	1	–	–	–	–	–
Diphtheria	26	1	2	5	2	3	13	6	2	1	4	–	–	–	–	–	–	–
Whooping-cough	101	36	33	7	12	5	93	6	1	1	–	–	–	–	–	–	–	–
Typhus	235	6	8	11	11	10	46	34	25	24	24	14	10	14	12	24	7	1
Cholera, Diarrh., Dysent^{y}	146	60	11	1	-	2	74	2	4	5	3	9	6	7	10	10	11	5
Other Zymotic Dis.	206	41	8	18	15	9	91	13	5	11	6	9	5	9	16	17	23	1
Cancer	128	–	–	–	1	–	1	–	–	1	–	3	20	24	41	25	11	2
Scrofula, Tabes Mesent.	69	15	10	3	4	1	33	11	5	9	2	2	2	3	1	–	1	–
Phthisis	824	24	9	6	4	7	50	18	26	94	130	240	141	63	49	11	2	–
Hydrocephalus	65	22	14	7	5	7	55	7	2	–	1	–	–	–	–	–	–	–
Diseases of Brain	604	121	34	15	7	8	185	17	9	10	5	22	25	42	71	119	87	12
Heart Dis. and Dropsy	387	8	6	1	2	–	17	6	7	8	7	16	26	46	72	119	55	8
Dis. of Lungs	694	112	49	27	23	6	217	12	3	7	8	24	31	43	59	109	80	11
Dis. of Stom. and Liver	279	25	2	4	5	2	38	8	6	6	7	15	32	28	54	62	22	1
Dis. of Kidneys	33	3	–	–	–	–	3	–	–	–	1	7	6	6	–	7	3	–
Dis. of Gener. Organs	27	–	–	–	–	–	–	–	–	–	–	2	6	7	8	4	–	–
Diseases of the Joints	18	1	–	–	–	–	1	2	1	4	1	2	–	1	3	3	–	–
Diseases of the Skin	15	5	–	–	–	–	5	–	1	–	–	–	1	2	1	3	2	–
Childbirth and Metria	53	–	–	–	–	–	–	–	–	1	10	27	14	1	–	–	–	–
Violent Deaths	67	13	2	4	2	3	24	7	3	2	1	3	4	3	3	6	8	3
Other Causes	1100	330	43	15	4	7	399	10	4	6	5	14	18	24	31	128	287	174

284.—TOTNES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	17940	-	-	-	-	-	2109	1966	1795	1678	1534	2456	1995	1746	1320	895	378	68
TOTAL DEATHS	3201	466	146	124	77	65	878	143	83	91	101	199	179	210	264	421	455	177
Small-pox	33	8	8	3	3	2	24	6	3	–	–	–	–	–	–	–	–	–
Measles	27	3	7	8	5	3	26	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	112	6	7	19	17	16	65	35	10	1	–	–	–	–	1	–	–	–
Diphtheria	18	1	1	4	1	–	7	9	1	–	1	–	–	–	–	–	–	–
Whooping-cough	44	28	7	4	2	1	42	2	–	–	–	–	–	–	–	–	–	–
Typhus	132	7	6	13	4	11	41	15	17	11	9	9	7	7	5	8	2	1
Cholera, Diarrh., Dysent^{y}	53	9	5	1	–	–	15	2	1	–	1	3	3	4	7	8	10	4
Other Zymotic Dis.	127	28	8	4	5	3	48	7	6	–	5	4	4	5	4	20	21	5
Cancer	93	–	–	–	–	–	–	–	–	–	1	–	14	18	26	21	12	1
Scrofula, Tabes Mesent.	42	3	1	4	4	2	14	3	5	5	3	6	1	4	–	1	–	–
Phthisis	338	4	3	3	1	3	14	6	15	38	53	90	57	34	17	12	2	–
Hydrocephalus	50	13	16	10	5	–	44	4	2	–	–	–	–	–	–	–	–	–
Diseases of Brain	414	88	16	8	11	5	128	18	8	9	9	9	9	34	42	86	57	10
Heart Dis. and Dropsy	263	2	–	1	1	2	6	5	4	4	3	16	23	29	50	69	47	8
Dis. of Lungs	339	52	27	15	11	8	113	11	7	7	7	19	15	25	35	60	29	11
Dis. of Stom. and Liver	191	12	3	1	2	4	22	7	3	5	6	9	14	22	30	39	21	4
Dis. of Kidneys	15	–	–	–	–	–	–	–	–	1	1	1	2	3	4	2	1	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	2	1	4	2	1	2	–
Diseases of the Joints	9	–	–	–	–	–	–	1	1	–	–	2	1	1	2	–	1	–
Diseases of the Skin	4	2	1	–	–	–	3	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	42	–	–	–	–	–	–	–	–	2	2	21	17	–	–	–	–	–
Violent Deaths	47	1	2	8	2	2	15	3	1	3	1	1	4	3	3	6	5	2
Other Causes	791	199	28	18	3	3	251	8	4	5	1	7	7	17	27	88	245	131

285.—KINGSBRIDGE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	10525	-	-	-	-	-	1294	1247	1138	988	832	1351	1194	990	735	522	207	27
TOTAL DEATHS	1840	262	91	62	49	26	490	83	53	54	56	107	105	109	152	271	252	108
Small-pox	7	3	1	2	–	1	7	–	–	–	–	–	–	–	–	–	–	–
Measles	18	3	2	5	4	–	14	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	89	7	13	13	14	7	54	29	4	2	–	–	–	–	–	–	–	–
Diphtheria	10	–	1	1	1	1	4	1	4	1	–	–	–	–	–	–	–	–
Whooping-cough	37	11	14	6	3	1	35	1	–	1	–	–	–	–	–	–	–	–
Typhus	74	4	–	5	3	3	15	11	8	6	6	5	6	6	4	5	2	–
Cholera, Diarrh., Dysent^{y}	13	2	–	1	–	–	3	1	–	–	–	–	–	3	1	3	1	1
Other Zymotic Dis.	94	12	7	8	6	–	33	5	5	5	–	5	6	5	6	11	8	5
Cancer	38	–	–	–	–	–	–	–	–	–	–	2	4	6	9	10	7	–
Scrofula, Tabes Mesent.	16	5	3	3	–	1	12	–	–	–	1	–	2	–	1	–	–	–
Phthisis	221	2	–	1	1	–	4	6	14	22	31	52	37	20	16	17	1	1
Hydrocephalus	10	4	3	1	–	1	9	–	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	236	55	5	2	4	2	68	5	4	5	2	9	10	8	27	55	34	9
Heart Dis. and Dropsy	142	–	–	–	2	–	2	–	5	1	3	4	8	19	27	43	23	4
Dis. of Lungs	204	35	22	6	5	4	72	6	–	5	4	5	4	12	25	46	44	11
Dis. of Stom. and Liver	79	7	–	–	–	–	7	4	–	2	3	5	6	7	10	10	11	2
Dis. of Kidneys	7	1	–	–	1	–	2	–	–	–	1	–	1	1	2	–	–	–
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	–	–	1	2	4	2	–	1	–
Diseases of the Joints	5	–	–	1	–	–	1	–	–	–	2	1	–	–	–	1	–	–
Diseases of the Skin	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	–
Childbirth and Metria	23	–	–	–	–	–	–	–	–	1	1	10	8	3	–	–	–	–
Violent Deaths	27	–	2	2	2	3	9	4	3	1	–	–	–	2	–	5	2	1
Other Causes	445	111	18	5	3	2	139	6	5	2	2	7	10	13	22	51	111	74

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
286.—PLYMPTON ST. MARY.																		
Mean Popul^{n}, 1851-61	9779	-	-	-	-	-	1325	1256	1109	986	736	1154	1015	916	694	421	148	19
TOTAL DEATHS	1910	350	111	73	45	40	619	104	42	67	68	120	112	117	199	228	184	50
Small-pox	22	6	1	1	1	1	10	3	1	3	1	4	-	-	-	-	-	-
Measles	31	8	10	6	1	2	27	3	-	1	-	-	-	-	-	-	-	-
Scarlatina	107	7	16	21	14	14	72	27	4	1	3	-	-	-	-	-	-	-
Diphtheria	8	1	-	-	1	1	3	5	-	-	-	-	-	-	-	-	-	-
Whooping-cough	21	13	4	1	1	-	19	2	-	-	-	-	-	-	-	-	-	-
Typhus	93	6	2	4	2	5	19	14	6	10	6	10	3	5	12	6	2	-
Cholera, Diarrh., Dysent^{y}	45	19	3	2	2	1	27	-	-	2	2	2	2	2	1	2	5	-
Other Zymotic Dis.	86	17	5	7	9	3	41	7	2	2	2	5	1	8	3	9	5	1
Cancer	23	-	-	-	-	-	-	-	1	-	1	-	-	5	7	6	2	1
Scrofula, Tabes Mesent.	47	16	8	4	3	1	32	3	3	1	4	1	2	-	1	-	-	-
Phthisis	176	1	2	-	-	2	5	1	3	16	18	45	28	20	27	9	4	-
Hydrocephalus	32	9	5	4	2	2	22	8	-	1	-	-	-	-	-	-	1	-
Diseases of Brain	235	55	6	6	2	2	71	9	5	8	6	10	22	13	29	36	22	4
Heart Dis. and Dropsy	130	3	1	-	1	-	5	2	2	5	6	12	6	8	31	30	20	3
Dis. of Lungs	282	51	28	10	2	2	93	10	5	1	3	4	16	21	40	45	34	10
Dis. of Stom. and Liver	81	6	3	1	2	-	12	1	2	1	1	6	8	7	11	23	8	1
Dis. of Kidneys	30	-	-	-	-	-	-	1	-	1	1	2	-	1	7	11	4	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	1	1	1	-	-	2	-	1	-	-
Diseases of the Skin	6	-	1	-	-	-	1	-	-	-	1	-	2	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	120	3	4	3	1	1	12	3	6	11	11	16	14	19	13	9	6	-
Other Causes	329	129	12	3	1	3	148	5	1	2	1	3	8	6	16	41	70	28
287.—PLYMOUTH.																		
Mean Popul^{n}, 1851-61	26807	-	-	-	-	-	3398	2999	2575	2704	2766	4430	3201	2233	1386	800	280	35
TOTAL DEATHS	6799	1750	691	366	252	159	3218	297	144	148	203	406	428	439	494	517	407	98
Small-pox	211	44	53	28	18	17	160	24	6	4	7	8	2	-	-	-	-	-
Measles	224	34	74	48	37	15	208	14	1	-	1	-	-	-	-	-	-	-
Scarlatina	322	22	46	57	54	48	227	67	14	3	2	9	-	-	-	-	-	-
Diphtheria	11	2	2	2	1	1	8	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	138	52	43	26	9	2	132	6	-	-	-	-	-	-	-	-	-	-
Typhus	284	9	18	23	15	15	80	43	17	20	16	29	23	22	14	9	11	-
Cholera, Diarrh., Dysent^{y}	410	202	59	11	5	3	280	7	9	8	16	17	10	16	15	9	15	8
Other Zymotic Dis.	252	80	17	15	16	6	134	9	2	1	4	13	23	20	20	14	7	5
Cancer	72	-	-	-	-	-	-	-	-	-	-	1	8	14	21	19	9	-
Scrofula, Tabes Mesent.	111	38	19	8	5	3	73	7	13	1	3	8	2	2	1	1	-	-
Phthisis	749	54	41	15	13	10	133	26	23	46	85	151	141	88	42	13	1	-
Hydrocephalus	147	48	33	23	15	13	132	9	5	-	-	1	-	-	-	-	-	-
Diseases of Brain	782	252	55	25	15	5	352	25	11	12	11	38	36	62	86	83	59	7
Heart Dis. and Dropsy	305	5	3	3	3	2	16	4	7	7	11	18	33	42	66	66	31	4
Dis. of Lungs	1060	320	139	54	24	8	545	13	3	7	6	29	45	62	106	143	91	10
Dis. of Stom. and Liver	214	42	5	3	2	1	53	7	4	2	7	12	20	25	34	32	15	3
Dis. of Kidneys	113	1	-	-	-	5	6	4	2	3	1	14	11	9	22	25	15	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	33	-	-	1	2	-	3	2	3	6	4	4	6	2	1	2	-	-
Diseases of the Skin	12	8	-	-	1	-	9	-	-	1	-	-	-	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	294	8	6	10	10	1	35	17	19	23	23	42	37	50	30	9	7	2
Other Causes	1054	529	78	14	7	4	632	10	5	4	6	12	31	24	36	90	146	58
288.—EAST STONEHOUSE.																		
Mean Popul^{n}, 1851-61	6017	-	-	-	-	-	870	676	503	611	694	982	713	458	289	157	56	8
TOTAL DEATHS	2044	432	160	96	45	34	767	71	23	93	181	246	170	153	114	126	83	17
Small-pox	64	10	11	4	2	2	29	4	-	4	11	14	1	1	-	-	-	-
Measles	54	9	25	11	5	3	53	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	82	3	12	17	10	12	54	21	3	1	-	1	1	-	-	1	-	-
Diphtheria	3	-	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	29	13	8	3	4	-	28	1	-	-	-	-	-	-	-	-	-	-
Typhus	127	6	8	3	4	3	24	15	6	19	28	12	6	7	5	2	2	1
Cholera, Diarrh., Dysent^{y}	102	49	6	4	1	-	60	1	-	3	4	15	6	5	2	4	2	-
Other Zymotic Dis.	95	14	6	6	1	2	29	4	1	4	7	18	14	8	2	5	3	-
Cancer	18	-	-	-	-	-	-	-	-	1	-	2	3	8	1	2	-	1
Scrofula, Tabes Mesent.	42	10	8	2	-	-	20	6	-	5	5	3	-	2	-	1	-	-
Phthisis	308	6	5	2	2	2	17	3	4	20	73	95	46	35	11	3	1	-
Hydrocephalus	42	13	9	12	5	2	41	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	223	71	11	4	3	-	89	6	2	3	13	10	12	16	17	33	13	6
Heart Dis. and Dropsy	118	-	-	1	-	2	3	1	1	2	2	20	17	16	25	22	9	-
Dis. of Lungs	276	68	32	21	4	4	129	2	2	10	13	25	20	21	18	25	10	1
Dis. of Stom. and Liver	88	13	1	1	1	-	16	-	2	7	5	8	12	13	17	7	1	-
Dis. of Kidneys	31	-	-	-	-	-	-	1	-	-	2	3	8	2	2	8	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	1	-	2	-	2	2	-	-	-	-	-
Diseases of the Skin	6	2	2	-	-	-	4	-	-	-	-	1	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	88	2	2	-	2	1	7	2	2	11	16	12	16	10	7	2	3	-
Other Causes	241	143	12	5	1	1	162	1	-	-	2	5	6	8	7	11	31	8

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
286.—PLYMPTON ST. MARY.																		
Mean Popul^{n}, 1851-61	10333	-	-	-	-	-	1300	1216	1087	964	890	1347	1159	987	734	446	178	25
TOTAL DEATHS	1827	256	111	51	54	45	517	95	65	63	57	138	99	107	145	228	220	93
Small-pox	12	5	-	2	1	-	8	-	2	-	-	2	-	-	-	-	-	-
Measles	39	6	9	5	5	3	28	10	-	-	-	-	1	-	-	-	-	-
Scarlatina	81	3	13	12	10	15	53	17	6	1	2	1	1	-	-	-	-	-
Diphtheria	5	-	-	1	-	2	3	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	39	14	10	2	6	3	35	3	1	-	-	-	-	-	-	-	-	-
Typhus	90	2	4	3	2	3	14	11	15	11	5	8	3	7	6	5	5	-
Cholera,Diarrh.,Dysent^{y}	33	13	3	1	-	-	17	-	-	-	-	-	-	2	2	3	7	2
Other Zymotic Dis.	63	11	6	5	3	3	28	6	3	3	2	1	1	1	4	5	7	2
Cancer	64	-	-	-	-	-	-	1	1	1	-	2	15	6	16	17	4	1
Scrofula, Tabes Mesent.	37	13	11	2	1	2	29	4	1	-	1	1	-	1	-	-	-	-
Phthisis	203	2	6	-	1	2	11	5	13	23	23	61	22	22	12	5	5	1
Hydrocephalus	26	9	5	1	3	2	20	3	1	-	-	-	1	-	-	-	1	-
Diseases of Brain	235	33	6	6	3	3	51	5	8	9	4	10	8	23	27	47	36	7
Heart Dis. and Dropsy	143	1	-	-	1	1	3	4	2	3	4	8	14	14	30	42	19	-
Dis. of Lungs	265	34	19	3	9	-	65	11	2	6	4	10	9	9	15	38	27	9
Dis. of Stom. and Liver	101	9	1	-	2	2	14	5	5	1	5	8	6	15	16	20	6	-
Dis. of Kidneys	12	-	-	-	-	-	-	-	1	-	-	1	3	-	3	1	3	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	3	-	3	-	2	-	-
Diseases of the Joints	10	1	-	-	-	-	1	1	1	-	-	2	-	-	1	2	2	-
Diseases of the Skin	5	1	-	1	-	-	2	-	1	-	-	-	1	-	1	-	-	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	3	5	12	9	-	-	-	-	-
Violent Deaths	32	1	3	2	2	2	10	4	1	-	2	1	3	2	1	4	2	2
Other Causes	355	98	15	5	5	2	125	3	1	2	-	7	2	2	11	37	96	69
287.—PLYMOUTH.																		
Mean Popul^{n}, 1851-61	30603	-	-	-	-	-	3407	3025	2763	2927	3256	5105	3845	2800	1867	1135	413	60
TOTAL DEATHS	6760	1448	617	352	214	137	2768	342	140	157	250	472	410	402	488	644	497	190
Small-pox	204	48	39	31	26	11	155	31	2	6	4	3	1	1	1	-	-	-
Measles	189	26	67	45	25	11	174	14	1	-	-	-	-	-	-	-	-	-
Scarlatina	357	31	44	66	47	40	228	96	16	4	3	5	2	1	1	-	1	-
Diphtheria	15	1	2	1	4	2	10	2	3	-	-	-	-	-	-	-	-	-
Whooping-cough	182	58	63	31	15	8	175	7	-	-	-	-	-	-	-	-	-	-
Typhus	285	15	16	15	18	14	78	45	18	23	18	28	17	16	14	17	8	3
Cholera,Diarrh.,Dysent^{y}	383	187	42	8	3	-	240	11	5	1	13	19	19	8	15	29	18	5
Other Zymotic Dis.	296	71	19	12	6	8	116	9	3	5	9	13	11	6	6	13	14	1
Cancer	199	-	1	-	-	1	2	-	-	1	1	10	27	54	52	37	14	1
Scrofula, Tabes Mesent.	93	18	9	2	5	2	36	11	13	7	4	10	8	1	1	2	-	-
Phthisis	813	53	35	22	13	11	134	29	31	60	113	196	127	68	39	15	1	-
Hydrocephalus	109	28	35	19	6	2	90	16	1	1	1	-	-	-	-	-	-	-
Diseases of Brain	713	186	45	21	12	7	271	28	10	12	16	23	37	46	69	117	74	10
Heart Dis. and Dropsy	331	3	4	3	2	4	16	9	11	7	11	31	43	47	79	83	37	7
Dis. of Lungs	985	253	124	58	20	12	467	15	9	3	11	23	34	58	98	157	87	23
Dis. of Stom. and Liver	303	36	4	2	2	1	45	4	2	8	10	34	26	45	53	45	26	5
Dis. of Kidneys	60	-	-	-	-	1	1	1	3	4	2	8	12	12	5	6	6	-
Dis. of Gener. Organs	23	-	-	-	-	-	-	-	1	-	1	2	5	8	4	-	1	1
Diseases of the Joints	26	-	-	1	-	-	1	2	4	2	3	1	5	2	2	2	2	-
Diseases of the Skin	20	7	1	1	2	-	11	1	-	1	-	-	1	2	2	1	1	-
Childbirth and Metria	85	-	-	-	-	-	-	-	-	4	22	41	17	1	-	-	-	-
Violent Deaths	69	6	3	1	3	1	14	8	4	5	2	4	7	4	7	7	6	1
Other Causes	1060	421	64	13	5	1	504	3	3	3	6	21	11	22	40	113	201	133
288.—EAST STONEHOUSE.																		
Mean Popul^{n}, 1851-61	7144	-	-	-	-	-	826	696	546	588	752	1428	964	616	406	235	74	13
TOTAL DEATHS	1518	342	132	96	39	40	649	75	27	33	51	133	81	90	108	132	105	34
Small-pox	34	11	6	4	2	3	26	3	1	1	2	1	-	-	-	-	-	-
Measles	51	7	17	17	7	1	49	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	62	3	9	9	7	9	37	22	2	-	-	1	-	-	-	-	-	-
Diphtheria	3	1	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	40	12	13	11	1	2	39	1	-	-	-	-	-	-	-	-	-	-
Typhus	84	3	1	13	3	4	24	17	6	7	7	7	5	6	1	2	2	-
Cholera,Diarrh.,Dysent^{y}	83	42	9	2	2	2	57	3	-	1	1	4	1	2	2	3	6	3
Other Zymotic Dis.	76	21	8	8	2	4	43	1	2	-	3	11	4	3	3	5	1	-
Cancer	31	-	-	-	-	-	-	-	-	-	-	2	4	9	5	5	4	2
Scrofula, Tabes Mesent.	24	8	7	2	2	-	19	4	-	1	-	-	-	-	-	-	-	-
Phthisis	175	10	5	4	3	3	25	8	7	10	22	62	19	12	8	1	1	-
Hydrocephalus	31	8	11	3	2	4	28	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	160	33	7	4	2	1	52	3	5	-	-	7	9	13	25	31	13	2
Heart Dis. and Dropsy	98	1	-	-	2	1	4	1	-	5	-	10	9	15	17	23	8	1
Dis. of Lungs	175	46	25	16	4	2	93	3	1	3	5	2	7	10	19	21	10	1
Dis. of Stom. and Liver	79	15	-	-	-	1	16	1	2	2	4	8	10	7	14	8	7	-
Dis. of Kidneys	13	-	-	-	-	-	-	-	1	-	-	2	3	3	1	2	1	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	1	1	1	-	2	-	1	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Diseases of the Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	17	-	-	-	-	-	-	-	-	-	3	10	4	-	-	-	-	-
Violent Deaths	12	-	1	1	-	2	4	-	-	1	1	-	1	1	1	-	3	-
Other Causes	259	114	12	2	-	-	128	3	-	-	2	4	5	7	12	25	48	25

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards
289.—STOKE DAMEREL.																		
Mean Popul^{n}, 1851-61	21745	-	-	-	-	-	2599	2155	1886	2273	2710	3889	2509	1624	1125	694	256	25
TOTAL DEATHS	5066	1187	502	307	174	116	2286	229	83	102	200	352	277	273	292	504	377	91
Small-pox	104	21	21	10	11	9	72	13	5	2	8	4	-	-	-	-	-	-
Measles	153	22	48	42	19	9	140	10	-	1	1	-	1	-	-	-	-	-
Scarlatina	227	11	33	48	32	29	153	57	8	3	1	4	1	-	-	-	-	-
Diphtheria	7	1	-	2	1	2	6	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	107	42	28	24	8	3	105	2	-	-	-	-	-	-	-	-	-	-
Typhus	253	14	20	26	14	17	91	40	13	13	15	30	16	6	9	15	4	1
Cholera, Diarrh., Dysent^{y}	263	138	33	12	5	3	191	2	2	1	5	12	4	5	12	14	14	1
Other Zymotic Dis.	225	64	19	14	19	7	123	6	4	7	11	13	22	10	9	11	8	1
Cancer	57	-	-	-	-	-	-	-	-	1	-	2	6	9	12	20	7	-
Scrofula, Tabes Mesent.	82	15	25	14	3	1	58	6	5	1	6	4	2	-	-	-	-	-
Phthisis	501	9	21	5	5	3	43	15	12	30	75	145	83	54	23	18	3	-
Hydrocephalus	120	44	38	11	7	8	108	12	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	598	142	42	20	12	6	222	21	10	5	14	29	24	33	66	103	62	9
Heart Dis. and Dropsy	272	3	2	1	1	2	9	6	6	7	9	21	26	38	40	69	36	5
Dis. of Lungs	822	226	90	51	28	9	404	12	5	11	27	27	37	53	57	115	63	11
Dis. of Stom. and Liver	187	17	6	3	-	1	27	7	6	7	3	20	13	27	27	43	5	2
Dis. of Kidneys	80	2	1	1	2	1	7	1	-	1	1	10	16	6	9	15	11	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	18	-	-	-	1	1	2	3	1	2	4	1	2	2	1	-	-	-
Diseases of the Skin	20	9	1	-	1	1	12	1	-	-	-	1	-	-	1	-	4	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	134	3	6	5	5	2	21	10	4	8	15	20	17	14	7	11	7	5
Other Causes	836	404	68	18	-	2	492	4	2	2	5	9	7	16	19	70	153	57
290.—TAVISTOCK.*																		
Mean Popul^{n}, 1851-61	14550	-	-	-	-	-	2025	1837	1509	1514	1374	2087	1631	1181	817	408	147	20
TOTAL DEATHS	3068	656	241	116	91	67	1171	164	86	78	162	232	175	200	234	298	204	64
Small-pox	34	5	3	4	3	1	21	6	2	1	2	-	1	-	1	-	-	-
Measles	55	10	21	4	10	4	49	5	-	-	1	-	-	-	-	-	-	-
Scarlatina	166	12	23	24	23	17	99	49	11	4	1	1	1	-	-	-	-	-
Diphtheria	16	-	1	2	1	2	6	7	2	1	-	-	-	-	-	-	-	-
Whooping-cough	56	18	18	14	3	1	54	2	-	-	-	-	-	-	-	-	-	-
Typhus	147	2	4	4	4	6	20	26	18	16	18	19	8	6	10	4	2	-
Cholera, Diarrh., Dysent^{y}	93	45	14	2	2	-	63	-	-	1	-	5	3	5	6	4	5	1
Other Zymotic Dis.	105	18	12	14	9	9	62	12	-	3	3	7	3	4	5	2	4	-
Cancer	32	-	-	-	-	-	-	-	-	-	-	3	1	2	12	9	5	-
Scrofula, Tabes Mesent.	43	9	6	2	-	-	17	3	3	-	6	7	2	3	1	1	-	-
Phthisis	387	3	5	-	3	1	12	9	6	26	65	93	59	58	33	21	5	-
Hydrocephalus	44	15	8	6	4	-	33	9	1	-	-	-	-	-	1	-	-	-
Diseases of Brain	327	108	21	8	8	5	150	9	10	6	8	21	14	14	20	39	30	6
Heart Dis. and Dropsy	142	-	5	-	-	-	5	2	3	-	9	10	9	14	32	38	17	3
Dis. of Lungs	544	139	60	18	11	8	236	6	5	2	13	18	24	51	61	90	34	4
Dis. of Stom. and Liver	97	13	2	-	1	1	17	3	2	3	7	9	13	13	19	8	3	-
Dis. of Kidneys	43	-	-	1	-	-	1	1	3	-	2	3	11	6	4	4	5	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-
Diseases of the Skin	10	3	2	-	-	-	5	1	-	-	-	-	1	1	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	160	4	3	7	2	6	22	9	17	12	25	24	19	13	10	7	2	-
Other Causes	562	252	33	6	2	6	299	5	2	2	2	10	5	10	19	70	91	47
291.—OKEHAMPTON.																		
Mean Popul^{n}, 1851-61	9819	-	-	-	-	-	1297	1182	1066	1057	764	1183	1023	855	705	479	181	27
TOTAL DEATHS	1749	298	99	48	38	23	506	90	34	43	73	102	68	95	166	262	223	87
Small-pox	19	5	1	3	-	2	11	2	-	1	2	-	2	1	-	-	-	-
Measles	15	3	7	1	1	1	13	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	69	3	9	9	7	6	34	22	2	3	-	4	2	2	-	-	-	-
Diphtheria	10	-	-	5	-	2	7	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	47	27	9	1	3	1	41	6	-	-	-	-	-	-	-	-	-	-
Typhus	58	-	-	-	4	1	5	7	2	4	12	7	4	2	7	7	-	1
Cholera, Diarrh., Dysent^{y}	30	8	3	1	1	-	13	-	-	-	-	4	-	2	5	4	2	-
Other Zymotic Dis.	85	17	8	4	8	2	39	8	2	3	-	1	3	2	6	11	10	-
Cancer	28	-	-	-	-	-	-	-	-	-	1	2	2	1	9	10	2	1
Scrofula, Tabes Mesent.	14	4	-	1	-	-	5	2	-	-	1	3	1	-	-	2	-	-
Phthisis	226	4	2	3	-	-	9	2	10	15	40	53	18	29	28	23	4	-
Hydrocephalus	24	6	7	4	3	1	21	1	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	217	70	13	4	-	-	87	9	3	2	4	5	6	13	20	35	29	4
Heart Dis. and Dropsy	124	3	1	-	1	1	6	6	-	1	-	3	5	7	35	41	19	1
Dis. of Lungs	226	53	20	4	6	4	87	6	1	5	4	5	12	9	24	47	26	-
Dis. of Stom. and Liver	80	5	2	-	-	-	7	2	3	3	5	5	4	10	17	20	3	1
Dis. of Kidneys	28	-	-	-	-	-	-	-	-	-	-	3	2	4	4	11	3	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	7	-	-	-	-	-	-	1	-	-	-	1	2	1	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	62	1	6	3	3	1	14	5	7	6	2	6	5	4	5	4	2	2
Other Causes	378	89	11	5	1	1	107	5	2	-	2	1	1	7	10	45	122	76

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of this District.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
289.—STOKE DAMEREL.																		
Mean Popul^{n}, 1851-61	22565	-	-	-	-	-	2624	2234	1889	2053	2190	3935	2972	2005	1405	838	346	44
TOTAL DEATHS	5097	943	485	282	163	106	1979	209	90	111	166	345	360	307	349	599	463	119
Small-pox	85	17	13	13	13	8	64	11	-	1	1	7	1	-	-	-	-	-
Measles	177	23	58	49	19	13	162	11	2	-	2	-	-	-	-	-	-	-
Scarlatina	208	14	28	40	31	26	139	55	9	2	-	3	-	-	-	-	-	-
Diphtheria	14	2	1	3	1	2	9	3	1	-	-	-	-	-	-	-	1	-
Whooping-cough	124	34	45	20	13	12	124	-	-	-	-	-	-	-	-	-	-	-
Typhus	304	15	30	25	19	14	103	40	24	22	25	33	14	11	9	16	6	1
Cholera, Diarrh., Dysent^{y}	236	99	36	4	1	1	141	5	2	1	3	5	6	12	8	14	35	4
Other Zymotic Dis.	201	53	20	11	9	8	101	6	2	3	5	12	18	13	13	13	11	4
Cancer	133	-	-	-	-	-	-	1	-	1	2	4	36	32	28	24	4	1
Scrofula, Tabes Mesent.	79	17	22	12	3	1	55	5	6	4	2	4	-	2	1	-	-	-
Phthisis	541	7	18	5	2	3	35	15	15	42	62	153	118	59	25	15	2	-
Hydrocephalus	81	25	26	9	11	-	71	7	2	-	-	1	-	-	-	-	-	-
Diseases of Brain	573	111	22	15	13	5	166	17	7	7	13	21	28	45	73	116	64	16
Heart Dis. and Dropsy	321	1	1	3	-	-	5	6	5	9	12	25	32	43	54	94	35	1
Dis. of Lungs	749	159	91	52	20	6	328	9	6	4	8	20	33	42	68	129	87	15
Dis. of Stom. and Liver	239	13	3	6	1	3	26	3	3	7	6	15	28	35	43	54	15	4
Dis. of Kidneys	34	-	-	-	-	-	-	1	-	1	4	5	8	3	2	7	2	1
Dis. of Gener. Organs	24	-	-	-	-	-	-	-	-	-	-	4	9	2	4	4	1	-
Diseases of the Joints	11	-	-	-	-	-	-	3	1	-	2	3	2	-	-	-	-	-
Diseases of the Skin	15	4	1	-	-	-	5	1	-	1	-	1	-	-	-	2	4	1
Childbirth and Metria	46	-	-	-	-	-	-	-	-	-	12	17	17	-	-	-	-	-
Violent Deaths	51	5	2	3	2	3	15	3	-	3	2	3	1	3	2	8	11	-
Other Causes	851	344	68	12	5	1	430	7	5	3	5	9	9	5	19	103	185	71
290.—TAVISTOCK.*																		
Mean Popul^{n}, 1851-61	13463	-	-	-	-	-	2001	1768	1473	1276	1106	1820	1441	1113	781	474	182	28
TOTAL DEATHS	2522	489	217	141	92	56	995	137	61	49	85	149	150	139	198	256	212	91
Small-pox	34	6	3	7	3	5	24	9	1	-	-	-	-	-	-	-	-	-
Measles	61	9	21	12	2	3	47	11	1	1	-	-	-	1	-	-	-	-
Scarlatina	131	11	15	23	17	12	78	35	12	2	2	1	-	1	-	-	-	-
Diphtheria	16	-	-	3	3	1	7	7	1	1	-	-	-	-	-	-	-	-
Whooping-cough	65	24	20	9	6	4	63	2	-	-	-	-	-	-	-	-	-	-
Typhus	134	1	4	12	6	6	29	21	19	11	13	8	10	5	9	6	3	-
Cholera, Diarrh., Dysent^{y}	89	40	13	4	2	1	60	1	1	1	-	4	3	2	2	5	7	3
Other Zymotic Dis.	100	20	17	12	12	2	63	11	5	-	1	2	1	2	3	6	3	3
Cancer	60	-	-	-	-	-	-	-	-	-	1	1	7	16	19	13	3	-
Scrofula, Tabes Mesent.	30	5	9	2	2	-	18	-	4	2	2	1	-	2	1	-	-	-
Phthisis	247	6	6	3	4	2	21	9	7	13	37	59	46	25	24	3	3	-
Hydrocephalus	21	7	4	3	2	2	18	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	250	63	14	9	6	4	96	10	4	3	3	9	12	18	24	39	28	4
Heart Dis. and Dropsy	176	1	-	1	1	2	5	3	2	1	4	15	18	27	37	44	18	2
Dis. of Lungs	365	81	57	28	15	4	185	7	1	3	5	8	20	10	36	63	19	8
Dis. of Stom. and Liver	85	10	-	-	1	2	13	1	1	1	4	6	10	11	17	14	5	2
Dis. of Kidneys	13	-	-	-	-	-	-	1	-	-	1	1	1	1	3	2	3	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	3	1	2	2	2	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Diseases of the Skin	13	7	3	-	-	-	10	-	-	1	-	-	-	1	-	1	-	-
Childbirth and Metria	47	-	-	-	-	-	-	-	-	3	7	23	12	2	-	-	-	-
Violent Deaths	44	4	8	4	6	2	24	2	-	-	-	1	1	6	3	3	3	1
Other Causes	529	194	23	9	4	4	234	4	2	6	5	7	7	7	17	55	117	68
291.—OKEHAMPTON.																		
Mean Popul^{n}, 1851-61	9672	-	-	-	-	-	1243	1179	1033	894	776	1197	1020	869	705	490	219	47
TOTAL DEATHS	1790	225	88	55	33	31	438	80	60	62	73	107	91	94	147	253	265	120
Small-pox	15	2	1	2	1	2	8	4	-	-	-	2	1	-	-	-	-	-
Measles	20	-	10	2	5	2	19	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	73	3	12	13	5	7	40	16	10	2	3	1	-	-	1	-	-	-
Diphtheria	11	2	1	-	2	1	6	5	-	-	-	-	-	-	-	-	-	-
Whooping-cough	49	25	8	4	3	2	42	6	1	-	-	-	-	-	-	-	-	-
Typhus	67	-	1	3	-	3	7	4	5	10	5	12	6	3	8	6	1	-
Cholera, Diarrh., Dysent^{y}	16	2	-	1	-	-	3	1	1	-	2	1	1	-	1	4	1	1
Other Zymotic Dis.	76	20	3	5	3	6	37	8	2	1	1	3	1	6	2	10	4	1
Cancer	43	-	-	-	-	-	-	-	-	-	-	5	1	9	13	11	3	1
Scrofula, Tabes Mesent.	11	5	-	-	1	-	6	-	1	-	-	1	3	-	-	-	-	-
Phthisis	259	2	1	4	2	2	11	7	13	28	43	42	34	29	23	21	3	-
Hydrocephalus	30	5	5	3	-	1	14	5	7	3	-	1	-	-	-	-	-	-
Diseases of Brain	182	42	8	7	1	-	58	3	5	7	3	4	9	7	17	39	23	7
Heart Dis. and Dropsy	172	1	2	-	1	2	6	3	3	6	5	13	8	18	29	35	39	6
Dis. of Lungs	177	28	13	4	8	1	54	8	3	2	5	8	6	5	21	35	24	2
Dis. of Stom. and Liver	52	3	-	-	-	-	3	3	-	2	3	1	4	5	8	17	5	1
Dis. of Kidneys	6	-	1	-	-	-	1	-	-	-	-	-	1	-	-	3	1	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
Diseases of the Skin	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	-	1	10	11	-	-	-	-	-
Violent Deaths	36	1	7	4	3	2	17	2	4	-	1	1	3	2	2	-	2	2
Other Causes	463	84	14	3	4	-	105	4	5	1	-	2	1	8	13	67	153	99

* The mean Population, 1851-61, has been corrected on account of a change in the limits of this District.

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
292.—CREDITON.																		
Mean Popul^{n}, 1851-61	10363	-	-	-	-	-	1358	1281	1163	1082	828	1210	1089	953	748	471	166	14
TOTAL DEATHS	1770	297	103	68	32	30	530	81	35	43	65	97	93	112	170	268	216	60
Small-pox	21	5	4	1	-	3	13	4	1	-	1	-	1	1	-	-	-	-
Measles	24	5	8	2	-	3	18	5	-	1	-	-	-	-	-	-	-	-
Scarlatina	70	6	6	15	10	11	48	17	3	2	-	-	-	-	-	-	-	-
Diphtheria	9	2	1	-	2	-	5	1	-	-	1	-	2	-	-	-	-	-
Whooping-cough	32	17	6	6	2	1	32	-	-	-	-	-	-	-	-	-	-	-
Typhus	55	-	2	2	2	2	8	6	4	7	1	10	4	6	5	4	-	-
Cholera,Diarrh.,Dysent^{y}	21	9	1	-	-	1	11	1	-	-	-	-	-	1	1	2	5	-
Other Zymotic Dis.	94	15	13	12	3	4	47	8	5	1	2	4	2	3	7	8	4	3
Cancer	32	-	-	1	-	-	1	-	-	-	1	1	3	4	7	10	5	-
Scrofula, Tabes Mesent.	11	3	2	1	-	-	6	-	-	-	1	2	-	-	-	1	1	-
Phthisis	157	5	2	1	1	-	9	8	5	11	30	33	25	13	16	7	-	-
Hydrocephalus	38	11	8	7	1	1	28	7	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	215	52	9	4	1	1	67	4	2	2	2	4	11	17	21	55	27	3
Heart Dis. and Dropsy	176	4	1	1	1	-	7	2	2	6	5	10	14	17	32	54	26	1
Dis. of Lungs	253	48	19	8	5	2	82	5	3	2	9	17	11	20	41	39	22	2
Dis. of Stom. and Liver	94	17	2	-	-	1	20	1	1	3	2	6	6	10	19	13	12	1
Dis. of Kidneys	18	-	-	-	-	-	-	-	1	-	1	2	1	2	-	6	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	1	-	-	1	2	-	-	1	1	-	-
Diseases of the Skin	6	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	67	2	3	4	3	-	12	10	4	4	4	4	8	9	3	8	1	-
Other Causes	371	96	16	3	1	-	116	1	2	3	3	2	5	8	16	58	109	48
293.—TIVERTON* AND 313*b*.—DULVERTON.																		
Mean Popul^{n}, 1851-61	18939	-	-	-	-	-	2476	2404	2151	1984	1426	2264	1995	1729	1271	845	347	47
TOTAL DEATHS	3860	750	234	134	94	60	1272	205	99	93	125	175	208	237	342	508	469	127
Small-pox	23	8	-	2	1	1	12	7	1	1	1	-	-	1	-	-	-	-
Measles	58	11	22	5	10	5	53	3	2	-	-	-	-	-	-	-	-	-
Scarlatina	128	7	19	18	17	11	72	33	12	3	3	1	1	2	-	-	1	-
Diphtheria	20	-	2	2	2	2	8	10	2	-	-	-	-	-	-	-	-	-
Whooping-cough	52	23	17	4	5	-	49	3	-	-	-	-	-	-	-	-	-	-
Typhus	214	7	8	8	6	6	35	33	22	11	18	16	22	8	16	19	12	2
Cholera,Diarrh.,Dysent^{y}	70	26	5	7	-	-	38	6	-	1	1	2	-	3	3	9	7	-
Other Zymotic Dis.	140	26	18	12	12	8	76	15	4	2	3	4	7	5	7	6	11	-
Cancer	32	-	-	-	-	-	-	1	-	-	-	3	2	2	8	5	8	3
Scrofula, Tabes Mesent.	67	12	9	7	6	2	36	8	9	2	1	4	3	-	3	1	-	-
Phthisis	394	21	4	5	2	3	35	8	9	27	55	84	70	51	42	12	1	-
Hydrocephalus	47	12	12	4	2	1	31	11	-	3	-	-	-	1	1	-	-	-
Diseases of Brain	429	152	20	7	3	3	185	16	7	6	9	9	10	27	38	68	51	3
Heart Dis. and Dropsy	240	2	3	3	1	1	10	6	3	6	4	10	16	27	45	75	35	3
Dis. of Lungs	591	119	48	25	14	6	212	13	5	6	7	16	35	44	84	107	54	8
Dis. of Stom. and Liver	149	17	1	1	1	-	20	5	6	5	5	8	12	27	30	25	6	-
Dis. of Kidneys	49	1	-	-	-	-	1	-	-	2	2	4	2	4	13	15	4	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	12	-	-	-	-	2	2	1	3	2	1	1	1	-	1	-	-	-
Diseases of the Skin	9	-	2	-	2	-	4	-	-	-	-	1	-	-	1	-	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	171	12	9	12	6	5	44	15	8	15	10	6	18	18	22	12	8	-
Other Causes	965	294	35	12	4	4	349	11	6	1	5	6	9	22	28	154	268	106
294.—SOUTH MOLTON.																		
Mean Popul^{n}, 1851-61	9994	-	-	-	-	-	1308	1245	1153	1044	805	1190	1021	872	728	444	169	15
TOTAL DEATHS	1770	366	76	51	29	23	545	69	39	42	72	84	74	84	185	295	217	64
Small-pox	8	1	-	-	-	-	1	1	1	1	3	1	-	-	-	-	-	-
Measles	14	1	7	2	1	1	12	-	1	1	-	-	-	-	-	-	-	-
Scarlatina	31	2	2	6	2	4	16	10	2	1	1	1	-	-	-	-	-	-
Diphtheria	15	2	1	1	3	2	9	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough	33	19	7	4	-	1	31	2	-	-	-	-	-	-	-	-	-	-
Typhus	57	2	2	2	4	3	13	3	2	5	11	9	4	3	1	2	3	1
Cholera,Diarrh.,Dysent^{y}	16	10	4	-	-	-	14	-	-	-	-	-	-	1	-	-	-	1
Other Zymotic Dis.	96	20	6	9	6	3	44	12	4	-	-	3	2	2	3	15	9	2
Cancer	37	-	-	-	-	-	-	-	-	-	-	1	3	4	13	13	3	-
Scrofula, Tabes Mesent.	20	6	1	2	-	-	9	3	2	1	1	1	-	-	3	-	-	-
Phthisis	189	7	1	2	1	1	12	4	4	12	33	34	20	24	29	16	1	-
Hydrocephalus	29	7	6	2	-	4	19	4	5	-	1	-	-	-	-	-	-	-
Diseases of Brain	239	85	9	4	2	2	102	4	3	6	3	10	4	11	22	43	25	6
Heart Dis. and Dropsy	166	1	2	1	1	-	5	-	2	3	4	5	7	11	35	66	25	3
Dis. of Lungs	240	47	14	6	4	1	72	9	-	5	4	8	12	9	31	60	29	1
Dis. of Stom. and Liver	81	9	4	1	2	-	16	3	4	3	2	2	7	4	20	13	7	-
Dis. of Kidneys	22	-	-	-	-	-	-	-	-	-	1	1	2	-	2	10	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	10	-	-	-	-	-	-	1	1	1	1	2	1	-	1	2	-	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	71	7	-	4	2	1	14	3	7	3	5	3	7	9	9	9	2	-
Other Causes	391	138	10	5	1	-	154	5	-	-	2	3	5	5	16	46	106	49

* NOTE.—Since 1st January 1855, Dulverton has been constituted a separate Superintendent's District. In this table, however, the District is combined with Tiverton, of which it formed a part during a portion of the 10 years 1851–60.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
292.—CREDITON.																		
Mean Popul^{n}, 1851-61	10636	-	-	-	-	-	1372	1281	1067	931	815	1303	1190	984	782	604	265	44
TOTAL DEATHS	1932	239	93	62	38	40	472	78	55	50	69	116	97	108	158	274	337	118
Small-pox	10	2	-	1	1	-	4	1	-	2	2	1	-	-	-	-	-	-
Measles	31	4	8	7	2	2	23	5	2	-	-	1	-	-	-	-	-	-
Scarlatina	59	5	3	10	8	11	37	14	4	1	-	2	1	-	-	-	-	-
Diphtheria	13	1	3	2	2	3	11	1	-	-	-	1	-	-	-	-	-	-
Whooping-cough	45	21	10	6	3	2	42	3	-	-	-	-	-	-	-	-	-	-
Typhus	89	1	1	-	4	2	8	6	9	14	7	10	6	11	8	3	6	1
Cholera, Diarrh., Dysent^{y}	17	5	1	-	-	-	6	1	-	-	1	-	-	2	1	2	4	-
Other Zymotic Dis.	82	11	11	4	6	5	37	11	-	2	1	1	2	4	2	6	15	1
Cancer	60	-	-	-	-	-	-	-	-	-	-	3	4	7	12	20	14	-
Scrofula, Tabes Mesent.	15	3	-	3	2	1	9	2	2	-	-	-	1	1	-	-	-	-
Phthisis	223	2	6	3	2	2	15	5	15	23	33	51	25	26	18	10	2	-
Hydrocephalus	30	9	8	2	1	4	24	3	2	-	-	-	-	-	-	1	-	-
Diseases of Brain	206	47	8	5	-	-	60	2	7	2	3	5	11	11	18	48	37	2
Heart Dis. and Dropsy	215	2	-	1	2	1	6	6	5	3	6	7	10	15	44	67	42	4
Dis. of Lungs	192	30	16	8	2	5	61	4	5	2	6	12	9	11	18	36	25	5
Dis. of Stom. and Liver	86	6	3	2	1	-	12	3	1	-	2	3	9	9	16	17	12	2
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	-	-	2	-	2	1	3	1	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
Diseases of the Skin	5	-	1	-	-	-	1	-	-	-	-	-	2	-	-	1	1	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	-	5	10	6	1	-	-	-	-
Violent Deaths	36	2	5	4	2	1	14	8	-	-	1	-	1	3	2	3	3	1
Other Causes	480	88	9	4	-	1	102	3	3	1	1	5	9	5	16	56	177	102
293.—TIVERTON AND 313 (*b*).—DULVERTON.*																		
Mean Popul^{n}, 1851-61	19521	-	-	-	-	-	2458	2347	2055	1891	1589	2595	2152	1725	1327	938	379	65
TOTAL DEATHS	3881	589	208	137	92	65	1091	199	108	143	150	242	242	209	304	512	499	182
Small-pox	11	3	2	4	-	-	9	1	-	1	-	-	-	-	-	-	-	-
Measles	57	6	15	13	8	3	45	6	1	-	1	1	2	1	-	-	-	-
Scarlatina	145	14	22	20	16	17	89	39	10	3	2	1	1	-	-	-	-	-
Diphtheria	21	2	-	1	2	-	5	13	1	1	-	1	-	-	-	-	-	-
Whooping-cough	54	21	16	7	4	4	52	2	-	-	-	-	-	-	-	-	-	-
Typhus	221	5	13	12	10	7	47	41	20	19	11	25	12	11	13	18	12	2
Cholera, Diarrh., Dysent^{y}	74	25	6	5	5	-	41	3	1	2	1	3	1	1	3	9	9	-
Other Zymotic Dis.	113	14	16	14	6	9	59	13	2	5	2	3	2	5	6	12	4	-
Cancer	80	-	-	-	-	-	-	1	-	-	-	2	9	18	18	20	11	1
Scrofula, Tabes Mesent.	53	5	5	2	-	4	16	2	4	8	5	7	2	5	2	2	-	-
Phthisis	507	19	4	4	2	1	30	17	28	64	85	121	90	38	24	7	3	-
Hydrocephalus	33	11	6	2	3	1	23	6	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	401	112	21	9	2	4	148	7	9	8	3	10	17	20	46	76	49	8
Heart Dis. and Dropsy	295	3	1	3	1	1	9	4	6	9	7	12	26	33	54	81	52	2
Dis. of Lungs	487	102	40	20	21	9	192	15	5	13	9	11	21	30	48	91	37	15
Dis. of Stom. and Liver	138	5	-	2	-	-	7	4	4	2	7	10	18	21	27	30	6	2
Dis. of Kidneys	16	-	-	-	-	1	1	1	3	-	-	1	3	3	3	-	1	-
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	-	-	1	2	4	8	1	2	-
Diseases of the Joints	7	-	-	1	-	-	1	3	-	-	-	2	-	-	1	-	-	-
Diseases of the Skin	6	1	2	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Childbirth and Metria	52	-	-	-	-	-	-	-	-	1	13	22	14	2	-	-	-	-
Violent Deaths	53	7	4	4	5	2	22	7	4	-	1	3	1	3	2	6	3	1
Other Causes	1029	234	35	14	7	2	292	14	6	7	3	6	21	14	48	157	310	151
294.—SOUTH MOLTON.																		
Mean Popul^{n}, 1851-61	9894	-	-	-	-	-	1256	1191	1068	950	809	1248	1043	900	633	508	210	28
TOTAL DEATHS	1753	258	78	50	26	21	433	65	54	59	60	100	90	106	150	261	277	98
Small-pox	3	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Measles	11	1	2	1	-	-	4	4	3	-	-	-	-	-	-	-	-	-
Scarlatina	35	2	6	5	4	3	20	8	3	1	1	2	-	-	-	-	-	-
Diphtheria	12	-	2	2	-	3	7	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	31	13	8	8	1	-	30	1	-	-	-	-	-	-	-	-	-	-
Typhus	43	-	-	-	2	-	2	6	7	6	4	5	-	5	3	3	2	-
Cholera, Diarrh., Dysent^{y}	17	4	-	-	-	1	5	1	-	-	1	1	1	1	-	3	4	-
Other Zymotic Dis.	84	14	6	12	4	5	41	9	2	-	1	-	1	2	4	13	9	2
Cancer	50	-	-	-	-	-	-	-	1	-	-	2	7	4	6	20	9	1
Scrofula, Tabes Mesent.	28	6	3	1	4	2	16	1	3	5	1	-	-	-	2	-	-	-
Phthisis	234	2	2	1	-	1	6	3	18	27	27	52	37	24	25	13	2	-
Hydrocephalus	32	8	12	1	2	2	25	6	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	199	49	5	2	3	1	60	8	6	4	6	1	9	13	18	41	31	2
Heart Dis. and Dropsy	216	5	-	2	-	-	7	2	4	6	5	9	9	17	39	61	47	10
Dis. of Lungs	179	34	19	10	2	2	67	4	2	2	3	2	10	12	23	33	20	1
Dis. of Stom. and Liver	80	4	2	1	-	-	7	2	1	5	5	6	2	11	13	12	15	1
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	1	1	-	2	-	3	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	1	2	-	3	2	2	-	1
Diseases of the Joints	8	-	-	-	-	-	-	-	1	-	-	1	2	-	-	2	2	-
Diseases of the Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	24	-	-	-	-	-	-	-	-	-	1	1	11	10	1	-	-	-
Violent Deaths	29	5	4	1	3	1	14	4	-	1	-	-	-	3	3	4	-	-
Other Causes	418	107	7	3	1	-	118	2	1	-	3	5	2	8	12	51	136	80

* Since 1st January 1855, Dulverton has been constituted a separate Superintendent's District. In this Table, however, the District is combined with Tiverton, of which it formed a part during a portion of the 10 years 1851-1860.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
295.—BARNSTAPLE.																		
Mean Popul^{n}, 1851-61	17404	-	-	-	-	-	2288	2139	2082	1843	1311	1969	1779	1584	1272	789	296	52
TOTAL DEATHS	3215	603	157	85	65	61	971	130	87	105	175	175	207	301	437	396	132	
Small-pox	25	5	2	1	1	2	11	4	1	3	3	1	2	-	-	-	-	-
Measles	35	6	12	4	4	2	28	7	-	-	-	-	-	-	-	-	-	-
Scarlatina	104	7	17	13	9	17	63	27	8	-	2	1	1	2	-	-	-	-
Diphtheria	13	2	3	-	1	1	7	6	-	-	-	-	-	-	-	-	-	-
Whooping-cough	66	30	13	9	6	6	64	2	-	-	-	-	-	-	-	-	-	-
Typhus	75	2	1	5	2	3	13	14	7	7	5	6	4	3	5	6	5	-
Cholera, Diarrh., Dysent^{y}	86	32	6	5	1	3	47	1	-	-	2	2	2	3	7	13	7	2
Other Zymotic Dis.	146	31	14	8	11	4	68	8	2	9	4	8	8	6	10	15	6	2
Cancer	31	-	-	-	-	-	-	-	-	-	-	5	3	3	3	10	6	1
Scrofula, Tabes Mesent.	39	6	4	1	-	1	12	2	5	1	3	8	2	3	2	-	1	-
Phthisis	394	8	9	5	-	2	24	13	11	25	53	85	65	47	40	25	6	-
Hydrocephalus	42	17	9	4	1	-	31	8	2	-	-	-	-	-	1	-	-	-
Diseases of Brain	313	70	9	2	5	1	87	8	10	8	6	6	18	21	44	59	41	5
Heart Dis. and Dropsy	188	1	1	1	-	1	4	3	4	14	3	8	9	23	33	49	37	1
Dis. of Lungs	501	124	31	13	16	8	192	10	4	7	9	10	15	33	67	93	54	7
Dis. of Stom. and Liver	151	25	3	4	2	1	35	1	4	1	2	9	6	15	30	32	15	1
Dis. of Kidneys	71	-	-	-	-	-	-	1	2	1	3	3	8	10	9	23	9	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	16	-	-	1	-	-	1	-	2	4	3	1	-	2	2	-	1	-
Diseases of the Skin	12	-	1	-	-	-	1	2	-	1	-	-	-	1	2	3	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	178	4	7	5	4	6	26	6	21	14	6	16	23	20	20	14	12	-
Other Causes	729	233	15	4	2	3	257	7	4	4	1	6	9	15	26	95	195	110
296.—TORRINGTON.																		
Mean Popul^{n}, 1851-61	8172	-	-	-	-	-	1118	1069	917	898	614	959	767	3714	592	355	150	19
TOTAL DEATHS	1453	264	75	58	37	28	462	70	31	33	63	67	55	90	135	209	169	69
Small-pox	8	1	2	-	-	1	4	2	-	1	1	-	-	-	-	-	-	-
Measles	16	1	4	5	1	1	12	3	-	-	-	-	-	1	-	-	-	-
Scarlatina	60	5	7	7	7	9	35	20	3	1	1	-	-	-	-	-	-	-
Diphtheria	8	-	1	2	1	1	5	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	29	16	4	3	4	2	29	-	-	-	-	-	-	-	-	-	-	-
Typhus	48	3	2	3	3	1	12	5	3	1	5	6	4	4	5	3	-	-
Cholera, Diarrh., Dysent^{y}	18	8	2	-	-	-	10	-	-	-	-	-	1	1	1	2	2	1
Other Zymotic Dis.	85	10	9	12	9	3	43	7	1	-	3	2	2	1	2	13	10	1
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	3	-
Scrofula, Tabes Mesent.	29	9	1	3	2	-	15	2	2	1	2	2	1	-	1	1	2	-
Phthisis	169	6	4	1	1	-	12	2	5	13	33	33	14	17	20	10	8	3
Hydrocephalus	22	3	7	3	1	-	14	4	2	-	-	-	1	-	-	-	1	-
Diseases of Brain	157	40	2	4	1	2	49	2	3	1	6	4	7	9	21	31	19	5
Heart Dis. and Dropsy	99	1	-	-	-	2	3	4	4	-	1	4	4	11	17	37	10	4
Dis. of Lungs	189	31	10	6	1	4	55	7	1	2	4	5	5	16	30	40	19	5
Dis. of Stom. and Liver	78	11	2	-	1	-	14	4	2	5	-	3	4	12	15	16	3	-
Dis. of Kidneys	24	-	-	-	-	-	-	-	-	1	1	1	1	3	1	7	7	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	1	-	-	-	-	1	-	-	1	-	-	3	1	2	-	-	-
Diseases of the Skin	6	-	-	1	-	-	1	-	-	-	-	-	-	1	2	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	67	3	6	4	4	-	17	3	4	6	5	5	6	8	5	5	3	-
Other Causes	316	112	12	4	1	2	131	2	1	1	1	2	2	3	9	35	81	43
297.—BIDEFORD.*																		
Mean Popul^{n}, 1851-61	8973	-	-	-	-	-	1293	1177	1054	915	682	991	876	758	592	415	188	32
TOTAL DEATHS	1775	333	118	72	52	32	607	127	60	49	59	84	87	94	142	190	190	86
Small-pox	15	3	-	-	-	1	4	5	2	-	3	1	-	-	-	-	-	-
Measles	26	4	10	4	5	-	23	2	-	-	-	-	-	1	-	-	-	-
Scarlatina	149	8	14	21	30	10	83	48	9	8	-	1	-	-	-	-	-	-
Diphtheria	12	-	-	3	-	1	4	1	3	1	3	-	-	-	-	-	-	-
Whooping-cough	44	23	14	3	-	2	42	2	-	-	-	-	-	-	-	-	-	-
Typhus	67	1	4	3	1	3	12	17	5	4	4	3	5	7	4	2	4	-
Cholera, Diarrh., Dysent^{y}	54	14	5	2	1	3	25	4	2	1	1	2	2	3	3	6	5	-
Other Zymotic Dis.	50	4	2	3	3	3	15	7	1	2	1	2	1	-	5	5	9	2
Cancer	18	-	-	-	-	-	-	-	-	-	-	1	3	3	4	1	5	1
Scrofula, Tabes Mesent.	17	2	2	3	1	-	8	2	1	2	1	3	-	-	-	-	-	-
Phthisis	153	3	5	1	1	-	10	4	7	14	18	36	25	17	16	6	-	-
Hydrocephalus	34	11	5	-	3	3	22	9	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	200	52	11	3	1	1	68	4	5	2	6	7	3	11	22	40	28	4
Heart Dis. and Dropsy	107	5	1	-	2	-	8	-	3	2	1	4	6	6	18	30	26	3
Dis. of Lungs	243	61	34	13	3	3	114	1	2	2	6	3	13	16	23	38	22	3
Dis. of Stom. and Liver	54	6	1	4	-	-	11	1	-	1	-	2	4	6	12	12	3	2
Dis. of Kidneys	20	-	-	-	-	-	-	1	-	-	-	-	1	1	6	8	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	1	-	-	-	1	3	-	-	1	1	2	-	-	-	-	-
Diseases of the Skin	6	-	-	-	-	-	-	1	-	-	-	-	-	1	3	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	125	1	4	5	-	1	11	11	15	9	9	15	18	13	15	5	1	1
Other Causes	673	135	5	4	1	1	146	4	2	1	5	3	4	7	11	37	83	70

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of this District.

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
295.—BARNSTAPLE.																		
Mean Popul^{n}, 1851-61	19831	-	-	-	-	-	2227	2194	2015	1950	1750	2655	2219	1846	1411	1016	457	91
TOTAL DEATHS	3353	425	143	86	77	59	790	147	92	102	101	203	191	195	268	453	540	271
Small-pox	21	6	3	2	3	-	14	2	4	-	1	-	-	-	-	-	-	-
Measles	41	7	9	3	5	3	27	9	3	1	-	1	-	-	-	-	-	-
Scarlatina	103	6	13	11	17	14	61	24	12	1	1	1	2	-	-	-	1	-
Diphtheria	19	-	1	2	1	3	7	5	5	1	-	1	-	-	-	-	-	-
Whooping-cough	72	21	20	12	8	9	70	2	-	-	-	-	-	-	-	-	-	-
Typhus	118	4	2	3	4	2	15	19	14	16	10	14	10	8	6	1	4	1
Cholera, Diarrh., Dysent^{y}	81	19	5	3	2	1	30	4	-	-	3	4	3	6	4	10	12	5
Other Zymotic Dis.	132	32	13	6	6	10	67	14	1	6	1	4	6	6	7	7	8	5
Cancer	102	-	-	-	-	-	-	-	-	1	-	5	9	18	31	25	8	5
Scrofula, Tabes Mesent.	28	-	3	3	3	-	9	3	6	3	1	2	-	3	1	-	-	-
Phthisis	424	16	4	1	3	2	26	10	23	44	57	80	61	48	39	35	1	-
Hydrocephalus	38	13	4	4	2	2	25	7	2	2	-	-	1	-	1	-	-	-
Diseases of the Brain	267	44	10	2	2	1	59	10	5	7	5	10	8	21	27	55	47	13
Heart Dis. and Dropsy	245	3	2	-	1	1	7	5	3	4	-	8	12	24	50	75	45	12
Dis. of Lungs	425	72	28	19	9	5	133	11	1	5	6	16	19	22	45	76	72	19
Dis. of Stom. and Liver	155	16	4	1	1	1	23	4	6	3	5	7	12	17	21	33	20	4
Dis. of Kidneys	25	-	-	-	-	-	-	2	1	2	-	1	3	5	2	6	3	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	-	3	5	5	2	-	-	-
Diseases of the Joints	11	-	-	-	-	-	-	-	2	1	-	3	1	1	1	2	-	-
Diseases of the Skin	18	1	-	1	-	-	2	3	-	-	-	1	2	-	4	1	4	1
Childbirth and Metria	58	-	-	-	-	-	-	-	-	1	3	29	24	1	-	-	-	-
Violent Deaths	69	11	3	4	6	4	28	9	1	3	3	2	1	1	3	5	11	2
Other Causes	886	154	19	9	4	1	187	4	3	1	5	11	12	9	24	122	304	204
296.—TORRINGTON.																		
Mean Popul^{n}, 1851-61	9011	-	-	-	-	-	1125	993	910	903	830	1249	962	785	604	427	190	33
TOTAL DEATHS	1552	203	81	50	32	34	400	79	37	55	74	95	74	59	122	201	246	119
Small-pox	12	3	1	1	2	1	8	1	3	-	-	-	-	-	-	-	-	-
Measles	9	1	4	2	-	-	7	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	64	1	4	7	8	7	27	29	6	2	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	2	1	-	3	-	-	-	-	-	-	-	1	-	-	-
Whooping-cough	53	22	15	5	5	3	50	3	-	-	-	-	-	-	-	-	-	-
Typhus	51	1	3	3	2	-	9	8	7	7	4	4	1	2	5	3	-	1
Cholera, Diarrh., Dysent^{y}	7	1	1	-	-	-	2	-	-	-	-	1	-	2	1	1	-	-
Other Zymotic Dis.	90	10	10	6	6	7	39	4	1	2	-	2	1	-	5	13	21	2
Cancer	29	-	-	-	-	-	-	-	-	-	-	3	-	5	10	6	5	-
Scrofula, Tabes Mesent.	16	1	4	3	1	1	10	1	3	1	-	-	-	1	-	-	-	-
Phthisis	226	5	2	1	-	-	8	4	7	26	38	54	34	19	13	16	6	1
Hydrocephalus	12	4	3	-	-	1	8	2	-	2	-	-	-	-	-	-	-	-
Diseases of Brain	126	24	4	2	-	-	30	5	2	6	3	7	2	1	10	28	24	3
Heart Dis. and Dropsy	144	1	-	2	-	1	4	2	2	2	3	5	6	10	27	49	27	7
Dis. of Lungs	163	22	11	6	5	5	49	7	3	2	6	2	2	7	19	20	30	7
Dis. of Stom. and Liver	67	5	2	-	1	2	10	6	-	1	4	2	9	5	12	14	2	2
Dis. of Kidneys	6	-	-	-	-	-	-	-	1	1	-	-	-	-	-	3	1	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	1	1	-	3	2	1	1	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	-	5	12	10	1	-	-	-	-
Violent Deaths	33	4	3	3	-	3	18	5	-	1	2	-	-	1	3	1	2	-
Other Causes	399	97	14	2	1	2	116	1	1	-	2	3	6	3	15	37	128	87
297.—BIDEFORD.*																		
Mean Popul^{n}, 1851-61	10217	-	-	-	-	-	1224	1157	1036	1015	874	1368	1098	950	717	503	226	49
TOTAL DEATHS	1778	220	87	64	45	32	448	108	58	66	69	105	104	97	133	236	232	122
Small-pox	9	3	-	1	-	-	4	2	2	-	-	-	1	-	-	-	-	-
Measles	27	6	6	6	2	-	20	4	1	2	-	-	-	-	-	-	-	-
Scarlatina	130	5	11	19	15	14	64	36	21	5	4	-	-	-	-	-	-	-
Diphtheria	9	-	2	1	-	3	6	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	38	13	12	7	3	1	36	2	-	-	-	-	-	-	-	-	-	-
Typhus	80	4	5	1	1	1	12	12	6	15	6	5	4	4	7	8	1	-
Cholera, Diarrh., Dysent^{y}	32	5	2	2	2	-	11	5	-	1	1	2	3	3	2	2	1	1
Other Zymotic Dis.	54	9	6	3	2	5	25	2	-	2	2	3	-	3	2	11	4	-
Cancer	36	-	-	-	-	-	-	-	-	-	1	1	4	6	7	13	3	1
Scrofula, Tabes Mesent.	16	3	-	2	1	-	6	-	-	2	4	1	2	-	-	1	-	-
Phthisis	217	3	2	1	4	-	10	5	11	23	30	56	39	23	10	9	1	-
Hydrocephalus	26	8	4	1	-	2	15	7	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	172	24	8	5	3	1	41	7	3	5	6	6	8	6	15	40	29	6
Heart Dis. and Dropsy	171	-	-	1	1	-	2	2	5	2	2	10	9	13	38	44	38	6
Dis. of Lungs	203	46	16	9	6	4	81	4	-	3	3	5	9	10	19	39	22	8
Dis. of Stom. and Liver	81	5	1	1	1	-	8	4	-	3	4	3	6	18	12	16	6	1
Dis. of Kidneys	5	-	-	-	1	-	1	-	-	-	-	-	2	1	-	1	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
Diseases of the Skin	5	1	1	-	-	-	2	-	-	2	-	-	-	-	-	1	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	-	1	4	7	-	-	-	-	-
Violent Deaths	24	1	2	1	1	1	6	6	1	-	1	1	3	1	-	1	3	1
Other Causes	421	84	9	3	2	-	98	8	3	1	1	7	7	7	20	47	124	98

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of this District.

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
298.—HOLSWORTHY.*																		
Mean Popul^{n}, 1851-61	4766	-	-	-	-	-	637	553	543	525	456	557	447	411	332	205	85	15
TOTAL DEATHS	862	153	46	25	31	18	273	39	25	28	29	39	24	34	71	128	124	48
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	8	2	3	-	1	-	6	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	29	4	1	4	2	2	13	10	2	2	1	1	-	-	-	-	-	-
Diphtheria	5	1	1	1	-	1	4	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	25	10	8	3	3	1	25	-	-	-	-	-	-	-	-	-	-	-
Typhus	22	-	-	1	1	-	2	1	-	-	5	4	1	3	2	2	2	-
Cholera, Diarrh., Dysent^{y}	6	1	-	1	-	-	2	-	-	-	-	-	1	-	-	1	-	2
Other Zymotic Dis.	47	6	3	2	9	4	24	8	1	-	-	2	-	1	3	3	5	-
Cancer	6	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	-
Scrofula, Tabes Mesent.	9	3	1	-	-	-	4	2	-	1	1	-	-	-	-	1	-	-
Phthisis	77	-	-	-	1	1	2	3	6	13	12	14	6	3	10	6	2	-
Hydrocephalus	15	4	2	1	4	-	11	3	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	81	24	7	1	3	1	36	1	-	4	1	2	3	4	4	17	8	1
Heart Dis. and Dropsy	49	-	1	-	-	-	1	-	-	1	1	1	3	5	11	9	14	3
Dis. of Lungs	152	37	8	6	4	3	58	4	2	2	2	7	4	6	13	33	20	1
Dis. of Stom. and Liver	42	2	-	-	1	-	3	-	3	1	2	2	3	5	7	7	9	-
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	32	-	3	4	2	3	12	3	6	1	2	2	2	1	2	1	-	-
Other Causes	243	59	8	1	-	2	70	2	2	2	2	3	1	3	15	41	61	41
299.—STRATTON.																		
Mean Popul^{n}, 1851-61	4090	-	-	-	-	-	516	487	458	434	343	478	410	364	294	210	88	8
TOTAL DEATHS	821	123	46	29	19	18	235	40	17	19	27	47	42	52	63	121	128	30
Small-pox	4	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
Measles	6	-	2	-	1	-	3	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	22	2	4	2	3	3	14	5	1	2	-	-	-	-	-	-	-	-
Diphtheria	8	-	-	1	2	-	3	2	-	1	1	1	-	-	-	-	-	-
Whooping-cough	10	6	3	-	-	-	9	1	-	-	-	-	-	-	-	-	-	-
Typhus	27	-	2	1	1	1	5	1	1	3	5	5	-	1	3	3	-	-
Cholera, Diarrh., Dysent^{y}	8	2	1	-	-	-	3	-	-	-	-	1	-	1	1	-	2	-
Other Zymotic Dis.	44	8	8	5	3	3	27	5	-	1	-	-	-	1	3	4	2	1
Cancer	10	-	-	1	-	-	1	-	-	-	-	-	-	2	1	5	1	-
Scrofula, Tabes Mesent.	12	-	1	3	-	1	5	1	-	-	-	1	-	5	-	-	-	-
Phthisis	80	3	4	2	-	1	10	-	3	2	11	16	14	9	7	8	-	-
Hydrocephalus	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	109	20	8	5	1	1	35	5	2	3	2	5	8	10	13	13	13	-
Heart Dis. and Dropsy	53	-	-	-	1	-	1	5	1	1	-	1	4	4	7	21	8	-
Dis. of Lungs	91	22	4	4	2	2	34	3	2	1	1	7	2	7	6	20	8	-
Dis. of Stom. and Liver	34	4	3	1	1	2	11	1	1	1	-	3	2	1	4	9	1	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Diseases of the Skin	6	1	1	-	-	-	2	-	-	-	1	-	-	-	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	45	-	-	-	3	1	4	3	2	2	4	5	4	8	5	5	3	-
Other Causes	238	55	5	3	1	3	67	3	3	1	1	1	4	2	11	30	86	29
300.—CAMELFORD.																		
Mean Popul^{n}, 1851-61	4064	-	-	-	-	-	565	528	450	396	317	497	447	368	262	159	65	10
TOTAL DEATHS	783	167	51	25	15	17	275	60	21	22	29	44	37	37	53	83	97	25
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	11	3	3	-	2	2	10	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	63	6	8	3	7	5	29	22	7	4	-	-	-	-	-	-	-	-
Diphtheria	7	-	-	-	-	1	1	4	1	-	-	-	1	-	-	-	-	-
Whooping-cough	16	7	5	2	-	1	15	1	-	-	-	-	1	-	-	-	-	-
Typhus	25	-	1	1	-	1	3	3	4	2	2	3	2	2	1	3	-	-
Cholera, Diarrh., Dysent^{y}	16	6	-	-	-	-	6	-	-	-	-	1	1	1	-	2	4	1
Other Zymotic Dis.	41	10	4	4	1	1	20	10	-	1	-	2	2	-	2	2	1	1
Cancer	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-
Scrofula, Tabes Mesent.	22	3	6	1	-	-	10	2	1	2	3	1	1	2	-	-	-	-
Phthisis	72	2	4	-	2	-	8	3	1	5	15	18	5	5	6	6	-	-
Hydrocephalus	7	1	-	2	-	1	4	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	78	25	3	2	1	1	32	2	1	1	2	2	3	5	6	14	10	-
Heart Dis. and Dropsy	39	1	1	-	-	-	2	-	-	-	1	1	2	-	6	14	13	-
Dis. of Lungs	83	20	7	3	1	1	32	5	1	1	1	3	3	4	5	10	16	2
Dis. of Stom. and Liver	41	6	-	-	-	-	6	1	-	1	1	2	4	3	9	6	3	-
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	1	1	-	1	-	2	5	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	45	2	-	3	-	3	8	1	2	3	3	8	8	4	1	5	2	-
Other Causes	196	74	9	4	1	-	88	2	1	1	-	2	2	5	14	15	45	21

* The Mean Population, 1851-61, has been corrected on account of changes in the limits of this District.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
298.—HOLSWORTHY.*																		
Mean Popul^{n}, 1851-61	4607	-	-	-	-	-	643	587	486	455	377	564	464	418	285	203	104	18
TOTAL DEATHS	886	105	42	31	24	13	215	56	34	41	35	69	34	48	69	102	33	50
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	7	-	3	-	2	-	5	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	28	4	-	-	1	5	10	11	4	3	-	-	-	-	-	-	-	-
Diphtheria	7	-	1	-	-	-	1	3	3	-	-	-	-	-	-	-	-	-
Whooping-cough	18	8	4	3	-	1	16	2	-	-	-	-	-	-	-	-	-	-
Typhus	29	-	-	1	-	1	2	4	4	3	4	3	-	3	-	-	1	-
Cholera, Diarrh., Dysent^{y}	9	1	-	-	1	-	2	-	-	-	1	2	-	1	-	-	3	-
Other Zymotic Dis.	46	5	6	4	6	4	25	7	-	-	1	-	-	1	3	4	3	2
Cancer	15	-	-	-	-	-	-	-	-	-	-	1	1	2	6	4	1	-
Scrofula, Tabes Mesent.	5	-	1	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-
Phthisis	130	3	2	2	-	-	9	3	7	18	15	34	14	16	9	5	-	-
Hydrocephalus	11	2	3	2	1	-	8	1	1	-	-	-	-	-	1	-	-	-
Diseases of Brain	63	10	2	4	-	-	16	4	1	-	1	4	2	3	8	15	7	2
Heart Dis. and Dropsy	74	-	-	-	-	-	-	-	-	1	1	1	5	11	15	21	18	1
Dis. of Lungs	112	14	9	5	7	1	36	9	6	3	5	3	5	2	13	17	11	2
Dis. of Stom. and Liver	50	3	-	3	-	1	7	3	3	2	2	5	3	5	4	8	7	1
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	2	1	10	3	-	-	-	-	-
Violent Deaths	18	1	1	2	2	-	6	3	1	-	-	1	-	-	-	2	4	1
Other Causes	240	53	10	5	2	-	70	3	3	-	4	5	1	3	8	25	78	40
299.—STRATTON.																		
Mean Popul^{n}, 1851-61	4214	-	-	-	-	-	549	514	424	424	331	534	431	378	291*	221	105	12
TOTAL DEATHS	803	107	34	24	19	12	196	51	23	27	22	36	44	43	74	103	136	48
Small-pox	3	1	2	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	41	-	1	6	7	4	18	17	5	-	-	-	1	-	-	-	-	-
Diphtheria	10	-	-	2	-	1	3	5	1	-	1	-	-	-	-	-	-	-
Whooping-cough	10	6	2	1	-	1	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	27	-	-	2	2	1	5	6	2	4	3	2	1	1	1	1	1	-
Cholera, Diarrh., Dysent^{y}	8	2	-	-	-	-	2	-	-	-	-	-	-	1	1	2	2	-
Other Zymotic Dis.	35	4	5	2	4	2	17	5	-	-	-	1	-	1	4	2	5	-
Cancer	8	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	-	-
Scrofula, Tabes Mesent.	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Phthisis	96	6	2	2	-	-	10	6	7	10	8	16	14	13	6	6	-	-
Hydrocephalus	5	1	1	-	1	-	3	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	76	13	3	3	-	-	19	2	2	2	3	4	3	1	13	17	9	1
Heart Dis. and Dropsy	76	-	-	-	1	-	1	1	-	2	1	5	9	9	18	20	10	-
Dis. of Lungs	73	14	11	2	2	1	30	3	-	3	1	-	4	7	11	11	3	-
Dis. of Stom. and Liver	43	3	1	1	-	2	7	2	3	1	1	5	2	3	9	9	1	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of the Skin	6	1	-	-	-	-	1	-	-	-	-	-	2	-	-	3	-	-
Childbirth and Metria	5	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-
Violent Deaths	10	-	-	2	1	-	3	-	3	-	-	2	-	-	-	1	1	-
Other Causes	266	54	6	1	1	-	62	2	-	4	3	1	2	5	8	28	104	47
300.—CAMELFORD.																		
Mean Popul^{n}, 1851-61	4052	-	-	-	-	-	556	526	428	379	303	541	458	343	263	179	66	10
TOTAL DEATHS	749	149	51	31	21	17	269	57	17	20	22	49	36	36	43	81	88	31
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	15	2	4	4	1	-	11	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	55	5	4	9	6	5	29	23	1	2	-	-	-	-	-	-	-	-
Diphtheria	3	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
Whooping-cough	15	6	4	3	1	-	14	-	1	-	-	-	-	-	-	-	-	-
Typhus	17	1	-	1	-	2	4	1	2	2	2	3	-	2	1	-	-	-
Cholera, Diarrh., Dysent^{y}	13	4	-	-	-	-	4	-	-	-	-	-	-	1	2	2	1	3
Other Zymotic Dis.	45	10	6	5	8	5	34	2	-	1	-	2	-	1	1	1	3	-
Cancer	15	-	-	-	-	-	-	1	-	-	-	-	-	5	4	4	1	-
Scrofula, Tabes Mesent.	13	3	1	2	-	-	6	4	1	-	-	1	-	-	-	1	-	-
Phthisis	92	7	4	1	1	-	13	4	4	9	11	22	13	9	3	4	-	-
Hydrocephalus	3	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	62	12	-	-	-	2	14	4	4	1	1	2	4	1	5	14	12	-
Heart Dis. and Dropsy	65	-	1	-	-	-	1	-	2	1	-	7	2	3	12	22	12	3
Dis. of Lungs	65	20	11	3	1	2	37	5	1	-	-	1	3	3	3	7	5	-
Dis. of Stom. and Liver	35	4	-	-	-	-	4	2	-	1	1	2	1	4	7	10	2	1
Dis. of Kidneys	3	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	3	6	5	6	-	-	-	-	-
Violent Deaths	15	1	2	1	3	1	8	2	-	-	1	-	-	3	-	-	1	-
Other Causes	193	72	12	2	-	-	86	2	1	-	-	4	3	4	4	14	51	24

* The Mean Population, 1851-61, has been corrected on account of changes in the limits of this District.

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
301.—LAUNCESTON.*																		
Mean Popul^{n}, 1851-61	8780	-	-	-	-	-	1194	1114	979	887	709	1089	936	754	596	384	120	18
TOTAL DEATHS	1678	306	115	57	42	31	551	88	48	46	54	70	68	116	172	242	180	43
Small-pox	8	4	-	-	-	-	4	-	1	-	2	1	-	-	-	-	-	-
Measles	15	4	5	4	2	-	15	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	52	9	10	5	8	7	39	30	10	2	-	1	-	-	-	-	-	-
Diphtheria	26	2	1	6	2	3	14	8	4	-	-	-	-	-	-	-	-	-
Whooping-cough	31	17	7	4	1	1	30	1	-	-	-	-	-	-	-	-	-	-
Typhus	77	3	8	4	3	1	19	11	4	10	8	4	7	1	7	3	2	1
Cholera, Diarrh., Dysent^{y}	19	9	1	-	1	-	11	-	-	-	-	-	-	-	1	6	1	-
Other Zymotic Dis.	91	7	7	7	11	5	37	8	1	3	-	-	1	6	8	13	13	1
Cancer	24	-	-	-	-	-	-	-	-	-	2	1	1	3	3	8	6	-
Scrofula, Tabes Mesent.	17	3	-	1	-	-	4	1	2	1	1	1	1	1	4	-	1	-
Phthisis	187	15	16	7	1	3	42	5	11	12	21	17	23	25	20	11	-	-
Hydrocephalus	13	4	7	-	1	1	13	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	202	48	16	4	3	1	72	10	3	5	2	7	6	15	18	40	19	5
Heart Dis. and Dropsy	118	1	-	-	1	1	3	5	3	1	2	10	6	11	23	32	19	3
Dis. of Lungs	295	71	26	9	3	4	113	3	2	3	4	12	7	27	52	47	24	1
Dis. of Stom. and Liver	61	10	3	-	-	-	13	-	-	-	1	3	9	5	7	15	8	-
Dis. of Kidneys	32	1	-	-	-	-	1	1	3	2	3	-	1	6	4	9	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-
Diseases of the Skin	6	1	-	-	-	-	1	-	-	-	-	-	-	-	3	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	62	2	2	6	3	2	15	2	4	5	7	10	3	5	7	3	-	1
Other Causes	307	95	6	-	2	2	105	3	-	1	-	3	2	10	15	53	84	31
302.—ST. GERMANS.																		
Mean Popul^{n}, 1851-61	8037	-	-	-	-	-	1108	1053	875	719	604	961	859	745	578	371	152	12
TOTAL DEATHS	1810	334	121	64	54	36	609	87	48	51	78	109	115	121	141	188	203	60
Small-pox	20	4	2	2	1	1	10	3	-	3	-	3	1	-	-	-	-	-
Measles	44	8	15	5	11	2	41	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	77	4	11	12	11	10	48	20	7	1	-	-	1	-	-	-	-	-
Diphtheria	8	-	-	1	1	4	6	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	37	19	7	7	2	1	36	1	-	-	-	-	-	-	-	-	-	-
Typhus	127	5	3	7	4	6	25	14	7	4	12	6	8	8	10	9	18	6
Cholera, Diarrh., Dysent^{y}	52	22	10	1	1	1	35	-	-	-	1	1	-	-	2	7	6	-
Other Zymotic Dis.	60	12	3	7	6	2	30	3	3	-	-	4	3	6	3	7	1	-
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	1	4	4	5	4	-
Scrofula, Tabes Mesent.	29	11	4	1	1	-	17	3	1	-	2	1	2	2	-	-	1	-
Phthisis	194	4	6	1	4	-	15	5	4	16	32	34	28	28	18	11	3	-
Hydrocephalus	13	1	6	1	1	-	9	2	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	167	38	7	5	1	1	52	5	4	2	2	7	9	14	14	28	25	5
Heart Dis. and Dropsy	133	1	-	1	2	1	5	2	1	2	4	7	12	14	30	29	24	3
Dis. of Lungs	240	65	32	9	3	3	112	7	2	-	6	7	10	13	25	31	23	4
Dis. of Stom. and Liver	77	12	3	1	2	-	18	-	5	3	2	6	5	8	12	14	3	1
Dis. of Kidneys	30	-	-	-	-	-	-	2	-	1	-	6	3	1	2	6	8	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	1	-	1	-	-	1	-	1	-	1	-	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	162	3	5	2	2	3	15	14	12	17	15	25	26	18	12	5	3	-
Other Causes	316	125	7	1	-	1	134	1	1	1	2	-	6	3	9	35	84	40
303.—LISKEARD.*																		
Mean Popul^{n}, 1851-61	18576	-	-	-	-	-	2778	2454	2166	1902	1582	2454	1907	1423	1009	639	229	33
TOTAL DEATHS	3833	965	361	193	137	89	1745	205	102	122	146	196	158	203	252	319	313	72
Small-pox	29	5	5	3	2	5	20	4	-	2	1	1	1	-	-	-	-	-
Measles	74	16	21	13	8	5	63	6	2	1	-	-	2	-	-	-	-	-
Scarlatina	242	17	35	35	40	28	155	71	8	4	1	2	-	-	1	-	-	-
Diphtheria	24	3	6	1	6	2	18	5	-	-	1	-	-	-	-	-	-	-
Whooping-cough	72	29	20	11	4	4	68	4	-	-	-	-	-	-	-	-	-	-
Typhus	158	3	10	6	9	6	34	16	19	19	15	13	14	7	16	4	1	-
Cholera, Diarrh., Dysent^{y}	78	38	15	4	4	-	61	5	-	-	1	3	1	1	-	2	3	1
Other Zymotic Dis.	144	28	18	26	9	8	89	13	7	3	1	3	2	6	7	6	6	1
Cancer	30	-	-	-	-	-	-	1	-	-	1	1	3	4	6	10	4	-
Scrofula, Tabes Mesent.	69	23	14	9	4	1	53	3	3	2	1	3	2	-	1	1	-	-
Phthisis	443	20	16	6	5	3	56	17	10	37	58	79	56	61	38	23	3	-
Hydrocephalus	46	14	11	5	4	2	36	8	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	368	145	37	12	4	5	203	11	7	4	7	10	9	15	30	38	32	2
Heart Dis. and Dropsy	159	2	4	4	3	1	14	9	3	6	5	8	6	14	25	40	29	-
Dis. of Lungs	569	169	81	32	21	9	312	11	8	7	8	15	24	36	60	61	25	2
Dis. of Stom. and Liver	135	26	3	3	2	2	36	7	5	5	7	9	6	12	19	18	10	1
Dis. of Kidneys	35	-	-	1	1	-	2	-	1	4	2	3	4	3	5	7	4	-
Dis. of Gener. Organs	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-
Diseases of the Skin	10	4	-	-	-	-	4	-	1	-	-	-	1	1	2	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	242	5	11	10	5	5	36	11	25	27	33	40	22	21	12	8	6	1
Other Causes	898	410	54	11	6	3	484	3	1	1	3	4	4	20	30	95	189	64

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of these Districts.

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds
301.—LAUNCESTON.*																		
Mean Popul^{n}, 1851-61	8875	-	-	-	-	-	1212	1080	951	863	757	1125	914	798	592	403	159	21
TOTAL DEATHS	1618	246	91	60	51	27	475	90	53	65	68	99	97	99	120	197	217	68
Small-pox	7	2	-	-	-	-	2	-	2	2	1	-	-	-	-	-	-	-
Measles	12	1	3	3	1	-	8	1	1	1	-	-	1	-	-	-	-	-
Scarlatina	73	3	8	10	9	2	32	28	8	2	2	1	-	-	-	-	-	-
Diphtheria	27	2	3	3	6	1	15	7	2	1	1	-	1	-	-	-	-	-
Whooping-cough	38	18	11	2	4	1	36	2	-	-	-	-	-	-	-	-	-	-
Typhus	95	5	3	4	6	3	21	10	11	14	19	12	3	6	2	1	5	-
Cholera, Diarrh., Dysent^{y}	18	9	3	-	-	-	12	-	-	-	1	-	-	-	1	1	2	1
Other Zymotic Dis.	89	15	6	6	9	5	41	4	1	3	3	2	-	2	5	11	15	1
Cancer	31	-	-	-	-	-	-	-	-	-	-	2	1	8	14	4	2	-
Scrofula, Tabes Mesent.	9	4	-	-	-	-	4	2	-	-	-	-	2	1	-	-	-	-
Phthisis	236	23	8	6	4	2	43	1	11	24	26	47	39	22	15	7	1	-
Hydrocephalus	8	3	3	-	-	-	6	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	167	32	10	5	4	-	51	9	4	2	2	9	7	9	18	25	25	6
Heart Dis. and Dropsy	163	1	-	2	1	1	5	4	4	4	3	2	14	22	27	47	28	3
Dis. of Lungs	204	42	21	10	2	6	81	9	5	9	6	2	6	14	17	34	20	1
Dis. of Stom. and Liver	74	9	1	4	1	-	15	2	1	3	4	2	7	6	9	15	8	2
Dis. of Kidneys	11	-	-	-	-	-	-	1	-	-	-	-	3	1	4	2	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	-
Diseases of the Joints	3	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	5	4	-	-	-	-	4	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	-	5	14	9	-	-	-	-	-
Violent Deaths	25	2	4	1	4	2	13	5	1	-	1	2	1	-	-	1	1	-
Other Causes	319	71	7	3	-	4	85	3	1	-	2	2	3	7	7	46	109	54
302.—ST. GERMANS.																		
Mean Popul^{n}, 1851-61	9051	-	-	-	-	-	1134	992	925	833	743	1239	1049	870	629	431	184	22
TOTAL DEATHS	1728	272	102	64	48	27	513	82	33	62	41	108	91	102	152	225	234	85
Small-pox	5	1	-	1	-	-	2	-	1	1	1	-	-	-	-	-	-	-
Measles	33	4	11	10	6	3	34	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	89	4	11	17	16	7	55	23	6	3	-	2	-	-	-	-	-	-
Diphtheria	7	-	1	-	1	-	2	2	1	2	-	-	-	-	-	-	-	-
Whooping-cough	59	27	18	7	4	2	58	1	-	-	-	-	-	-	-	-	-	-
Typhus	119	4	5	6	2	2	19	20	5	16	5	7	2	8	8	9	14	6
Cholera, Diarrh., Dysent^{y}	41	21	3	-	-	-	24	2	2	2	-	1	2	-	2	3	2	1
Other Zymotic Dis.	56	10	3	5	6	-	24	7	1	2	1	3	-	-	6	10	2	-
Cancer	56	-	-	-	-	-	-	-	-	-	1	5	6	15	13	13	2	1
Scrofula, Tabes Mesent.	25	7	2	3	2	-	14	1	5	1	1	1	2	-	-	-	-	-
Phthisis	208	4	7	1	1	3	16	10	6	22	22	52	35	20	14	9	2	-
Hydrocephalus	14	4	2	2	1	1	10	2	-	-	-	-	1	1	-	-	-	-
Diseases of Brain	182	22	7	1	-	-	30	6	1	3	2	6	6	9	28	45	40	6
Heart Dis. and Dropsy	148	2	-	-	-	-	2	1	-	1	1	5	12	17	33	43	30	3
Dis. of Lungs	195	61	21	7	7	5	101	4	2	1	2	6	7	6	11	37	17	1
Dis. of Stom. and Liver	89	13	2	3	1	-	19	-	-	5	-	10	5	15	15	11	7	2
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	-	1	-	1	1	4	-	2	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	-	3	1	5	2	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-
Diseases of the Skin	8	3	-	-	-	-	3	-	-	-	-	-	-	-	-	4	1	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	1	1	3	5	3	-	-	-	-
Violent Deaths	23	1	-	1	1	4	7	1	1	1	-	-	3	1	-	4	3	2
Other Causes	326	84	9	-	-	-	93	1	1	1	2	1	1	5	13	34	111	63
303.—LISKEARD.*																		
Mean Popul^{n}, 1851-61	18666	-	-	-	-	-	2787	2310	2006	1707	1595	2628	1995	1493	1085	721	300	38
TOTAL DEATHS	3542	720	343	161	128	104	1456	219	110	88	113	222	171	148	197	347	361	119
Small-pox	21	4	4	-	3	-	11	4	1	1	2	2	-	-	-	-	-	-
Measles	68	9	19	11	5	7	51	13	4	-	-	-	-	-	-	-	-	-
Scarlatina	231	13	31	33	41	33	151	59	11	4	3	2	1	-	-	-	-	-
Diphtheria	35	4	7	4	3	3	21	8	3	1	-	-	-	1	1	-	-	-
Whooping-cough	90	28	35	11	8	6	88	2	-	-	-	-	-	-	-	-	-	-
Typhus	157	6	10	4	10	5	35	27	19	17	6	21	10	7	8	5	2	-
Cholera, Diarrh., Dysent^{y}	72	31	14	1	1	1	48	2	-	1	-	1	4	1	2	7	5	1
Other Zymotic Dis.	122	23	13	15	10	15	76	9	3	-	2	1	1	2	3	16	7	2
Cancer	56	-	-	-	-	-	-	1	-	-	-	2	6	16	6	18	9	-
Scrofula, Tabes Mesent.	79	22	18	6	3	5	54	1	6	-	2	2	4	1	-	-	-	-
Phthisis	446	18	11	12	5	5	51	21	31	43	56	110	54	35	30	12	3	-
Hydrocephalus	35	7	6	4	5	2	24	8	1	1	1	-	-	-	-	-	-	-
Diseases of Brain	360	109	30	15	4	2	160	15	6	5	9	22	13	21	24	49	30	6
Heart Dis. and Dropsy	203	1	3	1	-	4	9	8	6	4	6	11	11	18	43	61	22	4
Dis. of Lungs	453	131	82	26	20	14	273	12	7	3	5	14	12	13	19	48	42	5
Dis. of Stom. and Liver	131	13	7	3	3	-	26	9	2	1	3	10	17	12	25	17	9	-
Dis. of Kidneys	15	-	-	1	-	-	1	1	1	1	2	2	2	3	2	-	1	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
Diseases of the Skin	7	3	1	-	-	-	4	-	1	-	1	-	-	1	-	-	-	-
Childbirth and Metria	51	-	-	-	-	-	-	-	-	2	12	13	23	1	-	-	-	1
Violent Deaths	50	1	10	5	2	-	18	10	3	1	1	1	2	2	2	5	4	1
Other Causes	861	297	42	9	5	2	355	9	4	3	3	8	10	11	30	110	227	91

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of these Districts.

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
304.—BODMIN.																		
Mean Popul^{n}, 1851-61	9763	-	-	-	-	-	1305	1208	1092	1002	718	1126	1036	925	708	463	163	17
TOTAL DEATHS	2032	425	120	49	42	25	661	88	34	64	72	133	144	130	158	240	247	61
Small-pox	19	6	3	1	2	-	12	2	1	2	1	-	1	-	-	-	-	-
Measles	12	4	5	1	-	1	11	-	-	-	1	-	-	-	-	-	-	-
Scarlatina	63	5	6	11	5	5	32	23	4	1	1	1	1	-	-	-	-	-
Diphtheria	20	3	2	1	2	2	10	7	-	3	-	-	-	-	-	-	-	-
Whooping-cough	25	13	4	3	4	-	24	1	-	-	-	-	-	-	-	-	-	-
Typhus	43	2	3	1	1	2	9	6	1	3	5	5	1	2	5	3	3	-
Cholera, Diarrh., Dysent^{y}	42	8	4	-	-	1	13	-	-	2	1	6	4	5	7	4	-	-
Other Zymotic Dis.	79	11	10	3	4	4	32	9	-	1	3	4	3	2	8	5	12	-
Cancer	17	-	-	-	-	-	-	-	-	1	-	-	2	2	3	3	5	1
Scrofula, Tabes Mesent.	19	5	5	-	-	-	10	1	-	2	1	2	2	-	1	-	-	-
Phthisis	228	5	7	3	1	1	17	6	4	24	35	40	36	29	22	12	3	-
Hydrocephalus	37	14	13	3	2	-	32	4	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	280	57	9	1	5	2	74	4	4	4	4	20	35	26	28	52	28	1
Heart Dis. and Dropsy	111	-	-	-	-	1	1	1	1	5	2	11	6	13	19	29	21	2
Dis. of Lungs	212	62	25	8	3	1	99	7	2	-	2	12	15	18	19	27	11	-
Dis. of Stom. and Liver	80	9	1	1	-	1	12	3	3	1	2	4	9	9	8	25	3	1
Dis. of Kidneys	29	-	-	-	-	-	-	-	1	4	-	3	3	1	4	7	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
Diseases of the Skin	7	2	1	-	-	-	3	-	-	-	-	-	-	2	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	106	-	2	5	5	1	13	11	6	4	9	21	11	13	10	5	2	1
Other Causes	600	219	20	7	7	3	256	2	6	6	5	4	15	8	23	68	152	55
305.—ST. COLUMB.																		
Mean Popul^{n}, 1851-61	8280	-	-	-	-	-	1166	1075	921	870	659	1004	821	707	540	362	135	20
TOTAL DEATHS	1505	336	84	56	34	21	531	69	32	46	56	87	70	81	126	168	187	52
Small-pox	7	-	-	2	-	-	2	2	-	-	3	-	-	-	-	-	-	-
Measles	22	3	8	5	3	-	19	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	42	2	6	7	6	3	24	16	-	-	1	1	-	-	-	-	-	-
Diphtheria	4	2	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	20	15	3	2	-	-	20	-	-	-	-	-	-	-	-	-	-	-
Typhus	43	2	1	2	3	2	10	5	6	5	5	6	1	1	1	1	2	-
Cholera, Diarrh., Dysent^{y}	16	9	-	-	-	-	9	-	-	-	-	1	-	1	3	1	-	1
Other Zymotic Dis.	58	12	4	4	6	4	30	9	1	1	-	1	1	2	1	9	2	1
Cancer	16	-	1	-	-	-	1	-	-	-	-	-	1	3	5	4	2	-
Scrofula, Tabes Mesent.	25	6	5	6	1	1	19	4	1	-	1	-	-	-	-	-	-	-
Phthisis	159	3	4	2	2	1	12	4	6	19	26	35	20	21	13	3	-	-
Hydrocephalus	20	7	5	2	1	1	16	3	-	-	-	-	1	-	-	-	-	-
Diseases of Brain	202	47	10	3	6	3	69	4	6	4	3	12	6	10	20	33	31	4
Heart Dis. and Dropsy	95	-	-	-	-	-	-	2	1	1	2	5	6	8	27	24	18	1
Dis. of Lungs	166	51	17	7	1	2	78	2	1	1	3	6	8	6	13	33	15	-
Dis. of Stom. and Liver	56	10	1	2	-	1	14	3	1	3	-	2	6	5	8	8	6	-
Dis. of Kidneys	16	-	-	1	-	-	1	-	-	1	-	2	1	1	4	3	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Skin	6	1	-	-	-	-	1	-	-	-	-	-	1	-	1	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	105	3	1	3	3	3	13	7	7	9	11	13	13	11	13	4	3	1
Other Causes	426	163	17	8	2	-	190	5	1	2	1	3	5	11	17	44	103	44
306.—ST. AUSTELL.																		
Mean Popul^{n}, 1851-61	16101	-	-	-	-	-	2459	2173	1961	1748	1311	1951	1579	1255	942	524	177	21
TOTAL DEATHS	3284	823	264	145	87	69	1388	159	80	87	129	155	168	200	277	328	233	80
Small-pox	32	7	6	3	1	4	21	5	-	3	2	-	-	1	-	-	-	-
Measles	16	3	2	5	1	2	13	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	150	9	26	30	13	18	96	41	9	1	-	-	1	1	1	-	-	-
Diphtheria	25	5	2	2	3	1	13	9	1	-	-	1	1	-	-	-	-	-
Whooping-cough	93	45	21	13	7	5	91	1	1	-	-	-	-	-	-	-	-	-
Typhus	121	7	2	2	8	5	24	15	13	18	19	16	5	3	7	1	-	-
Cholera, Diarrh., Dysent^{y}	73	32	10	2	1	1	46	1	1	3	-	2	3	1	6	4	6	-
Other Zymotic Dis.	141	39	17	16	14	10	96	9	-	1	2	6	3	3	10	9	2	-
Cancer	40	-	-	1	-	-	1	-	-	1	1	2	3	5	10	13	4	-
Scrofula, Tabes Mesent.	43	13	6	1	4	-	24	4	3	1	3	2	3	1	-	2	-	-
Phthisis	593	41	16	6	1	1	65	10	7	16	46	58	58	63	47	23	-	-
Hydrocephalus	71	22	21	6	5	7	61	10	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	328	112	17	8	8	5	150	14	10	8	7	4	12	16	31	42	28	6
Heart Dis. and Dropsy	176	4	6	3	1	-	14	4	4	6	4	5	13	19	38	49	19	1
Dis. of Lungs	435	133	57	25	10	5	230	8	3	2	10	14	15	44	44	43	17	5
Dis. of Stom. and Liver	112	12	3	2	1	1	19	7	2	2	4	9	11	12	24	16	6	-
Dis. of Kidneys	42	-	-	-	1	-	1	-	1	-	-	6	5	5	7	11	5	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Joints	7	-	-	1	-	-	1	-	-	1	1	-	1	-	2	1	-	-
Diseases of the Skin	8	-	1	-	-	-	1	1	-	1	-	-	1	-	-	3	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	176	1	4	2	3	4	14	12	20	18	26	24	22	13	15	6	5	1
Other Causes	801	338	47	17	5	-	407	5	5	5	4	6	10	13	35	105	140	66

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
304.—BODMIN.																		
Mean Popul^{n}, 1851-61	10330	-	-	-	-	-	1248	1212	1086	1025	870	1333	1141	940	722	499	223	31
TOTAL DEATHS	1993	323	110	74	42	46	595	81	42	70	68	112	109	126	156	268	272	94
Small-pox	21	2	1	3	4	2	12	4	2	1	1	-	-	-	1	-	-	-
Measles	12	3	3	1	3	2	12	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	69	5	4	10	6	13	38	22	3	4	-	1	-	1	-	-	-	-
Diphtheria	29	2	4	3	2	7	18	8	2	-	-	-	1	-	-	-	-	-
Whooping-cough	50	21	13	7	4	3	48	2	-	-	-	-	-	-	-	-	-	-
Typhus	48	2	-	4	1	1	8	6	6	6	4	3	1	4	3	6	1	-
Cholera, Diarrh., Dysent^{y}	42	3	2	-	-	-	5	-	-	-	1	5	1	8	8	11	3	-
Other Zymotic Dis.	73	10	8	6	5	4	33	8	-	1	2	3	4	2	7	6	4	3
Cancer	48	1	-	-	-	-	1	-	-	1	-	1	3	9	10	18	5	-
Scrofula, Tabes Mesent.	16	3	1	2	-	-	6	1	2	-	-	3	1	-	1	1	1	-
Phthisis	272	14	5	5	2	2	28	7	14	35	37	52	35	29	19	15	1	-
Hydrocephalus	27	9	7	4	1	1	22	2	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	240	40	9	5	5	2	61	6	1	5	6	12	19	18	20	41	31	10
Heart Dis. and Dropsy	139	3	-	1	-	-	4	2	4	4	4	11	11	18	23	44	13	1
Dis. of Lungs	164	36	21	16	2	2	77	3	-	3	-	5	5	9	16	25	18	3
Dis. of Stom. and Liver	67	6	3	3	-	2	14	-	1	2	1	2	6	9	10	16	5	1
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	1	2	3	-	-	1	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-
Diseases of the Skin	7	2	-	-	-	-	2	1	1	-	-	-	1	-	-	1	1	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	1	5	7	13	2	-	-	-	-
Violent Deaths	29	2	6	2	1	2	13	3	3	2	-	1	-	1	3	-	3	-
Other Causes	596	159	23	2	6	3	193	6	-	4	6	3	5	13	25	82	183	76
305.—ST. COLUMB.																		
Mean Popul^{n}, 1851-61	8797	-	-	-	-	-	1136	1023	957	846	783	1163	952	740	604	411	157	25
TOTAL DEATHS	1541	293	88	40	33	27	481	62	47	69	57	106	91	81	105	187	199	56
Small-pox	6	3	1	1	-	-	5	1	-	-	-	-	-	-	-	-	-	-
Measles	11	2	3	1	3	-	9	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	44	2	10	6	2	7	27	11	4	2	-	-	-	-	-	-	-	-
Diphtheria	3	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	44	23	12	6	1	1	43	1	-	-	-	-	-	-	-	-	-	-
Typhus	46	1	-	-	-	2	3	13	5	8	5	3	4	4	-	1	-	-
Cholera, Diarrh., Dysent^{y}	12	2	2	-	-	-	4	1	-	-	-	1	-	1	2	1	2	-
Other Zymotic Dis.	59	10	4	3	6	4	27	3	2	1	-	-	2	1	7	5	5	6
Cancer	25	-	-	-	-	-	-	-	-	-	-	3	2	6	9	3	2	-
Scrofula, Tabes Mesent.	19	6	-	1	2	1	10	4	3	-	-	1	1	-	-	-	-	-
Phthisis	225	6	6	-	1	-	13	5	17	35	28	49	41	22	10	5	-	-
Hydrocephalus	14	2	4	1	1	2	10	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	164	39	3	2	5	1	50	2	5	5	9	7	6	5	16	34	23	2
Heart Dis. and Dropsy	123	1	-	1	1	-	3	1	2	4	1	3	9	14	21	38	25	2
Dis. of Lungs	151	46	20	8	5	4	83	4	2	3	4	7	5	8	11	15	8	1
Dis. of Stom. and Liver	76	11	3	-	1	-	15	3	3	5	1	9	7	6	9	13	4	1
Dis. of Kidneys	8	-	-	1	-	-	1	-	-	-	-	3	1	1	-	1	1	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Skin	6	1	-	1	-	1	3	-	-	-	-	-	-	-	1	1	1	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	-	7	13	9	-	-	-	-	-
Violent Deaths	22	-	2	2	2	2	8	4	1	2	-	-	1	3	2	-	1	-
Other Causes	451	137	18	6	3	2	166	3	3	2	2	7	3	9	17	68	127	44
306.—ST. AUSTELL.																		
Mean Popul^{n}, 1851-61	16835	-	-	-	-	-	2297	2145	1851	1676	1463	2280	1774	1376	1032	654	242	45
TOTAL DEATHS	3293	737	228	132	95	75	1267	157	81	131	111	167	181	155	218	341	343	141
Small-pox	26	7	3	3	2	1	16	6	1	1	-	2	-	-	-	-	-	-
Measles	23	4	7	6	4	1	22	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	181	14	23	23	20	22	102	60	16	3	-	-	-	-	-	-	-	-
Diphtheria	26	4	3	5	6	2	20	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough	90	48	23	10	4	3	88	2	-	-	-	-	-	-	-	-	-	-
Typhus	136	4	1	3	3	4	15	21	16	27	11	13	14	4	11	4	-	-
Cholera, Diarrh., Dysent^{y}	71	32	11	4	-	3	50	2	-	1	2	1	2	2	5	2	3	1
Other Zymotic Dis.	112	29	8	20	11	7	75	8	4	3	-	2	1	3	5	5	4	2
Cancer	66	1	-	1	1	-	3	1	-	2	1	2	7	10	13	21	6	-
Scrofula, Tabes Mesent.	27	13	2	1	-	-	16	3	1	3	-	3	-	-	-	1	-	-
Phthisis	428	28	18	4	8	2	60	3	11	53	62	78	73	41	31	14	2	-
Hydrocephalus	40	13	15	3	3	2	36	1	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	362	101	15	12	6	4	138	8	5	11	5	9	14	19	38	62	45	8
Heart Dis. and Dropsy	222	4	4	3	-	1	12	5	6	7	3	12	17	30	42	53	31	4
Dis. of Lungs	311	92	49	16	13	12	182	8	6	8	6	6	5	13	22	36	17	2
Dis. of Stom. and Liver	110	11	1	1	-	1	14	2	5	5	6	5	13	11	18	22	7	2
Dis. of Kidneys	19	-	-	-	-	-	-	-	1	1	-	2	4	2	2	5	2	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	-
Diseases of the Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	7	-	-	-	-	1	1	-	-	-	-	-	-	1	2	1	2	-
Childbirth and Metria	59	-	-	-	-	-	-	-	-	4	12	23	18	2	-	-	-	-
Violent Deaths	44	2	5	5	7	4	23	9	-	-	-	-	-	3	3	1	3	2
Other Causes	926	330	40	12	7	5	394	11	5	2	3	9	10	13	26	112	221	129

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
307.—TRURO.																		
Mean Popul^{n}, 1851-61	20012	-	-	-	-	-	2865	2686	2456	2209	1597	2356	1995	1682	1215	675	247	29
TOTAL DEATHS	4200	1014	296	141	109	91	1651	224	94	165	141	198	202	283	396	418	336	92
Small-pox	28	4	5	2	4	1	16	6	-	1	2	2	-	1	-	-	-	-
Measles	62	11	16	11	6	6	50	8	3	1	-	-	-	-	-	-	-	-
Scarlatina	159	8	18	19	22	18	85	57	7	4	4	2	-	-	-	-	-	-
Diphtheria	20	2	-	1	1	4	8	9	1	1	-	-	1	-	-	-	-	-
Whooping-cough	112	54	26	14	6	5	105	7	-	-	-	-	-	-	-	-	-	-
Typhus	139	1	8	5	5	6	25	24	13	23	11	14	7	8	5	3	6	-
Cholera, Diarrh., Dysent^{y}	75	26	10	1	4	1	42	5	1	-	1	1	1	4	8	11	1	-
Other Zymotic Dis.	158	39	12	10	17	13	91	15	2	6	3	3	9	11	4	10	4	-
Cancer	32	-	-	1	-	-	1	1	-	-	-	1	2	6	11	6	4	-
Scrofula, Tabes Mesent.	75	20	13	3	3	3	42	5	5	10	3	4	3	-	2	1	-	-
Phthisis	548	15	7	6	5	1	34	10	15	47	66	78	60	96	102	39	1	-
Hydrocephalus	71	12	19	7	4	7	49	16	6	-	-	-	-	-	-	-	-	-
Diseases of Brain	415	125	18	10	5	3	161	24	8	14	6	11	18	24	43	55	43	8
Heart Dis. and Dropsy	238	6	3	2	1	2	14	6	1	3	1	18	15	28	48	66	31	7
Dis. of Lungs	494	125	47	19	12	14	217	9	2	7	5	17	24	39	64	67	37	6
Dis. of Stom. and Liver	153	21	2	-	2	-	25	4	3	5	7	8	14	20	34	26	5	2
Dis. of Kidneys	52	1	-	1	-	-	2	-	-	2	1	8	6	4	10	11	6	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	12	-	-	-	1	-	1	1	2	1	1	2	2	-	2	-	-	-
Diseases of the Skin	12	3	2	-	-	-	5	-	-	-	-	1	-	-	2	2	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	222	12	7	4	2	2	27	10	21	34	19	24	30	24	16	12	4	1
Other Causes	1123	529	83	25	9	5	651	7	4	6	11	4	10	18	45	109	192	63
308.—FALMOUTH.																		
Mean Popul^{n}, 1851-61	10811	-	-	-	-	-	1312	1273	1146	1277	1061	1537	1119	879	671	394	127	15
TOTAL DEATHS	2156	526	129	76	44	20	795	86	46	79	115	144	121	143	165	211	191	60
Small-pox	21	7	2	-	-	1	10	2	2	1	1	1	-	1	-	-	-	-
Measles	24	8	8	1	3	2	22	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	39	3	6	6	4	3	22	13	3	1	-	-	-	-	-	-	-	-
Diphtheria	12	1	2	3	1	2	9	2	-	-	1	-	-	-	-	-	-	-
Whooping-cough	47	22	15	6	2	1	46	1	-	-	-	-	-	-	-	-	-	-
Typhus	52	1	1	4	3	-	9	8	3	5	11	4	2	5	3	2	-	-
Cholera, Diarrh., Dysent^{y}	91	24	4	-	1	-	29	2	2	6	10	9	8	4	4	8	8	1
Other Zymotic Dis.	105	24	3	10	5	1	43	8	2	3	10	9	8	5	7	5	4	1
Cancer	16	-	-	-	-	-	-	-	-	-	-	-	-	3	8	3	2	-
Scrofula, Tabes Mesent.	41	11	4	3	2	-	20	5	6	2	4	-	1	2	-	-	1	-
Phthisis	272	7	12	4	4	1	28	8	7	26	39	59	34	34	24	13	1	-
Hydrocephalus	47	17	10	8	2	-	37	7	1	-	2	-	-	-	-	-	-	-
Diseases of Brain	253	62	10	3	7	2	84	7	4	5	4	12	8	15	27	46	36	5
Heart Dis. and Dropsy	124	1	-	-	-	1	2	2	6	9	6	10	13	14	24	30	6	2
Dis. of Lungs	263	67	23	14	6	3	113	6	1	4	5	12	13	21	37	24	25	2
Dis. of Stom. and Liver	97	13	2	1	2	-	18	3	3	4	1	7	9	17	10	15	8	2
Dis. of Kidneys	21	-	-	-	-	-	-	-	1	-	-	2	3	3	1	4	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	2	1	2	1	1	-	1	-	-	-	-
Diseases of the Skin	7	3	-	-	-	-	3	-	-	-	-	1	-	1	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	101	5	5	2	-	3	15	6	2	9	15	13	12	9	11	5	3	1
Other Causes	516	250	22	11	2	-	285	2	2	2	2	4	10	9	9	56	89	46
309.—HELSTON.																		
Mean Popul^{n}, 1851-61	13924	-	-	-	-	-	1988	1898	1759	1640	1174	1549	1275	1133	833	465	184	26
TOTAL DEATHS	3065	752	198	106	62	61	1179	139	97	110	118	153	150	206	260	281	295	77
Small-pox	33	9	4	2	1	1	17	9	1	2	3	1	-	-	-	-	-	-
Measles	42	12	10	5	5	3	35	7	-	-	-	-	-	-	-	-	-	-
Scarlatina	170	19	18	24	17	15	93	46	21	5	1	3	-	1	-	-	-	-
Diphtheria	6	-	-	2	1	3	6	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	69	36	20	9	2	1	68	1	-	-	-	-	-	-	-	-	-	-
Typhus	123	10	9	5	3	5	32	10	17	21	17	7	8	6	2	3	-	-
Cholera, Diarrh., Dysent^{y}	48	29	6	2	-	1	38	-	-	1	-	1	-	4	-	4	-	-
Other Zymotic Dis.	113	41	7	9	8	4	69	6	2	4	5	1	3	5	7	6	5	-
Cancer	25	-	-	-	-	-	-	-	2	1	1	-	-	5	10	3	3	-
Scrofula, Tabes Mesent.	21	3	3	-	-	-	6	2	2	5	1	2	1	1	-	1	-	-
Phthisis	557	20	26	6	9	3	64	17	14	34	48	69	63	86	94	63	5	-
Hydrocephalus	47	12	10	7	4	2	35	6	4	1	-	1	-	-	-	-	-	-
Diseases of Brain	180	40	8	5	2	3	58	4	7	5	2	4	7	14	20	35	22	2
Heart Dis. and Dropsy	99	-	1	1	-	1	3	4	3	4	2	3	7	3	16	33	16	-
Dis. of Lungs	288	58	27	14	5	9	113	11	4	5	7	12	17	25	47	32	15	-
Dis. of Stom. and Liver	155	29	6	1	-	3	39	5	2	1	4	9	8	18	27	29	12	1
Dis. of Kidneys	23	-	-	-	-	-	-	-	-	1	3	2	2	5	2	5	3	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	7	-	5	-	-	-	5	-	-	-	1	1	-	-	-	-	-	-
Diseases of the Skin	10	2	2	-	-	1	5	-	-	-	1	-	-	2	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	178	2	1	3	3	3	12	10	18	20	15	27	26	19	12	11	7	1
Other Causes	870	430	35	11	2	3	481	1	-	-	7	5	8	11	22	55	207	73

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
307.—TRURO.																		
Mean Popul^{n}, 1851-61	22657	-	-	-	-	-	2765	2565	2401	2204	2054	3147	2503	2011	1542	1012	385	68
TOTAL DEATHS	4390	844	314	170	108	81	1517	223	120	145	156	235	241	227	345	513	483	185
Small-pox	17	4	4	2	1	2	13	3	1	-	-	-	-	-	-	-	-	-
Measles	69	9	21	16	9	6	61	8	-	-	-	-	-	-	-	-	-	-
Scarlatina	158	8	17	22	21	15	83	52	13	5	3	2	-	-	-	-	-	-
Diphtheria	26	1	1	1	5	4	12	7	6	-	-	-	-	1	-	-	-	-
Whooping-cough	166	69	52	20	8	3	152	13	1	-	-	-	-	-	-	-	-	-
Typhus	179	3	3	2	5	12	25	27	28	23	13	18	9	13	8	13	2	-
Cholera, Diarrh., Dysent^{y}	91	31	8	3	7	1	50	2	3	-	-	3	1	5	6	13	7	1
Other Zymotic Dis.	134	30	21	12	10	6	79	17	2	6	4	4	4	3	5	6	4	-
Cancer	60	-	-	1	-	-	1	1	-	1	-	2	4	19	12	16	4	-
Scrofula, Tabes Mesent.	60	14	12	4	1	4	35	9	2	3	1	3	3	3	1	-	-	-
Phthisis	567	17	8	3	5	3	36	12	23	64	93	122	99	51	47	14	3	-
Hydrocephalus	51	13	16	6	4	2	41	8	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	468	93	23	13	4	6	139	17	8	7	6	13	18	32	47	98	71	12
Heart Dis. and Dropsy	322	1	1	2	-	-	4	3	9	15	8	15	16	31	76	91	49	5
Dis. of Lungs	408	96	48	22	13	9	188	11	8	6	7	11	15	25	41	61	27	8
Dis. of Stom. and Liver	140	4	5	3	-	-	12	5	6	3	2	12	19	18	29	29	5	-
Dis. of Kidneys	13	1	-	-	-	-	1	-	-	-	-	1	1	2	3	4	1	-
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	-	-	2	7	4	5	-	-	-
Diseases of the Joints	21	-	1	1	-	-	2	3	3	2	-	4	3	2	1	-	1	-
Diseases of the Skin	10	3	-	-	-	-	3	-	-	-	-	1	-	-	1	3	1	1
Childbirth and Metria	65	-	-	-	-	-	-	-	-	5	9	21	29	1	-	-	-	-
Violent Deaths	64	12	2	7	6	4	31	12	-	2	1	-	1	3	5	3	3	3
Other Causes	1283	435	71	30	9	4	549	13	6	3	5	1	12	14	58	162	305	155
308.—FALMOUTH.																		
Mean Popul^{n}, 1851-61	11881	-	-	-	-	-	1296	1229	1157	1173	1138	1730	1338	1127	872	553	227	41
TOTAL DEATHS	2282	457	117	71	42	26	713	85	56	80	64	119	111	141	196	281	313	123
Small-pox	10	3	1	-	-	1	4	1	2	-	2	1	-	-	-	-	-	-
Measles	26	6	5	5	4	1	21	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	36	2	4	5	3	4	18	12	3	2	1	-	-	-	-	-	-	-
Diphtheria	17	1	2	3	4	3	13	1	3	-	-	-	-	-	-	-	-	-
Whooping-cough	54	25	16	7	3	-	51	3	-	-	-	-	-	-	-	-	-	-
Typhus	59	1	-	4	3	4	12	12	6	8	4	2	1	3	3	5	2	1
Cholera, Diarrh., Dysent^{y}	82	24	8	-	-	1	33	-	1	-	1	4	4	3	10	14	9	3
Other Zymotic Dis.	75	25	5	7	5	-	42	4	1	-	5	2	4	4	1	7	5	-
Cancer	61	-	-	-	-	-	-	-	-	1	-	-	6	15	18	13	6	2
Scrofula, Tabes Mesent.	27	9	1	2	3	-	15	2	1	2	1	3	2	-	1	-	-	-
Phthisis	250	4	8	5	1	3	21	7	17	45	32	47	30	27	17	6	1	-
Hydrocephalus	49	16	9	5	3	-	33	8	6	-	-	-	2	-	-	-	-	-
Diseases of Brain	253	50	10	2	1	2	65	6	2	3	3	9	8	17	39	48	46	7
Heart Dis. and Dropsy	164	3	-	-	-	2	5	5	1	7	4	6	7	23	33	45	25	3
Dis. of Lungs	232	47	23	15	8	4	97	4	5	4	4	8	9	19	22	33	24	3
Dis. of Stom. and Liver	113	9	-	1	1	-	11	4	3	2	1	13	12	10	27	22	6	2
Dis. of Kidneys	11	-	-	-	-	-	-	-	1	-	1	1	-	-	4	2	1	1
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	1	-	-	3	3	2	2	1	-
Diseases of the Joints	5	-	-	-	-	-	-	1	-	1	-	1	-	2	-	-	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-
Childbirth and Metria	37	-	-	-	-	-	-	-	-	1	4	16	15	1	-	-	-	-
Violent Deaths	32	6	2	2	-	-	10	4	2	1	-	1	5	2	2	4	1	-
Other Causes	673	226	23	8	3	2	262	7	1	2	1	5	3	12	16	77	186	101
309.—HELSTON.																		
Mean Popul^{n}, 1851-61	15295	-	-	-	-	-	1919	1878	1686	1588	1360	1999	1576	1330	1006	640	258	55
TOTAL DEATHS	2903	584	190	92	56	50	972	152	66	114	100	157	133	132	219	348	354	156
Small-pox	26	9	3	2	2	2	18	4	-	2	1	1	-	-	-	-	-	-
Measles	30	5	8	9	4	1	27	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	145	23	16	17	15	12	83	46	12	2	1	1	-	-	-	-	-	-
Diphtheria	5	1	1	1	-	1	4	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	78	32	26	7	6	5	76	2	-	-	-	-	-	-	-	-	-	-
Typhus	120	7	7	2	3	4	23	17	14	23	10	11	8	8	1	2	3	-
Cholera, Diarrh., Dysent^{y}	40	16	4	-	1	1	22	1	1	-	-	-	2	2	3	7	2	-
Other Zymotic Dis.	108	30	3	9	3	4	49	14	3	4	-	2	-	4	7	12	13	-
Cancer	39	1	-	-	-	-	1	1	-	-	-	3	4	8	8	11	3	-
Scrofula, Tabes Mesent.	20	1	2	4	-	1	8	2	2	1	-	3	1	1	-	2	-	-
Phthisis	437	13	31	11	4	3	62	14	11	56	50	73	47	33	47	41	3	-
Hydrocephalus	26	7	7	4	1	1	20	5	1	1	-	-	-	-	-	1	-	-
Diseases of Brain	213	30	4	3	1	4	42	10	11	5	8	7	7	13	30	53	26	1
Heart Dis. and Dropsy	140	2	1	-	-	1	4	6	3	4	4	6	12	16	33	35	17	-
Dis. of Lungs	173	43	21	9	7	6	86	12	3	4	2	4	2	10	19	28	2	1
Dis. of Stom. and Liver	124	14	6	-	1	1	22	5	1	2	4	6	8	11	28	28	9	-
Dis. of Kidneys	8	-	-	-	-	-	-	-	1	-	-	1	1	1	3	1	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	-	1	1	1	1	-	-	3	-	-	-
Diseases of the Skin	16	4	-	1	-	-	5	-	-	2	-	-	1	-	2	5	1	-
Childbirth and Metria	49	-	-	-	-	-	-	-	-	4	11	16	18	-	-	-	-	-
Violent Deaths	113	3	7	3	5	2	20	4	1	-	3	15	14	14	13	16	13	-
Other Causes	981	343	43	10	3	1	400	5	1	3	5	7	7	10	21	100	262	154

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

310.—REDRUTH.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	26056	-	-	-	-	-	3870	3749	3355	3305	2460	3161	2413	1894	1148	517	170	14
TOTAL DEATHS	5983	1720	462	280	181	149	2792	330	164	216	224	281	310	472	502	389	251	52
Small-pox	101	30	13	14	10	9	76	11	2	5	4	2	1	–	–	–	–	–
Measles	144	21	34	29	19	20	123	20	–	1	–	–	–	–	–	–	–	–
Scarlatina	240	22	30	38	33	27	150	64	17	7	1	–	–	–	1	–	–	–
Diphtheria	17	1	4	–	2	1	8	5	3	–	–	1	–	–	–	–	–	–
Whooping-cough	181	95	36	27	13	6	177	4	–	–	–	–	–	–	–	–	–	–
Typhus	185	10	6	10	14	11	51	28	17	22	21	13	6	16	6	2	2	1
Cholera, Diarrh., Dysent^{y}	117	50	13	5	4	2	74	14	1	–	3	2	4	3	8	2	5	1
Other Zymotic Dis.	234	73	30	30	16	18	167	24	4	7	4	4	5	6	7	4	2	–
Cancer	42	–	–	1	–	–	1	–	–	1	1	–	8	9	7	10	4	1
Scrofula, Tabes Mesent.	64	18	12	6	5	1	42	5	4	3	5	1	1	3	–	–	–	–
Phthisis	1085	82	53	17	6	9	167	21	23	61	83	128	133	198	182	79	8	2
Hydrocephalus	120	25	22	16	10	7	80	25	10	3	–	1	–	–	–	1	–	–
Diseases of Brain	456	167	29	15	3	7	221	26	18	18	16	7	20	23	49	42	22	4
Heart Dis. and Dropsy	212	4	3	4	1	–	12	3	7	11	9	16	16	29	53	41	14	1
Dis. of Lungs	670	149	61	35	21	17	283	33	11	10	14	19	41	86	89	61	21	2
Dis. of Stom. and Liver	209	34	5	1	2	1	43	11	8	6	8	12	18	40	32	25	5	1
Dis. of Kidneys	40	–	–	2	–	1	3	1	–	2	–	2	4	6	7	8	7	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	19	–	2	–	–	–	2	2	–	3	3	1	1	1	3	2	1	–
Diseases of the Skin	7	1	2	–	–	–	3	1	–	–	1	–	1	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	343	8	7	9	3	6	33	15	35	53	38	62	47	35	19	3	3	–
Other Causes	1487	930	100	21	19	6	1076	17	4	3	13	10	4	17	39	109	156	39

311.—PENZANCE.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	25691	-	-	-	-	-	3732	3559	3229	2931	2183	2961	2532	2052	1443	784	261	24
TOTAL DEATHS	5588	1600	404	232	166	107	2509	252	164	169	181	257	300	371	419	469	388	109
Small-pox	195	40	31	23	16	15	125	40	12	5	10	3	–	–	–	–	–	–
Measles	67	11	26	10	7	3	57	8	1	–	–	–	–	1	–	–	–	–
Scarlatina	198	24	24	29	31	20	128	50	14	4	–	1	–	1	–	–	–	–
Diphtheria	15	2	2	2	1	2	9	2	2	1	–	–	1	–	–	–	–	–
Whooping-cough	113	52	25	16	8	5	106	7	–	–	–	–	–	–	–	–	–	–
Typhus	168	5	6	7	5	7	30	26	16	14	16	22	15	8	9	9	3	–
Cholera, Diarrh., Dysent^{y}	200	108	16	2	2	–	128	7	1	4	2	2	11	8	8	19	9	1
Other Zymotic Dis.	241	85	27	22	17	16	167	13	10	7	1	2	5	5	12	10	7	2
Cancer	52	–	–	–	–	–	–	–	1	1	–	2	9	11	15	7	5	1
Scrofula, Tabes Mesent.	114	49	16	10	4	2	81	4	7	6	4	6	1	3	1	–	1	–
Phthisis	812	26	31	13	5	6	81	19	20	47	78	122	106	130	126	72	11	–
Hydrocephalus	57	14	16	7	4	1	42	8	4	2	–	–	–	1	–	–	–	–
Diseases of Brain	435	93	23	14	13	6	149	18	17	9	14	12	19	20	47	78	45	7
Heart Dis. and Dropsy	220	3	3	2	4	2	14	6	5	8	6	10	26	26	38	51	28	2
Dis. of Lungs	579	152	58	36	24	9	279	14	8	10	15	12	36	70	41	61	29	4
Dis. of Stom. and Liver	241	42	9	10	3	3	67	6	7	7	5	13	16	30	37	40	13	–
Dis. of Kidneys	45	–	–	1	–	–	1	1	–	2	2	2	5	4	10	12	6	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Diseases of the Joints	11	–	–	–	–	–	–	1	2	3	–	1	2	–	1	1	–	–
Diseases of the Skin	17	5	1	2	1	–	9	–	–	2	–	–	1	2	2	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	275	4	15	7	8	5	39	15	34	32	23	39	33	27	17	10	6	–
Other Causes	1532	885	75	19	13	5	997	7	3	5	5	8	14	23	55	98	225	92

312.—SCILLY ISLES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	1177	-	-	-	-	-	144	131	122	116	75	128	135	131	93	62	33	7
TOTAL DEATHS	209	35	7	3	3	1	49	6	5	10	10	22	12	14	14	22	37	8
Small-pox	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	3	1	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Typhus	6	–	–	–	–	–	–	1	1	3	–	–	–	–	–	1	–	–
Cholera, Diarrh., Dysent^{y}	6	–	–	–	–	–	–	–	–	–	–	3	–	–	2	1	–	–
Other Zymotic Dis.	11	4	–	1	–	–	5	–	1	–	2	1	2	–	–	–	–	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	3	–
Scrofula, Tabes Mesent.	3	1	–	–	1	1	3	–	–	–	–	–	–	–	–	–	–	–
Phthisis	29	2	–	–	–	–	2	–	1	1	6	11	4	2	1	1	–	–
Hydrocephalus	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	37	10	3	1	1	–	15	3	1	4	–	2	–	2	2	3	4	1
Heart Dis. and Dropsy	16	–	–	–	–	–	–	–	1	–	–	–	–	3	4	4	4	–
Dis. of Lungs	26	5	3	–	–	–	8	–	–	1	–	1	1	2	3	5	5	–
Dis. of Stom. and Liver	6	1	–	–	–	–	1	–	–	–	–	1	1	–	1	2	–	–
Dis. of Kidneys	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	10	–	–	–	–	–	–	1	–	1	1	3	3	1	–	–	–	–
Other Causes	39	10	–	1	–	–	11	–	–	–	–	–	–	–	1	2	19	6

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

310.—REDRUTH.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^n, 1851-61	29345	-	-	-	-	-	3724	3557	3218	3205	2892	4127	3076	2463	1723	944	353	63
TOTAL DEATHS	5745	1401	481	253	174	140	2449	318	149	169	204	323	255	288	427	509	458	196
Small-pox	96	21	21	9	14	7	72	13	5	2	3	1	-	-	-	-	-	-
Measles	106	17	29	25	12	7	90	12	3	-	-	1	-	-	-	-	-	-
Scarlatina	250	18	29	36	32	37	152	69	21	4	3	-	-	1	-	-	-	-
Diphtheria	13	3	-	3	-	1	7	4	1	-	-	-	-	-	-	1	-	-
Whooping-cough	218	79	57	33	20	14	203	15	-	-	-	-	-	-	-	-	-	-
Typhus	197	11	15	4	7	12	49	37	21	22	13	20	12	5	7	10	1	-
Cholera, Diarrh., Dysent^y	109	36	9	5	2	4	56	6	2	3	4	3	7	4	4	13	5	2
Other Zymotic Dis.	235	85	16	15	23	13	152	32	2	6	4	3	4	5	6	14	6	1
Cancer	85	-	-	-	-	-	-	-	1	-	-	3	6	26	34	12	2	1
Scrofula, Tabes Mesent.	64	23	10	6	2	6	47	4	6	1	-	-	3	-	1	2	-	-
Phthisis	962	107	72	28	7	2	216	30	39	80	98	166	105	81	94	48	5	-
Hydrocephalus	65	10	19	6	2	4	41	13	8	3	-	-	-	-	-	-	-	-
Diseases of Brain	475	92	26	11	7	6	142	22	13	12	16	22	18	29	71	69	53	8
Heart Dis. and Dropsy	287	2	1	1	1	2	7	5	7	4	11	10	35	46	73	59	29	1
Dis. of Lungs	442	114	67	31	23	10	245	26	6	10	11	19	10	23	32	33	18	4
Dis. of Stom. and Liver	206	24	5	3	2	2	36	3	4	3	9	17	9	30	46	39	9	1
Dis. of Kidneys	19	-	-	-	1	-	1	2	2	1	1	3	1	5	1	2	-	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	-	3	2	6	-	2	1	-
Diseases of the Joints	13	-	1	1	-	-	2	-	-	2	2	-	2	1	2	-	2	-
Diseases of the Skin	6	1	-	1	-	-	2	-	1	1	-	-	-	-	-	1	1	-
Childbirth and Metria	94	-	-	-	-	-	-	-	-	6	27	33	27	1	-	-	-	-
Violent Deaths	75	5	4	3	5	6	23	18	5	5	1	3	3	5	6	3	2	1
Other Causes	1714	753	100	32	14	7	906	7	2	4	1	16	11	20	50	196	324	177

311.—PENZANCE.

Mean Popul^n, 1851-61	28345	-	-	-	-	-	3536	3416	3070	2966	2656	3842	3047	2410	1822	1088	420	72
TOTAL DEATHS	5546	1344	395	236	128	118	2221	275	146	177	218	284	278	285	354	549	553	206
Small-pox	182	42	27	25	13	13	120	34	11	7	4	5	1	-	-	-	-	-
Measles	71	6	21	17	9	8	61	10	-	-	-	-	-	-	-	-	-	-
Scarlatina	174	17	21	25	17	21	101	51	21	-	-	-	-	-	-	1	-	-
Diphtheria	10	1	-	-	-	1	2	6	1	1	-	-	-	-	-	-	-	-
Whooping-cough	136	53	39	19	9	6	126	10	-	-	-	-	-	-	-	-	-	-
Typhus	203	10	5	4	12	9	40	35	25	16	25	20	11	10	8	13	-	-
Cholera, Diarrh., Dysent^y	194	67	24	5	4	2	102	7	8	1	4	6	12	9	11	23	11	-
Other Zymotic Dis.	251	62	29	27	15	16	149	19	10	1	4	9	8	10	10	13	14	4
Cancer	72	-	-	-	-	-	-	-	1	1	-	1	14	11	21	17	6	-
Scrofula, Tabes Mesent.	115	53	23	5	3	2	86	5	3	5	3	3	3	3	2	1	1	-
Phthisis	781	35	27	20	2	8	92	14	26	87	98	146	100	85	74	53	6	-
Hydrocephalus	51	23	5	4	4	1	37	8	4	2	-	-	-	-	-	-	-	-
Diseases of Brain	418	68	14	8	7	3	100	15	15	18	12	15	16	21	46	91	59	10
Heart Dis. and Dropsy	233	3	3	5	1	-	12	9	4	11	8	13	26	34	49	68	28	1
Dis. of Lungs	454	109	69	39	13	16	246	18	3	10	14	17	20	19	25	47	31	4
Dis. of Stom. and Liver	258	34	9	3	4	3	53	16	5	6	14	6	15	40	44	39	19	1
Dis. of Kidneys	20	-	-	-	-	-	-	-	-	-	2	2	4	4	5	2	1	-
Dis. of Gener. Organs	19	-	-	-	-	-	-	-	-	-	2	4	4	4	2	3	-	-
Diseases of the Joints	10	-	1	1	1	-	3	1	1	-	-	2	2	1	-	-	-	-
Diseases of the Skin	15	2	-	-	1	-	3	1	-	-	-	-	2	1	4	4	-	-
Childbirth and Metria	72	-	-	-	-	-	-	-	-	5	17	22	26	2	-	-	-	-
Violent Deaths	69	3	6	8	6	7	30	6	4	1	1	3	2	4	2	8	4	4
Other Causes	1708	756	72	21	7	2	858	10	4	5	10	10	12	27	51	106	373	182

312.—SCILLY ISLES.

Mean Popul^n, 1851-61	1352	-	-	-	-	-	132	134	128	130	104	175	169	152	113	73	34	8
TOTAL DEATHS	257	22	7	3	2	2	36	4	7	7	11	21	23	19	21	38	47	23
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	4	2	-	1	-	1	4	-	-	-	-	-	-	-	-	-	-	-
Typhus	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-
Cholera, Diarrh., Dysent^y	5	1	1	-	-	-	2	-	-	-	-	-	1	-	1	2	1	-
Other Zymotic Dis.	11	4	-	-	-	-	4	-	1	1	-	-	-	-	-	2	1	1
Cancer	11	-	-	-	-	-	-	-	-	-	-	1	6	-	2	1	1	-
Scrofula, Tabes Mesent.	5	1	-	-	1	-	2	1	1	-	-	-	1	-	-	-	-	-
Phthisis	46	-	1	-	-	-	1	-	4	4	7	15	9	2	2	2	-	-
Hydrocephalus	3	1	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	32	2	1	1	1	-	5	3	1	2	-	1	2	3	4	4	7	-
Heart Dis. and Dropsy	25	-	-	-	-	-	-	-	-	-	-	1	4	5	3	7	2	1
Dis. of Lungs	30	4	3	1	-	-	8	-	-	-	2	-	1	1	5	9	3	1
Dis. of Stom. and Liver	13	1	-	-	-	-	1	-	-	-	1	1	1	-	3	3	3	-
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
Violent Deaths	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Other Causes	60	5	-	-	-	-	5	-	-	-	-	-	1	-	-	7	27	20

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

313 (*a*).—WILLITON.*

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	9904	-	-	-	-	-	1313	1279	1102	1007	768	1189	1042	869	666	461	187	21
TOTAL DEATHS	1746	314	101	58	39	20	532	88	51	40	56	106	92	115	153	232	228	53
Small-pox	19	5	1	1	1	1	9	2	1	-	1	2	2	1	1	-	-	-
Measles	14	2	3	2	2	2	11	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	38	2	7	6	7	3	25	8	4	-	1	-	-	-	-	-	-	-
Diphtheria	8	1	-	1	-	1	3	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough	25	8	12	2	1	-	23	2	-	-	-	-	-	-	-	1	-	-
Typhus	69	3	2	1	3	2	11	13	8	6	5	9	8	4	2	2	1	-
Cholera, Diarrh., Dysent^{y}	23	13	1	-	1	-	15	2	-	-	-	1	-	-	-	1	4	-
Other Zymotic Dis.	89	15	7	12	6	2	42	8	2	1	1	3	5	9	6	8	4	-
Cancer	20	-	-	-	-	-	-	-	-	-	1	-	3	4	4	4	4	-
Scrofula, Tabes Mesent.	31	9	4	4	1	1	19	4	1	3	-	2	-	1	1	-	-	-
Phthisis	186	10	5	1	-	-	16	10	10	14	26	43	19	21	17	8	2	-
Hydrocephalus	23	9	2	2	1	3	17	5	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	184	60	11	3	3	1	78	7	2	1	2	8	5	11	15	36	18	1
Heart Dis. and Dropsy	127	-	-	1	2	1	4	2	1	3	3	5	9	17	24	36	22	1
Dis. of Lungs	234	37	33	12	3	1	86	2	4	2	3	11	18	16	26	39	22	5
Dis. of Stom. and Liver	96	13	-	1	1	1	16	5	1	2	1	7	6	12	18	21	6	1
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	-	1	1	4	1	3	3	4	1
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	1	-	-	-	-	1	1	1	-	2	-	-	1	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	91	5	1	4	4	-	14	6	12	7	6	12	8	11	8	5	2	-
Other Causes	442	120	12	5	3	1	141	4	1	1	3	1	5	6	28	69	139	44

314.—WELLINGTON.

Mean Popul^{n}, 1851-61	10351	-	-	-	-	-	1436	1316	1251	1058	730	1169	1105	961	670	440	186	29
TOTAL DEATHS	1891	382	91	48	54	34	609	85	41	43	53	90	104	110	177	249	242	88
Small-pox	14	3	-	1	-	-	4	4	1	1	2	-	-	1	1	-	-	
Measles	26	5	7	4	1	3	20	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	39	3	4	2	11	3	23	12	2	1	1	-	-	-	-	-	-	-
Diphtheria	11	1	1	-	-	4	6	3	1	1	-	-	-	-	-	-	-	-
Whooping-cough	22	11	6	2	2	1	22	-	-	-	-	-	-	-	-	-	-	-
Typhus	63	1	1	1	1	2	6	12	2	4	2	6	8	7	7	5	4	-
Cholera, Diarrh., Dysent	33	7	6	5	1	-	19	-	1	-	-	1	1	1	2	5	3	-
Other Zymotic Dis.	73	10	13	8	9	4	44	6	-	2	-	2	1	3	7	6	2	-
Cancer	15	-	-	1	-	-	1	-	-	-	-	1	-	1	6	4	2	-
Scrofula, Tabes Mesent.	14	3	-	1	-	-	4	1	3	-	-	-	2	2	1	1	-	-
Phthisis	198	11	3	2	2	3	21	8	10	15	29	42	29	24	15	5	-	-
Hydrocephalus	21	8	5	1	-	1	15	3	1	1	-	-	-	-	1	-	-	-
Diseases of Brain	246	84	8	9	6	2	109	7	3	3	6	9	15	10	24	38	19	3
Heart Dis. and Dropsy	144	2	-	-	1	-	3	5	1	2	1	4	11	19	28	39	29	2
Dis. of Lungs	265	64	19	6	7	3	99	9	4	3	2	13	13	18	33	51	15	5
Dis. of Stom. and Liver	79	11	3	-	1	1	16	-	3	-	2	4	9	7	16	19	3	-
Dis. of Kidneys	19	-	-	-	-	-	-	1	-	-	-	-	2	3	4	4	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	1	-	1	-	2	1	1	-	1	1	-	1	-	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	91	15	2	2	7	3	29	6	5	8	6	5	7	6	10	7	2	-
Other Causes	507	142	12	3	4	4	165	2	1	2	1	2	6	7	21	64	159	77

315.—TAUNTON.

Mean Popul^{n}, 1851-61	16767	-	-	-	-	-	2209	2121	2036	1697	1179	2015	1889	1483	1049	709	283	47
TOTAL DEATHS	3479	734	194	110	71	53	1162	149	90	84	86	184	241	259	321	420	365	118
Small-pox	40	9	6	1	1	6	23	6	1	-	1	4	4	-	1	-	-	-
Measles	33	7	4	6	1	2	20	11	1	-	-	1	-	-	-	-	-	-
Scarlatina	108	11	10	20	14	12	67	33	6	-	1	1	-	-	-	-	-	-
Diphtheria	16	3	1	4	1	-	9	3	1	1	-	1	-	-	1	-	-	-
Whooping-cough	45	21	13	6	2	1	43	2	-	-	-	-	-	-	-	-	-	-
Typhus	125	6	5	3	4	6	24	24	14	11	9	8	8	10	8	8	1	-
Cholera, Diarrh., Dysent^{y}	73	36	5	1	-	2	42	1	-	-	1	2	2	6	4	5	9	1
Other Zymotic Dis.	164	34	17	9	14	4	78	8	5	6	3	6	12	10	14	14	7	1
Cancer	29	1	-	-	-	-	1	1	-	-	-	1	2	6	8	5	5	-
Scrofula, Tabes Mesent.	51	8	9	3	4	1	25	4	3	2	2	7	4	1	3	-	-	-
Phthisis	327	4	2	4	1	-	11	6	8	28	35	80	67	53	29	10	-	-
Hydrocephalus	40	17	6	4	2	3	32	3	4	-	-	-	1	-	-	-	-	-
Diseases of the Brain	424	128	19	4	6	4	161	8	12	4	6	15	21	30	60	60	40	7
Heart Dis. and Dropsy	212	3	-	2	2	1	8	6	4	2	3	7	20	29	38	55	35	5
Dis. of Lungs	574	93	44	20	12	2	171	6	9	5	8	20	45	56	65	106	63	20
Dis. of Stom. and Liver	176	25	5	1	-	2	33	6	6	5	6	5	9	23	31	35	17	-
Dis. of Kidneys	62	-	-	1	-	-	1	2	1	3	-	5	7	4	9	17	11	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	8	-	-	-	-	-	-	1	1	1	-	-	1	1	3	-	-	-
Diseases of the Skin	8	3	1	-	-	-	4	-	-	-	-	-	1	-	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	192	15	8	8	3	4	38	14	11	14	11	20	23	17	21	16	6	1
Other Causes	771	310	39	13	4	5	371	4	3	2	-	1	14	12	26	87	170	81

* For (313 *b*) Dulverton, see (293) Tiverton, page 212.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

313 (*a*).—WILLITON.*

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	10002	-	-	-	-	-	1352	1279	1093	875	750	1261	1063	876	692	487	226	48
TOTAL DEATHS	1779	241	94	63	29	28	455	87	42	52	54	111	106	87	137	262	272	114
Small-pox	8	3	-	-	-	-	3	2	-	-	-	-	2	-	1	-	-	-
Measles	16	3	3	2	4	-	12	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	29	-	6	6	1	2	15	6	4	2	2	-	-	-	-	-	-	-
Diphtheria	8	-	2	2	-	-	4	2	-	-	1	-	-	1	-	-	-	-
Whooping-cough	30	16	7	6	-	1	30	-	-	-	-	-	-	-	-	-	-	-
Typhus	68	1	-	4	2	3	10	15	8	10	2	8	6	3	3	1	2	-
Cholera, Diarrh., Dysent^{y}	28	10	4	2	-	-	16	-	-	-	-	-	2	1	-	5	2	2
Other Zymotic Dis.	92	18	7	11	4	4	44	14	2	-	1	2	3	1	4	15	3	3
Cancer	35	-	-	-	-	-	-	1	-	-	-	-	5	5	9	10	5	-
Scrofula, Tabes Mesent.	27	8	6	3	-	3	20	1	2	1	1	-	-	-	1	1	-	-
Phthisis	221	8	3	1	-	2	14	3	14	23	27	59	39	22	14	5	1	-
Hydrocephalus	20	4	3	5	2	2	16	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	175	43	11	3	3	-	60	7	2	3	2	3	9	12	14	37	20	6
Heart Dis. and Dropsy	159	-	-	-	-	-	-	3	2	1	6	8	11	13	29	48	34	4
Dis. of Lungs	214	30	22	6	6	4	68	10	2	3	1	4	8	9	22	52	20	6
Dis. of Stom. and Liver	90	7	2	-	1	2	12	3	3	4	4	7	4	8	18	16	9	2
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-
Diseases of the Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	34	-	-	-	-	-	-	-	-	2	5	13	13	1	-	-	-	-
Violent Deaths	43	3	4	4	3	3	17	9	1	2	2	2	-	3	1	2	4	-
Other Causes	469	85	14	8	3	2	112	3	2	-	-	3	3	7	13	68	162	91

314.—WELLINGTON.

Mean Popul^{n}, 1851-61	10949	-	-	-	-	-	1395	1361	1178	996	825	1405	1219	930	746	559	242	43
TOTAL DEATHS	2028	294	100	58	42	36	530	71	46	63	64	108	120	147	158	280	320	121
Small-pox	8	1	-	-	-	-	1	2	-	2	1	1	1	-	-	-	-	-
Measles	16	4	6	3	1	1	15	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	50	3	7	8	9	7	34	12	3	1	-	-	-	-	-	-	-	-
Diphtheria	12	-	-	1	2	2	5	4	1	-	-	2	-	-	-	-	-	-
Whooping-cough	26	13	5	3	2	-	23	2	-	1	-	-	-	-	-	-	-	-
Typhus	73	1	-	1	3	3	8	12	7	9	5	6	4	7	6	5	3	1
Cholera, Diarrh., Dysent^{y}	20	6	2	-	1	1	10	-	-	-	-	-	-	2	-	4	4	-
Other Zymotic Dis.	85	18	15	7	6	7	53	4	4	1	-	3	2	3	2	7	5	1
Cancer	39	-	-	-	-	-	-	-	-	-	-	1	2	13	12	7	4	-
Scrofula, Tabes Mesent.	15	-	4	1	-	1	6	-	1	1	1	2	1	1	1	1	-	-
Phthisis	268	5	5	4	2	1	17	8	13	34	33	53	48	39	17	5	1	-
Hydrocephalus	15	5	5	-	2	-	12	1	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	238	68	8	6	3	4	89	6	6	4	5	10	8	13	21	44	28	4
Heart Dis. and Dropsy	192	1	-	-	1	-	2	5	3	5	6	6	8	24	33	56	36	3
Dis. of Lungs	227	46	21	13	6	5	91	3	3	-	4	4	14	16	20	48	21	3
Dis. of Stom. and Liver	90	9	-	1	-	-	10	2	-	1	3	4	5	14	20	20	10	1
Dis. of Kidneys	5	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	1	1	1	3	2	1	-	-	-
Diseases of the Joints	8	1	-	-	-	-	1	1	-	-	-	3	1	-	1	-	1	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	1	2	7	13	2	-	-	-	-
Violent Deaths	35	3	4	3	2	2	14	5	-	1	2	1	3	2	-	4	3	-
Other Causes	569	110	18	7	2	2	139	3	2	1	-	4	5	8	19	77	203	108

315.—TAUNTON.

Mean Popul^{n}, 1851-61	18591	-	-	-	-	-	2185	2093	1976	1812	1640	2594	2080	1668	1217	856	394	76
TOTAL DEATHS	3460	529	149	118	88	61	945	164	114	151	115	225	207	215	284	401	490	199
Small-pox	41	7	4	3	4	3	21	10	2	1	3	3	-	1	-	-	-	-
Measles	35	1	8	7	4	5	25	7	1	1	-	1	-	-	-	-	-	-
Scarlatina	138	12	10	14	19	12	67	33	21	2	5	-	4	1	-	-	-	-
Diphtheria	19	4	2	1	3	1	11	4	2	1	-	-	-	-	-	-	-	-
Whooping-cough	57	20	15	9	6	1	51	5	1	-	-	-	-	-	-	-	-	-
Typhus	176	7	5	9	7	7	35	30	24	20	6	13	12	7	11	11	6	1
Cholera, Diarrh., Dysent^{y}	77	22	5	5	-	-	42	-	-	3	2	2	4	5	5	9	4	1
Other Zymotic Dis.	135	26	5	16	11	10	68	14	4	7	4	9	6	4	1	10	6	2
Cancer	86	-	-	-	-	-	-	-	-	-	-	3	13	20	21	21	8	-
Scrofula, Tabes Mesent.	70	16	6	4	1	1	28	8	12	8	5	1	1	3	-	2	2	-
Phthisis	388	1	4	4	3	1	13	4	20	68	61	106	61	31	20	4	-	-
Hydrocephalus	23	4	7	1	2	2	16	5	-	1	-	-	-	-	-	1	-	-
Diseases of Brain	346	74	9	7	4	3	97	9	4	10	4	9	14	35	28	65	60	11
Heart Dis. and Dropsy	255	3	2	3	1	1	10	3	5	7	3	19	12	26	42	61	52	12
Dis. of Lungs	425	65	38	21	13	7	144	11	4	5	7	13	17	28	50	80	55	11
Dis. of Stom. and Liver	181	14	1	2	-	2	19	4	4	5	4	21	14	24	23	40	21	2
Dis. of Kidneys	21	-	-	-	-	-	-	-	-	1	-	2	8	-	5	3	1	1
Dis. of Gener. Organs	23	-	-	-	-	-	-	-	-	1	1	1	3	9	4	3	1	-
Diseases of the Joints	8	1	-	-	1	-	2	-	2	1	2	-	1	-	-	-	-	-
Diseases of the Skin	11	3	-	-	-	-	3	1	-	-	-	-	2	1	2	1	1	-
Childbirth and Metria	49	-	-	-	-	-	-	-	-	3	6	14	24	2	-	-	-	-
Violent Deaths	76	14	6	7	3	3	33	8	2	3	2	3	1	4	2	4	12	2
Other Causes	820	225	22	5	6	2	260	3	6	3	-	4	10	14	20	83	231	156

* For (313 *b*) Dulverton, see (293) Tiverton, page 213.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
316.—BRIDGEWATER.																		
Mean Popul^{n}, 1851-61	16497	-	-	-	-	-	2317	2157	1818	1594	1249	2110	1793	1420	1052	666	269	42
TOTAL DEATHS	3263	703	204	122	81	60	1170	148	92	81	96	216	190	199	263	370	318	120
Small-pox	22	2	3	2	1	2	10	3	3	2	1	3	-	-	-	-	-	-
Measles	45	6	20	7	5	1	39	5	-	-	-	-	1	-	-	-	-	-
Scarlatina	78	6	10	13	11	11	51	21	5	-	1	-	-	-	-	-	-	-
Diphtheria	8	1	-	3	3	1	8	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	46	25	9	4	3	1	42	4	-	-	-	-	-	-	-	-	-	-
Typhus	123	7	14	7	6	3	37	23	10	10	9	9	8	6	5	7	3	1
Cholera, Diarrh., Dysent^{y}	72	27	11	2	2	-	42	1	-	-	-	1	2	4	3	9	7	3
Other Zymotic Dis.	143	36	19	18	8	5	86	5	5	2	1	3	4	12	14	9	6	1
Cancer	29	-	-	-	-	-	-	-	-	-	1	1	1	4	14	4	4	-
Scrofula, Tabes Mesent.	86	28	12	6	3	5	54	11	6	1	3	5	2	2	1	1	-	-
Phthisis	380	23	7	4	3	4	41	12	16	23	46	99	61	45	16	15	3	-
Hydrocephalus	56	12	6	9	5	6	38	14	3	-	-	-	-	1	-	-	-	-
Diseases of Brain	382	124	23	2	9	1	159	7	7	4	3	21	22	20	29	47	52	11
Heart Dis. and Dropsy	191	4	2	1	2	-	9	4	4	5	4	7	14	18	41	52	29	4
Dis. of Lungs	483	113	34	17	10	9	183	10	7	6	5	18	26	29	63	75	50	11
Dis. of Stom. and Liver	159	25	3	3	-	1	32	8	3	5	2	8	17	19	24	33	8	-
Dis. of Kidneys	65	1	2	-	-	-	3	1	1	2	3	5	6	5	9	19	9	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	16	-	-	-	-	1	1	1	1	2	1	3	1	2	2	2	-	-
Diseases of the Skin	8	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	194	12	6	12	8	7	45	14	13	14	11	24	18	16	18	10	5	1
Other Causes	667	251	23	12	2	2	290	4	3	1	4	8	7	15	23	86	141	85
317.—LANGPORT.																		
Mean Popul^{n}, 1851-61	9018	-	-	-	-	-	1213	1185	1060	917	703	1020	954	804	622	366	150	24
TOTAL DEATHS	1704	378	83	36	38	28	563	81	45	40	61	82	91	109	138	225	208	61
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles	18	2	4	4	2	-	12	4	1	-	-	1	-	-	-	-	-	-
Scarlatina	50	3	7	3	7	6	26	18	3	1	1	-	-	1	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	26	14	6	2	2	-	24	1	1	-	-	-	-	-	-	-	-	-
Typhus	91	1	5	2	3	3	14	17	6	10	6	7	9	6	7	5	4	-
Cholera, Diarrh., Dysent^{y}	42	19	4	2	1	-	26	1	-	-	1	-	1	1	2	5	4	1
Other Zymotic Dis.	82	22	2	7	2	2	35	2	3	3	2	3	4	4	6	13	6	1
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	3	1
Scrofula, Tabes Mesent.	23	2	2	-	1	1	6	4	3	2	-	4	1	3	-	-	-	-
Phthisis	145	5	1	-	-	-	6	2	5	8	36	32	25	17	6	6	2	-
Hydrocephalus	23	10	5	2	2	2	21	1	-	-	-	1	-	-	-	-	-	-
Diseases of Brain	208	55	7	1	5	3	71	7	7	2	1	2	10	11	25	33	32	2
Heart Dis. and Dropsy	84	-	1	-	1	-	2	2	1	3	4	5	5	6	13	29	13	1
Dis. of Lungs	247	61	20	6	7	2	96	5	5	2	3	8	11	19	26	50	18	4
Dis. of Stom. and Liver	82	9	1	-	1	1	12	3	1	-	1	6	7	11	14	22	4	1
Dis. of Kidneys	25	-	-	-	-	-	-	-	-	-	-	4	3	5	2	5	6	-
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	86	5	4	4	3	7	23	6	8	6	6	4	10	8	8	7	-	-
Other Causes	449	167	13	3	1	1	185	7	1	3	-	5	5	12	24	42	115	50
318.—CHARD.																		
Mean Popul^{n}, 1851-61	12490	-	-	-	-	-	1755	1582	1555	1361	924	1413	1300	1117	800	479	180	33
TOTAL DEATHS	2623	617	170	97	62	60	1006	117	60	64	93	102	116	166	236	300	271	92
Small-pox	29	6	4	5	3	-	18	5	-	-	2	3	-	1	-	-	-	-
Measles	29	6	9	2	4	3	24	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	113	7	15	14	12	24	72	27	9	3	-	1	1	-	-	-	-	-
Diphtheria	6	1	2	1	1	-	5	-	-	-	-	-	-	-	-	1	-	-
Whooping-cough	67	40	16	4	4	1	65	2	-	-	-	-	-	-	-	-	-	-
Typhus	117	4	5	4	8	4	25	19	10	12	8	4	7	11	12	5	4	-
Cholera, Diarrh., Dysent^{y}	51	25	2	3	-	1	31	-	-	-	1	1	-	-	4	7	7	-
Other Zymotic Dis.	92	19	10	9	8	9	55	5	1	2	2	2	2	3	6	10	3	1
Cancer	24	-	-	-	-	-	-	-	-	1	-	1	2	2	7	9	2	-
Scrofula, Tabes Mesent.	40	5	5	6	2	2	20	4	2	1	1	6	2	2	-	2	-	-
Phthisis	227	3	3	4	2	1	13	6	5	17	53	39	44	29	15	6	-	-
Hydrocephalus	42	14	11	7	2	1	35	2	3	1	1	-	-	-	-	-	-	-
Diseases of Brain	297	112	17	6	1	3	139	12	9	6	3	8	9	18	24	33	26	5
Heart Dis. and Dropsy	201	8	-	1	1	-	10	4	2	5	5	8	9	21	36	63	35	3
Dis. of Lungs	411	101	34	20	5	7	167	12	5	3	3	8	12	36	51	62	46	6
Dis. of Stom. and Liver	143	20	3	2	-	-	25	1	4	1	3	7	17	13	40	21	10	1
Dis. of Kidneys	35	-	-	-	-	-	-	1	-	2	1	2	2	2	4	13	6	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	13	-	-	-	-	-	-	1	2	1	2	1	1	2	1	2	-	-
Diseases of the Skin	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	104	9	3	4	6	3	25	6	7	5	6	4	7	18	16	6	2	2
Other Causes	579	236	30	5	3	1	275	5	1	4	2	7	1	8	20	55	129	72

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
316.—BRIDGEWATER.																		
Mean Popul^{n}, 1851-61	17307	-	-	-	-	-	2287	2125	1774	1603	1441	2397	1904	1467	1114	787	339	69
TOTAL DEATHS	3218	569	204	109	84	57	1023	151	74	119	111	210	161	187	217	390	395	180
Small-pox	20	3	2	-	2	3	10	4	1	3	1	-	-	1	-	-	-	-
Measles	57	9	19	10	9	1	48	6	2	1	-	-	-	-	-	-	-	-
Scarlatina	68	4	9	6	12	6	37	24	5	1	-	-	-	1	-	-	-	-
Diphtheria	15	1	2	-	2	1	6	4	1	1	-	2	1	-	-	-	-	-
Whooping-cough	72	21	21	13	4	5	64	6	-	-	-	1	-	-	-	-	1	-
Typhus	142	3	5	10	9	9	36	27	15	10	9	12	7	6	6	9	5	-
Cholera, Diarrh., Dysent^{y}	81	26	12	2	2	-	42	2	1	4	1	3	2	1	3	8	11	3
Other Zymotic Dis.	109	21	4	11	10	4	50	8	1	4	4	7	3	6	9	9	6	2
Cancer	71	-	-	-	-	-	-	-	-	-	-	-	7	16	18	20	9	1
Scrofula, Tabes Mesent.	49	14	4	4	4	-	26	2	2	5	-	3	-	2	4	4	-	1
Phthisis	431	20	9	10	-	3	42	15	16	53	56	108	60	44	20	16	1	-
Hydrocephalus	26	9	8	3	1	1	22	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	373	109	25	8	6	2	150	13	8	7	3	5	11	21	23	61	53	18
Heart Dis. and Dropsy	215	2	1	-	-	-	3	4	5	7	11	14	13	26	40	53	36	3
Dis. of Lungs	405	75	42	17	9	13	156	12	5	9	5	5	8	19	41	80	55	10
Dis. of Stom. and Liver	169	14	1	1	2	3	21	5	5	3	5	16	14	26	25	32	14	3
Dis. of Kidneys	17	-	-	-	-	-	-	-	-	1	1	1	1	5	1	5	2	-
Dis of Gener. Organs	13	-	-	-	-	-	-	-	-	-	-	3	5	2	1	2	-	-
Diseases of the Joints	14	-	-	-	2	-	2	1	1	2	1	2	2	-	-	-	1	2
Diseases of the Skin	7	3	-	-	-	-	3	-	-	-	-	-	-	-	1	2	1	-
Childbirth and Metria	43	-	-	-	-	-	-	-	-	4	9	19	11	-	-	-	-	-
Violent Deaths	84	20	9	7	5	5	46	11	4	1	3	2	4	1	3	8	7	-
Other Causes	737	215	31	7	5	1	259	4	1	3	2	7	12	10	22	87	193	137
317.—LANGPORT.																		
Mean Popul^{n}, 1851-61	9304	-	-	-	-	-	1226	1155	1019	838	734	1188	1026	826	591	433	182	36
TOTAL DEATHS	1718	275	74	53	46	30	478	87	60	69	71	97	101	104	120	189	259	83
Small-pox	4	1	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
Measles	17	1	3	4	1	2	11	3	2	1	-	-	-	-	-	-	-	-
Scarlatina	62	4	8	9	12	5	38	18	2	2	1	1	-	-	-	-	-	-
Diphtheria	5	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	28	9	9	5	-	3	26	2	-	-	-	-	-	-	-	-	-	-
Typhus	126	1	6	6	8	6	27	22	16	8	10	9	10	8	2	10	4	-
Cholera, Diarrh., Dysent^{y}	29	7	4	2	-	1	14	-	-	1	-	1	-	3	-	3	5	2
Other Zymotic Dis.	76	12	5	1	4	2	24	6	4	2	2	3	3	2	4	11	13	2
Cancer	39	-	-	-	-	-	-	-	-	-	-	2	2	13	8	7	5	2
Scrofula, Tabes Mesent.	22	3	-	1	1	1	6	3	3	2	3	1	-	1	1	2	-	-
Phthisis	199	-	1	1	-	1	3	4	17	30	37	32	37	20	13	5	1	-
Hydrocephalus	14	7	1	1	1	1	11	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	137	29	3	-	1	1	34	4	2	3	2	10	7	6	12	25	28	4
Heart Dis. and Dropsy	131	1	-	2	1	-	4	4	1	6	4	5	11	16	30	25	23	2
Dis. of Lungs	172	40	17	11	7	1	76	5	2	3	3	4	5	7	20	28	18	1
Dis. of Stom. and Liver	91	2	-	3	-	-	5	4	2	1	2	14	13	8	13	18	10	1
Dis. of Kidneys	7	-	-	-	-	-	-	-	1	-	-	-	1	2	-	3	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	1	-	-	1	6	2	-	1	-
Diseases of the Joints	7	-	-	1	-	-	1	-	-	3	-	1	-	-	-	1	1	-
Diseases of the Skin	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	1	5	8	9	2	-	-	-	-
Violent Deaths	36	3	7	3	4	4	21	2	1	-	-	1	-	1	3	3	3	1
Other Causes	477	155	9	3	6	2	175	5	3	4	1	5	2	9	12	47	146	63
318.—CHARD.																		
Mean Popul^{n}, 1851-61	13348	-	-	-	-	-	1662	1580	1467	1364	1179	1798	1414	1178	839	560	240	40
TOTAL DEATHS	2641	434	180	94	77	41	826	108	89	112	121	172	123	120	207	327	323	113
Small-pox	2	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Measles	49	8	13	7	4	2	34	10	1	3	1	-	-	-	-	-	-	-
Scarlatina	101	2	13	16	16	15	62	24	13	1	-	1	-	-	-	-	-	-
Diphtheria	4	-	1	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	70	31	22	6	6	2	67	3	-	-	-	-	-	-	-	-	-	-
Typhus	117	2	3	5	3	1	14	15	14	21	11	8	4	8	11	8	3	-
Cholera, Diarrh., Dysent^{y}	39	12	3	4	1	1	21	1	-	-	-	2	3	2	2	3	5	-
Other Zymotic Dis.	83	23	5	9	10	1	48	6	5	3	1	2	2	1	4	8	3	-
Cancer	34	-	-	-	-	-	-	-	-	-	1	1	4	8	11	4	4	1
Scrofula, Tabes Mesent.	58	6	7	5	3	2	23	4	7	9	4	5	1	1	4	-	-	-
Phthisis	349	2	5	2	2	-	11	6	21	49	70	85	49	22	21	15	-	-
Hydrocephalus	31	7	6	3	2	-	18	8	4	1	-	-	-	-	-	-	-	-
Diseases of Brain	284	57	16	6	5	6	90	9	3	11	7	13	11	16	30	47	38	9
Heart Dis. and Dropsy	226	3	3	-	-	1	7	1	4	3	5	10	10	21	47	70	43	5
Dis. of Lungs	355	78	43	15	10	4	150	11	5	4	7	10	10	16	35	60	51	6
Dis. of Stom. and Liver	132	17	4	1	2	-	24	3	3	4	8	8	5	11	20	33	10	3
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-
Dis. of Gener. Organs	21	-	-	-	-	-	-	-	-	-	1	4	7	3	3	3	-	-
Diseases of the Joints	10	-	1	-	2	-	3	-	-	1	2	-	1	-	1	2	-	-
Diseases of the Skin	10	2	1	-	1	-	4	-	3	-	-	1	-	-	-	1	-	1
Childbirth and Metria	32	-	-	-	-	-	-	-	-	1	3	14	11	3	-	-	-	-
Violent Deaths	47	8	6	5	7	1	27	2	3	-	-	3	-	-	3	4	3	2
Other Causes	572	175	28	10	2	4	219	4	2	1	-	4	3	7	15	68	163	86

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
319.—YEOVIL.																		
Mean Popul^n, 1851-61	13173	-	-	-	-	-	1879	1692	1582	1351	1009	1609	1414	1172	782	486	175	22
TOTAL DEATHS	2856	736	201	98	82	52	1171	122	75	69	82	124	139	169	259	284	239	73
Small-pox	35	9	1	6	3	-	19	7	-	4	1	3	-	-	-	-	1	-
Measles	69	12	25	12	5	5	59	9	-	-	-	-	-	-	-	1	-	-
Scarlatina	107	8	18	13	19	15	73	26	5	2	-	1	-	-	-	-	-	-
Diphtheria	7	1	-	1	1	-	3	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough	45	19	15	7	3	1	45	-	-	-	-	-	-	-	-	-	-	-
Typhus	129	4	6	1	7	6	24	16	17	9	9	13	13	5	13	8	2	-
Cholera, Diarrh., Dysent^y	44	22	5	2	-	-	29	2	-	-	-	2	1	1	4	2	3	-
Other Zymotic Dis.	123	27	18	6	9	4	64	5	2	7	7	5	6	7	7	8	5	-
Cancer	37	-	-	-	-	-	-	-	-	-	-	3	6	6	16	4	2	-
Scrofula, Tabes Mesent.	64	22	6	3	3	1	35	4	5	4	2	4	5	3	1	1	-	-
Phthisis	254	28	9	5	2	3	47	10	8	15	39	44	33	29	20	6	3	-
Hydrocephalus	38	11	10	7	1	-	29	4	4	1	-	-	-	-	-	-	-	-
Diseases of Brain	243	91	5	5	4	-	105	6	3	6	2	6	8	17	25	34	27	4
Heart Dis. and Dropsy	174	3	-	-	1	1	5	4	9	5	2	7	18	21	48	37	18	2
Dis. of Lungs	407	117	33	16	14	6	186	5	3	5	7	12	15	32	50	58	32	7
Dis. of Stom. and Liver	117	19	3	2	2	2	28	4	4	1	3	4	6	18	23	19	5	-
Dis. of Kidneys	29	-	-	-	-	-	-	-	-	-	-	3	4	3	12	1	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	14	1	-	2	-	-	3	3	2	-	1	1	-	2	1	1	-	-
Diseases of the Skin	7	3	1	1	-	-	5	1	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	128	8	8	4	4	4	28	6	10	9	5	13	21	15	10	8	3	-
Other Causes	785	333	38	5	4	4	384	6	3	1	4	3	3	10	28	93	182	65
320.—WINCANTON.																		
Mean Popul^n, 1851-61	10284	-	-	-	-	-	1342	1235	1203	1023	803	1279	1130	960	670	425	197	17
TOTAL DEATHS	2045	450	104	65	33	20	672	75	54	48	59	115	112	132	189	264	251	74
Small-pox	18	5	1	1	1	1	9	-	3	2	-	4	-	-	-	-	-	-
Measles	27	5	11	2	2	1	21	5	-	-	-	-	-	1	-	-	-	-
Scarlatina	31	2	1	7	3	5	18	8	5	-	-	-	-	-	-	-	-	-
Diphtheria	18	1	1	3	1	-	6	7	1	1	-	1	-	-	1	1	-	-
Whooping-cough	14	9	5	-	-	-	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	87	3	4	6	3	-	16	12	6	9	10	6	7	5	6	5	5	-
Cholera, Diarrh., Dysent^y	43	15	3	3	-	-	21	1	-	1	-	2	2	1	4	7	3	1
Other Zymotic Dis.	81	19	4	7	1	3	31	2	1	4	2	4	3	4	4	12	14	-
Cancer	17	-	-	-	-	-	-	-	-	-	-	1	-	3	8	4	1	-
Scrofula, Tabes Mesent.	42	6	4	3	2	1	16	2	10	3	4	2	4	-	1	-	-	-
Phthisis	217	14	5	1	1	-	21	6	10	16	27	52	28	32	11	12	2	-
Hydrocephalus	19	5	4	2	2	-	13	4	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	215	46	7	5	3	1	62	4	2	4	2	10	15	13	30	9	30	4
Heart Dis. and Dropsy	164	-	1	1	1	1	4	5	-	2	1	3	13	19	28	30	25	3
Dis. of Lungs	306	87	30	11	6	1	135	8	2	-	5	8	12	17	36	39	33	11
Dis. of Stom. and Liver	90	8	1	1	-	-	10	1	1	-	1	1	6	12	23	28	7	-
Dis. of Kidneys	33	-	-	-	-	-	-	1	-	-	-	3	3	4	7	11	4	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
Diseases of the Skin	3	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	90	-	4	5	4	5	18	5	5	6	6	16	12	8	5	2	6	1
Other Causes	525	227	17	6	3	1	254	4	5	-	1	1	5	12	25	44	120	34
321.—FROME.																		
Mean Popul^n, 1851-61	11762	-	-	-	-	-	1520	1417	1383	1223	882	1448	1244	1001	858	557	203	26
TOTAL DEATHS	2630	550	162	84	54	46	896	92	71	71	81	145	153	161	229	349	289	93
Small-pox	17	3	2	2	-	-	7	3	1	-	3	3	-	-	-	-	-	-
Measles	42	8	12	10	3	3	36	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	74	8	9	9	14	11	46	19	5	-	1	-	3	-	-	-	-	-
Diphtheria	7	1	1	-	-	1	3	2	2	-	-	-	-	-	-	-	-	-
Whooping-cough	25	12	4	2	3	1	22	3	-	-	-	-	-	-	-	-	-	-
Typhus	121	3	5	5	7	6	26	11	18	15	7	11	7	5	7	11	3	-
Cholera, Diarrh., Dysent^y	93	46	5	2	2	-	55	-	1	-	1	2	2	5	1	10	12	4
Other Zymotic Dis.	136	30	12	7	5	7	61	9	1	3	-	9	10	12	9	8	14	-
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	1	1	8	8	1	-
Scrofula, Tabes Mesent.	62	17	10	5	3	2	37	5	4	4	3	5	1	-	1	2	-	-
Phthisis	222	4	3	2	2	2	13	4	9	20	36	50	42	26	13	8	1	-
Hydrocephalus	23	11	6	4	1	-	22	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	235	53	10	2	4	5	74	6	5	7	8	3	10	14	21	50	29	8
Heart Dis. and Dropsy	202	1	2	2	-	1	6	1	2	2	4	9	10	22	47	62	32	5
Dis. of Lungs	405	106	39	14	4	4	167	5	2	5	4	9	30	21	53	65	37	7
Dis. of Stom. and Liver	145	21	3	1	1	-	26	4	1	1	5	10	9	15	27	32	11	4
Dis. of Kidneys	43	-	-	-	1	-	1	3	1	1	2	4	2	2	5	13	9	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	1	-	-	-	1	1	1	-	-	1	1	-	2	1	-	-
Diseases of the Skin	7	3	-	-	-	-	3	-	-	-	-	-	-	1	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	135	5	7	7	2	3	24	7	15	11	4	22	12	17	13	6	4	-
Other Causes	609	223	31	10	2	-	266	2	3	2	3	7	13	20	22	71	135	65

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
319.—YEOVIL.																		
Mean Popul^{n}, 1851-61	15153	-	-	-	-	-	1933	1737	1626	1547	1411	2086	1659	1317	929	624	250	34
TOTAL DEATHS	3228	601	188	135	72	70	1066	148	97	121	125	209	191	161	218	373	378	111
Small-pox	36	12	1	3	3	3	22	6	1	1	2	1	1	2	-	-	-	-
Measles	83	13	25	17	8	7	70	10	2	-	1	-	-	-	-	-	-	-
Scarlatina	130	9	14	21	13	17	74	37	12	4	1	1	1	-	-	-	-	-
Diphtheria	3	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	57	28	12	11	4	2	57	-	-	-	-	-	-	-	-	-	-	-
Typhus	203	2	5	12	10	6	35	24	26	19	21	21	15	9	14	17	2	-
Cholera, Diarrh., Dysent^{y}	59	31	4	2	2	-	39	1	1	-	1	2	-	1	4	5	5	-
Other Zymotic Dis.	111	20	15	10	6	7	53	7	2	3	3	3	3	5	6	12	7	2
Cancer	64	-	-	-	-	-	-	-	-	-	-	1	12	21	16	8	5	1
Scrofula, Tabes Mesent.	82	15	9	2	2	5	33	8	9	12	3	8	-	4	3	2	-	-
Phthisis	417	30	8	3	3	5	49	10	18	53	56	94	64	26	26	14	6	1
Hydrocephalus	28	8	4	5	1	1	19	6	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	236	57	9	4	3	2	75	5	5	8	3	10	12	14	24	45	30	5
Heart Dis. and Dropsy	256	4	1	-	1	2	8	8	8	5	11	16	15	31	53	72	23	3
Dis. of Lungs	361	77	35	26	7	3	148	12	3	4	8	10	19	19	41	55	37	6
Dis. of Stom. and Liver	121	11	-	1	-	-	12	2	3	3	2	14	17	14	18	28	8	-
Dis. of Kidneys	10	-	1	-	1	-	2	1	-	1	2	1	-	-	3	-	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	1	-	-	4	1	-	1	-	-
Diseases of the Joints	9	-	-	-	-	-	-	1	-	1	1	2	-	1	2	1	-	-
Diseases of the Skin	5	2	1	-	-	-	3	-	-	-	-	1	1	-	-	-	-	-
Childbirth and Metria	40	-	-	-	-	-	-	-	-	-	7	17	16	-	-	-	-	-
Violent Deaths	50	4	8	2	6	4	24	4	2	2	1	1	1	2	4	3	5	1
Other Causes	860	278	35	16	2	6	337	5	1	4	2	6	10	11	34	110	247	93
320.—WINCANTON.																		
Mean Popul^{n}, 1851-61	11121	-	-	-	-	-	1360	1340	1168	1054	940	1485	1223	990	733	563	231	34
TOTAL DEATHS	2264	387	97	50	45	33	612	94	72	75	89	144	153	126	179	300	329	91
Small-pox	15	7	-	-	1	-	8	1	1	1	-	3	1	-	-	-	-	-
Measles	23	6	2	2	3	3	15	7	-	-	1	-	-	-	-	-	-	-
Scarlatina	33	1	3	6	4	5	19	8	3	2	-	-	1	-	-	-	-	-
Diphtheria	17	-	1	1	1	3	6	7	3	-	-	-	-	1	-	-	-	-
Whooping-cough	27	12	5	4	3	-	24	3	-	-	-	-	-	-	-	-	-	-
Typhus	146	6	5	3	3	4	21	23	18	15	6	11	17	5	9	16	4	1
Cholera, Diarrh. Dysent^{y}	51	18	4	-	-	3	25	1	3	1	1	1	1	3	3	7	5	-
Other Zymotic Dis.	78	8	5	5	7	1	26	3	-	3	1	1	5	3	9	16	9	2
Cancer	47	-	-	-	1	-	1	-	-	-	-	1	10	9	8	11	6	1
Scrofula, Tabes Mesent.	31	10	1	1	1	-	13	3	6	-	3	1	1	1	2	1	-	-
Phthisis	284	7	7	1	2	-	17	3	17	33	48	74	41	27	16	6	-	-
Hydrocephalus	20	4	5	2	2	1	14	4	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	195	30	7	5	1	3	46	3	5	7	5	6	7	14	25	47	28	2
Heart Dis. and Dropsy	246	2	1	2	2	-	7	6	2	3	9	10	15	21	45	69	51	3
Dis. of Lungs	278	63	35	10	8	3	119	6	2	2	2	7	13	14	19	49	38	7
Dis. of Stom. and Liver	92	5	-	-	1	4	10	3	1	1	3	7	14	11	18	13	10	1
Dis. of Kidneys	12	-	-	-	-	-	-	-	2	1	1	1	1	1	-	5	-	-
Dis. of Gener. Organs	19	-	-	-	-	-	-	-	-	-	-	2	6	5	5	1	-	-
Diseases of the Joints	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	-	6	9	10	-	-	-	-	-
Violent Deaths	35	5	2	3	4	3	17	6	3	2	1	1	1	1	1	1	1	-
Other Causes	538	202	14	5	2	-	223	7	4	2	1	9	9	10	19	53	177	69
321.—FROME.																		
Mean Popul^{n}, 1851-61	12753	-	-	-	-	-	1505	1435	1374	1197	1079	1712	1373	1122	966	666	265	54
TOTAL DEATHS	2701	409	133	84	61	42	729	95	61	123	102	170	151	155	276	377	335	127
Small-pox	13	4	1	-	1	1	7	3	1	-	2	-	-	-	-	-	-	-
Measles	47	6	14	9	5	5	39	7	1	-	-	-	-	-	-	-	-	-
Scarlatina	58	5	7	8	11	9	40	14	2	2	-	-	-	-	-	-	-	-
Diphtheria	6	1	-	2	-	-	3	2	-	1	-	-	-	-	-	-	-	-
Whooping-cough	30	14	6	4	3	1	28	2	-	-	-	-	-	-	-	-	-	-
Typhus	158	3	4	13	9	6	35	27	14	22	13	14	11	8	5	7	2	-
Cholera, Diarrh., Dysent^{y}	88	36	12	3	-	-	51	2	1	1	-	4	-	3	4	8	8	6
Other Zymotic Dis.	104	18	9	6	6	4	43	1	3	5	1	4	2	6	8	17	10	4
Cancer	50	-	-	-	-	-	-	1	-	-	-	1	4	12	20	9	3	-
Scrofula, Tabes Mesent.	44	11	3	1	1	-	16	4	6	6	2	3	2	1	3	1	-	-
Phthisis	300	6	2	2	2	1	13	6	8	48	48	81	44	33	13	6	-	-
Hydrocephalus	14	3	2	3	2	2	12	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	282	38	6	9	4	7	64	8	12	5	3	11	12	14	44	59	43	2
Heart Dis. and Dropsy	308	1	-	2	-	-	3	1	3	9	5	9	14	29	83	96	46	10
Dis. of Lungs	358	75	32	15	8	3	133	6	1	7	8	9	16	23	53	61	46	10
Dis. of Stom. and Liver	149	6	4	-	3	1	14	2	4	6	4	13	16	15	21	33	20	1
Dis. of Kidneys	15	1	-	-	-	-	1	-	-	-	-	1	3	-	6	4	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	1	-	1	1	-	3	2	1	-
Diseases of the Joints	8	-	1	-	-	-	1	-	-	1	-	2	-	-	3	1	-	-
Diseases of the Skin	2	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	37	-	-	-	-	-	-	-	-	-	1	8	12	16	-	-	-	-
Violent Deaths	46	4	3	5	1	2	15	7	3	1	1	2	1	1	3	2	5	5
Other Causes	575	177	27	3	3	-	210	-	2	7	2	3	8	10	22	71	151	89

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

322.—SHEPTON MALLET.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	8111	-	-	-	-	-	1057	1002	897	822	629	1022	873	724	546	351	163	25
TOTAL DEATHS	1623	346	88	50	24	16	524	51	42	47	46	76	84	101	150	188	236	78
Small-pox	10	1	2	1	-	-	4	1	1	-	3	-	-	-	1	-	-	-
Measles	24	3	9	2	5	1	20	2	1	-	-	1	-	-	-	-	-	-
Scarlatina	16	1	2	5	-	1	9	4	1	1	-	-	-	1	-	-	-	-
Diphtheria	9	-	2	1	1	1	5	2	-	1	-	-	1	-	-	-	-	-
Whooping-cough	12	5	2	4	1	-	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	72	4	1	2	3	2	12	12	12	7	4	9	6	4	3	2	1	-
Cholera, Diarrh., Dysent^{y}	24	16	-	-	-	-	16	-	-	-	-	-	2	2	-	-	4	-
Other Zymotic Dis.	61	18	5	7	3	2	35	2	-	1	-	4	-	6	1	7	3	2
Cancer	27	-	-	-	-	-	-	-	1	-	-	-	3	3	6	6	7	1
Scrofula, Tabes Mesent.	27	5	2	2	-	-	9	2	4	3	1	1	3	2	1	1	-	-
Phthisis	143	8	4	1	-	-	13	1	4	11	18	37	28	15	10	4	2	-
Hydrocephalus	31	11	8	3	1	1	24	3	2	1	-	-	-	-	-	1	-	-
Diseases of Brain	135	33	7	1	1	1	43	1	2	6	2	6	8	7	25	22	10	3
Heart Dis. and Dropsy	125	4	-	-	1	1	6	6	2	5	4	6	6	10	30	30	18	2
Dis. of Lungs	145	29	12	7	3	1	52	4	-	3	7	1	3	14	17	24	17	3
Dis. of Stom. and Liver	80	7	2	-	-	2	11	1	1	1	2	4	9	14	12	13	12	-
Dis. of Kidneys	23	-	-	-	-	-	-	-	1	-	-	2	2	2	10	4	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	58	2	5	2	2	2	13	3	6	4	2	3	4	8	9	3	3	-
Other Causes	596	198	25	12	3	1	239	7	4	2	3	2	9	12	25	60	157	67

323.—WELLS.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	10522	-	-	-	-	-	1422	1273	1132	1021	807	1345	1204	956	712	439	182	28
TOTAL DEATHS	2280	459	111	64	43	32	709	78	43	54	70	159	200	177	209	259	234	88
Small-pox	8	3	-	1	-	2	6	1	-	1	-	-	-	-	-	-	-	-
Measles	25	4	8	4	2	1	19	3	1	2	-	-	-	-	-	-	-	-
Scarlatina	69	6	7	8	12	4	37	23	4	1	-	3	1	-	-	-	-	-
Diphtheria	5	1	1	1	1	-	4	-	-	-	1	-	-	-	-	-	-	-
Whooping-cough	23	10	6	5	1	1	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	84	-	1	5	7	3	16	13	11	12	5	10	6	5	4	2	-	-
Cholera, Diarrh., Dysent^{y}	56	24	5	1	-	1	31	-	-	-	2	6	2	3	2	5	5	-
Other Zymotic Dis.	93	22	6	5	2	-	35	5	-	4	2	6	9	9	12	5	5	1
Cancer	20	-	1	-	-	-	1	-	-	-	-	2	1	2	6	6	2	-
Scrofula, Tabes Mesent.	54	14	7	3	3	1	28	6	6	1	3	6	1	2	1	-	-	-
Phthisis	216	3	1	-	-	-	4	2	7	18	30	57	42	26	21	8	1	-
Hydrocephalus	30	12	10	-	2	2	26	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	331	53	6	6	1	3	69	2	4	4	9	23	57	41	41	47	31	3
Heart Dis. and Dropsy	139	1	-	-	-	-	1	3	1	2	3	5	7	14	34	40	23	6
Dis. of Lungs	295	66	23	8	3	7	107	2	1	3	2	18	20	35	22	63	18	4
Dis. of Stom. and Liver	154	14	3	4	1	1	23	3	2	1	8	13	30	22	27	18	4	3
Dis. of Kidneys	38	-	-	-	-	-	-	1	-	1	-	2	4	2	6	13	7	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	2	-	-	-	-	2	-	-	1	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	79	4	1	6	3	2	16	5	3	3	3	6	11	9	16	4	3	-
Other Causes	552	222	25	7	5	4	263	3	3	1	2	2	6	5	16	47	135	69

324.—AXBRIDGE.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	16720	-	-	-	-	-	2150	2028	1892	1693	1383	2117	1764	1511	1111	749	282	40
TOTAL DEATHS	2985	651	174	97	60	42	1024	124	67	67	86	173	160	188	267	368	354	107
Small-pox	6	-	1	1	-	-	2	-	1	2	-	1	-	-	-	-	-	-
Measles	35	5	11	8	6	3	33	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	105	3	14	14	13	13	57	28	15	2	-	-	2	1	-	-	-	-
Diphtheria	19	2	3	2	2	2	11	1	3	1	-	1	-	1	-	-	1	-
Whooping-cough	51	33	7	3	2	1	46	4	1	-	-	-	-	-	-	-	-	-
Typhus	108	4	3	1	1	3	12	10	7	7	9	16	2	11	15	9	10	-
Cholera, Diarrh., Dysent^{y}	72	29	5	-	2	-	36	1	-	-	1	4	2	3	3	10	11	1
Other Zymotic Dis.	99	21	6	9	4	3	43	7	2	2	1	6	5	7	6	9	8	3
Cancer	35	-	-	-	-	-	-	-	-	-	1	2	3	7	7	11	2	2
Scrofula, Tabes Mesent.	76	23	14	5	2	3	47	6	3	3	3	6	4	3	1	-	-	-
Phthisis	271	4	2	3	-	-	9	7	12	20	32	70	43	29	35	13	1	-
Hydrocephalus	41	13	15	4	4	-	36	3	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	330	72	16	10	3	2	103	11	7	5	10	15	14	23	36	64	39	3
Heart Dis. and Dropsy	243	1	3	2	2	3	11	6	4	4	4	11	15	24	42	72	48	2
Dis. of Lungs	483	138	44	21	6	4	213	16	2	3	12	12	28	29	43	66	49	10
Dis. of Stom. and Liver	171	30	4	1	2	3	40	3	3	3	-	8	13	20	34	31	15	1
Dis. of Kidneys	51	-	-	-	-	-	-	1	-	3	1	5	5	6	14	10	6	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-
Diseases of the Joints	9	-	-	-	-	-	-	1	1	3	-	1	-	-	1	2	-	-
Diseases of the Skin	7	1	1	-	-	-	2	1	-	-	-	-	1	-	2	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	147	8	10	10	10	2	40	13	3	8	10	10	13	16	15	12	4	3
Other Causes	623	264	15	3	1	-	283	2	2	-	2	5	10	8	13	58	158	82

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

322.—SHEPTON MALLET.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	8677	-	-	-	-	-	1071	946	888	797	708	1189	988	771	607	466	211	35
TOTAL DEATHS	1727	304	95	43	27	16	485	47	43	53	46	112	102	98	154	231	254	102
Small-pox	4	1	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Measles	19	1	7	5	2	2	17	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	10	-	1	2	1	1	5	2	2	-	-	1	-	-	-	-	-	-
Diphtheria	12	-	1	3	1	2	7	2	1	-	1	-	-	-	-	1	-	-
Whooping-cough	15	5	8	1	1	-	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	61	2	3	2	3	-	10	16	10	11	4	2	2	2	3	1	-	-
Cholera, Diarrh., Dysent^{y}	25	11	1	-	-	1	13	2	-	-	1	1	1	1	3	1	1	1
Other Zymotic Dis.	55	12	7	2	5	-	26	3	2	-	-	2	2	1	7	7	5	-
Cancer	47	-	-	-	-	-	-	-	1	1	-	1	7	10	8	15	4	-
Scrofula, Tabes Mesent.	28	6	3	1	1	2	13	1	2	3	-	6	1	1	-	1	-	-
Phthisis	189	5	3	-	2	-	10	3	11	19	25	48	30	21	15	6	1	-
Hydrocephalus	29	11	6	4	1	1	23	-	4	1	-	-	-	-	1	-	-	-
Diseases of Brain	120	22	4	2	-	1	29	2	1	4	2	5	8	10	17	23	16	3
Heart Dis. and Dropsy	149	4	1	-	-	-	5	2	3	5	4	10	13	18	29	39	17	4
Dis. of Lungs	129	26	17	7	4	3	57	2	2	3	1	6	8	5	10	17	14	4
Dis. of Stom. and Liver	90	2	1	-	3	2	8	-	1	1	3	8	9	15	19	18	8	-
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	1	2	-	1	5	1	1	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	1	-	3	3	3	1	-	-	-
Diseases of the Joints	3	-	2	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	24	-	-	-	-	-	-	-	-	-	2	9	12	1	-	-	-	-
Violent Deaths	22	5	2	4	1	-	12	3	1	-	-	1	-	1	1	-	3	-
Other Causes	672	190	28	9	2	1	230	6	2	4	1	7	5	8	35	100	184	90

323.—WELLS.

Mean Popul^{n}, 1851-61	11093	-	-	-	-	-	1393	1293	1145	980	994	1507	1262	987	750	519	221	42
TOTAL DEATHS	2174	340	102	75	36	32	585	90	61	67	88	147	165	165	180	268	249	109
Small-pox	13	2	-	1	-	1	4	4	1	3	-	1	-	-	-	-	-	-
Measles	31	2	3	10	5	3	23	8	-	-	-	-	-	-	-	-	-	-
Scarlatina	67	7	9	11	5	6	38	16	10	2	-	1	-	-	-	-	-	-
Diphtheria	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	20	8	9	1	1	1	20	-	-	-	-	-	-	-	-	-	-	-
Typhus	102	3	1	11	5	5	25	17	14	10	7	9	5	5	5	4	-	1
Cholera, Diarrh., Dysent^{y}	50	17	2	2	3	-	24	1	-	-	-	4	2	3	6	5	4	1
Other Zymotic Dis.	84	14	6	4	4	1	29	5	1	1	-	4	6	3	7	14	8	6
Cancer	55	-	-	-	-	-	-	-	-	-	-	2	7	14	14	14	3	1
Scrofula, Tabes Mesent.	43	7	8	1	-	3	19	5	4	5	1	1	1	3	1	2	1	-
Phthisis	282	2	2	1	1	1	7	2	12	27	48	66	51	41	17	11	-	-
Hydrocephalus	20	5	7	-	2	2	16	2	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	218	23	4	3	1	1	32	8	5	4	8	14	27	31	29	34	24	2
Heart Dis. and Dropsy	151	2	1	-	-	1	4	3	2	4	1	7	13	10	38	44	21	4
Dis. of Lungs	250	50	16	17	4	2	89	4	4	4	5	8	20	21	26	42	22	5
Dis. of Stom. and Liver	128	11	2	1	1	-	15	3	2	2	7	10	13	16	18	23	17	2
Dis. of Kidneys	16	-	-	-	1	-	1	-	1	1	1	2	4	3	2	1	-	-
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	-	-	4	5	3	2	1	1	-
Diseases of the Joints	4	1	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-
Diseases of the Skin	6	-	1	-	-	-	1	-	-	-	-	-	-	2	-	1	2	-
Childbirth and Metria	26	-	-	-	-	-	-	-	-	1	8	11	6	-	-	-	-	-
Violent Deaths	40	1	5	2	2	5	15	4	2	2	1	-	1	2	2	4	6	1
Other Causes	550	185	25	10	1	-	221	6	2	-	1	2	4	7	13	68	140	86

324.—AXBRIDGE.

Mean Popul^{n}, 1851-61	17863	-	-	-	-	-	2127	2034	1849	1752	1587	2497	2032	1574	1190	791	385	65
TOTAL DEATHS	3044	485	189	93	78	49	894	152	97	103	118	202	180	150	240	353	394	161
Small-pox	11	-	-	2	2	-	4	2	-	-	2	2	1	-	-	-	-	-
Measles	45	5	15	5	8	4	37	2	2	1	-	1	-	2	-	-	-	-
Scarlatina	101	5	11	16	9	8	49	40	8	2	1	-	-	-	-	1	-	-
Diphtheria	25	1	5	2	2	3	13	7	3	1	-	-	-	-	-	1	-	-
Whooping-cough	50	19	15	7	4	2	47	2	1	-	-	-	-	-	-	-	-	-
Typhus	180	5	6	4	3	5	23	8	15	17	10	10	6	6	11	12	10	2
Cholera, Diarrh., Dysent^{y}	71	30	3	1	-	2	36	2	-	-	-	5	2	3	2	8	11	2
Other Zymotic Dis.	97	18	10	8	8	1	45	10	1	1	-	1	1	3	5	14	10	6
Cancer	64	1	-	1	-	-	2	-	-	-	-	4	6	8	25	15	3	1
Scrofula, Tabes Mesent.	61	18	3	5	4	1	31	4	7	5	3	1	2	2	4	2	-	-
Phthisis	364	3	1	2	-	2	8	10	29	41	59	91	62	32	24	8	-	-
Hydrocephalus	38	12	9	1	6	4	32	2	3	-	1	-	-	-	-	-	-	-
Diseases of Brain	291	61	17	4	7	3	92	14	3	7	6	13	14	15	29	47	45	6
Heart Dis. and Dropsy	240	1	-	1	2	-	4	7	6	4	6	10	20	30	43	58	44	8
Dis. of Lungs	472	100	65	21	12	7	205	21	8	8	9	23	19	20	34	66	50	9
Dis. of Stom. and Liver	209	17	6	3	3	1	30	6	3	8	9	18	22	14	30	46	19	4
Dis. of Kidneys	20	-	-	-	-	-	-	-	-	-	1	5	3	1	3	4	2	1
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	-	-	3	4	3	2	1	-
Diseases of the Joints	6	-	1	-	1	-	2	-	2	-	1	-	-	-	-	1	-	1
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	30	-	-	-	-	-	-	-	-	1	4	13	10	2	-	-	-	-
Violent Deaths	77	12	7	10	7	5	41	10	5	5	2	-	3	-	5	3	2	1
Other Causes	624	175	15	-	-	1	191	5	1	2	4	5	6	7	22	64	197	120

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
325.—CLUTTON.																		
Mean Popul^{n}, 1851-61	12365	-	-	-	-	-	1693	1617	1476	1306	946	1461	1304	1094	777	485	184	22
TOTAL DEATHS	2220	542	150	67	43	29	831	89	66	63	54	111	99	136	195	290	197	89
Small-pox	13	2	3	1	1	-	7	3	2	-	-	-	1	-	-	-	-	-
Measles	20	4	5	6	1	1	17	2	-	-	-	-	-	1	-	-	-	-
Scarlatina	70	7	13	10	7	5	42	23	2	2	-	-	-	-	1	-	-	-
Diphtheria	14	3	1	1	2	2	9	2	3	-	-	-	-	-	-	-	-	-
Whooping-cough	32	9	12	7	1	1	30	2	-	-	-	-	-	-	-	-	-	-
Typhus	85	4	3	2	6	-	15	12	14	7	10	8	3	6	4	4	-	2
Cholera, Diarrh., Dysent^{y}	62	32	6	-	-	1	39	1	-	1	-	-	-	2	-	10	8	1
Other Zymotic Dis.	82	19	9	6	5	2	41	3	1	1	2	6	3	6	3	10	5	1
Cancer	23	1	-	-	-	-	1	-	-	-	-	-	1	2	10	6	3	-
Scrofula, Tabes Mesent.	53	22	4	1	3	1	31	2	5	4	2	4	3	1	-	1	-	-
Phthisis	195	5	5	1	1	-	12	4	10	20	22	47	31	29	14	4	2	-
Hydrocephalus	32	7	11	5	3	2	28	2	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	240	60	11	6	2	1	80	9	3	3	3	9	10	12	20	46	30	6
Heart Dis. and Dropsy	162	7	2	-	-	2	11	1	1	2	4	7	5	9	46	48	24	4
Dis. of Lungs	394	114	43	10	5	7	179	6	1	7	1	7	18	31	33	71	29	11
Dis. of Stom. and Liver	111	13	2	2	-	-	17	-	4	3	5	7	11	12	20	20	9	3
Dis. of Kidneys	32	-	-	-	-	-	-	-	-	-	-	1	1	3	1	14	8	4
Dis. of Gener. Organs	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	1	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	135	14	5	3	1	3	26	7	15	10	4	10	15	18	13	11	6	-
Other Causes	455	217	14	6	5	1	243	10	2	3	-	4	2	4	14	44	72	57
326.—BATH.																		
Mean Popul^{n}, 1851-61	28796	-	-	-	-	-	3551	3447	3506	2794	2244	3725	3222	2738	1986	1164	372	47
TOTAL DEATHS	7137	1532	432	239	129	106	2438	239	152	166	214	457	537	647	724	775	625	163
Small-pox	110	28	19	14	9	5	75	21	2	4	3	2	2	1	-	-	-	-
Measles	77	18	22	17	8	6	71	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	123	12	22	16	15	11	76	33	6	2	-	-	4	-	1	1	-	-
Diphtheria	16	4	1	3	2	-	10	2	3	-	-	-	-	-	1	-	-	-
Whooping-cough	90	33	26	19	2	6	86	4	-	-	-	-	-	-	-	-	-	-
Typhus	230	8	9	19	14	11	61	33	20	17	17	16	8	13	18	17	8	2
Cholera, Diarrh., Dysent^{y}	326	162	24	3	6	2	197	-	-	3	2	3	9	15	29	45	21	2
Other Zymotic Dis.	291	84	19	8	5	5	121	14	3	7	5	23	23	29	34	21	9	2
Cancer	81	-	-	-	-	1	1	-	1	3	1	1	4	24	31	11	1	3
Scrofula, Tabes Mesent.	157	55	17	9	5	7	93	18	14	8	7	8	5	-	3	1	-	-
Phthisis	902	3	8	4	2	2	19	9	18	48	114	234	188	158	76	34	4	-
Hydrocephalus	143	42	34	26	8	7	117	17	7	-	-	-	2	-	-	-	-	-
Diseases of Brain	904	228	42	22	15	11	318	19	15	13	19	34	53	97	112	156	63	5
Heart Dis. and Dropsy	423	7	2	1	1	1	12	8	11	8	6	20	37	61	91	89	69	11
Dis. of Lungs	1091	218	89	41	24	10	382	14	10	7	12	41	83	113	134	161	109	25
Dis. of Stom. and Liver	337	43	10	3	4	3	63	5	5	3	6	14	40	60	59	59	20	3
Dis. of Kidneys	158	-	-	-	-	-	-	2	3	3	2	11	20	14	37	33	30	3
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-
Diseases of the Joints	40	-	-	-	-	-	-	3	5	7	4	11	2	2	5	1	-	-
Diseases of the Skin	17	9	-	-	-	-	9	-	-	1	-	-	1	1	4	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	308	43	9	7	5	7	71	25	27	20	12	29	31	29	25	22	13	4
Other Causes	1310	535	79	27	4	11	656	6	2	12	3	10	25	30	62	124	277	103
327.—KEYNSHAM.																		
Mean Popul^{n}, 1851-61	10544	-	-	-	-	-	1526	1374	1273	1091	815	1256	1061	910	656	390	159	33
TOTAL DEATHS	2067	508	129	50	52	37	776	94	54	55	68	119	99	121	169	222	205	85
Small-pox	9	2	1	-	-	-	3	-	1	-	-	2	2	1	-	-	-	-
Measles	36	6	16	3	3	4	32	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	65	6	7	12	11	11	47	11	5	-	-	-	2	-	-	-	-	-
Diphtheria	6	-	1	-	1	2	4	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	42	19	14	2	3	2	40	2	-	-	-	-	-	-	-	-	-	-
Typhus	103	4	1	3	4	4	16	14	12	12	9	16	9	6	2	5	2	-
Cholera, Diarrh., Dysent^{y}	96	49	3	-	5	-	57	1	1	1	-	-	1	3	4	12	9	7
Other Zymotic Dis.	81	11	6	2	7	1	27	7	2	3	-	1	3	3	7	16	9	3
Cancer	16	1	-	-	-	-	1	-	-	-	-	-	2	6	3	2	1	1
Scrofula, Tabes Mesent.	31	8	5	-	-	1	14	3	2	3	2	4	2	-	-	1	-	-
Phthisis	222	9	2	-	-	-	11	6	8	14	34	54	32	28	16	13	5	1
Hydrocephalus	40	18	12	3	1	-	34	5	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	279	106	10	7	2	-	125	8	3	5	5	3	9	17	24	43	31	6
Heart Dis. and Dropsy	117	3	1	2	1	2	9	5	1	4	2	7	2	14	34	16	20	3
Dis. of Lungs	311	81	30	9	8	5	133	12	3	1	1	6	12	20	33	48	34	8
Dis. of Stom. and Liver	89	8	-	-	1	-	9	2	2	3	2	9	6	7	19	19	7	4
Dis. of Kidneys	21	-	-	-	-	-	-	-	-	1	1	-	-	1	6	5	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	90	4	4	4	4	3	19	7	6	8	10	13	11	10	4	8	1	2
Other Causes	396	172	16	3	1	2	194	4	6	-	2	2	5	5	16	33	80	49

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

325.—CLUTTON.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	12109	-	-	-	-	-	1728	1576	1411	958	954	1524	1336	1026	815	521	215	45
TOTAL DEATHS	2331	433	141	66	38	34	712	99	75	95	80	151	118	115	217	265	294	110
Small-pox	19	3	2	3	4	2	14	-	2	1	1	1	-	-	-	-	-	-
Measles	14	-	6	2	1	-	9	3	1	1	-	-	-	-	-	-	-	-
Scarlatina	69	3	13	8	7	10	41	21	6	1	-	-	-	-	-	-	-	-
Diphtheria	14	1	-	-	-	2	3	5	2	2	1	1	-	-	-	-	-	-
Whooping-cough	47	16	14	9	3	2	44	3	-	-	-	-	-	-	-	-	-	-
Typhus	100	1	5	4	5	1	16	18	16	13	5	9	3	6	5	7	2	-
Cholera, Diarrh., Dysent^{y}	67	19	16	3	-	-	38	1	1	-	-	2	3	2	5	3	10	2
Other Zymotic Dis.	68	13	5	3	4	2	27	9	-	1	1	3	1	3	5	6	9	3
Cancer	38	-	-	-	-	-	-	-	-	1	-	-	1	11	14	6	4	1
Scrofula, Tabes Mesent.	44	17	3	2	1	2	25	2	6	1	1	2	4	1	2	-	-	-
Phthisis	284	5	5	4	1	-	15	5	14	37	49	76	42	26	15	4	1	-
Hydrocephalus	25	6	7	3	1	-	17	4	2	1	-	1	-	-	-	-	-	-
Diseases of Brain	223	41	11	2	1	3	58	3	10	6	7	9	13	15	32	33	31	6
Heart Dis. and Dropsy	239	4	1	-	1	-	6	2	5	9	3	8	18	20	55	67	39	7
Dis. of Lungs	309	81	34	17	5	7	144	6	2	10	5	8	5	9	32	46	36	6
Dis. of Stom. and Liver	98	7	1	1	1	1	11	2	1	-	1	6	9	10	25	27	6	-
Dis. of Kidneys	12	-	-	-	-	-	-	1	2	1	1	1	1	-	-	3	2	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	1	-	1	-	-	1	2	2	1	-	-
Diseases of the Joints	7	1	-	-	-	-	1	-	-	1	-	2	-	-	1	2	-	-
Diseases of the Skin	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	3	2	-
Childbirth and Metria	34	-	-	-	-	-	-	-	-	4	3	13	12	2	-	-	-	-
Violent Deaths	34	6	2	2	2	1	13	5	-	1	-	2	1	-	4	3	4	1
Other Causes	572	208	16	3	1	1	229	8	5	3	2	7	4	8	20	54	148	84

326.—BATH.

Mean Popul^{n}, 1851-61	40295	-	-	-	-	-	3661	3457	3480	4069	4226	3590	3079	4001	2961	1885	763	123
TOTAL DEATHS	8087	1217	408	226	135	90	2076	251	177	250	255	536	557	629	809	1151	1023	373
Small-pox	88	19	12	5	11	6	53	16	5	7	2	1	1	3	-	-	-	-
Measles	76	14	22	17	4	7	64	8	4	-	-	-	-	-	-	-	-	-
Scarlatina	118	7	22	16	13	9	67	35	9	-	1	2	2	1	1	-	-	-
Diphtheria	16	-	2	4	1	2	9	1	1	-	2	1	-	-	1	1	-	-
Whooping-cough	127	44	32	29	10	7	122	5	-	-	-	-	-	-	-	-	-	-
Typhus	274	7	17	10	8	15	57	29	35	28	20	20	11	17	22	27	7	1
Cholera, Diarrh., Dysent^{y}	298	121	24	6	2	1	154	3	-	-	2	6	9	9	15	46	40	14
Other Zymotic Dis.	251	63	19	9	10	3	104	23	8	6	6	15	18	13	15	24	12	7
Cancer	244	-	-	-	-	-	-	-	1	-	-	16	28	62	60	50	25	2
Scrofula, Tabes Mesent.	157	46	19	14	5	2	86	15	10	12	3	12	8	4	4	3	-	-
Phthisis	931	7	5	3	-	2	17	20	38	102	121	250	180	116	67	15	4	1
Hydrocephalus	115	20	31	16	7	8	92	16	7	-	-	-	-	-	-	-	-	-
Diseases of Brain	990	170	33	15	18	8	244	23	14	23	16	46	55	95	127	190	142	15
Heart Dis. and Dropsy	602	5	4	3	-	1	13	4	9	16	13	30	48	75	132	167	75	20
Dis. of Lungs	1209	173	85	41	20	6	325	12	7	16	21	28	55	108	159	257	183	38
Dis. of Stom. and Liver	474	29	4	-	3	1	37	9	7	18	22	32	45	65	89	101	38	11
Dis. of Kidneys	76	-	-	-	-	1	1	1	1	1	1	14	14	9	16	15	3	-
Dis. of Gener. Organs	50	-	-	-	-	-	-	-	-	1	1	4	7	7	17	10	3	-
Diseases of the Joints	44	-	-	-	-	-	-	5	1	4	3	4	10	6	6	4	1	-
Diseases of the Skin	26	8	-	-	1	-	9	-	1	-	-	-	4	2	3	3	1	1
Childbirth and Metria	83	-	-	-	-	-	-	-	-	1	10	38	33	1	-	-	-	-
Violent Deaths	191	37	8	6	5	6	62	12	6	6	8	10	7	15	17	23	19	6
Other Causes	1647	437	69	32	17	5	560	14	13	9	3	7	22	21	58	215	468	257

327.—KEYNSHAM.

Mean Popul^{n}, 1851-61	11165	-	-	-	-	-	1455	1320	1211	1055	928	1559	1169	956	752	486	225	49
TOTAL DEATHS	2040	362	120	77	43	36	638	85	52	100	88	134	111	105	135	238	229	125
Small-pox	9	3	1	2	-	-	6	-	2	-	1	-	-	-	-	-	-	-
Measles	36	6	16	5	3	1	31	4	-	-	-	1	-	-	-	-	-	-
Scarlatina	68	7	7	10	8	9	41	15	8	3	-	1	-	-	-	-	-	-
Diphtheria	7	-	1	2	-	-	3	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	41	21	8	7	-	3	39	2	-	-	-	-	-	-	-	-	-	-
Typhus	115	-	-	5	4	2	11	18	14	25	13	9	1	8	3	8	5	-
Cholera, Diarrh., Dysent^{y}	79	28	4	2	-	-	34	-	-	-	-	4	4	1	4	9	19	4
Other Zymotic Dis.	80	6	11	2	5	5	29	5	-	1	2	-	1	2	8	13	13	6
Cancer	37	1	-	-	-	-	1	-	-	-	-	2	1	7	6	9	8	3
Scrofula, Tabes Mesent.	29	4	1	5	1	-	11	2	3	5	1	2	4	-	1	-	-	-
Phthisis	290	5	4	2	1	2	14	8	9	44	48	69	42	25	14	13	4	-
Hydrocephalus	29	8	7	3	2	2	22	2	3	1	1	-	-	-	-	-	-	-
Diseases of Brain	221	70	8	7	4	-	89	3	5	7	3	5	4	11	28	30	23	7
Heart Dis. and Dropsy	136	3	-	-	-	-	3	3	3	2	4	7	13	13	20	38	23	11
Dis. of Lungs	256	67	30	17	7	4	125	12	1	4	3	3	10	8	17	39	23	11
Dis. of Stom. and Liver	82	4	-	1	-	3	8	2	2	2	2	9	7	11	10	20	9	-
Dis. of Kidneys	11	-	-	-	-	-	-	1	-	-	2	-	-	1	2	4	1	-
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	-	-	2	5	3	4	2	1	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	34	-	-	-	-	-	-	-	-	2	4	15	12	1	-	-	-	-
Violent Deaths	38	5	3	1	4	3	16	3	-	1	3	3	1	3	1	3	2	2
Other Causes	420	123	19	6	4	2	154	2	1	3	1	1	6	10	17	48	96	81

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

328.—BEDMINSTER.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	19036	-	-	-	-	-	2741	2408	2134	1817	1537	2647	2142	1595	1123	814	348	32
TOTAL DEATHS	4005	1105	281	160	102	82	1730	169	82	99	135	207	225	244	321	388	311	94
Small-pox	56	17	4	7	8	4	40	10	1	1	2	-	1	1	-	-	-	-
Measles	82	12	27	21	12	4	76	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	182	14	32	27	29	30	132	41	7	1	-	1	-	-	-	-	-	-
Diphtheria	13	2	3	2	-	2	9	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	67	35	20	3	3	4	65	2	-	-	-	-	-	-	-	-	-	-
Typhus	155	6	7	9	11	5	38	26	20	12	12	8	10	5	8	9	5	2
Cholera, Diarrh., Dysent^{y}	149	88	15	3	-	1	107	1	1	1	-	2	4	3	5	14	10	1
Other Zymotic Dis.	134	34	9	9	8	3	63	7	4	3	2	7	8	6	11	15	7	1
Cancer	50	1	-	-	-	-	1	-	-	-	-	2	2	4	20	11	10	-
Scrofula, Tabes Mesent.	76	34	9	3	1	3	50	4	5	4	3	2	4	4	-	-	-	-
Phthisis	368	11	7	8	1	1	28	7	8	35	55	88	63	41	31	11	1	-
Hydrocephalus	59	22	16	4	4	1	47	10	-	2	-	-	-	-	-	-	-	-
Diseases of Brain	540	229	26	12	5	6	278	12	10	14	8	12	18	28	41	58	47	14
Heart Dis. and Dropsy	238	5	-	1	2	-	8	4	1	5	10	14	26	30	48	61	59	1
Dis. of Lungs	707	216	70	32	6	6	330	7	3	3	9	20	27	53	71	107	62	15
Dis. of Stom. and Liver	193	41	1	3	1	3	49	5	3	4	6	14	23	20	30	29	12	3
Dis. of Kidneys	66	-	1	-	3	1	5	1	1	2	2	5	5	11	8	12	13	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	1	-
Diseases of the Skin	11	7	2	-	-	-	9	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	202	21	6	6	5	8	46	14	13	7	22	26	24	21	16	6	5	2
Other Causes	646	310	26	10	3	-	349	10	2	4	3	5	9	17	31	54	108	54

329.—BRISTOL.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	30463	-	-	-	-	-	3374	3376	3212	3018	2940	4835	3764	2716	1653	793	245	37
TOTAL DEATHS	9043	2078	794	390	261	160	3683	424	224	256	305	685	738	804	728	649	424	123
Small-pox	136	25	34	12	16	8	95	20	6	3	6	5	1	-	-	-	-	-
Measles	197	28	69	42	28	14	181	16	-	-	-	-	-	-	-	-	-	-
Scarlatina	334	27	58	67	49	36	237	78	11	5	1	1	-	1	-	-	-	-
Diphtheria	28	3	4	4	6	4	21	2	3	-	1	1	-	-	-	-	-	-
Whooping-cough	151	61	48	21	9	4	143	6	1	-	-	1	-	-	-	-	-	-
Typhus	307	14	22	20	13	14	83	46	23	29	24	25	24	10	16	20	7	-
Cholera, Diarrh., Dysent^{y}	442	203	45	14	5	3	330	5	9	5	3	10	7	20	19	22	10	2
Other Zymotic Dis.	323	93	22	20	15	3	153	15	11	7	14	19	31	34	12	19	6	2
Cancer	117	1	1	-	-	-	2	-	-	-	2	9	21	31	31	18	3	-
Scrofula, Tabes Mesent.	226	81	41	16	6	7	151	23	13	8	11	7	7	3	2	1	-	-
Phthisis	1091	17	20	6	9	5	57	21	35	82	114	271	229	176	76	29	1	-
Hydrocephalus	144	54	38	17	10	6	125	14	2	2	-	-	-	-	1	-	-	-
Diseases of Brain	1062	375	89	26	23	15	528	32	18	12	15	48	72	76	92	102	59	8
Heart Dis. and Dropsy	416	3	4	-	2	-	9	17	13	20	21	45	51	79	80	65	15	-
Dis. of Lungs	1635	593	199	74	37	19	722	32	9	13	18	60	88	164	205	181	119	20
Dis. of Stom. and Liver	313	84	3	7	3	2	49	7	11	7	11	23	37	62	50	39	14	3
Dis. of Kidneys	199	1	1	1	1	2	6	5	6	6	5	26	30	28	32	30	21	4
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	57	1	1	-	1	1	4	5	7	12	1	8	8	5	6	1	-	-
Diseases of the Skin	25	8	2	1	-	-	11	2	1	1	2	-	-	1	3	4	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	711	46	15	23	20	11	115	70	41	39	52	108	96	84	50	37	16	3
Other Causes	1128	550	78	19	8	6	661	8	4	5	4	18	36	30	51	78	152	81

330.—CLIFTON.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	37837	-	-	-	-	-	5447	4353	4259	3619	3103	5301	4463	3194	2036	1108	400	49
TOTAL DEATHS	8756	2378	768	438	281	174	4039	396	189	198	239	512	509	546	652	721	590	165
Small-pox	94	18	18	10	10	4	60	17	4	3	4	2	1	2	-	1	-	-
Measles	249	47	74	58	29	22	230	18	1	-	-	-	-	-	-	-	-	-
Scarlatina	379	26	66	61	69	42	267	83	19	3	2	2	2	-	1	-	-	-
Diphtheria	31	2	7	2	3	4	18	9	3	-	-	-	-	-	-	-	1	-
Whooping-cough	165	70	54	18	10	5	157	8	-	-	-	-	-	-	-	-	-	-
Typhus	318	18	26	22	24	17	107	52	32	22	19	25	15	13	11	17	5	-
Cholera, Diarrh., Dysent^{y}	544	320	71	7	9	9	416	13	3	4	3	11	9	15	19	20	26	5
Other Zymotic Dis.	272	81	24	18	15	6	144	14	8	7	5	15	11	20	16	19	9	4
Cancer	61	-	-	-	-	-	-	-	-	2	-	2	10	5	20	17	5	-
Scrofula, Tabes Mesent.	216	81	37	24	11	3	156	26	12	7	5	3	1	2	2	2	-	-
Phthisis	1062	27	21	12	3	4	67	24	24	81	130	271	205	158	62	25	11	3
Hydrocephalus	152	63	44	20	6	7	140	7	5	-	-	-	-	-	-	-	-	-
Diseases of Brain	1130	399	70	36	21	15	541	25	16	15	14	36	69	69	104	110	90	11
Heart Dis. and Dropsy	392	6	2	6	3	3	20	9	15	7	10	31	43	50	73	86	38	5
Dis. of Lungs	1611	470	176	97	46	20	809	44	10	10	16	34	54	88	175	193	144	29
Dis. of Stom. and Liver	347	46	9	3	2	2	62	14	6	14	9	22	37	43	64	47	28	1
Dis. of Kidneys	130	1	-	-	1	-	2	-	2	5	1	12	6	20	24	31	21	6
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	19	2	-	1	-	1	4	4	1	-	2	3	1	1	2	1	-	-
Diseases of the Skin	12	3	-	-	-	-	3	-	-	-	-	-	1	-	4	3	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	256	21	10	21	9	3	64	24	21	10	14	31	19	25	24	12	10	2
Other Causes	1316	677	59	19	10	7	772	5	7	8	5	12	25	35	46	101	201	99

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

328.—BEDMINSTER.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	20664	-	-	-	-	-	2717	2364	2115	1924	1904	3155	2345	1819	1238	741	289	53
TOTAL DEATHS	3870	816	285	189	103	74	1467	172	84	133	117	258	254	213	277	352	390	153
Small-pox	53	15	8	6	5	2	36	9	2	1	-	4	-	1	-	-	-	-
Measles	86	21	20	16	13	4	74	12	-	-	-	-	-	-	-	-	-	-
Scarlatina	184	11	29	38	28	17	123	41	13	3	1	1	2	-	-	-	-	-
Diphtheria	9	3	-	1	2	-	6	1	-	1	-	-	-	1	-	-	-	-
Whooping-cough	99	46	25	19	4	2	96	3	-	-	-	-	-	-	-	-	-	-
Typhus	158	3	6	9	4	11	33	28	22	11	7	14	10	8	9	8	6	2
Cholera, Diarrh., Dysent^{y}	137	67	13	5	-	1	86	1	2	1	-	5	8	5	2	13	9	5
Other Zymotic Dis.	136	33	12	7	4	4	60	13	2	4	1	5	9	4	7	13	14	4
Cancer	83	1	-	1	-	1	3	-	-	1	1	2	16	19	13	18	9	1
Scrofula, Tabes Mesent.	42	15	6	2	1	3	27	2	2	4	1	2	2	2	-	-	-	-
Phthisis	414	7	3	-	2	2	14	11	18	61	66	107	74	37	23	3	-	-
Hydrocephalus	55	19	18	8	2	2	49	3	1	1	1	-	-	-	-	-	-	-
Diseases of Brain	420	168	25	12	8	8	221	12	7	11	10	14	17	34	46	55	53	10
Heart Dis. and Dropsy	247	1	-	2	-	-	3	7	2	8	3	20	31	24	51	51	39	8
Dis. of Lungs	626	122	72	48	21	11	274	13	6	11	11	20	24	34	53	81	81	18
Dis. of Stom. and Liver	238	22	10	7	2	1	42	5	5	7	6	21	17	21	39	44	26	5
Dis. of Kidneys	31	-	-	-	1	-	1	1	1	-	1	5	5	6	5	6	-	-
Dis. of Gener. Organs	22	-	-	-	-	-	-	-	-	-	-	4	6	4	3	1	4	-
Diseases of the Joints	9	-	-	-	-	-	-	2	-	1	1	2	1	-	2	-	-	-
Diseases of the Skin	10	5	-	-	-	-	5	-	-	-	-	-	-	-	2	3	-	-
Childbirth and Metria	50	-	-	-	-	-	-	-	-	1	7	22	19	1	-	-	-	-
Violent Deaths	46	12	5	2	2	3	24	3	-	-	-	3	5	-	1	3	4	3
Other Causes	645	245	33	6	4	2	290	5	1	6	-	7	8	12	21	53	145	97

329.—BRISTOL.

Mean Popul^{n}, 1851-61	35409	-	-	-	-	-	3870	3411	3126	3591	3738	5785	4529	3203	2175	1386	500	95
TOTAL DEATHS	8551	1664	714	373	234	158	3143	346	190	265	299	560	645	611	666	867	727	232
Small-pox	130	27	24	15	13	5	84	17	4	6	8	6	3	2	-	-	-	-
Measles	164	29	58	32	24	9	152	9	1	-	2	-	-	-	-	-	-	-
Scarlatina	315	23	46	59	52	40	220	75	12	5	1	1	1	-	-	-	-	-
Diphtheria	20	-	5	4	2	1	12	4	1	1	2	-	-	-	-	-	-	-
Whooping-cough	225	96	59	33	12	15	215	9	-	1	-	-	-	-	-	-	-	-
Typhus	335	12	22	21	23	15	93	46	30	30	36	34	21	11	14	14	6	-
Cholera, Diarrh., Dysent^{y}	417	198	49	17	4	3	271	6	4	5	2	13	19	13	22	27	24	11
Other Zymotic Dis.	266	93	20	15	9	7	144	12	6	13	10	19	14	14	15	9	6	4
Cancer	223	3	-	-	-	-	3	1	1	1	3	13	37	53	40	47	19	5
Scrofula, Tabes Mesent.	191	57	47	16	9	4	133	10	14	11	4	5	6	4	3	-	1	-
Phthisis	1032	14	12	6	9	5	46	33	34	103	130	251	232	128	47	26	2	-
Hydrocephalus	92	30	36	6	7	3	82	9	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	946	253	64	22	18	11	368	17	22	25	10	26	42	70	106	129	114	17
Heart Dis. and Dropsy	503	6	3	2	1	-	12	8	18	11	19	52	71	78	111	126	55	5
Dis. of Lungs	1523	285	180	90	32	20	607	33	12	10	10	37	51	103	163	255	198	41
Dis. of Stom. and Liver	401	27	8	7	2	2	43	10	6	8	21	26	49	52	61	77	43	2
Dis. of Kidneys	78	1	-	1	1	-	3	3	4	6	1	8	17	10	11	13	2	-
Dis. of Gener. Organs	53	-	-	-	-	-	-	-	-	2	3	7	10	14	7	10	-	-
Diseases of the Joints	33	2	2	-	2	1	7	1	3	5	-	3	2	5	2	-	-	-
Diseases of the Skin	11	2	1	-	-	1	4	-	-	-	-	1	1	1	-	2	1	1
Childbirth and Metria	100	-	-	-	-	-	-	-	-	-	6	22	37	32	3	-	-	-
Violent Deaths	237	24	11	11	8	11	65	37	7	14	3	7	14	22	18	21	11	10
Other Causes	1196	482	67	16	6	5	576	6	5	2	7	14	23	28	43	114	212	136

330.—CLIFTON.

Mean Popul^{n}, 1851-61	48481	-	-	-	-	-	5417	4976	4639	4824	5181	8063	5862	4316	2831	1652	602	112
TOTAL DEATHS	9367	1837	744	420	295	203	3499	389	217	260	276	623	598	553	765	986	863	338
Small-pox	81	21	11	14	9	8	63	6	2	1	3	5	-	-	1	-	-	-
Measles	208	31	62	50	31	16	190	15	1	1	-	-	-	1	-	-	-	-
Scarlatina	386	27	56	75	79	50	287	78	11	6	2	1	1	-	-	-	-	-
Diphtheria	30	-	3	2	3	5	13	8	3	2	1	2	-	-	1	-	-	-
Whooping-cough	212	81	54	28	24	17	204	8	-	-	-	-	-	-	-	-	-	-
Typhus	411	9	33	23	29	27	121	78	48	40	22	31	18	14	13	18	8	-
Cholera, Diarrh., Dysent^{y}	557	286	61	13	2	4	366	12	3	5	9	12	17	12	31	32	39	19
Other Zymotic Dis.	245	66	26	12	14	10	128	9	5	6	3	9	9	15	14	26	18	6
Cancer	209	-	-	-	-	1	1	1	-	3	-	11	35	35	56	41	24	2
Scrofula, Tabes Mesent.	190	58	39	13	6	5	121	20	12	4	7	7	4	4	8	3	-	-
Phthisis	1142	54	18	9	7	3	71	22	54	103	153	301	210	127	67	28	5	1
Hydrocephalus	124	33	36	15	6	8	101	14	8	1	-	-	-	-	-	-	-	-
Diseases of Brain	1089	272	66	35	14	13	400	35	20	28	19	48	49	56	110	183	121	20
Heart Dis. and Dropsy	554	6	4	4	2	1	17	7	12	15	10	59	53	80	119	123	65	11
Dis. of Lungs	1672	336	205	85	47	24	697	34	11	13	13	56	62	93	185	247	193	55
Dis. of Stom. and Liver	453	28	8	3	3	5	42	9	11	13	9	41	56	61	76	71	53	9
Dis. of Kidneys	62	-	-	-	3	-	3	1	2	3	3	8	9	8	11	7	4	3
Dis. of Gener. Organs	71	-	-	-	-	-	-	-	-	-	-	11	23	10	13	11	2	1
Diseases of the Joints	28	1	-	1	1	-	3	6	3	3	1	1	3	3	2	1	2	-
Diseases of the Skin	15	1	-	2	-	-	3	-	-	-	1	-	-	1	-	4	5	1
Childbirth and Metria	88	-	-	-	-	-	-	-	-	3	16	42	25	2	-	-	-	-
Violent Deaths	86	18	5	13	4	-	40	10	1	4	-	1	1	4	9	5	9	2
Other Causes	1434	526	62	23	11	6	628	16	10	6	4	15	23	27	46	155	315	289

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
331.—CHIPPING SODBURY.																		
Mean Popul^{n}, 1851-61	9394	-	-	-	-	-	1262	1147	1055	913	748	1172	1009	836	647	415	167	23
TOTAL DEATHS	1833	425	95	42	39	24	625	80	43	54	51	100	110	91	152	229	213	85
Small-pox	4	2	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Measles	25	3	8	1	4	1	17	6	1	1	-	-	-	-	-	-	-	-
Scarlatina	16	-	1	2	3	3	9	6	1	-	-	-	-	-	-	-	-	-
Diphtheria	8	1	1	2	-	-	4	2	1	1	-	-	-	-	-	-	-	-
Whooping-cough	33	16	9	2	2	2	31	2	-	-	-	-	-	-	-	-	-	-
Typhus	57	-	1	3	-	2	6	6	9	8	4	6	3	4	2	3	5	1
Cholera, Diarrh., Dysent^{y}	76	20	4	2	1	-	27	1	1	-	-	1	1	1	12	16	13	3
Other Zymotic Dis.	56	10	7	3	1	2	23	3	2	2	-	4	1	2	7	6	5	1
Cancer	13	-	-	-	-	-	-	-	-	-	-	1	2	2	5	2	1	-
Scrofula, Tabes Mesent.	35	4	1	1	2	-	8	5	6	2	-	6	2	2	2	1	1	-
Phthisis	165	5	2	-	-	-	7	-	7	12	25	46	36	13	13	6	-	-
Hydrocephalus	37	15	6	4	6	2	33	2	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	214	59	6	2	4	2	73	12	1	5	2	4	17	15	22	30	30	3
Heart Dis. and Dropsy	132	1	-	-	-	-	1	2	4	4	2	6	9	12	23	38	25	6
Dis. of Lungs	287	81	27	8	6	5	127	11	3	3	3	5	10	17	15	48	35	10
Dis. of Stom. and Liver	81	7	1	1	1	-	10	3	-	4	3	4	7	4	13	21	11	1
Dis. of Kidneys	33	-	-	-	-	-	-	2	-	1	-	3	1	1	11	9	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-
Diseases of the Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	100	6	1	4	4	4	19	6	4	10	8	7	10	8	12	10	5	1
Other Causes	453	193	20	7	5	1	226	9	2	1	3	5	11	9	14	37	78	58
332.—THORNBURY.																		
Mean Popul^{n}, 1851-61	8310	-	-	-	-	-	1052	954	916	824	683	1115	934	755	586	345	130	14
TOTAL DEATHS	1378	270	67	45	32	11	425	58	23	48	45	76	75	104	121	185	169	49
Small-pox	3	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
Measles	10	3	2	2	1	-	8	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	30	1	7	6	4	2	20	6	1	2	1	-	-	-	-	-	-	-
Diphtheria	4	1	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	37	11	9	7	2	1	30	6	1	-	-	-	-	-	-	-	-	-
Typhus	49	3	2	1	-	2	8	8	6	3	4	7	2	3	3	2	2	1
Cholera, Diarrh., Dysent^{y}	36	10	2	-	2	-	14	-	-	-	-	-	2	5	5	2	7	1
Other Zymotic Dis.	40	4	1	-	1	1	7	2	1	2	-	3	5	4	7	2	7	-
Cancer	14	-	-	-	-	-	-	-	-	1	-	-	1	3	4	3	1	1
Scrofula, Tabes Mesent.	35	10	5	-	1	-	16	2	3	6	2	2	-	-	3	1	-	-
Phthisis	151	6	2	1	-	-	9	3	4	10	19	36	26	20	14	8	2	-
Hydrocephalus	18	6	1	6	1	1	15	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	167	52	4	4	2	1	63	3	-	5	4	5	6	11	14	33	20	3
Heart Dis. and Dropsy	112	3	-	1	1	-	5	3	1	7	2	5	7	9	20	34	16	3
Dis. of Lungs	204	58	13	9	5	3	88	6	-	-	5	3	9	10	19	30	29	5
Dis. of Stom. and Liver	90	6	2	2	2	-	12	-	-	4	2	3	4	13	19	27	6	1
Dis. of Kidneys	25	-	-	-	-	-	-	-	-	-	1	1	2	1	5	7	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	80	1	3	2	6	-	12	8	6	7	4	9	7	14	4	4	5	-
Other Causes	270	94	14	4	3	-	115	4	-	1	-	1	3	11	4	31	67	33
333.—DURSLEY.																		
Mean Popul^{n}, 1851-61	6805	-	-	-	-	-	818	804	759	640	499	830	704	644	562	367	161	17
TOTAL DEATHS	1433	288	72	27	23	17	427	51	28	32	56	87	74	81	130	213	191	63
Small-pox	2	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	11	3	4	1	2	1	11	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	32	-	5	8	4	2	19	12	-	1	-	-	-	-	-	-	-	-
Diphtheria	9	-	1	1	1	1	4	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough	13	7	3	1	1	-	12	-	1	-	-	-	-	-	-	-	-	-
Typhus	41	3	-	2	1	3	9	7	2	6	5	6	1	2	2	1	-	-
Cholera, Diarrh., Dysent^{y}	30	7	1	-	-	-	8	2	-	-	-	3	2	2	4	4	3	2
Other Zymotic Dis.	45	11	4	2	1	1	19	1	1	-	1	2	-	3	6	10	-	2
Cancer	15	-	-	-	-	-	-	-	-	-	1	-	1	3	3	6	-	1
Scrofula, Tabes Mesent.	35	14	4	1	-	-	19	-	-	2	2	2	4	-	2	4	-	-
Phthisis	147	-	1	-	-	1	2	2	5	11	35	39	33	18	6	1	-	-
Hydrocephalus	11	3	1	1	-	1	6	2	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	167	56	4	2	1	-	63	2	3	1	5	8	4	10	16	33	21	1
Heart Dis. and Dropsy	118	5	2	-	1	1	9	2	2	5	2	4	3	14	22	34	18	3
Dis. of Lungs	199	52	21	2	5	1	81	6	2	3	1	4	1	9	27	33	25	7
Dis. of Stom. and Liver	69	5	1	-	1	-	7	3	1	1	-	2	6	9	7	22	10	1
Dis. of Kidneys	31	-	-	-	-	-	-	-	-	1	1	1	4	1	6	10	3	4
Dis. of Gener. Organs	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	66	-	4	3	2	3	12	4	5	1	2	9	8	6	7	8	1	3
Other Causes	384	119	16	3	2	2	142	4	2	-	1	6	6	9	19	47	109	39

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
331.—CHIPPING SODBURY.																		
Mean Popul^{n}, 1851-61	9250	-	-			-	1249	1155	1011	782	680	1244	1034	814	629	431	189	32
TOTAL DEATHS	1758	324	79	46	39	27	515	70	45	67	78	109	100	94	131	206	238	105
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	19	2	4	4	2	1	13	5	-	-	-	1	-	-	-	-	-	-
Scarlatina	17	2	3	1	-	5	11	4	2	-	-	-	-	-	-	-	-	-
Diphtheria	10	-	1	1	-	2	4	3	1	1	-	1	-	-	-	-	-	-
Whooping-cough	35	14	10	5	2	3	34	-	1	-	-	-	-	-	-	-	-	-
Typhus	63	1	1	-	1	3	6	9	6	8	5	6	4	4	5	7	2	1
Cholera, Diarrh., Dysent^{y}	59	19	2	2	2	-	25	1	1	2	-	2	2	-	7	6	11	2
Other Zymotic Dis.	49	10	2	4	5	1	22	4	1	-	2	1	1	1	6	5	4	2
Cancer	40	-	-	-	-	1	1	-	-	-	-	2	6	11	4	13	3	-
Scrofula, Tabes Mesent.	26	5	2	2	-	1	10	2	1	4	1	1	2	1	1	3	-	-
Phthisis	237	3	1	-	2	-	6	5	14	30	43	47	46	19	18	7	2	-
Hydrocephalus	21	4	4	3	2	-	13	3	3	-	1	-	1	-	-	-	-	-
Diseases of Brain	186	51	7	2	3	-	63	5	6	4	8	6	8	8	19	30	21	8
Heart Dis. and Dropsy	128	2	1	-	2	-	5	1	1	3	2	3	3	16	18	42	26	6
Dis. of Lungs	208	50	21	13	10	4	98	13	3	1	1	9	3	10	17	21	29	3
Dis. of Stom. and Liver	102	6	1	1	-	-	8	5	1	3	5	8	12	7	19	19	14	1
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	-	1	-	-	4	1	7	3	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	1	-
Diseases of the Joints	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Skin	8	1	-	-	-	-	1	-	-	-	1	-	-	-	-	3	2	1
Childbirth and Metria	22	-	-	-	-	-	-	-	-	1	2	12	5	2	-	-	-	-
Violent Deaths	35	4	2	2	4	2	14	7	1	1	1	4	-	2	1	1	2	1
Other Causes	466	148	17	6	4	4	179	3	3	9	5	4	5	8	14	40	118	78
332.—THORNBURY.																		
Mean Popul^{n}, 1851-61	8167	-	-	-	-	-	1042	998	868	738	668	1088	926	743	550	362	158	26
TOTAL DEATHS	1378	223	62	24	25	19	353	52	36	61	75	104	88	79	114	172	175	69
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles	9	2	5	-	1	1	9	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	25	2	-	2	3	1	8	12	2	1	1	1	-	-	-	-	-	-
Diphtheria	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	35	26	4	2	1	-	33	2	-	-	-	-	-	-	-	-	-	-
Typhus	66	1	2	1	-	1	5	8	5	12	5	7	4	4	4	5	5	2
Cholera, Diarrh., Dysent^{y}	25	7	2	-	3	-	12	1	-	-	-	-	1	2	1	3	5	-
Other Zymotic Dis.	44	3	3	4	2	1	13	-	1	2	-	3	1	5	4	8	7	-
Cancer	43	-	-	-	-	-	-	-	-	-	1	3	7	6	12	8	4	2
Scrofula, Tabes Mesent.	27	4	6	-	3	2	15	1	-	3	2	1	3	-	-	2	-	-
Phthisis	195	3	2	1	2	1	9	9	11	21	34	47	32	10	14	6	2	-
Hydrocephalus	17	6	4	-	1	1	12	3	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	156	27	3	1	4	-	35	1	3	3	8	10	4	10	16	34	23	4
Heart Dis. and Dropsy	111	-	-	1	-	-	1	1	9	4	2	7	7	13	20	30	16	1
Dis. of Lungs	183	52	20	7	2	7	88	5	-	3	4	7	8	6	13	21	23	5
Dis. of Stom. and Liver	79	2	-	1	1	-	4	3	1	-	8	3	5	12	15	18	9	1
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	-
Diseases of the Joints	3	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Childbirth and Metria	26	-	-	-	-	-	-	-	-	2	7	8	9	-	-	-	-	-
Violent Deaths	18	3	1	3	1	3	11	2	-	1	-	1	-	-	1	-	1	1
Other Causes	295	84	10	1	1	1	97	1	1	2	3	5	5	6	11	33	79	52
333.—DURSLEY.																		
Mean Popul^{n}, 1851-61	7262	-	-	-	-	-	792	749	726	628	590	961	808	734	611	431	199	33
TOTAL DEATHS	1544	203	52	18	20	19	312	50	32	48	62	83	111	83	138	238	272	115
Small-pox	3	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
Measles	13	3	3	-	2	3	11	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	21	-	5	3	3	4	15	5	1	-	-	-	-	-	-	-	-	-
Diphtheria	11	1	-	1	1	2	5	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough	18	11	4	-	1	-	16	1	1	-	-	-	-	-	-	-	-	-
Typhus	47	3	1	-	1	-	5	11	10	5	4	3	3	4	-	1	1	-
Cholera, Diarrh., Dysent^{y}	28	9	1	-	-	-	10	-	-	-	-	4	-	-	6	5	1	2
Other Zymotic Dis.	36	6	1	1	2	-	10	2	1	1	-	1	3	2	5	8	1	2
Cancer	34	-	-	-	-	-	-	-	-	-	-	3	4	5	9	8	5	-
Scrofula, Tabes Mesent.	34	11	2	-	1	-	14	1	3	1	-	3	5	4	3	-	-	-
Phthisis	183	-	-	1	-	-	1	5	4	27	40	39	38	17	8	4	-	-
Hydrocephalus	7	1	1	1	-	1	4	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	149	29	3	-	2	2	36	3	-	2	3	5	5	7	17	36	27	8
Heart Dis. and Dropsy	166	2	-	-	-	-	2	1	7	4	3	4	15	10	35	43	34	8
Dis. of Lungs	191	42	14	7	4	1	68	5	-	-	1	2	9	9	17	43	32	5
Dis. of Stom. and Liver	92	8	2	1	-	-	11	1	2	5	4	3	8	13	15	19	10	1
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Diseases of the Joints	6	-	-	-	-	1	1	-	-	2	1	-	1	1	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	-	1	8	10	-	-	-	-	-
Violent Deaths	34	4	2	2	2	2	12	4	1	1	2	-	4	1	1	1	3	4
Other Causes	440	72	13	1	1	3	90	2	-	-	3	7	4	8	18	66	157	85

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
334.—WESTBURY-ON-SEVERN.																		
Mean Popul^{n}, 1851-61	9905	-	-	-	-	-	1424	1306	1154	948	803	1294	1103	833	567	328	129	11
TOTAL DEATHS	1798	446	121	53	51	38	709	76	46	56	68	128	91	108	132	173	160	51
Small-pox	9	1	-	1	1	-	3	1	-	-	3	-	1	1	-	-	-	
Measles	24	3	10	3	2	3	21	3	-	-	-	-	-	-	-	-	-	
Scarlatina	82	4	13	8	17	13	55	18	7	1	1	-	-	-	-	-	-	
Diphtheria	3	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	
Whooping-cough	26	13	9	1	-	-	23	3	-	-	-	-	-	-	-	-	-	
Typhus	92	3	6	5	1	1	16	10	9	6	9	11	5	8	10	6	2	
Cholera, Diarrh., Dysent^{y}	44	24	6	-	1	-	31	1	-	-	-	1	-	2	1	4	4	
Other Zymotic Dis.	55	19	2	4	1	6	32	3	-	2	2	-	5	4	1	3	3	
Cancer	14	-	-	-	-	-	-	-	-	-	2	-	1	5	4	-	2	
Scrofula, Tabes Mesent.	51	25	10	5	-	-	40	4	-	1	1	1	2	-	2	-	-	
Phthisis	153	4	2	-	2	2	10	2	5	19	26	58	15	14	2	2	-	
Hydrocephalus	24	6	9	-	6	1	22	1	1	-	-	-	-	-	-	-	-	
Diseases of Brain	166	47	7	-	3	1	58	4	3	2	7	3	5	13	21	27	22	1
Heart Dis. and Dropsy	106	4	1	-	1	1	7	3	-	6	2	4	7	12	21	29	15	
Dis. of Lungs	306	116	22	14	9	4	165	8	2	2	-	9	14	16	31	35	20	4
Dis. of Stom. and Liver	104	23	6	1	3	-	33	1	5	1	5	6	10	14	11	16	2	
Dis. of Kidneys	23	-	-	1	-	-	1	1	1	-	-	5	5	1	2	5	2	
Dis. of Gener. Organs	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
Diseases of the Joints	6	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	-	
Diseases of the Skin	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	124	4	6	6	4	3	23	10	11	12	8	19	17	10	11	2	-	1
Other Causes	381	149	11	4	-	2	166	2	1	2	1	9	3	8	14	44	86	45
335.—NEWENT.																		
Mean Popul^{n}, 1851-61	6350	-	-	-	-	-	880	776	712	578	473	764	699	626	441	271	105	25
TOTAL DEATHS	1234	311	60	48	38	21	478	42	19	30	32	65	52	70	108	143	139	56
Small-pox	7	1	-	2	1	-	4	-	-	-	-	1	-	-	1	-	1	
Measles	15	5	6	1	-	1	13	-	1	-	-	1	-	-	-	-	-	
Scarlatina	48	3	5	12	8	-	28	14	1	3	1	-	1	-	-	-	-	
Diphtheria	9	3	1	2	-	1	7	-	1	-	1	-	-	-	-	-	-	
Whooping-cough	12	5	3	1	1	2	12	-	-	-	-	-	-	-	-	-	-	
Typhus	37	-	1	2	2	1	6	3	1	3	1	8	1	2	6	6	-	
Cholera, Diarrh., Dysent^{y}	17	10	2	-	1	-	13	-	-	-	-	-	-	-	-	3	-	1
Other Zymotic Dis.	44	3	4	1	5	2	15	1	2	-	2	3	1	3	10	4	3	
Cancer	10	-	-	-	-	-	-	-	1	-	1	1	1	1	3	1	1	
Scrofula, Tabes Mesent.	10	2	-	1	1	-	4	-	-	1	-	1	3	1	-	-	-	
Phthisis	126	12	4	3	2	1	22	4	2	5	16	25	20	15	9	7	1	
Hydrocephalus	16	8	1	1	2	1	13	2	-	1	-	-	-	-	-	-	-	
Diseases of Brain	133	51	7	4	4	-	66	2	-	2	-	5	6	4	14	17	14	3
Heart Dis. and Dropsy	110	3	-	2	-	2	7	2	1	1	-	2	6	10	25	29	26	1
Dis. of Lungs	177	55	18	9	7	5	94	4	3	1	5	7	6	7	13	25	10	2
Dis. of Stom. and Liver	73	22	1	2	2	1	28	1	-	2	3	4	4	7	14	5	4	1
Dis. of Kidneys	8	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	2	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of the Joints	3	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	48	1	2	2	1	3	9	7	3	9	1	3	3	5	4	3	1	
Other Causes	327	125	5	3	1	1	135	2	2	1	1	2	-	14	7	40	75	43
336.—GLOUCESTER.																		
Mean Popul^{n}, 1851-61	16408	-	-	-	-	-	2142	1874	1648	1542	1518	2563	2032	1458	940	487	182	22
TOTAL DEATHS	3873	933	238	135	96	67	1469	155	76	92	129	306	322	284	335	361	263	81
Small-pox	76	13	14	7	9	6	49	13	2	3	2	1	3	2	1	-	-	
Measles	76	15	25	17	12	4	73	2	1	-	-	-	-	-	-	-	-	
Scarlatina	111	7	22	22	11	14	76	29	3	1	-	-	-	-	-	-	-	
Diphtheria	12	1	-	1	1	6	9	3	-	-	-	-	-	-	2	-	-	
Whooping-cough	43	24	9	3	3	2	41	2	-	-	-	-	-	-	-	-	-	
Typhus	134	14	8	4	7	4	37	18	9	6	9	15	12	10	9	9	-	
Cholera, Diarrh., Dysent^{y}	246	147	28	7	3	1	186	6	1	-	8	7	6	7	7	11	7	
Other Zymotic Dis.	171	64	10	12	3	4	93	9	3	4	2	6	7	8	13	18	7	1
Cancer	32	-	-	-	-	-	-	-	-	-	-	1	4	6	10	7	4	
Scrofula, Tabes Mesent.	68	15	5	5	6	3	34	9	3	3	4	6	6	2	-	1	-	
Phthisis	411	17	6	4	2	3	32	11	9	31	48	116	76	40	36	11	1	
Hydrocephalus	59	20	16	7	5	2	50	7	1	-	-	1	-	-	-	-	-	
Diseases of Brain	570	130	13	10	9	9	171	15	7	10	10	51	69	67	65	65	30	10
Heart Dis. and Dropsy	195	4	2	-	-	-	6	5	3	2	4	12	31	31	32	50	15	4
Dis. of Lungs	478	112	45	24	14	1	196	5	2	6	7	22	32	28	58	59	52	11
Dis. of Stom. and Liver	156	28	3	1	1	1	34	2	2	3	3	10	20	28	33	17	4	
Dis. of Kidneys	57	-	-	-	-	-	-	3	-	1	2	7	5	9	6	10	13	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Diseases of the Joints	20	-	-	-	-	-	-	2	6	1	1	3	1	-	3	2	1	
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Violent Deaths	238	5	6	7	5	6	29	12	21	19	24	35	34	24	27	10	3	
Other Causes	717	316	26	4	5	1	352	2	3	2	5	13	16	22	32	90	126	54

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

334.—WESTBURY-ON-SEVERN.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards
Mean Popul^{n}, 1851–61	9252	-	-	-	-	-	1396	1268	1032	762	721	1295	1020	734	521	335	138	30
TOTAL DEATHS	1700	387	114	53	42	32	628	71	55	68	66	117	95	80	107	162	179	72
Small-pox	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Measles	16	1	1	3	5	1	11	3	–	1	–	1	–	–	–	–	–	–
Scarlatina	74	3	12	4	10	15	44	22	6	2	–	–	–	–	–	–	–	–
Diphtheria	4	–	–	1	1	1	3	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	37	19	6	3	3	2	33	3	–	1	–	–	–	–	–	–	–	–
Typhus	89	2	6	7	4	5	24	8	11	8	5	6	10	6	4	4	3	–
Cholera, Diarrh., Dysent^{y}	41	21	4	2	–	–	27	2	–	2	–	1	2	1	1	4	1	–
Other Zymotic Dis.	45	11	5	6	3	1	26	1	4	4	1	–	3	–	3	1	2	–
Cancer	29	1	–	–	–	–	1	–	–	1	–	2	5	4	6	6	4	–
Scrofula, Tabes Mesent.	38	13	7	1	–	–	21	5	1	6	–	2	1	–	1	1	–	–
Phthisis	177	5	5	1	–	–	11	4	16	20	33	46	24	15	7	1	–	–
Hydrocephalus	31	10	9	2	1	1	23	5	2	–	–	–	–	1	–	–	–	–
Diseases of Brain	166	50	9	4	3	1	67	5	1	5	5	5	7	10	14	19	27	1
Heart Dis. and Dropsy	120	8	1	–	–	–	9	–	3	5	7	14	9	7	26	24	12	4
Dis. of Lungs	212	71	32	11	4	3	121	7	4	4	2	6	8	13	15	19	12	1
Dis. of Stom. and Liver	110	22	5	3	2	–	32	2	2	2	5	12	7	16	10	16	6	–
Dis. of Kidneys	7	–	–	–	–	–	–	–	–	–	1	–	2	1	3	–	–	–
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	–	1	1	3	–	2	3	–	–
Diseases of the Joints	3	1	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–
Diseases of the Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	30	–	–	–	–	–	–	–	–	1	3	15	10	1	–	–	–	–
Violent Deaths	25	1	2	2	5	1	11	3	2	1	1	1	–	1	2	2	1	–
Other Causes	433	148	10	3	1	1	163	1	3	3	1	5	2	4	13	61	111	66

335.—NEWENT.

Mean Popul^{n}, 1851–61	6147	-	-	-	-	-	816	776	645	503	492	804	707	553	430	263	133	25
TOTAL DEATHS	1170	210	54	33	24	17	338	69	23	37	37	68	77	66	86	135	164	70
Small-pox	2	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Measles	12	–	5	–	–	2	7	4	–	1	–	–	–	–	–	–	–	–
Scarlatina	39	1	2	7	6	6	22	13	4	–	–	–	–	–	–	–	–	–
Diphtheria	18	3	–	2	1	–	6	11	1	–	–	–	–	–	–	–	–	–
Whooping cough	10	2	4	1	1	1	9	1	–	–	–	–	–	–	–	–	–	–
Typhus	44	3	1	–	1	3	7	4	4	7	8	4	3	3	–	4	–	–
Cholera, Diarrh., Dysent^{y}	15	8	–	–	1	–	9	–	–	–	–	2	–	–	1	1	2	–
Other Zymotic Dis.	36	9	–	3	3	1	16	4	1	1	2	–	1	1	3	4	2	1
Cancer	37	–	–	–	–	–	–	–	–	–	–	2	2	12	8	10	2	1
Scrofula, Tabes Mesent.	9	2	–	2	1	–	5	1	–	1	–	–	1	1	–	–	–	–
Phthisis	134	5	4	2	2	–	13	2	4	17	15	30	33	9	7	3	1	–
Hydrocephalus	7	4	1	–	1	–	6	–	–	–	–	–	–	–	–	–	1	–
Diseases of Brain	109	33	4	–	1	–	38	4	3	1	2	5	6	6	13	18	10	3
Heart Dis. and Dropsy	115	4	1	–	–	–	5	3	2	4	2	6	12	18	14	33	15	2
Dis. of Lungs	118	37	15	8	3	1	64	8	–	2	–	3	4	7	9	12	8	1
Dis. of Stom. and Liver	68	16	3	2	–	2	23	6	2	1	1	8	1	3	7	14	2	–
Dis. of Kidneys	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Diseases of the Joints	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Diseases of the Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	21	–	–	–	–	–	–	–	–	–	6	7	8	–	–	–	–	–
Violent Deaths	23	1	3	3	2	–	9	5	2	–	–	–	1	1	2	1	–	2
Other Causes	343	81	10	3	2	1	97	3	–	1	1	–	4	4	13	34	120	69

336.—GLOUCESTER.

Mean Popul^{n}, 1851–61	17039	-	-	-	-	-	2145	1882	1653	1597	1754	2690	2009	1437	1032	609	227	47
TOTAL DEATHS	3586	716	265	125	96	54	1256	153	81	115	147	289	282	217	265	342	302	137
Small-pox	77	19	14	7	10	4	54	13	2	2	5	1	–	–	–	–	–	–
Measles	75	8	23	10	8	6	60	11	2	1	1	–	1	–	2	–	–	1
Scarlatina	97	12	16	15	20	7	70	18	4	1	–	1	–	2	–	–	1	–
Diphtheria	26	–	3	3	4	2	12	11	2	–	–	–	1	–	–	–	–	–
Whooping-cough	55	22	18	7	4	1	52	2	1	–	–	2	–	1	–	–	–	–
Typhus	144	7	9	9	7	5	37	22	11	14	12	16	15	5	7	3	1	–
Cholera, Diarrh., Dysent^{y}	193	108	15	11	8	1	143	3	2	–	3	6	6	2	5	9	12	2
Other Zymotic Dis.	139	39	10	8	3	2	62	9	4	4	4	9	6	6	5	9	9	3
Cancer	81	–	–	–	–	–	–	–	–	2	2	6	11	19	22	13	5	1
Scrofula, Tabes Mesent.	56	13	8	4	2	–	27	7	3	3	1	6	2	–	5	–	–	–
Phthisis	482	29	10	8	2	1	41	10	26	41	57	129	90	41	24	12	2	–
Hydrocephalus	43	17	13	2	5	1	38	2	2	–	–	–	–	–	1	–	–	–
Diseases of Brain	469	105	21	8	3	7	144	12	10	10	15	34	32	41	48	58	35	7
Heart Dis. and Dropsy	245	5	2	2	–	–	9	1	1	9	7	16	20	29	50	59	38	6
Dis. of Lungs	469	79	69	22	11	5	177	8	1	3	4	12	13	16	40	65	57	15
Dis. of Stom. and Liver	184	17	4	2	2	1	26	5	4	9	13	14	16	31	23	31	8	1
Dis. of Kidneys	16	–	–	–	–	–	–	1	1	–	3	6	1	1	1	1	1	–
Dis. of Gener. Organs	18	–	–	–	–	–	–	–	–	–	3	2	4	3	2	4	–	–
Diseases of the Joints	19	–	–	–	–	–	–	1	2	7	2	3	1	2	1	–	–	–
Diseases of the Skin	10	4	1	–	–	–	5	–	–	1	–	–	–	1	–	2	1	–
Childbirth and Metria	46	–	–	–	–	–	–	–	–	–	7	19	20	–	–	–	–	–
Violent Deaths	61	3	2	1	6	7	19	8	3	3	4	4	1	5	3	8	2	1
Other Causes	655	238	31	6	1	4	280	5	–	3	4	5	14	13	28	70	130	101

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
337.—WHEATENHURST.																		
Mean Popul^{n}, 1851-61	3822	–	–	–	–	–	528	435	421	353	233	471	403	351	270	173	69	10
TOTAL DEATHS	755	155	44	29	19	21	268	39	23	21	20	37	35	46	48	92	91	35
Small-pox	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Measles	7	2	3	2	–	–	7	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	55	3	12	9	5	10	39	14	2	–	–	–	–	–	–	–	–	–
Diphtheria	10	1	1	1	3	–	6	3	1	–	–	–	–	–	–	–	–	–
Whooping-cough	15	7	3	1	1	3	14	1	–	–	–	–	–	–	–	–	–	–
Typhus	39	1	–	1	1	–	3	5	4	7	1	1	3	3	6	2	4	–
Cholera, Diarrh., Dysent^{y}	40	22	5	–	–	1	28	1	1	–	–	2	1	1	–	2	3	1
Other Zymotic Dis.	42	9	2	2	–	1	14	–	1	–	1	1	3	4	4	6	7	1
Cancer	18	–	–	–	1	–	1	–	–	1	–	2	2	2	2	6	2	–
Scrofula, Tabes Mesent.	10	4	1	2	1	–	8	–	–	–	1	–	–	–	1	–	–	–
Phthisis	42	–	–	–	–	–	–	–	–	8	8	18	7	3	2	1	–	–
Hydrocephalus	13	3	5	1	1	–	10	3	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	58	12	–	–	1	–	13	2	4	1	–	1	3	3	5	16	8	2
Heart Dis. and Dropsy	33	–	–	–	–	–	–	–	1	–	1	1	4	5	5	12	3	1
Dis. of Lungs	90	19	6	4	4	2	35	1	–	1	1	3	2	9	8	16	13	1
Dis. of Stom. and Liver	22	2	–	1	–	1	4	–	–	–	2	–	2	2	5	3	4	–
Dis. of Kidneys	21	–	–	–	–	–	–	–	–	–	–	2	–	7	2	5	4	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	55	3	2	1	2	2	10	7	9	3	4	9	5	3	3	2	–	–
Other Causes	183	67	4	4	–	1	76	2	–	–	–	1	3	4	5	21	43	28
338.—STROUD.																		
Mean Popul^{n}, 1851-61	17269	–	–	–	–	–	2281	2025	1974	1760	1320	2074	1798	1688	1276	752	278	43
TOTAL DEATHS	3747	869	246	116	73	57	1361	150	96	106	105	197	176	244	319	457	434	102
Small-pox	11	4	1	–	–	1	6	–	1	–	–	1	1	–	2	–	–	–
Measles	54	8	14	3	12	1	38	13	3	–	–	–	–	–	–	–	–	–
Scarlatina	156	10	15	26	18	20	89	48	8	4	–	2	3	1	–	–	1	–
Diphtheria	12	1	1	1	2	3	8	2	1	–	1	–	–	–	–	–	–	–
Whooping-cough	35	10	12	6	2	2	32	3	–	–	–	–	–	–	–	–	–	–
Typhus	134	11	6	4	1	3	25	13	20	18	14	8	7	11	6	9	3	–
Cholera, Diarrh., Dysent^{y}	96	51	7	–	3	–	61	–	–	2	3	2	2	2	4	9	11	–
Other Zymotic Dis.	138	29	8	10	9	4	60	2	5	1	2	5	7	9	12	23	10	2
Cancer	29	–	–	–	–	–	–	–	–	–	1	1	1	2	15	6	3	–
Scrofula, Tabes Mesent.	111	40	14	9	2	1	66	6	7	8	2	10	3	4	2	2	1	–
Phthisis	333	7	9	–	1	–	17	11	9	40	44	77	61	34	27	10	2	1
Hydrocephalus	67	25	14	9	3	3	54	6	5	1	1	–	–	–	–	–	–	–
Diseases of Brain	396	94	20	7	4	5	130	7	7	6	9	17	19	31	35	77	55	3
Heart Dis. and Dropsy	257	6	4	–	1	2	13	4	3	5	4	6	18	31	54	73	42	4
Dis. of Lungs	580	159	67	25	5	5	261	8	4	6	6	23	20	49	66	79	50	8
Dis. of Stom. and Liver	194	29	4	1	1	1	36	9	7	4	4	13	8	25	39	30	18	1
Dis of Kidneys	67	–	1	1	1	–	3	–	1	–	–	2	5	8	11	21	15	1
Dis. of Gener. Organs	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Diseases of the Joints	15	1	–	–	–	–	1	–	3	4	1	3	–	1	1	1	–	–
Diseases of the Skin	12	5	–	1	–	–	6	–	–	–	–	–	1	–	1	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	171	10	5	5	5	5	30	16	12	5	13	20	11	19	22	9	10	4
Other Causes	877	369	44	7	3	1	424	2	–	2	–	7	9	17	22	106	211	77
339.—TETBURY.																		
Mean Popul^{n}, 1851-61	3037	–	–	–	–	–	415	389	358	314	234	382	327	263	192	103	50	10
TOTAL DEATHS	540	108	37	19	9	12	185	21	17	14	20	39	29	37	49	45	68	16
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	8	–	4	–	–	–	4	2	2	–	–	–	–	–	–	–	–	–
Scarlatina	13	1	3	1	–	3	8	2	3	–	–	–	–	–	–	–	–	–
Diphtheria	6	–	–	–	–	–	–	1	3	–	1	1	–	–	–	–	–	–
Whooping cough	17	6	6	3	–	1	16	1	–	–	–	–	–	–	–	–	–	–
Typhus	23	1	–	1	–	–	2	2	3	3	–	2	5	2	3	1	–	–
Cholera, Diarrh., Dysent^{y}	11	5	–	–	–	–	5	–	–	–	–	–	–	1	2	1	2	–
Other Zymotic Dis.	24	6	1	4	2	4	17	1	–	1	–	1	–	–	1	2	1	–
Cancer	5	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–
Scrofula, Tabes Mesent.	10	4	–	1	–	–	5	3	2	–	–	–	–	–	–	–	–	–
Phthisis	71	–	2	–	–	–	2	2	3	2	14	24	7	11	5	–	1	–
Hydrocephalus	11	6	3	–	–	2	11	–	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	64	20	2	1	–	–	23	2	–	3	2	–	–	4	6	12	11	1
Heart Dis. and Dropsy	27	1	–	1	–	–	2	1	–	3	1	1	5	1	5	4	4	–
Dis. of Lungs	112	24	10	5	4	2	45	2	–	–	1	3	6	6	13	17	14	5
Dis. of Stom. and Liver	31	4	–	–	–	–	4	–	–	1	1	4	5	3	6	2	4	1
Dis. of Kidneys	9	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	5	–
Dis of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	18	–	1	1	3	–	5	2	1	–	–	3	–	4	–	1	1	1
Other Causes	79	20	5	1	–	–	35	–	–	1	–	–	1	1	5	4	24	8

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
337.—WHEATENHURST.																		
Mean Popul^{n}, 1851-61	4073	-	-	-	-	-	532	493	434	361	352	553	447	367	260	184	75	15
TOTAL DEATHS	734	116	39	21	19	13	208	41	21	26	36	44	40	39	52	87	93	47
Small pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	6	2	-	1	-	1	4	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	40	1	3	2	3	3	17	16	6	-	-	1	-	-	-	-	-	-
Diphtheria	13	-	-	1	-	-	1	6	4	-	-	2	-	-	-	-	-	-
Whooping-cough	17	9	5	2	-	-	16	1	-	-	-	-	-	-	-	-	-	-
Typhus	23	-	2	-	1	1	4	2	2	2	3	1	2	2	3	1	1	-
Cholera, Diarrh., Dysent^{y}	16	5	1	1	-	-	7	1	1	-	1	-	-	-	2	2	2	-
Other Zymotic Dis.	43	10	4	4	2	3	23	5	1	-	1	1	3	-	1	3	4	3
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	2	2	5	8	4	1
Scrofula, Tabes Mesent.	16	4	1	1	2	-	8	1	-	1	2	1	-	1	2	-	-	-
Phthisis	89	-	-	-	-	-	-	3	4	15	20	18	16	7	5	1	-	-
Hydrocephalus	7	5	1	1	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	78	7	4	2	1	-	14	3	1	1	2	5	2	8	7	16	15	4
Heart Dis. and Dropsy	66	2	-	-	1	-	3	-	-	2	2	2	4	4	14	22	12	1
Dis. of Lungs	57	13	7	4	1	-	25	1	-	-	-	1	-	4	5	8	11	2
Dis. of Stom. and Liver	40	7	-	-	1	-	8	-	1	3	-	2	2	4	3	11	3	3
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	1	1	1	1	1	-	2	1	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-
Diseases of the Joints	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	-	3	4	5	-	-	-	-	-
Violent Deaths	15	1	1	1	-	3	6	1	-	-	-	2	1	1	1	-	2	1
Other Causes	158	49	10	1	2	2	64	1	-	1	1	3	1	3	4	12	36	32
338.—STROUD.																		
Mean Popul^{n}, 1851-61	19648	-	-	-	-	-	2314	2119	1944	1974	1803	2712	2168	1861	1424	886	385	58
TOTAL DEATHS	4269	716	225	114	93	67	1217	172	148	191	183	283	222	235	364	501	547	206
Small-pox	14	2	3	1	1	1	8	-	1	1	-	1	2	1	-	-	-	-
Measles	53	12	16	10	3	4	45	6	2	-	-	-	-	-	-	-	-	-
Scarlatina	179	10	30	22	26	21	109	43	14	3	4	4	1	1	-	-	-	-
Diphtheria	22	2	1	2	5	4	14	8	-	-	-	-	-	-	-	-	-	-
Whooping-cough	71	15	12	3	6	4	40	1	-	-	-	-	-	-	-	-	-	-
Typhus	185	5	5	3	5	6	24	19	31	26	21	22	11	10	9	5	7	-
Cholera, Diarrh., Dysent^{y}	128	44	9	6	1	-	60	7	2	2	3	4	3	4	12	17	13	1
Other Zymotic Dis.	114	21	9	10	10	4	54	5	2	3	1	5	3	6	9	12	11	3
Cancer	94	-	-	-	-	-	-	-	-	1	1	6	9	24	26	17	9	1
Scrofula, Tabes Mesent.	126	43	16	2	-	1	67	8	15	5	4	9	4	3	7	2	2	-
Phthisis	499	5	8	4	-	-	17	10	31	109	91	127	66	31	16	10	-	-
Hydrocephalus	51	10	10	4	4	3	31	12	6	1	-	-	-	1	-	-	-	-
Diseases of Brain	436	76	17	7	9	1	110	13	18	11	9	17	16	30	61	81	57	13
Heart Dis. and Dropsy	365	1	-	1	1	-	3	4	5	13	9	15	20	45	86	95	64	6
Dis. of Lungs	536	123	56	22	13	11	225	17	7	12	11	21	24	24	53	85	46	11
Dis. of Stom. and Liver	201	19	5	1	1	1	27	6	2	7	5	17	23	24	33	42	15	-
Dis. of Kidneys	23	-	-	-	-	2	2	-	1	2	1	2	2	2	4	4	3	-
Dis. of Gener. Organs	21	-	-	-	-	-	-	-	-	-	1	-	4	7	9	-	-	-
Diseases of the Joints	10	-	-	-	-	-	-	-	-	-	1	2	3	2	-	2	-	-
Diseases of the Skin	17	5	-	-	-	-	5	-	-	-	-	-	1	1	-	7	3	-
Childbirth and Metria	48	-	-	-	-	-	-	-	-	2	11	19	15	1	-	-	-	-
Violent Deaths	75	8	4	5	7	4	28	9	6	2	1	4	5	2	6	2	6	4
Other Causes	1031	210	24	11	3	-	348	4	5	-	9	8	10	16	33	120	311	167
339.—TETBURY.																		
Mean Popul^{n}, 1851-61	3146	-	-	-	-	-	403	366	326	299	260	433	364	276	208	133	62	10
TOTAL DEATHS	590	90	37	19	13	6	165	24	20	15	21	38	35	37	56	81	67	31
Small-pox	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Measles	6	1	2	1	-	-	4	-	1	-	-	-	1	-	-	-	-	-
Scarlatina	10	-	1	-	3	1	5	5	-	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	14	8	4	2	-	-	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	19	-	-	-	1	-	1	1	4	2	3	2	-	2	2	1	1	-
Cholera, Diarrh., Dysent^{y}	21	8	2	2	1	-	13	-	-	-	-	2	-	-	-	2	2	2
Other Zymotic Dis.	12	2	3	1	-	-	6	1	1	1	-	1	-	-	1	-	-	1
Cancer	23	-	-	-	-	-	-	-	-	-	-	-	2	7	6	7	1	-
Scrofula, Tabes Mesent.	21	7	1	1	2	1	12	2	3	1	1	-	2	-	-	-	-	-
Phthisis	69	1	2	-	-	-	3	-	3	7	11	18	14	7	5	1	-	-
Hydrocephalus	6	1	3	2	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	61	9	3	2	-	-	14	-	1	1	2	2	3	3	12	11	9	3
Heart Dis. and Dropsy	54	1	-	-	-	-	1	-	1	-	1	-	2	10	11	13	11	1
Dis. of Lungs	120	22	11	6	3	-	42	9	3	1	2	3	6	4	11	26	9	4
Dis. of Stom. and Liver	28	1	-	-	2	1	4	-	-	1	-	5	3	3	5	5	2	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	3	2	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	5	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-
Violent Deaths	11	-	-	-	1	1	2	2	2	-	-	-	-	-	-	3	-	2
Other Causes	98	27	5	-	-	1	33	2	-	-	1	1	1	-	3	11	28	18

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

340.—CIRENCESTER.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	10473	-	-	-	-	-	1382	1303	1157	1097	806	1284	1162	977	701	417	166	21
TOTAL DEATHS	2000	445	103	49	47	31	675	85	47	59	56	123	115	125	172	260	230	53
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	9	1	1	3	1	1	7	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	57	4	4	5	9	9	31	20	2	3	-	-	-	1	-	-	-	-
Diphtheria	7	-	2	1	-	-	3	1	-	-	-	1	1	1	-	-	-	-
Whooping-cough	12	1	4	1	2	1	9	2	-	-	-	-	-	-	-	1	-	-
Typhus	69	2	-	-	4	3	9	9	4	7	5	11	5	4	8	2	5	-
Cholera, Diarrh., Dysent^{y}	29	11	2	-	1	-	14	-	-	-	1	1	2	1	2	4	4	-
Other Zymotic Dis.	47	9	4	-	2	1	16	3	3	2	-	-	4	1	4	10	2	2
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	3	3	6	3	3	-
Scrofula, Tabes Mesent.	55	22	5	1	2	1	31	8	6	3	1	2	-	1	1	2	-	-
Phthisis	193	7	1	1	-	1	10	5	7	22	33	48	33	21	8	5	1	-
Hydrocephalus	18	8	5	-	1	1	15	1	1	-	-	-	-	1	-	-	-	-
Diseases of Brain	272	57	22	8	7	3	97	11	4	6	1	11	26	23	20	47	24	2
Heart Dis. and Dropsy	144	1	-	1	2	-	4	3	6	2	2	5	10	15	31	42	20	4
Dis. of Lungs	358	97	32	17	12	3	161	9	1	7	5	20	11	14	35	56	33	6
Dis. of Stom. and Liver	135	18	3	2	1	3	27	4	3	-	4	7	10	19	19	25	15	2
Dis. of Kidneys	27	-	-	-	-	1	1	-	-	2	-	1	2	5	6	5	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	1	1	-	1	1	1	-	-	-	-	1	-	-
Diseases of the Skin	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	72	5	2	2	1	2	12	5	7	3	2	9	3	12	10	6	3	-
Other Causes	469	202	15	7	2	-	226	2	2	-	1	6	5	3	22	51	114	37

341.—NORTHLEACH.

Mean Popul^{n}, 1851-61	5601	-	-	-	-	-	721	649	613	602	463	714	597	502	396	230	103	11
TOTAL DEATHS	1030	256	46	29	12	9	352	40	18	36	25	50	47	56	81	148	136	41
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	22	-	1	5	1	2	9	8	2	2	1	-	-	-	-	-	-	-
Diphtheria	11	1	1	-	2	1	5	3	2	-	-	-	-	-	-	1	-	-
Whooping-cough	13	8	4	-	-	-	12	1	-	-	-	-	-	-	-	-	-	-
Typhus	27	-	-	3	-	-	3	3	3	3	1	6	2	2	1	2	-	1
Cholera, Diarrh., Dysent^{y}	6	3	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Other Zymotic Dis.	25	5	4	3	-	2	14	1	1	2	1	-	-	3	1	1	1	-
Cancer	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-
Scrofula, Tabes Mesent.	4	1	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-
Phthisis	100	5	2	2	-	1	10	3	2	14	12	22	12	9	9	7	-	-
Hydrocephalus	18	10	4	2	1	-	17	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	95	20	1	1	1	-	23	2	-	2	1	7	10	4	7	21	16	2
Heart Dis. and Dropsy	97	5	-	-	-	1	6	2	3	2	-	3	5	10	16	31	16	3
Dis. of Lungs	116	33	14	4	1	-	57	5	1	-	1	2	5	7	13	18	6	1
Dis. of Stom. and Liver	36	5	-	1	1	-	7	1	-	3	3	-	1	5	7	8	1	-
Dis. of Kidneys	6	1	-	-	-	-	1	-	-	-	-	1	-	1	1	2	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	6	-	-	-	-	-	-	-	-	1	2	-	-	1	2	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	32	4	1	2	1	-	8	1	1	3	2	5	4	2	4	1	1	-
Other Causes	409	150	13	6	4	2	175	9	1	4	1	4	5	11	18	54	93	34

342.—STOW-ON-THE-WOLD.

Mean Popul^{n}, 1851-61	4963	-	-	-	-	-	620	609	559	487	383	661	538	470	330	202	94	10
TOTAL DEATHS	890	200	45	26	20	15	306	36	14	17	27	47	50	44	67	129	122	31
Small-pox	3	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-
Measles	7	1	1	2	2	-	6	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	33	2	5	7	5	5	24	6	2	1	-	-	-	-	-	-	-	-
Diphtheria	9	-	1	1	3	-	5	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	13	8	5	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-
Typhus	26	-	-	3	1	-	4	4	1	2	2	2	4	3	2	2	-	-
Cholera, Diarrh., Dysent^{y}	7	1	1	1	-	-	3	-	-	-	-	-	-	-	1	3	-	-
Other Zymotic Dis.	21	4	2	2	1	1	10	-	-	-	-	-	3	3	1	1	3	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	2	-
Scrofula, Tabes Mesent.	17	5	-	-	-	-	5	-	-	3	2	-	1	3	1	2	-	-
Phthisis	106	2	-	-	2	-	4	8	2	4	18	29	20	12	6	2	1	-
Hydrocephalus	13	5	3	-	-	3	11	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	105	33	4	3	1	-	41	1	1	2	2	4	3	3	15	22	10	1
Heart Dis. and Dropsy	54	-	1	-	-	-	1	2	-	-	-	1	3	3	10	23	11	-
Dis. of Lungs	106	31	12	5	3	3	54	3	-	-	1	4	8	7	12	13	3	1
Dis. of Stom. and Liver	36	5	2	-	1	-	8	3	1	1	1	1	4	5	2	7	3	-
Dis. of Kidneys	19	-	-	-	-	-	-	-	-	-	-	2	1	1	4	7	2	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	26	-	1	1	1	2	5	1	4	4	1	1	-	2	4	-	3	1
Other Causes	273	102	7	1	-	-	110	3	1	-	-	3	3	-	4	39	84	26

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
340.—CIRENCESTER.																		
Mean Popul^{n}, 1851-61	10657	-	-	-	-	-	1300	1311	1142	989	886	1514	1210	972	665	451	187	30
TOTAL DEATHS	2159	372	113	54	51	24	614	81	54	71	100	146	136	126	174	267	315	75
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	9	1	5	-	1	1	8	-	-	-	-	1	-	-	-	-	-	-
Scarlatina	54	6	9	4	10	4	33	14	4	1	1	-	1	-	-	-	-	-
Diphtheria	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Whooping-cough	29	9	8	6	4	1	28	1	-	-	-	-	-	-	-	-	-	-
Typhus	97	1	1	5	3	1	11	14	11	7	13	12	10	5	5	4	4	1
Cholera, Diarrh., Dysent^{y}	24	7	1	1	1	-	10	-	1	-	1	1	-	2	2	6	1	-
Other Zymotic Dis.	39	9	4	2	4	2	21	1	1	1	1	1	-	1	5	4	3	-
Cancer	59	-	-	-	-	-	-	-	-	-	-	3	11	11	14	12	8	-
Scrofula, Tabes Mesent.	54	22	3	3	1	3	32	5	4	2	2	2	2	3	1	1	-	-
Phthisis	295	6	1	2	1	2	12	7	13	40	53	68	49	30	16	6	1	-
Hydrocephalus	20	7	6	4	1	-	18	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	270	43	20	6	8	4	81	12	6	5	5	14	8	20	29	46	40	4
Heart Dis. and Dropsy	188	3	-	2	-	-	5	3	1	1	4	6	17	18	31	68	31	3
Dis. of Lungs	313	73	34	14	11	4	136	8	2	5	4	10	6	13	24	41	56	8
Dis. of Stom. and Liver	119	10	4	-	2	2	18	2	5	2	9	9	8	12	19	22	12	1
Dis. of Kidneys	12	1	2	-	-	-	3	-	1	-	-	-	3	1	2	-	2	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	-	6	3	3	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	2	3	12	8	-	-	-	-	-
Violent Deaths	35	4	1	3	3	-	11	6	1	-	1	2	2	-	4	4	3	1
Other Causes	494	168	14	2	1	-	185	5	1	5	3	4	4	5	19	53	153	37
341.—NORTHLEACH.																		
Mean Popul^{n}, 1851-61	5339	-	-	-	-	-	705	656	606	475	443	708	618	450	354	215	96	13
TOTAL DEATHS	1033	172	49	20	10	16	267	56	32	32	42	73	74	52	103	129	136	37
Small-pox	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	3	1	2	1	1	8	11	4	-	1	-	-	-	-	-	-	-
Diphtheria	10	-	3	1	-	1	5	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	11	4	1	3	1	-	9	2	-	-	-	-	-	-	-	-	-	-
Typhus	26	-	1	1	-	1	3	2	4	7	1	6	2	1	-	-	-	-
Cholera, Diarrh., Dysent^{y}	15	6	1	1	-	-	9	-	-	-	-	1	2	-	1	1	1	-
Other Zymotic Dis.	28	8	2	-	3	3	16	5	2	-	-	1	-	1	-	2	1	-
Cancer	15	-	-	-	-	-	-	-	-	-	-	1	2	1	4	6	1	-
Scrofula, Tabes Mesent.	8	1	2	1	2	-	6	1	1	-	-	-	-	-	-	-	-	-
Phthisis	166	3	5	-	-	1	9	7	14	17	30	35	23	14	12	4	1	-
Hydrocephalus	8	4	-	-	-	1	5	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	81	13	7	2	-	2	24	2	-	1	3	4	5	3	14	17	8	-
Heart Dis. and Dropsy	123	2	1	-	-	-	3	1	-	3	1	10	10	15	27	34	19	-
Dis. of Lungs	72	25	10	3	-	2	40	3	2	-	1	1	3	7	5	9	1	-
Dis. of Stom. and Liver	21	1	-	-	-	-	1	1	-	-	-	1	3	-	8	5	2	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	1	4	3	4	-	-	-	-	-
Violent Deaths	14	4	-	2	-	1	7	3	-	-	-	-	-	-	-	2	2	-
Other Causes	391	98	14	4	2	2	120	13	2	2	1	9	19	9	31	48	100	37
342.—STOW-ON-THE-WOLD.																		
Mean Popul^{n}, 1851-61	4846	-	-	-	-	-	537	577	510	432	395	682	561	447	311	189	92	13
TOTAL DEATHS	923	155	48	24	16	13	256	32	28	26	31	82	60	65	67	128	116	32
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	7	2	1	2	-	-	5	-	-	-	-	1	-	-	-	1	-	-
Scarlatina	35	2	5	5	6	8	26	6	1	1	-	-	1	-	-	-	-	-
Diphtheria	12	1	-	1	1	-	3	4	4	1	-	-	-	-	-	-	-	-
Whooping-cough	12	3	4	-	4	-	11	1	-	-	-	-	-	-	-	-	-	-
Typhus	38	-	3	1	-	2	6	2	4	8	7	5	1	4	1	-	-	-
Cholera, Diarrh., Dysent^{y}	13	3	4	-	-	-	7	1	1	-	-	-	-	-	1	1	1	1
Other Zymotic Dis.	14	-	-	-	1	1	2	4	1	-	1	-	-	1	2	2	1	-
Cancer	25	-	-	-	-	-	-	-	-	-	-	2	4	5	9	5	-	-
Scrofula, Tabes Mesent.	14	3	2	-	1	-	6	-	1	1	-	2	1	1	-	2	-	-
Phthisis	130	3	2	3	1	-	9	3	10	11	10	46	16	15	4	6	-	-
Hydrocephalus	8	5	1	-	-	-	6	-	1	-	-	-	-	1	-	-	-	-
Diseases of Brain	72	12	3	2	1	-	18	-	2	2	2	7	5	4	12	13	7	-
Heart Dis. and Dropsy	95	-	-	-	-	-	-	-	3	-	3	5	11	11	13	29	17	3
Dis. of Lungs	91	22	14	7	1	-	44	5	-	-	1	2	5	6	9	14	5	-
Dis. of Stom. and Liver	40	5	-	-	-	-	5	3	-	-	3	-	3	9	6	6	3	2
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Diseases of the Joints	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	24	-	-	-	-	-	-	-	-	-	1	10	11	2	-	-	-	-
Violent Deaths	14	-	3	-	-	1	4	2	-	1	2	-	-	1	1	1	2	-
Other Causes	270	92	6	3	-	1	102	1	-	1	1	1	1	3	8	47	79	26

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
343.—WINCHCOMB.																		
Mean Popul^{n}, 1851-61	5120	-	-	-	-	-	659	587	517	515	396	695	563	472	355	241	104	11
TOTAL DEATHS	933	209	50	27	18	9	313	51	18	19	22	42	39	42	77	130	145	35
Small-pox	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
Measles	6	-	3	-	1	1	5	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	37	5	3	3	3	2	16	14	3	1	-	1	2	-	-	-	-	-
Diphtheria	3	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	12	5	4	2	1	-	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	39	2	1	2	2	3	10	5	7	1	1	4	4	3	1	2	1	-
Cholera, Diarrh., Dysent^{y}	15	3	2	1	1	-	7	-	-	-	-	-	1	1	1	5	-	-
Other Zymotic Dis.	43	14	4	4	6	-	28	3	1	1	1	-	2	1	3	2	1	-
Cancer	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Scrofula, Tabes Mesent.	6	1	1	-	-	-	2	2	-	1	1	-	-	-	-	-	-	-
Phthisis	92	2	1	2	-	1	6	4	1	10	11	22	11	11	9	5	2	-
Hydrocephalus	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Diseases of Brain	109	40	6	-	1	-	47	1	1	-	2	3	4	1	13	21	12	4
Heart Dis. and Dropsy	81	4	2	1	1	1	9	2	1	1	1	-	2	9	10	28	18	-
Dis. of Lungs	93	22	13	6	-	-	41	6	-	-	1	6	4	8	11	10	5	1
Dis. of Stom. and Liver	48	15	1	2	2	-	20	3	1	-	1	1	1	4	11	3	2	1
Dis. of Kidneys	9	-	-	-	-	-	-	1	-	-	-	1	-	-	1	3	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	33	1	-	3	-	1	5	1	2	2	3	1	4	3	5	6	1	-
Other Causes	294	94	8	1	-	-	103	4	-	2	-	1	1	1	11	43	99	29
344.—CHELTENHAM.																		
Mean Popul^{n}, 1851-61	20112	-	-	-	-	-	2513	2484	2350	2153	1575	2562	2269	1873	1324	721	254	34
TOTAL DEATHS	4174	993	226	136	94	66	1515	210	71	101	110	249	275	312	424	478	345	84
Small-pox	39	8	4	6	2	2	22	6	2	2	-	2	3	2	-	-	-	-
Measles	48	6	15	10	7	3	41	6	-	-	1	-	-	-	-	-	-	-
Scarlatina	131	9	16	14	23	9	71	43	6	2	2	1	1	-	-	-	-	-
Diphtheria	24	2	3	2	2	1	10	10	4	-	-	-	-	-	-	-	-	-
Whooping-cough	32	13	7	5	2	5	32	-	-	-	-	-	-	-	-	-	-	-
Typhus	111	8	5	10	6	5	34	13	8	7	3	8	6	6	8	12	6	-
Cholera, Diarrh., Dysent^{y}	204	127	13	5	-	-	145	4	1	1	2	2	4	6	6	20	9	4
Other Zymotic Dis.	117	26	6	3	4	4	43	6	-	7	-	7	10	4	14	16	9	1
Cancer	25	-	-	1	-	-	1	-	-	-	-	-	3	1	8	9	3	-
Scrofula, Tabes Mesent.	76	26	13	2	2	3	46	7	5	2	1	6	4	1	4	-	-	-
Phthisis	510	17	10	7	4	4	42	16	11	38	63	131	104	63	28	13	1	-
Hydrocephalus	99	26	25	12	6	4	73	20	3	3	-	-	-	-	-	-	-	-
Diseases of Brain	544	169	20	14	11	5	219	14	5	8	3	15	28	43	78	82	39	10
Heart Dis. and Dropsy	311	6	1	4	1	1	13	12	7	12	6	10	28	49	66	65	39	4
Dis. of Lungs	677	162	62	25	14	10	273	19	2	2	12	26	22	48	97	108	57	11
Dis. of Stom. and Liver	246	29	3	2	2	1	37	8	2	4	4	13	29	32	51	41	21	4
Dis. of Kidneys	79	1	-	-	-	1	2	2	2	1	1	2	4	14	14	21	14	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	16	4	-	-	-	-	-	-	4	4	-	2	1	2	1	1	1	-
Diseases of the Skin	11	4	-	-	-	-	4	2	1	-	-	-	-	-	2	-	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	121	15	5	-	6	5	31	8	3	7	10	12	15	16	10	8	1	-
Other Causes	753	339	18	14	2	3	376	9	5	1	2	12	13	25	37	82	143	48
345.—TEWKESBURY.																		
Mean Popul^{n}, 1851 61	7365	-	-	-	-	-	1003	906	836	692	521	924	836	693	483	314	130	21
TOTAL DEATHS	1552	323	90	73	38	22	546	70	23	43	45	80	100	94	112	189	187	63
Small-pox	14	4	-	-	2	3	9	2	-	-	1	-	2	-	-	-	-	-
Measles	38	8	11	10	3	2	34	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	47	13	5	10	7	5	30	16	1	-	-	-	-	-	-	-	-	-
Diphtheria	5	-	1	1	-	-	2	1	-	1	1	-	-	-	-	-	-	-
Whooping-cough	18	10	5	2	1	-	18	-	-	-	-	-	-	-	-	-	-	-
Typhus	40	1	3	2	-	1	7	8	2	3	3	2	2	6	3	4	-	-
Cholera, Diarrh., Dysent^{y}	42	15	3	1	2	-	21	1	-	-	-	-	2	-	3	7	7	1
Other Zymotic Dis.	50	9	7	4	4	-	24	2	2	5	2	1	3	-	3	5	2	1
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	2	1	5	3	-	-
Scrofula, Tabes Mesent.	25	5	5	1	1	2	14	2	3	2	-	3	-	1	-	-	-	-
Phthisis	189	7	5	3	1	-	16	8	3	15	19	45	35	19	18	10	1	-
Hydrocephalus	22	5	6	5	4	1	21	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	173	33	3	4	4	1	45	4	1	2	5	7	13	13	15	36	27	5
Heart Dis. and Dropsy	92	2	-	1	-	1	4	2	2	2	3	3	4	19	19	19	13	2
Dis. of Lungs	249	68	19	11	4	1	103	5	1	1	3	10	11	10	15	49	35	6
Dis. of Stom. and Liver	70	11	1	1	-	-	13	4	1	2	1	1	9	10	13	10	5	1
Dis. of Kidneys	29	1	-	-	-	-	1	-	-	-	-	1	-	2	3	8	10	4
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	1	-	1	-	1	2	1	1	-	-	-
Diseases of the Skin	6	3	1	1	-	-	5	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	80	4	3	6	3	4	20	9	6	9	4	5	14	7	4	2	-	-
Other Causes	345	134	12	10	2	1	159	-	1	-	3	1	1	5	9	36	87	43

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

343.—WINCHCOMB.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	4989	-	-	-	-	-	637	612	517	439	416	672	569	441	323	230	110	18
TOTAL DEATHS	910	143	58	33	22	13	269	37	23	36	38	57	47	52	73	102	131	45
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	8	-	1	3	2	-	6	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	43	1	7	10	7	3	28	12	-	3	-	-	-	-	-	-	-	-
Diphtheria	11	3	1	1	2	1	8	-	2	1	-	-	-	-	-	-	-	-
Whooping-cough	12	4	5	2	-	-	11	1	-	-	-	-	-	-	-	-	-	-
Typhus	46	2	1	3	-	3	9	5	3	4	9	7	2	3	3	1	-	-
Cholera, Diarrh., Dysent^{y}	15	5	2	-	-	-	7	1	-	-	1	1	1	-	4	-	-	-
Other Zymotic Dis.	28	8	5	-	1	2	16	2	1	-	1	-	2	1	1	4	-	-
Cancer	9	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	2	-
Scrofula, Tabes Mesent.	9	1	-	-	-	1	2	-	1	1	1	2	1	1	-	-	-	-
Phthisis	132	7	4	2	-	-	13	3	7	15	15	28	18	15	11	6	1	-
Hydrocephalus	5	-	1	1	-	-	2	1	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	69	20	-	2	2	1	25	1	2	2	2	1	3	3	8	13	8	1
Heart Dis. and Dropsy	86	-	1	-	-	-	1	-	2	3	1	1	5	12	21	27	13	-
Dis. of Lungs	66	18	11	1	2	1	33	3	-	2	3	3	5	2	6	5	3	1
Dis. of Stom. and Liver	44	7	8	2	1	-	18	1	-	1	2	-	3	3	6	8	2	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	-	2	10	6	1	-	-	-	-
Violent Deaths	11	1	-	1	2	-	4	2	1	-	1	-	-	1	-	2	-	-
Other Causes	290	66	11	5	2	1	85	3	1	3	-	3	1	5	9	35	102	43

344.—CHELTENHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	3887	-	-	-	-	-	3570	2457	2367	2353	2909	4377	3421	2630	1790	1052	393	57
TOTAL DEATHS	4751	794	224	150	110	76	1354	177	94	165	169	347	351	332	429	601	545	187
Small-pox	41	9	5	4	4	3	25	4	-	-	2	2	4	3	1	-	-	-
Measles	57	10	22	15	4	3	54	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	135	6	19	15	22	20	82	34	10	3	1	3	1	1	-	-	-	-
Diphtheria	23	-	8	1	4	3	16	5	1	-	-	-	-	1	-	-	-	-
Whooping-cough	48	24	9	10	4	-	47	1	-	-	-	-	-	-	-	-	-	-
Typhus	133	5	6	1	9	14	35	17	11	14	10	14	8	6	4	9	3	2
Cholera, Diarrh., Dysent^{y}	173	85	18	2	-	-	105	5	1	1	1	5	8	2	7	10	25	3
Other Zymotic Dis.	138	16	5	13	5	5	44	6	3	3	5	7	6	9	14	17	13	6
Cancer	128	-	-	-	-	-	-	-	-	-	-	8	16	27	25	32	17	3
Scrofula, Tabes Mesent.	77	24	5	7	4	2	42	8	3	5	6	2	4	4	1	1	1	-
Phthisis	653	20	8	12	4	6	50	14	25	76	89	185	117	68	23	6	-	-
Hydrocephalus	75	28	9	11	10	3	61	10	3	-	-	1	-	-	-	-	-	-
Diseases of Brain	543	128	18	10	12	7	175	19	12	11	14	9	28	40	61	97	64	13
Heart Dis. and Dropsy	418	9	1	1	3	-	14	9	7	17	13	22	28	50	67	122	61	8
Dis. of Lungs	733	136	62	32	18	5	253	13	8	12	5	17	36	41	93	128	96	31
Dis. of Stom. and Liver	294	14	3	2	3	1	23	6	1	7	6	28	34	44	59	51	32	3
Dis. of Kidneys	38	-	-	-	-	-	-	1	1	1	3	2	5	7	11	4	2	1
Dis. of Gener. Organs	40	-	-	-	-	-	-	-	-	-	1	3	11	9	10	3	3	-
Diseases of the Joints	18	-	-	-	-	-	-	4	5	1	1	2	1	-	1	-	2	1
Diseases of the Skin	11	3	-	1	-	-	4	1	-	-	-	-	-	1	1	4	-	-
Childbirth and Metria	57	-	-	-	-	-	-	-	-	4	5	25	20	3	-	-	-	-
Violent Deaths	77	7	3	5	2	3	20	9	1	6	2	6	4	2	3	11	11	2
Other Causes	841	270	23	8	2	1	304	8	2	4	5	6	20	14	48	103	210	114

345.—TEWKESBURY.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	7655	-	-	-	-	-	948	865	792	705	649	1038	866	659	493	381	173	35
TOTAL DEATHS	1529	266	90	49	35	31	471	65	43	49	66	100	83	72	114	180	207	79
Small-pox	15	2	-	-	2	3	7	4	1	-	1	2	-	-	-	-	-	-
Measles	33	3	13	8	4	5	33	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	48	2	9	7	8	5	31	14	1	-	-	-	1	1	-	-	-	-
Diphtheria	10	-	1	1	2	-	4	3	1	1	-	1	-	-	-	-	-	-
Whooping-cough	16	7	4	3	2	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	44	1	1	2	2	2	8	7	10	3	3	4	2	2	1	3	1	-
Cholera, Diarrh., Dysent^{y}	37	15	4	1	-	1	21	1	1	-	-	1	-	-	2	4	5	2
Other Zymotic Dis.	39	6	3	3	2	1	15	5	1	-	2	3	1	2	4	1	3	2
Cancer	36	-	1	-	-	-	1	-	-	-	-	-	5	2	14	10	3	1
Scrofula, Tabes Mesent.	21	5	2	1	1	-	9	3	2	1	2	2	-	-	1	1	-	-
Phthisis	232	12	6	2	2	3	25	7	11	24	44	50	35	18	10	6	2	-
Hydrocephalus	18	4	4	1	1	2	12	2	2	2	-	-	-	-	-	-	-	-
Diseases of Brain	161	25	3	2	2	1	33	7	4	6	3	8	9	12	22	34	20	3
Heart Dis. and Dropsy	96	2	1	-	-	1	4	1	1	3	1	5	6	7	19	26	23	-
Dis. of Lungs	185	50	17	7	1	1	76	2	-	-	1	6	5	8	12	36	35	6
Dis. of Stom. and Liver	81	10	1	2	-	-	13	2	4	3	2	3	7	12	14	12	7	2
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	1	-	3	1	-	3	1	1	-
Diseases of the Joints	10	-	-	-	-	-	-	1	2	1	-	1	-	1	-	1	2	1
Diseases of the Skin	5	2	1	-	1	-	4	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	-	4	10	8	-	-	-	-	-
Violent Deaths	33	5	3	3	3	3	17	4	1	4	1	1	-	1	2	1	2	2
Other Causes	370	115	16	6	2	3	142	2	1	-	1	-	3	5	9	43	104	60

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
346.—LEDBURY.																		
Mean Popul^{n}, 1851-61	7151	-	-	-	-	-	836	816	746	715	615	1024	844	632	476	274	108	15
TOTAL DEATHS	1327	252	64	33	23	27	399	52	23	29	47	82	81	83	125	186	177	43
Small-pox	10	-	-	-	1	-	1	1	1	2	2	3	-	-	-	-	-	-
Measles	16	2	5	4	1	1	13	2	-	-	1	-	-	-	-	-	-	-
Scarlatina	36	2	3	-	2	8	15	12	5	2	1	1	-	-	-	-	-	-
Diphtheria	12	2	1	1	1	1	6	3	1	1	-	1	-	-	-	-	-	-
Whooping-cough	13	7	3	-	-	2	12	1	-	-	-	-	-	-	-	-	-	-
Typhus	41	-	1	3	1	1	6	5	2	3	6	5	3	3	6	1	1	-
Cholera, Diarrh., Dysent^{y}	19	7	2	1	1	-	11	-	-	-	-	1	1	-	2	2	2	-
Other Zymotic Dis.	43	9	5	4	3	1	22	5	2	-	-	2	-	4	2	5	1	-
Cancer	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-
Scrofula, Tabes Mesent.	9	1	-	1	-	-	2	1	1	1	3	1	-	-	-	-	-	-
Phthisis	139	7	3	-	-	1	11	1	2	12	15	32	26	17	12	9	2	-
Hydrocephalus	19	7	5	2	2	1	17	1	-	-	1	-	-	-	-	-	-	-
Diseases of Brain	116	31	6	2	3	1	43	4	2	3	3	2	7	10	15	17	10	-
Heart Dis. and Dropsy	111	3	1	1	-	1	6	-	1	1	2	4	11	9	22	33	20	2
Dis. of Lungs	162	46	17	5	4	1	73	5	-	1	2	5	7	16	22	20	11	-
Dis. of Stom. and Liver	51	9	-	1	2	2	14	2	2	-	2	4	4	5	11	4	2	1
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	-	-	2	-	3	1	9	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-
Diseases of the Skin	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	64	4	2	5	-	3	14	6	3	2	6	8	10	4	5	4	2	-
Other Causes	440	114	9	3	2	3	131	3	1	-	3	10	12	12	26	79	123	40
347.—ROSS.																		
Mean Popul^{n}, 1851-61	8013	-	-	-	-	-	1018	931	874	778	641	1061	934	771	547	313	128	17
TOTAL DEATHS	1699	355	70	38	41	34	538	66	48	43	41	90	99	135	168	237	185	49
Small-pox	16	4	1	2	1	-	8	1	1	-	-	2	-	1	2	-	1	-
Measles	18	2	5	2	3	2	14	3	-	-	-	-	-	1	-	-	-	-
Scarlatina	47	1	2	6	13	10	32	9	4	2	-	-	-	-	-	-	-	-
Diphtheria	10	1	-	1	-	1	3	4	2	-	1	-	-	-	-	-	-	-
Whooping-cough	11	6	2	2	-	1	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	62	5	3	3	4	4	19	10	3	2	1	5	4	6	6	4	2	-
Cholera, Diarrh., Dysent^{y}	20	7	2	-	2	1	12	-	-	-	-	-	1	-	1	5	1	-
Other Zymotic Dis.	62	10	2	4	1	3	20	5	4	-	-	4	4	5	9	7	4	-
Cancer	18	-	-	-	-	-	-	-	-	-	-	1	2	3	5	6	1	-
Scrofula, Tabes Mesent.	12	3	1	-	-	1	5	2	2	2	-	-	-	-	-	1	-	-
Phthisis	163	4	4	-	2	-	10	5	8	14	26	40	33	20	5	2	-	-
Hydrocephalus	17	8	2	1	3	-	14	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	133	29	4	-	1	3	37	4	-	6	2	4	9	18	18	21	12	2
Heart Dis. and Dropsy	157	5	2	-	-	1	8	5	5	2	1	2	10	26	34	42	22	-
Dis. of Lungs	203	71	20	6	5	1	103	5	2	1	2	8	6	11	24	35	6	-
Dis. of Stom. and Liver	85	11	4	2	1	-	18	1	6	2	3	2	9	11	20	11	2	-
Dis. of Kidneys	17	-	-	-	-	-	-	-	-	1	1	1	2	5	1	4	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	81	2	2	3	3	4	14	5	8	6	4	12	9	9	7	3	4	-
Other Causes	563	186	14	6	2	2	210	5	2	5	-	7	10	18	36	95	128	47
348.—HEREFORD.																		
Mean Popul^{n}, 1851-61	18573	-	-	-	-	-	2178	2056	1911	1821	1512	2604	2224	1790	1302	816	314	45
TOTAL DEATHS	3998	818	176	106	74	37	1211	165	72	117	113	245	279	320	375	495	467	139
Small-pox	23	3	2	1	1	2	9	1	-	3	2	3	3	1	-	1	-	-
Measles	62	8	12	14	11	1	46	10	-	-	-	5	-	1	-	-	-	-
Scarlatina	101	10	9	19	10	8	56	28	9	5	1	2	-	-	-	-	-	-
Diphtheria	32	2	3	3	5	1	14	11	5	1	-	-	-	1	-	-	-	-
Whooping-cough	27	11	6	4	2	2	25	2	-	-	-	-	-	-	-	-	-	-
Typhus	106	9	6	2	6	1	24	15	-	13	5	8	9	8	8	11	4	1
Cholera, Diarrh., Dysent^{y}	80	36	8	3	3	-	50	3	-	-	1	6	-	1	1	11	7	-
Other Zymotic Dis.	141	23	12	9	3	5	52	6	2	3	2	10	7	11	19	21	7	1
Cancer	26	-	-	-	-	-	-	2	-	-	-	2	3	6	3	4	3	3
Scrofula, Tabes Mesent.	48	7	5	1	1	1	15	8	4	1	4	3	2	4	6	1	-	-
Phthisis	432	19	4	6	1	1	31	12	9	34	42	100	81	60	40	21	2	-
Hydrocephalus	23	7	6	3	3	-	19	3	-	-	-	-	1	-	-	-	-	-
Diseases of Brain	572	230	18	11	4	1	264	12	7	5	7	15	33	33	54	78	51	13
Heart Dis. and Dropsy	299	5	1	2	-	-	8	6	3	6	8	17	22	38	65	82	40	4
Dis. of Lungs	569	111	45	15	7	5	183	18	11	11	12	11	38	60	81	74	62	8
Dis. of Stom. and Liver	204	39	6	2	1	3	51	7	7	3	2	12	22	22	25	33	19	1
Dis. of Kidneys	59	1	-	1	-	-	2	1	-	2	2	4	9	10	12	12	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	17	-	1	-	-	-	1	2	-	1	1	3	1	4	1	2	1	-
Diseases of the Skin	11	4	-	-	-	-	4	-	-	-	-	1	1	2	-	1	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	195	6	5	4	10	4	29	9	11	22	16	28	24	22	15	10	6	3
Other Causes	971	287	27	6	6	2	328	9	4	7	8	15	23	36	45	133	260	103

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
346.—LEDBURY.																		
Mean Popul^n, 1851-61	6858	-	-	-	-	-	859	803	727	636	568	967	777	646	425	291	135	24
TOTAL DEATHS	1202	196	55	29	26	16	322	45	34	56	44	75	83	69	111	145	151	67
Small-pox	9	4	1	-	-	2	7	1	1	-	-	-	-	-	-	-	-	-
Measles	6	-	2	-	2	1	5	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	32	-	3	3	7	3	16	10	4	1	-	-	-	-	1	-	-	-
Diphtheria	22	4	1	3	2	1	11	7	1	3	-	-	-	-	-	-	-	-
Whooping-cough	10	3	4	2	1	-	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	36	2	-	-	-	1	3	-	5	10	-	5	4	4	4	1	-	-
Cholera, Diarrh., Dysent^y	18	9	2	1	-	-	12	1	-	-	-	1	-	1	2	-	-	1
Other Zymotic Dis.	40	11	6	2	1	2	22	-	3	-	-	1	3	1	3	3	4	-
Cancer	25	-	-	-	-	-	-	-	-	-	-	1	3	6	10	4	1	-
Scrofula, Tabes Mesent.	9	3	-	-	-	-	3	1	1	-	1	1	2	-	-	-	-	
Phthisis	174	2	4	-	-	2	8	3	8	22	32	38	29	16	8	9	1	
Hydrocephalus	14	2	4	2	1	-	9	3	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	93	20	3	4	1	-	28	1	5	1	-	2	1	4	18	18	13	2
Heart Dis. and Dropsy	113	1	2	-	-	-	3	1	-	3	2	2	12	12	28	37	12	1
Dis. of Lungs	106	31	9	6	3	2	51	4	-	3	2	2	5	2	15	14	8	-
Dis. of Stom. and Liver	42	6	2	-	1	1	10	2	-	2	-	2	6	7	5	7	1	-
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	2	-	2	1	2	1	1	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	14	-	-	-	-	-	-	-	-	2	2	5	4	1	-	-	-	-
Violent Deaths	31	4	1	3	5	-	13	5	2	1	-	2	4	1	-	-	3	-
Other Causes	391	94	11	3	2	1	111	5	3	4	5	9	9	11	15	50	106	63
347.—ROSS.																		
Mean Popul^n, 1851-61	7891	-	-	-	-	-	985	898	805	718	689	1059	921	726	523	367	170	30
TOTAL DEATHS	1514	263	76	45	29	20	433	72	48	39	58	86	92	81	142	190	188	85
Small-pox	14	4	2	1	1	-	8	3	-	1	-	-	2	-	-	-	-	-
Measles	18	4	4	4	2	-	14	3	-	1	-	-	-	-	-	-	-	-
Scarlatina	60	3	7	5	7	5	27	15	11	2	1	-	3	1	-	-	-	-
Diphtheria	10	-	2	-	1	1	4	4	-	1	-	1	-	-	-	-	-	-
Whooping-cough	19	4	10	2	1	1	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	59	6	5	7	4	2	24	6	5	5	3	2	2	4	2	3	3	-
Cholera, Diarrh., Dysent^y	13	8	-	1	-	-	9	-	-	1	-	-	-	-	1	1	1	-
Other Zymotic Dis.	50	15	2	5	-	1	23	6	1	2	3	1	3	2	1	3	4	1
Cancer	29	-	-	-	-	-	-	-	-	-	1	1	2	4	14	3	3	1
Scrofula, Tabes Mesent.	10	1	-	1	-	-	2	2	4	-	-	-	2	-	-	-	-	-
Phthisis	197	6	3	2	-	2	13	3	15	16	35	50	30	22	12	1	-	-
Hydrocephalus	16	4	5	-	1	1	11	3	1	-	-	-	-	-	-	1	-	-
Diseases of Brain	104	22	5	2	-	1	30	2	1	1	1	1	9	5	19	17	15	3
Heart Dis. and Dropsy	134	3	-	1	1	-	5	7	1	2	2	4	7	18	34	34	17	3
Dis. of Lungs	161	57	21	3	1	3	85	3	-	3	1	7	5	5	13	31	7	1
Dis. of Stom. and Liver	67	12	3	2	1	-	18	3	1	1	-	3	5	5	15	14	2	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Dis. of Gener. Organs	7	1	-	-	-	-	1	-	-	-	-	-	2	2	2	-	-	-
Diseases of the Joints	5	-	-	-	1	-	1	-	1	-	-	1	-	-	1	1	-	-
Diseases of the Skin	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	24	-	-	-	-	-	-	-	-	-	5	9	10	-	-	-	-	-
Violent Deaths	37	2	1	4	4	2	13	4	3	1	2	1	2	3	2	2	2	2
Other Causes	476	111	6	5	3	1	126	7	4	2	4	5	8	10	25	78	133	74
348.—HEREFORD.																		
Mean Popul^n, 1851-61	18648	-	-	-	-	-	2199	2006	1876	1732	1607	2634	2164	1740	1295	838	419	84
TOTAL DEATHS	3813	661	157	95	81	51	1045	155	99	127	126	274	239	258	327	446	512	265
Small-pox	13	3	3	-	1	-	7	1	-	-	2	1	-	1	-	1	-	-
Measles	38	3	10	9	5	-	27	4	3	1	-	-	3	-	-	-	-	-
Scarlatina	109	8	14	10	16	10	58	28	15	2	2	3	-	1	-	-	-	-
Diphtheria	27	3	1	2	2	3	11	8	4	1	1	2	-	-	-	-	-	-
Whooping-cough	36	13	7	4	2	5	31	4	1	-	-	-	-	-	-	-	-	-
Typhus	124	-	4	6	1	4	15	16	12	15	6	16	5	10	12	9	5	3
Cholera, Diarrh., Dysent^y	89	32	7	2	2	2	45	2	-	1	1	2	3	4	5	10	11	5
Other Zymotic Dis.	90	14	6	5	3	4	32	14	8	2	8	7	3	4	6	4	1	1
Cancer	107	1	-	-	-	-	1	-	-	1	1	4	8	27	36	20	9	-
Scrofula, Tabes Mesent.	39	7	6	1	2	2	18	2	3	3	1	6	3	3	-	-	-	-
Phthisis	535	8	14	8	2	5	37	15	19	63	69	133	93	57	28	18	3	-
Hydrocephalus	16	4	2	4	1	-	11	3	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	471	173	9	7	11	2	202	10	4	9	3	12	14	33	42	70	51	21
Heart Dis. and Dropsy	327	4	-	-	1	1	6	4	5	6	5	12	25	31	73	92	51	14
Dis. of Lungs	436	87	36	16	7	7	153	12	7	9	2	13	13	32	43	76	62	14
Dis. of Stom. and Liver	208	31	3	2	3	1	40	7	4	3	7	21	22	19	32	31	21	1
Dis. of Kidneys	16	1	-	-	-	-	1	1	-	-	1	1	4	2	3	3	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	1	-
Diseases of the Joints	9	-	-	-	2	-	2	1	-	3	-	-	-	-	1	2	-	-
Diseases of the Skin	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	
Childbirth and Metria	64	-	-	-	-	-	-	-	-	-	9	27	25	3	-	-	-	
Violent Deaths	81	7	2	10	7	2	28	12	7	5	1	2	3	7	4	2	7	3
Other Causes	966	262	33	9	13	3	320	11	6	3	7	10	12	19	40	105	288	142

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
349.—WEOBLY.																		
Mean Popul^{n}, 1851-61	4535	-	-	-	-	-	563	533	468	441	353	600	510	424	330	212	82	14
TOTAL DEATHS	910	157	41	18	16	19	251	37	16	25	24	50	54	72	91	136	119	35
Small-pox	3	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-
Measles	5	1	3	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	21	2	4	2	4	1	13	6	1	-	-	1	-	-	-	-	-	-
Diphtheria	14	1	2	-	3	2	8	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough	5	1	4	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Typhus	16	1	-	1	-	1	3	-	2	3	-	-	1	1	3	2	1	-
Cholera, Diarrh., Dysent^{y}	12	1	1	-	-	2	4	-	-	-	-	1	-	-	2	1	4	-
Other Zymotic Dis.	29	3	1	1	1	2	8	3	1	1	-	3	-	3	3	3	4	-
Cancer	8	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	-
Scrofula, Tabes Mesent.	15	1	1	2	1	-	5	1	1	2	-	2	-	2	1	1	-	-
Phthisis	72	1	1	-	-	-	2	-	1	9	11	23	15	3	6	2	-	-
Hydrocephalus	4	-	2	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	109	34	3	1	2	2	42	-	2	2	1	5	5	13	10	16	10	3
Heart Dis. and Dropsy	93	-	-	2	-	2	4	4	-	1	3	4	5	8	19	29	15	1
Dis. of Lungs	121	26	9	2	1	3	41	4	2	3	3	6	8	11	11	22	8	2
Dis. of Stom. and Liver	50	7	2	2	-	-	11	4	-	1	1	2	5	7	8	8	2	1
Dis. of Kidneys	21	-	1	-	-	-	1	-	-	-	1	1	-	2	5	5	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	36	1	1	2	3	3	10	4	2	2	2	1	5	5	3	2	-	-
Other Causes	271	75	6	3	-	1	85	4	1	-	1	1	8	15	18	43	68	27
350.—BROMYARD.																		
Mean Popul^{n}, 1851-61	6071	-	-	-	-	-	758	655	625	593	519	815	692	530	463	271	112	18
TOTAL DEATHS	1179	265	42	29	14	8	358	47	25	20	29	68	63	80	116	174	152	47
Small-pox	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-
Measles	9	4	-	-	-	-	4	2	2	-	-	1	-	-	-	-	-	-
Scarlatina	23	5	2	5	-	-	12	5	3	1	-	1	-	1	-	-	-	-
Diphtheria	11	1	2	1	-	2	6	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough	14	4	4	4	1	-	13	1	-	-	-	-	-	-	-	-	-	-
Typhus	43	-	1	2	1	-	4	6	5	3	2	7	4	4	6	2	-	-
Cholera, Diarrh., Dysent^{y}	19	7	2	-	-	1	10	-	-	1	-	1	2	-	1	1	3	-
Other Zymotic Dis.	36	13	1	1	2	-	17	3	1	1	2	1	2	1	3	5	-	-
Cancer	8	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	-	-
Scrofula, Tabes Mesent.	11	4	1	-	-	-	5	-	1	-	-	2	2	-	-	-	1	-
Phthisis	92	4	-	-	2	-	6	3	1	5	14	27	14	15	5	2	-	-
Hydrocephalus	5	1	-	1	1	1	4	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	140	41	6	5	2	1	55	6	2	2	2	7	-	7	11	28	18	2
Heart Dis. and Dropsy	74	1	1	-	-	-	2	-	1	-	2	5	8	7	13	24	12	-
Dis. of Lungs	123	20	9	3	-	2	34	1	2	-	2	1	8	15	21	24	11	4
Dis. of Stom. and Liver	80	14	1	-	4	-	19	2	-	2	1	2	3	13	16	11	5	1
Dis. of Kidneys	23	-	-	-	-	-	-	-	-	-	-	1	2	3	3	6	4	4
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	6	-	-	-	1	-	1	1	-	-	-	-	-	1	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	46	2	2	3	-	-	7	4	4	4	2	7	7	2	5	3	1	-
Other Causes	413	143	10	4	-	1	158	8	2	1	2	5	6	11	25	63	96	36
351.—LEOMINSTER.																		
Mean Popul^{n}, 1851-61	7619	-	-	-	-	-	954	897	799	729	587	1020	892	744	527	334	112	24
TOTAL DEATHS	1628	330	64	40	33	27	494	60	38	40	36	87	90	115	164	241	192	71
Small-pox	17	4	2	3	3	-	12	-	1	-	-	2	2	-	-	-	-	-
Measles	10	2	1	2	2	2	9	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	38	3	7	5	5	4	24	9	2	2	-	-	-	1	-	-	-	-
Diphtheria	13	-	2	1	1	1	5	5	-	2	-	-	-	-	-	-	1	-
Whooping-cough	17	11	1	2	1	1	16	-	1	-	-	-	-	-	-	-	-	-
Typhus	42	1	1	4	-	1	7	6	5	4	1	5	2	4	5	3	-	-
Cholera, Diarrh., Dysent^{y}	35	15	6	1	1	-	23	-	-	-	-	2	-	-	1	6	3	-
Other Zymotic Dis.	78	19	4	8	4	4	39	10	2	3	-	1	2	4	6	7	4	-
Cancer	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	-	-
Scrofula, Tabes Mesent.	22	7	5	-	-	1	13	2	2	1	-	1	2	-	-	1	-	-
Phthisis	157	4	4	1	1	-	10	4	7	16	19	38	26	21	11	4	1	-
Hydrocephalus	15	3	4	1	1	-	9	4	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	170	67	5	1	3	2	78	3	3	4	-	3	5	11	20	33	6	4
Heart Dis. and Dropsy	139	-	1	1	1	-	3	4	1	-	1	4	15	18	31	42	16	4
Dis. of Lungs	201	32	12	8	5	3	60	5	3	-	6	10	7	26	27	41	16	-
Dis. of Stom. and Liver	77	9	-	-	-	-	9	2	1	2	-	6	11	7	16	12	10	1
Dis. of Kidneys	21	-	-	-	-	-	-	1	-	-	-	2	1	3	4	8	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	72	2	3	1	3	6	15	3	6	5	6	11	4	10	10	1	1	-
Other Causes	496	151	6	1	2	2	162	1	3	-	2	2	12	9	31	80	132	62

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
349.—WEOBLY.																		
Mean Popul^{n}, 1851-61	4332	-	-	-	-	-	514	529	446	377	327	569	495	417	318	216	106	18
TOTAL DEATHS	826	125	17	19	15	7	183	24	19	32	32	47	54	45	82	125	136	47
Small-pox	3	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
Measles	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	13	-	-	3	1	1	5	2	3	2	1	-	-	-	-	-	-	-
Diphtheria	15	1	-	1	3	-	5	4	3	-	1	2	-	-	-	-	-	-
Whooping-cough	9	6	2	1	-	-	9	-	-	-	-	-	-	-	-	-	-	-
Typhus	15	-	1	-	1	-	2	-	-	2	1	3	2	3	1	-	1	
Cholera, Diarrh., Dysent^{y}	13	3	-	1	-	-	4	1	1	1	-	-	-	1	2	2	1	
Other Zymotic Dis.	27	4	-	3	1	2	10	3	1	-	-	-	2	1	2	5	3	
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	2	6	6	5	3	
Scrofula, Tabes Mesent.	8	-	1	-	-	-	1	2	1	1	-	1	-	1	-	1	-	
Phthisis	83	1	-	1	-	-	2	-	2	12	19	22	15	7	4	-	-	
Hydrocephalus	6	2	-	1	1	-	4	-	1	1	-	-	-	-	-	-	-	
Diseases of Brain	88	34	-	-	2	-	36	1	-	4	2	3	3	1	13	11	14	
Heart Dis. and Dropsy	89	-	-	-	-	-	-	-	1	1	1	1	7	9	25	22	20	2
Dis. of Lungs	84	17	6	2	1	1	27	4	1	5	1	5	5	5	6	14	11	
Dis. of Stom. and Liver	38	3	1	-	1	1	6	1	3	-	1	1	4	2	6	9	5	
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	
Diseases of the Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Diseases of the Skin	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Childbirth and Metria	15	-	-	-	-	-	-	-	-	1	2	4	7	1	-	-	-	
Violent Deaths	15	2	-	3	2	-	7	2	1	-	-	1	1	1	1	-	1	
Other Causes	269	50	6	3	1	2	62	3	-	2	2	3	3	5	14	55	75	45
350.—BROMYARD.																		
Mean Popul^{n}, 1851-61	5679	-	-	-	-	-	743	555	602	475	446	757	630	521	409	278	134	29
TOTAL DEATHS	1132	217	39	29	16	21	322	42	26	31	42	87	62	58	103	146	138	75
Small-pox	4	2	-	1	-	-	3	-	-	-	-	1	-	-	-	-	-	
Measles	4	-	2	-	-	-	2	1	-	-	-	-	-	-	1	-	-	
Scarlatina	20	1	2	-	3	1	7	7	3	1	-	-	-	-	2	-	-	
Diphtheria	19	2	-	1	2	2	7	8	2	1	-	1	-	-	-	-	-	
Whooping-cough	9	6	1	1	1	-	9	-	-	-	-	-	-	-	-	-	-	
Typhus	43	1	2	3	-	2	8	2	4	4	5	9	1	3	3	2	2	
Cholera, Diarrh., Dysent^{y}	14	4	1	-	-	-	5	1	-	-	-	-	-	-	1	2	3	2
Other Zymotic Dis.	45	11	6	3	2	5	27	3	1	1	1	3	-	3	-	4	2	
Cancer	21	-	-	-	-	-	-	-	-	-	-	1	2	5	8	5	-	
Scrofula, Tabes Mesent.	12	2	1	-	-	1	4	-	1	2	1	-	1	-	2	-	1	
Phthisis	112	3	1	-	-	2	6	4	4	8	24	29	21	9	4	2	1	
Hydrocephalus	3	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	
Diseases of Brain	103	32	1	5	1	1	40	1	1	-	-	4	2	4	15	20	13	3
Heart Dis. and Dropsy	98	1	2	-	1	1	5	-	-	3	2	6	3	6	22	28	22	1
Dis. of Lungs	96	20	4	4	1	1	30	5	4	2	4	6	8	2	11	11	11	2
Dis. of Stom. and Liver	65	10	1	-	-	-	11	3	2	2	-	8	10	10	5	10	3	1
Dis. of Kidneys	9	-	-	-	-	-	-	-	1	-	-	-	-	1	2	4	1	
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	1	4	3	2	-	1	
Diseases of the Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Diseases of the Skin	6	1	1	-	-	-	2	-	1	1	-	-	-	-	-	2	-	
Childbirth and Metria	13	-	-	-	-	-	-	-	-	1	2	5	3	2	-	-	-	
Violent Deaths	26	5	3	4	2	1	15	1	1	-	-	1	3	-	3	-	1	1
Other Causes	398	115	10	7	3	4	139	4	1	5	3	12	4	10	22	56	77	65
351.—LEOMINSTER.																		
Mean Popul^{n}, 1851-61	7582	-	-	-	-	-	973	861	766	685	598	1014	840	727	555	369	161	33
TOTAL DEATHS	1529	264	68	36	27	24	419	68	33	48	40	99	88	73	120	210	230	101
Small-pox	11	2	1	1	-	4	8	1	1	-	-	1	-	-	-	-	-	
Measles	19	-	5	4	4	-	13	2	2	2	-	-	-	-	-	-	-	
Scarlatina	37	-	7	5	6	1	19	12	2	1	-	3	-	-	-	-	-	
Diphtheria	21	-	2	3	-	3	8	9	3	-	-	1	-	-	-	-	-	
Whooping-cough	23	11	7	3	1	-	22	-	1	-	-	-	-	-	-	-	-	
Typhus	35	2	-	-	1	1	4	4	4	4	3	2	4	3	2	2	3	
Cholera, Diarrh., Dysent^{y}	18	7	3	1	-	1	12	-	-	-	-	2	1	1	-	1	1	
Other Zymotic Dis.	64	18	6	2	5	3	34	7	-	1	-	4	5	3	2	5	3	
Cancer	37	-	-	-	-	-	-	-	-	1	-	2	2	10	10	8	4	
Scrofula, Tabes Mesent.	26	10	5	1	-	1	17	2	1	1	-	1	-	3	1	-	-	
Phthisis	158	-	2	1	1	2	6	6	6	25	27	45	24	6	12	1	-	
Hydrocephalus	12	4	4	-	-	1	9	3	-	-	-	-	-	-	-	-	-	
Diseases of Brain	138	54	7	3	3	-	67	4	3	4	-	4	4	6	14	17	12	3
Heart Dis. and Dropsy	147	3	1	-	-	-	4	2	2	2	2	8	6	17	25	49	24	6
Dis. of Lungs	135	30	4	6	4	3	47	2	3	-	1	3	11	3	16	39	17	2
Dis. of Stom. and Liver	59	4	1	1	1	-	7	-	1	-	2	4	3	6	12	17	7	
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	1	
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	1	1	5	2	1	-	
Diseases of the Joints	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	29	-	-	-	-	-	-	-	-	1	4	11	12	1	-	-	-	
Violent Deaths	26	-	2	2	-	4	8	9	2	-	1	1	-	-	-	1	2	2
Other Causes	519	119	11	3	1		134	5	1	6	-	6	13	8	21	77	157	88

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
352.—LUDLOW.																		
Mean Popul^{n}, 1851-61	8660	-	-	-	-	-	1052	990	903	837	714	1197	930	815	619	378	143	22
TOTAL DEATHS	1741	403	75	35	23	19	555	49	41	43	35	79	96	126	169	249	234	65
Small-pox	6	1	-	3	-	-	4	-	-	-	-	-	-	1	-	1	-	-
Measles	13	5	7	-	-	1	13	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	30	3	1	3	4	3	14	10	4	1	-	-	1	-	-	-	-	-
Diphtheria	7	-	-	2	2	-	4	-	1	-	-	-	1	1	-	-	-	-
Whooping-cough	22	11	6	2	1	1	21	-	1	-	-	-	-	-	-	-	-	-
Typhus	26	1	2	1	1	1	6	2	-	5	-	2	1	1	2	4	2	1
Cholera, Diarrh., Dysent^{y}	73	32	5	2	1	1	41	-	1	1	2	-	1	-	7	14	3	3
Other Zymotic Dis.	48	8	3	2	2	1	16	4	3	1	-	5	3	3	3	7	3	-
Cancer	13	1	-	-	-	-	1	-	-	-	-	-	1	2	2	5	1	1
Scrofula, Tabes Mesent.	21	6	1	2	1	1	11	2	1	1	2	4	-	-	-	-	-	-
Phthisis	124	1	2	1	-	-	4	3	3	13	13	31	30	15	8	4	-	-
Hydrocephalus	15	4	5	2	1	-	12	2	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	231	93	8	1	1	2	105	9	7	4	1	5	7	24	16	27	24	2
Heart Dis. and Dropsy	126	1	1	2	-	2	6	5	2	7	3	2	8	12	22	37	19	3
Dis. of Lungs	293	64	21	5	3	1	94	6	2	1	2	6	18	22	42	60	33	7
Dis. of Stom. and Liver	105	10	2	2	1	1	16	2	3	1	1	9	8	17	26	16	6	-
Dis. of Kidneys	40	1	-	-	-	1	2	1	2	-	1	1	1	6	8	12	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-
Diseases of the Skin	7	1	-	1	-	-	2	-	-	-	-	-	1	1	-	-	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	97	2	2	3	3	2	12	2	8	6	9	10	11	10	15	8	4	2
Other Causes	440	158	9	1	2	1	171	1	2	1	1	2	4	11	18	54	129	46
353.—CLUN.																		
Mean Popul^{n}, 1851-61	5390	-	-	-	-	-	659	611	583	556	458	725	620	483	358	221	102	14
TOTAL DEATHS	1035	238	45	27	15	14	339	45	23	25	35	58	59	55	85	127	136	48
Small-pox	5	1	1	1	-	-	3	-	-	-	1	-	1	-	-	-	-	-
Measles	9	2	3	1	2	-	8	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	19	1	2	4	-	3	10	7	2	-	-	-	-	-	-	-	-	-
Diphtheria	6	2	1	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	12	6	4	-	-	-	10	2	-	-	-	-	-	-	-	-	-	-
Typhus	24	1	2	1	1	-	5	3	3	2	5	1	1	-	2	1	1	-
Cholera, Diarrh., Dysent^{y}	6	2	1	1	-	-	4	-	-	-	-	-	-	-	-	1	-	1
Other Zymotic Dis.	48	6	4	3	2	4	19	7	1	-	-	4	1	6	5	3	1	1
Cancer	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-
Scrofula, Tabes Mesent.	4	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Phthisis	133	5	2	2	1	-	10	4	7	12	15	25	28	12	12	7	1	-
Hydrocephalus	7	3	2	-	-	1	6	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	124	54	7	4	3	1	69	2	1	1	1	4	3	5	11	19	7	1
Heart Dis. and Dropsy	71	-	-	-	-	-	-	1	1	1	4	4	5	5	16	24	9	1
Dis. of Lungs	118	30	9	3	3	-	45	7	1	2	4	3	6	10	11	20	6	3
Dis. of Stom. and Liver	40	9	-	1	-	-	10	-	2	-	-	5	2	8	6	6	1	-
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	-	1	2	-	-	2	5	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	4	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	52	2	2	2	2	2	10	5	4	1	3	3	9	4	5	2	1	-
Other Causes	335	113	4	4	1	2	124	2	-	5	1	2	2	4	13	37	104	41
354.—CHURCH STRETTON.																		
Mean Popul^{n}, 1851-61	3230	-	-	-	-	-	404	365	330	324	268	458	357	286	227	142	60	9
TOTAL DEATHS	600	111	23	17	8	13	172	23	18	14	27	28	36	37	48	77	91	28
Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Measles	7	1	2	2	1	-	6	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	13	-	1	2	1	-	4	5	4	-	-	-	-	-	-	-	-	-
Diphtheria	8	1	2	-	-	1	4	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough	8	3	1	3	-	-	7	1	-	-	-	-	-	-	-	-	-	-
Typhus	9	1	-	1	-	1	3	1	-	2	1	1	-	-	1	-	-	-
Cholera, Diarrh., Dysent^{y}	15	3	2	1	-	1	7	-	-	-	-	-	-	1	1	1	3	-
Other Zymotic Dis.	35	5	2	3	3	2	15	3	5	1	1	2	2	1	1	2	2	-
Cancer	10	1	-	-	-	-	1	-	-	1	-	-	1	1	4	2	-	-
Scrofula, Tabes Mesent.	10	1	2	-	-	-	3	1	2	-	2	1	-	-	1	-	-	-
Phthisis	59	-	1	-	-	-	1	2	3	5	16	9	10	8	3	2	-	-
Hydrocephalus	4	2	2	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	68	22	3	-	-	1	26	1	-	-	3	2	5	8	4	11	6	-
Heart Dis. and Dropsy	45	-	-	-	-	1	1	1	2	2	-	3	1	3	9	12	9	-
Dis. of Lungs	82	19	2	1	1	3	26	2	1	1	1	4	5	5	5	17	14	-
Dis. of Stom. and Liver	40	7	-	-	-	-	7	-	-	-	-	1	3	5	10	10	4	-
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	-	1	1	1	1	6	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	40	1	1	3	2	3	10	1	1	2	3	4	5	3	4	3	4	-
Other Causes	130	43	2	1	-	-	46	-	-	-	-	-	2	-	2	10	48	24

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

352.—LUDLOW.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	3726	-	-	-	-	-	1054	968	940	812	774	1195	934	788	599	424	206	32
TOTAL DEATHS	1618	276	82	41	20	23	442	45	35	55	57	101	93	116	126	193	245	102
Small-pox	4	1	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-
Measles	17	1	6	3	4	2	16	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	31	1	3	3	4	3	14	7	5	3	-	1	1	-	-	-	-	-
Diphtheria	6	1	-	2	1	-	4	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	34	12	13	6	1	1	33	1	-	-	-	-	-	-	-	-	-	-
Typhus	24	3	1	1	-	-	5	3	5	4	2	1	-	-	2	1	-	1
Cholera, Diarrh., Dysent^{y}	64	25	5	2	-	-	32	4	1	1	-	7	2	2	1	8	2	4
Other Zymotic Dis.	54	11	3	3	1	6	24	8	4	1	3	1	4	2	1	4	2	-
Cancer	38	-	-	-	-	-	-	-	-	-	-	1	5	6	10	10	4	2
Scrofula, Tabes Mesent.	17	2	4	-	1	2	9	-	1	2	-	1	2	-	1	1	-	-
Phthisis	182	3	1	1	-	-	5	2	6	27	35	38	31	26	11	1	-	-
Hydrocephalus	6	2	1	-	-	1	4	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	168	56	7	5	1	1	70	5	3	2	2	7	3	15	18	16	23	4
Heart Dis. and Dropsy	130	1	-	-	-	-	1	-	3	1	3	4	13	18	28	32	23	4
Dis. of Lungs	239	40	22	8	2	2	74	5	3	3	2	10	12	20	20	53	32	5
Dis. of Stom. and Liver	100	7	4	1	-	2	14	1	-	4	2	7	8	13	17	19	14	1
Dis. of Kidneys	9	-	-	1	-	-	1	-	-	1	-	1	-	2	1	3	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	3	-	2	2	1	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-
Childbirth and Metria	24	-	-	-	-	-	-	-	-	2	3	9	10	-	-	-	-	-
Violent Deaths	34	2	4	4	2	2	14	2	1	1	1	2	1	2	3	1	2	4
Other Causes	421	106	8	1	2	-	117	2	2	2	4	4	6	8	11	46	142	77

353.—CLUN.

Mean Popul^{n}, 1851-61	4977	-	-	-	-	-	658	593	544	487	418	661	544	417	316	212	109	13
TOTAL DEATHS	876	165	46	15	17	7	250	34	31	36	37	65	59	47	43	105	126	43
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	7	2	1	1	1	-	5	-	1	-	-	-	1	-	-	-	-	-
Scarlatina	18	1	2	1	3	1	8	7	2	-	1	-	-	-	-	-	-	-
Diphtheria	7	1	-	1	1	-	3	1	1	-	2	-	-	-	-	-	-	-
Whooping-cough	14	7	7	-	-	-	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	28	1	-	2	-	1	4	1	6	4	1	5	3	1	2	-	1	-
Cholera, Diarrh., Dysent^{y}	7	1	-	-	-	-	1	-	-	-	1	1	1	-	1	2	-	-
Other Zymotic Dis.	29	8	3	3	3	1	18	2	2	2	-	1	2	1	1	-	-	-
Cancer	23	-	-	-	-	-	-	-	-	-	-	1	4	6	1	11	-	-
Scrofula, Tabes Mesent.	14	1	2	1	2	-	6	1	2	3	1	1	-	-	-	-	-	-
Phthisis	129	1	3	2	-	-	6	2	8	21	17	36	22	10	6	1	-	-
Hydrocephalus	9	2	3	1	1	-	7	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	71	39	2	-	1	-	42	2	1	-	4	2	1	2	5	6	4	2
Heart Dis. and Dropsy	53	-	-	-	-	-	-	1	2	-	1	3	5	6	4	21	10	-
Dis. of Lungs	97	20	12	2	2	-	36	4	-	1	-	5	7	6	8	18	11	1
Dis. of Stom. and Liver	40	5	1	-	1	1	8	1	2	1	2	2	3	6	5	6	4	-
Dis. of Kidneys	3	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	1	2	4	4	-	-	-	-	-
Violent Deaths	23	3	1	-	2	1	7	5	2	1	1	-	-	-	1	1	3	2
Other Causes	285	72	9	1	-	2	84	4	2	1	4	3	3	6	8	39	93	33

354.—CHURCH STRETTON.

Mean Popul^{n}, 1851-61	2993	-	-	-	-	-	383	357	319	276	241	403	316	262	224	126	76	15
TOTAL DEATHS	522	72	16	13	5	9	115	16	18	16	27	32	28	29	41	81	78	41
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	1	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	16	1	3	1	-	2	7	6	3	-	-	-	-	-	-	-	-	-
Diphtheria	11	1	-	1	1	2	5	1	2	-	2	-	-	1	-	-	-	-
Whooping-cough	6	5	-	-	1	-	6	-	-	-	-	-	-	-	-	-	-	-
Typhus	12	-	-	1	-	-	1	-	1	1	2	2	-	2	2	1	-	-
Cholera, Diarrh., Dysent^{y}	13	7	-	-	-	1	8	-	-	-	-	-	-	-	1	1	3	-
Other Zymotic Dis.	25	2	1	3	-	2	8	3	-	2	-	1	1	1	2	4	1	2
Cancer	10	-	-	-	-	-	-	-	-	-	-	3	2	-	1	6	-	-
Scrofula, Tabes Mesent.	11	2	1	1	1	-	5	-	1	-	-	3	2	-	-	-	-	-
Phthisis	70	-	1	-	1	-	2	-	4	9	16	11	14	9	4	1	-	-
Hydrocephalus	4	2	-	1	-	1	4	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	55	14	5	-	-	-	19	-	4	1	-	1	2	3	9	8	7	1
Heart Dis. and Dropsy	54	-	-	1	-	-	1	-	-	1	1	1	3	6	8	19	14	-
Dis. of Lungs	51	13	3	3	-	-	19	1	1	-	4	1	2	2	1	11	7	2
Dis. of Stom. and Liver	20	-	1	-	-	-	1	2	-	-	-	-	2	4	4	7	-	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	2	2	6	1	-	-	-	-	-
Violent Deaths	7	-	1	1	-	-	2	1	1	-	-	-	-	-	-	1	1	1
Other Causes	136	24	-	-	-	-	24	2	1	-	-	1	-	1	8	20	45	34

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
355.—CLEOBURY-MORTIMER.																		
Mean Popul^{n}, 1851-61	4366	-	-	-	-	-	543	504	491	414	346	555	484	407	324	201	85	12
TOTAL DEATHS	774	148	30	16	13	12	219	27	21	30	20	43	38	52	61	100	133	30
Small-pox	5	-	-	-	-	-	-	1	-	-	-	-	1	3	-	-	-	-
Measles	11	1	2	3	1	1	8	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	19	1	1	1	-	3	6	9	3	-	1	-	-	-	-	-	-	-
Diphtheria	6	-	-	-	2	-	2	2	2	-	-	-	-	-	-	-	-	-
Whooping-cough	11	8	1	2	-	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	20	4	-	2	-	2	8	-	2	2	-	2	2	1	2	1	-	-
Cholera, Diarrh., Dysent^{y}	12	2	-	-	-	-	2	-	-	-	-	-	-	-	1	4	5	-
Other Zymotic Dis.	35	7	2	2	1	-	12	2	-	4	-	1	2	2	1	7	3	1
Cancer	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Scrofula, Tabes Mesent.	10	3	1	-	1	-	5	-	1	3	-	1	-	-	-	-	-	-
Phthisis	69	2	-	-	-	-	2	1	2	9	7	14	14	11	6	3	-	-
Hydrocephalus	5	-	2	1	-	1	4	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	75	33	3	1	-	1	38	-	1	1	1	3	3	3	3	10	6	1
Heart Dis. and Dropsy	44	2	-	-	-	-	2	1	-	1	1	1	1	2	11	6	11	8
Dis. of Lungs	89	18	8	2	-	2	30	2	2	-	1	5	1	3	11	19	12	4
Dis. of Stom. and Liver	54	11	-	-	-	-	11	2	2	1	1	4	4	3	2	12	5	-
Dis. of Kidneys	20	-	-	-	-	-	-	-	-	-	1	1	3	1	2	6	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	-	-	1	1	-	-	1	-	1	2	-	1	1	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	52	2	1	1	4	1	9	4	4	8	3	8	2	5	5	3	1	-
Other Causes	226	54	9	1	4	-	68	-	1	-	4	2	3	5	7	28	33	25
356.—BRIDGNORTH.																		
Mean Popul^{n}, 1851-61	7870	-	-	-	-	-	963	911	827	698	654	1106	936	764	543	318	133	12
TOTAL DEATHS	1501	331	73	37	19	21	481	48	37	36	47	69	68	102	166	192	194	61
Small-pox	14	4	-	1	-	-	5	1	-	2	1	1	2	1	1	-	-	-
Measles	17	3	2	4	4	-	13	2	1	1	-	-	-	-	-	-	-	-
Scarlatina	25	4	4	5	4	2	19	5	1	-	-	-	-	-	-	-	-	-
Diphtheria	19	2	1	-	2	1	6	9	3	-	1	-	-	-	-	-	-	-
Whooping-cough	12	5	4	1	-	1	11	1	-	-	-	-	-	-	-	-	-	-
Typhus	36	1	1	1	1	2	6	5	5	4	2	2	2	3	4	2	1	-
Cholera, Diarrh., Dysent^{y}	60	23	5	1	1	1	34	1	-	-	-	-	1	-	1	7	14	2
Other Zymotic Dis.	62	13	3	2	-	-	18	4	-	2	-	6	7	5	7	5	7	1
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	-	3	4	6	4	-
Scrofula, Tabes Mesent.	21	4	1	1	-	1	7	5	2	1	-	-	1	2	3	-	-	-
Phthisis	155	8	1	1	-	-	10	6	4	10	26	33	18	23	16	9	-	-
Hydrocephalus	19	6	9	2	1	-	18	-	-	-	-	-	1	-	-	-	-	-
Diseases of Brain	212	76	4	4	3	2	89	-	1	2	6	5	10	11	22	26	32	8
Heart Dis. and Dropsy	134	1	1	-	-	1	3	2	2	2	1	6	5	14	28	37	29	5
Dis. of Lungs	214	58	18	5	1	2	84	1	2	2	4	4	5	9	26	31	39	7
Dis. of Stom. and Liver	113	22	2	1	-	3	28	1	2	4	1	1	6	11	26	22	8	3
Dis. of Kidneys	38	-	-	-	1	-	1	-	-	-	-	1	2	3	5	13	11	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Joints	4	-	-	1	-	-	1	-	-	-	-	1	-	-	-	2	-	-
Diseases of the Skin	10	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	5	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	71	-	6	2	1	4	13	4	10	5	3	7	4	8	9	5	2	1
Other Causes	247	96	11	5	-	1	113	1	4	1	2	1	4	9	14	25	42	31
357.—SHIFFNAL.																		
Mean Popul^{n}, 1851-61	5863	-	-	-	-	-	742	693	658	582	480	802	680	546	364	212	80	9
TOTAL DEATHS	1107	267	53	26	29	13	388	42	31	26	42	64	63	79	90	131	118	33
Small-pox	7	-	-	1	-	1	2	1	1	1	-	-	2	-	-	-	-	-
Measles	4	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	32	2	5	2	7	4	20	7	5	-	-	-	-	-	-	-	-	-
Diphtheria	6	1	1	-	1	-	3	1	-	-	1	1	-	-	-	-	-	-
Whooping-cough	19	6	11	-	1	1	19	-	-	-	-	-	-	-	-	-	-	-
Typhus	49	6	1	3	4	1	15	4	6	5	2	3	1	8	3	2	-	-
Cholera, Diarrh., Dysent^{y}	31	8	3	2	-	1	14	1	2	-	-	-	3	1	1	7	2	-
Other Zymotic Dis.	43	14	1	-	4	1	20	4	1	2	1	6	1	2	2	2	2	-
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	-
Scrofula, Tabes Mesent.	16	1	1	-	2	-	4	2	1	1	4	1	2	-	-	-	1	-
Phthisis	114	2	2	-	-	-	4	2	5	4	15	28	21	17	12	5	1	-
Hydrocephalus	14	6	1	3	-	1	11	2	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	110	46	1	2	2	-	51	4	-	2	3	5	5	5	10	14	10	1
Heart Dis. and Dropsy	47	3	-	-	-	-	3	-	-	-	1	6	4	5	12	13	3	-
Dis. of Lungs	162	37	16	6	7	-	66	5	1	-	6	1	12	11	23	19	16	2
Dis. of Stom. and Liver	45	5	2	1	-	-	8	1	-	-	-	4	3	7	4	15	3	-
Dis. of Kidneys	13	1	-	-	-	-	1	1	-	1	-	1	-	-	7	1	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	65	2	-	2	1	2	7	4	8	7	8	7	5	11	4	3	1	-
Other Causes	320	126	8	3	-	1	138	1	1	1	1	1	3	10	10	47	77	30

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
355.—CLEOBURY-MORTIMER.																		
Mean Popul^{n}, 1851-61	4103	-	-	-	-	-	532	508	445	353	332	511	451	378	300	180	88	17
TOTAL DEATHS	765	135	28	20	15	6	204	41	22	41	30	68	40	34	54	88	97	46
Small-pox	6	2	1	-	-	-	3	-	-	-	-	2	1	-	-	-	-	-
Measles	8	3	1	1	3	-	8	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	23	3	2	1	3	-	9	10	1	-	2	-	-	-	1	-	-	-
Diphtheria	3	1	-	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	11	7	2	1	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	30	-	-	-	1	3	4	6	3	6	3	3	1	-	2	-	2	-
Cholera, Diarrh., Dysent^{y}	12	4	-	2	-	-	6	-	-	-	1	-	-	1	-	1	2	1
Other Zymotic Dis.	35	10	1	3	3	1	18	8	-	1	-	2	2	1	1	1	1	-
Cancer	16	-	-	-	-	-	-	-	-	-	-	-	2	1	7	4	2	-
Scrofula, Tabes Mesent.	13	4	-	-	1	-	5	3	1	1	-	1	1	1	-	-	-	-
Phthisis	117	-	2	-	-	-	2	4	11	22	12	35	11	10	8	2	-	-
Hydrocephalus	5	2	2	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	67	28	7	-	1	-	36	-	-	-	-	3	1	5	5	12	3	2
Heart Dis. and Dropsy	69	1	-	-	-	-	1	1	2	3	1	5	4	5	11	17	19	-
Dis. of Lungs	71	16	5	5	1	1	28	1	1	2	3	3	2	2	5	15	8	1
Dis. of Stom. and Liver	42	7	1	2	-	-	10	2	-	2	2	2	6	3	9	5	1	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Diseases of the Joints	4	1	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	-	3	9	3	1	-	-	-	-
Violent Deaths	15	3	-	2	-	1	6	3	-	-	2	-	1	-	-	-	2	1
Other Causes	195	43	4	1	1	-	49	2	2	2	-	2	3	3	4	30	57	41
356.—BRIDGNORTH.																		
Mean Popul^{n}, 1851-61	7894	-	-	-	-	-	1003	835	852	730	663	1099	900	723	524	329	146	30
TOTAL DEATHS	1493	279	75	33	21	15	423	61	41	49	47	90	109	86	125	172	208	82
Small-pox	5	1	-	1	-	-	2	-	1	1	1	-	-	-	-	-	-	-
Measles	10	2	3	-	-	-	5	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	27	-	5	3	2	2	12	9	5	-	-	-	-	1	-	-	-	-
Diphtheria	17	2	-	1	1	3	7	6	2	1	-	-	-	1	-	-	-	-
Whooping-cough	26	9	10	4	2	-	25	1	-	-	-	-	-	-	-	-	-	-
Typhus	50	2	2	2	1	1	8	7	5	7	2	3	2	4	7	3	2	-
Cholera, Diarrh., Dysent^{y}	55	20	2	-	1	-	23	1	-	-	-	1	-	2	1	6	17	4
Other Zymotic Dis.	76	20	5	5	4	-	34	3	3	2	3	3	6	-	4	7	9	2
Cancer	46	-	-	-	-	-	-	-	-	-	-	3	4	6	17	10	6	-
Scrofula, Tabes Mesent.	17	3	-	-	1	1	5	1	4	1	2	1	3	-	-	-	-	-
Phthisis	181	5	2	-	-	1	8	6	10	20	24	44	38	14	10	6	1	-
Hydrocephalus	13	3	5	2	1	-	11	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	209	64	11	-	2	3	80	4	2	3	5	9	5	10	23	33	23	12
Heart Dis. and Dropsy	130	5	-	-	-	-	5	2	2	3	1	4	12	18	17	31	30	5
Dis. of Lungs	177	39	18	8	4	1	70	7	1	1	2	4	6	10	14	20	34	8
Dis. of Stom. and Liver	103	16	1	1	-	-	18	2	3	3	1	4	10	12	15	18	17	3
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	1	-	-	2	1	4	2	1	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	1	-	1	1	3	1	-	1	1	1
Diseases of the Joints	2	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	1	4	7	12	1	-	-	-	-
Violent Deaths	25	2	2	2	2	1	9	4	-	-	1	1	-	1	-	4	5	-
Other Causes	272	85	9	3	-	2	99	2	-	5	-	5	6	4	12	30	62	47
357.—SHIFFNAL.																		
Mean Popul^{n}, 1851-61	5875	-	-	-	-	-	811	685	629	575	537	781	640	518	354	230	98	17
TOTAL DEATHS	1042	204	72	35	27	15	353	49	24	38	49	69	62	51	85	108	112	42
Small-pox	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	9	4	3	-	-	-	7	-	1	-	1	-	-	-	-	-	-	-
Scarlatina	33	3	4	3	6	5	21	10	2	-	-	-	-	-	-	-	-	-
Diphtheria	6	-	1	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	20	6	5	1	6	-	18	2	-	-	-	-	-	-	-	-	-	-
Typhus	56	2	3	3	4	1	13	14	3	7	3	6	3	1	1	-	-	-
Cholera, Diarrh., Dysent^{y}	32	8	8	3	-	1	20	2	-	-	1	1	1	-	2	1	4	-
Other Zymotic Dis.	31	8	4	4	1	-	17	2	-	1	1	2	2	1	1	1	2	1
Cancer	34	-	-	-	-	-	-	-	-	-	-	-	5	8	13	7	1	-
Scrofula, Tabes Mesent.	10	2	-	1	-	-	3	-	1	-	1	2	-	1	2	-	-	-
Phthisis	133	3	-	2	-	-	5	1	3	21	26	34	25	12	4	2	-	-
Hydrocephalus	14	3	4	4	1	-	12	1	-	-	-	-	-	1	-	-	-	-
Diseases of Brain	102	43	6	-	2	1	52	1	1	1	6	2	3	5	15	9	6	1
Heart Dis. and Dropsy	50	1	1	-	-	-	2	1	1	-	-	2	4	7	12	13	7	1
Dis. of Lungs	142	37	22	9	5	1	74	6	2	4	2	3	7	5	9	17	7	6
Dis. of Stom. and Liver	46	4	1	1	-	1	7	1	-	2	4	6	2	7	6	8	2	1
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	2	3	5	3	-	-	-	-	-
Violent Deaths	27	-	1	3	1	3	8	1	2	-	-	4	1	1	3	2	4	1
Other Causes	277	79	8	1	1	2	91	4	1	-	1	1	5	1	17	47	78	31

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

358.—MADELEY.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	14568	-	-	-	-	-	2054	1826	1656	1466	1369	2007	1541	1236	850	417	128	18
TOTAL DEATHS	3172	910	242	130	85	68	1435	151	98	95	86	132	151	181	280	274	238	51
Small-pox	45	11	8	5	1	2	27	1	1	5	2	4	4	1	-	-	-	-
Measles	58	15	28	6	2	2	53	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	123	13	14	20	15	15	77	38	7	-	-	1	-	-	-	-	-	-
Diphtheria	13	2	1	1	-	-	4	8	1	-	-	-	-	-	-	-	-	-
Whooping-cough	56	28	15	4	3	3	53	2	1	-	-	-	-	-	-	-	-	-
Typhus	123	2	7	9	8	10	36	23	12	12	7	9	6	8	7	1	2	-
Cholera, Diarrh., Dysent^{y}	47	19	11	2	3	-	35	1	-	-	1	1	-	3	2	4	-	-
Other Zymotic Dis.	108	20	5	14	9	4	52	9	4	5	3	1	3	8	6	12	3	2
Cancer	17	-	-	-	-	-	-	-	-	-	-	1	1	4	7	3	1	-
Scrofula, Tabes Mesent.	47	15	13	2	-	3	33	4	3	1	4	-	1	1	-	-	-	-
Phthisis	304	33	12	7	3	-	55	12	9	32	31	49	41	28	38	8	1	-
Hydrocephalus	47	15	10	3	4	3	35	6	1	1	1	2	-	1	-	-	-	-
Diseases of Brain	439	281	30	8	12	2	333	9	9	4	4	6	12	12	20	18	12	-
Heart Dis. and Dropsy	137	1	-	1	1	4	7	5	7	6	6	7	16	25	27	18	12	1
Dis. of Lungs	451	124	38	31	11	6	210	11	4	2	1	9	24	41	79	53	16	1
Dis. of Stom. and Liver	168	54	4	7	1	2	68	3	5	4	4	10	11	12	22	22	7	-
Dis. of Kidneys	33	-	-	1	-	-	1	1	-	2	-	5	2	4	8	7	3	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of the Joints	2	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Diseases of the Skin	6	2	1	-	-	-	3	-	1	-	-	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	196	-	6	5	9	12	32	13	26	20	18	18	17	18	22	9	3	-
Other Causes	751	275	39	4	2	-	320	1	6	1	3	9	13	15	41	119	176	47

359.—ATCHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	9880	-	-	-	-	-	1167	1144	1025	1005	858	1346	1137	931	677	394	168	28
TOTAL DEATHS	1803	338	70	42	34	33	517	71	49	49	66	90	101	118	169	251	247	75
Small-pox	16	4	-	-	-	-	4	-	-	1	4	4	3	-	-	-	-	-
Measles	11	2	4	2	1	1	10	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	55	1	4	4	9	6	24	24	4	1	-	-	1	-	1	-	-	-
Diphtheria	20	4	-	2	3	2	11	2	2	3	2	-	-	-	-	-	-	-
Whooping-cough	20	7	5	4	2	1	19	1	-	-	-	-	-	-	-	-	-	-
Typhus	50	2	-	-	-	1	3	3	7	1	4	6	5	4	6	6	5	-
Cholera, Diarrh., Dysent^{y}	30	9	1	1	-	-	11	-	1	-	2	-	1	1	5	5	3	1
Other Zymotic Dis.	85	13	7	3	-	10	33	8	4	2	1	-	6	7	5	10	7	2
Cancer	15	-	-	-	-	-	-	-	-	-	-	1	-	3	3	4	2	2
Scrofula, Tabes Mesent.	25	4	-	2	1	-	7	4	1	3	1	3	3	3	-	-	-	-
Phthisis	193	8	1	-	-	2	11	5	5	20	30	34	33	24	14	16	1	-
Hydrocephalus	19	7	5	2	1	-	15	1	1	-	-	1	-	-	1	-	-	-
Diseases of Brain	187	76	9	5	3	1	94	4	5	3	2	4	7	9	13	23	21	2
Heart Dis. and Dropsy	108	2	1	2	-	1	6	1	1	-	2	7	5	11	23	32	19	1
Dis. of Lungs	223	45	16	7	3	4	75	4	1	3	6	3	11	18	36	45	20	1
Dis. of Stom. and Liver	98	9	-	-	2	-	11	5	4	4	2	4	6	9	16	26	9	2
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	5	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	102	2	2	4	2	2	12	5	12	6	5	16	11	9	11	9	6	-
Other Causes	522	141	15	4	7	2	169	3	1	2	5	6	7	16	31	70	148	64

360.—SHREWSBURY.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	11483	-	-	-	-	-	1355	1236	1145	1076	1003	1766	1481	1129	742	391	142	17
TOTAL DEATHS	3150	626	162	101	54	45	988	130	61	84	116	257	317	322	309	301	220	45
Small-pox	83	17	14	9	6	3	49	17	2	2	3	3	4	2	1	-	-	-
Measles	22	2	10	5	1	1	19	2	-	-	1	-	-	-	-	-	-	-
Scarlatina	82	10	9	16	10	7	52	18	5	1	3	1	-	2	-	-	-	-
Diphtheria	4	1	-	-	-	1	2	1	-	-	-	-	-	1	-	-	-	-
Whooping-cough	23	13	4	4	2	-	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	113	8	6	7	4	6	26	18	9	5	6	14	12	10	7	1	4	1
Cholera, Diarrh., Dysent^{y}	70	35	5	3	1	2	46	1	-	-	-	5	2	3	3	4	6	-
Other Zymotic Dis.	105	12	6	9	7	8	42	7	3	3	1	7	11	8	13	5	5	-
Cancer	48	-	-	-	1	-	1	-	-	1	1	1	5	11	16	11	1	-
Scrofula, Tabes Mesent.	31	6	1	1	-	-	8	6	2	5	3	3	3	1	-	-	-	-
Phthisis	432	17	7	7	2	2	35	5	12	32	54	94	93	55	39	13	-	-
Hydrocephalus	58	26	7	4	3	-	40	7	1	-	-	4	4	-	1	1	-	-
Diseases of Brain	651	284	25	10	3	2	324	10	7	7	10	39	49	62	63	48	30	2
Heart Dis. and Dropsy	154	1	3	-	-	-	4	5	1	3	2	18	23	28	28	27	14	1
Dis. of Lungs	416	68	43	13	6	7	137	7	1	5	5	22	33	48	58	66	29	5
Dis. of Stom. and Liver	146	14	1	4	1	-	20	2	1	4	6	8	24	35	22	20	4	-
Dis. of Kidneys	60	-	-	-	1	-	1	3	-	1	2	7	8	4	11	17	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	15	-	-	-	-	-	-	2	1	1	1	3	3	3	-	1	-	-
Diseases of the Skin	9	2	-	-	-	-	2	-	-	-	2	1	-	2	2	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	186	7	4	2	2	3	18	17	13	14	14	23	34	32	13	7	1	-
Other Causes	442	108	17	7	4	3	139	2	3	-	2	4	9	15	32	80	120	36

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
358.—MADELEY.																		
Mean Popul^{n}, 1851-61	14448	-	-	-	-	-	2078	1792	1676	1324	1239	1934	1557	1264	846	494	214	30
TOTAL DEATHS	3038	721	227	128	81	48	1205	144	69	117	128	189	158	184	191	248	295	110
Small-pox	36	16	7	1	2	-	26	5	-	2	-	2	-	1	-	-	-	-
Measles	52	11	20	9	6	1	47	3	-	-	-	1	1	-	-	-	-	-
Scarlatina	110	5	16	21	17	10	69	27	5	5	1	2	1	-	-	-	-	-
Diphtheria	22	3	1	6	1	1	12	8	1	-	-	-	-	-	-	-	1	-
Whooping-cough	79	39	20	9	4	1	73	6	-	-	-	-	-	-	-	-	-	-
Typhus	137	5	9	10	7	5	36	20	13	23	11	13	8	2	7	3	1	-
Cholera, Diarrh., Dysent^{y}	43	14	8	1	-	-	23	-	-	-	-	2	1	6	4	4	2	1
Other Zymotic Dis.	76	14	5	8	3	3	33	10	-	-	1	3	5	3	6	8	6	1
Cancer	49	1	-	-	-	-	1	-	-	1	1	3	5	20	10	5	3	-
Scrofula, Tabes Mesent.	56	18	9	3	1	-	31	3	3	3	5	3	3	3	1	1	-	-
Phthisis	406	21	16	5	3	3	48	16	18	64	61	89	55	38	14	3	-	-
Hydrocephalus	41	12	6	8	5	3	34	4	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	352	193	21	9	7	4	239	3	9	2	11	7	9	12	24	24	9	3
Heart Dis. and Dropsy	159	2	4	2	-	1	9	4	6	2	7	10	16	22	40	32	9	2
Dis. of Lungs	328	89	52	21	9	5	176	8	1	2	10	15	14	29	36	24	13	-
Dis. of Stom. and Liver	128	25	3	4	2	1	35	8	1	4	3	9	9	15	16	16	10	2
Dis. of Kidneys	12	1	-	-	-	-	1	-	1	1	3	1	-	1	1	3	-	-
Dis. of Gener. Organs	11	-	-	-	1	-	1	-	-	-	1	-	3	5	1	-	-	-
Diseases of the Joints	4	1	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-
Childbirth and Metria	43	-	-	-	-	-	-	-	-	1	7	16	17	2	-	-	-	-
Violent Deaths	72	2	4	3	7	7	23	15	4	3	2	5	2	5	3	7	3	-
Other Causes	819	243	26	8	6	3	286	3	4	3	4	8	9	18	28	118	237	101
359.—ATCHAM.																		
Mean Popul^{n}, 1851-61	9434	-	-	-	-	-	1157	1144	1031	888	765	1251	1026	856	634	439	205	38
TOTAL DEATHS	1696	265	52	47	32	32	428	77	65	76	62	112	91	98	125	229	234	99
Small-pox	8	2	-	-	-	-	2	1	-	-	2	1	-	-	1	1	-	-
Measles	6	-	1	2	2	-	5	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	51	5	4	5	4	7	25	18	7	1	-	-	-	-	-	-	-	-
Diphtheria	21	2	1	1	1	1	6	8	4	1	-	1	1	-	-	-	-	-
Whooping-cough	22	10	3	6	-	1	20	-	2	-	-	-	-	-	-	-	-	-
Typhus	42	-	-	2	3	2	7	2	7	9	1	6	3	1	4	1	1	-
Cholera, Diarrh., Dysent^{y}	11	3	2	-	1	-	6	-	-	-	-	1	1	1	1	1	-	-
Other Zymotic Dis.	71	12	2	7	6	5	32	3	4	-	1	1	2	3	6	8	4	2
Cancer	46	-	-	-	-	-	-	-	-	-	-	1	6	9	9	15	4	2
Scrofula, Tabes Mesent.	24	2	2	-	-	2	6	1	2	4	3	3	2	2	1	-	-	-
Phthisis	240	3	2	-	2	1	8	7	20	40	35	59	24	20	13	13	1	-
Hydrocephalus	10	1	2	3	-	-	6	1	1	-	-	-	1	-	-	-	1	-
Diseases of Brain	182	67	8	5	2	-	82	5	3	4	4	6	6	9	14	27	19	3
Heart Dis. and Dropsy	122	-	-	2	-	1	3	1	3	4	2	3	10	14	23	36	21	2
Dis. of Lungs	157	34	9	5	5	3	56	9	2	2	4	8	8	6	18	22	20	2
Dis. of Stom. and Liver	76	2	4	1	2	-	9	3	2	3	3	5	6	8	13	18	6	-
Dis. of Kidneys	4	-	-	-	-	1	1	-	-	-	1	-	-	-	2	-	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
Diseases of the Joints	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	27	-	-	-	-	-	-	-	-	2	1	8	13	3	-	-	-	-
Violent Deaths	31	-	3	3	1	3	10	6	2	1	-	1	-	2	2	3	4	-
Other Causes	539	121	9	5	3	4	142	6	6	5	4	8	8	18	18	83	153	88
360.—SHREWSBURY.																		
Mean Popul^{n}, 1851-61	12961	-	-	-	-	-	1370	1255	1215	1298	1298	2014	1590	1288	851	532	215	34
TOTAL DEATHS	3006	464	147	111	68	53	843	95	73	107	108	271	226	235	239	360	315	104
Small-pox	78	20	12	9	7	7	55	8	1	1	2	9	1	1	-	-	-	-
Measles	20	3	4	8	1	1	17	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	68	1	7	15	17	8	48	13	4	-	1	1	-	1	-	-	-	-
Diphtheria	7	-	1	2	-	1	4	2	-	1	-	-	-	-	-	-	-	-
Whooping-cough	37	8	13	8	2	3	34	3	-	-	-	-	-	-	-	-	-	-
Typhus	123	2	7	4	6	7	26	12	12	13	5	13	14	9	6	8	4	1
Cholera, Diarrh., Dysent^{y}	66	27	2	-	-	1	30	1	-	1	3	1	4	2	5	13	5	1
Other Zymotic Dis.	73	7	8	7	5	6	33	5	-	2	2	4	5	3	4	6	7	2
Cancer	93	-	-	-	-	-	-	1	-	-	-	4	11	25	29	16	7	-
Scrofula, Tabes Mesent.	25	1	1	2	-	-	4	1	5	5	-	4	2	3	-	-	1	-
Phthisis	430	13	2	3	1	2	21	10	21	53	58	130	75	42	13	7	-	-
Hydrocephalus	47	17	5	7	6	4	59	5	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	500	193	15	16	4	6	234	6	11	6	6	25	29	32	30	65	44	3
Heart Dis. and Dropsy	196	3	1	-	-	-	4	3	3	2	6	15	21	31	43	42	24	2
Dis. of Lungs	378	58	47	24	9	3	141	8	4	8	6	14	15	30	31	58	54	9
Dis. of Stom. and Liver	155	8	1	2	-	-	11	1	1	2	6	18	17	32	26	30	10	1
Dis. of Kidneys	25	-	-	-	1	-	1	-	1	2	3	4	4	3	4	2	1	-
Dis. of Gener. Organs	17	-	-	1	-	-	1	-	-	-	1	3	2	6	2	1	1	-
Diseases of the Joints	9	-	-	1	-	-	1	1	2	1	-	3	-	1	-	-	-	-
Diseases of the Skin	3	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	39	-	-	-	-	-	-	-	-	1	4	14	20	-	-	-	-	-
Violent Deaths	60	5	2	1	8	2	18	8	6	5	3	3	2	2	6	4	3	-
Other Causes	557	98	18	1	1	2	120	4	-	3	2	6	4	12	30	108	183	85

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
361.—OSWESTRY.																		
Mean Popul^n, 1851-61	11703	-	-	-	-	-	1430	1413	1299	1195	955	1541	1248	1088	837	473	199	25
TOTAL DEATHS	2272	452	113	62	42	37	706	79	67	79	80	131	125	158	208	288	282	69
Small-pox	9	5	-	-	-	2	7	-	-	1	-	-	-	-	1	-	-	-
Measles	13	1	4	3	2	-	10	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	48	4	10	8	4	6	32	9	6	1	-	-	-	-	-	-	-	-
Diphtheria	16	-	-	5	3	-	8	2	5	-	-	1	-	-	-	-	-	-
Whooping-cough	30	18	9	2	-	-	29	1	-	-	-	-	-	-	-	-	-	-
Typhus	79	1	2	4	3	4	14	7	11	7	9	8	4	5	3	8	3	-
Cholera, Diarrh., Dysent^y	29	5	1	-	1	-	7	1	-	1	1	1	2	1	5	4	5	1
Other Zymotic Dis.	100	15	8	12	9	8	52	11	5	3	-	2	5	1	6	11	3	1
Cancer	33	-	-	-	-	-	-	-	-	-	1	3	2	3	13	7	3	1
Scrofula, Tabes Mesent.	20	3	4	-	1	-	8	4	-	1	1	2	1	1	1	1	-	-
Phthisis	289	2	3	2	1	2	10	7	16	32	45	62	42	36	24	13	2	-
Hydrocephalus	26	5	11	1	1	1	19	4	2	-	-	-	1	-	-	-	-	-
Diseases of Brain	375	200	13	11	4	2	230	5	2	11	6	6	8	14	25	39	24	5
Heart Dis. and Dropsy	145	2	-	-	-	1	3	1	3	4	4	7	17	21	27	39	18	1
Dis. of Lungs	287	42	21	5	3	2	73	9	3	2	2	9	14	21	42	60	49	3
Dis. of Stom. and Liver	111	8	3	1	3	1	16	2	2	2	2	2	12	19	20	28	6	-
Dis. of Kidneys	28	1	-	-	-	-	1	-	1	-	1	-	-	5	2	7	7	4	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of the Joints	8	1	-	-	-	-	1	2	-	-	1	1	-	1	-	1	1	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	131	-	5	5	5	6	21	9	11	12	6	24	7	17	15	4	4	1
Other Causes	493	138	19	3	2	2	164	2	-	2	1	3	5	16	19	66	159	56
362.—ELLESMERE*.																		
Mean Popul^n, 1851-61	7550	-	-	-	-	-	898	869	830	771	633	968	844	687	551	352	132	15
TOTAL DEATHS	1427	285	56	32	31	23	427	52	35	31	51	87	77	78	126	200	202	61
Small-pox	4	-	1	-	-	1	2	-	-	-	-	2	-	-	-	-	-	-
Measles	8	-	2	3	1	-	6	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	46	1	4	3	5	6	24	10	7	2	1	1	1	-	-	-	-	-
Diphtheria	24	-	1	2	6	3	12	7	5	-	-	-	-	-	-	-	-	-
Whooping-cough	11	4	3	3	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	38	1	2	-	-	-	3	1	4	4	-	1	8	7	4	4	2	-
Cholera, Diarrh., Dysent^y	33	11	2	-	1	-	14	-	-	-	1	2	1	2	3	6	4	-
Other Zymotic Dis.	55	9	3	3	4	3	22	7	1	2	2	4	1	7	3	4	1	1
Cancer	26	-	-	-	-	-	-	-	-	-	1	-	3	4	9	8	1	-
Scrofula, Tabes Mesent.	21	1	3	-	-	1	5	3	5	-	2	3	1	1	-	1	-	-
Phthisis	138	6	1	1	-	1	9	4	4	11	25	37	18	21	6	3	-	-
Hydrocephalus	18	4	3	2	2	1	12	3	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	166	73	8	2	1	1	85	2	-	2	3	4	5	8	8	28	18	3
Heart Dis. and Dropsy	104	6	-	-	-	-	6	-	-	1	-	4	14	6	23	25	21	4
Dis. of Lungs	190	40	11	6	5	4	66	6	1	2	5	13	9	6	27	27	23	5
Dis. of Stom. and Liver	71	11	-	1	-	-	12	3	2	1	3	7	5	5	17	8	7	1
Dis. of Kidneys	19	-	-	-	2	-	2	-	1	-	-	2	1	2	5	5	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	2	-	-	-	-	2	-	-	-	1	1	-	-	1	-	-	-
Diseases of the Skin	7	2	-	-	-	-	2	-	-	-	1	-	1	1	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	54	2	6	1	2	1	12	2	2	4	5	3	7	6	4	3	6	-
Other Causes	389	112	6	-	1	1	120	2	1	1	1	3	2	2	15	77	118	47
363 (*a*).—WEM.*																		
Mean Popul^n, 1851-61	5386	-	-	-	-	-	656	640	599	544	406	691	578	515	393	252	102	10
TOTAL DEATHS	1209	222	44	31	22	15	334	48	26	32	42	74	60	61	131	169	194	38
Small-pox	3	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Measles	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	42	5	2	5	3	3	18	16	4	4	-	-	-	-	-	-	-	-
Diphtheria	16	2	1	5	2	2	12	2	1	-	-	-	-	1	-	-	-	-
Whooping-cough	13	11	1	-	-	-	12	1	-	-	-	-	-	-	-	-	-	-
Typhus	33	3	-	1	-	1	5	1	1	3	6	3	3	7	1	3	-	-
Cholera, Diarrh., Dysent^y	33	17	3	1	-	1	22	1	-	-	-	-	3	-	-	5	2	-
Other Zymotic Dis.	76	12	6	4	5	1	28	4	3	4	1	4	3	4	5	10	9	1
Cancer	15	-	-	-	-	-	-	-	-	-	-	3	1	1	5	3	2	-
Scrofula, Tabes Mesent.	28	6	1	2	-	2	11	3	2	3	1	3	1	2	1	1	-	-
Phthisis	144	6	4	2	-	-	12	2	4	11	25	38	18	9	18	4	3	-
Hydrocephalus	22	6	4	1	3	1	15	6	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	135	42	3	3	5	-	53	3	-	1	2	4	3	4	17	25	22	1
Heart Dis. and Dropsy	85	-	1	-	-	-	1	2	1	-	-	7	4	8	20	21	18	3
Dis. of Lungs	118	21	9	3	1	-	34	1	-	-	3	-	6	11	15	22	21	5
Dis. of Stom. and Liver	84	5	2	-	1	1	9	2	1	-	1	4	8	8	21	21	6	3
Dis. of Kidneys	17	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	-	1	1	-	1	1	-	1	2	-	-
Diseases of the Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	59	1	3	3	1	3	11	2	5	3	3	5	6	4	9	6	5	-
Other Causes	274	80	4	1	1	-	86	1	3	-	-	2	3	1	16	39	100	23

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of these Districts.

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

361.—OSWESTRY.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^n, 1851-61	11603	-	-	-	-	-	1454	1303	1273	1099	975	1505	1273	1104	820	511	285	41
TOTAL DEATHS	2144	355	92	55	36	23	561	78	69	71	70	172	141	125	182	284	290	101
Small-pox	17	8	2	-	1	-	11	1	1	-	-	3	-	1	-	-	-	-
Measles	25	4	8	5	1	1	19	4	-	2	-	-	-	-	-	-	-	-
Scarlatina	42	3	4	7	5	1	20	15	6	-	-	1	-	-	-	-	-	-
Diphtheria	16	-	4	-	2	2	8	6	1	-	-	-	-	-	1	-	-	-
Whooping-cough	53	27	12	9	3	1	52	1	-	-	-	-	-	-	-	-	-	-
Typhus	78	1	3	2	-	3	9	7	12	14	9	3	5	4	5	7	3	-
Cholera, Diarrh., Dysent^y	30	6	2	-	-	-	8	-	-	4	-	-	2	1	5	6	3	1
Other Zymotic Dis.	73	14	11	7	5	1	38	3	4	1	2	-	2	3	5	11	4	-
Cancer	50	-	-	-	-	-	-	-	-	-	-	2	8	9	14	11	5	1
Scrofula, Tabes Mesent.	19	6	1	2	1	3	13	1	1	1	-	-	2	-	1	-	-	-
Phthisis	344	5	-	3	1	1	10	6	21	37	40	101	58	33	31	7	-	-
Hydrocephalus	21	4	2	1	3	2	12	4	3	1	-	1	-	-	-	-	-	-
Diseases of the Brain	290	128	7	6	3	2	146	5	7	2	3	4	6	15	20	45	32	5
Heart Dis. and Dropsy	149	-	-	-	1	-	1	3	3	1	5	11	15	15	32	38	24	1
Dis. of Lungs	208	25	13	7	4	2	51	5	4	3	2	12	6	12	26	50	29	8
Dis. of Stom. and Liver	123	4	2	-	-	-	6	4	2	1	1	8	10	14	26	30	12	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	1	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	1	3	3	4	-	-	-	-
Diseases of the Joints	9	1	1	-	-	-	2	1	2	1	-	1	1	1	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Childbirth and Metria	36	-	-	-	-	-	-	-	-	3	5	12	14	2	-	-	-	-
Violent Deaths	50	5	3	2	3	3	16	9	1	-	-	1	1	2	4	7	6	3
Other Causes	491	114	17	4	3	1	139	3	1	-	1	7	6	8	10	63	171	82

362.—ELLESMERE.*

Mean Popul^n, 1851-61	7376	-	-	-	-	-	847	851	771	720	639	939	828	668	553	371	166	23
TOTAL DEATHS	1467	236	51	27	32	27	373	45	58	50	66	108	78	76	130	188	232	63
Small-pox	4	-	-	-	1	1	2	-	-	-	1	-	1	-	-	-	-	-
Measles	7	1	2	1	1	1	6	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	49	2	8	3	4	7	24	12	9	3	-	-	1	-	-	-	-	-
Diphtheria	30	1	-	4	2	4	11	6	9	1	-	-	1	-	1	1	-	-
Whooping-cough	17	11	4	-	-	2	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	44	1	-	1	-	-	2	1	6	4	5	4	6	5	3	7	1	-
Cholera, Diarrh., Dysent^y	36	8	1	1	2	1	13	1	2	1	-	3	-	3	4	5	4	-
Other Zymotic Dis.	44	10	4	4	6	-	24	1	3	1	3	3	-	3	2	2	2	-
Cancer	29	-	-	-	-	-	-	-	-	1	-	-	4	7	4	8	5	-
Scrofula, Tabes Mesent.	13	2	2	2	1	-	7	-	2	-	2	-	1	-	1	-	-	-
Phthisis	207	3	1	1	-	-	5	3	15	21	38	63	23	17	17	5	-	-
Hydrocephalus	16	5	2	1	2	1	11	2	1	2	-	-	-	-	-	-	-	-
Diseases of Brain	191	64	10	1	2	3	80	1	-	5	2	4	6	7	23	30	30	3
Heart Dis. and Dropsy	110	2	-	-	2	-	4	-	4	3	-	4	7	14	26	30	14	4
Dis. of Lungs	145	28	7	5	1	2	43	7	3	4	5	7	10	2	15	19	27	5
Dis. of Stom. and Liver	72	1	-	-	1	-	2	2	4	-	3	6	7	8	22	11	7	-
Dis. of Kidneys	5	-	-	-	1	-	1	-	-	1	-	1	1	-	-	1	-	-
Dis. of Gener. Organs	8	1	-	-	-	-	1	-	-	-	-	1	2	2	2	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Skin	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	1	5	9	6	1	-	-	-	-
Violent Deaths	35	2	2	3	5	2	14	5	-	1	-	-	1	3	2	4	3	2
Other Causes	380	94	8	-	-	3	105	3	-	1	2	3	1	4	9	65	138	49

363 (*a*).—WEM.*

Mean Popul^n, 1851-61	5249	-	-	-	-	-	623	609	519	472	418	729	592	488	387	277	117	18
TOTAL DEATHS	1204	187	58	28	31	19	323	47	32	38	46	82	65	74	114	169	166	48
Small-pox	6	1	1	1	1	-	4	-	-	1	1	-	-	-	-	-	-	-
Measles	14	1	2	-	2	-	5	2	4	-	1	1	-	1	-	-	-	-
Scarlatina	38	2	7	4	8	4	25	9	3	-	-	1	-	-	-	-	-	-
Diphtheria	27	3	-	3	6	1	13	7	4	-	2	1	-	-	-	-	-	-
Whooping-cough	11	5	2	4	-	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	42	-	2	1	1	1	5	3	5	7	5	4	4	2	3	4	-	-
Cholera, Diarrh., Dysent^y	31	9	2	2	1	-	14	-	-	-	3	2	1	1	1	5	4	-
Other Zymotic Dis.	66	11	5	1	6	3	26	4	2	1	1	2	5	2	6	9	7	1
Cancer	35	-	-	-	-	-	-	-	-	-	-	2	8	8	9	11	2	-
Scrofula, Tabes Mesent.	23	6	4	3	-	2	15	2	2	-	1	3	-	-	-	-	-	-
Phthisis	138	5	2	1	1	-	9	4	4	17	21	29	24	9	17	4	-	-
Hydrocephalus	15	9	1	-	-	2	12	1	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	145	31	6	3	-	2	42	4	2	4	1	4	2	13	20	30	19	4
Heart Dis. and Dropsy	111	3	2	-	-	-	5	1	2	2	3	8	5	14	19	30	21	1
Dis. of Lungs	86	17	5	2	2	1	27	3	2	2	-	3	4	5	6	18	12	4
Dis. of Stom. and Liver	73	4	1	1	-	-	6	1	-	1	2	9	6	9	13	16	10	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	2	3	4	2	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
Diseases of the Skin	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	4	7	7	-	-	-	-	-
Violent Deaths	24	3	2	1	2	3	11	4	-	2	-	-	-	-	-	1	4	2
Other Causes	230	77	13	1	1	-	92	1	-	1	1	3	-	5	14	41	86	36

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of these Districts.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
363 (*b*).—WHITCHURCH.*																		
Mean Popul^{n}, 1851-61 †	5467	-	-	-	-	-	678	649	604	547	450	714	602	510	382	232	91	8
TOTAL DEATHS *In 7¾ years.*	905	214	49	24	20	15	322	30	15	26	30	42	42	54	78	118	108	40
Small-pox	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	16	4	8	-	2	-	14	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	33	2	4	7	1	6	20	9	2	1	1	-	-	-	-	-	-	-
Diphtheria	5	-	-	1	-	2	3	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	16	9	3	3	1	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	28	1	-	-	-	-	1	3	2	3	3	2	1	4	3	4	2	-
Cholera, Diarrh., Dysent^{y}	27	11	2	1	-	1	15	1	-	-	-	-	-	1	2	4	4	-
Other Zymotic Dis.	42	8	4	3	1	1	17	1	-	2	-	4	5	4	6	1	2	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	1	3	2	4	1	2	-
Scrofula, Tabes Mesent.	25	11	3	-	2	-	16	3	1	-	1	3	-	1	-	-	-	-
Phthisis	95	1	3	1	1	-	6	-	2	16	14	21	14	10	8	4	-	-
Hydrocephalus	15	9	4	1	1	-	15	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	82	39	1	4	1	-	45	-	1	2	-	1	-	7	6	9	8	3
Heart Dis. and Dropsy	69	1	-	-	-	-	1	1	-	1	3	1	6	7	14	25	9	1
Dis. of Lungs	81	29	10	-	6	1	46	1	1	-	1	2	2	2	9	14	3	-
Dis. of Stom. and Liver	46	3	-	-	1	2	6	2	-	-	1	1	7	10	10	6	3	-
Dis. of Kidneys	12	-	-	-	1	-	1	-	-	-	-	1	1	-	3	2	3	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	36	2	2	2	1	1	8	4	4	1	3	2	1	2	5	4	1	1
Other Causes	261	82	5	1	1	1	90	2	1	-	2	3	2	4	8	44	71	34
364.—MARKET DRAYTON.																		
Mean Popul^{n}, 1851-61	7159	-	-	-	-	-	871	830	779	739	563	995	785	659	506	285	128	14
TOTAL DEATHS	1401	309	66	31	37	25	468	57	37	32	42	74	77	90	129	162	188	45
Small-pox	7	-	1	1	-	2	4	-	-	-	1	-	-	1	1	-	-	-
Measles	15	2	4	3	4	-	13	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	53	4	4	7	13	6	34	12	2	2	2	-	1	-	-	-	-	-
Diphtheria	19	1	3	4	3	1	12	2	1	-	-	3	-	1	-	-	-	-
Whooping-cough	17	14	-	-	3	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	40	-	-	-	1	2	3	6	7	6	4	4	4	4	2	-	-	-
Cholera, Diarrh., Dysent^{y}	33	19	3	-	-	1	23	-	-	1	-	-	1	1	3	-	4	-
Other Zymotic Dis.	48	5	3	-	1	2	11	6	2	1	1	1	5	1	5	6	9	-
Cancer	12	-	-	-	-	-	-	-	-	-	-	1	2	1	3	3	1	1
Scrofula, Tabes Mesent.	23	4	5	1	-	1	11	2	1	3	-	2	1	1	-	2	-	-
Phthisis	164	1	2	1	-	-	4	4	7	8	19	35	29	23	23	10	2	-
Hydrocephalus	20	9	4	3	1	1	18	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	176	73	8	3	1	3	88	3	3	1	3	6	6	9	10	21	22	4
Heart Dis. and Dropsy	86	1	1	-	1	-	3	1	2	2	1	4	4	13	20	22	14	-
Dis. of Lungs	275	52	15	6	6	3	82	6	1	-	2	1	14	11	24	52	68	14
Dis. of Stom. and Liver	56	12	-	-	-	1	13	1	3	-	2	3	2	9	13	8	2	-
Dis. of Kidneys	17	-	1	-	-	-	1	-	-	1	1	1	-	4	4	2	2	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
Diseases of the Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	62	1	3	1	2	1	8	5	6	5	5	8	6	3	7	6	3	-
Other Causes	273	108	9	1	1	1	120	5	1	1	1	5	2	8	14	30	61	25
365.—WELLINGTON.																		
Mean Popul^{n}, 1851-61	11111	-	-	-	-	-	1581	1350	1258	1089	946	1554	1172	973	677	364	135	12
TOTAL DEATHS	2432	643	187	90	59	31	1010	125	60	76	88	129	124	153	186	236	201	44
Small-pox	32	14	3	-	5	-	22	3	-	2	2	2	-	1	-	-	-	-
Measles	66	12	23	12	7	3	57	9	-	-	-	-	-	-	-	-	-	-
Scarlatina	74	-	11	14	10	5	40	27	6	1	-	-	-	-	-	-	-	-
Diphtheria	12	1	2	1	-	1	5	4	3	-	-	-	-	-	-	-	-	-
Whooping-cough	38	17	11	3	1	4	36	2	-	-	-	-	-	-	-	-	-	-
Typhus	114	7	8	8	8	3	34	17	6	18	9	10	6	10	3	1	-	-
Cholera, Diarrh., Dysent^{y}	63	34	7	-	-	-	41	1	-	-	3	3	4	2	5	2	2	-
Other Zymotic Dis.	63	8	10	5	4	2	29	6	2	2	1	-	3	2	8	8	2	-
Cancer	14	-	1	-	-	-	1	-	-	-	-	2	1	2	-	7	1	-
Scrofula, Tabes Mesent.	86	38	8	4	1	1	52	8	5	1	6	6	3	1	3	1	-	-
Phthisis	225	6	4	2	-	-	12	5	7	23	40	47	41	31	14	5	-	-
Hydrocephalus	31	14	9	5	-	-	28	1	-	2	-	-	-	-	-	-	-	-
Diseases of Brain	293	159	22	10	5	2	198	7	3	2	2	8	11	8	19	21	12	2
Heart Dis. and Dropsy	104	5	-	1	1	1	8	3	1	1	3	10	12	13	18	26	9	-
Dis. of Lungs	325	82	41	14	12	1	150	5	3	2	2	7	7	33	48	51	15	2
Dis. of Stom. and Liver	98	11	1	-	1	2	15	2	1	3	1	3	8	19	25	15	6	-
Dis. of Kidneys	20	-	-	-	-	-	-	-	-	1	2	1	4	2	4	5	1	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	3	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	164	7	5	9	3	0	30	18	18	15	15	19	14	14	13	6	1	1
Other Causes	602	226	20	2	1	-	249	7	5	3	2	9	9	15	25	88	151	39

* The District of Whitchurch was formed in April 1853, by the severance of parishes and places from the Districts of Ellesmere (362), Wem (363 *a*), Nantwich (458), Great Boughton (459), and Wrexham (611). The deaths here given are for 7¾ years.

† The Ages of the population of Whitchurch in 1851 have been estimated on the assumption that the Population taken from the several Districts out of which Whitchurch was constituted was in the same proportion at each age as the Total Population of each of those Districts.

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
363 (*b*).—WHITCHURCH.*																		
Mean Popul^{n}, 1851-61†	5854	-	-	-	-	-	703	678	611	563	485	812	652	522	409	280	119	20
TOTAL DEATHS *In 7¾ years.*	812	145	28	22	19	13	227	28	16	31	23	56	45	56	60	106	127	37
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	17	3	4	2	2	1	12	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	2	1	4	2	4	13	6	2	1	-	2	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	16	6	5	2	1	1	15	1	-	-	-	-	-	-	-	-	-	-
Typhus	36	-	-	-	3	-	3	2	2	9	4	7	3	2	4	-	-	-
Cholera, Diarrh., Dysent^{y}	22	8	2	2	2	-	14	-	-	-	-	-	1	1	1	4	-	1
Other Zymotic Dis.	26	6	1	2	-	-	9	1	-	-	-	-	2	1	1	7	4	1
Cancer	22	-	-	-	-	-	-	-	-	-	1	-	3	6	5	5	2	-
Scrofula, Tabes Mesent.	15	5	1	1	-	1	8	2	-	2	-	1	1	-	-	-	1	-
Phthisis	87	-	1	2	-	-	3	1	6	13	10	25	13	9	4	3	-	-
Hydrocephalus	10	5	2	-	1	-	8	1	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	82	21	1	-	1	1	24	1	-	-	2	1	4	11	9	14	14	2
Heart Dis. and Dropsy	58	1	-	-	-	-	1	1	1	1	2	4	6	7	13	14	7	1
Dis. of Lungs	63	13	4	5	4	2	28	1	-	1	2	1	3	4	8	11	4	-
Dis. of Stom. and Liver	45	3	2	-	-	2	7	-	1	-	-	4	5	8	10	9	1	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-
Diseases of the Joints	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Skin	4	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	1	2	6	1	1	-	-	-	-
Violent Deaths	15	-	-	-	1	1	2	3	3	1	-	1	1	1	-	1	2	-
Other Causes	248	69	4	2	1	-	76	2	1	1	-	3	-	2	4	37	90	32
364.—MARKET DRAYTON.																		
Mean Popul^{n}, 1851-61	7051	-	-	-	-	-	838	852	745	674	628	965	798	642	479	269	134	27
TOTAL DEATHS	1411	221	71	53	21	32	398	84	24	57	74	88	78	83	108	163	185	69
Small-pox	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
Measles	16	-	6	6	-	3	15	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	56	4	6	3	4	10	27	24	2	2	-	1	-	-	-	-	-	-
Diphtheria	20	-	1	3	3	3	10	9	-	1	-	-	-	-	-	-	-	-
Whooping-cough	9	4	2	1	1	1	9	-	-	-	-	-	-	-	-	-	-	-
Typhus	43	1	-	5	-	2	8	5	3	7	6	5	7	2	2	2	1	-
Cholera, Diarrh., Dysent^{y}	29	8	3	2	1	-	14	2	-	-	1	-	2	-	1	4	5	-
Other Zymotic Dis.	47	9	2	4	4	1	20	4	1	1	-	1	1	2	5	6	6	-
Cancer	28	-	-	-	-	-	-	-	-	-	-	2	3	7	7	4	3	2
Scrofula, Tabes Mesent.	26	9	4	-	-	1	14	4	-	2	-	3	-	2	-	1	-	-
Phthisis	196	2	2	2	-	-	6	8	7	31	34	39	25	26	13	5	2	-
Hydrocephalus	10	3	4	2	-	-	9	-	-	-	-	1	-	-	-	-	-	-
Diseases of Brain	157	44	10	4	2	4	64	6	-	1	4	6	9	9	14	21	20	3
Heart Dis. and Dropsy	99	-	-	1	-	-	1	3	2	5	3	9	11	12	18	24	10	1
Dis. of Lungs	253	36	16	8	3	4	67	7	1	1	5	6	5	8	16	47	63	27
Dis. of Stom. and Liver	76	7	3	2	1	-	13	5	4	1	7	3	5	5	12	16	5	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
Diseases of the Skin	3	1	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	-	2	8	3	-	-	-	-	-
Violent Deaths	28	2	5	4	2	2	15	1	1	2	1	1	2	1	1	2	1	-
Other Causes	284	91	6	6	-	1	104	5	2	1	5	3	4	8	16	31	69	36
365.—WELLINGTON.																		
Mean Popul^{n}, 1851-61	11189	-	-	-	-	-	1586	1416	1258	1048	998	1504	1148	915	697	412	176	31
TOTAL DEATHS	2410	587	181	87	72	42	969	106	54	70	79	144	137	125	138	227	274	87
Small-pox	22	8	1	1	1	3	14	4	-	1	2	-	1	-	-	-	-	-
Measles	50	7	17	11	6	3	44	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	83	9	13	11	18	5	56	16	7	2	1	1	-	-	-	-	-	-
Diphtheria	15	1	4	1	3	1	10	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough	73	30	21	15	3	3	72	1	-	-	-	-	-	-	-	-	-	-
Typhus	95	5	5	6	6	6	28	14	10	7	9	15	7	3	-	2	-	-
Cholera, Diarrh., Dysent^{y}	63	28	7	2	1	2	40	2	1	-	-	3	2	1	2	6	5	1
Other Zymotic Dis.	44	6	6	6	2	2	22	7	1	-	-	1	1	2	5	1	2	2
Cancer	45	1	-	-	-	-	1	-	1	-	1	2	8	7	4	13	8	-
Scrofula, Tabes Mesent.	86	36	14	3	2	2	57	7	7	5	5	3	1	-	1	-	-	-
Phthisis	230	1	3	1	1	-	6	6	14	34	40	56	43	17	10	3	1	-
Hydrocephalus	18	7	4	1	1	1	14	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	287	150	15	10	6	4	185	1	1	2	5	11	6	15	13	27	21	-
Heart Dis. and Dropsy	153	1	3	1	1	-	6	2	3	5	3	11	15	21	36	32	18	1
Dis. of Lungs	288	83	45	10	12	2	150	8	2	2	1	14	13	27	29	26	15	1
Dis. of Stom. and Liver	93	13	-	-	3	-	16	5	-	1	3	5	10	16	14	17	6	-
Dis. of Kidneys	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	4	-	1	1	1	-
Diseases of the Joints	8	1	-	-	-	1	2	-	1	2	-	-	1	1	-	1	-	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	-	1	-	1	1	-	-
Childbirth and Metria	33	-	-	-	-	-	-	-	-	2	3	12	16	-	-	-	-	-
Violent Deaths	64	8	3	3	5	6	25	14	3	4	3	1	-	4	4	2	4	-
Other Causes	645	189	22	5	1	1	218	6	1	3	3	8	8	11	18	94	193	82

* The District of Whitchurch was formed in April 1853, by the severance of parishes and places from the Districts of Ellesmere (362), Wem (363 *a*), Nantwich (458), Great Boughton (459), and Wrexham (611). The deaths here given are for 7¾ years.

† The Ages of the Population of Whitchurch in 1851 have been estimated on the assumption that the Population taken from the several Districts out of which Whitchurch was constituted was in the same proportion at each age as the total Population of each of those Districts.

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
366.—NEWPORT (SALOP).																		
Mean Popul^{n}, 1851-61	7760	-	-	-	-	-	1016	932	858	773	666	1034	849	694	494	315	111	18
TOTAL DEATHS	1588	346	106	64	26	30	572	77	31	50	44	97	82	88	124	199	182	39
Small-pox	4	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-
Measles	31	7	11	7	2	1	28	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	69	6	6	13	5	13	43	22	3	1	-	-	-	-	-	-	-	-
Diphtheria	16	2	2	1	2	1	8	5	2	-	1	-	-	-	-	-	-	-
Whooping-cough	17	12	3	-	-	-	15	2	-	-	-	-	-	-	-	-	-	-
Typhus	55	-	4	2	2	-	8	5	2	4	3	11	3	5	5	6	2	1
Cholera, Diarrh., Dysent^{y}	56	24	6	3	1	1	35	-	2	1	1	-	-	4	3	6	4	-
Other Zymotic Dis.	52	8	5	3	1	4	21	7	-	2	1	3	5	1	4	6	2	-
Cancer	18	-	-	-	-	-	-	-	-	-	-	1	-	1	4	6	6	-
Scrofula, Tabes Mesent.	24	2	1	2	3	-	8	3	2	3	3	1	2	1	-	1	-	-
Phthisis	137	3	5	2	-	-	10	3	6	17	20	42	19	10	7	3	-	-
Hydrocephalus	15	4	6	4	-	-	14	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	173	71	17	8	1	2	99	5	1	3	3	7	8	8	12	17	9	1
Heart Dis. and Dropsy	86	-	-	-	-	1	1	1	-	2	1	6	8	9	9	33	15	1
Dis. of Lungs	238	52	19	12	3	1	87	6	-	5	2	7	11	13	31	51	22	3
Dis. of Stom. and Liver	92	7	3	2	-	-	12	3	3	4	-	3	5	12	20	23	7	-
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	-	-	1	1	3	4	1	3	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Diseases of the Skin	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	103	-	5	5	5	5	20	9	8	6	4	13	16	13	9	2	3	-
Other Causes	385	148	12	-	1	1	162	3	3	1	2	2	4	7	16	44	109	32
367.—STAFFORD.																		
Mean Popul^{n}, 1851-61	11990	-	-	-	-	-	1489	1303	1239	1180	1146	1831	1412	1113	724	385	149	19
TOTAL DEATHS	2731	568	148	81	55	37	889	105	60	80	95	250	253	223	227	267	231	51
Small-pox	52	10	9	4	6	2	31	9	2	-	3	5	1	1	-	-	-	-
Measles	35	8	7	3	7	4	29	4	2	-	-	-	-	-	-	-	-	-
Scarlatina	82	9	16	17	7	7	56	21	3	-	-	1	-	1	-	-	-	-
Diphtheria	26	1	2	1	3	3	10	11	3	2	-	-	-	-	-	-	-	-
Whooping-cough	31	16	11	2	-	-	29	2	-	-	-	-	-	-	-	-	-	-
Typhus	86	3	2	1	1	3	10	12	6	7	11	4	5	7	13	7	4	-
Cholera, Diarrh., Dysent^{y}	97	39	13	3	1	2	58	1	-	1	1	3	2	3	4	15	9	-
Other Zymotic Dis.	130	33	8	10	6	4	61	5	2	3	1	6	14	8	10	11	3	1
Cancer	39	-	-	-	-	-	-	1	-	-	-	1	4	9	11	9	4	-
Scrofula, Tabes Mesent.	60	16	8	3	1	1	29	3	4	3	6	8	-	2	2	2	1	-
Phthisis	322	15	1	1	1	1	19	3	7	28	39	94	67	40	21	3	1	-
Hydrocephalus	20	7	2	2	5	1	17	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	495	97	14	7	8	3	129	7	6	7	16	62	83	72	46	43	22	2
Heart Dis. and Dropsy	149	3	-	-	-	1	4	1	5	5	4	11	14	23	25	36	21	-
Dis. of Lungs	319	96	33	15	4	3	151	4	2	5	4	11	17	17	38	39	27	4
Dis. of Stom. and Liver	139	25	2	1	-	-	28	8	8	2	1	13	16	17	17	22	7	-
Dis. of Kidneys	46	1	2	1	-	1	5	2	-	3	-	3	6	5	5	9	6	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Joints	11	-	-	-	1	-	1	-	2	3	-	1	1	2	-	1	-	-
Diseases of the Skin	9	4	-	-	-	-	4	-	2	-	-	-	-	-	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	99	2	4	7	3	1	17	5	3	7	5	18	14	10	10	5	4	1
Other Causes	483	183	14	3	1	-	201	3	3	4	4	8	9	6	24	64	116	41
368.—STONE.																		
Mean Popul^{n}, 1851-61	10202	-		-	-	-	1300	1201	1113	1016	884	1426	1158	903	660	384	146	18
TOTAL DEATHS	2119	535	111	68	46	33	793	76	51	42	62	117	120	177	184	246	205	46
Small-pox	8	2	-	-	-	-	2	2	-	1	-	2	1	-	-	-	-	-
Measles	27	5	7	5	4	-	21	3	-	-	-	-	2	1	-	-	-	-
Scarlatina	60	4	5	12	11	7	39	18	2	-	-	1	-	-	-	-	-	-
Diphtheria	8	-	-	3	2	-	5	2	-	-	-	1	-	-	-	-	-	-
Whooping-cough	25	15	5	2	2	1	25	-	-	-	-	-	-	-	-	-	-	-
Typhus	51	2	5	4	2	1	14	5	6	3	1	11	3	4	2	2	-	-
Cholera, Diarrh., Dysent^{y}	49	16	4	3	-	2	25	1	-	1	-	-	-	-	5	6	9	2
Other Zymotic Dis.	62	14	8	1	4	4	31	10	2	-	-	3	1	7	4	2	2	-
Cancer	16	-	-	-	-	-	-	-	-	-	-	-	-	3	9	2	2	-
Scrofula, Tabes Mesent.	55	32	6	3	3	-	44	1	2	1	-	3	3	1	-	-	-	-
Phthisis	269	14	6	3	-	3	26	4	11	18	41	50	48	40	15	11	5	-
Hydrocephalus	43	17	12	6	1	3	39	2	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	327	164	13	7	4	7	195	4	4	3	4	8	13	21	24	24	27	-
Heart Dis. and Dropsy	165	2	-	-	1	-	3	4	6	3	4	6	6	21	33	49	27	3
Dis. of Lungs	291	73	27	11	3	1	115	7	2	1	3	6	18	21	45	47	23	3
Dis. of Stom. and Liver	158	16	2	4	2	-	24	7	4	5	2	7	9	31	25	28	12	4
Dis. of Kidneys	24	1	-	-	-	-	1	-	-	1	1	1	2	-	7	7	4	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	2	-	-	1	2	1	-	-	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	84	3	2	3	3	2	13	3	8	5	1	12	10	15	7	7	2	1
Other Causes	386	155	9	1	4	2	171	3	-	-	4	5	2	9	8	60	91	33

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
366.—NEWPORT (SALOP).																		
Mean Popul^{n}, 1851-61	7774	-	-	-	-	-	1036	914	858	731	673	1037	829	705	495	313	156	27
TOTAL DEATHS	1470	285	75	48	33	38	479	75	37	54	56	101	70	75	109	157	186	71
Small-pox	3	1	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Measles	26	3	9	4	1	3	20	3	2	1	-	-	-	-	-	-	-	-
Scarlatina	88	5	7	15	15	10	52	31	5	-	-	-	-	-	-	-	-	-
Diphtheria	7	-	1	-	-	1	2	3	-	2	-	-	-	-	-	-	-	-
Whooping-cough	24	12	4	3	3	1	23	1	-	-	-	-	-	-	-	-	-	-
Typhus	52	1	-	2	1	1	5	3	5	5	3	12	5	6	5	2	1	-
Cholera, Diarrh., Dysent^{y}	46	22	6	-	-	1	29	1	-	-	1	1	-	2	2	3	7	-
Other Zymotic Dis.	53	9	7	4	4	5	29	7	3	4	-	-	1	1	2	5	1	-
Cancer	31	1	-	-	-	-	1	-	-	-	-	-	1	6	12	8	3	-
Scrofula, Tabes Mesent.	19	3	3	1	-	2	9	2	3	2	-	-	1	1	-	1	-	-
Phthisis	152	3	2	1	-	1	7	5	3	23	30	43	21	13	5	-	2	-
Hydrocephalus	5	1	-	1	1	1	4	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	160	57	7	4	2	2	72	4	3	5	6	8	8	7	13	16	13	5
Heart Dis. and Dropsy	95	-	-	-	-	-	-	-	3	5	3	6	6	12	21	28	10	1
Dis. of Lungs	177	50	15	5	1	4	75	6	2	3	6	7	7	7	17	29	15	3
Dis. of Stom. and Liver	88	4	1	2	2	-	9	2	4	2	1	10	9	12	18	9	12	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	-	4	6	5	1	-	-	-	-
Violent Deaths	31	5	3	2	1	4	15	2	3	1	1	2	1	1	2	2	1	-
Other Causes	385	107	10	3	2	2	124	4	-	1	1	3	3	2	11	54	120	62
367.—STAFFORD.																		
Mean Popul^{n}, 1851-61	11640	-	-	-	-	-	1471	1357	1234	1170	1063	1684	1300	1048	707	412	165	29
TOTAL DEATHS	2532	468	141	67	69	35	780	94	57	128	105	227	196	159	234	245	214	93
Small-pox	33	10	5	2	2	2	21	4	-	3	1	3	-	1	-	-	-	-
Measles	25	6	4	5	3	1	19	4	1	1	-	-	-	-	-	-	-	-
Scarlatina	70	2	9	11	18	6	46	16	6	1	1	-	-	-	-	-	-	-
Diphtheria	16	-	1	1	1	3	6	8	2	-	-	-	-	-	-	-	-	-
Whooping-cough	32	11	10	2	6	2	31	1	-	-	-	-	-	-	-	-	-	-
Typhus	116	4	2	2	8	4	20	15	7	22	7	11	11	4	7	7	3	2
Cholera, Diarrh., Dysent^{y}	101	45	8	1	2	3	59	1	-	1	-	4	6	2	8	8	8	4
Other Zymotic Dis.	72	20	6	10	2	-	38	8	1	5	3	2	4	4	2	3	1	1
Cancer	87	-	-	-	-	-	-	1	-	-	1	8	14	18	27	12	5	1
Scrofula, Tabes Mesent.	46	14	6	4	3	-	27	4	5	4	1	3	-	-	-	2	-	-
Phthisis	372	9	6	1	1	1	18	6	20	56	55	105	59	31	16	5	1	-
Hydrocephalus	15	3	2	2	3	1	11	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	320	64	15	5	9	5	98	3	2	6	10	35	35	34	32	35	25	5
Heart Dis. and Dropsy	171	-	-	-	1	1	2	-	6	5	7	11	15	16	42	42	21	4
Dis. of Lungs	293	82	44	12	5	1	144	8	-	5	3	9	9	16	33	38	24	4
Dis. of Stom. and Liver	124	7	3	-	2	-	12	3	-	4	3	10	14	21	30	18	9	-
Dis. of Kidneys	19	-	-	1	-	-	1	-	2	-	2	-	2	6	3	3	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	2	-	3	4	2	-	-
Diseases of the Joints	8	-	-	1	-	-	1	2	-	-	-	-	3	1	1	-	-	-
Diseases of the Skin	10	1	1	-	-	-	2	1	-	-	-	-	1	-	3	1	2	-
Childbirth and Metria	49	-	-	-	-	-	-	-	-	5	8	19	17	-	-	-	-	-
Violent Deaths	45	10	1	1	3	3	18	4	4	3	-	1	1	-	4	4	5	1
Other Causes	497	180	18	6	-	2	206	1	1	7	3	4	5	2	22	65	110	71
368.—STONE.																		
Mean Popul^{n}, 1851-61	10426	-	-	-	-	-	1306	1208	1163	998	989	1477	1129	910	635	408	179	24
TOTAL DEATHS	2057	419	124	68	46	31	688	81	48	74	93	148	134	122	147	210	228	84
Small-pox	3	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Measles	23	2	8	4	1	3	18	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	64	4	8	14	9	7	42	17	3	-	1	-	1	-	-	-	-	-
Diphtheria	8	-	1	1	1	1	4	1	1	1	-	-	1	-	-	-	-	-
Whooping-cough	37	8	17	6	3	1	35	2	-	-	-	-	-	-	-	-	-	-
Typhus	63	1	-	1	2	6	10	8	7	9	6	5	3	4	8	3	-	-
Cholera, Diarrh., Dysent^{y}	57	29	4	1	-	-	34	2	-	2	1	1	3	1	3	4	3	3
Other Zymotic Dis.	67	18	6	7	5	2	33	4	4	1	1	1	2	1	7	4	3	1
Cancer	38	-	-	-	-	-	-	-	-	-	-	2	3	11	8	11	2	1
Scrofula, Tabes Mesent.	60	26	7	-	1	-	34	6	2	4	2	3	2	3	-	4	-	-
Phthisis	328	10	9	5	4	3	31	6	15	37	52	84	49	29	10	12	3	-
Hydrocephalus	32	14	4	7	4	2	31	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	281	99	15	6	5	4	129	9	6	5	5	8	10	14	29	31	26	9
Heart Dis. and Dropsy	162	1	-	-	-	-	1	3	4	4	6	10	14	19	29	43	20	9
Dis. of Lungs	230	55	32	13	5	1	106	7	2	3	5	7	7	11	17	27	33	5
Dis. of Stom. and Liver	136	17	-	-	1	-	18	4	1	3	2	12	14	17	20	26	17	2
Dis. of Kidneys	12	-	-	-	-	-	-	-	1	2	-	3	2	1	3	-	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	1	1	1	4	1	1	2	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
Diseases of the Skin	8	4	-	-	-	-	4	-	-	-	1	-	1	-	2	-	-	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	1	4	7	9	1	-	-	-	-
Violent Deaths	26	3	1	3	3	-	10	3	1	-	2	1	3	1	2	1	1	1
Other Causes	386	126	12	-	2	1	141	3	1	1	2	3	4	8	8	42	120	53

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
369.—NEWCASTLE-UNDER-LYME.																		
Mean Popul^{n}, 1851-61	11492	-	-	-	-	-	1592	1391	1217	1110	1080	1785	1356	953	581	313	103	11
TOTAL DEATHS	2632	808	241	116	74	41	1280	142	64	79	85	144	138	142	172	203	144	34
Small-pox	21	5	5	3	1	-	14	2	1	-	3	-	1	-	-	-	-	-
Measles	34	6	14	6	3	1	30	3	-	1	-	-	-	-	-	-	-	-
Scarlatina	146	9	22	30	16	12	89	49	6	1	-	1	-	-	-	-	-	-
Diphtheria	15	1	2	2	1	2	8	4	2	1	-	-	-	-	-	-	-	-
Whooping-cough	51	24	13	9	2	2	50	1	-	-	-	-	-	-	-	-	-	-
Typhus	89	3	4	7	2	3	19	10	6	9	9	10	5	6	3	6	6	-
Cholera, Diarrh., Dysent^{y}	67	36	9	1	3	-	49	1	-	-	2	2	2	-	1	7	3	-
Other Zymotic Dis.	92	26	13	7	7	3	56	8	2	1	-	5	7	1	8	1	2	1
Cancer	16	-	-	-	-	-	-	-	-	-	-	1	2	5	4	3	-	1
Scrofula, Tabes Mesent.	31	10	6	1	1	1	19	3	3	2	3	-	-	1	-	-	-	-
Phthisis	249	8	10	3	3	2	26	9	7	26	37	51	43	23	18	9	-	-
Hydrocephalus	72	25	17	8	5	-	55	10	4	-	-	3	-	-	-	-	-	-
Diseases of Brain	460	268	45	11	10	6	340	13	3	4	8	14	6	18	20	25	7	2
Heart Dis. and Dropsy	137	2	-	3	2	2	9	6	5	5	4	9	18	22	28	23	8	-
Dis. of Lungs	380	136	50	16	14	2	218	3	3	2	3	15	17	29	25	44	20	1
Dis. of Stom. and Liver	94	17	1	-	1	4	23	2	3	3	3	5	3	13	16	16	6	1
Dis. of Kidneys	28	1	-	-	-	-	1	1	-	2	-	2	3	2	5	10	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	12	2	1	2	-	-	5	1	-	2	1	1	-	1	1	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	138	5	4	3	-	1	13	13	17	15	6	21	22	11	15	1	4	-
Other Causes	497	223	25	4	3	-	255	3	2	5	6	4	9	10	27	62	86	28
370.—WOLSTANTON.																		
Mean Popul^{n}, 1851-61	24678	-	-	-	-	-	3652	3000	2782	2480	2514	4078	2873	1815	944	419	114	7
TOTAL DEATHS	6547	2266	699	317	204	137	3623	305	170	168	184	322	398	441	369	323	208	36
Small-pox	35	12	3	2	1	1	19	4	1	2	2	3	1	2	1	-	-	-
Measles	140	32	51	26	15	7	131	8	1	-	-	-	-	-	-	-	-	-
Scarlatina	363	28	75	62	64	20	238	84	15	4	-	1	-	1	-	-	-	-
Diphtheria	30	10	5	4	2	1	22	5	1	-	1	-	1	-	-	-	-	-
Whooping-cough	94	50	24	9	7	3	93	1	-	-	-	-	-	-	-	-	-	-
Typhus	221	19	21	18	9	11	78	29	18	19	14	24	12	12	8	5	2	-
Cholera, Diarrh., Dysent^{y}	354	213	54	17	3	5	292	7	2	1	1	5	5	5	8	11	14	3
Other Zymotic Dis.	190	49	30	19	16	13	127	12	4	3	3	7	10	11	6	7	-	-
Cancer	16	-	-	-	-	-	-	-	-	-	-	1	3	2	5	3	2	-
Scrofula, Tabes Mesent.	128	52	24	9	4	1	90	7	7	7	2	4	6	3	1	1	-	-
Phthisis	506	10	6	2	-	2	20	14	30	51	74	101	125	63	19	7	2	-
Hydrocephalus	159	63	43	20	8	5	139	15	4	1	-	-	-	-	-	-	-	-
Diseases of Brain	1019	581	101	31	16	14	743	35	17	10	10	18	24	47	38	48	27	2
Heart Dis. and Dropsy	245	6	1	4	3	-	14	9	10	10	12	22	52	44	39	32	18	3
Dis. of Lungs	1312	375	171	58	33	27	664	26	13	10	18	37	87	150	152	103	50	2
Dis. of Stom. and Liver	218	40	9	6	3	3	61	12	5	7	4	13	15	41	34	19	7	-
Dis. of Kidneys	43	2	-	-	-	-	2	-	1	-	2	4	5	8	10	10	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	12	1	1	1	-	-	3	-	4	-	1	1	-	-	2	1	-	-
Diseases of the Skin	15	7	-	1	-	-	8	2	-	1	-	1	1	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	346	6	8	11	18	12	55	26	29	35	34	63	51	31	12	6	4	-
Other Causes	1101	710	72	17	2	3	804	9	8	7	6	17	20	21	33	69	81	26
371.—STOKE-UPON-TRENT.																		
Mean Popul^{n}, 1851-61	32251	-	-	-	-	-	4604	4005	3573	3349	3190	5146	3748	2489	1388	577	159	23
TOTAL DEATHS	8994	2861	823	418	268	194	4564	434	204	264	297	522	571	678	593	515	281	71
Small-pox	103	32	6	10	7	5	60	14	3	4	8	9	3	2	-	-	-	-
Measles	180	34	70	37	22	8	171	8	-	-	-	1	-	-	-	-	-	-
Scarlatina	497	38	72	94	79	53	336	131	25	1	1	3	-	-	-	-	-	-
Diphtheria	38	3	10	4	4	6	27	5	3	-	1	1	-	1	-	-	-	-
Whooping-cough	167	81	48	18	5	5	157	10	-	-	-	-	-	-	-	-	-	-
Typhus	280	15	21	15	11	19	81	32	20	34	24	33	19	11	15	10	1	-
Cholera, Diarrh., Dysent^{y}	405	269	38	13	6	7	333	3	1	1	1	6	6	7	10	26	7	4
Other Zymotic Dis.	273	82	25	24	19	15	165	17	6	7	7	10	17	18	10	8	5	3
Cancer	52	1	-	-	-	-	1	1	-	-	1	1	7	12	17	9	3	-
Scrofula, Tabes Mesent.	174	51	30	14	5	3	103	21	11	9	7	3	7	7	4	2	-	-
Phthisis	986	44	26	10	4	5	89	30	32	91	117	195	182	141	81	23	5	-
Hydrocephalus	201	84	45	32	12	6	179	17	3	1	-	-	-	1	-	-	-	-
Diseases of Brain	1428	800	112	39	26	11	988	45	27	15	15	32	47	63	72	87	34	3
Heart Dis. and Dropsy	373	6	3	1	9	1	20	17	19	14	19	24	42	60	68	69	20	1
Dis. of Lungs	1514	436	186	62	27	29	740	21	8	22	19	45	97	185	167	143	60	7
Dis. of Stom. and Liver	208	41	9	4	-	5	59	6	2	8	7	29	37	60	49	32	8	1
Dis. of Kidneys	77	-	1	1	2	-	4	1	1	4	3	12	9	14	11	11	5	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	35	3	1	-	1	-	5	6	4	3	4	4	1	7	1	-	-	-
Diseases of the Skin	20	6	-	-	1	-	7	-	-	-	-	-	2	1	4	3	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	520	13	15	18	20	10	76	37	35	45	59	99	76	48	30	8	5	2
Other Causes	1372	822	105	22	8	6	963	12	4	5	4	15	19	40	53	84	125	48

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
369.—NEWCASTLE-UNDER-LYME.																		
Mean Popul^{n}, 1851-61	11199	-	-	-	-	-	1619	1351	1213	1074	1059	1716	1238	874	601	322	120	12
TOTAL DEATHS	2521	601	218	111	70	48	1048	125	67	89	111	185	171	137	170	199	175	44
Small-pox	25	9	4	4	-	-	17	2	2	1	1	2	-	-	-	-	-	-
Measles	34	7	14	4	4	2	31	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	153	10	30	24	22	9	95	45	7	2	-	2	1	1	-	-	-	-
Diphtheria	15	3	4	-	1	1	9	4	1	1	-	-	-	-	-	-	-	-
Whooping-cough	53	22	14	8	5	2	51	1	-	1	-	-	-	-	-	-	-	-
Typhus	99	4	3	5	4	7	23	9	7	8	10	14	6	10	4	4	3	1
Cholera, Diarrh., Dysent^{y}	79	39	8	2	-	-	49	-	1	2	1	5	3	3	4	6	3	2
Other Zymotic Dis.	71	16	7	10	5	4	42	11	2	-	-	-	3	2	5	4	2	-
Cancer	37	-	-	-	-	1	1	-	-	2	-	2	6	6	8	9	5	1
Scrotula, Tabes Mesent.	19	7	4	1	-	-	12	1	2	1	-	1	2	-	-	-	-	-
Phthisis	393	8	14	4	7	5	38	8	23	43	61	94	62	37	19	7	-	1
Hydrocephalus	54	20	14	4	3	2	43	5	2	3	-	1	-	-	-	-	-	-
Diseases of Brain	353	187	23	16	7	4	237	8	7	3	10	8	8	11	18	24	18	1
Heart Dis. and Dropsy	136	-	-	2	1	1	4	4	3	7	3	18	20	15	32	20	10	-
Dis. of Lungs	302	79	54	16	6	4	159	8	3	4	4	7	10	15	31	38	20	3
Dis. of Stom. and Liver	82	7	1	1	-	1	10	2	-	5	5	8	9	17	12	13	1	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	3	2	1	1	-	-	-
Diseases of the Joints	5	-	1	-	-	-	1	-	1	1	1	-	-	1	-	-	-	-
Diseases of the Skin	5	1	1	-	-	-	2	-	-	-	-	-	-	-	3	-	-	-
Childbirth and Metria	41	-	-	-	-	-	-	-	-	2	6	13	19	1	-	-	-	-
Violent Deaths	37	2	2	5	1	4	14	6	4	2	1	1	2	-	3	2	1	1
Other Causes	517	180	20	5	4	1	210	8	2	1	6	5	18	16	30	72	115	34
370.—WOLSTANTON.																		
Mean Popul^{n}, 1851-61	23458	-	-	-	-	-	3560	2951	2575	2270	2264	3765	2687	1728	986	514	141	17
TOTAL DEATHS	6048	1816	646	315	233	143	3153	287	110	196	220	401	341	305	369	365	245	56
Small-pox	40	11	4	4	6	1	26	4	1	1	1	6	1	-	-	-	-	-
Measles	174	40	48	34	28	10	160	13	1	-	-	-	-	-	-	-	-	-
Scarlatina	330	21	46	53	61	40	221	91	10	3	2	3	-	-	-	-	-	-
Diphtheria	38	4	10	11	3	4	32	3	3	-	-	-	-	-	-	-	-	-
Whooping-cough	117	48	40	14	4	6	112	5	-	-	-	-	-	-	10	-	-	-
Typhus	197	3	20	15	9	7	54	28	15	22	17	26	14	9	10	1	1	-
Cholera, Diarrh., Dysent^{y}	354	187	48	13	3	3	254	10	-	6	8	15	5	10	15	15	12	4
Other Zymotic Dis.	150	36	20	19	18	11	104	16	1	3	1	4	3	5	5	7	1	-
Cancer	47	-	-	-	-	-	-	1	-	-	1	1	8	15	12	8	1	-
Scrofula, Tabes Mesent.	87	35	19	5	2	3	64	4	4	3	2	3	3	3	1	-	-	-
Phthisis	672	17	10	6	6	3	42	15	32	105	104	153	126	60	22	10	2	1
Hydrocephalus	104	42	32	6	10	6	96	7	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	829	405	90	29	24	12	560	22	11	15	7	19	33	27	55	51	24	5
Heart Dis. and Dropsy	306	5	4	2	1	-	12	10	10	6	12	33	34	44	58	68	18	1
Dis. of Lungs	1047	306	167	78	35	19	605	17	4	7	10	53	33	65	103	90	55	5
Dis. of Stom. and Liver	235	33	14	2	4	5	58	7	6	8	14	18	35	38	26	20	5	-
Dis. of Kidneys	17	2	-	-	-	-	2	-	-	1	1	1	1	3	3	3	2	-
Dis. of Gener. Organs	27	-	1	-	-	-	1	-	-	1	3	6	6	4	4	2	-	-
Diseases of the Joints	15	1	-	-	1	1	3	5	1	1	-	-	1	1	2	1	-	-
Diseases of the Skin	16	3	2	-	-	1	6	1	-	-	2	-	1	1	1	4	-	-
Childbirth and Metria	102	-	-	-	-	-	-	-	-	8	26	42	25	1	-	-	-	-
Violent Deaths	91	14	7	8	7	5	41	21	8	2	2	3	2	1	2	6	2	1
Other Causes	1053	603	64	16	11	6	700	7	2	4	7	15	10	18	50	79	122	39
371.—STOKE-UPON-TRENT.																		
Mean Popul^{n}, 1851-61	32374	-	-	-	-	-	4566	4077	3556	3254	3234	5087	3636	2491	1462	758	221	32
TOTAL DEATHS	7946	2214	831	391	239	201	3876	392	177	267	299	523	500	422	465	541	382	102
Small-pox	87	21	16	6	2	8	53	17	3	1	5	6	2	-	-	-	-	-
Measles	185	39	85	34	14	4	176	8	1	-	-	-	-	-	-	-	-	-
Scarlatina	509	25	76	90	71	68	330	142	27	5	1	4	-	-	-	-	-	-
Diphtheria	34	5	4	4	7	5	25	7	2	-	-	-	-	-	-	-	-	-
Whooping-cough	200	63	67	33	21	6	190	9	1	-	-	-	-	-	-	-	-	-
Typhus	310	19	25	14	18	17	93	57	27	35	18	28	19	11	11	6	5	-
Cholera, Diarrh., Dysent^{y}	401	224	55	8	8	2	297	2	2	2	2	11	14	6	22	19	19	5
Other Zymotic Dis.	271	95	36	31	14	14	190	22	4	3	4	12	7	5	8	11	5	-
Cancer	88	-	-	1	-	-	1	-	-	-	-	5	15	32	22	7	6	-
Scrofula, Tabes Mesent.	131	44	30	8	3	6	91	8	3	7	5	5	2	5	3	1	1	-
Phthisis	1020	44	34	11	6	6	101	19	49	126	109	240	180	85	32	14	5	-
Hydrocephalus	125	44	26	22	6	7	105	13	4	1	-	1	1	-	-	-	-	-
Diseases of Brain	1072	535	101	32	17	12	697	24	15	16	6	30	40	53	66	87	32	6
Heart Dis. and Dropsy	420	3	4	5	3	4	19	7	9	19	13	46	57	63	94	63	27	3
Dis. of Lungs	1050	316	158	57	23	20	574	13	8	10	13	14	39	50	97	157	81	14
Dis. of Stom. and Liver	342	25	5	3	4	2	39	6	4	15	16	38	37	58	61	48	18	2
Dis. of Kidneys	35	1	-	-	-	-	1	-	3	2	4	6	5	6	3	2	3	-
Dis. of Gener. Organs	43	1	-	-	-	-	1	-	-	-	-	4	13	10	7	6	1	1
Diseases of the Joints	21	-	1	1	1	-	3	4	2	2	-	2	2	2	2	2	-	-
Diseases of the Skin	21	6	2	1	3	1	13	-	-	-	-	-	-	2	4	2	-	-
Childbirth and Metria	113	-	-	-	-	-	-	-	-	9	26	44	32	2	-	-	-	-
Violent Deaths	131	6	16	5	10	10	47	20	4	10	11	8	7	5	6	8	4	1
Other Causes	1337	698	90	25	8	9	830	14	9	4	6	19	28	27	27	128	175	70

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

372.—LEEK.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	11940	-	-	-	-	-	1649	1436	1348	1137	955	1644	1339	1045	750	396	161	20
TOTAL DEATHS	2872	789	190	131	61	58	1229	160	116	93	73	169	141	167	212	243	209	60
Small-pox	13	6	1	-	1	1	9	2	-	-	-	1	-	1	-	-	-	-
Measles	52	14	11	13	7	3	48	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	235	14	34	29	20	16	113	72	30	11	3	4	2	-	-	-	-	-
Diphtheria	29	1	2	3	4	5	15	9	3	-	-	-	-	1	1	-	-	-
Whooping-cough	78	41	23	8	2	3	77	1	-	-	-	-	-	-	-	-	-	-
Typhus	68	3	4	5	-	2	14	8	6	8	5	10	6	6	1	3	1	-
Cholera, Diarrh., Dysent^{y}	99	61	9	2	1	1	74	-	-	-	-	1	1	4	3	9	7	-
Other Zymotic Dis.	115	28	9	7	6	5	55	10	2	1	1	4	3	7	13	7	9	3
Cancer	17	-	-	-	-	-	-	-	-	1	-	1	-	-	10	5	-	-
Scrofula, Tabes Mesent.	66	14	5	3	4	3	29	4	11	6	4	5	1	2	4	-	-	-
Phthisis	403	9	5	9	-	2	25	12	29	45	42	95	56	46	38	14	1	-
Hydrocephalus	45	21	13	5	1	-	40	5	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	396	217	17	13	4	3	254	7	12	4	5	9	15	13	18	40	16	3
Heart Dis. and Dropsy	148	-	1	1	-	2	4	2	7	6	1	2	11	20	37	35	21	2
Dis. of Lungs	313	95	33	16	6	7	157	11	1	5	2	9	15	22	28	37	24	2
Dis. of Stom. and Liver	99	10	-	1	2	1	14	2	3	-	1	12	12	16	20	16	3	-
Dis. of Kidneys	37	-	-	-	-	-	-	-	-	-	1	2	2	5	10	11	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	2	-	-	-	-	2	2	1	1	-	-	-	1	1	-	-	-
Diseases of the Skin	7	2	-	-	-	-	2	-	-	-	-	1	1	2	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	81	4	2	4	2	4	16	7	5	3	7	10	9	11	8	4	1	-
Other Causes	563	247	21	12	1	-	281	3	5	2	1	3	7	10	19	62	120	50

373.—CHEADLE.

Mean Popul^{n}, 1851-61	9916	-	-	-	-	-	1372	1198	1132	930	841	1334	1106	876	612	366	128	21
TOTAL DEATHS	2116	531	120	63	42	47	803	91	55	69	82	110	131	146	165	208	208	48
Small-pox	11	2	1	-	-	1	4	-	-	2	1	1	1	1	1	-	-	-
Measles	29	8	10	5	2	3	28	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	69	6	9	5	5	9	35	19	9	4	1	1	-	-	-	-	-	-
Diphtheria	14	1	3	2	1	3	10	2	1	-	-	-	1	-	-	-	-	-
Whooping-cough	37	20	7	2	3	2	34	3	-	-	-	-	-	-	-	-	-	-
Typhus	47	3	3	3	4	3	16	4	2	3	4	4	3	4	3	1	2	1
Cholera, Diarrh., Dysent^{y}	62	24	3	1	1	1	30	1	1	-	1	1	1	3	3	10	6	5
Other Zymotic Dis.	93	23	8	4	8	5	48	6	2	2	1	4	6	7	5	5	6	1
Cancer	31	-	3	-	-	-	3	-	-	1	-	-	3	6	9	5	4	-
Scrofula, Tabes Mesent.	55	8	10	4	1	-	23	10	4	3	3	4	3	2	1	2	-	-
Phthisis	245	12	6	2	2	1	23	4	6	27	44	50	40	30	16	5	-	-
Hydrocephalus	31	11	4	5	-	1	21	6	2	1	-	-	-	1	-	-	-	-
Diseases of Brain	323	177	7	11	3	3	201	7	6	-	3	7	13	9	22	22	29	4
Heart Dis. and Dropsy	140	2	-	-	-	-	2	1	2	2	-	2	8	21	28	41	28	5
Dis. of Lungs	288	59	27	6	4	4	100	10	2	4	5	6	15	25	33	49	39	-
Dis. of Stom. and Liver	112	15	3	1	1	1	21	1	3	2	4	6	13	15	21	22	4	-
Dis. of Kidneys	24	-	-	-	1	1	3	2	-	-	-	1	4	3	1	7	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	1	-	-	-	1	1	1	-	2	-	1	-	1	-	-	-
Diseases of the Skin	15	5	-	-	-	-	5	-	1	2	1	1	-	2	-	3	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	130	1	3	7	4	7	22	7	11	15	10	20	14	9	9	7	6	-
Other Causes	353	154	12	5	1	2	174	6	2	1	2	2	5	8	12	30	79	32

374.—UTTOXETER.

Mean Popul^{n}, 1851-61	7404	-	-	-	-	-	914	835	786	752	619	995	813	646	520	358	144	22
TOTAL DEATHS	1504	313	66	43	29	24	475	65	27	54	37	80	88	85	124	205	208	56
Small-pox	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Measles	26	6	5	4	3	2	20	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	61	1	12	9	7	6	35	22	1	1	-	2	-	-	-	-	-	-
Diphtheria	7	2	1	-	-	1	4	1	1	-	-	-	-	1	-	-	-	-
Whooping-cough	11	9	1	-	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	34	-	2	3	1	1	7	3	1	6	2	2	7	-	3	1	1	1
Cholera, Diarrh., Dysent^{y}	31	12	1	-	-	1	14	-	-	-	1	2	1	1	3	4	5	-
Other Zymotic Dis.	69	14	5	5	1	3	28	4	1	3	-	4	3	3	6	9	7	1
Cancer	29	-	-	-	-	-	-	-	-	-	-	1	5	9	10	4	-	-
Scrofula, Tabes Mesent.	29	5	1	2	1	-	9	-	3	7	3	3	1	1	1	1	-	-
Phthisis	183	5	2	-	1	1	9	7	11	23	20	35	29	25	18	5	1	-
Hydrocephalus	26	8	8	1	5	1	23	1	-	-	-	1	1	-	-	-	-	-
Diseases of Brain	190	71	4	3	4	2	84	6	2	1	4	7	4	7	17	25	30	3
Heart Dis. and Dropsy	80	1	-	-	-	1	2	2	1	2	-	4	5	6	13	30	14	1
Dis. of Lungs	175	43	12	8	4	2	69	5	1	1	2	4	11	10	14	33	24	1
Dis. of Stom. and Liver	34	12	-	-	-	1	13	2	1	2	1	5	13	10	12	18	7	-
Dis. of Kidneys	26	-	-	-	-	-	-	1	1	4	-	-	1	2	4	9	3	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	59	1	2	6	1	1	11	4	2	2	3	7	7	7	8	6	1	1
Other Causes	376	121	10	2	-	1	134	2	-	1	1	4	4	7	16	52	110	45

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

372.—LEEK.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	11978	-	-	-	-	-	1553	1459	1326	1160	1131	1703	1296	1000	692	439	185	29
TOTAL DEATHS	2861	531	199	113	86	67	996	177	143	152	137	215	163	160	160	252	229	77
Small-pox	18	7	3	-	1	-	11	3	-	-	1	2	-	1	-	-	-	-
Measles	52	10	15	10	5	8	48	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	238	9	24	29	31	24	117	69	32	10	3	3	3	1	-	-	-	-
Diphtheria	44	2	5	2	7	4	20	9	9	2	1	2	1	-	-	-	-	-
Whooping-cough	75	31	20	14	2	2	69	5	1	-	-	-	-	-	-	-	-	-
Typhus	30	1	5	1	5	5	17	11	11	8	5	8	4	9	3	2	1	1
Cholera, Diarrh., Dysent^{y}	93	40	9	3	-	1	53	3	1	1	-	5	7	2	3	8	8	2
Other Zymotic Dis.	82	13	9	4	5	5	36	7	4	-	4	3	4	4	6	10	3	1
Cancer	49	-	-	-	-	-	-	-	-	-	-	1	10	12	13	9	4	-
Scrofula, Tabes Mesent.	37	5	3	4	2	1	15	9	6	3	-	2	-	1	1	-	-	-
Phthisis	568	13	11	12	2	2	40	19	54	103	86	117	68	45	25	10	1	-
Hydrocephalus	46	12	16	2	5	4	39	2	1	2	-	2	-	-	-	-	-	-
Diseases of Brain	305	129	8	11	7	6	161	8	5	10	11	7	9	14	24	33	17	6
Heart Dis. and Dropsy	183	1	-	1	1	-	3	-	7	5	4	13	14	34	20	53	27	3
Dis. of Lungs	267	53	47	12	6	1	124	13	1	-	7	4	10	8	24	47	26	3
Dis. of Stom. and Liver	99	10	3	-	-	1	14	6	5	1	1	9	6	16	18	14	6	3
Dis. of Kidneys	9	-	-	-	-	-	-	1	-	1	1	1	2	1	2	-	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-
Diseases of the Joints	11	1	1	-	-	-	2	1	2	1	1	-	1	1	-	2	-	-
Diseases of the Skin	9	5	-	-	-	-	5	-	-	-	-	1	1	-	-	1	1	-
Childbirth and Metria	60	-	-	-	-	-	-	-	-	3	11	29	16	1	-	-	-	-
Violent Deaths	37	3	6	2	4	2	17	4	2	1	-	-	-	2	2	4	5	-
Other Causes	493	181	14	6	3	1	205	3	2	1	1	6	4	7	18	58	130	58

373.—CHEADLE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	9349	-	-	-	-	-	1412	1224	1036	824	821	1334	1053	808	597	370	144	17
TOTAL DEATHS	1949	400	115	65	42	32	654	92	74	70	98	129	135	92	150	176	221	58
Small-pox	6	-	1	-	-	-	1	2	-	-	1	1	-	1	-	-	-	-
Measles	42	7	15	3	5	6	36	3	1	1	-	1	-	-	-	-	-	-
Scarlatina	58	5	3	6	6	4	24	15	11	4	4	-	-	-	-	-	-	-
Diphtheria	16	-	3	2	-	2	7	4	4	-	-	-	-	-	1	-	-	-
Whooping-cough	53	29	11	10	1	1	52	1	-	-	-	-	-	-	-	-	-	-
Typhus	48	1	1	3	2	1	8	4	6	10	3	12	2	2	-	1	-	-
Cholera, Diarrh., Dysent^{y}	49	16	4	-	1	1	22	2	1	-	-	-	3	1	7	4	8	1
Other Zymotic Dis.	83	14	6	5	13	5	43	12	2	3	3	1	3	1	4	8	3	-
Cancer	39	-	-	-	-	-	-	-	-	-	-	1	3	8	13	7	6	1
Scrofula, Tabes Mesent.	56	14	6	3	-	2	25	5	6	3	2	6	2	3	2	2	-	-
Phthisis	289	6	4	-	1	3	14	5	25	35	54	68	51	23	13	1	-	-
Hydrocephalus	34	11	5	5	3	1	25	7	1	-	-	-	1	-	-	-	-	-
Diseases of Brain	253	95	15	10	2	1	123	7	3	3	4	5	12	5	23	29	33	6
Heart Dis. and Dropsy	114	2	-	1	1	1	5	2	3	1	2	5	7	12	28	27	21	1
Dis. of Lungs	216	47	20	11	3	1	82	4	5	4	4	2	9	12	31	28	29	6
Dis. of Stom. and Liver	120	20	2	1	1	-	24	6	2	3	4	6	17	11	17	24	6	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	1	3	3	1	-	-	1	-
Diseases of the Joints	6	1	-	-	-	-	1	1	-	-	-	1	1	-	-	1	1	-
Diseases of the Skin	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	35	-	-	-	-	-	-	-	-	1	6	11	17	-	-	-	-	-
Violent Deaths	37	1	7	2	3	2	15	9	2	1	1	-	1	1	1	2	2	2
Other Causes	378	128	12	3	1	1	144	3	2	1	7	5	3	9	10	42	111	41

374.—UTTOXETER.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	7560	-	-	-	-	-	896	840	795	707	696	1040	840	665	523	377	154	25
TOTAL DEATHS	1524	255	55	32	23	19	384	61	35	53	61	117	103	78	138	210	215	69
Small-pox	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Measles	7	1	3	1	1	-	6	1	-	-	1	-	-	-	-	-	-	-
Scarlatina	37	2	6	9	7	9	33	17	5	-	1	-	1	-	-	-	-	-
Diphtheria	7	-	1	2	-	-	3	2	1	1	-	-	-	-	-	-	-	-
Whooping-cough	12	5	3	3	1	-	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	37	-	1	2	2	1	6	5	5	2	4	4	4	1	3	2	1	-
Cholera, Diarrh., Dysent^{y}	32	14	2	-	-	-	16	-	-	-	-	2	-	-	3	5	5	1
Other Zymotic Dis.	57	13	1	4	2	1	21	5	3	2	1	2	6	1	5	7	3	1
Cancer	36	-	-	-	-	-	-	-	-	-	-	1	2	8	12	10	2	1
Scrofula, Tabes Mesent.	31	6	1	1	-	-	8	3	1	4	1	3	4	1	1	4	1	-
Phthisis	235	10	2	2	-	-	14	4	12	32	37	63	52	10	8	1	2	-
Hydrocephalus	19	8	5	1	-	-	14	2	1	2	-	-	-	-	-	-	-	-
Diseases of Brain	183	62	8	-	1	1	72	7	2	3	4	7	4	9	16	33	22	4
Heart Dis. and Dropsy	151	1	-	-	-	-	1	-	-	3	2	3	11	12	31	47	18	3
Dis. of Lungs	156	25	13	4	6	1	49	3	3	-	2	8	5	14	25	27	18	2
Dis. of Stom. and Liver	109	15	-	-	-	1	16	4	1	3	3	7	7	10	22	15	18	3
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	2	1	5	2	1	-	-
Diseases of the Joints	5	-	-	-	1	-	1	-	-	-	-	1	-	1	2	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	15	-	-	-	-	-	-	-	-	-	3	7	3	2	-	-	-	-
Violent Deaths	28	1	2	1	1	5	10	5	1	-	1	1	2	1	-	3	3	1
Other Causes	345	90	7	2	1	-	100	3	-	1	2	4	-	3	5	52	122	53

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
375.—BURTON-UPON-TRENT.																		
Mean Popul^{n}, 1851-61	18529	-	-	-	-	-	2564	2128	1948	1847	1750	2791	2099	1488	1022	618	240	34
TOTAL DEATHS	3860	944	280	143	98	79	1544	166	78	103	122	245	260	253	258	382	331	118
Small-pox	47	12	4	8	3	1	28	6	–	2	3	2	4	2	–	–	–	–
Measles	89	12	33	16	13	4	78	11	–	–	–	–	–	–	–	–	–	–
Scarlatina	169	15	30	25	23	23	116	39	10	1	1	–	–	2	–	–	–	–
Diphtheria	20	3	–	4	4	2	13	3	3	1	–	–	–	–	–	–	–	–
Whooping-cough	60	25	21	5	3	3	57	3	–	–	–	–	–	–	–	–	–	–
Typhus	72	1	3	1	1	5	11	12	5	11	4	9	6	3	5	4	2	–
Cholera, Diarrh., Dysent^{y}	117	54	17	3	–	1	75	1	1	2	1	1	2	1	4	11	16	2
Other Zymotic Dis.	161	18	17	14	14	9	72	12	6	3	2	8	13	8	10	19	8	–
Cancer	37	–	–	–	–	–	–	2	–	–	1	3	4	4	12	7	4	–
Scrofula, Tabes Mesent.	72	19	10	4	3	1	37	14	3	5	2	2	2	3	3	1	–	–
Phthisis	405	9	7	–	–	–	16	5	8	39	59	97	84	55	31	11	–	–
Hydrocephalus	83	29	22	8	6	7	72	7	3	1	–	–	–	–	–	–	–	–
Diseases of Brain	596	236	32	11	2	8	289	12	12	12	8	32	61	43	35	51	30	11
Heart Dis. and Dropsy	230	3	1	1	–	–	5	3	5	3	2	11	18	35	43	74	30	1
Dis. of Lungs	471	144	54	29	15	5	247	12	3	5	7	15	12	25	39	58	45	3
Dis. of Stom. and Liver	181	20	4	2	2	1	29	8	5	2	5	14	21	34	21	34	8	–
Dis. of Kidneys	58	–	–	–	1	–	1	–	–	2	2	3	2	5	9	20	14	–
Dis. of Gener. Organs	3	–	1	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–
Diseases of the Joints	9	–	–	–	1	–	1	–	1	–	1	2	–	1	1	–	2	–
Diseases of the Skin	11	3	1	–	–	–	4	–	–	–	–	–	–	1	2	3	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	206	8	6	9	6	8	37	11	13	11	19	35	24	18	21	7	9	1
Other Causes	763	333	17	3	1	1	355	5	–	3	4	11	7	13	22	81	162	100
376.—TAMWORTH.																		
Mean Popul^{n}, 1851-61	7294	-	-	-	-	-	982	902	787	698	614	1009	815	631	446	280	119	11
TOTAL DEATHS	1464	352	101	48	35	32	568	69	39	35	32	78	73	78	113	176	156	47
Small-pox	26	6	4	4	2	1	17	5	–	2	1	–	–	–	1	–	–	–
Measles	38	6	15	10	3	3	37	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	64	4	4	9	5	13	35	18	6	2	–	2	–	–	1	–	–	–
Diphtheria	22	3	2	2	3	5	15	6	1	–	–	–	–	–	–	–	–	–
Whooping-cough	18	9	4	–	3	1	17	1	–	–	–	–	–	–	–	–	–	–
Typhus	40	1	–	3	3	–	7	6	7	2	3	5	3	3	1	2	1	–
Cholera, Diarrh., Dysent^{y}	56	32	7	–	1	–	40	1	–	–	–	–	–	–	4	3	8	–
Other Zymotic Dis.	48	6	4	2	2	2	16	5	3	–	–	5	4	3	4	4	3	1
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	2	4	4	2	–	1
Scrofula, Tabes Mesent.	26	8	5	–	1	2	16	5	2	–	–	2	–	1	–	–	–	–
Phthisis	135	7	–	1	1	1	10	5	5	14	15	28	25	18	12	2	1	–
Hydrocephalus	14	4	8	–	2	–	14	–	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	252	146	9	5	4	1	165	5	3	3	3	4	6	5	8	25	19	6
Heart Dis. and Dropsy	130	1	–	–	–	–	1	1	1	2	2	8	10	15	23	40	22	5
Dis. of Lungs	177	37	22	10	2	1	72	2	1	1	1	3	4	13	22	27	23	8
Dis. of Stom. and Liver	88	11	2	–	–	–	13	1	1	–	3	3	7	6	17	28	8	1
Dis. of Kidneys	30	–	–	–	–	–	–	–	–	–	–	2	1	2	5	13	6	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	8	1	–	–	–	–	1	1	–	–	–	2	1	1	2	–	–	–
Diseases of the Skin	6	1	1	–	–	–	2	–	–	1	–	–	–	–	–	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	75	1	2	1	3	1	8	5	3	7	3	11	10	7	5	11	–	–
Other Causes	198	68	12	1	–	1	82	1	1	1	1	3	–	–	4	17	64	24
377.—LICHFIELD.																		
Mean Popul^{n}, 1851-61	13079	-	-	-	-	-	1718	1574	1417	1186	1058	1756	1492	1208	876	543	223	28
TOTAL DEATHS	2558	500	148	100	68	54	870	119	65	66	71	148	127	163	260	315	273	81
Small-pox	29	5	7	6	3	1	22	2	–	–	1	3	–	1	–	–	–	–
Measles	15	4	2	4	2	1	13	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	126	6	17	26	20	16	85	29	10	1	–	–	–	–	–	–	–	–
Diphtheria	18	1	2	2	3	3	11	4	3	–	–	–	–	1	–	–	–	–
Whooping-cough	32	18	4	5	2	1	30	2	–	–	–	–	–	–	–	–	–	–
Typhus	80	1	4	4	3	3	15	11	9	8	4	9	5	5	5	6	2	1
Cholera, Diarrh., Dysent^{y}	81	33	8	3	1	–	45	2	1	2	–	1	–	6	6	7	9	2
Other Zymotic Dis.	101	10	4	9	5	5	33	6	2	1	1	4	7	8	10	15	11	3
Cancer	23	1	–	–	–	–	1	–	–	–	–	1	2	5	10	2	2	–
Scrofula, Tabes Mesent.	39	13	7	–	1	2	23	5	1	3	1	2	2	2	–	–	–	–
Phthisis	238	6	6	3	–	–	15	8	5	16	38	63	40	26	18	7	2	–
Hydrocephalus	29	11	6	1	1	2	21	4	2	1	–	1	–	–	–	–	–	–
Diseases of Brain	359	146	22	9	5	4	186	11	4	3	3	14	13	14	32	41	36	2
Heart Dis. and Dropsy	160	1	1	2	3	–	7	6	2	5	4	7	14	21	32	41	21	–
Dis. of Lungs	373	87	29	9	5	10	140	4	6	5	4	13	7	24	55	61	47	7
Dis. of Stom. and Liver	176	16	4	3	2	3	28	2	5	7	7	7	16	24	40	28	11	1
Dis. of Kidneys	46	1	–	–	1	–	2	1	1	1	–	4	3	4	5	11	12	2
Dis. of Gener. Organs	2	1	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–
Diseases of the Joints	15	–	–	–	–	–	–	1	2	3	1	2	–	3	2	1	–	–
Diseases of the Skin	10	4	1	–	–	–	5	1	–	–	–	–	1	–	–	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	130	3	5	7	7	2	24	17	12	9	6	14	9	11	13	9	1	–
Other Causes	476	132	19	7	4	1	163	1	–	1	1	4	7	8	27	83	118	63

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

375.—BURTON-UPON-TRENT.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards
Mean Popul^{n}, 1851-61	17924	-	-	-	-	-	2529	2162	1867	1564	1669	2622	2045	1480	1053	638	252	37
TOTAL DEATHS	3641	749	248	156	78	51	1282	156	103	132	141	258	222	207	286	364	368	122
Small-pox	51	13	3	5	1	2	24	10	1	3	2	3	4	1	1	2	-	-
Measles	85	13	22	13	12	7	67	17	1	-	-	-	-	-	-	-	-	-
Scarlatina	149	8	24	36	12	13	93	33	15	3	1	2	1	1	-	-	-	-
Diphtheria	30	5	2	4	4	3	18	6	4	2	-	-	-	-	-	-	-	-
Whooping-cough	76	28	23	13	6	2	72	4	-	-	-	-	-	-	-	-	-	-
Typhus	106	3	6	6	3	3	21	12	16	11	6	12	6	4	6	9	2	1
Cholera, Diarrh., Dysent^{y}	132	49	13	6	-	-	68	5	1	-	1	2	4	2	5	12	26	6
Other Zymotic Dis.	154	22	17	19	9	6	73	16	6	4	2	3	3	13	10	12	12	-
Cancer	72	1	-	-	-	-	1	-	-	-	-	1	17	22	15	11	4	1
Scrofula, Tabes Mesent.	44	15	8	2	1	-	26	6	2	2	2	3	-	-	3	-	-	-
Phthisis	470	9	4	3	1	-	17	6	22	64	68	141	91	42	14	4	1	-
Hydrocephalus	51	12	17	4	4	3	40	4	5	2	-	-	-	-	-	-	-	-
Diseases of Brain	502	189	30	14	5	3	241	6	6	9	12	19	27	29	50	52	41	10
Heart Dis. and Dropsy	277	3	-	-	-	-	3	2	7	7	8	12	13	31	67	82	37	8
Dis. of Lungs	421	105	55	17	10	5	192	8	5	6	8	14	7	17	41	63	54	6
Dis. of Stom. and Liver	164	11	2	2	-	1	16	5	4	8	5	10	17	19	39	28	13	-
Dis. of Kidneys	26	-	-	-	-	-	-	-	-	1	3	3	-	4	5	7	3	-
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	-	1	3	3	5	4	-	-	-
Diseases of the Joints	15	1	-	-	-	-	1	-	2	-	3	2	2	-	3	-	2	-
Diseases of the Skin	6	4	-	-	-	-	4	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	55	-	-	-	-	-	-	-	-	3	12	18	21	1	-	-	-	-
Violent Deaths	67	5	7	3	6	1	22	11	4	4	1	2	1	2	2	7	9	2
Other Causes	672	253	15	9	4	2	283	5	2	3	6	8	5	14	21	74	163	88

376.—TAMWORTH.

Mean Popul^{n}, 1851-61	7457	-	-	-	-	-	1013	879	808	683	662	1039	802	607	484	316	146	18
TOTAL DEATHS	1453	258	92	51	38	20	459	78	36	55	54	101	99	78	119	148	174	52
Small-pox	20	3	-	3	6	2	14	3	1	-	-	1	-	-	-	1	-	-
Measles	28	1	6	7	5	3	22	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	75	8	7	16	11	4	46	20	4	2	2	1	-	-	-	-	-	-
Diphtheria	16	-	1	1	-	1	3	10	3	-	-	-	-	-	-	-	-	-
Whooping-cough	24	7	9	6	1	-	23	1	-	-	-	-	-	-	-	-	-	-
Typhus	60	2	2	3	4	3	14	6	6	8	4	7	5	3	2	1	4	-
Cholera, Diarrh., Dysent^{y}	57	21	9	-	-	1	34	1	-	-	-	1	1	2	3	5	5	5
Other Zymotic Dis.	47	8	5	2	2	1	18	4	-	-	2	3	2	4	2	3	7	2
Cancer	37	-	-	-	-	-	-	-	-	-	-	5	5	3	9	7	7	1
Scrofula, Tabes Mesent.	21	7	4	-	-	-	11	3	1	-	2	3	-	-	1	-	-	-
Phthisis	204	2	4	2	-	1	9	5	14	31	28	47	35	15	14	6	-	-
Hydrocephalus	12	5	3	1	-	-	9	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	200	92	10	3	1	-	106	7	1	3	4	4	3	12	21	20	17	2
Heart Dis. and Dropsy	144	-	-	-	1	-	1	2	1	1	1	5	10	14	36	41	30	2
Dis. of Lungs	167	33	17	5	5	3	63	5	-	1	2	2	9	7	8	29	31	10
Dis. of Stom. and Liver	69	4	4	-	1	-	9	1	2	3	2	7	8	8	14	11	4	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	1	1	-	3	2	-	-	-	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	3	1	4	1	1	-	-
Diseases of the Joints	2	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Skin	4	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	27	-	-	-	-	-	-	-	-	2	5	8	11	1	-	-	-	-
Violent Deaths	22	1	1	1	1	-	4	3	-	2	-	1	3	2	2	2	3	-
Other Causes	200	58	9	1	-	1	69	-	1	1	1	3	3	1	5	20	66	30

377.—LICHFIELD.

Mean Popul^{n}, 1851-61	13331	-	-	-	-	-	1726	1557	1400	1198	1109	1894	1503	1150	835	621	249	39
TOTAL DEATHS	2658	457	152	74	62	43	788	132	52	90	97	196	175	141	211	313	355	108
Small-pox	21	9	5	1	-	2	17	1	-	1	1	1	-	-	-	-	-	-
Measles	32	8	8	4	6	3	29	2	-	-	-	1	-	-	-	-	-	-
Scarlatina	129	6	18	20	16	13	73	42	8	2	2	-	1	1	-	-	-	-
Diphtheria	21	1	1	2	4	2	10	5	4	1	1	-	-	-	-	-	-	-
Whooping-cough	48	18	16	5	3	2	44	3	1	-	-	-	-	-	-	-	-	-
Typhus	82	3	4	3	3	-	13	17	6	7	7	9	6	5	6	4	2	-
Cholera, Diarrh., Dysent^{y}	72	23	5	1	1	-	30	3	-	1	2	4	3	1	6	10	10	2
Other Zymotic Dis.	95	16	6	5	4	5	36	6	3	1	5	1	8	3	8	13	8	3
Cancer	67	-	-	-	-	-	-	-	-	-	1	4	6	18	16	12	7	3
Scrofula, Tabes Mesent.	48	15	11	-	3	1	30	3	-	3	2	2	-	3	-	4	1	-
Phthisis	310	5	3	1	-	1	10	7	11	42	47	91	53	29	16	3	1	-
Hydrocephalus	21	8	3	2	3	-	16	4	-	-	1	-	-	-	-	-	-	-
Diseases of Brain	329	128	14	8	3	4	157	10	4	10	1	13	13	15	23	45	31	7
Heart Dis. and Dropsy	197	3	-	-	-	-	3	4	2	4	8	12	13	21	40	52	32	6
Dis. of Lungs	318	65	34	14	9	6	128	6	1	8	5	16	15	10	33	39	47	10
Dis. of Stom. and Liver	198	13	4	2	1	-	20	6	4	5	5	11	26	19	38	39	23	2
Dis. of Kidneys	12	-	-	-	-	-	-	1	-	1	2	-	-	2	1	4	-	1
Dis. of Gener. Organs	22	-	-	-	-	-	-	-	-	-	1	7	3	4	4	2	1	-
Diseases of the Joints	15	-	-	-	-	-	-	1	1	-	-	4	5	3	1	-	-	-
Diseases of the Skin	11	4	-	1	1	-	6	-	-	-	-	-	1	-	-	1	3	-
Childbirth and Metria	33	-	-	-	-	-	-	-	-	-	4	11	17	1	-	-	-	-
Violent Deaths	45	2	1	-	3	3	9	8	6	2	1	3	2	2	3	3	5	1
Other Causes	532	130	19	5	2	1	157	3	1	2	1	6	3	4	16	82	184	73

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

378.—PENKRIDGE.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	9145	-	-	-	-	-	1192	1102	1020	883	726	1203	1059	847	611	357	133	12
TOTAL DEATHS	1801	469	91	60	37	38	695	92	44	53	51	100	83	114	151	186	181	51
Small-pox	18	8	1	1	1	1	12	-	2	1	2	1	-	-	-	-	-	-
Measles	30	4	18	3	1	5	26	3	-	1	-	-	-	-	-	-	-	-
Scarlatina	53	2	10	6	4	7	29	19	3	1	-	1	-	-	-	-	-	-
Diphtheria	16	-	1	3	4	-	8	3	3	1	-	1	-	-	-	-	-	-
Whooping-cough	18	12	3	-	-	1	16	1	-	-	1	-	-	-	-	-	-	-
Typhus	74	1	-	3	5	1	10	15	12	4	2	5	6	8	4	7	1	-
Cholera, Diarrh., Dysent^{y}	76	33	6	3	2	-	44	1	-	1	-	-	-	6	6	8	10	-
Other Zymotic Dis.	87	18	8	7	7	3	43	9	1	1	2	2	6	4	6	9	4	-
Cancer	17	-	-	-	-	-	-	-	-	-	1	1	1	1	5	5	2	1
Scrofula, Tabes Mesent.	36	18	4	1	2	-	25	4	1	1	1	3	-	1	-	-	-	-
Phthisis	151	9	4	2	-	1	16	3	5	12	21	39	21	17	16	1	-	-
Hydrocephalus	27	9	7	-	1	3	20	6	-	-	-	-	1	-	-	-	-	-
Diseases of Brain	221	116	9	5	2	2	134	4	1	3	5	12	7	10	10	16	16	3
Heart Dis. and Dropsy	100	2	1	-	-	-	3	-	1	3	-	1	4	13	21	34	19	1
Dis. of Lungs	197	64	12	12	1	6	95	2	2	2	2	4	14	9	26	27	13	1
Dis. of Stom. and Liver	135	26	1	2	2	1	32	3	-	7	4	6	7	23	23	23	7	-
Dis. of Kidneys	19	-	-	-	-	-	-	-	-	1	1	2	-	1	5	7	1	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Joints	6	-	-	1	-	-	1	-	-	-	1	-	2	1	-	1	-	-
Diseases of the Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	122	3	3	7	3	5	21	15	12	9	7	17	9	11	11	3	6	1
Other Causes	394	142	8	4	2	2	158	4	1	5	1	5	4	9	17	45	102	43

379.—WOLVERHAMPTON.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	59163	-	-	-	-	-	8592	6993	6226	5612	5742	9585	7304	4714	2734	1246	365	50
TOTAL DEATHS	16830	5492	2088	1001	554	335	9470	711	351	358	447	869	996	988	1003	929	575	133
Small-pox	250	58	36	32	17	19	162	36	8	8	11	18	3	3	1	-	-	-
Measles	664	106	250	160	73	30	619	40	2	-	2	1	-	-	-	-	-	-
Scarlatina	641	47	118	128	104	78	475	121	30	8	4	1	-	1	1	-	-	-
Diphtheria	53	8	8	7	6	6	35	11	1	3	1	-	1	1	-	-	-	-
Whooping-cough	278	135	77	34	13	9	268	10	-	-	-	-	-	-	-	-	-	-
Typhus	806	68	76	73	55	38	310	116	54	54	48	57	52	55	25	23	10	2
Cholera, Diarrh., Dysent^{y}	1096	638	209	54	22	2	925	18	5	2	4	16	11	25	32	26	27	5
Other Zymotic Dis.	557	144	78	49	39	31	341	31	11	12	6	24	34	26	30	26	14	2
Cancer	86	3	1	1	-	1	6	-	2	1	3	8	9	14	17	18	6	2
Scrofula, Tabes Mesent.	324	141	70	27	16	8	262	15	4	6	8	8	7	11	1	2	-	-
Phthisis	1341	106	57	34	10	6	213	37	34	94	138	273	267	151	98	30	6	-
Hydrocephalus	179	70	55	21	15	6	167	7	5	-	-	-	-	-	-	-	-	-
Diseases of Brain	2030	1178	133	62	31	14	1418	34	20	27	30	45	75	106	97	117	52	9
Heart Dis. and Dropsy	690	36	22	12	12	4	86	19	18	21	18	48	81	134	133	94	34	4
Dis. of Lungs	3236	1068	544	192	72	33	1909	75	16	23	42	105	172	209	293	271	113	8
Dis. of Stom. and Liver	609	163	34	15	5	4	221	16	12	13	10	33	64	71	98	55	16	2
Dis. of Kidneys	146	-	3	1	2	1	7	8	3	3	6	12	25	21	20	26	10	5
Dis. of Gener. Organs	3	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	38	2	1	-	-	1	4	5	2	-	5	7	6	-	6	1	2	-
Diseases of the Skin	24	7	6	-	1	-	14	1	1	-	-	-	2	1	2	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	1089	39	41	37	45	37	199	89	115	77	98	191	144	102	41	21	10	2
Other Causes	2690	1473	268	62	16	7	1826	22	8	6	13	22	43	57	108	220	273	92

380.—WALSALL.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	26686	-	-	-	-	-	3992	3124	2872	2547	2646	4297	3190	2074	1222	550	153	19
TOTAL DEATHS	7028	2311	879	425	250	178	4043	347	150	157	170	329	334	354	404	408	263	69
Small-pox	125	36	16	8	13	13	86	18	1	4	4	7	2	3	-	-	-	-
Measles	277	55	103	61	23	13	255	20	-	-	2	-	-	-	-	-	-	-
Scarlatina	286	25	57	56	42	35	215	53	13	1	2	1	-	1	-	-	-	-
Diphtheria	17	8	2	3	2	-	15	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	122	55	45	8	9	3	120	2	-	-	-	-	-	-	-	-	-	-
Typhus	447	40	57	37	34	23	191	63	25	35	28	44	23	9	18	7	4	-
Cholera, Diarrh., Dysent^{y}	393	210	74	19	5	4	312	7	-	3	1	6	6	12	8	21	13	4
Other Zymotic Dis.	275	67	36	32	12	14	161	28	4	4	5	8	15	18	14	10	6	2
Cancer	36	-	1	-	-	-	1	-	-	-	-	3	4	8	15	3	1	1
Scrofula, Tabes Mesent.	116	33	33	12	5	1	84	10	4	5	1	7	2	1	1	1	-	-
Phthisis	515	42	33	16	6	3	100	20	25	40	43	107	84	55	35	6	-	-
Hydrocephalus	77	23	30	5	3	7	68	8	1	-	-	-	-	-	-	-	-	-
Diseases of the Brain	895	511	69	30	12	10	632	25	9	5	6	15	31	29	44	59	35	5
Heart Dis. and Dropsy	250	9	5	4	6	4	28	17	3	3	9	18	22	39	49	43	18	1
Dis. of Lungs	1194	424	208	75	31	18	756	13	5	7	11	22	49	76	121	96	35	3
Dis. of Stom. and Liver	331	100	14	7	7	4	132	12	6	9	4	20	33	34	32	40	8	1
Dis. of Kidneys	62	1	1	-	2	2	6	2	3	-	2	5	9	8	13	10	4	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1
Diseases of the Joints	17	1	-	-	-	-	1	3	1	2	2	3	1	2	-	1	1	-
Diseases of the Skin	30	10	3	2	-	2	17	1	1	1	2	1	1	4	-	1	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	422	16	15	21	21	20	93	35	47	31	40	50	46	40	22	12	5	1
Other Causes	1138	645	77	29	17	2	770	8	2	7	8	12	6	13	32	98	135	49

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

378.—PENKRIDGE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	8310	-	-	-	-	-	1186	1118	969	732	706	1183	939	750	519	345	144	19
TOTAL DEATHS	1742	353	99	64	44	27	587	86	53	69	62	131	112	93	132	180	168	69
Small-pox	13	2	3	1	-	1	7	2	-	-	2	2	-	-	-	-	-	-
Measles	26	6	7	4	2	2	21	3	2	-	-	-	-	-	-	-	-	-
Scarlatina	64	3	10	10	10	5	38	15	6	2	1	2	-	-	-	-	-	-
Diphtheria	28	3	4	1	2	4	14	8	4	-	-	-	2	-	-	-	-	-
Whooping-cough	24	15	3	1	2	1	22	1	1	-	-	-	-	-	-	-	-	-
Typhus	86	2	4	3	5	2	16	19	8	5	4	10	9	3	7	3	2	-
Cholera, Diarrh., Dysent^{y}	62	23	4	3	-	-	35	3	-	-	1	2	1	2	-	6	9	3
Other Zymotic Dis.	57	13	9	7	5	2	36	7	2	-	-	2	2	3	1	2	2	-
Cancer	28	-	-	-	-	-	-	-	-	-	1	-	4	8	4	9	2	-
Scrofula, Tabes Mesent.	31	18	5	2	-	1	26	1	2	-	1	1	-	-	-	-	-	-
Phthisis	256	6	2	6	-	1	15	7	9	42	37	60	42	23	17	3	1	-
Hydrocephalus	11	4	1	1	-	-	6	2	1	1	-	-	-	1	-	-	-	-
Diseases of Brain	182	72	11	6	3	3	95	1	2	-	1	2	5	9	13	32	13	2
Heart Dis. and Dropsy	122	3	-	-	-	1	4	1	7	2	2	10	12	10	33	29	11	1
Dis. of Lungs	174	53	23	8	7	1	92	4	2	6	2	8	2	8	17	20	11	2
Dis. of Stom. and Liver	90	13	1	3	1	1	19	3	-	3	2	6	9	14	18	10	5	1
Dis. of Kidneys	14	-	1	-	-	-	1	-	-	1	-	1	-	2	2	6	1	-
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	1	1	2	5	2	1	4	-	-
Diseases of the Joints	4	1	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
Childbirth and Metria	53	-	-	-	-	-	-	-	-	1	5	13	14	-	-	-	-	-
Violent Deaths	43	3	1	5	5	2	16	7	3	4	1	-	1	1	5	2	3	-
Other Causes	375	108	10	3	2	-	123	2	3	1	1	3	2	6	13	54	107	69

379.—WOLVERHAMPTON.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	56367	-	-	-	-	-	8559	7050	6034	5328	5457	8327	6337	4307	2571	1319	444	74
TOTAL DEATHS	15069	4484	2061	971	620	369	8505	652	295	310	462	855	819	686	752	873	691	169
Small-pox	223	69	27	21	17	22	156	42	7	4	5	7	1	-	1	-	-	-
Measles	638	118	232	147	91	33	621	31	4	1	-	1	-	-	-	-	-	-
Scarlatina	587	44	36	108	94	75	417	129	28	4	5	1	1	2	-	-	-	-
Diphtheria	61	6	7	4	7	5	29	19	9	2	-	1	1	-	-	-	-	-
Whooping-cough	371	142	108	45	40	26	361	10	-	-	-	-	-	-	-	-	-	-
Typhus	773	51	80	71	67	41	310	120	56	43	62	61	41	26	35	14	4	1
Cholera, Diarrh., Dysent^{y}	1006	493	233	46	20	11	803	17	10	6	11	23	23	15	27	42	23	6
Other Zymotic Dis.	459	137	61	39	36	26	299	25	8	10	12	14	21	24	18	18	10	-
Cancer	283	-	1	2	1	-	4	-	-	-	1	18	57	55	53	29	13	3
Scrofula, Tabes Mesent.	292	115	82	29	8	6	240	11	11	4	5	6	6	7	2	-	-	-
Phthisis	1434	107	82	31	15	9	244	40	50	111	190	358	235	115	49	18	4	-
Hydrocephalus	114	48	35	12	7	3	105	7	1	-	-	-	-	1	-	-	-	-
Diseases of Brain	1767	914	151	71	50	24	1210	37	23	23	22	55	53	84	79	121	55	3
Heart Dis. and Dropsy	705	22	9	14	7	6	58	17	22	21	29	59	78	104	139	131	44	3
Dis. of Lungs	2350	817	520	204	103	41	1685	54	18	24	36	76	87	111	175	177	97	10
Dis. of Stom. and Liver	555	95	33	16	4	3	151	20	9	13	16	50	66	75	68	63	23	1
Dis. of Kidneys	51	-	2	-	1	1	4	2	-	1	1	7	13	7	6	5	5	-
Dis. of Gener. Organs	36	2	-	-	-	-	2	-	-	2	-	4	10	4	10	3	1	-
Diseases of the Joints	28	2	2	2	1	-	7	1	4	3	-	-	3	3	-	4	3	-
Diseases of the Skin	34	13	2	2	1	-	18	-	-	2	-	1	-	-	2	7	4	-
Childbirth and Metria	189	-	-	-	-	-	-	-	-	5	42	70	71	1	-	-	-	-
Violent Deaths	343	26	29	42	30	27	154	57	26	19	15	13	7	16	15	8	11	2
Other Causes	2690	1263	269	65	20	10	1627	13	9	10	10	30	25	36	73	233	394	140

380.—WALSALL.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	24785	-	-	-	-	-	4004	3202	2721	2293	2417	3867	2677	1766	1032	537	192	27
TOTAL DEATHS	6302	1856	827	409	260	149	3501	274	127	166	194	367	341	291	289	367	321	61
Small-pox	94	30	19	10	6	5	70	15	1	4	1	2	1	-	-	-	-	-
Measles	234	43	86	49	29	10	217	14	3	-	-	-	-	-	-	-	-	-
Scarlatina	284	14	64	57	51	26	212	54	10	6	1	-	1	-	-	-	-	-
Diphtheria	23	6	3	4	4	-	17	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough	150	63	39	21	15	6	144	6	-	-	-	-	-	-	-	-	-	-
Typhus	397	34	45	53	32	29	193	54	27	26	22	27	17	16	6	7	2	-
Cholera, Diarrh., Dysent^{y}	349	174	72	20	4	1	271	3	1	2	2	4	8	11	12	16	16	3
Other Zymotic Dis.	236	50	39	26	20	20	155	19	2	7	5	10	9	5	7	12	4	1
Cancer	77	-	-	-	-	-	-	-	1	-	2	4	20	23	16	11	-	-
Scrofula, Tabes Mesent.	64	17	19	8	4	2	50	4	-	3	2	1	3	-	1	-	-	-
Phthisis	581	43	44	21	6	6	120	16	32	60	71	124	86	47	18	6	1	-
Hydrocephalus	52	20	16	5	5	1	47	2	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	757	409	63	20	21	8	521	10	9	10	9	14	24	30	38	49	40	3
Heart Dis. and Dropsy	307	8	5	4	2	3	22	6	5	10	10	31	41	52	58	52	19	1
Dis. of Lungs	935	299	179	62	34	13	587	21	6	10	21	32	48	44	61	72	32	1
Dis. of Stom. and Liver	257	61	15	8	5	3	92	6	5	4	11	27	23	31	29	18	13	-
Dis. of Kidneys	24	1	-	-	-	-	1	1	-	2	3	4	4	5	3	1	-	-
Dis. of Gener. Organs	29	-	-	-	-	-	-	-	-	3	6	7	5	5	1	1	1	-
Diseases of the Joints	10	1	1	-	-	-	2	1	2	1	-	3	-	-	-	1	-	-
Diseases of the Skin	27	8	6	2	2	-	18	-	1	-	1	3	-	-	2	1	1	-
Childbirth and Metria	132	-	-	-	-	-	-	-	-	7	21	62	41	1	-	-	-	-
Violent Deaths	133	5	13	14	11	8	51	28	17	7	-	6	1	6	8	1	4	4
Other Causes	1150	570	99	25	9	8	711	9	2	3	6	8	9	15	29	119	188	51

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

381.—WEST BROMWICH.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	40990	-	-	-	-	-	6445	5178	4593	4104	3979	6385	4670	2998	1648	778	193	19
TOTAL DEATHS	10385	3264	1353	624	373	262	5876	497	266	273	284	501	526	558	603	561	370	70
Small-pox	201	50	35	27	18	14	144	26	6	5	4	10	4	1	1	-	-	-
Measles	503	100	168	111	63	27	469	33	1	-	-	-	-	-	-	-	-	-
Scarlatina	347	24	64	59	49	48	244	86	12	2	1	1	-	-	1	-	-	-
Diphtheria	31	4	5	5	3	3	20	5	2	-	1	1	1	1	-	-	-	-
Whooping-cough	124	55	35	18	10	1	119	5	-	-	-	-	-	-	-	-	-	-
Typhus	613	43	58	43	39	30	213	73	44	57	39	57	41	36	28	20	5	-
Cholera, Diarrh., Dysent^{y}	486	237	96	27	9	7	376	13	8	3	5	9	7	13	22	19	10	1
Other Zymotic Dis.	388	92	60	37	39	23	251	22	10	11	3	11	22	17	22	17	2	-
Cancer	43	-	1	1	-	-	2	-	-	-	-	3	10	11	5	7	4	1
Scrofula, Tabes Mesent.	360	159	111	35	7	5	317	8	10	8	3	6	3	2	2	-	1	-
Phthisis	686	24	23	10	2	4	63	25	12	53	96	154	121	92	53	12	5	-
Hydrocephalus	268	115	86	22	16	6	245	14	5	2	-	-	-	-	2	-	-	-
Diseases of Brain	1113	587	82	27	17	9	722	22	12	15	18	26	39	56	68	90	42	3
Heart Dis. and Dropsy	400	35	15	8	3	1	62	19	12	13	7	17	38	66	82	57	25	2
Dis. of Lungs	1872	617	341	120	66	42	1186	45	15	15	20	40	79	117	160	129	63	3
Dis. of Stom. and Liver	369	90	27	12	5	5	139	14	6	19	10	23	32	38	45	32	10	1
Dis. of Kidneys	62	-	-	-	-	-	-	3	2	-	4	7	8	11	14	7	6	-
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	17	-	1	-	-	-	1	1	2	5	2	1	3	-	-	1	1	-
Diseases of the Skin	23	13	3	1	-	-	17	-	1	-	-	1	1	1	2	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	780	11	23	36	16	31	117	68	104	62	67	126	103	73	35	20	5	-
Other Causes	1698	1007	119	25	11	6	1168	15	2	3	4	8	14	23	61	150	191	59

382.—DUDLEY.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	59945	-	-	-	-	-	9751	7854	6986	5924	5651	9016	6514	4303	2473	1109	322	42
TOTAL DEATHS	16329	5708	2161	826	557	344	9596	693	418	385	420	827	772	836	901	812	556	113
Small-pox	256	69	41	35	18	18	181	40	2	4	13	10	5	1	-	-	-	-
Measles	637	123	235	122	80	27	607	26	2	1	-	-	1	-	-	-	-	-
Scarlatina	612	61	120	103	105	69	463	123	12	8	2	1	3	-	-	-	-	-
Diphtheria	53	11	9	7	6	6	39	11	1	1	-	-	-	-	-	1	-	-
Whooping-cough	271	139	69	30	18	7	263	7	1	-	-	-	-	-	-	-	-	-
Typhus	702	57	70	40	55	40	262	90	64	41	37	67	44	32	32	26	5	2
Cholera, Diarrh., Dysent^{y}	1371	721	300	53	20	12	1106	31	18	7	13	26	20	25	43	40	36	6
Other Zymotic Dis.	602	200	90	61	49	25	425	38	11	12	4	20	23	24	22	15	7	1
Cancer	77	1	-	1	2	-	4	1	1	1	-	2	12	15	24	13	4	-
Scrofula, Tabes Mesent.	254	74	70	21	8	3	176	8	14	16	5	14	9	4	4	2	2	-
Phthisis	849	71	54	12	10	3	150	24	26	66	91	187	154	101	41	8	1	-
Hydrocephalus	219	81	67	28	14	9	199	19	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	2005	1233	110	53	25	28	1449	49	18	20	23	34	47	65	105	120	67	8
Heart Dis. and Dropsy	592	13	22	6	5	7	53	22	18	19	19	54	70	103	115	88	30	1
Dis. of Lungs	2875	993	486	149	76	33	1737	46	17	21	37	86	114	187	274	241	102	13
Dis. of Stom. and Liver	640	140	40	13	4	6	203	22	20	18	18	43	58	110	84	47	16	1
Dis. of Kidneys	125	2	1	2	-	2	7	6	5	2	2	8	13	26	27	18	10	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	20	2	-	-	-	-	2	2	7	1	-	3	3	-	1	-	1	-
Diseases of the Skin	27	14	2	-	-	-	16	-	-	-	1	-	3	-	3	3	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	1470	35	45	44	49	42	215	112	174	139	152	260	173	118	78	35	11	3
Other Causes	2672	1668	310	41	13	7	2039	16	6	8	8	12	20	25	48	155	264	76

383.—STOURBRIDGE.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	31662	-	-	-	-	-	4923	4138	3660	3084	2883	4598	3467	2470	1492	705	221	21
TOTAL DEATHS	7576	2604	798	343	244	140	4129	323	174	194	209	349	357	434	450	497	334	96
Small-pox	121	38	16	8	11	4	77	22	3	4	3	8	1	2	-	1	-	-
Measles	244	48	77	52	40	9	226	14	3	-	-	1	-	-	-	-	-	-
Scarlatina	190	16	34	35	32	24	141	40	9	-	-	-	-	-	-	-	-	-
Diphtheria	31	6	8	3	5	2	24	7	-	-	-	-	-	-	-	-	-	-
Whooping-cough	102	43	29	18	6	4	100	2	-	-	-	-	-	-	-	-	-	-
Typhus	282	20	15	16	20	11	82	39	27	29	24	32	19	17	7	5	-	1
Cholera, Diarrh., Dysent^{y}	428	235	70	19	3	4	351	7	2	3	4	3	3	9	12	21	9	4
Other Zymotic Dis.	288	74	51	35	25	20	205	14	4	4	7	8	9	14	9	10	4	-
Cancer	59	-	1	1	1	-	3	2	-	1	-	2	6	8	14	18	5	-
Scrofula, Tabes Mesent.	102	38	17	4	5	1	65	12	3	5	4	5	3	3	1	1	-	-
Phthisis	560	22	35	4	3	5	69	16	18	54	62	118	88	77	46	11	1	-
Hydrocephalus	113	43	30	12	7	3	95	12	4	1	-	-	-	1	-	-	-	-
Diseases of Brain	852	437	46	22	12	7	524	18	8	11	9	26	36	41	61	69	43	6
Heart Dis. and Dropsy	324	6	14	4	3	-	27	10	10	6	7	19	38	44	77	55	50	1
Dis. of Lungs	1486	568	233	74	44	22	941	31	3	9	11	25	50	76	122	142	65	11
Dis. of Stom. and Liver	310	90	9	8	3	5	115	9	11	6	9	22	20	48	28	22	11	-
Dis. of Kidneys	88	1	-	-	1	-	2	2	2	4	2	3	7	25	14	15	10	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	16	1	-	1	1	-	3	2	3	1	1	1	2	1	1	1	-	-
Diseases of the Skin	14	9	1	-	-	-	10	-	-	-	-	-	-	-	2	1	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	533	17	18	13	17	16	81	57	63	53	63	66	58	49	29	10	6	-
Other Causes	1440	872	94	14	5	3	988	7	1	3	3	10	8	19	36	115	180	70

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

381.—WEST BROMWICH.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	40114	-	-	-	-	-	6528	5266	4547	3859	3870	6100	4303	2809	1669	853	271	39
TOTAL DEATHS	9422	2589	1320	640	393	241	5183	489	205	252	286	545	526	402	474	525	429	106
Small-pox	198	58	38	27	14	14	151	25	4	4	7	5	2	-	-	-	-	-
Measles	474	81	164	106	60	26	437	33	3	-	1	-	-	-	-	-	-	-
Scarlatina	347	22	61	68	64	34	249	75	13	5	4	1	-	-	-	-	-	-
Diphtheria	45	5	6	12	3	2	28	13	3	1	-	-	-	-	-	-	-	-
Whooping-cough	150	53	48	23	12	9	145	5	-	-	-	-	-	-	-	-	-	-
Typhus	637	38	50	46	41	43	218	101	65	55	40	59	33	16	28	16	6	-
Cholera, Diarrh., Dysent^{y}	417	193	105	22	12	1	333	10	1	3	3	8	11	6	10	18	14	-
Other Zymotic Dis.	327	84	45	56	26	26	237	27	13	6	2	9	10	7	10	4	2	-
Cancer	126	-	-	1	-	-	1	-	-	1	-	10	28	32	27	18	8	1
Scrofula, Tabes Mesent.	372	138	109	33	7	8	295	14	8	8	5	6	10	4	1	-	1	-
Phthisis	783	20	27	15	5	4	71	27	25	73	117	217	158	56	31	7	1	-
Hydrocephalus	170	69	46	27	7	3	152	10	4	2	-	-	-	-	1	-	1	-
Diseases of Brain	934	419	84	40	26	11	580	16	12	17	12	31	27	60	70	72	30	7
Heart Dis. and Dropsy	456	35	20	5	3	3	66	16	11	20	15	28	55	69	75	67	33	1
Dis. of Lungs	1417	429	318	105	74	28	954	47	12	10	19	32	47	68	92	89	41	6
Dis. of Stom. and Liver	359	51	19	10	5	2	87	15	6	15	15	32	47	44	56	29	12	1
Dis. of Kidneys	33	-	-	-	-	1	1	-	-	-	2	9	8	7	4	1	1	-
Dis. of Gener. Organs	43	1	-	-	-	-	1	-	-	-	5	10	8	7	9	1	2	-
Diseases of the Joints	18	-	2	-	-	-	2	4	2	3	-	2	1	1	1	1	1	-
Diseases of the Skin	22	9	2	1	-	-	12	-	-	-	-	2	-	1	4	3	-	-
Childbirth and Metria	136	-	-	-	-	-	-	-	-	11	18	62	44	1	-	-	-	-
Violent Deaths	235	18	21	13	22	18	92	42	20	10	12	8	16	9	8	9	8	1
Other Causes	1743	866	155	30	12	8	1071	9	3	8	9	14	21	14	47	190	268	89

382.—DUDLEY.

Mean Popul^{n}, 1851-61	58454	-	-	-	-	-	9744	7870	6870	5541	5523	8449	6096	4063	2437	1304	434	68
TOTAL DEATHS	14551	4424	2266	1018	561	361	8630	691	268	303	367	704	690	588	733	783	609	185
Small-pox	276	67	59	31	32	26	215	39	4	2	6	4	5	1	-	-	-	-
Measles	639	95	262	139	77	30	603	33	2	-	1	-	-	-	-	-	-	-
Scarlatina	639	44	125	140	101	66	476	140	11	6	-	4	2	-	-	-	-	-
Diphtheria	65	5	12	8	7	6	38	15	7	4	-	1	-	-	-	-	-	-
Whooping-cough	338	159	107	34	22	8	330	8	-	-	-	-	-	-	-	-	-	-
Typhus	776	37	80	73	43	34	267	116	69	75	53	57	47	27	33	23	9	-
Cholera, Diarrh., Dysent^{y}	1333	575	355	90	30	18	1066	35	9	9	18	37	24	30	40	40	19	8
Other Zymotic Dis.	550	157	88	86	54	33	418	41	11	14	3	17	11	12	10	6	5	2
Cancer	167	-	-	2	-	-	2	1	-	1	-	7	39	42	43	27	4	1
Scrofula, Tabes Mesent.	209	56	67	22	4	5	154	6	6	4	3	13	3	4	5	2	-	-
Phthisis	984	55	48	19	10	8	140	32	38	79	124	233	181	89	41	5	2	-
Hydrocephalus	169	70	33	25	13	11	157	11	-	-	-	-	1	-	-	-	-	-
Diseases of Brain	1635	863	152	55	39	12	1121	45	18	27	21	37	41	66	96	91	62	10
Heart Dis. and Dropsy	608	13	23	6	5	3	50	22	17	15	18	41	70	101	129	97	42	6
Dis. of Lungs	2309	769	433	170	83	47	1502	51	13	17	22	60	79	92	176	204	82	11
Dis. of Stom. and Liver	606	113	44	17	8	6	188	9	14	17	33	45	67	72	79	59	23	-
Dis. of Kidneys	46	1	1	2	-	-	4	3	2	1	5	6	8	7	8	2	-	-
Dis. of Gener. Organs	35	-	1	1	-	-	2	-	-	1	-	15	7	4	4	2	-	-
Diseases of the Joints	11	-	-	1	-	-	1	3	2	1	-	1	2	-	1	-	-	-
Diseases of the Skin	31	10	6	-	-	-	16	-	-	-	1	1	-	2	2	4	4	1
Childbirth and Metria	207	-	-	-	-	-	-	-	-	4	44	83	69	7	-	-	-	-
Violent Deaths	390	37	45	34	22	40	178	70	41	21	7	9	10	11	7	16	17	3
Other Causes	2537	1298	322	63	11	8	1702	13	4	5	8	13	24	21	59	205	340	143

383.—STOURBRIDGE.

Mean Popul^{n}, 1851-61	31376	-	-	-	-	-	4993	4170	3654	3014	2793	4488	3310	2337	1474	810	283	50
TOTAL DEATHS	6772	1960	753	326	215	181	3435	319	138	174	239	386	383	325	369	478	387	139
Small-pox	139	46	22	13	12	13	106	18	2	2	3	6	1	-	1	-	-	-
Measles	228	30	89	45	29	20	211	14	1	1	-	-	1	-	-	-	-	-
Scarlatina	207	19	31	38	39	17	144	45	14	2	-	-	2	-	-	-	-	-
Diphtheria	35	3	4	3	4	5	19	12	4	-	-	-	-	-	-	-	-	-
Whooping-cough	115	48	38	12	10	5	113	1	-	-	-	1	-	-	-	-	-	-
Typhus	359	18	14	14	20	22	88	63	45	29	31	33	16	26	17	11	-	-
Cholera, Diarrh., Dysent^{y}	403	179	81	26	8	6	300	4	2	3	5	7	10	10	18	24	16	4
Other Zymotic Dis.	252	75	35	31	17	16	174	21	5	5	2	8	6	6	6	11	5	3
Cancer	104	1	1	-	-	-	2	-	-	-	-	2	24	28	23	19	6	-
Scrofula, Tabes Mesent.	85	24	22	6	3	5	60	7	2	6	3	4	3	-	-	-	-	-
Phthisis	660	22	24	7	2	3	58	19	14	72	116	180	121	57	17	3	2	1
Hydrocephalus	67	21	24	4	5	2	56	7	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	666	310	46	21	14	9	400	13	6	7	11	14	25	33	46	63	40	6
Heart Dis. and Dropsy	411	6	5	2	1	1	15	9	7	7	10	26	55	55	95	93	36	3
Dis. of Lungs	1101	376	204	72	38	20	719	31	5	7	8	27	33	45	63	93	56	14
Dis. of Stom. and Liver	326	69	10	13	2	4	98	8	8	17	18	25	27	35	39	35	14	2
Dis. of Kidneys	29	-	2	1	-	1	4	1	1	1	3	3	3	3	6	4	-	-
Dis. of Gener. Organs	20	-	-	-	-	-	-	-	-	-	-	4	6	4	4	1	1	-
Diseases of the Joints	10	1	1	-	-	-	2	1	2	1	1	1	-	1	1	-	-	-
Diseases of the Skin	11	7	1	-	-	-	8	-	-	-	1	-	-	-	-	1	-	1
Childbirth and Metria	92	-	-	-	-	-	-	-	-	5	20	33	32	2	-	-	-	-
Violent Deaths	183	23	16	11	9	16	75	35	12	8	3	6	8	12	5	13	5	1
Other Causes	1269	682	83	9	2	7	783	10	4	1	4	6	10	8	28	105	206	104

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 years & upwards
384.—KIDDERMINSTER.																		
Mean Popul^{n}, 1851-61	15434	-	-	-	-	-	2007	1889	1736	1410	1240	2186	1800	1388	969	577	208	24
TOTAL DEATHS	3365	876	233	158	76	73	1416	163	60	72	99	164	195	213	273	330	310	70
Small-pox	22	9	1	2	2	2	16	2	2	-	-	2	-	-	-	-	-	-
Measles	93	14	31	29	3	7	84	7	1	-	1	-	-	-	-	-	-	-
Scarlatina	118	8	19	26	18	17	88	24	4	1	-	-	1	-	-	-	-	-
Diphtheria	19	1	4	6	2	-	13	3	1	-	1	1	-	-	-	-	-	-
Whooping-cough	30	18	4	4	4	-	30	-	-	-	-	-	-	-	-	-	-	-
Typhus	142	5	8	11	13	8	45	27	10	8	10	16	2	8	8	6	2	-
Cholera, Diarrh., Dysent^{y}	134	79	17	3	2	-	101	2	1	1	1	4	2	1	6	9	5	3
Other Zymotic Dis.	140	36	17	7	7	7	74	8	4	3	1	2	4	11	10	13	6	1
Cancer	20	-	-	-	-	-	-	1	-	1	-	1	1	2	5	6	2	1
Scrotula, Tabes Mesent.	101	63	16	5	-	-	84	5	-	4	2	-	2	1	1	1	1	-
Phthisis	398	29	11	5	4	3	52	14	9	25	46	82	72	60	29	6	3	-
Hydrocephalus	46	23	9	4	1	2	39	5	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	405	153	12	10	4	3	182	12	3	4	6	9	12	25	37	59	47	9
Heart Dis. and Dropsy	177	1	1	5	-	2	9	4	3	3	7	10	22	19	41	36	20	6
Dis. of Lungs	588	158	54	27	8	14	261	10	2	5	8	11	34	32	56	98	61	10
Dis. of Stom. and Liver	170	25	8	6	2	1	42	10	1	7	6	5	12	29	30	17	9	2
Dis. of Kidneys	54	2	-	-	-	1	3	1	1	1	1	3	4	4	10	11	15	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	12	1	-	-	-	-	1	4	2	-	-	1	-	1	2	-	1	-
Diseases of the Skin	9	2	2	1	-	2	5	-	-	-	-	-	1	1	-	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	128	9	4	6	3	5	27	19	12	7	7	17	12	8	10	9	-	-
Other Causes	559	240	15	1	3	1	260	5	3	1	2	-	14	11	28	54	138	43
385.—TENBURY.																		
Mean Popul^{n}, 1851-61	3707	-	-	-	-	-	451	419	406	344	305	527	412	345	268	158	58	14
TOTAL DEATHS	651	104	25	14	12	9	164	22	20	16	17	39	44	52	64	95	82	36
Small-pox	2	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	10	1	3	-	1	-	5	2	1	-	1	1	-	-	-	-	-	-
Scarlatina	15	1	2	2	1	1	7	3	3	-	-	1	1	-	-	-	-	-
Diphtheria	7	-	2	-	3	1	6	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	10	2	6	-	1	1	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	9	-	-	1	-	-	1	1	2	2	-	-	1	-	-	1	1	-
Cholera, Diarrh., Dysent^{y}	9	1	-	-	-	-	1	-	-	1	-	1	2	-	1	1	2	-
Other Zymotic Dis.	33	4	-	-	1	-	5	7	-	1	1	2	7	3	2	3	1	1
Cancer	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-
Scrofula, Tabes Mesent.	16	4	1	-	-	2	7	-	-	1	1	-	3	2	-	2	-	-
Phthisis	43	-	-	-	1	1	2	1	1	5	7	7	8	5	5	2	-	-
Hydrocephalus	3	-	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	33	19	-	1	1	1	22	1	2	1	1	7	3	11	9	14	10	2
Heart Dis. and Dropsy	63	1	-	-	-	-	1	-	-	2	-	3	4	11	15	11	14	2
Dis. of Lungs	74	10	6	2	-	1	19	2	2	1	-	5	4	7	13	13	6	2
Dis. of Stom. and Liver	32	4	1	-	-	-	5	-	1	1	-	5	4	2	6	3	5	1
Dis. of Kidneys	13	-	1	-	-	-	1	-	-	-	-	1	3	-	2	3	2	1
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	2	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	46	1	-	1	-	1	3	4	6	-	4	4	3	6	7	7	2	-
Other Causes	175	55	2	5	1	-	63	1	1	-	1	2	-	5	2	34	33	28
386.—MARTLEY.																		
Mean Popul^{n}, 1851-61	7219	-	-	-	-	-	885	807	796	659	551	995	849	688	557	284	129	19
TOTAL DEATHS	1309	282	43	24	18	13	380	39	33	35	38	61	66	106	137	176	181	57
Small-pox	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	7	3	2	2	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	43	7	4	1	6	4	22	13	7	1	-	-	1	-	-	-	-	-
Diphtheria	8	1	-	-	1	-	2	2	2	-	-	1	-	-	1	-	-	-
Whooping-cough	11	7	3	-	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Typhus	49	8	1	1	2	-	7	5	2	6	7	4	1	4	6	6	1	-
Cholera, Diarrh., Dysent^{y}	18	8	4	-	-	-	12	2	-	-	1	1	-	1	1	-	-	-
Other Zymotic Dis.	55	13	2	3	2	1	21	3	1	-	2	3	2	5	8	4	4	2
Cancer	8	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	1	-
Scrofula, Tabes Mesent.	10	4	-	1	-	-	5	-	2	1	-	-	1	-	-	1	-	-
Phthisis	114	6	1	1	-	-	8	4	3	9	14	25	21	17	3	4	1	-
Hydrocephalus	14	5	2	1	-	3	11	2	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	173	37	3	1	1	-	42	-	2	2	2	4	7	23	23	34	31	3
Heart Dis. and Dropsy	159	-	2	-	-	-	2	2	2	2	2	3	10	18	38	43	34	3
Dis. of Lungs	119	27	9	7	3	1	47	-	2	2	1	4	6	10	11	16	16	4
Dis. of Stom. and Liver	72	13	-	2	-	-	15	1	1	3	3	2	2	8	12	16	7	2
Dis. of Kidneys	24	-	-	-	-	-	-	-	-	-	-	8	2	1	7	7	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	2	-	-	-	-	1	2	1	-	-
Diseases of the Skin	6	1	-	-	-	-	1	-	1	-	-	-	-	-	2	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	73	4	3	2	2	4	15	2	4	6	5	9	9	9	4	7	2	1
Other Causes	339	143	6	2	1	-	152	3	2	2	-	2	4	8	11	34	79	42

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

384.—KIDDERMINSTER.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	16178	-	-	-	-	-	2066	1870	1725	1550	1479	2315	1838	1402	995	642	247	47
TOTAL DEATHS	3377	691	248	122	92	80	1233	143	113	119	127	211	199	201	228	354	332	117
Small-pox	24	7	5	2	1	-	15	3	2	1	1	1	1	-	-	-	-	-
Measles	66	9	20	14	6	7	56	8	2	-	-	-	-	-	-	-	-	-
Scarlatina	112	6	20	18	13	15	72	20	9	3	1	2	4	1	-	-	-	-
Diphtheria	14	-	1	-	3	3	7	3	2	-	1	1	-	-	-	-	-	-
Whooping-cough	41	14	14	5	3	3	39	2	-	-	-	-	-	-	-	-	-	-
Typhus	173	7	10	7	16	12	52	24	16	20	12	15	10	5	9	9	1	-
Cholera, Diarrh., Dysent^{y}	118	52	13	7	7	1	80	-	2	-	1	3	4	1	6	5	13	3
Other Zymotic Dis.	102	24	8	10	9	8	59	10	4	1	3	5	3	3	1	6	6	1
Cancer	82	-	-	-	-	1	1	-	-	1	-	4	15	21	14	15	11	-
Scrofula, Tabes Mesent.	103	51	19	4	4	2	80	7	5	3	1	-	2	3	1	-	1	-
Phthisis	434	27	12	5	3	4	51	10	34	54	67	92	57	47	16	6	-	-
Hydrocephalus	38	13	11	2	1	3	30	6	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	374	113	21	10	5	5	154	11	9	8	7	15	11	22	33	58	28	8
Heart Dis. and Dropsy	233	-	1	1	2	2	6	1	6	7	7	19	16	31	47	66	26	1
Dis. of Lungs	469	120	62	22	13	6	223	17	4	2	6	12	20	24	43	64	42	12
Dis. of Stom. and Liver	207	30	6	1	2	-	39	6	6	8	9	12	22	19	38	37	10	1
Dis. of Kidneys	21	-	-	-	1	-	1	-	1	1	-	-	3	3	5	6	1	-
Dis. of Gener. Organs	27	-	-	-	-	-	-	-	-	-	1	3	7	9	3	3	1	-
Diseases of the Joints	7	2	-	-	-	-	2	1	-	2	-	1	-	-	-	1	-	-
Diseases of the Skin	9	1	-	-	-	1	2	1	-	1	-	1	-	-	-	3	1	-
Childbirth and Metria	42	-	-	-	-	-	-	-	-	1	8	18	14	1	-	-	-	-
Violent Deaths	64	8	7	5	1	6	27	8	5	4	1	3	1	1	2	2	7	3
Other Causes	617	207	18	9	2	1	237	5	4	2	1	4	9	10	10	73	174	88

385.—TENBURY.

Mean Popul^{n}, 1851-61	3500	-	-	-	-	-	421	409	375	304	290	441	388	324	249	182	100	17
TOTAL DEATHS	592	78	16	13	15	5	127	32	13	30	22	32	35	31	47	77	105	41
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	6	1	-	1	-	-	2	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	16	1	2	2	4	1	10	3	3	-	-	-	-	-	-	-	-	-
Diphtheria	10	1	1	1	-	1	4	3	1	1	-	-	1	-	-	-	-	-
Whooping-cough	7	3	-	3	-	1	7	-	-	-	-	-	-	-	-	-	-	-
Typhus	19	-	-	1	1	-	2	3	-	3	2	3	3	1	-	2	-	-
Cholera, Diarrh., Dysent^{y}	12	4	1	1	-	-	6	2	-	-	1	-	-	-	1	-	2	-
Other Zymotic Dis.	13	1	-	-	1	1	3	3	-	2	-	1	1	1	2	-	-	-
Cancer	5	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-
Scrofula, Tabes Mesent.	8	1	1	-	1	-	3	1	1	2	-	1	-	-	-	-	-	-
Phthisis	71	-	-	1	-	1	2	1	4	13	12	18	11	8	2	-	-	-
Hydrocephalus	8	1	4	-	-	-	5	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	59	15	1	1	-	-	17	-	-	3	1	1	-	1	5	9	18	4
Heart Dis. and Dropsy	66	-	-	-	2	-	2	2	-	3	2	2	1	5	15	19	13	2
Dis. of Lungs	60	8	5	1	4	-	18	3	2	2	1	-	4	1	9	14	4	2
Dis. of Stom. and Liver	41	1	-	-	1	-	2	3	-	-	-	1	6	6	5	11	7	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	10	-	-	-	-	-	-	-	-	-	1	3	5	1	-	-	-	-
Violent Deaths	10	-	-	1	1	-	2	2	-	-	-	-	1	-	1	3	1	-
Other Causes	162	41	1	-	-	-	42	1	-	1	1	1	1	3	3	18	58	32

386.—MARTLEY.

Mean Popul^{n}, 1851-61	7236	-	-	-	-	-	893	845	730	628	608	993	801	668	534	345	159	32
TOTAL DEATHS	1272	226	34	38	24	19	341	53	34	38	49	93	81	66	111	145	182	79
Small-pox	3	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-
Measles	4	1	-	1	1	1	4	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	56	1	5	7	5	6	24	16	9	2	3	-	2	-	-	-	-	-
Diphtheria	12	-	-	1	1	-	2	6	2	1	-	1	-	-	-	-	-	-
Whooping-cough	14	7	2	2	1	1	13	1	-	-	-	-	-	-	-	-	-	-
Typhus	41	1	1	2	2	2	8	5	4	8	5	-	3	5	-	1	2	-
Cholera, Diarrh., Dysent^{y}	26	12	1	2	-	1	16	2	-	-	-	-	2	-	1	2	3	-
Other Zymotic Dis.	37	2	4	5	5	-	16	-	1	1	-	2	2	2	2	2	7	2
Cancer	29	-	-	-	-	-	-	-	-	-	-	-	3	10	7	7	2	-
Scrofula, Tabes Mesent.	14	5	-	2	-	-	7	3	-	-	1	-	1	-	2	-	-	-
Phthisis	160	10	2	-	-	-	12	2	5	18	27	46	26	11	7	5	1	-
Hydrocephalus	8	-	1	1	2	-	4	2	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	116	22	2	3	1	1	29	2	1	3	1	7	2	5	18	29	14	5
Heart Dis. and Dropsy	135	3	-	1	-	-	4	2	2	1	1	10	7	14	32	37	18	7
Dis. of Lungs	123	28	9	6	2	3	48	6	3	-	-	4	8	7	16	15	14	2
Dis. of Stom. and Liver	55	8	-	1	1	2	12	3	2	-	2	4	8	4	10	5	5	-
Dis. of Kidneys	8	-	-	1	-	-	1	-	-	1	-	2	-	-	1	2	1	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	3	1	1	2	1	1	-
Diseases of the Joints	3	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
Diseases of the Skin	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	-	3	7	10	2	-	-	-	-
Violent Deaths	31	3	1	3	2	1	10	3	1	2	-	2	2	-	1	3	4	3
Other Causes	365	122	5	-	1	1	129	-	1	-	6	4	3	5	11	36	110	60

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
387.—WORCESTER.																		
Mean Popul^{n}, 1851-61	13679	-	-	-	-	-	1724	1502	1425	1335	1778	1597	1611	1271	806	454	154	22
TOTAL DEATHS	3414	782	234	123	75	47	1261	113	70	72	125	248	253	272	309	347	277	67
Small-pox	34	9	6	6	1	2	24	5	–	1	3	–	–	–	–	1	–	–
Measles	50	10	13	10	8	5	46	3	–	–	–	1	–	–	–	–	–	–
Scarlatina	92	9	14	16	15	12	66	17	2	2	2	1	2	–	–	–	–	–
Diphtheria	4	1	1	1	1	–	4	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	57	26	20	5	1	2	54	3	–	–	–	–	–	–	–	–	–	–
Typhus	98	3	5	8	6	5	27	17	12	9	8	8	3	5	4	4	1	–
Cholera, Diarrh., Dysent^{y}	181	103	23	5	1	–	132	4	–	–	1	3	5	6	12	12	5	1
Other Zymotic Dis.	165	41	17	8	7	5	78	5	4	3	5	14	12	15	8	13	8	–
Cancer	29	–	–	–	–	–	–	–	–	–	1	2	3	8	7	6	2	–
Scrofula, Tabes Mesent.	27	7	2	1	–	–	10	1	5	2	3	4	2	–	–	–	–	–
Phthisis	357	2	1	2	–	–	5	3	6	25	52	98	67	48	33	18	2	–
Hydrocephalus	44	17	13	6	5	–	41	2	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	414	134	15	6	4	4	163	10	4	4	5	20	23	30	50	66	36	3
Heart Dis. and Dropsy	238	5	–	–	1	1	7	2	3	6	10	24	20	48	44	54	19	1
Dis. of Lungs	526	112	51	26	12	5	206	9	3	3	8	18	36	45	72	73	47	6
Dis. of Stom. and Liver	190	20	6	3	–	–	29	5	7	1	4	17	34	32	34	17	8	2
Dis. of Kidneys	78	1	–	–	1	–	2	1	1	1	4	7	12	2	18	23	7	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Diseases of the Joints	21	–	–	–	–	1	1	–	6	2	1	5	1	3	2	–	–	–
Diseases of the Skin	10	3	–	–	–	–	3	–	1	1	–	3	–	1	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	176	7	3	7	5	3	25	19	11	11	12	20	27	18	14	6	12	1
Other Causes	622	272	44	13	7	2	338	7	4	1	6	3	6	10	11	54	129	53
388.—UPTON-ON-SEVERN.																		
Mean Popul^{n}, 1851-61	9466	-	-	-	-	-	1173	1095	979	893	803	1343	1121	873	646	372	143	20
TOTAL DEATHS	1998	380	84	49	24	23	560	93	35	49	62	133	167	177	184	244	228	66
Small-pox	4	1	–	–	–	–	1	–	–	–	–	1	2	–	–	–	–	–
Measles	16	2	5	2	–	1	10	6	–	–	–	–	–	–	–	–	–	–
Scarlatina	43	–	5	5	5	5	20	15	5	2	1	–	–	–	–	–	–	–
Diphtheria	19	1	1	–	–	2	4	11	3	–	1	–	–	–	–	–	–	–
Whooping-cough	26	9	10	4	–	–	23	3	–	–	–	–	–	–	–	–	–	–
Typhus	54	2	–	3	–	2	7	10	3	5	2	4	6	7	3	4	2	1
Cholera, Diarrh., Dysent^{y}	47	19	4	2	–	–	25	4	–	–	1	2	4	–	2	3	3	3
Other Zymotic Dis.	53	10	4	1	3	–	18	9	1	–	2	2	4	6	8	2	1	–
Cancer	16	–	–	–	–	–	–	1	–	–	–	–	2	4	3	6	–	–
Scrofula, Tabes Mesent.	31	10	4	1	–	1	16	1	1	3	5	2	2	1	–	–	–	–
Phthisis	174	3	2	3	3	1	12	6	6	14	19	43	34	22	13	4	1	–
Hydrocephalus	18	3	4	6	2	1	16	1	–	–	–	–	1	–	–	–	–	–
Diseases of Brain	390	92	7	5	4	–	108	7	3	5	8	37	49	43	47	59	23	1
Heart Dis. and Dropsy	198	4	2	1	–	–	7	3	7	4	5	9	19	35	36	49	22	2
Dis. of Lungs	203	49	21	9	4	6	89	6	1	5	5	8	13	13	17	24	20	2
Dis. of Stom. and Liver	103	21	2	1	–	2	26	3	–	2	4	6	14	17	16	8	7	–
Dis. of Kidneys	36	–	–	–	–	–	–	1	2	1	–	4	2	5	7	6	6	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Diseases of the Joints	6	1	–	–	1	–	2	–	–	2	1	–	–	1	–	–	–	–
Diseases of the Skin	5	4	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	90	8	3	5	2	2	20	5	2	6	6	11	12	10	7	9	2	–
Other Causes	465	141	10	1	–	–	152	1	1	–	2	4	3	13	24	70	140	55
389.—EVESHAM.																		
Mean Popul^{n}, 1851-61	7276	-	-	-	-	-	973	885	847	686	559	952	821	644	482	286	130	11
TOTAL DEATHS	1364	341	71	41	40	25	518	71	29	29	42	53	58	78	96	159	189	42
Small-pox	2	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Measles	38	5	10	8	5	4	32	4	1	–	–	–	–	1	–	–	–	–
Scarlatina	44	2	4	9	7	5	27	13	3	–	–	1	–	–	–	–	–	–
Diphtheria	9	1	–	3	2	–	6	2	–	–	–	–	–	–	–	1	–	–
Whooping-cough	21	12	6	2	–	–	20	1	–	–	–	–	–	–	–	–	–	–
Typhus	48	2	1	5	3	1	12	6	4	6	4	7	2	2	2	3	–	–
Cholera, Diarrh., Dysent^{y}	43	15	5	–	1	–	21	1	–	1	2	–	1	–	1	5	9	2
Other Zymotic Dis.	64	28	3	2	4	2	39	2	1	1	1	1	2	–	3	6	7	1
Cancer	15	–	–	–	–	–	–	–	–	–	–	–	1	2	4	4	2	2
Scrofula, Tabes Mesent.	12	3	–	–	–	–	3	2	2	–	1	–	3	–	1	–	–	–
Phthisis	125	6	2	–	1	1	10	7	5	9	22	28	16	13	9	6	–	–
Hydrocephalus	14	5	3	–	2	1	11	2	–	–	1	–	–	–	–	–	–	–
Diseases of Brain	181	76	9	4	6	4	99	5	3	2	5	–	8	6	13	18	20	2
Heart Dis. and Dropsy	86	2	1	1	1	–	5	4	–	1	–	1	3	14	15	30	11	2
Dis. of Lungs	143	30	16	5	4	3	58	4	1	1	1	5	8	14	18	19	12	2
Dis. of Stom. and Liver	60	11	–	–	1	–	12	3	2	–	–	1	3	4	8	10	5	2
Dis. of Kidneys	16	–	–	–	–	–	–	–	2	1	–	1	2	2	3	2	2	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Skin	3	1	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	60	3	3	–	–	2	8	4	5	5	4	4	6	11	8	3	1	1
Other Causes	390	138	8	1	3	2	152	11	–	2	–	4	3	9	10	52	120	27

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
387.—WORCESTER.																		
Mean Popul^{n}, 1851-61	15644	-	-	-	-	-	1685	1507	1468	1617	1632	2518	1841	1457	1015	625	234	45
TOTAL DEATHS	3365	626	183	103	72	61	1045	113	79	99	125	257	224	213	300	410	369	131
Small-pox	29	6	7	4	-	1	18	6	2	2	-	1	-	-	-	-	-	-
Measles	47	8	13	13	2	5	41	4	1	-	-	-	1	-	-	-	-	-
Scarlatina	100	5	18	21	17	14	75	18	3	-	2	-	-	-	-	1	1	-
Diphtheria	5	-	1	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-
Whooping-cough	50	22	10	6	5	4	47	2	-	1	-	-	-	-	-	-	-	-
Typhus	104	1	5	8	9	7	30	13	11	8	9	8	7	2	7	5	3	1
Cholera, Diarrh., Dysent^{y}	172	73	22	4	2	1	102	5	2	2	3	12	11	4	5	14	9	3
Other Zymotic Dis.	132	32	10	4	9	6	61	7	4	3	7	14	4	5	8	11	7	1
Cancer	89	-	-	-	-	1	1	-	-	1	2	2	10	24	20	19	8	2
Scrofula, Tabes Mesent.	20	5	1	-	-	2	8	3	4	1	-	1	1	-	1	-	1	-
Phthisis	428	5	1	1	-	4	11	5	17	43	63	107	78	57	29	14	4	-
Hydrocephalus	31	10	10	1	3	2	26	3	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	369	91	6	5	6	4	112	12	9	6	2	22	17	26	40	77	43	3
Heart Dis. and Dropsy	308	5	1	-	-	1	7	4	8	7	9	25	29	27	78	64	48	2
Dis. of Lungs	429	102	35	22	9	2	170	4	5	4	2	14	19	27	52	78	46	8
Dis. of Stom. and Liver	151	16	3	-	-	-	19	2	4	2	3	15	15	21	26	34	8	2
Dis. of Kidneys	27	-	-	-	-	-	-	1	-	1	2	4	6	3	6	4	-	-
Dis. of Gener. Organs	28	-	-	-	-	-	-	-	-	1	3	5	8	7	1	2	1	-
Diseases of the Joints	14	-	-	-	-	1	1	1	2	2	2	1	-	2	1	1	1	-
Diseases of the Skin	6	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	3	-
Childbirth and Metria	35	-	-	-	-	-	-	-	-	5	9	16	5	-	-	-	-	-
Violent Deaths	78	9	4	5	3	3	24	11	3	7	4	3	4	2	5	7	4	4
Other Causes	713	234	36	9	7	3	289	10	2	2	1	7	9	6	21	79	182	105
388.—UPTON-ON-SEVERN.																		
Mean Popul^{n}, 1851-61	10074	-	-	-	-	-	1102	1064	965	923	939	1541	1234	967	683	415	194	44
TOTAL DEATHS	1914	294	68	48	40	23	473	70	56	60	80	156	136	143	175	208	243	114
Small-pox	4	1	1	1	-	-	3	-	-	-	-	1	-	-	-	-	-	-
Measles	7	2	1	1	1	-	5	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	50	2	3	11	5	7	28	12	6	2	-	1	1	-	-	-	-	-
Diphtheria	29	2	3	3	2	5	15	5	6	1	-	1	-	-	-	1	-	-
Whooping-cough	22	8	6	3	-	1	18	3	1	-	-	-	-	-	-	-	-	-
Typhus	73	3	3	2	5	1	14	9	7	11	6	6	7	5	4	2	2	-
Cholera, Diarrh., Dysent^{y}	53	21	2	-	-	-	23	1	1	1	1	3	4	7	7	3	2	-
Other Zymotic Dis.	37	3	-	3	5	1	12	5	4	1	1	2	1	1	3	4	2	1
Cancer	46	-	-	-	-	-	-	-	-	-	-	1	5	12	13	8	6	1
Scrofula, Tabes Mesent.	21	7	4	-	1	-	12	3	2	2	-	1	-	-	-	-	1	-
Phthisis	238	5	3	1	3	1	13	4	9	18	42	63	49	28	11	1	-	-
Hydrocephalus	13	4	3	1	2	-	10	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	291	66	8	7	6	4	91	10	8	8	3	19	23	32	36	34	23	4
Heart Dis. and Dropsy	186	1	-	1	1	-	3	3	2	3	4	13	15	19	39	55	26	4
Dis. of Lungs	197	38	18	10	2	1	69	3	2	5	7	13	12	10	24	21	20	11
Dis. of Stom. and Liver	86	8	-	-	2	-	10	6	2	2	7	6	7	13	11	13	8	1
Dis. of Kidneys	12	-	1	-	-	1	2	-	-	-	-	2	1	-	3	3	1	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	1	1	5	2	-	1	-
Diseases of the Joints	6	-	-	-	-	-	-	1	1	-	-	1	-	1	1	1	-	-
Diseases of the Skin	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	1	4	8	4	1	-	-	-	-
Violent Deaths	28	3	2	1	2	-	8	-	1	3	3	4	1	2	1	1	2	2
Other Causes	485	119	9	3	3	1	135	2	2	2	2	10	5	7	20	61	149	90
389.—EVESHAM.																		
Mean Popul^{n}, 1851-61	7339	-	-	-	-	-	952	897	813	668	612	1000	825	644	461	327	126	14
TOTAL DEATHS	1377	247	79	61	27	23	437	63	43	53	55	107	95	67	93	149	166	49
Small-pox	6	2	1	2	-	-	5	1	-	-	-	-	-	-	-	-	-	-
Measles	33	3	2	9	5	4	23	8	2	-	-	-	-	-	-	-	-	-
Scarlatina	50	4	7	4	3	7	25	14	7	2	1	-	-	-	1	-	-	-
Diphtheria	7	2	1	1	-	-	4	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	24	8	5	3	3	1	20	4	-	-	-	-	-	-	-	-	-	-
Typhus	55	2	4	5	4	2	17	7	5	8	7	7	-	1	2	1	-	-
Cholera, Diarrh., Dysent^{y}	34	6	4	1	2	-	13	-	-	-	-	1	-	5	-	5	5	5
Other Zymotic Dis.	65	24	4	8	2	6	44	3	1	-	-	-	3	5	1	4	4	-
Cancer	28	-	-	-	-	-	-	1	1	1	-	1	4	6	5	8	1	-
Scrofula, Tabes Mesent.	11	-	-	-	-	-	-	1	3	2	-	2	-	2	1	-	-	-
Phthisis	217	5	-	4	-	1	10	2	7	31	31	62	43	15	14	1	1	-
Hydrocephalus	15	4	5	4	-	-	13	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	149	49	11	9	2	-	71	2	3	2	4	3	7	5	14	19	19	-
Heart Dis. and Dropsy	89	-	2	-	-	-	2	1	3	1	1	4	9	11	22	19	15	1
Dis. of Lungs	97	20	12	2	3	-	37	2	3	1	1	5	2	2	10	24	10	-
Dis. of Stom. and Liver	57	11	1	1	-	-	13	1	3	2	3	5	4	7	6	11	2	-
Dis. of Kidneys	3	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-
Diseases of the Joints	4	-	-	-	1	-	1	-	-	1	1	-	1	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	30	-	-	-	-	-	-	-	-	1	4	12	13	-	-	-	-	-
Violent Deaths	24	2	2	2	-	2	8	6	1	1	-	1	1	2	1	1	1	1
Other Causes	375	105	17	6	2	-	130	6	3	-	2	4	7	4	15	56	105	42

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
390.—PERSHORE.																		
Mean Popul^{n}, 1851-61	6856	-	-	-	-	-	878	844	785	636	535	871	768	671	466	279	114	9
TOTAL DEATHS	1190	286	48	29	17	16	396	40	30	43	37	52	60	68	109	143	166	46
Small-pox	6	3	–	–	–	–	3	–	–	–	–	1	2	–	–	–	–	–
Measles	17	3	2	4	3	2	14	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	23	1	1	4	3	3	12	5	3	1	–	1	1	–	–	–	–	–
Diphtheria	3	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
Whooping-cough	13	3	3	–	1	1	13	–	–	–	–	–	–	–	–	–	–	–
Typhus	19	3	–	–	–	–	3	1	3	1	1	2	–	–	4	2	1	1
Cholera, Diarrh., Dysent^{y}	52	14	5	5	2	–	26	4	2	2	1	2	2	–	3	4	6	–
Other Zymotic Dis.	44	15	7	3	1	1	27	3	1	1	1	1	3	2	2	1	2	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	–	1	5	1	2	–	–
Scrofula, Tabes Mesent.	19	4	2	–	1	–	7	1	1	5	1	–	2	2	–	–	–	–
Phthisis	110	9	2	2	2	1	16	2	4	12	21	24	18	10	2	1	–	–
Hydrocephalus	17	3	1	4	1	–	9	7	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	132	33	4	2	–	3	42	2	1	4	1	3	5	6	21	26	16	5
Heart Dis. and Dropsy	112	10	–	–	–	–	10	2	2	4	3	6	4	10	20	30	19	2
Dis. of Lungs	133	42	10	2	1	–	55	2	2	–	1	4	7	6	14	27	13	2
Dis. of Stom. and Liver	60	6	2	–	–	1	9	1	1	–	1	1	6	7	14	14	4	2
Dis. of Kidneys	19	–	–	–	–	–	–	–	–	–	–	1	2	2	4	3	5	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Diseases of the Skin	6	4	–	–	–	–	4	–	–	–	–	–	–	1	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	65	–	1	2	1	2	6	5	7	9	4	3	6	10	6	5	2	2
Other Causes	329	123	8	1	1	2	140	3	1	2	1	2	1	7	17	28	97	30
391.—DROITWICH.																		
Mean Popul^{n}, 1851-61	9173	-	-	-	-	-	1277	1103	1037	817	692	1206	1033	858	621	361	146	22
TOTAL DEATHS	1663	435	88	46	27	25	621	73	32	31	43	77	92	121	132	202	177	62
Small-pox	16	1	2	4	–	1	8	2	–	–	1	4	1	–	–	–	–	–
Measles	22	8	7	1	2	1	19	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	45	5	7	8	3	3	26	17	2	–	–	–	–	–	–	–	–	–
Diphtheria	17	2	2	3	2	3	12	1	1	1	–	–	–	–	1	1	–	–
Whooping-cough	16	12	1	1	1	1	16	–	–	–	–	–	–	–	–	–	–	–
Typhus	45	2	3	3	1	1	10	7	3	6	4	1	2	4	6	2	–	–
Cholera, Diarrh., Dysent^{y}	56	27	7	1	2	–	37	–	1	1	–	2	1	1	1	7	4	1
Other Zymotic Dis.	92	32	5	4	4	3	48	3	2	–	1	2	2	5	7	10	10	2
Cancer	18	–	–	–	–	–	–	–	–	1	1	1	–	5	5	3	1	1
Scrofula, Tabes Mesent.	19	4	5	1	–	1	11	–	–	–	2	3	2	1	–	–	–	–
Phthisis	141	8	3	2	–	–	13	2	4	5	21	34	29	23	5	5	–	–
Hydrocephalus	16	4	6	1	1	1	13	2	–	1	–	–	–	–	–	–	–	–
Diseases of Brain	175	44	3	4	–	2	53	2	–	2	3	2	11	16	30	32	21	3
Heart Dis. and Dropsy	119	–	–	1	–	–	1	1	2	1	2	7	7	16	26	36	18	2
Dis. of Lungs	199	58	17	3	3	5	86	4	2	3	2	3	11	15	24	29	18	2
Dis. of Stom. and Liver	89	19	5	–	2	–	26	6	2	4	1	4	8	13	9	10	5	1
Dis. of Kidneys	29	1	–	–	–	–	1	–	–	1	1	1	2	2	1	11	7	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diseases of the Joints	4	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–
Diseases of the Skin	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	103	6	3	5	3	1	18	19	10	3	3	3	14	11	7	10	–	–
Other Causes	436	202	12	4	3	2	223	4	2	2	–	5	1	7	9	42	93	43
392.—BROMSGROVE.																		
Mean Popul^{n}, 1851-61	12705	-	-	-	-	-	1731	1468	1392	1276	1037	1820	1445	1155	766	414	177	24
TOTAL DEATHS	2605	701	207	128	72	35	1143	96	44	62	60	135	125	156	205	252	260	67
Small-pox	40	13	4	4	3	3	27	7	1	1	2	1	–	1	–	–	–	–
Measles	46	7	16	9	9	3	44	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	96	9	17	24	10	9	69	17	5	2	1	–	1	1	–	–	–	–
Diphtheria	11	2	–	4	1	1	8	3	–	–	–	–	–	–	–	–	–	–
Whooping-cough	26	18	3	3	1	–	25	–	–	1	–	–	–	–	–	–	–	–
Typhus	77	4	4	3	–	1	12	15	4	11	6	11	6	1	5	5	1	–
Cholera, Diarrh., Dysent^{y}	87	28	9	6	6	–	49	–	–	2	–	3	3	1	6	8	11	4
Other Zymotic Dis.	111	18	12	12	12	5	59	6	2	3	1	4	6	8	9	9	4	–
Cancer	26	–	–	–	1	–	1	–	–	–	–	–	2	4	9	8	7	–
Scrofula, Tabes Mesent.	24	3	2	2	1	–	8	3	3	3	–	1	1	3	1	1	–	–
Phthisis	284	20	12	2	4	2	40	7	10	25	29	66	43	36	14	10	1	–
Hydrocephalus	37	17	11	5	1	1	35	2	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	283	86	18	8	1	5	113	7	4	6	4	11	11	15	41	37	29	5
Heart Dis. and Dropsy	175	5	3	1	–	–	9	5	3	2	4	11	14	20	27	43	34	3
Dis. of Lungs	390	131	61	25	13	4	234	7	–	1	2	9	9	24	28	42	27	7
Dis. of Stom. and Liver	161	37	4	2	2	1	46	6	3	1	4	5	14	11	28	25	16	–
Dis. of Kidneys	31	1	–	–	–	–	1	2	–	1	1	2	2	2	4	9	5	2
Dis. of Gener. Organs	3	–	1	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–
Diseases of the Joints	3	–	–	–	1	–	1	–	–	–	–	–	1	1	–	–	–	–
Diseases of the Skin	5	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	3	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	76	8	5	4	4	–	21	6	2	2	6	8	5	12	5	7	2	–
Other Causes	610	294	29	14	2	–	339	1	2	1	–	2	4	16	28	51	120	46

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

390.—PERSHORE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	6353	-	-	-	-	-	895	831	745	644	551	894	756	615	450	303	142	26
TOTAL DEATHS	1208	222	49	30	19	15	335	44	25	37	50	84	73	62	95	148	184	71
Small-pox	7	4	-	-	-	-	4	-	1	-	2	-	-	-	-	-	-	-
Measles	7	-	2	1	1	-	4	2	-	-	-	1	-	-	-	-	-	-
Scarlatina	28	1	3	4	4	6	18	7	2	-	-	1	-	-	-	-	-	-
Diphtheria	3	1	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	14	7	3	2	1	-	13	1	-	-	-	-	-	-	-	-	-	-
Typhus	38	-	1	-	1	-	2	5	4	5	1	8	4	3	3	1	2	-
Cholera, Diarrh., Dysent^{y}	47	10	5	5	-	-	20	1	2	-	3	2	2	2	3	6	5	1
Other Zymotic Dis.	35	12	-	-	2	3	17	3	1	1	-	1	2	1	3	4	2	-
Cancer	37	-	-	-	-	-	-	-	-	-	-	-	8	3	13	9	3	1
Scrofula, Tabes Mesent.	9	-	2	2	2	1	7	-	-	1	-	-	-	-	1	-	-	-
Phthisis	140	7	5	1	-	-	13	7	6	14	15	33	24	18	9	1	-	-
Hydrocephalus	24	4	5	4	1	1	15	6	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	109	31	3	2	1	-	37	-	1	5	5	5	4	-	9	22	16	5
Heart Dis. and Dropsy	112	6	-	-	-	-	6	3	2	3	3	6	10	11	20	31	16	1
Dis. of Lungs	105	23	8	1	2	3	37	2	1	1	3	3	4	6	12	19	14	3
Dis. of Stom. and Liver	68	9	2	1	2	-	14	2	-	2	3	7	3	8	9	11	9	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	2	3	2	3	1	-	-
Diseases of the Joints	3	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
Diseases of the Skin	2	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	14	-	-	-	-	-	-	-	-	1	5	3	5	-	-	-	-	-
Violent Deaths	15	3	-	1	-	-	4	-	-	1	3	1	1	-	1	2	2	-
Other Causes	375	103	10	5	2	-	120	5	1	3	7	8	2	6	8	40	115	60

391.—DROITWICH.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	9548	-	-	-	-	-	1197	1110	993	860	841	1377	1056	871	661	387	167	28
TOTAL DEATHS	1733	341	87	43	30	29	530	71	42	50	70	114	140	94	138	188	202	94
Small-pox	10	-	2	2	-	-	4	3	-	-	2	-	1	-	-	-	-	-
Measles	18	5	4	3	2	1	15	1	1	-	-	-	1	-	-	-	-	-
Scarlatina	61	4	8	3	5	6	31	22	5	-	2	-	1	-	-	-	-	-
Diphtheria	15	1	-	2	2	-	5	4	4	-	1	1	-	-	-	-	-	-
Whooping-cough	18	7	4	3	3	1	18	-	-	-	-	-	-	-	-	-	-	-
Typhus	51	3	3	3	2	3	14	10	2	7	6	3	4	-	3	2	-	-
Cholera, Diarrh., Dysent^{y}	51	23	3	1	-	-	27	1	1	3	1	-	6	-	2	4	6	-
Other Zymotic Dis.	85	29	5	8	3	-	45	2	3	4	-	3	3	4	4	6	9	2
Cancer	43	-	-	-	-	-	-	-	-	-	-	1	3	14	11	12	2	-
Scrofula, Tabes Mesent.	25	5	2	2	1	1	11	1	3	3	1	3	-	3	-	-	-	-
Phthisis	220	3	2	-	-	-	5	3	6	20	39	55	57	21	10	4	-	-
Hydrocephalus	19	8	4	1	1	1	15	2	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	167	31	9	3	3	5	51	4	6	4	1	4	6	11	17	35	24	4
Heart Dis. and Dropsy	165	1	-	-	1	-	2	2	1	3	5	13	9	10	38	46	30	6
Dis. of Lungs	149	42	21	1	2	4	70	6	2	-	-	2	11	7	17	15	15	4
Dis. of Stom. and Liver	85	6	1	1	1	2	11	2	-	2	3	5	8	10	16	13	10	5
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	-	-	4	-	3	-	1	1	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	1	-	3	1	1	4	2	-
Diseases of the Joints	4	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-
Diseases of the Skin	4	2	2	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	33	-	-	-	-	-	-	-	-	1	5	12	15	-	-	-	-	-
Violent Deaths	42	5	-	-	4	4	13	6	4	1	1	3	3	2	1	3	3	2
Other Causes	447	166	17	5	-	1	189	2	1	2	2	5	8	7	17	43	100	71

392.—BROMSGROVE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	12809	-	-	-	-	-	1753	1539	1389	1211	1156	1850	1421	1087	728	461	184	30
TOTAL DEATHS	2595	578	201	104	58	47	988	113	55	61	83	156	165	143	222	269	254	86
Small-pox	36	9	6	5	3	3	26	3	3	-	1	2	-	-	1	-	-	-
Measles	44	7	15	11	4	5	42	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	74	5	14	9	13	10	51	18	4	1	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	1	1	-	2	1	-	-	1	-	-	-	-	-	-	-
Whooping-cough	27	12	10	3	-	1	26	1	-	-	-	-	-	-	-	-	-	-
Typhus	85	2	4	5	1	3	15	11	11	9	11	11	6	2	7	2	-	-
Cholera, Diarrh., Dysent^{y}	103	32	18	6	1	1	58	4	-	1	1	3	3	2	3	12	15	1
Other Zymotic Dis.	102	21	14	12	9	7	63	11	2	2	1	2	2	2	6	6	5	-
Cancer	53	-	-	-	-	-	-	-	-	-	1	3	1	6	20	15	4	3
Scrofula, Tabes Mesent.	24	3	2	2	1	-	8	1	1	-	2	2	2	2	3	2	1	-
Phthisis	311	21	10	5	1	-	37	12	10	31	43	70	52	32	16	8	-	-
Hydrocephalus	32	13	6	4	1	1	25	6	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	227	50	14	6	5	4	79	11	4	4	-	5	14	15	32	32	23	3
Heart Dis. and Dropsy	259	1	1	-	-	1	3	5	8	4	2	12	24	35	51	71	39	5
Dis. of Lungs	380	115	59	27	7	9	217	11	2	-	2	13	16	14	31	34	35	5
Dis. of Stom. and Liver	155	31	4	2	2	-	39	7	3	3	4	11	15	20	16	24	11	2
Dis. of Kidneys	10	-	-	-	1	-	1	-	1	-	-	1	2	3	-	1	1	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-
Diseases of the Joints	3	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
Diseases of the Skin	5	1	-	-	-	-	1	1	-	-	-	-	-	-	-	3	-	-
Childbirth and Metria	49	-	-	-	-	-	-	-	-	3	9	17	19	1	-	-	-	-
Violent Deaths	33	2	1	3	4	1	11	6	2	1	-	-	1	-	4	3	5	-
Other Causes	574	252	23	3	4	1	283	2	3	2	4	4	6	8	29	59	110	64

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
393.—KING'S NORTON.																		
Mean Popul^{n}, 1851-61	18265	-	-	-	-	-	2682	2246	2056	1787	1575	2656	2189	1532	936	457	131	18
TOTAL DEATHS	3337	981	260	140	73	54	1508	134	79	87	106	178	184	228	246	328	202	57
Small-pox	34	11	2	4	4	-	21	3	1	-	3	4	-	1	1	-	-	-
Measles	73	17	15	23	4	4	63	8	1	1	-	-	-	-	-	-	-	-
Scarlatina	104	3	14	14	15	10	56	29	14	1	1	1	1	1	-	-	-	-
Diphtheria	30	2	6	2	2	1	13	9	3	3	-	-	-	1	-	1	-	-
Whooping-cough	45	20	14	6	3	1	44	1	-	-	-	-	-	-	-	-	-	-
Typhus	136	7	13	9	4	7	40	14	11	18	8	18	7	7	1	7	4	1
Cholera, Diarrh., Dysent^{y}	157	102	13	4	1	1	121	-	-	-	2	2	-	5	3	12	11	1
Other Zymotic Dis.	142	36	13	15	7	8	79	8	3	4	3	7	6	13	9	6	3	1
Cancer	39	-	1	-	-	-	1	-	2	-	-	1	7	3	13	8	3	1
Scrofula, Tabes Mesent.	61	31	7	2	1	-	41	1	6	1	2	2	4	1	2	-	1	-
Phthisis	291	4	5	3	1	1	14	10	9	27	45	69	61	32	22	2	-	-
Hydrocephalus	89	39	23	10	4	3	79	6	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	368	118	25	13	5	4	165	7	5	8	5	10	14	39	32	58	23	2
Heart Dis. and Dropsy	191	4	1	4	1	-	10	3	2	6	5	8	14	28	28	62	24	1
Dis. of Lungs	601	216	67	33	17	7	330	15	3	1	7	13	26	29	56	64	47	10
Dis. of Stom. and Liver	199	46	3	2	2	1	54	6	1	4	5	17	19	27	31	29	5	1
Dis. of Kidneys	65	1	1	-	-	-	2	1	-	-	3	6	6	12	16	13	4	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	-	3	2	-	2	-	-	2	-	-	-
Diseases of the Skin	9	1	3	-	1	-	5	-	-	1	1	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	151	11	13	5	1	3	33	11	10	9	11	15	13	17	13	13	4	2
Other Causes	543	312	21	1	-	3	337	2	1	1	5	3	6	12	16	52	73	35
394.—BIRMINGHAM.																		
Mean Popul^{n}, 1851-61	94750	-	-	-	-	-	13524	11097	10094	9494	9707	15600	11322	7534	4137	1764	432	45
TOTAL DEATHS	26572	7919	2869	1389	866	520	13563	1144	502	620	769	1579	1839	1949	1895	1682	855	175
Small-pox	399	104	55	40	27	31	257	63	11	11	20	23	10	2	2	-	-	-
Measles	645	123	223	124	83	43	596	41	7	-	-	1	-	-	-	-	-	-
Scarlatina	1053	66	178	195	165	123	727	263	43	6	6	6	1	1	-	-	-	-
Diphtheria	68	6	16	11	9	7	49	10	2	1	-	4	1	1	-	-	-	-
Whooping-cough	680	262	218	101	48	33	662	17	1	-	-	-	-	-	-	-	-	-
Typhus	964	45	66	77	63	42	293	146	83	90	61	82	65	49	44	37	12	2
Cholera, Diarrh., Dysent^{y}	2196	1383	365	82	27	14	1871	28	9	8	1	19	29	26	67	75	52	11
Other Zymotic Dis.	1008	306	92	78	61	33	570	54	16	19	22	60	75	75	61	41	14	1
Cancer	206	1	-	1	-	-	2	1	1	2	2	18	30	54	52	36	8	-
Scrofula, Tabes Mesent.	517	199	104	41	25	8	377	26	23	17	21	16	18	14	4	1	-	-
Phthisis	2846	71	60	26	19	7	183	52	57	212	352	687	624	446	179	51	2	1
Hydrocephalus	556	209	175	61	36	27	508	36	7	1	1	-	1	2	-	-	-	-
Diseases of Brain	2729	966	177	112	56	45	1356	76	37	68	46	124	208	226	253	226	100	9
Heart Dis. and Dropsy	1163	28	14	11	13	7	73	36	37	39	45	99	164	211	220	165	68	6
Dis. of Lungs	4904	1330	701	235	125	36	2447	109	29	41	55	144	261	435	610	551	195	27
Dis. of Stom. and Liver	975	192	37	12	13	9	263	22	34	26	33	77	119	154	131	85	28	3
Dis. of Kidneys	377	3	3	3	6	6	21	10	14	14	21	49	59	79	48	47	14	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	105	4	3	3	1	5	16	13	13	7	7	17	17	9	4	1	1	-
Diseases of the Skin	75	28	4	2	-	2	36	1	2	4	5	5	4	4	3	8	2	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	1300	249	50	58	56	28	441	108	66	48	59	130	123	117	114	57	27	10
Other Causes	3806	2344	328	96	33	14	2815	32	10	6	12	18	30	44	103	301	332	103
395.—ASTON.																		
Mean Popul^{n}, 1851-61	41306	-	-	-	-	-	6182	4984	4438	3915	3980	6624	4941	3313	1853	823	224	29
TOTAL DEATHS	8955	2931	939	442	268	220	4800	419	188	177	238	457	502	551	630	569	342	82
Small-pox	132	37	13	10	12	6	78	23	3	6	5	10	4	3	-	-	-	-
Measles	191	26	73	50	15	14	178	10	1	1	1	-	-	-	-	-	-	-
Scarlatina	415	32	41	74	74	53	274	108	21	2	2	6	1	1	-	-	-	-
Diphtheria	63	6	14	10	7	7	44	8	8	-	-	1	-	2	-	-	-	-
Whooping-cough	226	96	63	34	18	5	216	10	-	-	-	-	-	-	-	-	-	-
Typhus	295	15	18	20	17	22	92	45	20	27	22	25	18	16	16	9	4	1
Cholera, Diarrh., Dysent^{y}	734	436	134	32	7	7	616	14	6	3	-	6	8	13	20	25	19	4
Other Zymotic Dis.	330	103	34	19	15	23	194	14	8	5	4	14	27	16	20	17	10	1
Cancer	69	-	-	-	-	-	-	1	-	-	-	3	10	20	17	15	2	1
Scrofula, Tabes Mesent.	181	80	39	12	7	1	139	10	7	2	4	7	5	1	5	1	-	-
Phthisis	901	19	22	10	4	4	59	12	23	61	128	217	181	125	73	16	1	-
Hydrocephalus	223	82	60	29	15	13	199	19	4	-	1	-	-	-	-	-	-	-
Diseases of Brain	931	365	60	23	22	14	484	31	18	11	11	32	38	70	83	99	43	11
Heart Dis. and Dropsy	397	7	6	2	3	2	20	12	22	19	4	22	46	67	81	69	31	4
Dis. of Lungs	1634	539	239	89	35	26	928	27	9	7	20	42	66	106	166	170	79	14
Dis. of Stom. and Liver	403	110	11	5	2	3	131	10	12	15	9	23	37	49	70	33	13	1
Dis. of Kidneys	101	3	-	-	-	3	6	4	1	2	3	7	13	15	19	19	11	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	27	-	-	1	-	1	2	3	2	2	4	4	2	-	6	1	1	-
Diseases of the Skin	16	10	-	1	-	-	11	1	-	-	-	-	1	1	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	353	69	23	11	12	9	124	43	18	10	18	32	32	30	25	14	5	2
Other Causes	1333	896	89	10	3	7	1005	14	-	4	2	6	13	16	29	80	122	42

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
393.—KINGS NORTON.																		
Mean Popul^{n}, 1851-61	20845	-	-	-	-	-	2578	2229	2045	2193	2386	3504	2401	1627	1071	603	183	25
TOTAL DEATHS	3360	764	275	131	78	76	1324	168	82	101	99	250	218	199	266	309	258	86
Small-pox	37	11	9	3	1	1	25	3	1	2	1	4	-	1	-	-	-	-
Measles	66	11	18	15	4	6	54	11	1	-	-	-	-	-	-	-	-	-
Scarlatina	122	7	23	19	13	12	74	34	8	3	1	2	-	-	-	-	-	-
Diphtheria	44	4	4	1	7	6	22	15	5	1	-	-	-	1	-	-	-	-
Whooping-cough	59	29	12	8	3	3	55	4	-	-	-	-	-	-	-	-	-	-
Typhus	140	2	11	4	8	6	31	20	23	16	5	12	7	9	6	5	6	-
Cholera, Diarrh., Dysent^{y}	150	83	19	5	-	1	108	3	-	-	1	2	4	3	3	11	12	3
Other Zymotic Dis.	138	35	16	11	5	10	77	13	3	3	1	8	3	6	4	8	9	3
Cancer	85	-	-	1	-	-	1	-	-	-	-	7	12	26	19	10	8	2
Scrofula, Tabes Mesent.	68	25	8	4	4	1	42	5	5	7	4	1	4	-	-	-	-	-
Phthisis	374	8	9	-	-	4	21	7	10	43	51	111	72	32	21	5	1	-
Hydrocephalus	70	26	30	3	4	3	66	3	-	-	-	-	-	-	1	-	-	-
Diseases of Brain	342	78	25	15	8	3	129	6	6	3	5	12	20	25	49	56	25	6
Heart Dis. and Dropsy	203	9	2	-	3	1	15	3	5	4	6	16	15	25	45	45	23	1
Dis. of Lungs	568	160	61	27	13	5	266	23	4	3	3	18	22	22	47	77	71	12
Dis. of Stom. and Liver	213	35	7	2	2	2	48	8	3	5	6	16	26	27	36	26	9	3
Dis. of Kidneys	27	1	-	-	-	-	1	-	-	1	2	9	3	5	2	3	1	-
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	1	-	1	5	4	5	1	-	-
Diseases of the Joints	9	-	-	-	-	-	-	1	4	-	-	-	-	-	3	1	-	-
Diseases of the Skin	6	-	-	-	-	-	-	-	-	1	-	1	-	-	1	3	-	-
Childbirth and Metria	55	-	-	-	-	-	-	-	-	3	10	22	17	3	-	-	-	-
Violent Deaths	64	10	3	4	2	7	26	5	3	4	2	5	3	7	4	2	3	-
Other Causes	503	230	18	9	1	5	263	4	1	1	1	3	5	3	20	56	90	56
394.—BIRMINGHAM.																		
Mean Popul^{n}, 1851-61	98536	-	-	-	-	-	13554	11151	10110	9796	10555	16256	11690	7748	4624	2268	685	99
TOTAL DEATHS	24666	6202	2843	1462	920	590	12017	1104	495	643	778	1602	1604	1478	1629	1779	1195	342
Small-pox	375	87	48	35	41	27	238	61	16	23	11	17	6	3	-	-	-	-
Measles	668	83	242	155	94	46	620	34	7	5	1	1	-	-	-	-	-	-
Scarlatina	997	54	161	175	172	123	685	232	44	15	8	8	5	-	-	-	-	-
Diphtheria	79	7	13	10	15	10	55	16	5	1	1	1	-	-	-	-	-	-
Whooping-cough	875	257	284	151	90	47	829	42	4	-	-	-	-	-	-	-	-	-
Typhus	1101	45	80	82	67	55	329	177	122	107	70	104	57	41	43	33	16	2
Cholera, Diarrh., Dysent^{y}	2036	1109	391	104	21	13	1638	20	3	7	11	24	41	36	49	106	74	27
Other Zymotic Dis.	795	255	84	70	40	35	484	58	16	19	22	41	36	35	35	23	23	3
Cancer	463	1	1	1	-	-	3	-	1	1	7	38	104	136	88	67	17	1
Scrofula, Tabes Mesent.	414	158	89	44	16	13	320	22	17	10	11	12	9	6	4	1	2	-
Phthisis	2393	86	59	23	24	17	209	58	72	229	316	654	487	257	82	25	2	2
Hydrocephalus	368	130	93	53	36	15	327	32	6	2	-	1	-	-	-	-	-	-
Diseases of Brain	2278	662	220	112	52	36	1082	68	49	48	48	94	135	167	223	211	132	21
Heart Dis. and Dropsy	1230	18	13	11	6	9	57	32	25	44	54	125	178	189	249	201	71	5
Dis. of Lungs	4268	1001	668	277	134	73	2153	93	19	39	55	115	181	287	481	514	282	49
Dis. of Stom. and Liver	1062	132	44	16	20	5	217	25	25	24	28	119	137	147	169	115	48	8
Dis. of Kidneys	192	2	3	4	4	4	17	8	6	6	15	36	32	24	26	15	6	1
Dis. of Gener. Organs	136	-	2	-	-	-	2	-	1	-	5	24	32	34	19	15	4	-
Diseases of the Joints	59	-	2	-	-	2	4	7	5	11	2	7	5	10	6	2	-	-
Diseases of the Skin	50	16	6	1	1	-	24	1	2	-	1	1	7	5	3	3	3	-
Childbirth and Metria	287	-	-	-	-	-	-	-	-	19	66	115	82	5	-	-	-	-
Violent Deaths	791	216	51	50	39	39	395	84	39	26	30	32	32	40	30	47	26	10
Other Causes	3749	1883	289	88	48	21	2329	34	11	7	16	33	38	56	122	401	489	213
395.—ASTON.																		
Mean Popul^{n}, 1851-61	42381	-	-	-	-	-	6284	5097	4382	4013	4117	6847	4928	3349	1994	980	335	55
TOTAL DEATHS	8630	2244	934	458	294	197	4127	414	173	216	278	510	559	505	559	638	500	151
Small-pox	134	32	25	18	9	6	90	15	4	2	7	10	5	-	-	-	1	-
Measles	173	20	62	50	21	6	159	13	1	-	-	-	-	-	-	-	-	-
Scarlatina	406	19	59	61	72	61	272	105	23	3	-	1	2	-	-	-	-	-
Diphtheria	81	9	10	10	6	6	41	20	9	3	-	1	3	2	1	-	1	-
Whooping-cough	243	83	71	35	22	20	231	12	-	-	-	-	-	-	-	-	-	-
Typhus	330	6	29	23	19	18	95	54	31	33	20	35	26	13	7	9	4	3
Cholera, Diarrh., Dysent^{y}	704	358	153	37	10	4	562	9	-	1	7	17	10	11	19	33	27	8
Other Zymotic Dis.	304	99	33	25	21	18	196	25	10	9	8	9	6	7	8	14	9	3
Cancer	186	1	-	-	-	-	1	2	-	-	-	6	35	56	44	29	9	4
Scrofula, Tabes Mesent.	144	76	23	9	5	3	116	8	7	2	1	5	1	3	1	-	-	-
Phthisis	831	22	20	6	7	6	61	19	29	77	139	215	172	86	24	8	1	-
Hydrocephalus	153	56	48	24	5	7	140	9	2	-	-	1	-	1	-	-	-	-
Diseases of Brain	813	226	65	38	18	9	356	27	13	11	21	30	30	67	75	101	64	18
Heart Dis. and Dropsy	485	11	7	3	-	1	22	14	17	18	13	35	56	73	100	92	42	3
Dis. of Lungs	1453	372	223	83	52	18	748	38	10	20	13	36	59	79	160	166	106	18
Dis. of Stom. and Liver	421	59	12	4	6	4	85	16	9	16	16	27	49	58	60	58	23	4
Dis. of Kidneys	50	-	2	2	1	1	6	3	1	1	1	7	12	5	7	7	-	-
Dis. of Gener. Organs	55	1	1	-	-	-	2	-	-	-	4	7	19	9	7	6	1	-
Diseases of the Joints	22	2	-	-	-	1	3	4	2	1	1	1	2	3	1	2	2	-
Diseases of the Skin	18	13	1	-	-	-	14	-	-	-	-	-	-	2	-	2	-	-
Childbirth and Metria	124	-	-	-	-	-	-	-	-	7	18	46	50	3	-	-	-	-
Violent Deaths	181	64	7	7	9	4	91	11	2	3	5	8	7	13	17	8	15	1
Other Causes	1319	715	83	23	11	4	836	10	3	9	4	13	15	14	28	103	195	89

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
396.—MERIDEN.																		
Mean Populn, 1851-61	5651	-	-	-	-	-	738	652	602	517	457	720	648	547	426	236	97	11
TOTAL DEATHS	1044	244	61	23	22	9	359	35	22	26	29	52	52	77	100	127	115	50
Small-pox	10	1	-	1	-	1	3	2	1	1	-	3	-	-	-	-	-	-
Measles	6	1	2	2	-	-	5	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	-	4	5	6	2	17	2	3	1	1	-	-	-	-	-	-	-
Diphtheria	8	1	-	1	-	3	5	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	10	4	4	-	-	1	9	1	-	-	-	-	-	-	-	-	-	-
Typhus	36	-	1	-	-	-	1	2	3	7	4	4	4	2	4	5	-	-
Cholera, Diarrh., Dysentv	53	23	3	2	2	-	30	2	1	-	-	1	-	-	3	7	6	3
Other Zymotic Dis.	35	6	4	1	2	-	13	1	1	1	-	2	-	4	3	6	4	-
Cancer	8	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	1	-
Scrofula, Tabes Mesent.	21	6	3	-	1	-	10	2	1	-	1	4	1	1	-	1	-	-
Phthisis	85	2	-	-	-	-	2	1	3	6	18	16	16	11	7	4	1	-
Hydrocephalus	10	4	3	-	-	-	7	2	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	142	41	4	2	6	1	54	5	2	3	-	4	5	16	14	17	13	9
Heart Dis. and Dropsy	88	-	-	-	1	-	1	2	-	1	1	2	3	13	19	25	18	3
Dis. of Lungs	172	39	21	7	1	-	68	5	1	2	2	5	9	11	18	24	19	8
Dis. of Stom. and Liver	61	5	2	-	-	-	7	1	1	-	1	3	4	8	16	15	5	-
Dis. of Kidneys	15	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	50	4	1	1	1	1	8	4	3	2	-	5	4	8	9	2	2	3
Other Causes	205	107	9	1	2	-	119	-	1	1	-	2	1	-	4	16	37	24
397.—ATHERSTONE.																		
Mean Populn, 1851-61	5832	-	-	-	-	-	800	718	646	531	452	785	638	523	388	247	93	11
TOTAL DEATHS	1147	295	82	30	30	19	456	40	20	28	18	67	62	68	98	122	138	30
Small-pox	4	1	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-
Measles	34	5	19	6	1	1	32	1	-	-	-	-	1	-	-	-	-	-
Scarlatina	39	4	5	5	9	8	31	6	-	-	-	1	1	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	15	9	3	1	1	-	14	1	-	-	-	-	-	-	-	-	-	-
Typhus	48	-	3	2	5	4	14	4	4	6	3	4	5	3	3	1	1	-
Cholera, Diarrh., Dysentv	63	32	6	-	-	2	40	1	-	-	-	2	-	1	5	3	6	-
Other Zymotic Dis.	50	18	4	-	4	2	28	4	-	3	1	1	5	2	2	2	2	-
Cancer	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-
Scrofula, Tabes Mesent.	28	5	3	1	-	-	14	7	-	1	2	-	-	2	1	1	-	-
Phthisis	66	1	-	-	1	-	2	1	1	9	2	20	13	11	4	3	-	-
Hydrocephalus	13	5	2	1	1	-	9	3	-	-	1	-	-	-	-	-	-	-
Diseases of Brain	133	50	6	1	1	-	58	1	2	-	1	5	8	12	8	19	18	1
Heart Dis. and Dropsy	67	2	-	1	-	-	3	2	1	-	-	4	2	5	22	15	12	1
Dis. of Lungs	164	41	13	6	2	1	63	1	-	3	1	4	6	5	23	32	23	3
Dis. of Stom. and Liver	77	7	-	2	-	-	9	1	1	1	-	10	7	11	13	12	11	1
Dis. of Kidneys	27	-	-	-	-	1	1	-	-	-	-	2	1	4	5	6	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	75	1	-	2	3	-	6	2	11	5	6	9	11	8	8	7	2	-
Other Causes	229	113	13	2	2	-	130	1	-	-	-	1	2	3	4	12	52	24
398.—NUNEATON.																		
Mean Populn, 1851-61	6311	-	-	-	-	-	871	740	702	582	487	872	712	549	423	263	92	18
TOTAL DEATHS	1479	473	98	52	30	24	677	51	22	44	35	69	64	71	109	170	138	29
Small-pox	23	6	5	2	1	4	18	3	-	1	-	-	1	-	-	-	-	-
Measles	32	7	14	4	2	2	29	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	27	1	4	9	7	1	22	3	1	-	-	1	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	21	7	8	2	2	2	21	-	-	-	-	-	-	-	-	-	-	-
Typhus	79	3	4	7	6	5	25	9	8	7	4	5	4	6	6	4	1	-
Cholera, Diarrh., Dysentv	59	32	6	-	-	-	38	1	-	-	-	-	-	3	3	6	7	1
Other Zymotic Dis.	35	14	1	1	2	1	19	2	-	2	1	-	-	3	3	4	1	-
Cancer	24	-	-	-	-	-	-	-	-	1	-	-	1	5	9	5	3	-
Scrofula, Tabes Mesent.	16	3	1	1	-	-	5	3	1	-	2	3	2	-	-	-	-	-
Phthisis	130	1	1	1	-	1	4	2	3	23	14	36	23	13	9	3	-	-
Hydrocephalus	15	9	4	2	-	-	15	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	188	96	7	5	-	3	111	4	3	2	4	6	2	10	7	23	15	1
Heart Dis. and Dropsy	105	3	-	-	-	1	4	2	1	3	-	3	7	12	21	35	16	1
Dis. of Lungs	198	75	25	10	6	2	118	2	1	-	1	3	6	6	17	27	16	1
Dis. of Stom. and Liver	68	16	2	2	1	-	21	4	2	1	1	1	9	7	5	11	6	-
Dis. of Kidneys	20	-	-	-	-	-	-	-	1	-	2	2	1	1	6	5	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Diseases of the Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	67	4	1	2	-	1	8	8	1	4	5	9	7	3	15	3	3	1
Other Causes	368	194	15	4	3	1	217	5	-	-	-	-	1	1	3	44	68	24

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
396.—MERIDEN.																		
Mean Popul^{n}, 1851-61	5628	-	-	-	-	-	735	668	569	477	457	766	638	501	415	268	118	16
TOTAL DEATHS	1041	186	64	22	22	12	306	30	35	41	28	70	66	53	72	142	137	61
Small-pox	7	-	-	-	1	-	1	-	1	3	-	-	2	-	-	-	-	-
Measles	3	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	22	2	4	3	3	-	12	2	4	-	-	3	1	-	-	-	-	-
Diphtheria	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-
Whooping-cough	12	5	4	1	-	1	11	1	-	-	-	-	-	-	-	-	-	-
Typhus	25	-	-	2	-	-	2	2	2	4	3	2	1	3	2	2	2	-
Cholera, Diarrh., Dysent^{y}	56	13	5	2	1	1	22	3	-	-	-	1	2	-	1	8	11	8
Other Zymotic Dis.	46	11	5	1	2	3	22	6	4	2	1	-	2	1	2	4	2	-
Cancer	25	-	-	-	-	-	-	-	-	-	1	-	3	6	7	6	1	1
Scrofula, Tabes Mesent.	18	4	4	-	1	-	9	1	-	2	-	5	-	1	-	-	-	-
Phthisis	100	3	-	-	-	1	4	1	8	14	14	28	17	10	3	1	-	-
Hydrocephalus	11	5	2	-	1	-	8	1	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	111	26	6	3	2	3	40	2	4	6	2	6	3	4	9	22	13	-
Heart Dis. and Dropsy	108	1	-	1	-	1	3	-	2	2	-	3	9	12	22	30	19	6
Dis. of Lungs	161	39	19	7	5	1	71	4	3	1	2	6	6	3	7	28	20	10
Dis. of Stom. and Liver	78	6	2	1	4	1	14	1	2	2	2	7	8	7	13	12	6	4
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	4	-	-	1	1	1	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	1	1	4	2	1	2	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Diseases of the Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	14	-	-	-	-	-	-	-	-	-	3	4	7	-	-	-	-	-
Violent Deaths	17	-	1	-	-	-	1	2	2	3	-	-	1	1	1	8	3	-
Other Causes	200	69	11	1	2	-	83	-	-	-	-	-	3	1	2	22	57	32
397.—ATHERSTONE.																		
Mean Popul^{n}, 1851-61	5951	-	-	-	-	-	827	700	638	526	506	812	628	544	402	258	95	15
TOTAL DEATHS	1189	276	81	29	26	18	430	40	32	34	31	64	87	63	97	133	135	43
Small-pox	8	2	1	-	-	-	3	3	1	-	-	1	-	-	-	-	-	-
Measles	18	3	5	3	2	1	14	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	34	6	7	6	7	3	29	3	1	-	-	1	-	-	-	-	-	-
Diphtheria	4	-	1	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	30	16	6	2	2	3	29	1	-	-	-	-	-	-	-	-	-	-
Typhus	40	2	3	3	3	2	13	4	4	4	2	5	3	1	1	2	1	-
Cholera, Diarrh., Dysent^{y}	89	28	11	1	-	-	40	4	1	1	1	2	4	1	6	11	16	2
Other Zymotic Dis.	40	12	5	2	2	2	23	3	1	2	1	1	2	1	1	2	3	-
Cancer	27	-	-	-	-	-	-	1	-	-	-	1	5	7	7	5	1	-
Scrofula, Tabes Mesent.	28	6	4	2	1	-	13	1	4	3	1	4	1	-	-	1	-	-
Phthisis	114	1	-	-	-	-	1	1	7	11	18	24	27	14	7	3	1	-
Hydrocephalus	16	2	3	1	-	1	7	5	2	1	-	1	-	-	-	-	-	-
Diseases of Brain	126	46	6	-	-	1	53	2	3	4	3	3	3	3	13	25	13	1
Heart Dis. and Dropsy	98	-	1	-	-	-	1	1	-	-	-	6	10	11	27	23	14	5
Dis. of Lungs	132	30	20	3	5	3	61	4	-	-	-	4	6	5	9	19	20	4
Dis. of Stom. and Liver	92	3	1	3	1	-	8	1	3	4	1	4	13	11	14	19	12	2
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	1	-	1	3	3	3	1	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	1	-
Diseases of the Joints	5	1	-	-	-	-	1	-	1	-	-	-	-	2	1	-	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	15	-	-	-	-	-	-	-	-	1	4	4	6	-	-	-	-	-
Violent Deaths	18	2	1	1	3	1	8	1	2	1	-	-	2	1	1	1	1	-
Other Causes	230	114	6	1	-	1	122	-	1	1	-	2	-	1	4	18	52	29
398.—NUNEATON.																		
Mean Popul^{n}, 1851-61	6932	-	-	-	-	-	861	792	746	671	651	993	818	602	452	286	98	12
TOTAL DEATHS	1516	318	119	60	33	21	551	45	33	54	64	92	98	93	107	169	173	37
Small-pox	27	9	7	3	2	1	22	3	1	-	-	-	1	-	-	-	-	-
Measles	25	2	12	5	4	1	24	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	40	4	9	11	5	6	35	4	-	-	-	-	1	-	-	-	-	-
Diphtheria	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	16	12	3	1	-	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	107	1	4	5	2	7	19	12	9	15	6	15	12	7	6	5	1	-
Cholera, Diarrh., Dysent^{y}	66	26	11	3	-	-	40	1	-	-	1	-	1	2	4	10	7	-
Other Zymotic Dis.	35	11	3	1	2	1	18	2	1	-	2	2	2	-	1	2	4	1
Cancer	40	-	-	-	-	-	-	-	-	2	1	1	3	16	7	9	-	1
Scrofula, Tabes Mesent.	12	1	2	1	-	-	4	2	-	3	-	2	1	-	-	-	-	-
Phthisis	174	-	-	1	-	-	1	1	5	21	38	49	37	15	7	-	-	-
Hydrocephalus	24	10	5	3	2	1	21	2	-	-	-	1	-	-	-	-	-	-
Diseases of Brain	152	58	5	2	4	1	70	4	3	2	4	7	6	12	14	19	11	-
Heart Dis. and Dropsy	140	2	1	-	1	2	6	-	2	2	2	6	10	18	36	44	13	1
Dis. of Lungs	164	61	27	13	5	1	107	2	2	2	2	-	3	4	12	15	15	-
Dis. of Stom. and Liver	55	4	3	1	-	-	8	1	2	2	4	2	2	12	5	12	4	1
Dis. of Kidneys	7	-	-	-	-	-	-	-	1	1	1	2	-	-	1	1	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	1	-	3	1	1	1	-	-
Diseases of the Joints	6	-	-	-	1	-	1	-	1	-	-	-	-	2	2	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	1	2	1	4	9	1	-	-	-	-
Violent Deaths	26	2	1	2	2	-	7	6	3	1	-	1	2	2	-	1	-	3
Other Causes	373	114	25	8	3	-	150	4	2	1	1	-	5	1	11	50	118	30

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
399.—FOLESHILL.																		
Mean Popul^{n}, 1851-61	9515	-	-	-	-	-	1406	1202	1093	853	799	1295	1054	786	567	321	122	17
TOTAL DEATHS	2442	860	253	100	68	40	1321	100	42	68	79	110	97	85	134	173	168	65
Small-pox	53	20	10	5	4	3	42	6	1	-	-	1	2	-	-	1	-	-
Measles	68	16	27	11	8	3	65	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	45	2	6	8	12	5	33	11	-	1	-	-	-	-	-	-	-	-
Diphtheria	14	-	2	1	1	3	7	4	2	-	-	-	1	-	-	-	-	-
Whooping-cough	28	17	6	2	1	2	28	-	-	-	-	-	-	-	-	-	-	-
Typhus	116	19	8	4	8	2	41	17	14	8	8	11	4	4	5	4	-	-
Cholera, Diarrh., Dysent^{y}	165	78	31	10	2	-	121	4	-	-	2	2	5	3	5	14	6	3
Other Zymotic Dis.	70	13	6	4	6	4	33	9	-	2	1	-	4	2	7	5	7	-
Cancer	5	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-
Scrofula, Tabes Mesent.	63	26	19	4	-	1	50	3	2	4	3	-	-	-	-	1	-	-
Phthisis	223	9	8	2	1	2	22	4	3	27	39	48	35	24	13	8	-	-
Hydrocephalus	44	15	14	4	3	1	37	6	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	237	115	13	6	4	-	138	5	6	5	7	8	7	8	17	13	15	8
Heart Dis. and Dropsy	103	3	2	5	-	-	10	1	2	1	3	5	7	12	16	35	10	1
Dis. of Lungs	319	134	47	15	10	9	215	9	1	3	5	5	9	15	14	25	18	-
Dis. of Stom. and Liver	110	28	4	2	2	1	37	3	3	3	6	7	8	6	23	11	3	-
Dis. of Kidneys	18	-	1	-	-	-	1	1	1	1	1	1	2	-	4	3	2	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	2	-	-	2	-	2	-	-	-	-	-	1	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	108	11	3	7	5	3	29	12	4	12	3	19	3	9	8	3	1	-
Other Causes	648	354	46	8	1	1	410	2	-	1	1	3	4	2	18	49	106	52
400.—COVENTRY.																		
Mean Popul^{n}, 1851-61	18685	-	-	-	-	-	2487	2100	2038	1777	1784	2843	2225	1682	1047	528	152	22
TOTAL DEATHS	4994	1864	480	230	140	70	2784	150	93	108	133	246	236	269	316	338	265	56
Small-pox	49	22	3	5	1	5	36	7	-	3	1	1	-	1	-	-	-	-
Measles	142	30	50	31	15	5	131	9	1	1	-	-	-	-	-	-	-	-
Scarlatina	147	13	29	26	34	14	116	24	4	1	2	-	-	-	-	-	-	-
Diphtheria	19	5	4	1	1	1	12	6	1	-	-	-	-	-	-	-	-	-
Whooping-cough	99	47	23	17	8	2	97	2	-	-	-	-	-	-	-	-	-	-
Typhus	203	16	25	15	19	9	84	26	18	11	6	18	11	13	11	3	2	-
Cholera, Diarrh., Dysent^{y}	641	451	70	18	6	1	546	6	4	-	3	4	8	7	11	24	26	2
Other Zymotic Dis.	164	64	14	8	8	2	96	3	2	4	4	7	15	10	11	7	4	1
Cancer	28	-	-	-	-	-	-	-	-	-	1	1	3	3	8	7	5	-
Scrofula, Tabes Mesent.	97	33	21	4	2	3	63	5	7	4	5	6	2	2	2	1	-	-
Phthisis	484	45	14	7	2	1	69	8	22	41	67	123	81	49	22	2	-	-
Hydrocephalus	83	30	26	8	5	3	72	6	4	-	-	-	-	-	1	-	-	-
Diseases of Brain	494	201	26	25	6	3	261	5	4	7	6	10	24	35	39	62	35	6
Heart Dis. and Dropsy	199	10	1	1	1	1	14	5	3	7	8	12	17	28	41	45	17	2
Dis. of Lungs	830	262	98	34	21	15	430	7	5	9	14	30	30	59	96	89	56	5
Dis. of Stom. and Liver	188	31	5	5	3	1	45	7	8	8	6	6	18	33	31	20	6	-
Dis. of Kidneys	52	-	1	1	-	-	2	-	-	-	1	6	2	4	10	16	11	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	19	1	-	1	-	-	2	1	-	7	1	3	1	1	1	2	-	-
Diseases of the Skin	9	3	1	-	-	-	4	-	-	-	-	-	1	1	-	2	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	146	18	6	10	5	4	43	18	9	5	6	16	15	15	10	4	5	-
Other Causes	901	582	63	13	3	-	661	5	1	-	2	3	3	3	22	54	98	39
401.—RUGBY.																		
Mean Popul^{n}, 1851-61	12126	-	-	-	-	-	1569	1425	1506	1354	922	1614	1316	1039	746	454	158	23
TOTAL DEATHS	2271	552	122	81	39	33	827	105	66	58	65	139	117	147	173	268	239	67
Small-pox	28	6	1	4	-	2	13	2	2	1	-	2	5	-	2	-	1	-
Measles	36	8	9	9	3	4	33	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	75	4	5	10	9	6	34	27	10	1	-	1	1	-	-	-	1	-
Diphtheria	17	2	5	1	1	1	10	4	2	-	1	-	-	-	-	-	-	-
Whooping-cough	33	18	8	5	-	-	31	2	-	-	-	-	-	-	-	-	-	-
Typhus	95	3	3	2	3	1	12	12	9	10	7	11	5	9	7	9	4	-
Cholera, Diarrh., Dysent^{y}	80	27	13	-	-	-	40	1	-	-	-	2	2	4	4	14	13	-
Other Zymotic Dis.	85	16	5	5	4	2	32	3	3	5	1	9	3	5	10	8	6	-
Cancer	17	-	-	-	-	-	-	-	-	-	-	1	3	5	3	2	2	1
Scrofula, Tabes Mesent.	46	15	7	2	-	1	25	4	3	1	2	5	4	1	-	1	-	-
Phthisis	211	10	3	3	-	1	17	1	10	19	32	58	29	27	12	6	-	-
Hydrocephalus	81	15	2	3	3	1	24	5	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	264	86	14	12	2	2	116	8	5	2	3	10	12	15	32	29	28	4
Heart Dis. and Dropsy	123	4	1	-	-	-	5	3	2	4	1	3	12	20	25	34	14	-
Dis. of Lungs	268	84	20	10	7	7	128	7	3	1	2	7	15	14	31	40	18	2
Dis. of Stom. and Liver	131	20	3	3	1	2	29	8	7	3	3	5	9	19	16	20	12	-
Dis. of Kidneys	34	-	-	1	-	-	1	1	1	1	-	2	1	6	4	10	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-
Diseases of the Skin	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	99	6	3	4	3	3	19	5	5	6	11	17	11	8	8	4	5	-
Other Causes	591	227	19	7	3	-	256	8	2	4	1	5	5	14	19	89	129	59

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
399.—FOLESHILL.																		
Mean Popul^{n}, 1851-61	10229	-	-	-	-	-	1456	1215	1157	936	973	1442	1088	854	583	369	136	20
TOTAL DEATHS	2438	660	235	96	63	49	1103	90	62	83	96	160	114	117	164	182	200	67
Small-pox	55	16	13	7	2	6	44	8	1	2	-	-	-	-	-	-	-	-
Measles	59	8	23	11	7	3	52	6	1	-	-	-	-	-	-	-	-	-
Scarlatina	30	5	4	5	3	7	24	4	-	1	-	-	1	-	-	-	-	-
Diphtheria	13	1	1	1	3	-	6	4	-	1	-	-	1	-	1	-	-	-
Whooping-cough	32	12	11	2	4	1	30	1	-	-	-	-	-	-	-	-	1	-
Typhus	150	15	7	2	8	11	43	16	18	18	12	15	13	7	6	1	1	-
Cholera, Diarrh., Dysent^{y}	144	58	24	6	3	1	92	4	-	1	3	5	4	6	9	10	9	1
Other Zymotic Dis.	63	17	10	7	8	2	44	7	-	1	1	1	1	1	3	1	3	-
Cancer	41	-	1	-	-	-	1	-	-	-	1	1	8	13	9	2	5	1
Scrofula, Tabes Mesent.	51	22	12	3	3	-	40	1	1	-	3	1	1	3	-	1	-	-
Phthisis	276	2	5	-	-	1	8	8	21	42	50	71	31	26	18	1	-	-
Hydrocephalus	41	12	9	8	4	-	33	6	1	-	-	-	1	-	-	-	-	-
Diseases of Brain	193	65	10	3	-	3	81	4	2	1	2	12	5	10	26	32	17	1
Heart Dis. and Dropsy	132	-	1	-	1	-	2	2	5	2	4	14	15	24	31	21	12	-
Dis. of Lungs	278	90	53	22	9	5	179	6	3	2	9	7	7	6	19	24	14	2
Dis. of Stom. and Liver	100	17	6	-	2	2	27	1	2	4	3	9	7	12	21	7	6	1
Dis. of Kidneys	6	-	-	-	-	-	-	1	-	-	2	-	-	1	1	-	-	1
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-
Diseases of the Joints	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	5	2	-	-	-	-	2	-	1	1	-	-	-	-	1	-	-	-
Childbirth and Metria	41	-	-	-	-	-	-	-	-	1	6	19	14	1	-	-	-	-
Violent Deaths	43	11	2	3	2	3	21	7	2	2	-	1	-	3	2	3	1	1
Other Causes	673	307	42	16	4	4	373	3	4	4	-	4	3	3	15	79	131	59
400.—COVENTRY.																		
Mean Popul^{n}, 1851-61	20544	-	-	-	-	-	2551	2178	2121	2180	2112	3289	2400	1747	1139	592	200	35
TOTAL DEATHS	4920	1417	501	209	133	90	2350	164	77	147	182	324	320	280	353	361	274	88
Small-pox	60	22	10	5	4	2	43	7	-	2	4	4	-	-	-	-	-	-
Measles	126	21	42	34	14	5	116	9	1	-	-	-	-	-	-	-	-	-
Scarlatina	139	7	30	19	25	21	102	32	4	1	-	-	-	-	-	-	-	-
Diphtheria	28	5	7	2	5	1	20	3	-	-	-	2	1	1	1	-	-	-
Whooping-cough	100	33	28	15	6	3	90	10	-	-	-	-	-	-	-	-	-	-
Typhus	218	16	22	14	21	13	86	33	14	18	12	15	11	5	13	4	6	1
Cholera, Diarrh., Dysent^{y}	556	330	97	22	1	3	453	2	2	2	3	8	7	7	12	33	22	5
Other Zymotic Dis.	124	49	10	3	6	3	71	6	4	4	2	4	10	4	6	6	5	2
Cancer	101	1	-	-	1	-	2	-	-	-	2	2	20	26	28	15	3	3
Scrofula, Tabes Mesent.	87	28	18	6	3	3	58	5	5	5	3	2	2	2	1	4	-	-
Phthisis	520	27	17	3	3	3	53	6	16	72	78	140	100	40	11	4	-	-
Hydrocephalus	54	15	16	8	6	4	49	3	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	461	150	23	16	11	4	204	13	7	6	14	16	23	34	55	42	34	13
Heart Dis. and Dropsy	309	4	3	1	2	1	11	4	5	11	7	23	27	51	67	65	37	1
Dis. of Lungs	740	132	106	45	18	15	366	14	4	7	13	23	35	48	86	97	41	6
Dis. of Stom. and Liver	220	26	5	1	2	1	35	6	7	10	12	22	27	31	28	22	9	1
Dis. of Kidneys	29	-	1	-	-	-	1	2	-	-	2	7	6	5	2	4	-	-
Dis. of Gener. Organs	30	-	-	-	-	-	-	-	-	1	-	5	9	9	5	1	-	-
Diseases of the Joints	17	-	-	-	-	1	1	-	-	4	2	2	4	-	1	2	1	-
Diseases of the Skin	10	5	-	1	-	-	6	1	-	-	-	1	1	-	-	-	1	-
Childbirth and Metria	80	-	-	-	-	-	-	-	-	-	17	37	25	1	-	-	-	-
Violent Deaths	82	12	5	2	2	4	25	7	4	2	8	8	3	8	4	6	5	2
Other Causes	829	479	61	12	3	3	558	1	2	2	3	3	9	8	23	55	110	54
401.—RUGBY.																		
Mean Popul^{n}, 1851-61	11831	-	-	-	-	-	1527	1365	1216	1027	1068	1782	1386	1026	764	477	173	20
TOTAL DEATHS	2224	440	129	78	60	46	753	96	57	79	94	157	129	127	161	244	263	64
Small-pox	20	5	5	3	2	-	15	-	1	3	1	-	-	-	-	-	-	-
Measles	33	6	12	5	2	-	25	3	3	-	-	1	-	-	-	-	1	-
Scarlatina	60	2	6	8	9	6	31	19	6	2	1	-	1	-	-	-	-	-
Diphtheria	29	4	2	9	4	2	21	5	1	-	-	1	-	1	-	-	-	-
Whooping-cough	42	21	11	1	4	1	38	4	-	-	-	-	-	-	-	-	-	-
Typhus	101	2	-	6	5	2	15	11	13	12	7	9	10	7	7	7	2	1
Cholera, Diarrh., Dysent^{y}	63	19	5	3	2	-	29	1	1	-	-	2	-	4	5	9	10	2
Other Zymotic Dis.	60	12	1	7	5	4	29	2	1	3	2	1	1	7	4	5	5	-
Cancer	44	-	-	-	-	-	-	2	-	-	1	5	3	13	11	6	3	-
Scrofula, Tabes Mesent	34	6	10	-	-	-	16	1	2	4	1	1	-	3	5	1	-	-
Phthisis	286	8	3	1	2	3	17	7	9	33	52	75	48	27	14	3	1	-
Hydrocephalus	28	7	8	1	5	1	22	3	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	243	81	18	7	7	3	116	6	3	5	4	3	10	9	24	40	21	2
Heart Dis. and Dropsy	132	-	-	1	-	1	2	3	3	5	3	10	11	16	21	57	17	4
Dis. of Lungs	230	53	24	11	7	11	106	16	4	2	2	9	7	12	19	24	27	2
Dis. of Stom. and Liver	124	17	4	3	1	6	31	4	2	3	4	7	11	8	22	17	12	3
Dis. of Kidneys	14	-	-	-	-	-	-	2	-	-	1	1	2	6	2	-	-	-
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	-	1	3	4	5	1	2	1	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
Diseases of the Skin	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	33	-	-	-	-	-	-	-	-	-	8	16	7	2	-	-	-	-
Violent Deaths	39	2	-	5	4	3	14	2	-	3	1	2	2	3	3	4	4	1
Other Causes	586	194	20	6	1	3	224	5	5	3	5	9	11	4	23	39	159	49

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
402.—SOLIHULL.																		
Mean Popul^{n}, 1851-61	6257	-	-	-	-	-	787	723	671	576	520	825	700	607	455	276	101	16
TOTAL DEATHS	1195	235	64	33	9	12	353	56	27	35	44	55	70	81	112	142	172	48
Small-pox	6	-	-	-	-	-	-	-	-	1	1	3	-	-	-	1	-	-
Measles	8	2	3	1	-	-	6	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	23	1	1	3	1	1	7	14	1	-	1	-	-	-	-	-	-	-
Diphtheria	13	-	-	1	1	1	3	6	2	1	-	-	-	-	-	1	-	-
Whooping-cough	13	7	3	3	-	-	13	-	-	-	-	-	-	-	-	-	-	-
Typhus	28	-	1	1	-	3	5	3	3	2	1	1	1	3	7	1	1	-
Cholera, Diarrh., Dysent^{y}	51	17	6	3	-	1	27	2	1	-	-	1	2	1	2	5	6	4
Other Zymotic Dis.	46	7	5	1	2	1	16	3	2	1	2	2	4	5	6	3	2	-
Cancer	24	-	-	-	-	-	-	-	-	-	1	-	-	5	6	9	2	1
Scrofula, Tabes Mesent.	40	16	8	4	-	-	28	3	3	1	1	1	2	1	-	-	-	-
Phthisis	124	7	1	2	2	1	13	2	6	13	24	23	19	12	11	-	1	-
Hydrocephalus	17	10	5	-	1	-	16	-	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	135	35	6	4	1	1	47	4	2	3	4	4	7	9	9	24	19	3
Heart Dis. and Dropsy	109	1	-	-	-	-	1	3	2	3	1	6	10	7	23	31	17	5
Dis. of Lungs	204	47	14	6	1	3	71	7	-	2	3	5	14	11	21	23	38	9
Dis. of Stom. and Liver	73	7	1	3	-	-	11	4	-	1	2	-	7	11	15	13	7	2
Dis. of Kidneys	28	-	-	-	-	-	-	-	1	-	1	-	1	2	4	8	10	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	48	1	1	-	-	-	2	2	4	6	2	8	3	8	2	8	2	1
Other Causes	200	77	9	1	-	-	87	-	-	-	-	-	-	5	6	14	66	22
403.—WARWICK.																		
Mean Popul^{n}, 1851-61	19786	-	-	-	-	-	2468	2242	2115	1878	1640	2884	2381	1874	1293	720	266	25
TOTAL DEATHS	4389	990	281	137	89	71	1568	174	89	127	143	337	286	371	373	482	329	110
Small-pox	83	22	7	6	2	2	39	10	5	4	5	9	7	2	1	1	-	-
Measles	58	9	22	13	6	4	54	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	127	7	15	20	19	16	77	39	9	1	-	-	-	-	1	-	-	-
Diphtheria	7	1	1	1	1	1	5	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	55	24	16	7	3	4	54	1	-	-	-	-	-	-	-	-	-	-
Typhus	198	12	15	15	9	8	59	23	17	12	16	26	9	13	7	7	9	-
Cholera, Diarrh., Dysent^{y}	188	120	26	3	1	-	150	1	-	-	1	2	2	3	7	10	10	2
Other Zymotic Dis.	162	42	12	8	7	1	70	13	-	5	4	12	5	6	15	19	12	1
Cancer	44	-	-	-	-	-	-	-	-	-	-	1	5	7	12	12	7	-
Scrofula, Tabes Mesent.	86	32	7	6	2	3	50	10	3	1	3	6	7	2	2	2	-	-
Phthisis	551	19	12	4	2	1	38	12	10	47	69	144	91	85	42	13	-	-
Hydrocephalus	73	17	12	10	8	7	54	15	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	557	139	29	10	6	2	186	15	9	8	6	37	41	54	64	89	40	8
Heart Dis. and Dropsy	260	6	2	-	-	2	10	2	2	9	6	22	9	39	60	70	29	2
Dis. of Lungs	619	179	66	21	12	12	290	9	2	14	11	26	42	49	59	81	30	6
Dis. of Stom. and Liver	256	43	6	2	1	1	53	4	7	6	5	16	23	53	42	29	16	2
Dis. of Kidneys	78	-	-	-	-	1	1	1	2	-	3	6	3	19	10	18	9	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	19	1	-	-	2	-	3	-	2	3	1	2	3	2	3	-	-	-
Diseases of the Skin	7	4	-	-	-	-	4	-	-	-	-	-	-	-	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	171	8	3	5	6	3	25	11	14	16	10	19	21	21	17	12	4	1
Other Causes	790	305	30	6	2	3	346	2	3	1	3	9	13	16	30	117	163	87
404.—STRATFORD-ON-AVON.																		
Mean Popul^{n}, 1851-61	10428	-	-	-	-	-	1353	1213	1093	966	848	1396	1139	1008	755	419	164	24
TOTAL DEATHS	2052	457	113	70	45	29	714	80	54	43	66	111	108	131	182	265	226	72
Small-pox	15	4	2	1	2	-	9	1	-	-	2	1	1	-	1	-	-	-
Measles	32	4	7	9	9	2	31	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	86	7	13	10	7	9	46	26	8	1	2	3	-	-	-	-	-	-
Diphtheria	6	1	-	-	1	-	2	-	2	-	1	-	1	-	-	-	-	-
Whooping-cough	15	5	8	2	-	-	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	46	-	1	-	1	1	3	3	7	6	4	4	8	4	3	1	3	-
Cholera, Diarrh., Dysent^{y}	82	25	4	3	2	2	36	-	1	-	3	2	1	2	3	15	15	4
Other Zymotic Dis.	95	11	6	5	7	3	32	8	2	1	4	5	5	8	11	8	7	4
Cancer	25	-	-	-	-	-	-	-	-	1	-	2	1	6	7	6	2	-
Scrofula, Tabes Mesent.	49	8	3	5	4	-	20	9	6	2	6	2	1	2	1	-	-	-
Phthisis	188	4	2	7	-	-	13	1	9	13	27	49	42	22	6	5	-	1
Hydrocephalus	21	9	6	3	-	-	18	2	-	-	1	-	-	-	-	-	-	-
Diseases of Brain	236	28	7	4	1	2	42	8	6	5	4	8	8	12	42	60	36	5
Heart Dis. and Dropsy	117	-	-	-	-	-	-	1	3	2	2	2	7	16	30	39	12	3
Dis. of Lungs	290	80	25	7	4	3	119	6	1	2	4	11	8	22	25	45	37	10
Dis. of Stom. and Liver	138	22	1	1	-	1	25	2	3	2	3	5	12	20	24	26	15	1
Dis. of Kidneys	26	-	1	-	-	-	1	-	1	1	-	2	1	1	5	7	7	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of the Joints	5	-	-	-	-	-	-	-	2	-	-	1	2	-	-	-	-	-
Diseases of the Skin	11	3	1	1	-	-	5	-	-	1	-	1	-	2	1	-	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	75	5	2	4	6	4	21	10	2	4	2	5	9	7	7	6	2	-
Other Causes	493	241	24	8	1	2	276	2	1	2	1	8	1	7	16	47	80	43

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
402.—SOLIHULL.																		
Mean Popul^{n}, 1851-61	6323	-	-	-	-	-	784	736	627	585	555	870	692	562	447	307	140	16
TOTAL DEATHS	1099	182	51	25	16	12	286	33	35	37	41	71	60	61	100	143	157	70
Small-pox	5	2	-	1	-	-	3	-	-	1	-	-	-	-	1	-	-	-
Measles	8	2	2	-	1	1	6	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	28	3	1	2	4	2	12	7	6	-	1	-	2	-	-	-	-	-
Diphtheria	9	-	1	3	-	1	5	1	2	-	-	1	-	-	-	-	-	-
Whooping-cough	7	5	-	-	1	1	7	-	-	-	-	-	-	-	-	-	-	-
Typhus	32	2	1	1	3	-	7	5	7	1	3	2	3	1	2	1	-	-
Cholera, Diarrh., Dysent^{y}	46	13	6	2	1	1	23	-	1	-	-	-	1	1	5	5	3	2
Other Zymotic Dis.	30	6	1	1	-	2	10	4	1	-	5	1	-	3	-	1	4	1
Cancer	34	-	-	-	-	-	-	1	-	-	-	1	3	3	14	7	3	2
Scrofula, Tabes Mesent.	27	11	4	2	-	1	18	3	1	-	1	2	1	1	-	-	-	-
Phthisis	108	3	3	1	-	1	8	1	3	16	18	33	20	6	3	-	-	-
Hydrocephalus	15	4	5	3	1	-	13	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	128	23	5	2	-	-	30	1	3	6	1	4	4	10	17	26	20	6
Heart Dis. and Dropsy	117	-	-	-	-	-	-	1	2	2	-	5	12	12	17	39	24	3
Dis. of Lungs	196	41	19	2	3	2	67	3	3	3	3	9	1	10	15	30	34	18
Dis. of Stom. and Liver	75	6	-	2	1	-	9	1	-	2	1	4	4	11	19	16	5	3
Dis. of Kidneys	9	-	-	-	-	-	-	1	-	-	1	2	1	1	2	-	1	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	-	-	1	2	-	-	-	1	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	10	-	-	-	-	-	-	-	-	1	4	1	4	-	-	-	-	-
Violent Deaths	23	3	1	2	1	-	7	-	3	4	1	2	1	1	1	1	2	-
Other Causes	184	58	2	1	-	-	61	1	1	1	1	1	1	1	4	21	56	35
403.—WARWICK.																		
Mean Popul^{n}, 1851-61	23205	-	-	-	-	-	2492	2272	2130	2272	2387	3700	2977	2189	1561	922	352	51
TOTAL DEATHS	4503	790	241	134	99	68	1332	189	108	162	195	365	307	311	383	501	505	145
Small-pox	60	15	2	5	2	3	27	5	6	4	10	3	2	1	2	-	-	-
Measles	56	9	20	8	6	3	46	10	-	-	-	-	-	-	-	-	-	-
Scarlatina	128	5	11	23	25	9	73	38	12	-	2	1	1	1	-	-	-	-
Diphtheria	14	1	-	2	1	1	5	7	2	-	-	-	-	-	-	-	-	-
Whooping-cough	60	22	19	12	2	3	58	2	-	-	-	-	-	-	-	-	-	-
Typhus	260	3	9	7	9	11	39	45	22	23	25	41	18	21	13	10	3	-
Cholera, Diarrh., Dysent^{y}	187	102	21	6	7	3	139	-	1	3	-	3	3	2	3	16	15	2
Other Zymotic Dis.	149	27	7	6	7	5	52	7	1	4	3	11	8	10	16	23	12	2
Cancer	115	-	-	-	-	-	-	-	-	-	-	2	13	27	43	22	2	1
Scrofula, Tabes Mesent.	91	23	15	7	3	2	50	2	8	7	2	8	5	2	4	3	-	-
Phthisis	601	23	10	2	4	1	40	5	21	71	98	186	90	65	19	5	1	-
Hydrocephalus	53	10	14	10	3	7	44	12	1	-	-	-	-	1	-	-	-	-
Diseases of Brain	447	92	19	9	9	6	135	14	10	17	9	17	31	45	59	60	41	9
Heart Dis. and Dropsy	332	1	2	2	2	2	9	3	7	10	10	18	26	50	58	87	49	5
Dis. of Lungs	524	142	53	24	15	6	240	12	5	3	12	10	23	22	59	70	57	11
Dis. of Stom. and Liver	283	23	5	5	-	1	39	7	5	11	3	18	20	27	54	55	34	1
Dis. of Kidneys	41	-	-	-	-	-	-	2	-	1	3	4	4	9	10	3	5	-
Dis. of Gener. Organs	37	-	-	-	-	-	-	-	-	-	2	2	12	7	8	6	-	-
Diseases of the Joints	14	-	1	1	-	1	3	2	-	2	1	3	1	1	-	1	-	-
Diseases of the Skin	10	3	-	-	-	-	3	1	-	-	-	-	1	1	2	-	2	-
Childbirth and Metria	54	-	-	-	-	-	-	-	-	-	9	24	20	1	-	-	-	-
Violent Deaths	68	4	2	-	2	2	10	12	5	5	3	4	4	5	5	3	9	3
Other Causes	914	280	31	5	2	2	320	3	2	1	3	10	11	13	28	137	275	111
404.—STRATFORD-ON-AVON.																		
Mean Popul^{n}, 1851-61	10592	-	-	-	-	-	1346	1270	1134	961	880	1465	1228	961	691	454	172	30
TOTAL DEATHS	2017	354	102	55	27	30	568	68	57	76	78	167	143	127	169	239	243	82
Small-pox	10	2	1	1	-	1	5	1	-	-	-	2	1	-	-	1	-	-
Measles	28	8	11	4	1	1	25	1	-	-	-	2	-	-	-	-	-	-
Scarlatina	66	1	7	15	6	9	38	16	7	2	1	1	-	-	1	-	-	-
Diphtheria	3	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
Whooping-cough	31	14	8	5	2	1	30	1	-	-	-	-	-	-	-	-	-	-
Typhus	68	-	1	4	1	2	8	9	8	7	11	4	8	9	2	1	1	-
Cholera, Diarrh., Dysent^{y}	68	20	10	1	3	3	37	-	2	-	-	1	1	2	-	14	8	3
Other Zymotic Dis.	74	11	4	6	1	1	23	10	1	1	2	5	5	3	4	7	11	2
Cancer	72	1	-	-	-	1	2	1	-	1	1	2	8	16	24	11	6	-
Scrofula, Tabes Mesent.	43	6	3	1	2	1	13	3	7	8	3	3	4	-	-	1	1	-
Phthisis	252	7	6	1	1	-	15	1	13	33	34	63	17	23	7	4	2	-
Hydrocephalus	19	6	4	1	2	1	14	3	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	201	26	5	4	-	1	36	5	5	3	5	3	9	15	33	41	38	8
Heart Dis. and Dropsy	124	6	-	-	-	-	6	-	3	1	2	9	7	18	28	38	21	1
Dis. of Lungs	244	60	20	5	4	3	92	5	1	5	3	10	9	9	24	42	42	2
Dis. of Stom. and Liver	123	15	-	-	1	1	17	3	3	4	4	17	11	11	21	20	9	3
Dis. of Kidneys	13	-	-	-	-	-	-	1	-	-	-	1	5	-	4	2	-	-
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	-	1	1	4	1	4	4	2	1
Diseases of the Joints	10	-	-	-	-	-	-	1	1	-	-	1	-	3	-	3	1	-
Diseases of the Skin	6	2	-	-	-	-	2	-	-	-	-	-	-	1	-	1	2	-
Childbirth and Metria	48	-	-	-	-	-	-	-	-	3	9	23	9	1	-	-	-	-
Violent Deaths	36	-	3	1	1	3	8	6	3	3	-	4	3	4	1	-	1	3
Other Causes	450	169	19	6	2	1	197	-	1	4	2	7	12	5	16	49	98	59

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
405.—ALCESTER.																		
Mean Popul^{n}, 1851-61	8578	-	-	-	-	-	1142	1057	1002	806	695	1121	926	765	568	350	132	14
TOTAL DEATHS	1778	491	103	62	35	33	724	60	35	47	62	96	96	86	130	187	189	66
Small-pox	19	6	2	5	1	1	15	1	2	1	-	-	-	-	-	-	-	-
Measles	44	9	12	8	5	3	37	6	-	1	-	-	-	-	-	-	-	-
Scarlatina	20	-	4	2	2	5	13	4	1	-	1	-	1	-	-	-	-	-
Diphtheria	8	-	1	-	1	2	4	3	-	-	-	1	-	-	-	-	-	-
Whooping-cough	22	10	4	3	2	3	22	-	-	-	-	-	-	-	-	-	-	-
Typhus	55	-	1	2	3	2	8	9	5	7	5	6	4	4	5	-	2	-
Cholera, Diarrh., Dysent^{y}	79	37	9	1	1	2	50	-	1	-	1	2	1	2	5	10	5	2
Other Zymotic Dis.	90	30	8	7	6	3	54	5	1	1	3	3	3	4	4	7	5	-
Cancer	9	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	-	-
Scrofula, Tabes Mesent.	25	7	3	1	1	1	13	1	1	5	-	2	1	1	-	1	-	-
Phthisis	187	5	5	-	3	1	14	6	5	18	32	46	32	16	9	4	4	1
Hydrocephalus	22	6	4	4	1	-	15	5	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	172	45	5	1	1	3	55	3	4	4	3	3	9	11	25	28	20	7
Heart Dis. and Dropsy	108	5	-	1	-	-	6	-	1	-	5	2	5	8	22	30	25	4
Dis. of Lungs	318	106	34	12	6	3	161	8	5	5	3	13	20	18	27	34	22	2
Dis. of Stom. and Liver	96	18	1	1	1	-	21	3	-	2	5	6	10	6	17	21	5	-
Dis. of Kidneys	23	-	-	2	-	-	2	-	-	-	1	2	2	3	4	5	3	1
Dis. of Gener. Organs	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	5	-	-	1	-	-	1	2	-	-	1	-	-	1	-	-	-	-
Diseases of the Skin	3	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	57	6	2	8	1	3	20	4	6	2	2	6	6	1	5	4	1	-
Other Causes	414	200	7	3	-	1	211	-	1	1	-	3	2	8	5	37	97	49
406.—SHIPSTON-ON-STOUR.																		
Mean Popul^{n}, 1851-61	10261	-	-	-	-	-	1308	1262	1153	973	807	1337	1125	919	743	450	165	19
TOTAL DEATHS	1972	492	115	60	23	20	710	49	57	46	48	112	98	121	118	270	251	62
Small-pox	9	2	1	-	-	-	3	-	1	1	1	1	1	-	-	1	-	-
Measles	22	6	7	6	2	-	21	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	31	1	1	9	2	6	19	7	3	-	1	-	1	-	-	-	-	-
Diphtheria	3	1	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Whooping-cough	35	21	11	3	-	-	35	-	-	-	-	-	-	-	-	-	-	-
Typhus	77	3	1	7	-	2	13	7	17	4	8	9	5	7	3	3	1	-
Cholera, Diarrh., Dysent^{y}	67	21	11	5	3	-	40	4	-	1	1	1	2	5	4	5	3	1
Other Zymotic Dis.	77	17	3	1	5	2	28	3	2	4	1	2	3	6	3	15	8	2
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	3	-
Scrofula, Tabes Mesent.	59	18	7	4	1	1	31	2	7	1	3	5	2	3	3	2	-	-
Phthisis	165	10	4	2	-	1	17	6	6	15	20	40	29	22	7	3	-	-
Hydrocephalus	32	14	8	1	2	1	26	3	2	-	1	-	-	-	-	-	-	-
Diseases of Brain	229	67	9	1	-	2	79	4	7	3	2	9	11	16	19	53	24	2
Heart Dis. and Dropsy	123	3	3	-	-	1	7	2	-	2	1	7	8	11	15	49	21	-
Dis. of Lungs	253	69	27	10	2	2	110	3	3	1	4	7	14	14	29	33	28	3
Dis. of Stom. and Liver	103	22	2	-	-	-	24	1	-	1	1	11	4	12	19	20	7	3
Dis. of Kidneys	36	-	-	-	-	-	-	1	-	-	-	1	6	6	6	9	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
Diseases of the Skin	7	3	-	1	-	-	4	-	-	1	-	1	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	87	6	4	5	3	-	18	3	6	8	3	8	8	7	15	5	6	-
Other Causes	539	208	16	4	3	2	233	2	2	3	1	8	3	10	21	61	144	51
407.—SOUTHAM.																		
Mean Popul^{n}, 1851-61	5391	-	-	-	-	-	717	677	579	504	422	695	631	517	361	204	73	6
TOTAL DEATHS	980	261	58	29	22	13	383	42	17	20	32	46	45	59	76	110	118	32
Small-pox	7	3	-	-	-	-	3	-	-	1	-	1	1	1	-	-	-	-
Measles	9	3	2	-	1	1	7	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	20	1	3	4	4	1	13	6	-	-	-	-	1	-	-	-	-	-
Diphtheria	5	2	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-
Whooping-cough	15	7	7	1	-	-	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	62	1	3	3	5	3	15	12	4	5	6	7	4	3	4	1	1	-
Cholera, Diarrh., Dysent^{y}	38	12	3	1	-	-	16	-	1	1	2	2	1	1	3	2	7	2
Other Zymotic Dis.	58	11	4	6	3	2	26	5	-	-	1	2	4	2	5	5	7	1
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	-	-
Scrofula, Tabes Mesent.	20	3	4	-	2	-	9	1	2	2	1	1	1	1	2	-	-	-
Phthisis	71	3	-	1	-	-	4	1	3	6	11	17	13	11	-	5	-	-
Hydrocephalus	14	4	4	1	-	-	9	5	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	101	30	1	-	-	-	31	1	-	1	1	3	2	4	19	17	13	4
Heart Dis. and Dropsy	54	1	-	1	1	-	3	-	-	1	1	2	4	5	8	17	10	3
Dis. of Lungs	157	37	10	5	1	3	56	3	2	1	4	3	7	6	13	23	16	3
Dis. of Stom. and Liver	55	10	1	-	1	1	13	3	1	-	-	4	5	11	8	8	2	-
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	1	-	-	-	1	-	-	-	-	-	1	-	1	1	1	-
Diseases of the Skin	3	1	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	33	1	3	3	1	1	9	2	3	1	3	3	1	4	4	2	1	-
Other Causes	255	131	12	3	3	-	149	-	1	-	1	1	-	6	6	22	52	17

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
405.—ALCESTER.																		
Mean Popul^{n}, 1851-61	8602	-	-	-	-	-	1085	1027	952	830	740	1178	975	730	550	360	155	20
TOTAL DEATHS	1775	397	94	59	29	30	609	83	52	77	76	140	98	72	116	187	195	70
Small-pox	18	4	1	4	1	2	12	3	-	-	-	1	-	-	1	1	-	-
Measles	24	4	7	1	3	2	17	5	2	-	-	-	-	-	-	-	-	-
Scarlatina	38	1	7	8	3	5	24	7	5	-	1	1	-	-	-	-	-	-
Diphtheria	6	-	2	-	-	2	4	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	25	8	7	4	1	1	21	4	-	-	-	-	-	-	-	-	-	-
Typhus	68	1	1	-	2	1	5	10	12	7	7	8	9	2	3	3	2	-
Cholera, Diarrh., Dysent^{y}	58	27	8	3	1	-	39	2	-	1	2	2	1	2	3	2	4	-
Other Zymotic Dis.	60	18	3	3	3	2	29	6	2	-	3	2	2	3	4	5	3	1
Cancer	29	-	-	-	-	-	-	-	-	-	-	2	4	7	5	7	4	-
Scrofula, Tabes Mesent.	27	9	2	-	-	-	11	3	1	-	2	4	3	2	1	-	-	-
Phthisis	232	5	3	3	1	1	13	7	17	38	35	62	32	14	9	2	3	-
Hydrocephalus	13	7	2	1	-	1	11	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	162	36	5	6	-	3	50	8	6	8	6	6	5	7	15	34	16	1
Heart Dis. and Dropsy	131	3	1	-	2	-	6	1	1	2	6	8	12	12	26	33	24	-
Dis. of Lungs	259	90	28	19	7	5	149	13	2	8	3	9	5	7	20	23	19	1
Dis. of Stom. and Liver	104	3	4	2	1	2	17	2	2	2	5	10	7	11	15	25	7	1
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	3	2	-	3	1	-	1
Diseases of the Joints	10	-	-	-	-	-	-	-	-	3	2	2	1	-	1	1	-	-
Diseases of the Skin	5	2	-	-	-	-	2	1	-	-	-	1	-	-	-	1	-	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	1	3	13	13	1	-	-	-	-
Violent Deaths	26	2	-	1	3	2	8	6	2	-	-	2	-	-	1	4	3	-
Other Causes	430	172	13	4	1	1	191	1	-	7	1	4	2	3	7	42	107	65
406.—SHIPSTON-ON-STOUR.																		
Mean Popul^{n}, 1851-61	9990	-	-	-	-	-	1307	1184	1103	903	836	1335	1098	911	692	437	165	19
TOTAL DEATHS	2014	377	99	60	22	26	584	76	62	71	90	148	122	113	168	253	253	74
Small-pox	5	-	1	1	-	-	2	-	-	1	1	1	-	-	-	-	-	-
Measles	24	3	7	6	1	1	18	5	-	-	-	1	-	-	-	-	-	-
Scarlatina	44	2	10	3	4	4	23	14	2	2	-	1	1	-	-	1	-	-
Diphtheria	9	-	1	2	-	2	5	2	-	2	-	-	-	-	-	-	-	-
Whooping-cough	38	19	9	7	1	2	38	-	-	-	-	-	-	-	-	-	-	-
Typhus	80	3	1	3	3	3	13	9	10	9	9	7	7	4	5	7	-	-
Cholera, Diarrh., Dysent^{y}	90	25	11	4	2	-	42	3	-	2	1	4	4	5	5	11	10	3
Other Zymotic Dis.	66	18	2	3	1	2	26	8	3	2	-	2	4	2	4	8	6	1
Cancer	53	-	-	-	-	-	-	-	-	-	1	2	10	11	9	11	7	2
Scrofula, Tabes Mesent.	47	13	2	3	-	2	20	6	1	3	4	5	1	-	5	2	-	-
Phthisis	271	9	2	-	-	-	11	10	28	37	51	65	37	16	14	2	-	-
Hydrocephalus	26	11	9	3	-	-	23	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	197	34	4	6	2	3	49	4	4	3	8	8	9	15	29	39	26	3
Heart Dis. and Dropsy	168	1	2	-	-	-	3	5	6	5	3	10	9	20	25	51	27	4
Dis. of Lungs	198	62	20	10	3	1	96	-	-	-	2	7	9	10	13	31	27	3
Dis. of Stom. and Liver	100	7	4	-	-	3	14	1	3	3	4	4	8	14	26	17	6	-
Dis. of Kidneys	17	-	-	-	-	-	-	-	-	-	1	1	5	4	5	1	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	2	3	3	1	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of the Skin	4	1	-	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-
Childbirth and Metria	34	-	-	-	-	-	-	-	-	-	2	20	11	1	-	-	-	-
Violent Deaths	25	2	2	-	2	1	7	4	-	-	-	4	1	1	1	2	4	1
Other Causes	308	167	12	9	3	1	192	2	4	2	3	3	3	7	26	69	140	57
407.—SOUTHAM.																		
Mean Popul^{n}, 1851-61	5057	-	-	-	-	-	713	668	544	431	392	697	559	443	321	194	81	14
TOTAL DEATHS	979	202	47	38	14	18	319	34	33	37	31	75	74	54	78	113	91	40
Small-pox	5	1	1	-	1	1	4	-	1	-	-	-	-	-	-	-	-	-
Measles	6	1	1	3	1	-	6	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	1	5	3	3	3	15	7	1	-	1	-	-	-	-	-	-	-
Diphtheria	5	-	-	2	-	1	3	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	22	12	3	3	2	-	20	2	-	-	-	-	-	-	-	-	-	-
Typhus	62	4	-	2	1	2	9	8	12	12	3	6	4	4	3	1	-	-
Cholera, Diarrh., Dysent^{y}	24	10	2	1	-	-	13	-	1	-	-	2	-	-	-	2	3	3
Other Zymotic Dis.	39	6	5	6	-	-	17	-	3	-	-	-	3	1	3	5	7	-
Cancer	12	1	-	-	-	-	1	-	-	-	-	-	1	2	5	3	-	-
Scrofula, Tabes Mesent.	17	-	1	1	1	1	4	3	2	1	1	1	2	2	1	-	-	-
Phthisis	124	1	-	1	-	-	2	3	5	14	19	43	23	9	6	-	-	-
Hydrocephalus	15	2	3	2	2	1	10	2	2	-	-	-	1	-	-	-	-	-
Diseases of Brain	100	19	3	1	1	3	27	1	1	1	1	3	5	6	13	21	18	3
Heart Dis. and Dropsy	89	-	-	-	-	-	-	1	-	1	2	5	10	10	19	24	15	2
Dis. of Lungs	108	32	11	6	-	2	51	-	4	-	-	4	3	8	7	19	10	2
Dis. of Stom. and Liver	50	4	2	1	2	1	10	1	-	4	-	1	5	4	8	13	4	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	1	4	1	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	4	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	1	1	9	5	-	-	-	-	-
Violent Deaths	18	2	-	2	-	1	5	3	-	-	-	-	2	3	1	-	4	-
Other Causes	229	106	9	4	-	2	121	1	-	2	3	-	5	4	10	25	28	30

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

408.—LUTTERWORTH.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	7906	-	-	-	-	-	1057	942	902	719	586	1012	909	725	552	344	137	21
TOTAL DEATHS	1505	343	88	40	33	30	534	60	32	34	45	89	64	82	128	186	200	51
Small-pox	11	1	1	-	1	1	4	-	1	1	-	2	1	-	2	-	-	-
Measles	19	7	8	2	-	-	17	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	68	8	7	7	14	9	45	17	3	2	-	1	-	-	-	-	-	-
Diphtheria	9	-	1	2	1	-	4	4	-	1	-	-	-	-	-	-	-	-
Whooping-cough	18	11	4	1	1	-	17	1	-	-	-	-	-	-	-	-	-	-
Typhus	51	1	1	2	1	3	8	6	1	7	5	8	-	5	7	-	4	-
Cholera, Diarrh., Dysent^{y}	38	19	8	-	-	-	27	-	-	-	-	-	-	-	2	6	2	1
Other Zymotic Dis.	76	20	6	2	4	2	34	5	2	5	2	3	4	5	4	7	5	-
Cancer	16	-	-	-	-	-	-	-	-	-	-	-	1	4	4	5	2	-
Scrofula, Tabes Mesent.	32	3	4	3	-	1	11	3	5	1	5	3	3	-	-	-	1	-
Phthisis	120	4	1	2	-	1	8	4	9	7	18	37	20	8	6	3	-	-
Hydrocephalus	27	11	6	2	2	2	23	2	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	245	101	9	3	2	2	117	5	3	2	5	9	6	9	20	34	32	3
Heart Dis. and Dropsy	96	3	-	-	-	1	4	2	3	2	2	6	3	6	17	31	20	-
Dis. of Lungs	190	45	17	8	2	3	75	3	1	3	3	4	9	18	23	34	17	-
Dis. of Stom. and Liver	102	19	4	3	-	2	28	1	1	1	2	7	8	10	19	12	13	-
Dis. of Kidneys	32	-	-	-	-	-	-	-	-	-	1	-	3	2	10	8	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	7	2	-	-	-	-	2	1	1	-	-	-	-	-	3	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	50	1	3	-	3	3	10	3	1	1	2	7	5	11	3	3	3	1
Other Causes	297	87	8	3	2	-	100	1	-	-	-	1	1	4	8	43	93	46

409.—MARKET HARBOROUGH.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	7870	-	-	-	-	-	1021	936	873	756	648	1046	878	736	546	300	118	12
TOTAL DEATHS	1569	441	90	46	29	19	625	55	33	37	42	75	63	90	136	187	176	50
Small-pox	6	3	-	-	-	-	3	1	-	-	-	-	-	-	-	-	1	1
Measles	17	1	12	1	-	2	16	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	53	9	6	5	8	4	32	14	3	3	1	-	-	-	-	-	-	-
Diphtheria	7	2	2	-	-	-	4	1	1	-	-	1	-	-	-	-	-	-
Whooping-cough	36	20	6	6	3	1	36	-	-	-	-	-	-	-	-	-	-	-
Typhus	52	2	1	2	3	1	9	2	8	3	5	7	5	2	6	3	2	-
Cholera, Diarrh., Dysent^{y}	53	22	3	1	-	-	26	2	-	1	-	1	2	5	4	5	6	1
Other Zymotic Dis.	60	12	6	4	4	1	27	9	1	1	1	-	6	5	3	3	4	-
Cancer	9	-	-	-	-	-	-	-	-	-	-	1	1	3	-	2	2	-
Scrofula, Tabes Mesent.	12	3	2	-	-	-	5	-	1	2	-	3	1	-	-	-	-	-
Phthisis	127	2	5	-	-	-	7	4	6	13	19	33	14	18	12	1	-	-
Hydrocephalus	24	8	5	5	2	1	21	2	-	-	-	1	-	-	-	-	-	-
Diseases of Brain	208	86	10	6	3	2	107	6	-	3	4	2	5	9	24	32	15	1
Heart Dis. and Dropsy	105	4	-	1	-	-	5	3	1	3	2	3	7	13	22	29	15	2
Dis. of Lungs	174	60	19	5	4	4	92	1	2	1	2	8	3	8	20	15	18	4
Dis. of Stom. and Liver	93	8	1	3	-	1	13	2	3	1	2	1	3	20	18	19	6	-
Dis. of Kidneys	23	-	-	-	-	-	-	-	1	1	-	2	1	2	4	4	6	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	1	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	66	9	1	3	1	1	15	5	3	4	2	11	10	3	6	6	-	1
Other Causes	438	190	11	4	1	1	207	1	3	1	2	-	-	2	17	67	100	38

410.—BILLESDON.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	3578	-	-	-	-	-	445	411	369	365	309	489	400	326	251	152	54	7
TOTAL DEATHS	582	139	18	13	10	6	186	17	17	15	20	28	35	27	54	93	73	17
Small-pox	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	12	-	2	1	3	2	8	3	-	-	-	1	-	-	-	-	-	-
Diphtheria	7	1	-	1	1	1	4	2	-	1	-	-	-	-	-	-	-	-
Whooping-cough	10	5	3	2	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	11	-	-	1	-	-	1	-	1	3	-	3	-	2	-	1	-	-
Cholera, Diarrh., Dysent^{y}	6	2	1	-	-	1	4	-	-	-	-	-	-	1	-	1	-	-
Other Zymotic Dis.	28	3	2	-	1	-	6	2	2	1	-	3	2	1	2	4	1	2
Cancer	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-
Scrofula, Tabes Mesent.	5	3	-	-	-	-	4	-	-	-	-	1	-	-	-	-	-	-
Phthisis	93	19	3	2	1	1	26	3	7	7	11	12	14	3	9	1	-	-
Hydrocephalus	4	1	1	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	79	47	-	1	1	-	49	-	1	1	1	2	1	3	7	10	4	-
Heart Dis. and Dropsy	36	-	-	-	-	-	-	1	-	1	-	-	4	6	6	14	3	1
Dis. of Lungs	49	17	2	2	1	-	22	1	-	-	2	1	3	5	2	10	2	1
Dis. of Stom. and Liver	52	12	1	-	-	-	13	1	1	-	2	3	8	3	11	9	1	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	1	-	-	-	1	4	1	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	29	2	-	3	1	-	6	2	2	-	3	2	3	2	7	1	1	-
Other Causes	151	27	3	-	-	-	30	-	3	-	1	-	-	-	5	39	60	13

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

408.—LUTTERWORTH.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popln, 1851-61	7949	-	-	-	-	-	990	971	842	676	644	1095	930	701	562	369	149	20
TOTAL DEATHS	1524	264	72	40	25	18	419	57	43	52	65	108	96	88	124	222	200	50
Small-pox	3	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-
Measles	21	3	5	8	2	1	19	-	1	-	1	-	-	-	-	-	-	-
Scarlatina	61	6	10	9	8	2	35	19	7	-	-	-	-	-	-	-	-	-
Diphtheria	14	3	-	2	1	3	9	2	1	-	-	1	-	-	-	1	-	-
Whooping-cough	23	13	5	2	2	-	22	1	-	-	-	-	-	-	-	-	-	-
Typhus	56	-	2	-	-	2	4	4	4	12	7	13	3	2	2	4	1	-
Cholera, Diarrh., Dysent.	32	14	4	1	-	-	19	1	-	-	-	-	2	-	3	6	-	1
Other Zymotic Dis.	56	10	4	4	3	3	24	2	-	-	-	2	3	4	5	8	7	1
Cancer	41	-	-	-	-	-	-	-	-	-	-	1	4	13	12	7	4	-
Scrofula, Tabes Mesent.	19	1	2	-	-	-	3	3	2	2	-	3	4	-	-	1	1	-
Phthisis	177	2	-	2	1	2	7	4	10	20	34	38	36	16	8	3	1	-
Hydrocephalus	16	5	4	-	-	-	9	4	2	-	-	-	-	-	1	-	-	-
Diseases of Brain	220	72	11	3	2	1	89	5	3	4	2	7	10	11	14	46	27	2
Heart Dis. and Dropsy	109	2	-	-	1	-	3	2	1	1	2	8	4	8	25	35	19	1
Dis. of Lungs	167	39	16	4	2	2	63	4	6	2	5	7	5	8	23	22	18	4
Dis. of Stom. and Liver	92	8	1	1	1	-	11	5	3	4	3	9	9	10	11	22	5	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	2	1	4	2	1	-	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	1	-	-	2	2	3	1	1	-
Diseases of the Joints	7	-	-	-	-	1	1	-	2	-	-	-	-	1	-	2	1	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Childbirth and Metria	30	-	-	-	-	-	-	-	-	2	6	11	11	-	-	-	-	-
Violent Deaths	23	3	2	1	1	1	8	1	1	3	1	2	-	3	1	1	2	-
Other Causes	335	83	6	2	1	-	92	-	-	2	2	3	1	6	13	62	113	41

409.—MARKET HARBOROUGH.

Mean Popln, 1851-61	8079	-	-	-	-	-	1030	931	861	726	680	1132	899	723	564	374	143	16
TOTAL DEATHS	1605	277	83	53	23	22	458	77	44	66	58	101	106	89	118	217	210	61
Small-pox	8	-	2	-	-	-	2	-	1	1	1	2	1	-	-	-	-	-
Measles	22	3	10	1	-	1	15	5	2	-	-	-	-	-	-	-	-	-
Scarlatina	66	2	5	11	7	7	32	27	6	1	-	-	-	-	-	-	-	-
Diphtheria	17	3	-	3	2	4	12	3	-	-	1	1	-	-	-	-	-	-
Whooping-cough	44	19	15	6	1	2	43	1	-	-	-	-	-	-	-	-	-	-
Typhus	58	-	1	4	-	2	7	7	9	10	4	3	9	3	3	1	2	-
Cholera, Diarrh., Dysent.	50	16	2	1	-	-	19	1	1	-	-	1	5	2	3	12	5	1
Other Zymotic Dis.	39	4	2	7	1	1	15	2	2	-	1	1	4	1	3	7	3	-
Cancer	25	-	-	-	-	-	-	-	-	-	-	-	6	8	3	5	3	-
Scrofula, Tabes Mesent.	20	6	3	-	-	-	9	2	2	3	1	-	1	1	1	-	-	-
Phthisis	227	2	9	2	1	1	15	5	12	36	39	61	34	18	6	1	-	-
Hydrocephalus	19	7	5	1	-	-	13	4	1	-	-	-	-	-	-	1	-	-
Diseases of Brain	165	55	4	3	1	1	64	-	2	-	3	5	7	9	23	36	16	-
Heart Dis. and Dropsy	109	-	-	1	-	-	1	2	2	1	1	7	9	12	28	35	11	-
Dis. of Lungs	134	30	11	8	3	2	54	4	2	4	2	1	6	7	13	21	17	3
Dis. of Stom. and Liver	92	4	-	1	3	-	8	2	-	8	3	5	7	18	12	22	7	-
Dis. of Kidneys	16	-	-	-	-	-	-	2	-	-	-	2	3	1	5	1	1	1
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	14	-	-	-	-	-	-	-	-	1	1	5	7	-	-	-	-	-
Violent Deaths	23	4	2	-	1	-	7	5	2	1	1	1	1	-	-	1	3	1
Other Causes	446	121	12	4	3	1	141	5	-	-	-	6	3	5	17	73	141	55

410.—BILLESDON.

Mean Popln, 1851-61	3562	-	-	-	-	-	450	404	342	330	333	533	387	306	251	163	58	7
TOTAL DEATHS	554	103	15	13	7	11	149	16	14	23	30	32	36	28	61	77	64	24
Small-pox	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Measles	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	16	2	1	3	-	3	9	4	3	-	-	-	-	-	-	-	-	-
Diphtheria	3	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	9	3	1	2	2	1	9	-	-	-	-	-	-	-	-	-	-	-
Typhus	18	1	-	-	-	-	1	3	3	3	3	1	-	1	2	1	-	-
Cholera, Diarrh., Dysent.	11	2	1	-	-	-	3	-	-	-	1	1	-	-	-	4	2	-
Other Zymotic Dis.	18	8	1	1	1	1	12	1	1	1	-	-	-	1	-	2	-	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	1	1	4	3	4	1	-
Scrofula, Tabes Mesent.	2	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Phthisis	93	9	4	-	1	1	15	2	3	11	15	20	12	7	8	-	-	-
Hydrocephalus	7	3	1	1	-	1	6	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	60	29	1	1	1	-	32	1	-	4	-	1	2	1	6	8	4	1
Heart Dis. and Dropsy	50	-	-	-	-	-	-	-	-	-	4	2	5	1	19	11	8	-
Dis. of Lungs	50	15	2	4	-	4	25	-	2	1	1	-	2	4	5	7	3	-
Dis. of Stom. and Liver	42	9	1	-	-	-	10	3	1	1	4	1	6	5	7	3	1	-
Dis. of Kidneys	4	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	7	-	-	-	-	-	-	-	-	-	-	3	4	-	-	-	-	-
Violent Deaths	8	3	1	-	-	-	4	-	-	1	-	-	-	1	-	1	1	-
Other Causes	135	17	1	-	-	-	18	-	-	-	1	1	1	1	11	36	43	23

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
411.—BLABY.																		
Mean Popul^{n}, 1851-61	7011	-	-	-	-	-	974	883	831	650	546	875	762	613	500	272	94	11
TOTAL DEATHS	1544	531	107	57	30	35	760	55	33	37	43	65	72	59	103	163	126	28
Small-pox	6	2	2	-	-	-	4	-	-	-	1	-	1	-	-	-	-	-
Measles	17	6	7	2	-	2	17	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	61	4	12	13	11	11	51	5	4	-	-	-	1	-	-	-	-	-
Diphtheria	3	1	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Whooping-cough	21	11	3	1	1	3	19	2	-	-	-	-	-	-	-	-	-	-
Typhus	85	6	3	1	3	2	15	23	12	8	8	7	4	4	3	-	1	-
Cholera, Diarrh., Dysent^{y}	118	66	14	3	1	-	84	-	-	1	-	1	1	1	7	14	9	-
Other Zymotic Dis.	59	22	5	6	3	4	40	3	2	3	-	1	1	3	2	3	1	-
Cancer	7	1	-	-	-	-	1	-	-	-	-	-	-	1	5	-	-	-
Scrofula, Tabes Mesent.	35	15	8	3	-	2	28	2	-	1	2	1	-	1	-	-	-	-
Phthisis	129	6	2	1	-	1	10	1	5	9	25	30	25	12	9	3	-	-
Hydrocephalus	27	13	5	3	1	1	23	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	224	121	9	5	3	1	139	5	2	5	2	4	6	9	18	23	10	1
Heart Dis. and Dropsy	54	3	-	-	1	-	4	-	2	-	-	5	6	7	7	17	5	1
Dis. of Lungs	212	65	27	9	4	3	108	4	1	-	3	6	10	11	23	27	17	2
Dis. of Stom. and Liver	77	22	1	4	1	-	28	1	-	2	-	3	11	3	7	15	6	1
Dis. of Kidneys	22	1	1	-	-	-	2	-	-	1	-	-	4	2	5	8	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-
Diseases of the Skin	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	42	2	2	2	1	3	10	3	4	5	2	5	1	5	2	4	1	-
Other Causes	338	164	5	3	-	2	174	3	-	-	-	1	1	-	13	48	76	22
412.—HINCKLEY.																		
Mean Popul^{n}, 1851-61	7927	-	-	-	-	-	1083	981	903	727	612	1038	865	693	560	343	108	14
TOTAL DEATHS	1869	560	162	68	41	32	863	52	34	50	52	94	71	90	140	211	177	35
Small-pox	12	3	1	-	-	-	4	1	-	1	1	2	1	1	1	-	-	-
Measles	29	4	9	5	7	3	28	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	52	4	13	11	10	5	43	7	1	-	1	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Whooping-cough	40	20	8	6	3	3	40	-	-	-	-	-	-	-	-	-	-	-
Typhus	91	3	2	2	1	4	12	10	7	11	6	13	8	10	8	6	-	-
Cholera, Diarrh., Dysent^{y}	75	29	8	5	2	-	44	1	1	-	1	-	1	-	1	15	9	2
Other Zymotic Dis.	77	29	7	5	2	3	46	4	1	1	1	4	1	1	5	5	6	2
Cancer	20	1	-	-	-	-	1	-	-	-	1	-	-	3	9	5	1	-
Scrofula, Tabes Mesent.	58	23	12	4	3	2	44	2	3	3	1	3	-	1	1	-	-	-
Phthisis	192	21	7	1	1	1	31	4	13	18	28	40	24	14	15	5	-	-
Hydrocephalus	19	10	3	1	-	-	14	2	1	2	-	-	-	-	-	-	-	-
Diseases of Brain	310	155	19	5	5	3	187	6	-	5	4	9	5	11	16	33	31	3
Heart Dis. and Dropsy	104	5	5	2	2	-	14	-	2	2	1	8	5	10	15	28	19	-
Dis. of Lungs	253	61	39	14	4	2	120	5	-	3	2	7	7	15	24	40	29	1
Dis. of Stom. and Liver	109	13	3	2	1	-	19	5	1	-	3	3	10	15	24	21	7	1
Dis. of Kidneys	26	-	-	-	-	-	-	1	-	1	-	1	3	4	4	7	5	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	55	7	7	3	-	5	22	2	4	2	1	3	4	4	7	3	2	1
Other Causes	333	170	19	2	-	1	192	-	-	1	-	-	1	1	8	41	66	23
413.—MARKET BOSWORTH.																		
Mean Popul^{n}, 1851-61	6824	-	-	-	-	-	902	850	782	676	524	823	737	621	467	294	130	18
TOTAL DEATHS	1281	292	73	38	25	16	444	48	42	32	44	52	38	80	110	149	192	50
Small-pox	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	18	6	8	-	2	2	18	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	30	4	3	4	6	2	19	8	3	-	-	-	-	-	-	-	-	-
Diphtheria	7	2	-	1	-	-	3	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	20	9	7	2	-	1	19	1	-	-	-	-	-	-	-	-	-	-
Typhus	54	-	6	-	-	-	6	7	13	5	6	8	1	2	4	2	-	-
Cholera, Diarrh., Dysent^{y}	19	12	1	-	-	-	13	2	-	-	-	-	-	1	-	2	1	-
Other Zymotic Dis.	44	7	5	6	4	3	25	5	1	-	-	1	-	5	2	1	4	-
Cancer	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-
Scrofula, Tabes Mesent.	11	2	1	1	1	-	5	2	1	-	1	1	1	-	-	-	-	-
Phthisis	121	2	1	-	-	-	3	1	5	10	24	26	13	16	19	1	3	-
Hydrocephalus	13	1	5	1	1	-	8	2	1	2	-	-	-	-	-	-	-	-
Diseases of Brain	233	141	9	4	1	2	157	4	3	1	1	1	1	7	19	21	14	4
Heart Dis. and Dropsy	98	1	-	1	-	-	2	-	1	4	2	1	8	14	20	25	19	2
Dis. of Lungs	146	22	14	13	7	4	60	5	2	1	3	2	3	18	16	26	9	1
Dis. of Stom. and Liver	62	8	1	1	2	-	12	4	2	3	3	5	2	8	3	12	2	1
Dis. of Kidneys	24	-	-	1	-	1	2	2	1	-	-	-	2	2	7	4	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	43	-	-	1	1	1	3	2	6	5	3	4	5	4	4	4	3	-
Other Causes	325	73	12	2	-	-	87	-	2	-	1	-	1	1	10	50	131	42

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
411.—BLABY.																		
Mean Popul^{n}, 1851-61	7170	-	-	-	-	-	979	877	775	656	618	987	819	621	447	268	106	17
TOTAL DEATHS	1502	369	92	58	28	27	574	65	42	63	60	95	89	78	111	144	141	40
Small-pox	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Measles	22	6	11	4	-	-	21	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	63	4	10	14	6	5	39	19	4	-	-	1	-	-	-	-	-	-
Diphtheria	3	1	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough	28	14	8	2	1	1	26	2	-	-	-	-	-	-	-	-	-	-
Typhus	86	2	1	3	3	2	11	15	14	13	8	10	4	5	6	-	-	-
Cholera, Diarrh., Dysent^{y}	77	46	5	1	-	1	53	-	-	-	1	2	3	-	4	4	7	3
Other Zymotic Dis.	63	17	6	11	10	3	47	1	-	1	-	-	3	2	3	2	4	-
Cancer	28	-	-	-	-	-	-	-	-	-	-	2	2	5	10	8	1	-
Scrofula, Tabes Mesent.	27	15	2	2	1	-	20	1	1	1	1	-	1	-	1	1	-	-
Phthisis	184	1	3	-	-	-	4	3	13	31	32	37	32	21	10	1	-	-
Hydrocephalus	18	6	2	2	2	-	12	4	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	205	89	7	3	-	6	105	8	1	4	3	6	10	7	19	28	14	-
Heart Dis. and Dropsy	72	2	1	1	-	-	4	-	-	3	2	5	8	12	15	16	6	1
Dis. of Lungs	173	42	22	7	3	6	80	8	2	3	1	7	8	6	13	29	12	4
Dis. of Stom. and Liver	88	12	3	2	-	2	19	-	4	4	3	10	8	11	10	9	8	2
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	-	-	3	2	-	4	-	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	-	-
Diseases of the Joints	3	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-
Diseases of the Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	2	7	10	4	-	-	-	-	-
Violent Deaths	19	4	1	1	1	1	8	1	1	-	1	-	-	2	1	1	3	1
Other Causes	300	106	9	4	1	-	120	-	1	1	-	-	-	5	13	45	86	29
412.—HINCKLEY.																		
Mean Popul^{n}, 1851-61	8058	-	-	-	-	-	1091	972	873	799	681	1149	879	671	492	323	114	14
TOTAL DEATHS	1909	484	137	67	40	19	747	54	47	50	68	134	112	105	151	210	185	46
Small-pox	6	-	-	1	-	-	1	1	1	1	1	-	-	-	1	-	-	-
Measles	39	12	13	6	5	2	38	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	44	5	8	9	8	3	33	9	2	-	-	-	-	-	-	-	-	-
Diphtheria	9	1	1	-	1	-	3	1	4	-	1	-	-	-	-	-	-	-
Whooping-cough	33	13	8	8	2	2	33	-	-	-	-	-	-	-	-	-	-	-
Typhus	110	6	2	5	4	-	17	16	13	7	11	8	12	8	10	7	1	-
Cholera, Diarrh., Dysent^{y}	90	27	9	3	1	1	41	1	-	1	2	2	2	3	3	17	15	3
Other Zymotic Dis.	69	26	6	8	1	1	42	4	2	-	-	1	1	3	1	9	6	-
Cancer	29	-	-	-	-	-	-	-	-	1	-	1	6	4	7	6	4	-
Scrofula, Tabes Mesent.	64	24	12	2	1	1	40	4	2	2	1	7	3	-	2	3	-	-
Phthisis	221	10	8	1	1	1	21	3	10	23	30	57	41	23	9	4	-	-
Hydrocephalus	17	2	7	3	1	-	13	2	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	260	137	18	6	3	1	165	-	1	4	4	4	10	11	16	24	18	3
Heart Dis. and Dropsy	120	3	-	1	-	-	4	1	-	2	1	8	9	15	34	30	16	-
Dis. of Lungs	232	58	24	10	7	2	101	4	3	2	4	12	6	16	27	40	16	1
Dis. of Stom. and Liver	104	12	2	-	2	2	18	5	2	5	6	6	6	15	21	17	3	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	1	-	1	-	1	1	2	-	1	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	1	2	3	3	1	1	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	-
Diseases of the Skin	5	4	-	-	-	-	4	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	34	-	-	-	-	-	-	-	-	2	3	19	10	-	-	-	-	-
Violent Deaths	25	5	2	2	1	3	13	2	2	-	-	1	-	2	1	3	1	-
Other Causes	375	139	17	2	2	-	160	-	1	-	2	4	1	3	14	50	102	38
413.—MARKET BOSWORTH.																		
Mean Popul^{n}, 1851-61	6706	-	-	-	-	-	889	847	716	581	554	890	745	609	459	284	120	12
TOTAL DEATHS	1270	237	61	47	19	24	388	46	36	38	65	97	73	72	104	152	150	49
Small-pox	3	2	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
Measles	13	5	3	2	-	2	12	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	26	2	1	6	3	6	18	3	3	2	-	-	-	-	-	-	-	-
Diphtheria	8	-	1	-	3	1	5	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	27	15	5	3	1	2	26	1	-	-	-	-	-	-	-	-	-	-
Typhus	70	1	1	6	3	1	12	9	10	5	9	10	5	3	4	3	-	-
Cholera, Diarrh., Dysent^{y}	16	7	-	1	-	-	8	-	-	1	-	2	1	-	-	2	2	-
Other Zymotic Dis.	37	7	4	8	-	3	22	4	1	-	-	1	-	1	-	3	4	1
Cancer	29	-	-	-	-	-	-	-	1	-	-	2	4	6	3	9	4	-
Scrofula, Tabes Mesent.	9	2	-	-	-	-	2	-	2	2	-	-	2	1	-	-	-	-
Phthisis	214	2	2	2	1	1	8	8	9	17	41	54	24	31	17	5	-	-
Hydrocephalus	14	1	4	3	-	1	9	1	3	-	-	-	-	-	1	-	-	-
Diseases of Brain	177	98	8	3	-	-	109	6	1	1	1	5	4	6	14	21	7	2
Heart Dis. and Dropsy	90	-	-	-	-	-	-	2	1	1	1	8	7	8	31	24	6	1
Dis. of Lungs	84	18	14	5	2	2	41	-	1	3	4	2	4	3	8	9	9	-
Dis. of Stom. and Liver	56	11	2	2	-	2	17	2	2	2	2	3	2	7	11	7	1	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-
Diseases of the Joints	3	-	-	-	2	-	2	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	1	-	1	-	-	-	1	-	-
Childbirth and Metria	27	-	-	-	-	-	-	-	-	2	6	13	-	-	-	-	-	-
Violent Deaths	23	2	1	4	3	2	12	4	1	1	-	-	1	1	1	1	2	-
Other Causes	330	62	15	2	1	1	81	2	1	-	-	2	4	3	12	65	115	45

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
414.—ASHBY-DE-LA-ZOUCH.																		
Mean Popul^{n}, 1851-61	13516	-	-	-	-	-	1961	1701	1539	1391	1070	1761	1458	1108	800	502	197	28
TOTAL DEATHS	2884	831	227	104	74	71	1307	148	94	79	72	154	108	132	159	270	283	78
Small-pox	39	7	11	1	3	2	24	3	2	1	1	2	3	3	-	-	-	-
Measles	55	19	5	13	6	9	52	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	127	15	22	17	19	13	86	34	3	2	-	1	-	-	1	-	-	-
Diphtheria	38	3	8	5	4	5	25	13	-	-	-	-	-	-	-	-	-	-
Whooping-cough	33	20	9	3	-	1	33	-	-	-	-	-	-	-	-	-	-	-
Typhus	84	2	4	3	-	2	11	10	8	11	7	10	9	3	6	9	-	-
Cholera, Diarrh., Dysent^{y}	76	40	8	2	-	1	51	1	2	-	-	3	1	-	3	7	6	2
Other Zymotic Dis.	94	17	8	10	7	4	46	7	4	1	2	4	3	6	3	7	11	2
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	-	-	5	6	3	-
Scrofula, Tabes Mesent.	50	15	8	7	-	1	31	6	5	3	2	3	-	-	-	-	-	-
Phthisis	225	9	5	1	1	2	18	5	13	25	36	57	37	19	10	5	-	-
Hydrocephalus	61	26	13	3	5	6	53	6	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	480	303	20	12	8	3	346	7	2	5	3	11	8	15	22	24	31	6
Heart Dis. and Dropsy	174	2	2	1	1	1	7	10	3	2	2	11	4	23	34	51	25	2
Dis. of Lungs	413	133	64	15	9	11	232	15	7	2	3	12	17	17	27	45	34	2
Dis. of Stom. and Liver	159	26	10	-	1	3	40	4	4	4	6	14	9	18	16	31	9	4
Dis. of Kidneys	47	1	-	-	-	-	1	-	-	1	-	2	3	5	5	17	13	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	11	-	-	-	-	-	-	-	2	2	1	1	1	-	2	2	-	1
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	175	9	7	3	7	5	31	16	35	18	8	20	9	15	10	11	2	-
Other Causes	524	183	23	8	3	2	219	8	3	1	1	3	4	8	15	52	149	61
415.—LOUGHBOROUGH.																		
Mean Popul^{n}, 1851-61	12140	-	-	-	-	-	1654	1514	1354	1174	940	1555	1319	1076	846	520	172	16
TOTAL DEATHS	2833	841	220	88	65	55	1269	120	44	69	72	137	111	131	219	308	274	79
Small-pox	26	11	4	1	3	1	20	5	1	-	-	-	-	-	-	-	-	-
Measles	61	16	22	13	3	4	58	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	68	2	13	9	13	11	48	16	2	1	-	-	-	-	1	-	-	-
Diphtheria	7	-	1	2	-	1	4	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	30	15	8	4	2	-	29	1	-	-	-	-	-	-	-	-	-	-
Typhus	98	3	7	9	5	6	30	13	7	10	7	10	9	2	5	4	1	-
Cholera, Diarrh., Dysent^{y}	93	43	11	2	-	-	56	2	1	1	2	-	1	3	4	12	9	2
Other Zymotic Dis.	115	17	16	6	14	7	60	9	2	5	-	3	2	7	9	14	4	-
Cancer	34	-	-	-	-	-	-	-	-	-	1	1	1	4	13	13	1	-
Scrofula, Tabes Mesent.	76	36	8	3	3	2	52	7	3	5	2	2	2	-	1	2	-	-
Phthisis	298	25	14	-	3	5	47	4	4	24	45	75	43	28	20	7	1	-
Hydrocephalus	51	16	10	3	6	2	37	6	5	1	-	1	-	-	1	-	-	-
Diseases of Brain	406	248	15	5	2	1	271	8	3	6	1	12	8	15	24	34	22	2
Heart Dis. and Dropsy	152	1	-	-	1	1	3	4	4	1	7	5	7	13	41	42	23	2
Dis. of Lungs	399	124	61	19	6	4	214	18	3	1	1	8	15	26	37	50	25	1
Dis. of Stom. and Liver	149	23	2	1	1	3	30	8	3	5	2	11	12	18	23	24	10	3
Dis. of Kidneys	34	3	-	1	-	-	4	1	-	1	-	2	2	2	6	9	5	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	11	-	-	-	-	-	-	3	-	-	-	1	-	2	2	1	2	-
Diseases of the Skin	8	2	-	-	-	-	2	-	-	-	-	-	-	1	-	3	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	93	9	5	5	3	6	28	7	3	6	4	6	5	8	10	9	7	-
Other Causes	624	247	23	5	-	1	276	3	2	2	-	-	4	2	22	84	162	67
416.—BARROW-ON-SOAR.																		
Mean Popul^{n}, 1851-61	9955	-	-	-	-	-	1342	1201	1109	966	776	1273	1063	932	708	406	158	21
TOTAL DEATHS	2111	633	121	68	39	42	903	79	33	52	62	110	91	103	166	218	220	74
Small-pox	13	4	1	-	-	-	5	1	1	1	2	1	1	-	1	-	-	-
Measles	29	5	11	5	3	3	27	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	66	8	12	12	7	10	49	13	2	1	-	1	-	-	-	-	-	-
Diphtheria	4	1	1	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
Whooping-cough	39	23	9	5	-	1	38	1	-	-	-	-	-	-	-	-	-	-
Typhus	70	4	2	7	1	4	18	8	4	9	6	10	8	2	4	1	-	-
Cholera, Diarrh., Dysent^{y}	92	43	3	4	1	1	52	1	2	-	-	1	3	3	8	9	9	4
Other Zymotic Dis.	107	18	9	5	10	8	50	5	3	4	-	3	4	7	9	10	11	1
Cancer	22	-	1	-	-	-	1	-	-	-	1	-	5	4	3	6	2	-
Scrofula, Tabes Mesent.	72	39	7	1	1	2	50	5	3	3	3	2	2	2	2	-	-	-
Phthisis	205	21	1	5	1	1	29	9	4	15	35	56	29	15	10	2	1	-
Hydrocephalus	18	5	4	-	2	1	12	3	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	318	200	9	6	3	2	220	6	2	3	2	2	5	10	28	21	19	-
Heart Dis. and Dropsy	143	2	1	1	1	-	5	5	1	3	-	4	9	14	29	42	24	7
Dis. of Lungs	279	73	31	8	4	3	119	5	2	5	3	6	8	16	26	51	32	6
Dis. of Stom. and Liver	99	8	4	3	2	-	17	4	-	-	2	9	3	16	23	11	13	1
Dis. of Kidneys	32	-	-	1	-	-	1	-	-	-	1	2	1	3	5	11	7	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-
Diseases of the Skin	9	1	-	-	-	-	1	-	-	-	1	-	-	-	-	5	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	85	5	1	3	3	4	16	8	6	6	3	10	10	4	8	9	3	2
Other Causes	403	173	14	2	-	2	191	1	1	-	2	1	3	6	10	39	97	52

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
414.—ASHBY-DE-LA-ZOUCH.																		
Mean Popul^{n}, 1851-61	13671	-	-	-	-	-	1941	1744	1461	1269	1196	1901	1466	1115	808	525	215	30
TOTAL DEATHS	2781	633	181	105	81	57	1057	110	76	87	98	191	160	128	195	306	274	99
Small-pox	29	9	2	-	4	3	18	4	2	2	-	2	-	-	1	-	-	-
Measles	49	9	15	8	11	3	46	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	120	11	21	12	21	14	79	25	12	1	-	2	-	1	-	-	-	-
Diphtheria	26	3	4	4	3	4	18	7	-	-	-	-	1	-	-	-	-	-
Whooping-cough	38	21	8	6	1	1	37	1	-	-	-	-	-	-	-	-	-	-
Typhus	88	-	4	4	1	4	13	11	5	10	8	6	14	8	9	4	-	-
Cholera, Diarrh., Dysent^{y}	62	27	5	4	1	-	37	-	2	-	-	1	-	1	6	8	5	-
Other Zymotic Dis.	100	17	5	14	7	5	48	5	4	1	2	2	3	4	12	12	5	-
Cancer	46	-	-	-	-	-	-	-	-	-	1	4	5	12	10	9	4	1
Scrofula, Tabes Mesent.	51	21	7	3	3	-	34	3	5	2	2	3	1	-	1	-	-	-
Phthisis	342	12	1	5	4	2	24	8	15	49	60	93	60	19	9	5	-	-
Hydrocephalus	40	11	11	5	4	4	35	4	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	377	210	17	8	5	-	240	7	9	4	2	9	6	14	31	29	22	4
Heart Dis. and Dropsy	207	1	3	1	1	-	6	3	4	4	2	16	19	25	40	59	27	2
Dis. of Lungs	323	101	45	18	11	10	185	8	4	1	2	13	10	8	23	43	18	8
Dis. of Stom. and Liver	165	23	7	2	1	2	35	4	6	6	8	9	11	19	23	35	10	1
Dis. of Kidneys	8	-	-	1	-	-	1	-	2	1	-	-	-	-	3	1	-	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	1	2	2	4	3	2	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
Childbirth and Metria	47	-	-	-	-	-	-	-	-	3	7	23	13	1	-	-	-	-
Violent Deaths	50	4	1	4	2	3	14	11	2	-	2	1	4	5	1	5	3	2
Other Causes	594	153	25	6	1	2	187	5	3	1	1	5	11	7	21	65	180	77
415.—LOUGHBOROUGH.																		
Mean Popul^{n}, 1851-61	12650	-	-	-	-	-	1614	1463	1352	1240	1145	1764	1391	1126	823	517	191	24
TOTAL DEATHS	2810	665	199	107	66	33	1070	111	67	121	119	215	186	142	197	269	249	64
Small-pox	33	7	5	8	3	1	24	4	2	-	2	-	-	1	-	-	-	-
Measles	45	8	18	11	3	3	43	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	76	7	16	11	6	4	44	20	5	3	2	1	1	-	-	-	-	-
Diphtheria	6	1	1	-	1	-	3	2	-	1	-	-	-	-	-	-	-	-
Whooping-cough	35	20	10	4	-	-	34	1	-	-	-	-	-	-	-	-	-	-
Typhus	137	3	5	7	8	3	26	19	18	18	12	16	7	8	6	4	2	1
Cholera, Diarrh., Dysent^{y}	94	50	11	3	1	-	65	-	-	-	2	2	5	3	5	5	5	2
Other Zymotic Dis.	95	16	8	11	5	4	44	15	2	5	3	2	2	4	4	6	6	2
Cancer	63	-	-	-	-	-	-	-	-	-	-	4	14	14	8	14	9	-
Scrofula, Tabes Mesent.	55	14	10	6	3	2	35	6	3	3	3	3	1	-	-	1	-	-
Phthisis	417	31	11	4	4	1	51	6	17	60	63	102	71	32	14	1	-	-
Hydrocephalus	44	13	9	7	2	1	32	7	2	3	-	-	-	-	-	-	-	-
Diseases of Brain	345	185	7	2	5	2	201	9	6	10	2	3	8	13	27	28	36	2
Heart Dis. and Dropsy	170	-	1	1	-	1	3	1	4	1	3	18	19	29	37	38	16	1
Dis. of Lungs	349	97	52	24	11	10	194	6	2	6	6	16	14	9	28	40	27	1
Dis. of Stom. and Liver	135	13	4	2	2	1	22	2	1	6	7	14	13	17	28	15	10	-
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	1	1	1	1	-	5	1	2	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	3	-	1	2	4	2	-	-
Diseases of the Joints	7	1	-	-	-	-	1	-	-	2	-	3	-	-	1	-	-	-
Diseases of the Skin	6	2	-	-	-	-	2	-	-	-	-	1	1	-	1	-	1	-
Childbirth and Metria	43	-	-	-	-	-	-	-	-	-	8	18	16	1	-	-	-	-
Violent Deaths	54	6	4	1	5	-	16	5	4	2	1	2	2	2	3	9	6	2
Other Causes	577	191	27	5	7	-	230	6	1	-	1	9	10	7	28	105	129	53
416.—BARROW-ON-SOAR.																		
Mean Popul^{n}, 1851-61	9963	-	-	-	-	-	1283	1205	1033	910	848	1391	1113	918	663	435	146	21
TOTAL DEATHS	2205	526	134	78	34	30	802	70	53	79	93	167	135	114	151	258	239	53
Small-pox	15	6	-	3	1	-	10	1	1	3	-	-	-	-	-	-	-	-
Measles	39	8	11	12	2	3	36	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	77	9	13	15	10	8	55	15	4	-	-	2	-	-	-	1	-	-
Diphtheria	5	-	-	-	-	1	1	2	1	-	-	-	-	-	-	1	-	-
Whooping-cough	44	19	17	2	3	2	43	1	-	-	-	-	-	-	-	-	-	-
Typhus	95	2	7	3	3	-	15	10	17	18	10	7	7	5	3	3	-	-
Cholera, Diarrh., Dysent^{y}	81	41	6	2	-	1	53	2	-	-	-	3	1	1	3	10	5	3
Other Zymotic Dis.	91	13	11	14	5	6	49	3	-	-	1	3	1	7	8	11	8	-
Cancer	36	-	-	-	-	-	-	-	-	-	-	1	2	8	12	10	3	-
Scrofula, Tabes Mesent.	62	33	7	3	-	3	46	3	-	1	2	3	2	1	1	3	-	-
Phthisis	338	33	1	2	1	-	37	3	14	42	52	96	57	24	9	3	1	-
Hydrocephalus	13	3	2	-	2	-	7	3	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	319	158	15	7	1	1	182	8	5	2	8	3	10	11	30	39	20	1
Heart Dis. and Dropsy	169	4	1	1	-	-	6	3	5	3	3	9	14	23	33	35	21	1
Dis. of Lungs	236	49	23	9	3	2	86	7	1	1	4	8	8	17	24	48	30	2
Dis. of Stom. and Liver	84	5	3	-	1	2	11	1	1	4	4	7	11	6	15	11	11	2
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	-	-	3	2	1	1	1	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	1	6	13	10	1	-	-	-	-
Violent Deaths	35	2	1	2	1	1	7	4	2	-	-	3	1	5	2	6	4	1
Other Causes	413	138	16	3	1	-	158	1	-	3	3	4	6	3	7	62	123	43

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
417.—LEICESTER.																		
Mean Popul^{n}, 1851-61	30279	-	-	-	-	-	4234	3535	3299	3030	2605	4397	3486	2685	1775	894	310	29
TOTAL DEATHS	8237	2723	774	397	218	143	4255	266	138	207	257	392	417	506	579	631	475	114
Small-pox	71	20	7	10	6	3	46	11	1	3	4	4	-	2	-	-	-	-
Measles	192	45	63	50	16	9	183	7	1	1	-	-	-	-	-	-	-	-
Scarlatina	306	30	46	63	36	47	222	68	8	3	1	1	3	-	-	-	-	-
Diphtheria	15	2	3	-	1	-	6	3	3	-	1	-	1	-	1	-	-	-
Whooping-cough	156	62	42	25	16	6	151	5	-	-	-	-	-	-	-	-	-	-
Typhus	379	38	44	29	19	17	147	47	29	26	27	23	23	22	16	16	3	-
Cholera, Diarrh.,Dysent^{y}	760	537	90	21	11	4	663	2	2	1	3	3	5	11	11	28	23	8
Other Zymotic Dis.	267	74	32	26	19	6	157	10	6	7	6	8	12	16	15	17	11	2
Cancer	60	1	-	1	-	-	2	-	-	-	2	5	6	16	13	13	2	1
Scrofula, Tabes Mesent.	181	78	29	11	6	1	125	8	6	6	8	9	5	7	5	2	-	-
Phthisis	900	84	41	15	10	6	156	23	24	83	125	199	135	90	43	20	2	-
Hydrocephalus	145	63	41	18	5	3	130	11	2	-	1	1	-	-	-	-	-	-
Diseases of Brain	1020	530	33	19	16	9	607	19	10	20	5	29	56	66	73	82	47	6
Heart Dis. and Dropsy	346	4	1	4	1	1	11	3	9	12	10	24	38	59	91	55	33	1
Dis. of Lungs	1180	288	168	68	36	14	574	17	8	11	17	27	49	94	153	154	63	13
Dis. of Stom. and Liver	318	52	12	5	4	1	74	6	4	12	16	18	24	50	62	35	17	-
Dis. of Kidneys	119	1	-	1	-	1	3	1	2	2	5	9	15	21	26	22	13	-
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	24	1	-	2	-	-	3	1	4	1	4	2	2	4	1	2	-	-
Diseases of the Skin	20	6	1	-	-	1	8	-	-	-	1	1	2	1	2	4	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	277	25	11	11	10	10	67	20	14	17	18	26	30	28	24	28	4	1
Other Causes	1500	781	110	18	6	4	919	4	5	2	3	3	11	19	43	153	256	82
418.—MELTON MOWBRAY.																		
Mean Popul^{n}, 1851-61	10082	-	-	-	-	-	1297	1276	1113	988	784	1300	1094	915	722	423	145	20
TOTAL DEATHS	1898	501	87	59	27	29	703	83	54	44	42	87	91	102	166	242	218	66
Small-pox	12	4	1	-	1	-	6	-	2	-	1	3	-	-	-	-	-	-
Measles	25	10	4	6	1	3	24	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	57	4	11	11	5	4	35	18	2	1	-	-	-	1	-	-	-	-
Diphtheria	7	-	1	-	1	1	3	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	16	10	6	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	74	2	1	4	1	-	8	9	9	5	5	9	9	6	10	3	1	-
Cholera, Diarrh., Dysent^{y}	51	29	2	2	-	2	35	-	1	-	-	-	-	-	-	8	6	1
Other Zymotic Dis.	89	15	5	6	3	4	33	3	-	2	-	5	7	4	13	10	10	2
Cancer	26	1	-	-	-	-	1	-	-	-	-	2	1	3	9	8	1	1
Scrofula, Tabes Mesent.	25	12	4	-	1	-	17	2	2	2	-	1	-	1	-	-	-	-
Phthisis	181	26	6	4	1	-	37	6	6	20	20	35	32	15	6	4	-	-
Hydrocephalus	22	8	4	3	2	2	19	1	1	-	-	-	-	-	-	1	-	-
Diseases of Brain	233	129	4	2	-	4	139	11	7	4	2	4	-	13	10	23	18	2
Heart Dis. and Dropsy	119	10	-	1	-	-	11	3	2	-	1	-	6	13	31	29	21	2
Dis. of Lungs	261	92	25	12	4	4	137	10	3	-	3	10	8	10	23	35	19	3
Dis. of Stom. and Liver	128	22	3	2	2	1	30	4	5	1	4	3	9	17	24	21	8	2
Dis. of Kidneys	43	-	-	-	-	-	-	1	-	-	-	3	5	7	3	14	8	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	16	-	-	-	-	1	1	-	3	2	1	1	2	1	1	3	1	-
Diseases of the Skin	4	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	84	5	2	1	3	3	14	5	7	5	4	8	10	4	13	13	1	-
Other Causes	425	122	8	5	2	-	137	5	2	2	1	3	1	7	23	70	123	51
419.—OAKHAM.																		
Mean Popul^{n}, 1851-61	5666	-	-	-	-	-	734	693	635	544	436	723	641	522	400	229	97	12
TOTAL DEATHS	1053	244	49	24	15	13	345	35	20	25	26	64	48	72	104	140	134	40
Small-pox	6	1	-	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-
Measles	7	3	1	2	-	1	7	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	22	-	4	4	2	3	13	5	1	2	1	-	-	-	-	-	-	-
Diphtheria	4	-	1	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	11	5	4	-	2	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	41	-	1	1	3	2	7	8	4	3	1	3	4	6	-	4	-	1
Cholera, Diarrh., Dysent^{y}	35	15	2	1	-	-	18	3	-	-	-	-	1	-	4	4	5	-
Other Zymotic Dis.	47	10	1	2	2	2	17	3	1	-	1	1	2	5	6	2	8	1
Cancer	12	-	-	-	-	-	-	-	-	-	-	2	2	5	2	1	-	-
Scrofula, Tabes Mesent.	10	1	3	-	-	-	4	-	2	1	-	2	1	-	-	-	-	-
Phthisis	100	1	3	-	-	-	4	2	6	6	13	22	15	17	11	4	-	-
Hydrocephalus	7	4	1	1	1	-	7	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	138	51	1	4	2	1	59	3	-	4	3	5	4	6	13	22	15	4
Heart Dis. and Dropsy	58	1	-	-	-	-	1	-	1	-	-	2	2	4	15	26	7	-
Dis. of Lungs	150	34	13	6	1	1	55	4	-	1	3	12	8	12	17	23	13	2
Dis. of Stom. and Liver	76	11	-	1	1	1	14	1	-	1	-	3	1	12	18	15	10	1
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	-	-	1	-	1	2	9	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	6	-	-	-	1	-	1	-	-	1	1	1	1	-	-	-	1	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	45	4	1	1	-	2	8	3	3	4	1	7	2	4	4	6	2	1
Other Causes	261	103	13	-	-	-	116	1	2	1	2	-	3	-	12	22	72	30

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
417.—LEICESTER.																		
Mean Popul^{n}, 1851-61	34138	-	-	-	-	-	4206	3533	3471	3592	3552	5336	4013	2981	1971	1070	372	41
TOTAL DEATHS	8129	2119	777	418	217	138	3669	307	157	263	291	529	502	453	596	696	509	157
Small-pox	73	18	9	13	5	7	52	8	2	3	2	2	3	-	1	-	-	-
Measles	213	35	83	47	25	9	199	13	1	-	-	-	-	-	-	-	-	-
Scarlatina	302	21	48	54	45	36	204	76	15	3	1	2	1	-	-	-	-	-
Diphtheria	15	3	5	-	2	1	11	3	-	-	1	-	-	-	-	-	-	-
Whooping-cough	244	79	72	56	23	6	236	7	1	-	-	-	-	-	-	-	-	-
Typhus	496	32	47	39	33	28	179	69	33	58	41	40	31	11	17	13	4	-
Cholera, Diarrh., Dysent^{y}	636	400	100	23	7	2	532	4	1	1	3	4	11	11	19	34	15	1
Other Zymotic Dis.	220	67	29	19	9	6	130	13	3	2	2	12	7	9	18	12	8	4
Cancer	155	-	1	-	1	-	2	1	-	-	2	6	28	35	48	21	10	2
Scrofula, Tabes Mesent.	144	62	28	13	2	1	106	7	6	9	4	2	5	2	1	2	-	-
Phthisis	1016	50	27	18	10	9	114	13	31	111	140	259	170	97	57	17	2	-
Hydrocephalus	104	34	28	20	6	3	91	7	1	3	-	1	-	-	-	1	-	-
Diseases of Brain	373	399	44	18	6	8	475	24	12	15	20	31	44	44	71	82	47	8
Heart Dis. and Dropsy	418	10	3	1	1	2	17	8	16	10	16	31	57	75	85	74	28	1
Dis. of Lungs	1005	250	125	61	22	7	465	21	8	10	10	28	43	59	144	143	65	9
Dis. of Stom. and Liver	326	45	7	6	2	2	62	7	8	17	8	34	32	50	46	45	16	1
Dis. of Kidneys	56	-	2	-	-	-	2	1	4	3	1	5	6	17	5	10	2	-
Dis. of Gener. Organs	68	-	1	-	-	-	1	-	-	1	6	8	15	20	9	5	3	-
Diseases of the Joints	23	-	-	-	-	1	1	-	2	6	-	2	2	3	4	2	1	-
Diseases of the Skin	14	1	6	-	-	-	7	-	-	-	-	1	1	1	1	3	-	-
Childbirth and Metria	109	-	-	-	-	-	-	-	-	4	27	48	29	1	-	-	-	-
Violent Deaths	121	19	5	5	7	7	43	15	8	4	5	6	8	4	9	11	8	2
Other Causes	1498	594	107	25	11	3	740	5	5	3	2	7	9	14	61	221	302	129
418.—MELTON MOWBRAY.																		
Mean Popul^{n}, 1851-61	10270	-	-	-	-	-	1349	1208	1131	965	858	1425	1143	902	671	426	166	26
TOTAL DEATHS	1911	342	76	47	41	27	533	87	59	90	72	130	126	121	151	239	235	68
Small-pox	14	4	-	2	1	-	7	1	2	1	1	1	-	1	-	-	-	-
Measles	23	4	6	5	3	-	18	4	-	1	-	-	-	-	-	-	-	-
Scarlatina	67	4	6	7	9	8	34	25	5	1	1	-	1	-	-	-	-	-
Diphtheria	7	-	-	-	-	1	1	5	-	1	-	-	-	-	-	-	-	-
Whooping-cough	17	8	3	2	3	1	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	82	1	-	1	3	4	9	15	11	15	6	6	8	4	4	3	-	1
Cholera, Diarrh., Dysent^{y}	38	14	3	-	-	1	18	1	-	-	2	2	2	1	2	5	4	1
Other Zymotic Dis.	65	9	5	6	5	2	27	2	3	-	-	1	3	7	7	5	7	3
Cancer	33	-	-	-	-	-	-	-	-	-	-	1	4	10	7	8	3	-
Scrofula, Tabes Mesent.	16	2	2	-	-	-	4	2	2	4	1	-	2	-	1	-	-	-
Phthisis	288	17	2	2	1	-	22	8	16	47	38	71	37	35	10	3	1	-
Hydrocephalus	15	3	3	-	1	1	8	5	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	223	96	5	7	1	-	109	6	4	4	2	4	12	15	17	32	17	1
Heart Dis. and Dropsy	116	3	-	-	1	-	4	1	3	3	3	8	12	14	25	25	16	2
Dis. of Lungs	255	62	29	11	7	6	115	7	5	2	5	9	9	10	25	34	30	4
Dis. of Stom. and Liver	128	19	2	1	3	1	26	1	4	9	2	12	10	13	20	25	5	1
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	1	1	1	4	-	4	2	-	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	2	1	2	5	2	-	-
Diseases of the Joints	4	-	-	1	-	-	1	-	1	-	-	-	2	-	-	-	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	-	5	7	9	-	-	-	-	-
Violent Deaths	27	4	3	2	1	2	12	2	-	-	2	1	1	2	3	3	1	-
Other Causes	443	92	7	-	2	-	101	2	1	1	3	2	9	7	20	91	151	55
419.—OAKHAM.																		
Mean Popul^{n}, 1851-61	5646	-	-	-	-	-	687	661	602	529	431	790	615	514	411	243	101	12
TOTAL DEATHS	1069	196	36	22	19	19	292	41	38	45	31	77	66	60	107	118	143	51
Small-pox	6	2	-	-	-	-	2	2	-	1	-	-	1	-	-	-	-	-
Measles	13	3	5	-	-	-	8	4	-	-	-	-	-	1	-	-	-	-
Scarlatina	39	3	1	6	4	5	19	12	3	3	-	-	-	-	2	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	15	6	5	2	-	1	14	1	-	-	-	-	-	-	-	-	-	-
Typhus	48	-	2	1	5	4	12	6	7	5	2	6	2	2	2	2	2	-
Cholera, Diarrh., Dysent^{y}	51	16	4	3	-	-	23	1	-	-	1	3	3	2	6	3	7	-
Other Zymotic Dis.	41	12	4	4	1	2	23	-	1	-	1	1	1	2	-	3	7	2
Cancer	22	-	-	-	1	-	1	-	-	-	-	1	5	2	8	3	2	-
Scrofula, Tabes Mesent.	14	3	1	1	2	-	7	-	3	1	1	1	-	-	-	1	-	-
Phthisis	140	-	-	-	1	-	1	3	10	20	18	39	23	15	5	6	-	-
Hydrocephalus	5	2	1	-	-	1	4	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	149	39	2	4	2	2	49	5	3	4	1	3	3	10	20	29	18	4
Heart Dis. and Dropsy	80	-	-	-	-	-	-	-	2	3	2	3	3	5	18	22	19	3
Dis. of Lungs	115	20	7	1	-	1	29	5	2	2	-	9	9	3	13	18	20	5
Dis. of Stom. and Liver	67	9	-	-	1	3	13	1	1	2	1	1	9	9	16	6	7	1
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	-	2	2	4	1	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	2	1	-	-	-	-	1	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	9	-	-	-	-	-	-	-	-	-	1	7	1	-	-	-	-	-
Violent Deaths	16	2	1	-	1	-	4	-	2	-	-	-	-	2	2	-	3	3
Other Causes	220	79	3	-	1	-	83	1	1	2	2	1	3	5	10	21	38	33

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

420.—UPPINGHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	6300	-	-	-	-	-	831	743	731	648	497	801	674	560	447	254	101	13
TOTAL DEATHS	1085	250	58	25	18	14	365	51	32	22	32	56	55	56	95	132	141	48
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	8	1	1	2	-	1	5	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	33	2	5	3	7	2	19	10	4	-	-	-	-	-	-	-	-	-
Diphtheria	21	2	1	1	3	3	10	4	5	1	-	1	-	-	-	-	-	-
Whooping-cough	12	4	6	-	2	-	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	26	1	1	1	1	-	4	2	3	1	4	2	3	1	3	3	-	-
Cholera, Diarrh., Dysent^{y}	18	6	-	1	2	-	9	-	-	1	-	3	-	1	1	1	2	-
Other Zymotic Dis.	64	14	5	5	1	3	28	10	2	1	-	1	2	4	6	2	8	-
Cancer	12	-	-	-	-	-	-	-	-	-	1	-	1	1	5	3	1	-
Scrofula, Tabes Mesent.	10	1	-	-	-	-	1	1	1	1	1	1	-	1	2	-	1	-
Phthisis	125	16	4	-	-	1	21	5	2	7	20	29	14	18	6	2	1	-
Hydrocephalus	11	1	1	-	-	-	2	5	2	1	1	-	-	-	-	-	-	-
Diseases of Brain	171	72	12	2	1	1	88	2	4	-	4	7	7	6	16	28	11	-
Heart Dis. and Dropsy	58	2	1	1	-	-	4	2	-	2	-	-	5	5	15	17	7	1
Dis. of Lungs	133	47	10	3	1	1	62	4	2	2	1	2	10	5	15	25	22	3
Dis. of Stom. and Liver	51	4	-	1	-	-	5	1	2	3	-	3	6	5	12	7	5	2
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	1	-	1	1	1	2	5	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	34	-	2	1	-	2	5	2	4	-	-	4	4	4	4	4	1	3
Other Causes	260	76	9	4	-	-	89	1	-	1	-	1	-	4	8	37	79	40

421.—STAMFORD.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	9321	-	-	-	-	-	1160	1127	1026	971	763	1273	1037	852	622	347	116	17
TOTAL DEATHS	1883	474	100	60	50	23	707	74	48	46	61	102	99	114	183	233	170	46
Small-pox	9	-	1	-	-	1	2	-	1	-	2	1	2	-	1	-	-	-
Measles	21	1	7	7	3	2	20	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	96	3	11	17	22	7	60	26	4	5	-	1	-	-	-	-	-	-
Diphtheria	5	3	-	2	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	36	18	11	3	2	1	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	54	2	-	-	2	1	5	7	3	2	5	11	6	3	5	6	1	-
Cholera, Diarrh., Dysent^{y}	63	42	4	2	-	-	48	2	-	-	-	1	-	2	2	6	1	1
Other Zymotic Dis.	92	27	3	2	6	3	41	2	3	3	2	4	7	9	7	9	5	-
Cancer	28	-	-	-	-	-	-	-	1	-	-	2	-	2	9	10	4	-
Scrofula, Tabes Mesent.	32	9	2	-	2	-	13	5	4	3	1	1	3	-	-	1	1	-
Phthisis	152	6	2	1	1	-	10	6	2	14	29	36	17	18	12	8	-	-
Hydrocephalus	12	3	2	2	2	-	9	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	250	105	7	4	3	3	122	2	5	2	2	6	12	14	31	40	22	1
Heart Dis. and Dropsy	121	2	1	-	2	-	5	1	2	5	1	3	11	13	32	34	12	2
Dis. of Lungs	226	58	28	12	4	2	104	7	4	1	6	7	10	14	18	36	16	3
Dis. of Stom. and Liver	127	12	2	-	1	-	15	3	2	-	3	9	14	18	32	24	7	-
Dis. of Kidneys	32	-	-	-	-	-	-	-	1	-	-	1	4	4	5	12	3	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of the Joints	13	-	-	-	-	-	-	-	3	2	1	1	1	-	2	2	1	-
Diseases of the Skin	11	1	-	1	-	-	2	-	-	-	-	2	-	2	-	4	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	100	2	1	3	-	3	9	9	10	7	7	15	8	11	14	6	3	1
Other Causes	393	180	18	4	-	-	202	-	2	2	2	1	4	4	13	35	92	36

422.—BOURN.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	11197	-	-	-	-	-	1474	1330	1219	1088	992	1560	1236	982	710	410	173	23
TOTAL DEATHS	2052	629	93	57	30	29	838	90	63	58	62	85	96	114	139	229	208	70
Small-pox	6	1	2	-	-	1	4	1	-	-	1	-	-	-	-	-	-	-
Measles	21	10	5	1	1	-	17	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	52	6	2	8	7	3	26	15	8	1	-	-	1	1	-	-	-	-
Diphtheria	17	-	1	2	-	1	4	7	2	1	1	-	-	-	-	2	-	-
Whooping-cough	27	15	5	5	2	-	27	-	-	-	-	-	-	-	-	-	-	-
Typhus	100	2	1	3	2	2	10	14	11	10	5	9	12	6	5	12	6	-
Cholera, Diarrh., Dysent^{y}	71	30	3	1	1	1	36	1	-	1	-	1	2	5	4	12	4	3
Other Zymotic Dis.	101	44	3	7	3	3	60	7	4	1	1	3	7	4	4	9	1	-
Cancer	19	-	-	-	-	-	-	-	-	-	-	1	1	4	6	4	3	-
Scrofula, Tabes Mesent.	22	3	2	1	1	-	7	4	2	-	2	4	-	1	1	1	-	-
Phthisis	157	4	1	-	-	-	5	5	5	19	32	35	31	15	6	4	-	-
Hydrocephalus	22	9	3	3	-	1	16	6	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	344	205	11	7	4	5	232	3	6	3	4	9	4	14	16	27	19	7
Heart Dis. and Dropsy	101	6	2	-	-	1	9	3	2	2	2	3	6	9	21	24	18	3
Dis. of Lungs	244	64	23	7	5	1	100	1	6	2	1	3	11	23	25	43	24	3
Dis. of Stom. and Liver	102	11	1	-	-	2	14	3	1	2	-	4	10	18	26	18	4	3
Dis. of Kidneys	27	-	-	-	-	-	-	-	1	1	-	4	1	-	4	9	6	1
Dis. of Gener. Organs	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	10	-	-	-	-	-	-	1	1	4	-	-	1	-	1	2	-	-
Diseases of the Skin	5	1	1	-	-	-	2	-	-	-	-	1	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	101	3	6	7	3	6	25	10	12	9	10	6	7	4	5	7	6	-
Other Causes	501	214	21	5	1	2	243	6	1	2	3	2	2	9	14	54	117	48

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
420.—UPPINGHAM.																		
Mean Popul^{n}, 1851-61	6263	-	-	-	-	-	824	783	653	547	491	871	685	576	438	273	109	13
TOTAL DEATHS	1121	217	48	23	25	17	330	40	27	43	51	63	57	61	91	157	144	57
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	8	2	2	1	-	-	5	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	34	2	6	4	8	3	23	9	2	-	-	-	-	-	-	-	-	-
Diphtheria	13	1	1	1	2	-	5	3	3	1	-	-	-	-	-	1	-	-
Whooping-cough	23	9	8	2	1	-	20	3	-	-	-	-	-	-	-	-	-	-
Typhus	31	-	3	1	-	1	5	3	2	3	3	5	4	2	4	-	-	-
Cholera, Diarrh., Dysent^{y}	19	8	-	1	-	-	9	1	-	-	-	4	-	-	1	4	-	-
Other Zymotic Dis.	55	22	3	1	5	2	33	4	1	1	2	1	-	1	2	6	3	1
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	2	4	3	4	1	-
Scrofula, Tabes Mesent.	13	3	-	-	-	1	4	-	2	1	2	2	2	-	-	-	-	-
Phthisis	172	9	2	4	-	3	18	1	9	25	33	30	26	12	11	5	1	1
Hydrocephalus	14	2	-	1	2	-	5	5	1	1	1	-	-	-	1	-	-	-
Diseases of Brain	148	58	3	1	2	2	66	2	4	3	2	6	4	3	17	19	13	4
Heart Dis. and Dropsy	87	1	1	-	-	1	3	-	1	2	1	4	5	12	18	30	11	-
Dis. of Lungs	119	34	9	3	2	4	52	1	-	2	1	1	1	4	6	31	19	1
Dis. of Stom. and Liver	65	6	2	1	-	-	9	1	1	1	4	4	3	8	16	14	4	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	8	-	-	-	-	-	-	-	-	1	1	3	3	-	-	-	-	-
Violent Deaths	18	-	-	3	-	-	3	3	-	2	1	3	1	3	1	1	-	-
Other Causes	270	60	8	2	-	-	70	1	1	-	-	-	3	5	9	30	92	30
421.—STAMFORD.																		
Mean Popul^{n}, 1851-61	9663	-	-	-	-	-	1201	1072	1085	972	871	1349	1056	885	623	377	152	20
TOTAL DEATHS	1845	370	97	67	40	35	609	83	56	70	77	105	109	121	134	193	223	65
Small-pox	10	3	-	1	-	-	4	1	2	-	1	1	-	1	-	-	-	-
Measles	19	4	8	3	3	-	18	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	110	3	11	19	11	14	58	29	16	3	-	-	4	-	-	-	-	-
Diphtheria	9	-	-	-	1	1	2	6	-	1	-	-	-	-	-	-	-	-
Whooping-cough	41	20	9	6	3	2	40	1	-	-	-	-	-	-	-	-	-	-
Typhus	91	-	1	6	5	3	15	11	6	13	13	6	8	7	8	4	-	-
Cholera, Diarrh., Dysent^{y}	62	28	10	1	1	-	40	2	1	-	1	1	-	-	3	7	5	2
Other Zymotic Dis.	74	22	7	3	1	1	34	6	2	2	2	2	3	2	5	12	3	1
Cancer	46	-	-	-	-	-	-	1	-	-	-	-	6	17	9	12	1	-
Scrofula, Tabes Mesent.	37	6	6	-	2	1	15	1	1	2	4	3	4	4	2	-	1	-
Phthisis	206	3	4	1	2	-	10	4	14	37	34	45	28	16	14	4	-	-
Hydrocephalus	11	6	2	1	-	1	10	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	263	75	8	2	3	3	91	1	4	1	6	5	9	12	17	38	18	1
Heart Dis. and Dropsy	121	1	1	-	-	1	3	1	1	3	4	10	9	19	21	32	17	1
Dis. of Lungs	162	34	14	13	6	4	71	7	1	2	3	6	10	9	13	19	18	2
Dis. of Stom. and Liver	113	7	-	2	-	2	11	5	5	5	5	5	7	22	14	21	12	1
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	-	2	4	4	3	1	1	-
Diseases of the Joints	7	-	-	1	-	-	1	-	1	-	-	2	1	-	2	-	-	-
Diseases of the Skin	7	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	4	-
Childbirth and Metria	26	-	-	-	-	-	-	-	-	-	2	14	9	1	-	-	-	-
Violent Deaths	32	9	1	2	-	1	13	3	1	-	-	1	3	1	4	2	2	-
Other Causes	437	149	14	6	2	1	172	2	1	1	2	1	2	5	16	40	141	54
422.—BOURN.																		
Mean Popul^{n}, 1851-61	10631	-	-	-	-	-	1425	1310	1183	1028	892	1425	1150	910	673	416	191	26
TOTAL DEATHS	1997	482	116	55	37	24	714	69	48	82	65	148	127	102	135	204	222	81
Small-pox	4	1	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
Measles	18	4	6	4	4	-	18	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	56	-	5	9	11	6	31	15	7	1	-	2	-	-	-	-	-	-
Diphtheria	19	1	1	2	3	2	9	4	3	1	1	-	-	-	-	1	-	-
Whooping-cough	32	13	8	7	2	-	30	1	-	-	-	1	-	-	-	-	-	-
Typhus	99	3	4	2	2	3	14	11	9	7	9	9	6	7	6	10	2	-
Cholera, Diarrh., Dysent^{y}	77	27	12	5	2	1	47	2	-	1	1	2	1	-	1	7	13	2
Other Zymotic Dis.	88	33	5	4	7	2	51	5	5	3	2	4	4	2	2	4	6	-
Cancer	35	-	-	-	-	-	-	-	-	-	-	1	6	13	9	4	2	-
Scrofula, Tabes Mesent.	28	2	3	-	-	1	6	4	3	5	2	4	2	1	1	-	-	-
Phthisis	218	3	4	1	-	-	8	4	7	41	31	62	43	16	4	2	-	-
Hydrocephalus	9	2	1	-	-	-	6	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	230	143	15	2	2	1	163	1	1	6	5	6	7	12	25	31	20	3
Heart Dis. and Dropsy	123	5	-	-	-	-	5	1	3	1	1	9	10	15	24	33	17	7
Dis. of Lungs	199	52	28	11	3	1	95	3	3	3	1	10	6	7	18	28	17	8
Dis. of Stom. and Liver	120	11	-	2	-	3	16	4	2	5	4	14	14	12	20	26	10	1
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	2	-
Dis. of Gener. Organs	8	-	1	-	-	-	1	-	-	-	-	-	3	3	1	-	-	-
Diseases of the Joints	4	1	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-
Childbirth and Metria	30	-	-	-	-	-	-	-	-	1	5	13	11	-	-	-	-	-
Violent Deaths	37	5	3	1	1	2	12	9	2	1	-	2	-	4	3	1	2	1
Other Causes	500	176	17	4	-	2	199	2	1	3	2	6	13	9	20	51	131	63

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
423.—SPALDING.																		
Mean Popul^{n}, 1851-61	10416	-	-	-	-	-	1369	1338	1188	1051	719	1335	1214	980	696	374	139	13
TOTAL DEATHS	2200	680	129	67	37	36	949	89	59	59	51	104	132	137	172	215	170	63
Small-pox	10	3	1	-	-	-	4	-	-	2	1	1	1	-	1	-	-	-
Measles	42	11	13	5	3	2	34	6	1	-	-	1	-	-	-	-	-	-
Scarlatina	69	8	9	12	10	8	47	16	3	2	1	-	-	-	-	-	-	-
Diphtheria	41	2	3	3	3	4	15	12	7	7	-	-	-	-	-	-	-	-
Whooping-cough	49	27	11	8	2	-	48	1	-	-	-	-	-	-	-	-	-	-
Typhus	77	6	3	-	-	4	13	13	7	2	2	8	7	6	7	10	1	1
Cholera, Diarrh., Dysent^{y}	93	53	4	5	1	-	63	1	1	1	1	1	1	4	4	9	5	2
Other Zymotic Dis.	112	32	10	4	6	1	53	8	6	5	4	4	8	9	2	7	6	-
Cancer	33	1	-	-	-	-	1	-	-	-	-	2	5	8	9	7	1	-
Scrofula, Tabes Mesent.	25	6	1	1	-	-	8	4	3	-	4	3	1	1	-	1	-	-
Phthisis	157	6	4	1	2	2	15	3	4	20	21	35	24	16	12	7	-	-
Hydrocephalus	15	4	5	1	-	-	10	2	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	268	128	11	5	1	4	149	4	4	5	4	9	9	13	21	31	17	2
Heart Dis. and Dropsy	96	1	-	1	-	1	3	1	2	2	4	8	13	11	25	14	11	2
Dis. of Lungs	307	69	30	4	2	2	107	2	3	-	2	11	20	34	41	47	33	7
Dis. of Stom. and Liver	95	8	1	2	-	-	11	3	2	2	3	6	11	16	20	13	8	-
Dis. of Kidneys	34	-	-	-	-	1	1	-	-	1	-	2	6	3	5	8	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	1	-	1	-	-	2	-	2	-	-	1	2	-	1	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	124	6	5	6	5	6	28	11	11	10	3	12	19	10	6	13	-	1
Other Causes	541	307	18	8	2	1	336	1	-	-	1	-	5	6	17	48	81	46
424.—HOLBEACH.																		
Mean Popul^{n}, 1851-61	9388	-	-	-	-	-	1215	1227	1055	966	721	1223	1097	845	612	311	103	13
TOTAL DEATHS	2065	630	155	53	51	52	941	108	49	68	76	91	104	128	145	170	152	33
Small-pox	5	1	-	-	-	1	2	-	-	-	2	1	-	-	-	-	-	-
Measles	22	2	10	5	1	2	20	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	108	5	13	7	13	20	58	31	9	6	3	1	-	-	-	-	-	-
Diphtheria	14	1	2	1	3	3	10	3	-	1	-	-	-	-	-	-	-	-
Whooping-cough	48	23	17	1	3	-	44	4	-	-	-	-	-	-	-	-	-	-
Typhus	101	4	6	7	3	2	22	18	8	10	4	8	7	12	7	1	4	-
Cholera, Diarrh., Dysent^{y}	89	36	9	3	2	2	52	2	2	1	3	2	1	2	6	9	3	1
Other Zymotic Dis.	118	50	7	4	3	6	70	14	2	3	1	2	8	6	9	1	2	-
Cancer	18	1	-	-	-	-	1	-	-	-	-	-	2	1	5	8	1	-
Scrofula, Tabes Mesent.	21	5	2	-	-	-	7	1	2	5	1	1	1	1	-	2	-	-
Phthisis	172	7	2	2	1	1	13	5	2	15	35	41	19	25	11	5	1	-
Hydrocephalus	20	6	3	-	3	5	17	2	-	-	-	1	-	-	-	-	-	-
Diseases of Brain	209	91	11	2	3	2	109	7	3	7	2	4	6	10	18	22	19	2
Heart Dis. and Dropsy	76	-	1	-	-	-	1	1	3	3	4	-	13	8	17	20	5	1
Dis. of Lungs	288	74	19	9	4	3	109	4	4	3	6	10	22	24	32	43	29	2
Dis. of Stom. and Liver	75	5	-	1	3	1	10	2	2	3	6	2	6	10	15	12	7	-
Dis. of Kidneys	31	-	-	-	1	1	2	1	-	1	-	1	1	6	4	6	9	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	2	-	-	3	-	1	-	-	-	-
Diseases of the Skin	5	1	-	-	-	-	1	-	1	-	-	1	-	1	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	99	4	7	4	5	2	22	7	8	8	8	10	12	11	9	3	1	-
Other Causes	540	314	46	7	3	1	371	4	1	2	1	3	6	10	11	38	66	27
425.—BOSTON.																		
Mean Popul^{n}, 1851-61	18686	-	-	-	-	-	2468	2433	2151	1888	1429	2494	2090	1629	1165	657	245	37
TOTAL DEATHS	3769	984	230	124	87	72	1497	167	94	110	131	195	194	228	312	390	325	126
Small-pox	16	4	-	-	1	-	5	1	-	2	1	3	2	1	-	1	-	-
Measles	57	12	16	13	7	3	51	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	140	8	18	16	17	20	79	40	11	3	3	-	1	-	1	2	-	-
Diphtheria	49	1	3	1	3	2	17	15	8	4	4	1	-	-	-	-	-	-
Whooping-cough	79	42	24	3	2	1	77	1	-	1	-	-	-	-	-	-	-	-
Typhus	139	3	6	6	3	2	20	14	10	9	10	10	17	13	13	16	6	1
Cholera, Diarrh., Dysent^{y}	98	48	7	3	2	1	61	2	1	2	-	2	1	2	3	11	8	5
Other Zymotic Dis.	166	45	16	10	8	5	84	13	5	2	5	9	5	12	10	11	8	2
Cancer	29	-	1	1	-	-	2	-	-	-	-	1	3	1	13	7	2	-
Scrofula, Tabes Mesent.	41	10	7	2	2	2	23	3	4	2	3	2	1	-	2	1	-	-
Phthisis	341	3	3	4	5	-	15	5	12	39	53	79	53	47	26	7	-	-
Hydrocephalus	55	23	12	5	2	4	46	6	1	-	1	-	-	-	1	-	-	-
Diseases of Brain	571	303	29	16	5	3	356	12	9	5	8	12	24	19	36	57	25	8
Heart Dis. and Dropsy	185	6	-	-	2	1	9	3	5	10	2	14	12	25	35	42	24	4
Dis. of Lungs	414	111	45	11	8	7	182	6	3	7	9	12	19	32	45	53	38	8
Dis. of Stom. and Liver	178	13	2	2	4	3	24	6	6	7	3	14	14	25	36	28	12	3
Dis. of Kidneys	50	-	-	1	-	-	1	-	-	2	1	3	1	7	10	17	7	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Diseases of the Joints	10	1	1	-	-	-	2	-	2	-	1	2	-	1	-	1	-	1
Diseases of the Skin	8	3	1	-	-	-	4	-	-	-	-	-	-	-	3	-	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	235	13	8	12	10	8	51	27	11	13	15	24	27	25	24	13	4	1
Other Causes	906	335	31	13	6	3	388	7	6	2	7	7	14	17	54	122	101	91

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
423.—SPALDING.																		
Mean Popul^{n}, 1851-61	10703	-	-	-	-	-	1367	1343	1166	1085	860	1444	1218	969	693	381	151	26
TOTAL DEATHS	2124	507	101	66	55	37	766	103	57	77	73	137	129	132	164	208	192	86
Small-pox	6	1	-	-	-	-	1	1	1	1	-	1	-	1	-	-	-	-
Measles	28	10	5	5	4	1	25	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	62	-	9	11	13	4	37	23	2	-	-	-	-	-	-	-	-	-
Diphtheria	34	-	1	2	4	3	10	13	6	4	1	-	-	-	-	-	-	-
Whooping-cough	52	25	9	3	6	3	46	5	1	-	-	-	-	-	-	-	-	-
Typhus	80	2	2	3	3	7	17	12	8	7	7	7	7	4	3	5	3	-
Cholera, Diarrh., Dysent^{y}	106	51	6	2	2	1	62	4	-	2	3	2	3	2	6	11	7	4
Other Zymotic Dis.	140	33	8	12	7	5	65	11	4	7	2	10	4	8	9	7	9	4
Cancer	63	-	-	-	-	-	-	-	-	-	-	2	12	17	20	9	1	2
Scrofula, Tabes Mesent.	18	4	4	1	1	-	10	1	1	2	1	1	1	1	-	-	-	-
Phthisis	238	5	1	2	-	-	8	5	14	36	41	66	38	18	7	5	-	-
Hydrocephalus	17	2	2	3	2	1	10	2	3	-	1	-	-	1	-	-	-	-
Diseases of Brain	219	91	9	6	2	1	109	1	3	3	3	4	6	22	20	22	24	2
Heart Dis. and Dropsy	102	-	-	-	-	-	-	-	3	1	2	3	10	15	25	35	6	2
Dis. of Lungs	253	56	18	11	3	5	93	3	5	3	4	6	14	14	35	36	30	10
Dis. of Stom. and Liver	82	6	-	-	2	1	9	3	1	2	-	6	10	13	15	14	9	-
Dis. of Kidneys	4	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-
Dis of Gener. Organs	11	-	-	-	-	-	-	-	-	1	1	2	2	2	2	-	1	-
Diseases of the Joints	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
Diseases of the Skin	4	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	-	3	11	14	1	-	-	-	-
Violent Deaths	63	10	2	3	3	4	22	11	2	5	2	4	1	1	4	6	4	1
Other Causes	510	209	25	2	3	1	240	3	1	3	1	11	7	12	16	58	97	61
424.—HOLBEACH.																		
Mean Popul^{n}, 1851-61	9380	-	-	-	-	-	1306	1213	1072	926	770	1274	1064	784	538	299	120	14
TOTAL DEATHS	1941	513	119	58	63	44	797	111	62	81	61	124	126	91	128	157	138	65
Small-pox	8	1	2	-	-	-	3	1	-	2	-	1	1	-	-	-	-	-
Measles	22	2	9	4	1	2	18	2	-	1	1	-	-	-	-	-	-	-
Scarlatina	126	7	7	12	14	21	61	42	15	3	-	2	3	-	-	-	-	-
Diphtheria	24	2	-	1	6	-	9	7	5	1	-	-	-	1	1	-	-	-
Whooping-cough	80	37	21	10	5	2	75	5	-	-	-	-	-	-	-	-	-	-
Typhus	77	4	5	2	3	2	16	9	15	5	8	6	6	3	3	3	3	-
Cholera, Diarrh., Dysent^{y}	68	24	2	3	-	-	29	2	-	2	-	2	1	5	8	9	8	2
Other Zymotic Dis.	106	46	4	8	5	7	70	5	3	3	-	2	3	5	4	7	2	2
Cancer	39	-	-	-	-	-	-	-	-	-	-	2	5	14	7	8	3	-
Scrofula, Tabes Mesent.	15	1	3	-	1	1	6	4	1	2	1	1	-	-	-	-	-	-
Phthisis	217	4	1	1	-	-	6	8	8	32	29	58	47	13	11	4	1	-
Hydrocephalus	18	2	1	1	2	2	8	9	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	205	79	12	1	3	-	95	3	3	6	5	7	5	12	15	29	19	6
Heart Dis. and Dropsy	92	4	-	-	-	1	5	-	3	6	4	12	10	12	22	15	3	-
Dis. of Lungs	203	59	23	7	10	3	102	5	1	3	4	4	12	6	18	23	20	5
Dis. of Stom. and Liver	83	8	1	-	1	-	10	1	3	6	2	10	5	10	12	16	6	2
Dis. of Kidneys	18	1	-	-	1	1	3	1	-	-	-	2	2	2	2	3	3	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	2	5	1	1	3	-	-
Diseases of the Joints	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	4	5	4	11	1	-	-	-	-
Violent Deaths	47	7	2	2	6	-	17	5	3	2	2	1	3	3	4	1	2	4
Other Causes	451	224	26	6	5	2	263	1	2	2	-	8	6	2	19	36	68	44
425.—BOSTON.																		
Mean Popul^{n}, 1851-61	19520	-	-	-	-	-	2447	2403	2043	1923	1697	2723	2176	1711	1248	766	334	49
TOTAL DEATHS	3677	848	203	125	99	56	1331	151	88	147	143	246	224	200	257	382	361	147
Small-pox	8	2	2	-	2	-	6	-	-	2	-	-	-	-	-	-	-	-
Measles	43	12	15	5	3	1	36	4	-	-	-	1	-	1	1	-	-	-
Scarlatina	120	7	11	13	24	17	72	27	14	6	-	-	-	1	-	-	-	-
Diphtheria	58	2	5	9	7	5	28	16	7	5	-	-	1	-	-	1	-	-
Whooping-cough	98	44	25	14	7	3	93	3	-	-	-	-	-	-	-	-	-	-
Typhus	128	3	2	1	3	4	13	25	15	18	7	10	8	7	6	11	7	1
Cholera, Diarrh., Dysent^{y}	98	27	5	3	2	-	37	2	1	1	3	3	4	7	10	13	17	-
Other Zymotic Dis.	120	31	8	14	7	5	65	14	2	2	4	5	9	3	7	11	6	1
Cancer	95	1	-	-	-	-	1	-	1	2	3	4	21	22	19	16	5	1
Scrofula, Tabes Mesent.	37	7	3	4	1	2	17	4	3	4	1	4	1	1	1	1	-	-
Phthisis	462	9	7	1	1	3	21	4	19	73	80	124	75	40	22	3	-	1
Hydrocephalus	34	14	7	2	4	1	28	5	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	516	272	32	12	7	5	328	10	7	8	3	21	13	12	24	55	32	3
Heart Dis. and Dropsy	203	8	-	1	1	-	10	5	6	3	6	12	13	35	41	47	24	1
Dis. of Lungs	360	78	44	18	12	6	158	5	3	6	6	11	14	18	39	59	33	8
Dis. of Stom. and Liver	171	8	2	3	1	2	16	6	3	8	8	11	14	21	30	36	17	1
Dis. of Kidneys	30	1	-	1	-	-	2	-	-	2	1	3	6	5	6	3	2	-
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	-	1	1	4	4	4	2	1	-
Diseases of the Joints	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-
Diseases of the Skin	16	5	-	-	-	-	5	-	-	-	1	1	1	1	2	4	1	-
Childbirth and Metria	48	-	-	-	-	-	-	-	-	-	8	19	19	2	-	-	-	-
Violent Deaths	93	11	4	11	8	2	36	13	3	2	4	4	10	3	4	5	6	3
Other Causes	912	306	31	13	9	-	359	8	3	4	6	12	11	17	41	115	209	127

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

426.—SLEAFORD.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	12486	-	-	-	-	-	1708	1492	1411	1344	1041	1606	1328	1077	807	469	177	26
TOTAL DEATHS	2322	680	135	64	51	34	964	105	58	55	62	119	106	126	173	232	234	88
Small-pox	13	2	1	-	-	1	4	1	2	-	2	2	2	-	-	-	-	-
Measles	24	9	8	4	2	-	23	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	118	3	16	10	20	13	62	35	12	5	1	2	1	-	-	-	-	-
Diphtheria	32	2	1	4	3	3	13	12	5	2	-	-	-	-	-	-	-	-
Whooping-cough	32	20	7	2	1	-	30	2	-	-	-	-	-	-	-	-	-	-
Typhus	93	6	1	4	6	5	22	9	7	4	6	11	8	7	6	7	4	2
Cholera, Diarrh., Dysent^{y}	119	59	7	3	1	-	70	1	1	-	2	2	6	4	6	12	9	6
Other Zymotic Dis.	74	21	5	6	3	1	36	4	2	2	1	5	5	4	3	6	4	2
Cancer	24	-	-	-	-	-	-	-	-	-	-	2	-	3	6	9	3	1
Scrofula, Tabes Mesent.	43	19	6	1	-	-	26	2	1	3	2	3	2	1	3	-	-	-
Phthisis	171	10	5	-	-	-	15	6	7	17	23	47	23	19	11	3	-	-
Hydrocephalus	22	9	2	3	2	1	17	4	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	358	178	16	4	-	4	202	8	3	2	6	9	11	13	28	35	32	9
Heart Dis. and Dropsy	113	3	1	1	-	-	5	1	2	1	2	6	6	13	24	33	19	1
Dis. of Lungs	313	63	35	11	6	2	117	2	3	5	3	7	16	25	31	44	46	14
Dis. of Stom. and Liver	125	12	2	2	1	-	17	3	2	4	4	8	6	19	30	22	8	2
Dis. of Kidneys	38	1	-	-	-	-	1	1	-	-	-	3	4	1	4	11	10	3
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	9	1	-	-	-	-	1	-	1	1	1	1	1	-	-	2	1	-
Diseases of the Skin	12	3	-	-	-	-	3	-	2	-	-	2	-	-	-	2	2	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	100	5	7	5	4	3	24	10	6	7	7	5	12	8	9	7	4	1
Other Causes	488	254	15	4	2	1	276	3	2	1	2	4	3	8	12	39	32	46

427.—GRANTHAM.

Mean Popul^{n}, 1851-61	14789	-	-	-	-	-	1943	1792	1555	1470	1210	2211	1680	1259	919	532	195	23
TOTAL DEATHS	2786	768	151	80	69	52	1120	127	76	67	87	153	157	156	200	297	282	64
Small-pox	14	4	1	-	1	-	6	2	-	-	1	1	1	3	-	-	-	-
Measles	26	9	10	3	1	2	25	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	156	15	14	21	27	13	90	43	11	5	1	-	-	1	-	-	-	-
Diphtheria	32	3	5	1	3	5	17	10	3	-	-	1	1	-	-	-	-	-
Whooping-cough	40	22	9	6	1	1	39	1	-	-	-	-	-	-	-	-	-	-
Typhus	141	12	4	5	6	1	28	19	14	6	14	22	15	6	8	5	3	1
Cholera, Diarrh., Dysent^{y}	87	54	3	1	-	2	60	2	-	-	-	-	1	2	9	10	2	1
Other Zymotic Dis.	88	21	7	2	2	5	37	2	4	2	2	6	9	3	8	8	7	-
Cancer	34	-	-	-	-	-	-	-	-	-	-	4	4	5	6	13	2	-
Scrofula, Tabes Mesent.	67	24	6	4	3	3	40	5	4	2	3	6	3	-	2	2	-	-
Phthisis	257	11	3	3	4	1	22	5	9	25	42	63	32	31	19	9	-	-
Hydrocephalus	38	12	13	4	2	1	32	5	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	394	208	18	4	6	5	241	3	6	4	3	3	14	13	25	45	31	6
Heart Dis. and Dropsy	167	1	-	1	1	1	4	2	5	3	2	3	14	10	26	52	38	2
Dis. of Lungs	333	104	35	13	7	5	164	5	5	2	3	9	23	21	27	42	29	3
Dis. of Stom. and Liver	159	15	1	2	-	4	22	1	2	2	3	18	12	26	30	30	11	2
Dis. of Kidneys	38	-	-	-	-	-	-	-	1	1	1	1	2	4	4	17	4	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	1	-	-	1	2	-	1	-	1	-	-
Diseases of the Skin	8	1	-	1	-	-	2	-	1	-	-	-	1	1	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	133	3	5	7	2	3	20	11	8	12	9	12	17	14	16	8	6	-
Other Causes	568	249	17	2	3	-	271	4	2	3	2	2	8	9	19	54	148	46

428.—LINCOLN.

Mean Popul^{n}, 1851-61	22158	-	-	-	-	-	2974	2756	2424	2251	1943	3113	2457	1919	1315	726	248	32
TOTAL DEATHS	4683	1271	249	160	120	89	1889	208	128	126	146	309	312	333	346	424	358	104
Small-pox	5	-	2	-	1	-	3	1	1	-	-	-	-	-	-	-	-	-
Measles	62	13	25	12	3	4	57	3	2	-	-	-	-	-	-	-	-	-
Scarlatina	229	13	19	43	46	24	145	60	16	4	2	1	1	-	-	-	-	-
Diphtheria	55	4	5	7	5	3	24	17	5	4	2	-	2	-	-	1	-	-
Whooping-cough	59	26	18	5	5	5	59	-	-	-	-	-	-	-	-	-	-	-
Typhus	238	5	6	11	11	9	42	31	24	14	15	36	26	22	14	11	3	-
Cholera, Diarrh., Dysent^{y}	165	93	17	8	-	-	118	1	2	3	-	1	5	4	9	10	12	-
Other Zymotic Dis.	175	52	13	9	7	9	90	8	5	6	5	13	10	17	10	6	4	1
Cancer	47	-	-	-	-	1	1	-	-	-	1	5	5	7	10	16	2	-
Scrofula, Tabes Mesent.	62	27	9	3	4	1	44	2	5	5	1	2	-	1	-	1	1	-
Phthisis	425	8	5	6	3	1	23	10	14	36	60	106	91	50	24	10	1	-
Hydrocephalus	64	22	9	6	8	6	51	9	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	901	487	24	6	5	-	522	12	11	9	7	38	57	64	66	67	42	6
Heart Dis. and Dropsy	207	6	1	1	-	1	9	5	1	11	3	15	14	33	43	47	25	1
Dis. of Lungs	467	123	42	16	9	3	193	13	4	2	7	30	32	23	55	70	37	1
Dis. of Stom. and Liver	208	23	3	2	2	1	31	7	9	3	7	15	22	37	33	32	11	1
Dis. of Kidneys	79	2	-	-	1	-	3	1	4	3	1	6	8	11	11	19	11	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	24	-	-	-	-	1	1	2	6	1	2	7	2	-	1	2	-	-
Diseases of the Skin	13	3	-	-	-	-	3	1	-	-	1	2	2	-	2	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	273	16	9	15	8	14	62	20	11	19	30	24	25	33	31	15	2	1
Other Causes	925	348	42	10	2	6	408	5	4	6	2	8	10	31	37	116	206	92

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
426.—SLEAFORD.																		
Mean Popul^{n}, 1851-61	12250	-	-	-	-	-	1627	1549	1287	1224	1040	1673	1356	1038	767	470	191	28
TOTAL DEATHS	2335	552	128	78	54	44	856	115	74	73	91	159	133	127	151	248	224	84
Small-pox	14	1	-	2	1	-	4	1	1	2	3	3	-	-	-	-	-	-
Measles	29	4	8	5	2	2	21	7	-	1	-	-	-	-	-	-	-	-
Scarlatina	107	8	8	17	14	12	59	34	8	3	1	1	1	-	-	-	-	-
Diphtheria	53	1	3	5	3	5	17	19	9	3	2	-	1	-	1	-	1	-
Whooping-cough	59	26	18	7	5	1	57	2	-	-	-	-	-	-	-	-	-	-
Typhus	127	5	-	4	6	3	18	9	27	14	9	18	8	5	10	8	-	1
Cholera, Diarrh., Dysent^{y}	126	55	8	4	1	-	68	2	2	1	1	1	5	2	9	13	19	3
Other Zymotic Dis.	63	16	5	4	6	2	33	4	2	1	2	1	1	7	7	3	2	-
Cancer	60	-	-	-	-	-	-	-	-	-	2	1	9	21	15	7	3	2
Scrofula, Tabes Mesent.	46	17	6	1	2	3	29	3	3	1	1	4	4	1	-	-	-	-
Phthisis	231	4	4	1	2	1	12	3	7	28	45	62	33	27	7	7	-	-
Hydrocephalus	19	5	6	-	1	1	13	6	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	284	138	5	5	2	2	152	6	5	2	5	13	8	8	15	40	23	7
Heart Dis. and Dropsy	125	3	-	-	-	-	3	2	-	1	3	8	11	17	18	45	18	4
Dis. of Lungs	240	39	31	11	6	4	91	5	4	7	-	7	9	8	20	44	35	10
Dis. of Stom. and Liver	115	11	-	1	-	2	14	5	2	-	7	7	9	13	18	27	11	2
Dis. of Kidneys	18	1	-	-	-	-	1	-	-	1	-	7	6	-	2	1	-	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	-	2	2	3	5	3	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-
Diseases of the Skin	7	-	1	-	-	-	1	-	-	1	-	-	-	-	3	1	1	-
Childbirth and Metria	42	-	-	-	-	-	-	-	-	2	8	19	10	3	-	-	-	-
Violent Deaths	44	5	3	5	2	5	20	4	1	1	-	1	3	4	4	3	3	-
Other Causes	506	213	22	6	1	1	243	3	1	3	2	4	11	8	22	46	103	55
427.—GRANTHAM.																		
Mean Popul^{n}, 1851-61	14578	-	-	-	-	-	1948	1740	1519	1343	1312	2159	1603	1225	906	567	226	30
TOTAL DEATHS	2718	627	146	95	76	44	988	136	80	90	103	170	156	136	214	260	236	99
Small-pox	19	6	3	4	2	1	16	1	-	-	1	-	1	-	-	-	-	-
Measles	38	9	7	7	6	2	31	6	-	-	-	1	-	-	-	-	-	-
Scarlatina	166	6	25	28	27	16	102	44	12	2	3	1	-	1	1	-	-	-
Diphtheria	42	4	5	5	3	4	21	14	3	-	-	2	-	1	-	1	-	-
Whooping-cough	42	27	8	4	2	-	41	1	-	-	-	-	-	-	-	-	-	-
Typhus	145	7	3	7	6	7	30	11	23	19	10	20	8	10	5	3	4	2
Cholera, Diarrh., Dysent^{y}	69	34	5	-	1	-	40	3	-	1	-	1	4	2	4	4	8	2
Other Zymotic Dis.	82	19	6	4	4	4	37	3	5	2	1	1	3	3	5	11	10	1
Cancer	65	-	-	-	-	-	-	-	-	-	1	3	12	10	21	11	5	2
Scrofula, Tabes Mesent.	46	13	6	2	2	1	24	6	5	1	4	2	2	1	-	1	-	-
Phthisis	326	16	2	6	2	-	26	10	14	39	56	79	53	24	19	4	2	-
Hydrocephalus	34	10	5	5	3	1	24	6	1	1	1	-	1	-	-	-	-	-
Diseases of Brain	382	174	13	6	6	2	201	5	2	4	5	8	5	16	43	51	33	9
Heart Dis. and Dropsy	184	3	-	1	-	-	4	1	2	7	3	19	13	20	40	51	23	1
Dis. of Lungs	238	70	29	9	7	4	119	6	1	-	-	4	8	14	18	25	34	9
Dis. of Stom. and Liver	150	15	2	1	1	1	20	5	4	9	5	11	14	13	31	26	10	2
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	1	-
Dis. of Gener. Organs	19	-	-	-	-	-	-	-	-	-	1	2	4	7	3	2	-	-
Diseases of the Joints	12	-	1	-	-	-	1	1	-	2	2	2	1	-	2	-	1	-
Diseases of the Skin	10	1	1	-	-	-	2	1	1	-	-	1	-	-	3	2	-	-
Childbirth and Metria	34	-	-	-	-	-	-	-	-	2	7	6	19	-	-	-	-	-
Violent Deaths	41	10	1	2	1	-	14	9	4	-	-	-	2	4	-	3	4	1
Other Causes	567	203	24	4	3	1	235	3	3	1	3	5	5	9	19	63	151	70
428.—LINCOLN.																		
Mean Popul^{n}, 1851-61	22405	-	-	-	-	-	3050	2671	2381	2130	2034	3203	2537	1898	1365	779	312	145
TOTAL DEATHS	4424	1036	259	159	110	81	1645	211	124	167	191	284	275	239	320	429	396	143
Small-pox	3	-	2	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
Measles	64	10	16	17	8	5	56	4	3	-	-	-	-	-	-	1	-	-
Scarlatina	236	17	34	33	28	33	145	39	16	4	2	3	3	2	2	-	-	-
Diphtheria	77	6	4	7	6	7	30	23	11	8	2	1	2	-	-	-	-	-
Whooping-cough	76	34	23	10	7	-	74	2	-	-	-	-	-	-	-	-	-	-
Typhus	234	3	4	17	7	6	37	31	23	30	28	35	14	6	17	9	3	1
Cholera, Diarrh.,Dysent^{y}	158	77	19	2	2	2	102	2	2	-	-	3	5	6	9	16	9	4
Other Zymotic Dis.	153	52	18	12	11	8	101	12	4	4	2	4	5	4	5	5	7	-
Cancer	102	-	-	-	-	-	-	-	-	-	-	7	20	16	25	26	8	-
Scrofula, Tabes Mesent.	67	22	9	6	-	1	38	10	4	4	3	4	3	-	1	-	-	-
Phthisis	521	8	4	3	3	3	21	11	33	75	91	124	82	59	21	4	-	-
Hydrocephalus	58	17	11	5	10	4	47	8	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	648	350	24	15	3	3	395	2	7	10	17	14	27	29	47	61	35	4
Heart Dis. and Dropsy	244	3	-	-	-	-	3	10	6	4	6	12	24	35	51	69	23	1
Dis. of Lungs	363	90	37	19	16	6	168	7	2	5	9	8	17	21	45	43	32	6
Dis. of Stom. and Liver	184	14	-	1	-	1	16	3	4	4	6	27	17	30	32	29	15	1
Dis. of Kidneys	22	-	-	-	1	1	2	-	1	-	1	2	3	4	7	1	1	-
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	-	1	2	5	6	2	1	1	-
Diseases of the Joints	11	-	1	-	1	-	2	1	-	2	-	-	-	2	3	-	-	1
Diseases of the Skin	9	1	-	-	1	-	2	-	-	-	1	1	-	1	1	1	2	-
Childbirth and Metria	59	-	-	-	-	-	-	-	-	6	12	20	21	-	-	-	-	-
Violent Deaths	96	16	8	4	2	1	31	18	2	4	3	5	9	1	4	10	7	2
Other Causes	1021	316	45	8	4	-	373	8	4	6	6	12	18	17	48	153	253	123

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
429.—HORNCASTLE.																		
Mean Popul^{n}, 1851-61	12410	-	-	-	-	-	1668	1570	1375	1258	966	1625	1365	1032	790	493	190	28
TOTAL DEATHS	2414	655	114	82	51	30	932	134	66	72	59	108	130	126	168	261	273	85
Small-pox	5	1	2	-	-	-	3	-	-	-	2	-	-	-	-	-	-	-
Measles	32	5	13	8	1	-	27	3	1	-	-	-	1	-	-	-	-	-
Scarlatina	120	5	17	12	20	10	64	37	8	6	-	2	3	-	-	-	-	-
Diphtheria	92	4	3	12	10	7	36	23	16	7	2	4	3	-	1	-	-	-
Whooping-cough	31	20	5	3	2	-	30	1	-	-	-	-	-	-	-	-	-	-
Typhus	37	1	1	3	3	1	9	18	12	10	6	4	8	5	5	8	1	1
Cholera, Diarrh., Dysent^{y}	54	25	2	2	-	1	30	2	1	1	1	-	1	2	-	5	10	1
Other Zymotic Dis.	76	17	4	4	2	2	29	5	5	4	1	5	6	4	9	6	2	-
Cancer	25	-	-	-	-	-	-	-	-	1	-	2	2	2	6	7	3	2
Scrofula, Tabes Mesent.	38	15	6	1	-	1	23	2	-	4	3	2	-	3	-	1	-	-
Phthisis	176	1	1	1	-	2	5	3	5	13	27	48	37	19	15	4	-	-
Hydrocephalus	24	10	5	4	2	-	21	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	385	237	18	10	-	-	265	3	2	6	2	7	6	16	24	33	21	-
Heart Dis. and Dropsy	131	2	-	-	-	1	3	-	-	2	1	7	11	14	27	43	20	3
Dis. of Lungs	190	33	22	6	2	1	64	5	1	5	3	7	12	18	24	34	14	3
Dis. of Stom. and Liver	95	10	-	-	-	-	10	4	2	3	2	6	12	13	17	20	6	-
Dis. of Kidneys	28	-	-	-	-	-	-	-	1	-	1	-	5	3	3	10	5	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	11	-	-	-	-	-	-	2	2	2	-	3	1	1	-	-	-	-
Diseases of the Skin	8	-	-	2	-	-	2	-	-	-	-	1	1	2	-	1	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	84	3	2	7	5	1	18	14	5	4	3	5	8	10	6	5	6	-
Other Causes	721	266	13	7	4	3	293	9	5	4	5	5	13	13	31	84	135	74
430.—SPILSBY.																		
Mean Popul^{n}, 1851-61	14384	-	-	-	-	-	1978	1855	1727	1460	1108	1826	1496	1214	924	561	203	32
TOTAL DEATHS	2728	780	141	76	48	46	1091	136	83	88	99	140	142	148	182	278	247	94
Small-pox	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	40	13	12	5	2	1	33	7	-	-	-	-	-	-	-	-	-	-
Scarlatina	59	2	2	8	8	6	26	23	7	2	-	-	1	-	-	-	-	-
Diphtheria	56	6	2	4	3	3	18	16	9	8	1	1	1	-	1	1	-	-
Whooping-cough	27	18	4	2	1	2	27	-	-	-	-	-	-	-	-	-	-	-
Typhus	101	4	2	4	3	5	18	8	14	13	10	11	10	9	3	3	2	-
Cholera, Diarrh., Dysent^{y}	50	21	3	3	3	1	31	1	-	2	1	-	1	-	2	6	6	-
Other Zymotic Dis.	140	53	13	6	7	9	88	10	2	3	3	6	5	3	7	9	3	1
Cancer	37	-	-	-	-	-	-	-	-	-	1	-	4	5	13	11	3	-
Scrofula, Tabes Mesent.	38	12	4	1	-	-	17	4	5	2	3	4	2	-	-	1	-	-
Phthisis	304	15	4	3	2	1	25	11	17	29	49	70	39	32	21	11	-	-
Hydrocephalus	41	14	11	8	2	-	35	3	1	-	1	1	-	-	-	-	-	-
Diseases of Brain	455	313	19	3	3	2	340	9	3	5	5	4	11	15	18	27	17	1
Heart Dis. and Dropsy	121	4	1	-	-	-	5	1	4	3	6	7	14	13	29	25	13	1
Dis. of Lungs	170	33	10	10	4	3	60	11	2	4	5	6	12	18	18	23	8	3
Dis. of Stom. and Liver	116	9	1	1	2	3	16	9	3	4	2	3	12	18	23	16	8	2
Dis. of Kidneys	42	-	-	-	-	-	-	-	1	-	-	4	5	7	9	11	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	-	-	-	-	-	2	2	2	-	-	1	-	-	-	1	-
Diseases of the Skin	5	1	-	-	-	-	1	-	-	-	-	1	-	1	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	161	10	7	10	4	7	38	16	11	9	6	18	16	18	12	11	5	1
Other Causes	755	252	45	8	4	3	312	5	2	2	5	4	8	9	25	123	175	85
431.—LOUTH.																		
Mean Popul^{n}, 1851-61	16971	-	-	-	-	-	2351	2102	1859	1694	1393	2333	1843	1456	1065	620	223	32
TOTAL DEATHS	3412	979	197	98	70	62	1406	164	78	121	114	171	178	193	237	331	312	107
Small-pox	5	1	-	-	1	-	2	-	-	1	1	-	1	-	-	-	-	-
Measles	61	15	18	4	6	6	49	8	3	-	-	-	1	-	-	-	-	-
Scarlatina	104	8	18	12	14	11	63	33	4	3	1	-	-	-	-	-	-	-
Diphtheria	54	6	4	4	2	6	22	17	11	2	-	1	-	-	-	-	1	-
Whooping-cough	52	33	8	9	2	-	52	-	-	-	-	-	-	-	-	-	-	-
Typhus	95	3	6	-	1	6	16	14	9	13	9	13	10	6	3	2	-	-
Cholera, Diarrh., Dysent^{y}	108	44	11	4	1	-	60	-	1	2	2	2	3	4	7	15	9	3
Other Zymotic Dis.	135	34	16	11	10	6	77	7	4	2	2	6	6	9	12	7	3	-
Cancer	37	-	-	-	-	-	-	1	-	-	-	1	5	6	10	7	7	-
Scrofula, Tabes Mesent.	21	2	-	1	-	1	4	1	1	2	4	4	-	2	1	2	-	-
Phthisis	383	16	8	6	3	4	37	11	12	53	59	75	66	35	26	8	-	-
Hydrocephalus	38	11	5	4	1	3	24	11	1	-	-	-	1	-	1	-	-	-
Diseases of Brain	608	424	23	9	5	1	462	13	3	9	5	10	14	25	42	50	31	4
Heart Dis and Dropsy	107	6	1	1	1	1	10	7	3	3	3	9	13	23	26	50	19	1
Dis. of Lungs	247	38	26	13	9	5	91	12	6	6	6	13	15	15	34	35	13	1
Dis. of Stom. and Liver	127	7	2	1	1	2	13	6	4	5	6	8	9	22	23	20	11	-
Dis. of Kidneys	52	-	-	-	-	-	-	2	-	1	2	3	6	5	5	20	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	10	1	-	-	-	-	1	2	1	-	2	3	1	-	-	-	-	-
Diseases of the Skin	5	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	150	1	10	11	6	6	34	8	10	9	8	17	13	28	13	5	5	-
Other Causes	893	329	41	8	7	4	389	11	5	9	4	6	12	12	33	109	206	97

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
429.—HORNCASTLE.																		
Mean Popul", 1851-61	12493	-	-	-	-	-	1718	1531	1437	1185	1033	1694	1309	1050	780	483	226	47
TOTAL DEATHS	2302	516	126	58	65	42	807	120	78	84	108	139	113	137	140	239	249	88
Small-pox	3	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
Measles	33	5	16	3	1	3	28	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	100	4	14	7	17	15	57	21	13	5	2	1	-	1	-	-	-	-
Diphtheria	82	-	6	5	15	10	36	23	12	2	4	2	2	1	-	-	-	-
Whooping-cough	30	15	9	5	-	-	29	1	-	-	-	-	-	-	-	-	-	-
Typhus	92	2	3	4	5	-	14	11	6	13	12	11	7	8	5	3	2	-
Cholera, Diarrh., Dysent[y]	42	21	2	1	1	-	25	-	1	-	-	1	2	3	3	4	3	-
Other Zymotic Dis.	54	15	3	6	4	1	29	5	1	3	4	1	1	3	3	3	1	-
Cancer	48	-	-	-	-	-	-	-	-	-	-	4	3	19	11	9	2	-
Scrofula, Tabes Mesent.	31	10	8	-	-	1	19	2	2	3	3	-	-	1	1	-	-	-
Phthisis	246	-	-	-	-	1	1	9	17	36	51	62	31	27	9	2	1	-
Hydrocephalus	19	7	2	4	2	3	18	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	311	174	8	7	7	4	200	9	9	4	4	9	9	10	13	27	17	-
Heart Dis. and Dropsy	159	1	-	-	-	-	1	-	2	2	3	13	13	21	31	48	22	3
Dis. of Lungs	139	25	14	7	6	-	52	7	2	3	6	2	6	5	10	22	21	3
Dis. of Stom. and Liver	112	4	5	-	-	-	9	3	-	4	6	7	11	23	21	18	8	2
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	1	-	-	-	3	2	-	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	1	1	2	-	1	1	-	1	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	-	5	12	12	-	-	-	-	-
Violent Deaths	47	1	4	5	3	2	15	14	2	-	1	2	3	2	3	1	4	-
Other Causes	704	232	31	4	4	2	273	9	7	7	7	9	8	10	29	98	168	79
430.—SPILSBY.																		
Mean Popul", 1851-61	14485	-	-	-	-	-	1981	1833	1654	1441	1172	1920	1543	1200	918	558	223	42
TOTAL DEATHS	2754	644	114	73	51	31	913	136	101	130	152	208	153	142	186	232	286	115
Small-pox	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Measles	29	5	13	5	2	1	26	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	77	2	3	8	6	9	28	31	7	3	4	2	-	2	-	-	-	-
Diphtheria	59	3	1	6	5	4	19	18	10	6	3	1	2	-	-	-	-	-
Whooping-cough	58	26	20	7	2	-	55	2	-	1	-	-	-	-	-	-	-	-
Typhus	108	2	2	1	-	4	9	14	20	15	14	15	4	8	4	5	-	-
Cholera, Diarrh., Dysent[y]	52	15	3	2	2	-	22	1	1	1	1	1	4	-	5	6	9	1
Other Zymotic Dis.	111	50	7	9	5	2	73	14	3	2	2	-	3	2	4	5	3	-
Cancer	64	-	-	1	-	-	1	1	-	-	2	5	6	15	18	11	4	1
Scrofula, Tabes Mesent.	34	7	3	2	-	1	13	6	3	2	1	4	3	-	2	-	-	-
Phthisis	472	11	4	6	-	-	21	10	35	72	89	115	68	47	12	2	1	-
Hydrocephalus	22	3	3	2	3	-	11	5	5	1	-	-	-	-	-	-	-	-
Diseases of Brain	422	264	15	7	7	1	294	8	4	9	6	9	11	5	31	29	14	2
Heart Dis. and Dropsy	133	4	-	-	1	1	6	2	4	-	4	12	11	13	34	33	14	-
Dis. of Lungs	148	23	13	5	8	-	52	6	3	8	6	6	5	9	19	20	13	1
Dis. of Stom. and Liver	89	9	-	2	2	1	14	5	1	3	1	5	17	18	12	9	4	-
Dis. of Kidneys	18	-	-	-	-	-	-	-	1	1	1	2	1	4	5	2	1	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	1	1	-	3	2	1	-	-
Diseases of the Joints	5	1	-	-	-	-	1	-	-	1	-	2	1	-	-	-	-	-
Diseases of the Skin	5	-	1	-	1	-	2	-	-	-	-	-	-	-	3	-	-	-
Childbirth and Metria	34	-	-	-	-	-	-	-	-	-	1	8	17	8	-	-	-	-
Violent Deaths	63	10	2	5	6	5	28	8	1	2	4	3	1	8	3	1	3	1
Other Causes	741	206	24	5	1	2	238	2	3	2	5	7	8	8	32	107	220	109
431.—LOUTH.																		
Mean Popul", 1851-61	17097	-	-	-	-	-	2301	2105	1878	1661	1481	2407	1830	1416	1028	662	284	44
TOTAL DEATHS	3398	767	175	80	70	55	1147	193	119	145	161	260	224	166	216	283	319	135
Small-pox	4	2	-	1	-	-	3	-	-	-	-	1	-	-	-	-	-	-
Measles	54	9	18	9	5	2	43	8	1	-	1	-	1	-	-	-	-	-
Scarlatina	117	2	14	18	14	10	58	33	14	7	1	3	1	-	-	-	-	-
Diphtheria	63	4	4	2	6	9	25	26	6	1	1	1	-	1	-	2	-	-
Whooping-cough	59	26	24	3	2	3	58	1	-	-	-	-	-	-	-	-	-	-
Typhus	120	3	2	2	3	2	12	24	18	16	8	15	13	4	5	2	3	-
Cholera, Diarrh., Dysent[y]	73	27	4	3	-	1	35	2	1	2	1	6	3	2	6	7	6	2
Other Zymotic Dis.	138	39	11	7	8	6	71	18	9	5	4	9	4	5	5	5	2	1
Cancer	56	-	-	-	-	-	-	-	-	1	1	4	5	11	18	12	4	-
Scrofula, Tabes Mesent.	21	4	2	1	-	1	8	1	-	1	2	5	2	-	1	-	1	-
Phthisis	527	13	3	2	3	2	23	24	41	70	89	133	77	38	25	7	-	-
Hydrocephalus	36	5	8	1	4	5	23	9	3	1	-	-	-	-	-	-	-	-
Diseases of Brain	537	319	18	15	6	2	360	10	8	6	12	7	17	11	30	47	23	6
Heart Dis. and Dropsy	191	2	1	-	-	2	5	4	4	5	6	19	13	23	45	40	23	1
Dis. of Lungs	168	23	12	7	6	2	50	7	5	6	7	7	14	17	23	17	9	3
Dis. of Stom. and Liver	111	4	2	1	1	1	9	6	1	7	5	10	16	18	22	15	1	1
Dis. of Kidneys	17	-	-	-	-	-	-	-	-	-	1	2	4	4	3	2	1	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	1	-
Diseases of the Joints	8	-	-	-	-	1	1	-	-	1	1	3	2	-	-	-	-	-
Diseases of the Skin	6	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-
Childbirth and Metria	63	-	-	-	-	-	-	-	-	2	9	20	31	1	-	-	-	-
Violent Deaths	57	3	6	2	5	4	20	12	3	3	3	2	2	3	3	3	3	-
Other Causes	963	282	46	6	7	2	343	8	5	11	8	11	17	21	25	121	272	121

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
432.—CAISTOR.																		
Mean Popuⁿ, 1851-61	18353	-	-	-	-	-	2503	2150	1936	1829	1661	2309	2101	1517	1016	578	219	84
TOTAL DEATHS	3565	1051	210	119	101	68	1549	208	89	117	146	221	179	174	221	276	283	102
Small-pox	17	2	1	1	1	-	5	2	1	-	1	5	2	-	1	-	-	-
Measles	61	11	23	8	4	5	56	3	-	2	-	-	-	-	-	-	-	-
Scarlatina	162	6	22	14	37	18	97	47	8	3	1	4	-	1	1	-	-	-
Diphtheria	77	4	3	7	11	10	35	23	7	6	2	2	1	-	1	-	-	-
Whooping-cough	46	29	12	1	3	-	45	1	-	-	-	-	-	-	-	-	-	-
Typhus	175	3	2	5	2	1	13	22	14	23	21	31	16	16	9	7	3	-
Cholera, Diarrh., Dysentʸ	219	109	21	9	5	2	146	5	2	2	2	10	8	5	14	13	6	6
Other Zymotic Dis.	150	41	13	12	9	4	79	8	4	5	4	6	6	10	12	10	5	1
Cancer	26	-	-	-	1	-	1	-	-	-	-	1	1	5	6	9	2	1
Scrofula, Tabes Mesent.	52	11	4	3	3	1	22	9	6	3	7	3	-	-	-	1	1	-
Phthisis	291	18	3	3	1	4	29	12	15	31	62	71	39	19	11	2	-	-
Hydrocephalus	56	14	12	8	1	5	40	14	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	581	358	19	13	5	3	398	12	7	7	2	16	15	22	33	31	30	3
Heart Dis. and Dropsy	192	6	2	-	2	2	12	4	3	3	7	9	20	21	40	49	20	4
Dis. of Lungs	338	95	20	12	3	5	135	12	3	2	6	15	18	24	33	48	39	3
Dis. of Stom. and Liver	175	30	5	3	4	1	43	8	3	4	4	9	16	23	25	27	12	1
Dis. of Kidneys	53	1	-	-	-	-	1	-	2	-	1	7	6	4	10	13	8	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	11	1	-	-	-	-	1	2	-	-	2	1	2	-	2	1	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	218	21	6	10	6	4	47	22	13	22	21	25	23	20	13	8	3	1
Other Causes	661	290	37	10	3	3	343	2	-	4	2	5	6	3	10	57	153	76
433.—GLANFORD BRIGG.																		
Mean Popuⁿ, 1851-61	17125	-	-	-	-	-	2376	2133	1906	1709	1388	2266	1847	1493	1078	630	263	33
TOTAL DEATHS	3187	886	143	96	69	57	1251	148	90	103	119	161	153	188	221	303	348	102
Small-pox	6	1	-	-	-	1	2	2	-	-	-	-	-	2	-	-	-	-
Measles	37	6	10	8	5	3	32	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	123	14	17	15	23	14	83	27	9	2	2	-	-	-	-	-	-	-
Diphtheria	31	3	1	3	4	3	14	8	7	1	1	-	-	-	-	-	-	-
Whooping-cough	48	29	6	7	1	-	43	5	-	-	-	-	-	-	-	-	-	-
Typhus	125	7	3	1	3	2	16	12	15	11	13	19	7	8	10	11	3	-
Cholera, Diarrh., Dysentʸ	146	81	11	6	2	1	101	1	-	2	4	3	4	2	5	6	16	2
Other Zymotic Dis.	114	27	8	5	2	4	46	7	3	5	2	8	7	8	9	6	11	2
Cancer	33	1	-	-	-	-	1	-	1	-	-	-	4	4	5	16	7	-
Scrofula, Tabes Mesent.	34	4	3	3	1	1	12	3	2	3	2	1	3	3	2	1	2	-
Phthisis	336	5	4	-	1	3	13	17	15	41	63	78	41	41	20	6	1	-
Hydrocephalus	62	21	6	7	4	6	44	13	5	-	-	-	-	-	-	-	-	-
Diseases of Brain	563	292	17	9	4	4	326	9	4	6	4	4	14	28	44	57	55	12
Heart Dis. and Dropsy	170	1	4	-	-	1	6	3	6	1	1	3	10	21	19	49	41	5
Dis. of Lungs	355	94	26	15	9	5	149	7	3	2	5	9	21	20	39	45	40	15
Dis. of Stom. and Liver	153	17	2	2	1	1	23	4	2	6	2	8	17	18	28	29	15	1
Dis. of Kidneys	62	-	-	-	-	1	1	-	-	-	4	3	2	8	16	14	13	1
Dis. of Gener. Organs	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Diseases of the Joints	10	-	-	-	-	2	2	2	1	-	2	-	1	1	1	-	-	-
Diseases of the Skin	7	1	-	-	-	-	1	-	1	-	-	-	-	-	2	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	172	9	4	12	5	5	35	20	12	16	13	17	13	18	7	13	8	-
Other Causes	593	272	21	3	4	-	300	3	3	7	1	3	9	16	14	48	135	64
434.—GAINSBOROUGH.																		
Mean Popuⁿ, 1851-61	13260	-	-	-	-	-	1713	1602	1454	1337	1041	1727	1471	1221	909	541	211	33
TOTAL DEATHS	2632	740	147	88	64	50	1089	119	71	75	85	100	123	144	198	267	284	77
Small-pox	16	2	1	1	-	-	4	3	2	2	3	-	-	2	-	-	-	-
Measles	26	8	10	1	4	-	23	2	-	-	-	-	1	-	-	-	-	-
Scarlatina	99	6	8	20	18	11	63	24	11	1	-	-	-	-	-	-	-	-
Diphtheria	79	10	6	7	11	11	45	17	8	5	3	-	-	1	-	-	-	-
Whooping-cough	32	14	12	2	1	2	31	1	-	-	-	-	-	-	-	-	-	-
Typhus	91	2	5	3	5	3	18	14	7	8	8	10	5	6	5	8	1	1
Cholera, Diarrh., Dysentʸ	106	52	9	2	2	-	65	1	1	-	2	1	4	3	6	9	11	3
Other Zymotic Dis.	87	23	6	8	2	5	44	5	-	1	2	4	7	4	6	8	6	-
Cancer	35	-	-	-	-	-	-	-	1	-	1	1	3	5	14	7	2	1
Scrofula, Tabes Mesent.	34	15	7	1	2	-	25	3	1	-	-	-	2	2	1	-	-	-
Phthisis	196	5	2	1	-	-	8	5	9	26	37	33	37	27	11	3	-	-
Hydrocephalus	27	10	8	1	4	-	23	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	422	217	19	9	4	5	254	6	2	5	6	6	15	22	24	44	36	2
Heart Dis. and Dropsy	127	5	-	1	-	-	6	3	1	3	2	5	12	16	20	32	22	5
Dis. of Lungs	303	86	26	12	2	6	132	8	5	2	5	9	7	17	35	41	32	10
Dis. of Stom. and Liver	146	19	3	3	2	-	27	-	4	5	4	7	10	16	30	26	15	2
Dis. of Kidneys	59	1	-	-	-	-	1	-	1	-	1	3	1	3	15	16	16	2
Dis. of Gener. Organs	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	-	-	-	1	1	-	-	-	-	2	2	-	3	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	163	13	7	10	4	6	40	19	16	13	9	13	12	16	12	12	4	2
Other Causes	566	249	18	6	3	-	276	4	2	4	2	6	5	4	16	60	18	49

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

432.—CAISTOR.

CAUSES OF DEATH.	All Ages.	Ages of Females: Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^n, 1851-61	17551	-	-	-	-	-	2396	2080	1892	1642	1596	2640	1929	1468	958	569	231	50
TOTAL DEATHS	3181	741	194	104	75	67	1181	164	106	142	141	260	183	171	200	245	263	125
Small-pox	13	6	2	-	1	1	10	1	-	-	-	1	1	-	-	-	-	-
Measles	47	13	18	5	5	-	41	4	2	-	-	-	-	-	-	-	-	-
Scarlatina	145	3	22	23	21	22	91	37	9	2	1	3	2	-	-	-	-	-
Diphtheria	75	1	5	7	7	5	25	25	9	7	4	2	3	-	-	-	-	-
Whooping-cough	56	30	13	6	1	3	53	3	-	-	-	-	-	-	-	-	-	-
Typhus	173	5	6	1	8	8	28	21	23	29	11	17	11	17	6	9	1	-
Cholera, Diarrh., Dysent^y	172	74	21	3	2	3	103	6	1	4	6	10	6	7	5	11	12	1
Other Zymotic Dis.	123	39	8	12	9	7	75	8	4	1	1	3	2	5	6	9	8	1
Cancer	61	-	-	-	-	-	-	-	-	-	-	1	9	13	18	9	10	1
Scrofula, Tabes Mesent.	31	4	3	1	3	1	12	1	3	1	2	4	1	5	1	1	-	-
Phthisis	387	4	3	4	-	1	12	5	28	62	72	105	56	30	14	3	-	-
Hydrocephalus	48	10	12	9	3	3	37	10	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	479	254	27	10	6	3	300	9	9	9	6	15	14	15	33	37	23	9
Heart Dis. and Dropsy	167	6	1	2	-	1	10	-	5	1	5	15	16	21	36	28	26	4
Dis. of Lungs	258	45	22	12	5	3	88	13	3	7	3	11	11	18	24	40	30	10
Dis. of Stom. and Liver	202	14	1	3	1	-	19	7	6	10	12	33	18	21	32	34	8	2
Dis. of Kidneys	17	1	-	-	-	-	1	1	1	-	1	-	1	-	6	1	3	2
Dis. of Gener. Organs	27	1	-	-	-	-	1	-	-	1	2	2	6	7	3	4	1	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	1	-	2	-	-
Childbirth and Metria	61	-	-	-	-	-	-	-	-	4	12	23	16	3	-	-	-	-
Violent Deaths	64	9	6	3	3	6	27	11	-	3	-	3	4	6	3	4	3	-
Other Causes	568	219	24	3	-	-	246	2	2	1	3	8	5	2	13	53	138	95

433.—GLANFORD BRIGG.

Mean Popul^n, 1851-61	17134	-	-	-	-	-	2369	2136	1827	1634	1445	2384	1822	1472	1057	665	274	49
TOTAL DEATHS	3222	681	159	88	87	58	1073	157	90	126	151	241	176	181	209	315	353	150
Small-pox	4	2	1	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-
Measles	44	7	8	10	6	7	38	3	-	1	1	1	-	-	-	-	-	-
Scarlatina	156	7	19	18	27	15	86	54	12	2	1	1	-	-	-	-	-	-
Diphtheria	38	6	2	3	3	2	16	11	5	2	2	-	1	-	-	-	1	-
Whooping-cough	76	36	22	9	5	2	74	2	-	-	-	-	-	-	-	-	-	-
Typhus	117	3	5	6	2	2	18	11	15	22	13	13	8	5	2	10	-	-
Cholera, Diarrh., Dysent^y	119	44	7	1	2	1	55	8	1	1	2	7	3	1	6	7	-	-
Other Zymotic Dis.	115	31	-	4	6	4	45	8	6	4	3	7	4	2	15	9	-	-
Cancer	68	-	-	-	-	-	-	1	-	-	-	2	6	13	18	19	-	-
Scrofula, Tabes Mesent.	21	2	2	-	3	1	8	1	3	1	2	3	1	1	1	-	-	-
Phthisis	474	4	6	3	1	-	14	9	29	74	88	121	72	46	17	4	-	-
Hydrocephalus	61	6	8	4	10	8	36	15	6	1	1	1	1	-	-	-	-	-
Diseases of Brain	484	231	10	4	9	6	260	8	3	5	9	15	16	27	35	55	-	-
Heart Dis. and Dropsy	187	2	2	1	-	-	5	1	1	2	1	14	17	22	37	39	-	-
Dis. of Lungs	328	77	24	12	5	2	120	10	1	2	6	9	11	11	30	64	-	-
Dis. of Stom. and Liver	153	6	-	2	-	-	8	5	2	3	10	6	9	26	26	37	-	-
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	-	2	3	3	1	5	1	-	-
Dis. of Gener. Organs	22	-	-	-	-	-	-	-	-	-	-	5	1	10	2	2	-	-
Diseases of the Joints	6	-	1	-	1	-	2	-	-	1	-	-	2	1	-	-	-	-
Diseases of the Skin	8	3	-	-	-	-	3	-	-	-	-	-	1	-	1	1	-	-
Childbirth and Metria	50	-	-	-	-	-	-	-	-	2	5	28	13	2	-	-	-	-
Violent Deaths	64	6	4	2	4	7	23	6	4	1	1	1	2	6	1	6	6	7
Other Causes	611	208	38	9	3	1	259	4	2	2	4	4	5	6	13	61	150	101

434.—GAINSBOROUGH.

Mean Popul^n, 1851-61	12356	-	-	-	-	-	1687	1590	1406	1282	1174	1774	1480	1189	896	587	252	39
TOTAL DEATHS	2676	574	139	73	61	42	889	147	80	85	111	195	138	157	194	266	304	110
Small-pox	12	4	-	-	2	1	7	1	1	-	1	1	-	1	-	-	-	-
Measles	39	10	10	7	2	4	33	4	-	1	-	1	-	-	-	-	-	-
Scarlatina	113	9	15	17	15	7	63	30	13	2	2	1	1	-	1	-	-	-
Diphtheria	91	6	6	8	10	5	35	28	18	2	3	1	-	4	-	-	-	-
Whooping-cough	50	23	14	4	5	3	49	1	-	-	-	-	-	-	-	-	-	-
Typhus	96	2	4	3	2	5	16	14	9	5	7	17	10	6	5	5	2	-
Cholera, Diarrh., Dysent^y	127	45	10	4	-	-	59	1	-	1	2	3	9	7	9	12	19	5
Other Zymotic Dis.	102	36	7	2	3	3	51	7	6	3	3	1	4	5	7	8	6	1
Cancer	60	-	-	-	-	-	-	-	-	-	-	4	8	14	16	13	5	-
Scrofula, Tabes Mesent.	31	3	5	2	1	1	12	6	1	2	2	4	1	1	2	-	-	-
Phthisis	290	4	2	2	-	1	9	7	17	33	55	82	43	23	8	5	3	-
Hydrocephalus	15	2	5	2	-	2	11	3	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	345	143	17	5	6	1	172	9	3	8	6	10	10	23	23	36	34	11
Heart Dis. and Dropsy	142	2	1	-	-	-	3	4	2	-	5	7	11	12	30	40	28	-
Dis. of Lungs	274	69	25	9	9	3	115	12	-	4	6	10	5	13	26	39	38	6
Dis. of Stom. and Liver	152	9	2	-	-	-	11	7	2	4	8	14	11	20	34	21	19	1
Dis. of Kidneys	25	-	-	-	1	-	1	1	-	2	1	5	3	4	5	2	1	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	1	2	4	2	1	-	1
Diseases of the Joints	12	-	-	-	-	-	-	-	1	3	-	2	1	4	-	1	-	-
Diseases of the Skin	6	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	2	1
Childbirth and Metria	41	-	-	-	-	-	-	-	-	1	6	21	13	-	-	-	-	-
Violent Deaths	61	8	1	3	3	3	18	6	4	2	1	2	4	5	3	7	5	4
Other Causes	581	199	15	5	2	2	223	6	3	6	3	8	2	11	23	74	142	80

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards *
435.—EAST RETFORD.																		
Mean Popul^n, 1851-61	11206	-	-	-	-	-	1472	1343	1209	1058	879	1463	1243	1012	797	501	197	32
TOTAL DEATHS	2135	541	122	49	41	42	795	106	59	58	61	115	104	126	165	233	234	79
Small-pox	6	1	-	1	-	1	3	-	-	-	1	-	1	1	-	-	-	-
Measles	21	8	3	4	2	-	17	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	93	2	15	9	10	16	52	35	4	-	-	2	-	-	-	-	-	-
Diphtheria	37	3	4	5	3	5	20	13	3	-	-	-	-	-	-	1	-	-
Whooping-cough	33	15	11	2	2	1	31	2	-	-	-	-	-	-	-	-	-	-
Typhus	102	3	5	3	2	3	16	10	11	9	7	9	8	13	11	6	2	-
Cholera, Diarrh., Dysent^y	71	31	5	1	1	2	40	1	1	3	-	2	2	1	3	5	10	3
Other Zymotic Dis.	116	26	7	7	4	4	48	6	4	3	3	4	6	5	3	15	14	5
Cancer	23	-	-	-	-	-	-	1	-	-	-	2	-	1	4	9	5	1
Scrofula, Tabes Mesent.	28	5	2	1	3	-	11	3	2	3	1	3	1	1	1	2	-	-
Phthisis	192	1	-	-	-	-	1	4	8	18	34	51	31	27	13	5	-	-
Hydrocephalus	14	4	5	1	2	1	13	-	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	386	221	15	3	4	2	245	5	1	6	4	7	11	15	24	38	28	2
Heart Dis. and Dropsy	84	4	1	-	-	-	5	2	5	1	1	2	2	9	13	26	13	5
Dis. of Lungs	277	62	27	7	5	2	103	8	3	3	2	6	12	17	37	39	39	8
Dis. of Stom. and Liver	113	8	1	1	-	-	10	1	2	1	1	8	11	21	26	21	9	2
Dis. of Kidneys	33	-	-	-	-	-	-	-	-	1	-	1	3	3	6	14	5	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	8	-	-	-	-	1	1	1	2	3	1	-	-	-	-	-	-	-
Diseases of the Skin	6	1	-	-	-	-	1	-	1	-	-	-	-	-	-	4	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	106	7	3	2	2	3	17	9	8	6	5	14	10	10	17	8	2	-
Other Causes	385	139	18	2	1	1	161	2	3	-	1	4	6	2	6	40	107	53
436.—WORKSOP.																		
Mean Popul^n, 1851-61	9991	-	-	-	-	-	1287	1138	1074	986	849	1374	1131	901	652	378	148	13
TOTAL DEATHS	1985	502	121	47	44	38	752	89	53	54	58	136	100	114	168	209	204	48
Small-pox	10	4	1	-	1	-	6	1	1	-	2	-	-	-	-	-	-	-
Measles	26	2	10	5	3	3	23	2	-	-	-	-	1	-	-	-	-	-
arlatina	80	5	12	8	8	12	45	23	7	2	2	1	-	-	-	-	-	-
itheria	26	4	4	2	3	1	14	8	1	2	1	-	-	-	-	-	-	-
ping-cough	29	20	5	3	1	-	29	-	-	-	-	-	-	-	-	-	-	-
s	76	2	3	3	4	4	16	9	7	8	8	6	8	7	3	4	-	-
, Diarrh., Dysent^y	46	11	2	-	-	-	13	1	-	-	1	3	-	3	7	12	6	-
ymotic Dis.	105	21	9	8	5	6	49	5	2	1	2	8	4	11	10	6	7	-
	18	-	-	-	-	1	1	-	-	-	-	2	1	-	6	7	1	-
Tabes Mesent.	15	5	-	1	1	-	7	1	1	-	1	3	1	1	-	-	-	-
	180	5	2	1	-	-	8	5	5	13	25	52	31	24	14	3	-	-
ephalus	31	9	9	2	2	2	24	6	1	-	-	-	-	-	-	-	-	-
s of Brain	360	213	15	2	4	3	237	7	6	6	2	13	8	12	20	22	21	6
Dis. and Dropsy	126	1	1	1	-	-	3	3	1	3	1	7	13	15	27	36	15	2
Lungs	200	53	23	4	5	4	89	3	2	2	2	3	7	13	30	32	16	1
Stom. and Liver	107	16	3	-	3	1	23	2	4	2	2	11	6	13	22	19	3	-
Kidneys	27	-	-	-	-	1	1	1	-	-	-	2	-	2	5	9	6	1
of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ases of the Joints	8	-	1	1	-	-	2	1	3	-	-	1	1	-	-	-	-	-
eases of the Skin	3	1	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	-
ildbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olent Deaths	94	2	4	1	4	-	11	6	10	11	7	16	16	6	5	4	1	1
her Causes	417	128	17	4	-	-	149	5	2	4	2	7	3	7	19	54	128	37
437.—MANSFIELD.																		
Mean Popul^n, 1851-61	15128	-	-	-	-	-	2003	1808	1630	1496	1320	2034	1709	1332	942	569	213	22
TOTAL DEATHS	3211	983	222	114	54	54	1427	130	72	94	102	128	121	163	242	338	309	85
Small-pox	8	2	1	-	-	-	3	2	-	-	1	2	-	-	-	-	-	-
Measles	67	10	23	18	1	5	57	9	1	-	-	-	-	-	-	-	-	-
Scarlatina	105	9	11	25	10	11	66	30	8	-	-	-	1	-	-	-	-	-
Diphtheria	15	2	2	3	2	-	9	2	3	-	-	-	-	-	1	-	-	-
Whooping-cough	45	21	12	6	2	3	44	1	-	-	-	-	-	-	-	-	-	-
Typhus	129	8	10	9	5	3	35	26	12	12	8	11	10	11	2	2	-	-
Cholera, Diarrh., Dysent^y	52	21	5	2	-	-	28	1	-	1	-	2	1	1	7	7	3	1
Other Zymotic Dis.	102	35	11	10	6	2	64	6	3	4	-	2	4	4	5	9	1	-
Cancer	17	-	-	-	-	-	-	1	1	-	-	1	2	3	4	5	-	-
Scrofula, Tabes Mesent.	47	19	7	1	2	1	30	1	2	2	4	5	1	-	2	-	-	-
Phthisis	318	13	8	4	1	1	27	6	9	49	57	63	39	28	28	11	1	-
Hydrocephalus	52	22	8	6	3	2	41	6	3	-	1	-	-	-	-	-	1	-
Diseases of Brain	540	340	28	6	6	4	384	4	4	4	4	4	9	15	33	52	25	5
Heart Dis. and Dropsy	170	2	1	-	1	3	7	6	1	3	3	5	15	27	39	47	17	2
Dis. of Lungs	334	82	40	9	8	10	149	10	2	4	5	13	10	21	41	53	24	2
Dis. of Stom. and Liver	155	18	5	3	1	-	27	4	1	2	6	5	13	27	32	27	11	-
Dis. of Kidneys	32	1	-	1	-	-	2	-	1	2	1	2	1	1	6	8	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	12	-	-	-	-	-	-	1	3	2	2	1	-	-	1	2	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	135	12	5	5	5	5	32	9	12	8	9	7	10	14	13	14	7	-
Other Causes	872	366	45	6	1	4	422	5	5	1	1	5	5	11	27	99	211	80

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

435.—EAST RETFORD.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards
Mean Popul^{n}, 1851-61	11511	-	-	-	-	-	1471	1346	1201	1062	987	1577	1240	1033	823	518	219	34
TOTAL DEATHS	2209	451	111	63	45	40	710	95	50	82	80	154	121	113	191	253	268	92
Small-pox	4	2	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Measles	23	3	10	3	3	2	21	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	95	12	8	15	15	9	59	28	3	1	1	-	2	-	1	-	-	-
Diphtheria	26	-	3	1	1	4	9	12	4	-	-	1	-	-	-	-	-	-
Whooping-cough	38	20	9	6	2	1	38	-	-	-	-	-	-	-	-	-	-	-
Typhus	126	5	1	7	3	5	21	15	12	13	8	12	8	6	10	18	2	1
Cholera, Diarrh., Dysent^{y}	59	13	4	1	1	1	20	3	-	1	1	6	1	5	5	11	5	1
Other Zymotic Dis.	113	16	14	9	2	3	44	5	7	5	-	5	6	4	6	13	15	3
Cancer	49	-	-	-	-	-	-	-	-	-	-	2	6	9	15	14	3	-
Scrofula, Tabes Mesent.	38	10	3	2	3	-	18	4	5	5	-	2	1	2	1	-	-	-
Phthisis	250	2	2	-	-	-	4	2	7	33	43	77	39	24	17	4	-	-
Hydrocephalus	16	5	4	1	-	1	11	2	2	-	1	-	-	-	-	-	-	-
Diseases of Brain	374	187	14	4	2	2	209	10	5	9	6	7	5	17	23	42	33	5
Heart Dis. and Dropsy	115	-	-	-	-	-	-	1	-	-	1	6	13	6	37	33	17	1
Dis. of Lungs	228	41	22	7	6	4	80	4	2	5	2	8	4	14	24	37	38	10
Dis. of Stom. and Liver	122	7	4	-	3	2	16	2	-	2	2	8	12	12	26	25	17	-
Dis. of Kidneys	15	-	-	-	-	-	-	-	-	1	1	1	4	3	1	4	-	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	1	-	2	2	3	1	1	-
Diseases of the Joints	8	-	-	-	-	-	-	-	1	1	-	1	-	1	2	2	-	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	1	-	1	-	-	1	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	2	6	14	8	1	-	-	-	-
Violent Deaths	37	5	-	4	3	3	15	4	-	1	1	11	3	1	2	3	5	1
Other Causes	427	121	13	3	1	3	141	1	2	3	5	1	7	5	15	46	131	70

436.—WORKSOP.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards
Mean Popul^{n}, 1851-61	9937	-	-	-	-	-	1324	1144	1132	889	852	1368	1135	880	628	394	158	23
TOTAL DEATHS	1903	370	100	64	44	31	609	75	55	69	90	137	114	102	149	221	212	70
Small-pox	13	3	-	1	1	-	5	3	-	-	1	-	2	2	-	-	-	-
Measles	17	2	3	5	3	1	14	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	96	6	20	13	17	8	64	17	8	4	2	-	-	1	-	-	-	-
Diphtheria	26	1	1	3	6	3	14	5	3	2	1	-	-	1	-	-	-	-
Whooping-cough	37	15	11	6	1	2	35	2	-	-	-	-	-	-	-	-	-	-
Typhus	66	1	3	3	2	5	14	6	11	6	10	6	3	5	5	-	-	-
Cholera, Diarrh., Dysent^{y}	35	8	5	1	-	-	14	4	2	-	3	3	2	4	7	10	6	-
Other Zymotic Dis.	90	22	8	5	5	2	42	2	3	4	2	4	2	2	8	12	7	2
Cancer	44	-	-	-	-	-	-	-	-	1	-	-	3	8	14	7	9	2
Scrofula, Tabes Mesent.	20	2	2	-	1	-	5	3	2	2	2	3	1	-	-	2	-	-
Phthisis	262	1	1	2	-	-	4	5	14	34	46	79	45	22	9	3	1	-
Hydrocephalus	22	6	3	3	2	1	15	4	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	232	134	10	5	2	2	153	5	1	4	3	7	4	7	22	35	10	1
Heart Dis. and Dropsy	149	-	2	-	-	-	2	3	1	2	3	9	15	21	35	44	14	-
Dis. of Lungs	128	34	12	9	1	4	60	2	1	2	3	4	3	9	15	15	12	2
Dis. of Stom. and Liver	100	10	-	2	-	1	13	5	1	2	5	8	12	12	16	19	6	1
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
Diseases of the Joints	7	-	1	-	-	-	1	-	-	2	2	1	-	1	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	1	5	5	11	-	-	-	-	-
Violent Deaths	27	2	2	2	-	1	7	3	2	1	-	4	3	-	1	1	4	1
Other Causes	459	123	16	4	3	1	147	3	1	2	2	2	6	6	15	72	142	61

437.—MANSFIELD.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards
Mean Popul^{n}, 1851-61	15242	-	-	-	-	-	2067	1851	1640	1481	1364	2144	1614	1289	955	593	213	26
TOTAL DEATHS	3253	756	208	101	73	42	1180	124	76	116	124	239	191	194	232	378	313	86
Small-pox	24	9	3	4	2	1	19	2	1	-	-	2	-	-	-	-	-	-
Measles	67	12	24	14	7	5	62	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	114	8	17	20	16	15	76	32	4	-	1	-	-	1	-	-	-	-
Diphtheria	19	-	4	-	3	-	7	7	2	1	-	1	-	1	-	-	-	-
Whooping-cough	52	20	13	5	2	1	51	1	-	-	-	-	-	-	-	-	-	-
Typhus	131	4	6	6	8	4	28	24	16	23	7	12	8	4	5	4	-	-
Cholera, Diarrh., Dysent^{y}	62	22	4	3	1	1	31	1	2	2	1	3	1	4	2	7	7	1
Other Zymotic Dis.	111	36	5	2	7	3	53	5	1	1	4	6	6	12	9	9	4	1
Cancer	49	-	-	-	-	-	-	-	-	2	-	3	4	12	10	14	4	-
Scrofula, Tabes Mesent.	49	19	8	-	4	-	31	5	2	2	2	1	1	-	2	3	-	-
Phthisis	431	18	6	3	3	1	31	5	21	56	65	120	67	38	19	7	2	-
Hydrocephalus	54	14	10	10	4	4	42	7	4	-	-	1	-	-	-	-	-	-
Diseases of Brain	441	250	9	6	5	-	270	6	5	3	2	9	15	25	31	55	19	1
Heart Dis. and Dropsy	242	2	2	-	-	-	4	1	2	4	7	18	29	45	46	60	23	3
Dis. of Lungs	274	60	30	10	7	2	109	9	2	8	9	12	9	12	31	52	21	-
Dis. of Stom. and Liver	118	16	2	-	-	1	16	1	3	3	2	10	14	17	20	23	9	-
Dis. of Kidneys	11	-	-	-	-	-	-	1	-	2	1	2	1	1	2	1	-	-
Dis. of Gener. Organs	21	-	1	-	-	-	1	-	-	-	3	3	6	4	4	-	-	-
Diseases of the Joints	12	-	2	-	-	-	2	-	1	3	2	-	1	1	2	-	-	-
Diseases of the Skin	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	60	-	-	-	-	-	-	-	-	1	12	28	17	2	-	-	-	-
Violent Deaths	60	8	3	3	1	3	18	5	6	3	2	4	5	4	4	5	4	-
Other Causes	849	250	59	14	3	1	327	7	4	2	4	4	7	11	45	138	220	80

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

438.—BASFORD.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	34914	-	-	-	-	-	5079	4298	3893	3547	2973	4816	3758	2970	2029	1114	390	47
TOTAL DEATHS	7927	2792	618	297	179	145	4031	342	188	236	279	324	335	343	482	663	548	156
Small-pox	142	49	24	8	10	11	102	22	3	3	2	2	6	2	-	-	-	-
Measles	154	46	47	29	12	10	144	9	-	-	1	-	-	-	-	-	-	-
Scarlatina	271	25	50	44	42	28	187	70	8	2	2	1	-	-	1	-	-	-
Diphtheria	37	7	5	6	2	7	27	9	-	1	-	-	-	-	-	-	-	-
Whooping-cough	110	63	23	17	2	4	109	1	-	-	-	-	-	-	-	-	-	-
Typhus	311	12	20	17	7	10	66	57	31	30	19	31	30	15	19	9	3	1
Cholera, Diarrh., Dysentry	313	175	41	11	8	4	239	8	2	4	-	2	5	12	7	19	13	2
Other Zymotic Dis.	261	60	27	26	19	16	148	19	4	4	7	5	14	11	20	22	6	1
Cancer	53	-	-	3	-	-	3	-	-	-	-	1	2	6	17	15	8	1
Scrofula, Tabes Mesent.	100	32	12	8	2	1	55	5	9	4	6	4	4	9	1	3	-	-
Phthisis	812	39	25	6	2	4	76	21	40	105	147	155	114	80	52	21	1	-
Hydrocephalus	115	41	27	13	7	2	90	16	5	1	1	1	-	-	-	1	-	-
Diseases of Brain	1209	813	47	13	15	12	900	21	8	18	18	16	24	30	52	68	49	5
Heart Dis. and Dropsy	379	5	3	2	3	3	16	10	15	8	8	11	41	33	82	103	44	3
Dis. of Lungs	1072	441	166	61	27	16	711	28	6	11	14	22	22	39	76	92	46	5
Dis. of Stom. and Liver	308	55	3	7	3	3	71	7	10	7	14	14	16	35	56	59	19	-
Dis. of Kidneys	76	-	-	-	1	-	1	1	-	4	2	4	3	7	20	24	9	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	19	2	-	1	-	-	3	1	2	4	2	1	-	4	1	1	-	-
Diseases of the Skin	15	3	1	-	-	-	4	2	-	-	1	-	-	3	1	3	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	403	29	24	15	14	13	95	30	39	25	33	43	45	32	32	21	7	1
Other Causes	1767	895	73	10	3	3	984	5	6	5	2	11	9	25	45	197	343	135

439.—RADFORD.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	13431	-	-	-	-	-	1919	1706	1495	1374	1138	1847	1572	1191	780	354	98	7
TOTAL DEATHS	3530	1189	377	170	106	71	1913	172	77	99	102	145	152	197	243	233	165	32
Small-pox	28	6	2	4	3	2	17	4	2	3	1	-	-	1	-	-	-	-
Measles	112	17	45	23	11	12	108	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	172	9	34	33	35	16	127	40	5	-	-	-	-	-	-	-	-	-
Diphtheria	15	2	8	1	-	1	7	5	2	1	-	-	-	-	-	-	-	-
Whooping-cough	95	39	28	15	6	-	88	7	-	-	-	-	-	-	-	-	-	-
Typhus	139	5	12	7	5	8	37	23	14	13	12	10	6	6	9	5	4	-
Cholera, Diarrh., Dysentry	271	177	25	5	4	2	213	6	3	1	-	3	3	3	9	16	12	2
Other Zymotic Dis.	109	31	11	11	6	9	68	10	3	-	1	1	9	4	9	3	1	-
Cancer	27	-	-	-	-	-	-	-	-	-	1	-	3	7	12	3	1	-
Scrofula, Tabes Mesent.	93	35	16	5	5	2	63	8	5	6	3	4	1	-	1	1	1	-
Phthisis	349	16	6	2	2	-	26	14	12	49	64	66	50	48	14	6	-	-
Hydrocephalus	84	25	25	11	4	6	71	11	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	573	309	38	9	8	5	369	13	8	6	7	18	29	36	32	36	17	2
Heart Dis. and Dropsy	130	6	1	1	-	1	9	2	4	4	5	9	10	26	25	26	10	-
Dis. of Lungs	557	184	87	26	10	7	314	7	2	3	3	12	15	33	66	69	31	2
Dis. of Stom. and Liver	123	21	3	1	-	-	25	5	3	5	4	7	12	20	24	14	6	1
Dis of Kidneys	24	-	-	1	-	-	1	1	1	-	-	3	1	3	4	6	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	-	2	-	-	2	1	3	-	-	-	-	-	2	-	-	-
Diseases of the Skin	9	5	-	-	-	-	5	-	-	-	-	-	-	-	-	3	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	85	7	7	1	3	-	18	7	3	6	-	10	11	5	16	4	2	3
Other Causes	524	295	34	12	4	-	345	5	4	2	1	2	2	5	20	41	75	22

440.—NOTTINGHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	30608	-	-	-	-	-	4070	3411	3123	3065	2748	4646	3644	2793	1817	961	297	33
TOTAL DEATHS	8860	2808	795	401	242	171	4417	311	158	213	273	457	442	589	655	735	502	108
Small-pox	93	24	11	7	11	5	58	17	3	2	10	1	2	-	-	-	-	-
Measles	241	50	86	53	21	18	223	11	2	-	-	-	-	-	-	-	-	-
Scarlatina	249	21	49	46	38	32	186	53	4	1	1	-	3	1	-	-	-	-
Diphtheria	34	5	9	1	5	4	24	7	1	-	2	-	-	-	-	-	-	-
Whooping-cough	206	86	59	33	17	10	205	1	-	-	-	-	-	-	-	-	-	-
Typhus	328	12	33	24	17	15	101	37	24	33	30	33	20	16	6	20	8	-
Cholera, Diarrh., Dysent	704	439	65	11	7	2	554	6	3	6	4	6	8	16	19	38	33	11
Other Zymotic Dis.	231	69	19	11	16	8	123	7	3	10	9	8	13	15	21	13	9	-
Cancer	51	-	-	2	-	-	2	-	1	1	2	5	4	6	14	12	3	1
Scrofula, Tabes Mesent.	135	45	21	11	6	1	84	19	7	8	3	2	5	5	1	1	-	-
Phthisis	1029	68	22	16	5	5	116	22	34	82	149	217	163	145	66	32	3	-
Hydrocephalus	176	72	47	19	12	5	155	18	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	1293	713	68	37	27	16	861	30	8	11	11	35	53	75	74	76	50	9
Heart Dis. and Dropsy	370	2	3	5	2	2	14	7	10	14	6	32	27	67	87	79	24	3
Dis. of Lungs	1504	381	191	73	32	20	697	21	14	10	15	35	50	108	203	216	114	21
Dis. of Stom. and Liver	337	56	8	2	4	3	73	8	8	8	6	24	33	63	63	38	13	-
Dis. of Kidneys	146	-	-	-	2	1	3	4	4	5	1	15	12	18	21	44	16	3
Dis of Gener. Organs	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	26	1	-	-	-	1	2	4	8	4	2	-	2	-	2	2	-	-
Diseases of the Skin	11	5	2	-	-	-	7	-	-	-	-	-	-	-	2	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	281	18	14	16	11	13	72	28	16	12	18	33	27	22	24	19	6	4
Other Causes	1413	710	88	34	9	10	851	10	5	6	4	11	20	32	52	144	222	55

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

438.—BASFORD.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwds.
Mean Popul^{n}, 1851-61	34190	-	-	-	-	-	5015	4339	3777	3264	3076	4856	3693	2326	1843	1075	373	53
TOTAL DEATHS	7921	2088	599	329	217	151	3384	332	190	315	370	608	445	405	521	658	510	183
Small-pox	130	43	15	18	14	10	100	16	7	2	4	1	-	-	-	-	-	-
Measles	178	40	60	33	26	6	165	10	3	-	-	-	-	-	-	-	-	-
Scarlatina	263	19	36	47	43	34	179	61	16	2	2	2	1	-	-	-	-	-
Diphtheria	42	3	3	6	4	4	25	11	3	3	-	-	-	-	-	-	-	-
Whooping-cough	155	76	42	22	7	5	152	2	1	-	-	-	-	-	-	-	-	-
Typhus	364	10	16	15	18	13	72	60	36	49	35	49	22	19	11	9	1	1
Cholera, Diarrh., Dysent^{y}	289	168	29	7	2	1	207	5	2	2	-	7	9	14	9	18	12	4
Other Zymotic Dis.	269	67	42	27	21	13	170	12	7	6	2	9	5	15	14	15	10	4
Cancer	124	-	-	-	-	-	-	1	-	1	-	5	15	35	34	25	8	-
Scrofula, Tabes Mesent.	95	18	13	6	4	3	44	13	7	8	3	9	5	3	1	2	-	-
Phthisis	1191	51	21	13	5	8	98	25	48	175	219	321	163	79	48	15	-	-
Hydrocephalus	94	26	15	15	5	8	69	20	4	1	-	-	-	-	-	-	-	-
Diseases of Brain	885	540	31	18	10	9	608	18	14	4	13	10	21	26	61	63	41	6
Heart Dis. and Dropsy	563	4	2	1	2	1	10	11	14	9	15	39	66	84	137	125	49	4
Dis. of Lungs	938	315	145	61	38	22	581	31	10	17	17	29	30	34	65	76	40	8
Dis. of Stom. and Liver	342	34	9	10	4	-	57	5	6	18	12	34	41	39	55	57	17	1
Dis. of Kidneys	30	-	-	-	-	2	2	2	3	1	2	1	4	5	5	4	1	-
Dis. of Gener. Organs	25	-	-	-	-	-	-	-	-	-	4	3	2	7	8	1	-	-
Diseases of the Joints	16	1	1	-	-	-	2	2	1	-	2	3	2	1	3	-	-	-
Diseases of the Skin	18	4	1	1	1	1	8	1	-	-	-	1	-	1	2	5	-	-
Childbirth and Metria	159	-	-	-	-	-	-	-	-	7	28	74	42	8	-	-	-	-
Violent Deaths	122	25	15	7	7	3	57	16	4	5	4	3	6	7	8	4	6	2
Other Causes	1629	644	98	22	6	8	778	10	4	5	8	8	11	28	60	239	325	153

439.—RADFORD.

Mean Popul^{n}, 1851-61	15146	-	-	-	-	-	1900	1647	1579	1602	1580	2335	1768	1377	826	396	123	13
TOTAL DEATHS	3711	963	363	133	108	78	1645	147	78	157	177	290	211	216	276	273	197	44
Small-pox	25	5	4	1	2	3	15	4	-	1	2	1	2	-	-	-	-	-
Measles	97	16	36	17	13	9	91	5	-	1	-	-	-	-	-	-	-	-
Scarlatina	151	8	25	18	26	23	100	40	7	1	2	1	-	-	-	-	-	-
Diphtheria	14	1	3	-	2	3	9	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	95	32	33	19	6	4	94	1	-	-	-	-	-	-	-	-	-	-
Typhus	190	7	13	10	12	6	48	21	19	24	21	20	8	2	15	8	4	-
Cholera, Diarrh., Dysent^{y}	291	171	32	8	3	2	216	5	-	2	2	6	1	9	14	18	16	2
Other Zymotic Dis.	91	20	11	13	6	7	57	3	5	3	-	4	3	2	6	5	1	2
Cancer	75	-	-	-	-	-	-	-	-	-	1	9	17	21	16	10	1	-
Scrofula, Tabes Mesent.	77	31	10	3	2	3	49	4	7	7	1	3	-	2	3	1	-	-
Phthisis	529	21	11	4	3	4	43	11	18	88	103	136	75	36	13	5	1	-
Hydrocephalus	67	20	20	8	7	2	57	9	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	481	227	30	12	8	2	279	17	2	7	6	26	22	28	33	41	18	2
Heart Dis. and Dropsy	197	3	-	-	-	-	3	4	7	5	7	16	21	36	52	34	10	2
Dis. of Lungs	527	141	86	12	14	7	260	11	1	6	11	18	14	35	65	65	37	4
Dis. of Stom. and Liver	130	13	7	1	1	-	22	-	5	3	4	20	13	18	22	16	7	-
Dis. of Kidneys	18	-	-	-	1	-	1	1	1	1	2	5	1	2	3	1	-	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	-	2	3	3	3	2	-	-
Diseases of the Joints	15	2	1	-	-	-	3	2	1	1	-	-	1	3	2	1	1	-
Diseases of the Skin	16	3	-	-	-	-	3	1	-	-	-	-	2	3	1	-	-	-
Childbirth and Metria	50	-	-	-	-	-	-	-	-	2	13	14	21	-	-	-	-	-
Violent Deaths	36	12	3	-	2	1	18	2	1	1	-	3	2	2	2	5	-	-
Other Causes	532	230	38	7	-	2	277	3	2	3	2	6	7	15	24	60	101	32

440.—NOTTINGHAM.

Mean Popul^{n}, 1851-61	36485	-	-	-	-	-	3974	3604	3380	4062	4119	6089	4414	3228	2127	1108	335	45
TOTAL DEATHS	9030	2227	784	394	260	144	3809	315	188	370	393	638	552	590	665	813	577	120
Small-pox	83	23	13	12	5	7	60	6	2	5	6	3	1	-	-	-	-	-
Measles	255	25	102	59	31	14	231	20	1	2	1	-	-	-	-	-	-	-
Scarlatina	310	19	51	56	71	31	228	62	11	6	1	1	-	-	-	1	-	-
Diphtheria	42	6	7	5	6	4	28	13	1	-	-	-	-	-	-	-	-	-
Whooping-cough	224	80	67	41	14	14	216	8	-	-	-	-	-	-	-	-	-	-
Typhus	374	10	23	18	26	14	91	55	41	67	41	32	13	8	15	7	4	-
Cholera, Diarrh., Dysent^{y}	622	378	61	14	5	3	461	3	3	3	4	11	12	17	35	41	27	5
Other Zymotic Dis.	236	84	25	12	9	9	139	11	1	3	10	7	10	14	14	20	6	1
Cancer	189	-	-	-	-	-	-	-	-	-	1	17	28	66	39	27	9	2
Scrofula, Tabes Mesent.	109	29	23	14	6	1	73	7	4	6	5	5	3	2	3	1	-	-
Phthisis	1164	41	22	11	9	4	87	17	60	178	206	285	179	95	37	18	2	-
Hydrocephalus	114	38	27	17	6	12	100	10	1	-	-	2	-	1	-	-	-	-
Diseases of Brain	1196	561	73	39	17	14	704	28	14	20	23	32	43	75	85	115	52	5
Heart Dis. and Dropsy	535	1	4	1	2	-	8	9	17	19	19	49	64	95	118	101	32	4
Dis. of Lungs	1392	290	187	63	29	8	577	23	8	19	21	53	67	105	178	215	116	10
Dis. of Stom. and Liver	353	23	8	5	3	2	41	7	5	21	14	42	42	50	58	57	14	2
Dis. of Kidneys	46	1	1	1	-	-	3	1	-	-	3	13	6	9	7	4	-	-
Dis. of Gener. Organs	60	-	-	-	-	-	-	-	-	2	5	9	11	16	11	5	1	-
Diseases of the Joints	32	2	1	1	2	-	6	1	4	-	1	6	5	2	5	2	-	-
Diseases of the Skin	20	4	2	-	1	-	7	-	-	-	-	3	1	-	3	3	1	-
Childbirth and Metria	103	-	-	-	-	-	-	-	-	6	22	40	33	2	-	-	-	-
Violent Deaths	159	34	9	7	7	3	60	21	7	6	1	6	8	13	6	11	19	1
Other Causes	1412	578	78	18	11	4	689	13	8	7	9	22	26	20	51	183	294	90

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
441.—SOUTHWELL.																		
Mean Popuⁿ, 1851-61	12518	-	-	-	-	-	1600	1501	1353	1227	1011	1574	1347	1168	931	542	229	35
TOTAL DEATHS	2312	539	118	66	64	38	825	83	55	56	80	100	104	137	189	309	285	89
Small-pox	13	3	3	-	4	-	10	-	-	2	-	1	-	-	-	-	-	-
Measles	29	5	10	5	5	-	25	2	-	-	-	1	-	1	-	-	-	-
Scarlatina	90	7	11	15	16	6	55	24	5	1	-	1	2	1	-	1	-	-
Diphtheria	19	1	1	2	3	6	13	3	2	-	-	-	1	-	-	-	-	-
Whooping-cough	30	15	8	3	2	1	29	1	-	-	-	-	-	-	-	-	-	-
Typhus	57	3	2	2	2	2	11	6	4	9	6	5	5	5	3	3	-	-
Cholera,Diarrh.,Dysentʸ	30	6	1	-	-	-	7	1	-	-	-	2	1	3	5	8	3	-
Other Zymotic Dis.	81	9	4	5	7	5	30	6	3	-	1	4	6	9	6	11	3	2
Cancer	23	-	-	1	-	-	1	1	-	-	-	-	2	3	8	5	3	-
Scrofula, Tabes Mesent.	11	1	-	-	-	-	1	-	2	1	-	-	1	1	1	1	3	-
Phthisis	251	19	6	2	1	2	30	6	11	23	45	45	31	27	20	11	1	1
Hydrocephalus	33	9	7	4	9	-	29	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	432	290	8	4	1	3	306	3	6	6	4	8	3	22	22	33	16	3
Heart Dis. and Dropsy	142	1	1	-	-	3	5	3	2	3	3	11	10	16	29	43	15	2
Dis. of Lungs	224	41	24	9	7	3	84	10	3	4	5	6	12	18	37	32	13	-
Dis. of Stom. and Liver	103	10	1	2	1	-	14	2	3	1	2	7	9	12	14	22	17	-
Dis. of Kidneys	34	-	-	-	-	-	-	-	-	1	1	-	5	1	10	12	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	1	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	103	6	8	4	5	5	28	8	10	3	9	6	9	10	9	12	1	1
Other Causes	597	112	23	8	1	2	146	4	2	2	3	3	7	8	25	113	205	79
442.—NEWARK.																		
Mean Popuⁿ, 1851-61	14956	-	-	-	-	-	2009	1870	1648	1465	1175	1963	1620	1339	993	583	251	35
TOTAL DEATHS	2939	788	148	90	96	56	1178	140	85	70	103	129	149	172	217	307	288	101
Small-pox	13	2	2	-	5	-	9	1	-	1	-	2	-	-	-	-	-	-
Measles	41	7	14	11	5	1	38	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	179	12	27	27	30	19	115	47	10	-	2	-	5	-	-	-	-	-
Diphtheria	37	7	4	1	6	1	19	5	9	1	1	1	1	-	-	-	-	-
Whooping-cough	37	21	7	5	4	-	37	-	-	-	-	-	-	-	-	-	-	-
Typhus	105	2	3	2	4	4	15	12	7	13	11	14	10	5	8	7	2	1
Cholera,Diarrh.,Dysentʸ	83	35	5	1	2	2	45	1	1	-	-	3	5	3	8	6	10	1
Other Zymotic Dis.	112	29	10	9	12	4	64	5	4	2	3	-	6	3	6	11	7	1
Cancer	35	-	-	-	-	-	-	-	-	-	-	-	6	6	8	10	5	-
Scrofula, Tabes Mesent.	49	14	3	3	-	4	24	5	8	6	2	1	2	1	-	-	-	-
Phthisis	270	8	3	2	1	-	14	6	7	18	52	56	44	41	19	13	-	-
Hydrocephalus	74	29	9	3	6	10	57	12	3	-	1	-	-	-	1	-	-	-
Diseases of Brain	414	232	14	5	1	5	257	7	5	1	3	10	13	17	27	37	35	2
Heart Dis. and Dropsy	200	1	-	-	1	1	3	1	5	2	3	9	19	27	42	54	32	3
Dis. of Lungs	302	94	21	11	9	3	138	10	2	3	5	11	9	18	33	52	16	5
Dis. of Stom. and Liver	133	12	2	2	-	1	17	1	3	4	2	5	10	18	28	37	6	2
Dis. of Kidneys	40	-	1	-	-	-	1	-	-	-	-	2	2	9	7	11	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	11	-	-	-	1	-	1	3	1	-	1	1	-	2	1	1	-	-
Diseases of the Skin	4	1	1	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	137	2	3	4	4	1	14	17	18	18	10	11	11	12	15	7	4	-
Other Causes	663	280	19	4	5	-	308	5	1	1	7	3	5	10	14	60	163	86
443.—BINGHAM.																		
Mean Popuⁿ, 1851-61	7903	-	-	-	-	-	1076	1031	912	739	547	957	845	746	569	328	133	20
TOTAL DEATHS	1475	392	77	48	27	27	571	52	36	47	46	62	63	75	132	158	177	56
Small-pox	19	7	-	-	-	2	9	1	1	4	2	1	1	-	-	-	-	-
Measles	18	8	7	2	1	-	18	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	46	6	3	6	11	5	31	10	3	2	-	-	-	-	-	-	-	-
Diphtheria	7	-	-	2	1	2	5	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	15	8	4	1	1	-	14	1	-	-	-	-	-	-	-	-	-	-
Typhus	60	1	5	1	-	6	13	8	7	3	3	8	7	2	5	4	-	-
Cholera,Diarrh.,Dysentʸ	85	44	7	3	1	-	55	1	2	-	-	1	1	2	4	8	9	2
Other Zymotic Dis.	24	4	3	1	2	1	11	-	1	1	-	1	1	-	2	3	3	1
Cancer	13	1	-	-	-	-	1	-	-	1	-	-	-	1	3	3	4	-
Scrofula, Tabes Mesent.	42	17	8	2	-	1	28	3	2	3	2	-	1	1	2	-	-	-
Phthisis	159	9	4	1	1	-	15	4	5	18	28	24	16	20	17	10	1	1
Hydrocephalus	15	4	2	4	1	-	11	2	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	219	101	6	4	1	1	113	3	3	4	4	3	5	8	12	25	33	6
Heart Dis. and Dropsy	107	3	1	1	-	1	6	2	1	2	-	6	10	8	20	24	24	4
Dis. of Lungs	285	90	23	14	5	5	140	10	2	1	1	8	3	9	24	30	39	18
Dis. of Stom. and Liver	111	12	-	-	2	-	14	1	1	3	2	3	7	15	28	24	13	-
Dis. of Kidneys	24	-	-	-	-	-	-	-	-	1	-	1	3	2	2	5	9	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	11	-	-	1	-	-	1	-	-	2	2	1	3	2	-	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	45	3	1	3	-	2	11	4	4	2	1	3	4	1	6	4	4	1
Other Causes	167	73	-	-	-	1	74	1	1	-	1	2	1	3	6	18	38	22

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
441.—SOUTHWELL.																		
Mean Popul^{n}, 1851-61	12502	-	-	-	-	-	1578	1513	1350	1095	1027	1625	1413	1143	883	537	243	40
TOTAL DEATHS	2322	412	79	62	46	40	639	104	86	86	92	136	164	135	185	276	314	195
Small-pox	9	2	-	1	-	-	3	3	1	1	-	-	-	1	-	-	-	-
Measles	20	4	7	3	2	1	17	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	107	5	12	14	16	13	60	29	16	1	-	1	-	-	-	-	-	-
Diphtheria	20	1	1	2	4	3	11	5	3	1	-	-	-	-	-	-	-	-
Whooping-cough	37	18	8	4	4	3	37	-	-	-	-	-	-	-	-	-	-	-
Typhus	71	4	2	3	2	4	15	7	10	8	6	7	6	7	4	1	-	-
Cholera, Diarrh., Dysent^{y}	22	5	2	-	-	-	7	-	2	-	-	2	5	1	2	2	1	-
Other Zymotic Dis.	59	9	4	2	2	2	19	7	1	2	1	1	2	4	6	8	6	2
Cancer	59	1	-	-	-	-	1	-	-	-	2	3	6	9	18	16	3	1
Scrofula, Tabes Mesent.	17	1	1	1	-	-	3	-	1	1	-	2	3	2	2	3	-	-
Phthisis	348	18	2	4	3	2	29	13	26	49	52	72	64	25	13	5	-	-
Hydrocephalus	22	11	1	2	1	-	15	6	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	362	219	7	4	7	4	241	5	7	4	4	6	8	12	12	31	22	4
Heart Dis. and Dropsy	169	4	-	-	-	-	4	3	4	4	4	9	19	22	39	41	19	1
Dis. of Lungs	201	40	8	15	2	5	70	12	4	7	6	9	17	20	18	26	10	2
Dis. of Stom. and Liver	108	6	1	2	1	1	11	4	3	3	6	7	15	13	18	19	9	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	2	5	9	5	2	-	-	-	-
Violent Deaths	47	8	4	2	1	2	17	7	3	1	3	-	2	4	4	4	1	1
Other Causes	605	56	19	3	1	-	79	1	3	2	-	7	12	11	40	114	212	44
442.—NEWARK.																		
Mean Popul^{n}, 1851-61	15311	-	-	-	-	-	2019	1824	1615	1399	1313	2132	1677	1338	1024	676	257	37
TOTAL DEATHS	3018	576	155	106	83	53	973	148	89	109	119	239	187	151	215	323	338	127
Small-pox	14	5	-	-	-	1	6	4	2	-	1	1	-	-	-	-	-	-
Measles	62	10	28	11	6	2	57	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	186	8	24	27	26	25	110	55	11	4	4	2	-	-	-	-	-	-
Diphtheria	44	1	6	4	4	7	22	9	8	3	-	1	-	-	1	-	-	-
Whooping-cough	36	17	10	5	4	-	36	-	-	-	-	-	-	-	-	-	-	-
Typhus	133	2	3	6	4	4	19	19	14	13	10	16	15	5	9	8	5	-
Cholera, Diarrh., Dysent^{y}	91	41	7	3	-	-	51	1	3	-	1	3	4	2	9	6	11	-
Other Zymotic Dis.	103	26	-	8	8	3	45	5	3	4	-	3	3	1	9	17	11	2
Cancer	81	-	-	1	-	-	1	-	-	-	-	5	8	16	17	23	11	-
Scrofula, Tabes Mesent.	58	21	2	4	-	-	27	7	8	4	1	7	2	-	1	1	-	-
Phthisis	375	3	3	2	-	2	10	7	15	54	66	112	59	29	16	7	3	-
Hydrocephalus	54	20	6	8	5	4	43	6	4	1	-	-	-	-	-	-	-	-
Diseases of Brain	359	149	10	5	6	2	172	2	7	10	6	12	16	22	28	48	32	4
Heart Dis. and Dropsy	194	1	-	1	-	-	2	4	3	3	6	11	20	24	37	53	29	2
Dis. of Lungs	278	53	30	14	13	3	113	9	3	6	2	9	15	16	23	47	28	2
Dis. of Stom. and Liver	146	9	2	-	3	-	14	2	3	3	4	12	20	19	26	26	16	1
Dis. of Kidneys	9	1	-	-	-	-	1	-	1	-	1	2	-	1	1	2	-	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	1	1	-	5	1	4	1	-	-
Diseases of the Joints	12	-	-	-	1	-	1	2	-	-	1	1	3	2	1	1	-	-
Diseases of the Skin	8	2	-	-	-	-	2	-	-	-	-	-	-	1	2	1	1	1
Childbirth and Metria	48	-	-	-	-	-	-	-	-	-	13	28	7	-	-	-	-	-
Violent Deaths	65	8	5	4	-	-	17	10	3	2	2	3	-	5	8	5	7	3
Other Causes	649	199	19	3	3	-	224	2	-	1	3	11	10	7	18	77	184	112
443.—BINGHAM.																		
Mean Popul^{n}, 1851-61	8053	-	-	-	-	-	1036	1015	842	704	658	1082	901	747	536	323	172	21
TOTAL DEATHS	1531	328	86	51	29	21	515	55	50	61	63	118	82	99	100	172	165	51
Small-pox	8	1	-	-	-	-	1	3	-	1	1	2	-	-	-	-	-	-
Measles	21	1	10	3	3	1	18	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	42	2	5	9	6	2	24	13	3	-	-	1	1	-	-	-	-	-
Diphtheria	9	-	-	2	1	1	4	4	-	1	-	-	-	-	-	-	-	-
Whooping-cough	18	12	3	3	-	-	18	-	-	-	-	-	-	-	-	-	-	-
Typhus	73	2	2	2	1	1	8	8	16	12	5	6	3	9	2	3	1	-
Cholera, Diarrh., Dysent^{y}	67	36	3	2	-	-	41	1	1	-	1	1	-	1	3	8	8	2
Other Zymotic Dis.	28	6	3	3	1	3	16	-	-	1	1	1	1	1	4	1	2	-
Cancer	23	-	-	-	-	-	-	-	-	-	1	-	3	12	4	5	1	-
Scrofula, Tabes Mesent.	41	21	3	4	-	2	30	1	1	3	2	-	1	1	1	1	-	-
Phthisis	232	7	3	-	-	-	10	3	8	29	36	65	34	24	5	14	4	-
Hydrocephalus	19	5	7	-	2	1	15	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	101	79	10	3	1	3	96	3	3	3	4	7	6	6	11	28	19	5
Heart Dis. and Dropsy	118	1	-	1	-	-	2	1	4	1	1	6	5	17	26	34	19	2
Dis. of Lungs	237	70	27	16	11	5	129	7	7	1	1	8	5	6	17	36	53	17
Dis. of Stom. and Liver	119	7	4	2	1	2	16	-	4	8	5	9	9	12	20	23	12	1
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	-	1	-	7	5	3	1	-	-
Diseases of the Joints	5	1	-	1	-	-	2	-	-	-	1	1	-	-	-	1	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-
Childbirth and Metria	14	-	-	-	-	-	-	-	-	1	2	6	5	-	-	-	-	-
Violent Deaths	21	3	3	-	1	-	7	3	1	-	-	1	1	3	-	2	2	1
Other Causes	167	73	3	-	1	-	77	2	1	-	1	4	1	2	4	11	41	23

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

444.—SHARDLOW.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	15521	-	-	-	-	-	2114	1955	1754	1503	1154	1957	1678	1413	1056	632	247	28
TOTAL DEATHS	3112	779	167	90	69	59	1164	124	94	95	95	175	141	181	249	336	352	106
Small-pox	21	6	1	-	1	3	11	-	3	2	-	3	1	-	1	-	-	-
Measles	41	11	11	7	6	3	38	2	-	-	-	-	1	-	-	-	-	-
Scarlatina	129	11	12	22	11	23	79	34	13	2	-	1	-	-	-	-	-	-
Diphtheria	10	-	-	1	4	1	6	3	-	-	-	1	-	-	-	-	-	-
Whooping-cough	45	26	10	3	1	2	42	3	-	-	-	-	-	-	-	-	-	-
Typhus	87	1	4	5	3	1	14	8	13	14	9	10	8	2	6	2	1	-
Cholera,Diarrh.,Dysent^{y}	98	42	6	2	4	-	54	1	1	2	1	4	2	3	5	11	13	1
Other Zymotic Dis.	113	13	15	12	9	5	54	8	4	3	1	6	3	6	12	9	7	-
Cancer	36	-	-	-	-	-	-	-	-	-	-	1	5	10	8	7	5	-
Scrofula, Tabes Mesent.	55	10	7	1	3	1	22	2	4	4	5	6	5	2	5	-	-	-
Phthisis	320	5	7	-	3	1	16	7	18	37	44	81	48	46	19	4	-	-
Hydrocephalus	59	25	17	4	4	-	50	9	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	416	207	15	10	2	2	236	13	11	7	4	10	9	21	20	47	32	6
Heart Dis. and Dropsy	182	1	-	2	-	1	4	3	3	2	3	7	15	22	42	44	34	3
Dis. of Lungs	428	119	37	9	6	9	180	7	5	4	3	10	11	20	59	80	40	9
Dis. of Stom. and Liver	140	14	-	1	2	-	17	3	4	3	6	10	11	18	28	25	13	2
Dis. of Kidneys	73	1	-	-	-	-	1	-	-	2	3	8	5	7	13	24	10	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Joints	13	1	2	-	-	-	3	3	-	1	3	1	-	-	-	-	2	-
Diseases of the Skin	13	4	-	1	1	-	6	-	1	1	-	-	-	1	1	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	159	12	3	6	6	6	33	14	13	10	11	13	14	20	13	14	3	1
Other Causes	673	270	20	4	3	1	298	4	1	1	2	2	3	3	17	68	190	84

445.—DERBY.

Mean Popul^{n}, 1851-61	22450	-	-	-	-	-	3035	2696	2390	2280	2162	3407	2650	1924	1185	541	159	21
TOTAL DEATHS	5687	1640	472	261	169	124	2666	256	132	193	226	352	344	391	432	401	233	61
Small-pox	81	17	18	12	6	4	57	12	-	6	2	3	1	-	-	-	-	-
Measles	119	19	48	19	16	8	110	6	2	-	1	-	-	-	-	-	-	-
Scarlatina	230	16	29	44	46	29	164	56	3	4	1	-	1	1	-	-	-	-
Diphtheria	27	4	5	5	3	1	18	7	1	-	-	1	-	-	-	-	-	-
Whooping-cough	108	38	35	18	9	4	104	4	-	-	-	-	-	-	-	-	-	-
Typhus	196	4	12	18	9	9	52	23	18	21	11	21	16	9	11	10	4	-
Cholera,Diarrh.,Dysent^{y}	241	165	19	5	3	3	195	1	1	2	1	2	2	4	5	18	9	1
Other Zymotic Dis.	242	85	24	22	8	5	144	16	7	7	2	5	9	9	19	16	7	1
Cancer	33	1	-	1	1	-	3	-	-	-	-	2	3	6	9	9	-	1
Scrofula, Tabes Mesent.	110	36	15	4	3	5	63	13	8	9	6	5	3	1	1	1	-	-
Phthisis	692	14	9	-	3	5	31	13	23	80	119	162	121	83	52	6	-	2
Hydrocephalus	140	53	39	13	6	9	120	17	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	946	545	57	19	19	6	646	19	17	14	13	22	32	50	53	54	22	4
Heart Dis. and Dropsy	320	4	1	3	-	3	11	9	5	10	17	25	39	62	66	59	13	4
Dis. of Lungs	716	165	89	47	12	16	329	16	9	10	9	34	44	74	92	65	27	7
Dis. of Stom. and Liver	244	33	11	2	4	1	51	9	10	6	6	21	26	35	44	23	13	-
Dis. of Kidneys	69	-	1	2	-	2	5	-	1	3	4	7	8	13	9	13	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	31	-	-	-	2	2	4	2	5	5	4	4	2	4	-	-	1	-
Diseases of the Skin	10	5	-	-	1	-	6	-	-	-	1	-	-	1	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	250	15	7	7	13	9	51	25	16	13	23	30	27	28	26	9	2	-
Other Causes	882	421	53	20	5	3	502	8	3	3	6	8	10	11	44	117	129	41

446.—BELPER.

Mean Popul^{n}, 1851-61	24842	-	-	-	-	-	3365	2970	2687	2562	2191	3502	2726	2196	1534	804	275	30
TOTAL DEATHS	5059	1283	304	170	133	85	1975	218	146	169	177	260	259	312	428	552	455	103
Small-pox	32	8	5	2	2	1	18	4	1	2	3	2	1	-	1	-	-	-
Measles	57	15	20	12	4	2	53	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	180	18	23	31	25	18	115	50	12	2	-	-	1	-	-	-	-	-
Diphtheria	38	6	7	3	7	7	30	5	1	1	-	-	-	1	-	-	-	-
Whooping-cough	76	35	24	7	7	2	75	1	-	-	-	-	-	-	-	-	-	-
Typhus	224	7	16	12	12	5	52	27	20	32	18	13	21	13	15	10	3	-
Cholera,Diarrh.,Dysent^{y}	131	62	11	-	2	2	77	2	2	-	-	2	3	7	7	13	16	2
Other Zymotic Dis.	258	45	19	23	15	14	116	22	4	4	4	6	15	12	24	29	19	3
Cancer	40	1	-	-	1	-	2	-	-	-	1	1	2	9	10	8	6	1
Scrofula, Tabes Mesent.	85	12	13	5	6	4	40	6	10	6	9	4	2	3	3	2	-	-
Phthisis	514	16	11	3	1	3	34	20	26	55	84	114	68	62	28	21	2	-
Hydrocephalus	107	32	25	15	11	4	87	16	3	-	-	-	-	-	1	-	-	-
Diseases of Brain	881	521	22	14	8	4	569	16	12	11	8	12	20	32	69	80	48	4
Heart Dis. and Dropsy	375	3	2	-	2	-	7	5	11	12	11	21	33	41	79	101	50	4
Dis. of Lungs	629	168	54	23	11	6	262	9	7	7	7	27	24	53	69	96	62	6
Dis. of Stom. and Liver	247	25	7	3	2	5	42	4	6	4	5	20	26	30	43	51	14	2
Dis. of Kidneys	77	-	-	-	-	-	-	1	2	1	1	3	6	10	26	15	11	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	21	-	-	-	-	1	1	2	4	3	4	1	-	1	4	1	-	-
Diseases of the Skin	7	2	1	-	-	-	3	-	-	1	-	-	-	-	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	261	4	5	10	12	6	37	19	25	25	19	27	33	30	21	18	7	-
Other Causes	819	303	39	7	5	1	355	5	-	3	3	7	4	8	27	105	217	85

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
444.—SHARDLOW.																		
Mean Popul^{n}, 1851-61	16196	-	-	-	-	-	2003	1858	1677	1547	1407	2261	1886	1475	1109	697	246	30
TOTAL DEATHS	3331	574	174	117	82	65	1012	146	98	137	162	281	224	221	233	379	354	84
Small-pox	36	13	4	4	-	2	23	4	1	1	-	3	3	1	-	-	-	-
Measles	55	9	19	11	6	3	48	4	2	1	-	-	-	-	-	-	-	-
Scarlatina	139	6	20	22	20	22	90	39	5	-	1	1	2	-	1	-	-	-
Diphtheria	8	2	2	1	1	1	7	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	70	36	17	10	5	-	68	2	-	-	-	-	-	-	-	-	-	-
Typhus	116	-	3	2	1	2	8	19	13	15	15	14	10	11	6	4	1	-
Cholera, Diarrh., Dysent^{y}	113	34	7	4	4	2	51	4	1	-	2	5	5	3	10	16	15	3
Other Zymotic Dis.	121	13	14	13	13	8	66	5	6	1	1	4	2	6	10	10	9	1
Cancer	92	-	-	-	-	-	-	-	-	-	1	4	4	24	24	21	12	2
Scrofula, Tabes Mesent.	57	8	7	3	4	1	23	4	2	4	5	9	4	3	1	2	-	-
Phthisis	509	5	2	2	2	2	13	13	32	78	82	148	90	35	13	5	-	-
Hydrocephalus	41	16	8	4	2	5	35	4	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	421	148	11	13	4	3	179	13	11	7	4	13	19	26	43	69	34	3
Heart Dis. and Dropsy	254	5	2	1	-	1	9	2	2	9	12	14	24	29	46	63	40	4
Dis. of Lungs	322	59	30	13	9	5	116	11	5	3	6	13	14	24	32	54	40	4
Dis. of Stom. and Liver	163	11	1	1	6	-	19	4	4	6	7	10	16	21	27	41	8	-
Dis. of Kidneys	21	-	-	1	-	1	2	-	1	-	-	4	1	9	-	2	2	-
Dis. of Gener. Organs	17	-	1	-	-	-	1	-	-	-	-	2	4	9	-	1	-	-
Diseases of the Joints	17	-	-	-	-	-	-	1	5	3	1	3	1	2	-	1	-	-
Diseases of the Skin	13	4	1	1	-	-	6	-	-	-	1	2	1	-	2	1	-	-
Childbirth and Metria	61	-	-	-	-	-	-	-	-	2	16	22	19	2	-	-	-	-
Violent Deaths	67	12	2	2	3	2	21	11	2	3	2	4	1	5	5	5	8	-
Other Causes	618	193	23	4	2	5	227	5	4	4	6	6	6	11	13	84	185	67
445.—DERBY.																		
Mean Popul^{n}, 1851-61	24916	-	-	-	-	-	3028	2624	2571	2662	2632	4028	2927	2146	1343	692	230	33
TOTAL DEATHS	5720	1263	481	238	176	95	2253	250	149	262	271	504	376	357	413	435	350	100
Small-pox	95	19	18	12	13	8	70	15	2	1	2	3	1	1	-	-	-	-
Measles	110	16	39	26	18	6	105	3	2	-	-	-	-	-	-	-	-	-
Scarlatina	198	10	37	38	36	23	144	46	8	-	-	-	-	-	-	-	-	-
Diphtheria	50	7	10	8	7	2	34	9	4	1	1	-	-	1	-	-	-	-
Whooping-cough	107	42	34	17	8	3	104	3	-	-	-	-	-	-	-	-	-	-
Typhus	249	8	16	22	18	6	70	35	28	27	14	22	13	12	19	6	3	-
Cholera, Diarrh., Dysent^{y}	246	138	31	4	1	-	174	1	1	2	1	8	3	5	13	19	16	3
Other Zymotic Dis.	162	43	16	8	7	6	80	9	4	3	8	7	7	5	15	13	8	3
Cancer	98	-	-	-	-	-	-	-	-	-	1	3	19	35	22	12	4	2
Scrofula, Tabes Mesent.	83	27	15	5	5	-	52	11	4	7	3	2	2	2	-	-	-	-
Phthisis	901	12	14	2	2	2	32	19	55	154	164	256	127	69	19	5	1	-
Hydrocephalus	132	32	42	18	8	10	110	19	2	-	-	1	-	-	-	-	-	-
Diseases of Brain	749	388	44	21	15	5	473	19	12	12	9	25	21	36	51	53	31	6
Heart Dis. and Dropsy	380	3	4	3	-	2	12	9	5	13	10	43	43	69	71	63	36	6
Dis. of Lungs	684	148	83	36	15	12	294	22	6	16	15	30	41	49	84	74	44	9
Dis. of Stom. and Liver	269	23	9	3	5	2	42	6	5	10	17	26	35	35	42	38	13	-
Dis. of Kidneys	32	-	-	1	-	-	1	-	1	-	3	9	1	6	4	6	1	-
Dis. of Gener. Organs	49	-	-	-	-	-	-	-	-	2	1	7	13	10	12	3	1	-
Diseases of the Joints	39	1	1	-	-	2	4	5	5	6	3	4	8	-	-	4	-	-
Diseases of the Skin	14	5	2	-	-	1	8	1	-	-	1	1	1	1	-	1	-	-
Childbirth and Metria	73	-	-	-	-	-	-	-	-	3	15	32	23	-	-	-	-	-
Violent Deaths	87	18	8	1	10	3	40	12	2	4	1	5	6	6	5	3	3	-
Other Causes	913	323	58	13	8	2	404	6	3	1	2	19	12	15	56	135	189	71
446.—BELPER.																		
Mean Popul^{n}, 1851-61	24450	-	-	-	-	-	3428	2979	2649	2271	2179	3523	2713	2106	1444	827	292	39
TOTAL DEATHS	5047	1049	308	140	145	83	1725	201	155	236	254	395	355	331	399	488	385	123
Small-pox	35	9	6	4	5	3	27	-	3	1	-	2	1	-	1	-	-	-
Measles	51	10	16	11	7	3	47	3	-	-	1	-	-	-	-	-	-	-
Scarlatina	135	15	30	23	34	19	121	45	10	7	-	1	-	1	-	-	-	-
Diphtheria	30	2	3	4	7	1	17	10	-	-	1	1	-	-	1	-	-	-
Whooping-cough	83	31	27	10	6	4	78	5	-	-	-	-	-	-	-	-	-	-
Typhus	214	1	12	5	8	10	36	27	35	29	21	23	11	14	6	12	-	-
Cholera, Diarrh., Dysent^{y}	139	45	9	4	3	2	63	2	3	2	4	8	7	5	10	19	15	1
Other Zymotic Dis.	246	46	17	16	23	14	116	17	4	6	3	10	15	11	18	24	17	5
Cancer	76	-	-	-	-	-	-	-	-	-	1	6	7	22	21	11	7	1
Scrofula, Tabes Mesen.	73	14	8	4	-	-	26	9	10	10	4	7	2	2	3	-	-	-
Phthisis	821	29	13	5	3	3	53	25	44	124	149	185	119	67	38	16	1	-
Hydrocephalus	69	31	14	5	6	3	59	6	3	-	-	-	1	-	-	-	-	-
Diseases of Brain	757	405	33	13	10	3	464	13	8	10	9	14	31	35	58	72	36	7
Heart Dis. and Dropsy	413	-	1	2	1	-	4	9	9	12	13	33	37	51	98	101	43	3
Dis. of Lungs	526	120	56	21	22	8	230	11	8	9	10	26	20	34	57	74	42	5
Dis. of Stom. and Liver	246	7	3	-	1	2	13	7	3	11	11	18	29	48	49	37	17	3
Dis. of Kidneys	22	-	-	-	-	-	-	1	1	1	-	1	4	5	1	5	3	-
Dis. of Gener. Organs	41	-	-	-	-	-	-	-	-	-	1	2	14	13	5	6	-	-
Diseases of the Joints	26	1	-	1	1	1	4	1	4	2	1	3	5	3	1	2	-	-
Diseases of the Skin	13	5	3	-	-	1	9	1	1	-	-	-	-	-	1	1	-	-
Childbirth and Metria	109	-	-	-	-	-	-	-	-	7	21	44	37	-	-	-	-	-
Violent Deaths	80	13	9	2	7	4	35	6	6	2	2	5	2	5	5	6	4	2
Other Causes	792	265	48	7	1	2	323	3	3	3	2	6	13	15	26	102	209	96

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
447.—ASHBOURNE.																		
Mean Popul^{n}, 1851-61	10239	-	-	-	-	-	1295	1220	1071	983	827	1356	1128	954	743	463	171	28
TOTAL DEATHS	1968	361	98	56	28	21	564	83	44	61	79	114	124	119	191	255	244	90
Small-pox	12	1	-	-	2	1	4	2	-	1	-	3	1	-	-	1	-	-
Measles	23	7	6	2	1	1	17	2	1	-	-	2	1	-	-	-	-	-
Scarlatina	84	6	8	13	14	5	46	27	7	1	1	-	1	-	-	1	-	-
Diphtheria	8	-	1	-	-	-	1	7	-	-	-	-	-	-	-	-	-	-
Whooping-cough	28	9	9	4	2	2	26	2	-	-	-	-	-	-	-	-	-	-
Typhus	58	7	5	5	1	2	20	3	5	8	5	2	4	3	3	5	-	-
Cholera, Diarrh., Dysent^{y}	23	3	1	-	1	1	6	-	-	-	-	2	2	2	2	4	3	2
Other Zymotic Dis.	76	7	4	3	-	1	15	3	1	2	3	3	4	5	10	9	15	6
Cancer	26	-	-	-	-	-	-	-	-	-	-	-	-	3	9	8	5	1
Scrofula, Tabes Mesent.	32	7	5	3	-	1	16	1	2	4	4	1	1	1	2	-	-	-
Phthisis	231	3	3	-	-	2	8	6	10	24	41	60	36	20	17	8	1	-
Hydrocephalus	27	7	4	5	1	1	18	6	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	305	142	15	7	2	2	168	3	7	3	6	6	15	12	20	34	28	3
Heart Dis. and Dropsy	136	1	-	-	-	-	1	2	-	2	2	5	13	14	31	39	25	2
Dis. of Lungs	203	36	17	11	-	-	64	6	2	3	4	5	15	15	37	31	16	5
Dis. of Stom. and Liver	110	3	2	-	1	-	6	5	-	2	3	9	13	21	20	25	6	-
Dis. of Kidneys	33	-	-	-	-	-	-	-	-	-	1	-	2	3	9	9	8	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	-	1	-	-	-	1	-	-	2	1	2	-	1	1	-	-	1
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	87	6	1	2	2	2	13	7	6	5	4	10	11	12	10	7	2	-
Other Causes	455	115	16	1	1	-	133	1	1	3	4	4	5	7	19	74	135	69
448.—CHESTERFIELD.																		
Mean Popul^{n}, 1851-61	28057	-	-	-	-	-	3893	3338	2921	2776	2701	4441	3160	2237	1505	788	255	32
TOTAL DEATHS	6192	1894	431	222	164	111	2822	253	176	199	229	384	332	340	446	514	405	92
Small-pox	82	33	7	7	3	2	52	6	4	6	3	6	2	2	1	-	-	-
Measles	129	35	46	26	4	4	115	12	2	-	-	-	-	-	-	-	-	-
Scarlatina	259	21	45	38	42	30	176	58	13	5	5	1	-	-	1	-	-	-
Diphtheria	92	6	13	12	12	7	50	27	10	1	2	1	1	-	-	-	-	-
Whooping-cough	89	47	23	9	8	1	88	1	-	-	-	-	-	-	-	-	-	-
Typhus	239	4	7	11	14	6	42	17	14	33	35	40	18	14	15	10	1	-
Cholera, Diarrh., Dysent^{y}	162	77	23	9	3	3	115	5	2	-	2	2	3	2	12	10	6	3
Other Zymotic Dis.	257	67	24	20	21	15	147	17	7	6	6	6	12	15	15	17	8	1
Cancer	33	1	-	-	-	-	1	-	-	-	-	3	-	9	4	11	4	1
Scrofula, Tabes Mesent.	63	15	8	6	4	2	35	4	8	-	2	7	3	1	2	1	-	-
Phthisis	619	29	24	6	4	-	63	20	28	56	85	124	108	66	46	21	2	-
Hydrocephalus	112	49	29	10	6	3	97	10	1	2	-	1	-	1	-	-	-	-
Diseases of Brain	1187	878	44	19	9	6	956	13	16	2	8	13	20	33	51	54	18	3
Heart Dis. and Dropsy	368	7	4	2	2	2	17	12	8	16	10	29	26	53	93	78	29	2
Dis. of Lungs	661	210	71	26	16	9	332	17	12	13	15	28	34	30	64	77	36	3
Dis. of Stom. and Liver	235	37	4	2	4	4	51	4	5	9	5	17	19	40	36	37	12	-
Dis. of Kidneys	58	-	-	-	-	-	-	1	1	2	1	6	3	9	12	14	8	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	16	-	-	-	1	-	1	1	3	1	1	2	2	2	3	-	-	-
Diseases of the Skin	17	9	-	-	-	-	9	1	2	-	-	-	-	1	1	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	461	15	8	9	9	12	53	22	38	41	46	88	66	45	36	18	8	-
Other Causes	1053	354	51	10	2	5	422	5	2	6	3	10	15	17	54	169	272	78
449.—BAKEWELL.																		
Mean Popul^{n}, 1851-61	15195		-	-	-	-	1980	1831	1617	1443	1272	2060	1705	1411	1042	614	204	16
TOTAL DEATHS	2996	678	164	67	60	48	1017	144	93	94	120	147	156	199	278	376	298	74
Small-pox	24	10	5	3	2	-	20	1	-	-	2	-	-	1	-	-	-	-
Measles	32	2	14	4	6	1	27	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	131	10	16	13	18	17	74	45	7	2	1	1	1	-	-	-	-	-
Diphtheria	4	1	-	-	1	-	2	-	-	1	-	-	1	-	-	-	-	-
Whooping-cough	37	16	15	3	2	1	37	-	-	-	-	-	-	-	-	-	-	-
Typhus	92	4	3	5	4	3	19	12	14	12	9	6	8	7	1	3	1	-
Cholera, Diarrh., Dysent^{y}	42	7	5	2	2	1	17	1	3	1	-	1	3	7	1	7	1	-
Other Zymotic Dis.	105	26	9	9	6	7	57	4	3	3	2	2	6	5	7	11	5	-
Cancer	21	-	-	-	-	-	-	-	-	-	-	-	-	3	7	5	5	1
Scrofula, Tabes Mesent.	47	5	6	2	-	1	14	7	2	2	3	6	6	2	3	1	1	-
Phthisis	337	12	7	5	1	2	27	16	23	37	58	77	48	40	21	10	-	-
Hydrocephalus	28	7	3	2	2	4	18	8	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	549	338	22	10	9	3	382	10	9	9	4	3	9	12	27	56	27	1
Heart Dis. and Dropsy	228	-	1	-	-	1	2	3	4	7	5	10	15	28	59	63	27	5
Dis. of Lungs	335	61	31	8	2	1	103	8	7	2	8	13	17	30	64	54	25	4
Dis. of Stom. and Liver	140	13	1	-	1	2	17	5	3	2	6	8	10	23	25	32	8	1
Dis. of Kidneys	42	-	-	-	1	-	1	1	1	2	3	3	4	6	8	6	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	-	-
Diseases of the Skin	13	6	-	-	-	-	6	-	-	2	-	-	-	2	-	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	117	3	3	-	2	3	11	5	9	5	11	11	22	22	12	6	1	2
Other Causes	643	157	23	1	1	1	183	12	6	5	7	5	5	10	42	120	188	60

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

447.—ASHBOURNE.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	10551	-	-	-	-	-	1305	1229	1117	1007	871	1424	1163	971	754	486	195	29
TOTAL DEATHS	2096	301	102	51	45	34	533	94	66	74	86	177	157	127	176	261	285	80
Small pox	11	2	1	-	-	2	5	3	-	1	-	-	1	1	-	-	-	-
Measles	28	8	5	8	1	4	26	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	91	5	13	8	14	11	51	24	9	3	1	2	1	-	-	-	-	-
Diphtheria	13	1	1	2	2	-	6	3	4	-	-	-	-	-	-	-	-	-
Whooping-cough	19	8	4	2	2	-	16	2	-	-	-	1	-	-	-	-	-	-
Typhus	66	8	8	4	1	2	23	9	5	3	3	7	3	7	4	2	-	-
Cholera, Diarrh., Dysent^{y}	46	11	-	-	1	-	12	1	-	2	-	4	3	2	3	7	10	2
Other Zymotic Dis.	94	9	12	4	8	2	35	8	2	1	1	4	3	2	8	15	13	2
Cancer	49	-	-	-	1	-	1	-	-	1	-	4	4	10	10	13	4	2
Scrofula, Tabes Mesent.	48	11	5	4	-	4	24	6	3	2	1	3	1	5	1	1	1	-
Phthisis	318	1	4	3	4	-	12	7	22	39	56	84	46	28	20	4	-	-
Hydrocephalus	29	7	4	4	2	1	18	4	4	2	-	1	-	-	-	-	-	-
Diseases of Brain	266	91	16	3	2	5	117	11	5	6	5	12	13	14	20	36	21	6
Heart Dis. and Dropsy	205	-	-	2	-	1	3	-	2	2	4	8	25	25	48	58	28	1
Dis. of Lungs	158	19	13	4	2	1	39	4	4	5	1	6	6	11	27	25	23	7
Dis. of Stom. and Liver	102	5	2	-	2	-	9	2	3	3	5	12	13	13	14	20	7	1
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
Diseases of the Joints	8	-	-	-	-	-	-	2	1	-	-	2	2	-	-	1	-	-
Diseases of the Skin	6	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	3	-
Childbirth and Metria	38	-	-	-	-	-	-	-	-	2	6	18	9	3	-	-	-	-
Violent Deaths	39	9	4	2	2	1	18	5	1	1	2	-	1	1	-	4	4	2
Other Causes	433	105	10	1	1	-	117	1	1	1	1	6	4	2	21	72	170	57

448.—CHESTERFIELD.

Mean Popul^{n}, 1851-61	25730	-	-	-	-	-	4007	3325	2778	2243	2260	3777	2805	2036	1365	822	274	38
TOTAL DEATHS	5685	1364	442	226	150	138	2320	276	142	193	235	427	345	326	403	531	379	108
Small-pox	61	20	10	4	3	3	40	8	1	2	2	1	5	2	-	-	-	-
Measles	103	22	41	19	8	5	95	12	1	-	-	-	-	-	-	-	-	-
Scarlatina	232	9	38	38	35	31	151	76	17	3	2	2	1	-	-	-	-	-
Diphtheria	110	6	14	19	16	16	71	23	11	2	-	3	-	-	-	-	-	-
Whooping-cough	117	47	33	17	6	8	111	6	-	-	-	-	-	-	-	-	-	-
Typhus	269	6	12	6	12	13	49	47	24	37	25	42	12	15	8	7	3	-
Cholera, Diarrh., Dysent^{y}	158	57	18	11	4	5	95	3	2	-	4	8	3	5	13	15	8	2
Other Zymotic Dis.	204	49	16	25	10	10	110	18	4	2	7	6	5	6	15	18	12	1
Cancer	92	2	-	-	-	1	3	-	-	1	-	6	14	31	22	11	3	1
Scrofula, Tabes Mesent.	38	11	6	4	4	1	26	3	-	3	1	1	-	3	1	-	-	-
Phthisis	787	26	23	8	5	6	68	17	36	82	120	201	141	59	43	17	3	-
Hydrocephalus	72	29	23	8	6	4	70	1	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	918	612	49	15	7	10	693	12	9	11	8	16	17	29	43	59	19	2
Heart Dis. and Dropsy	435	6	-	2	2	-	10	6	5	6	12	35	44	72	106	105	29	5
Dis. of Lungs	522	126	71	26	17	12	252	20	8	10	9	11	21	37	55	63	34	2
Dis. of Stom. and Liver	234	29	7	2	3	1	42	4	9	10	10	24	22	32	44	29	6	2
Dis. of Kidneys	19	-	-	-	-	-	-	1	1	1	2	3	3	3	1	3	1	-
Dis. of Gener. Organs	24	-	-	-	-	-	-	-	-	-	-	3	9	5	6	1	-	-
Diseases of the Joints	27	3	2	-	-	-	5	1	2	2	1	3	7	1	2	3	-	-
Diseases of the Skin	11	4	2	-	-	-	6	-	-	-	-	-	-	2	-	3	-	-
Childbirth and Metria	106	-	-	-	-	-	-	-	-	11	24	47	23	1	-	-	-	-
Violent Deaths	106	9	10	10	8	6	43	14	8	5	5	6	3	6	3	5	6	2
Other Causes	1015	291	67	12	4	6	380	4	4	4	3	9	15	17	41	192	255	91

449.—BAKEWELL.

Mean Popul^{n}, 1851-61	15434	-	-	-	-	-	2054	1767	1663	1468	1365	2186	1761	1330	1005	618	194	23
TOTAL DEATHS	3161	527	148	106	75	40	896	124	103	146	138	225	264	204	278	411	298	74
Small-pox	19	5	2	4	-	-	11	1	2	3	2	-	-	-	-	-	-	-
Measles	39	6	14	5	10	3	38	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	127	6	14	18	12	11	61	47	15	2	2	-	-	-	-	-	-	-
Diphtheria	11	3	-	2	2	2	9	1	-	-	1	-	-	-	-	-	-	-
Whooping-cough	59	28	14	10	4	1	57	2	-	-	-	-	-	-	-	-	-	-
Typhus	72	1	3	3	3	1	11	8	12	9	5	10	9	4	2	2	-	-
Cholera, Diarrh., Dysent^{y}	32	2	3	1	-	1	7	3	-	2	-	1	5	5	5	1	3	-
Other Zymotic Dis.	118	18	9	10	6	4	47	7	2	6	-	4	7	11	16	11	6	1
Cancer	31	-	-	-	-	-	-	-	-	-	-	1	4	8	10	6	2	-
Scrofula, Tabes Mesent.	31	4	2	2	1	2	11	1	1	4	3	3	3	3	1	1	-	-
Phthisis	528	6	7	7	5	2	27	16	43	89	76	123	90	38	20	6	-	-
Hydrocephalus	28	5	5	4	2	3	19	8	-	-	-	1	-	-	-	-	-	-
Diseases of Brain	467	259	16	9	11	-	295	6	3	5	4	8	17	17	34	57	20	1
Heart Dis. and Dropsy	317	1	-	2	-	1	4	7	10	7	3	18	35	44	79	80	28	2
Dis. of Lungs	243	37	25	13	8	2	85	4	3	5	7	11	13	24	32	40	16	3
Dis. of Stom. and Liver	159	10	2	4	3	3	22	4	4	5	11	9	23	21	29	26	5	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	1	2	-	3	1	-	-	-
Diseases of the Joints	13	2	-	-	1	-	3	-	1	1	2	-	1	1	2	2	-	-
Diseases of the Skin	5	1	-	-	1	-	2	-	1	1	-	-	-	-	-	1	-	-
Childbirth and Metria	77	-	-	-	-	-	-	-	-	-	13	26	35	3	-	-	-	-
Violent Deaths	38	4	1	2	1	2	10	3	2	3	2	3	3	2	2	5	3	-
Other Causes	758	129	31	10	5	2	177	5	4	4	6	5	19	20	45	172	214	67

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
450.—CHAPEL-EN-LE-FRITH.																		
Mean Popul^{n}, 1851-61	6694	-	-	-	-	-	832	750	664	617	642	1027	791	650	419	211	80	11
TOTAL DEATHS	1309	275	51	42	39	19	426	76	44	48	47	68	76	84	106	158	132	44
Small-pox	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Measles	20	2	2	1	7	3	15	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	43	2	4	7	7	2	22	16	2	2	-	-	1	-	-	-	-	-
Diphtheria	21	4	1	1	3	1	10	6	3	-	1	-	1	-	-	-	-	-
Whooping-cough	31	16	4	5	-	-	25	6	-	-	-	-	-	-	-	-	-	-
Typhus	51	-	-	1	1	1	3	9	3	10	9	5	2	5	1	3	1	-
Cholera, Diarrh., Dysent^{y}	18	2	-	-	1	-	3	-	1	-	-	-	-	1	1	6	3	3
Other Zymotic Dis.	63	12	1	7	6	4	30	6	4	-	-	3	3	4	8	2	2	1
Cancer	7	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	3	-
Scrofula, Tabes Mesent.	29	4	2	1	1	-	8	2	2	3	6	5	-	2	1	-	-	-
Phthisis	119	3	2	4	3	2	14	4	9	16	19	20	17	11	4	5	-	-
Hydrocephalus	20	10	2	2	3	-	17	1	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	206	111	8	3	-	1	123	7	4	3	-	6	5	7	16	20	14	1
Heart Dis. and Dropsy	96	-	-	2	1	-	3	3	3	2	3	3	8	16	22	25	7	1
Dis. of Lungs	130	26	9	4	3	2	44	4	1	3	1	5	8	11	12	28	12	1
Dis. of Stom. and Liver	72	2	-	-	-	-	2	1	2	-	4	7	10	14	14	16	2	-
Dis. of Kidneys	22	-	-	-	-	-	-	-	1	-	-	-	6	-	6	6	1	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	-	-	-	-	1	1	-	3	-	-	1	2	-	-	1	1	-
Diseases of the Skin	6	2	-	-	-	-	2	1	-	-	-	1	-	-	-	-	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	69	8	4	-	3	2	12	5	4	8	2	11	7	9	7	2	2	-
Other Causes	275	75	12	4	-	-	91	-	1	-	1	-	6	4	12	43	32	35
451.—HAYFIELD.																		
Mean Popul^{n}, 1851-61	15160	-	-	-	-	-	1948	1755	1746	1610	1499	2182	1798	1350	763	384	110	15
TOTAL DEATHS	3641	1040	304	145	98	84	1671	216	113	156	140	176	173	232	237	291	195	41
Small-pox	29	11	6	2	2	2	23	4	-	1	-	-	1	-	-	-	-	-
Measles	42	11	19	6	2	3	41	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	247	19	31	42	32	35	159	70	14	2	-	1	1	-	-	-	-	-
Diphtheria	26	1	5	3	4	2	15	8	2	1	-	-	-	-	-	-	-	-
Whooping-cough	67	38	17	6	2	3	66	1	-	-	-	-	-	-	-	-	-	-
Typhus	141	13	5	8	9	1	36	21	12	10	11	13	12	14	5	6	1	-
Cholera, Diarrh., Dysent^{y}	108	55	16	8	3	-	82	3	2	-	1	3	2	3	-	9	3	-
Other Zymotic Dis.	187	52	14	11	14	4	95	22	4	2	2	10	8	7	14	16	5	2
Cancer	17	-	-	-	-	-	-	-	1	-	1	1	1	2	5	5	-	1
Scrofula, Tabes Mesent.	62	22	9	5	1	-	37	4	4	5	3	4	1	2	1	1	-	-
Phthisis	513	25	13	7	5	2	52	19	36	93	87	84	80	49	26	7	-	-
Hydrocephalus	100	27	32	9	1	7	76	19	3	-	-	-	-	-	-	2	-	-
Diseases of Brain	547	335	29	11	6	5	386	13	5	7	6	6	14	16	27	46	21	-
Heart Dis. and Dropsy	188	1	3	1	-	4	9	3	6	10	8	12	11	41	36	34	18	-
Dis. of Lungs	443	127	40	20	6	7	200	7	3	8	3	11	19	45	49	62	35	1
Dis. of Stom. and Liver	162	21	3	1	2	3	30	5	3	7	6	9	18	22	33	19	9	1
Dis. of Kidneys	54	-	1	-	-	-	1	3	3	4	3	3	4	7	10	11	5	-
Dis. of Gener. Organs	5	1	-	-	-	-	1	-	-	-	1	-	2	-	1	-	-	-
Diseases of the Joints	12	-	-	-	-	-	-	2	-	1	-	-	2	2	2	2	1	-
Diseases of the Skin	6	1	-	-	-	-	1	-	-	-	1	-	-	-	1	3	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	112	8	7	3	7	4	29	10	11	3	5	12	11	14	10	3	3	1
Other Causes	573	272	54	2	2	2	332	1	4	2	2	7	6	8	17	65	94	35

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
450.—CHAPEL-EN-LE-FRITH.																		
Mean Popul^{n}, 1851-61	6064	-	-	-	-	-	795	690	663	564	580	924	720	491	345	210	77	5
TOTAL DEATHS	1204	223	52	34	34	16	359	54	36	53	47	96	83	79	118	126	127	26
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	8	-	3	2	1	1	7	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	52	3	8	8	10	3	32	14	5	1	-	-	-	-	-	-	-	-
Diphtheria	20	1	2	1	4	3	11	4	4	1	-	-	-	-	-	-	-	-
Whooping-cough	24	13	4	4	2	-	23	1	-	-	-	-	-	-	-	-	-	-
Typhus	45	1	1	-	4	1	7	5	7	7	6	6	3	1	2	-	1	-
Cholera, Diarrh., Dysent^{y}	15	3	3	1	-	-	7	-	-	-	-	1	1	1	1	-	3	1
Other Zymotic Dis.	49	7	1	3	7	1	19	4	1	2	1	2	4	3	4	6	3	-
Cancer	31	1	-	-	-	-	1	-	1	-	-	1	5	11	5	6	1	-
Scrofula, Tabes Mesent.	13	6	1	-	-	1	8	1	-	-	-	3	-	-	1	-	-	-
Phthisis	197	4	4	1	2	1	12	7	10	31	30	54	27	11	10	5	-	-
Hydrocephalus	23	9	4	2	1	2	18	3	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	158	83	5	1	2	1	92	3	2	2	1	7	7	9	17	10	7	1
Heart Dis. and Dropsy	121	-	-	1	-	-	1	1	1	3	2	6	11	14	34	33	14	1
Dis. of Lungs	99	22	4	5	1	1	33	4	-	1	1	1	7	8	15	17	12	-
Dis. of Stom. and Liver	72	1	2	2	-	-	5	2	1	2	2	7	4	12	19	12	6	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	1	1	1	3	-	1	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	1	1	5	8	1	-	-	-	-
Violent Deaths	11	1	-	1	-	1	3	-	1	-	2	-	1	-	-	3	1	-
Other Causes	232	67	10	2	-	-	79	3	-	1	-	1	2	3	9	32	79	23
451.—HAYFIELD.																		
Mean Popul^{n}, 1851-61	15784	-		-	-	-	1972	1784	1743	1667	1624	2465	1859	1357	795	385	121	12
TOTAL DEATHS	3571	775	268	149	99	64	1355	192	135	189	186	290	251	222	243	277	189	42
Small-pox	24	6	3	6	-	1	16	5	1	1	1	-	-	-	-	-	-	-
Measles	44	8	18	8	4	2	40	3	-	-	1	-	-	-	-	-	-	-
Scarlatina	205	18	84	32	29	20	133	54	15	2	-	1	-	-	-	-	-	-
Diphtheria	31	2	4	5	5	3	19	11	-	-	-	-	1	-	-	-	-	-
Whooping-cough	86	43	22	10	3	6	84	2	-	-	-	-	-	-	-	-	-	-
Typhus	184	6	8	8	6	7	35	28	18	26	16	22	15	7	6	8	3	-
Cholera, Diarrh., Dysent^{y}	120	48	18	5	1	-	67	3	1	2	1	5	5	6	9	10	8	3
Other Zymotic Dis.	103	22	9	14	7	4	56	9	1	1	1	5	4	8	5	7	4	2
Cancer	32	-	-	-	-	-	-	-	-	-	-	1	8	7	5	9	2	-
Scrofula, Tabes Mesent.	42	15	7	4	2	-	28	3	-	4	1	1	-	2	2	1	-	-
Phthisis	666	20	16	4	4	2	46	22	64	104	114	141	82	51	30	12	-	-
Hydrocephalus	75	23	15	10	8	4	60	10	5	-	-	-	-	-	-	-	-	-
Diseases of Brain	499	247	29	11	14	5	306	9	9	10	8	19	20	28	37	31	20	2
Heart Dis. and Dropsy	229	2	-	2	1	1	6	4	5	10	8	21	33	40	40	42	18	2
Dis. of Lungs	366	89	47	17	6	5	164	8	2	5	6	16	20	22	46	61	15	1
Dis. of Stom. and Liver	179	11	4	1	-	1	17	8	6	14	12	21	23	24	32	19	3	-
Dis. of Kidneys	11	-	-	-	1	-	1	-	-	-	-	3	1	3	2	1	-	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	1	2	3	4	2	1	-	-
Diseases of the Joints	13	1	2	-	-	-	3	2	1	-	1	1	-	1	2	2	-	-
Diseases of the Skin	11	6	-	-	-	-	6	-	-	-	-	-	1	2	1	-	1	-
Childbirth and Metria	55	-	-	-	-	-	-	-	-	-	10	23	20	2	-	-	-	-
Violent Deaths	56	2	4	4	4	2	16	10	4	4	1	3	3	4	6	2	3	-
Other Causes	527	206	33	8	4	1	252	1	3	6	4	5	12	11	18	71	112	32

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
452.—STOCKPORT.																		
Mean Popul^{n}, 1851-61	43400	-	-	-	-	-	5673	5097	4845	4654	4102	6458	5062	3813	2292	1031	292	31
TOTAL DEATHS	11663	3648	1068	489	251	215	5671	488	250	415	387	573	651	814	911	901	493	109
Small-pox	101	40	11	9	4	6	70	13	4	2	7	2	2	1	-	-	-	-
Measles	278	48	111	65	26	14	264	12	1	1	-	-	-	-	-	-	-	-
Scarlatina	458	36	81	84	48	50	299	133	18	2	5	1	-	-	-	-	-	-
Diphtheria	23	3	3	3	3	5	17	6	-	-	-	-	-	-	-	-	-	-
Whooping-cough	201	78	57	36	13	14	198	3	-	-	-	-	-	-	-	-	-	-
Typhus	407	15	23	14	16	14	82	59	35	34	35	40	29	32	32	21	7	1
Cholera, Diarrh., Dysent^{y}	1129	791	135	29	15	5	975	10	4	7	3	10	10	17	37	27	23	3
Other Zymotic Dis.	425	88	59	37	23	23	230	32	5	11	11	21	34	25	30	17	7	2
Cancer	61	-	-	-	1	-	1	1	-	2	-	7	7	14	18	10	1	-
Scrofula, Tabes Mesent.	222	70	41	16	6	7	140	16	19	8	9	13	7	4	4	1	1	-
Phthisis	1241	23	19	15	8	2	67	22	47	229	199	241	169	149	84	34	-	-
Hydrocephalus	209	95	60	26	6	6	194	12	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	1697	936	88	36	22	21	1103	48	23	20	16	33	59	79	133	123	50	10
Heart Dis. and Dropsy	447	8	6	4	3	3	24	16	18	21	20	30	47	61	86	84	39	1
Dis. of Lungs	2065	541	212	75	32	19	879	29	10	21	19	69	138	234	257	297	100	12
Dis. of Stom. and Liver	485	55	12	6	2	5	80	9	13	10	20	32	58	88	91	67	15	2
Dis. of Kidneys	115	-	-	1	-	3	4	-	-	3	4	7	14	13	24	29	15	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	30	-	-	1	-	-	1	4	5	7	2	3	-	3	1	4	-	-
Diseases of the Skin	28	11	1	1	-	-	13	3	-	-	-	-	1	1	3	5	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	495	22	23	14	17	14	90	47	37	32	31	54	56	61	54	20	11	2
Other Causes	1546	787	126	17	6	4	940	13	8	5	6	10	20	32	57	162	219	74
453.—MACCLESFIELD.																		
Mean Popul^{n}, 1851-61	30070	-	-	-	-	-	3860	3458	3312	3047	2568	4298	3731	2802	1784	892	237	31
TOTAL DEATHS	7646	2167	565	276	179	162	3349	311	238	288	259	424	408	524	635	681	423	106
Small-pox	50	14	6	6	4	6	36	2	2	1	2	4	3	-	-	-	-	-
Measles	103	21	30	18	11	11	91	11	1	-	-	-	-	-	-	-	-	-
Scarlatina	298	27	85	51	43	38	192	79	17	7	2	-	1	-	-	-	-	-
Diphtheria	32	7	9	-	3	3	22	5	4	-	-	1	-	-	-	-	-	-
Whooping-cough	134	62	31	14	16	4	127	7	-	-	-	-	-	-	-	-	-	-
Typhus	288	11	12	3	10	11	47	26	29	18	18	36	29	35	27	18	5	-
Cholera, Diarrh., Dysent^{y}	370	169	43	16	2	7	237	7	5	3	5	8	3	13	16	40	30	3
Other Zymotic Dis.	265	49	25	22	22	8	126	14	6	4	8	12	12	21	21	29	11	1
Cancer	54	-	-	-	-	-	-	-	-	-	1	3	6	14	15	12	2	1
Scrofula, Tabes Mesent.	143	38	13	5	6	5	67	12	14	21	9	7	4	5	2	2	-	-
Phthisis	910	9	10	4	1	9	33	26	62	149	160	190	119	93	59	16	3	-
Hydrocephalus	205	90	50	21	8	5	174	19	7	-	-	1	1	1	-	2	-	-
Diseases of Brain	1096	586	60	26	6	11	689	24	18	11	13	19	47	58	82	81	43	11
Heart Dis. and Dropsy	434	9	4	4	3	-	20	13	14	15	12	29	47	56	86	104	33	5
Dis. of Lungs	1254	355	159	48	26	28	616	23	8	18	6	27	48	96	154	151	90	17
Dis. of Stom. and Liver	407	27	8	5	2	3	45	16	15	9	8	36	38	75	83	60	21	1
Dis. of Kidneys	87	-	-	1	-	-	1	4	2	3	1	4	11	7	15	30	8	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	34	-	-	1	1	1	3	2	11	3	2	2	2	3	3	3	-	-
Diseases of the Skin	19	8	-	-	-	-	8	1	1	-	-	-	2	2	1	4	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	255	18	7	13	10	10	58	16	15	24	9	34	25	25	27	11	10	1
Other Causes	1207	669	63	18	5	2	757	4	7	2	3	11	10	19	44	118	167	65
454.—ALTRINCHAM.																		
Mean Popul^{n}, 1851-61	18239	-	-	-	-	-	2426	2174	1969	1760	1662	2638	2129	1609	1094	557	193	23
TOTAL DEATHS	3759	987	205	128	64	59	1443	168	89	119	129	220	277	260	316	350	303	80
Small-pox	41	9	3	5	3	3	23	4	2	3	3	1	4	1	-	-	-	-
Measles	38	9	16	6	2	3	36	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	115	6	15	16	10	15	62	35	12	4	-	2	-	-	-	-	-	-
Diphtheria	18	2	-	-	1	3	6	6	3	2	-	-	1	-	-	-	-	-
Whooping-cough	74	33	21	13	1	3	71	3	-	-	-	-	-	-	-	-	-	-
Typhus	106	5	4	5	6	4	24	11	5	9	11	12	14	7	9	3	1	-
Cholera, Diarrh., Dysent^{y}	169	82	10	6	7	-	105	4	2	-	-	4	4	7	14	13	13	3
Other Zymotic Dis.	152	34	14	13	8	4	73	13	5	2	2	7	7	11	13	13	5	1
Cancer	40	-	-	-	-	-	-	-	-	1	-	3	4	6	16	3	7	-
Scrofula, Tabes Mesent.	72	20	3	3	1	1	28	7	6	12	5	5	4	3	1	-	1	-
Phthisis	408	7	2	2	-	1	12	6	18	47	66	95	100	61	41	18	4	-
Hydrocephalus	75	21	19	10	3	3	61	9	3	-	-	1	1	-	-	-	-	-
Diseases of Brain	582	296	22	11	5	6	340	12	3	3	9	11	23	24	42	69	33	8
Heart Dis. and Dropsy	199	3	1	-	1	-	5	4	4	11	2	15	24	28	33	45	25	3
Dis. of Lungs	539	143	46	16	9	5	219	18	5	4	7	18	31	30	69	70	54	14
Dis. of Stom. and Liver	210	17	2	2	-	1	22	7	4	5	4	13	27	41	33	38	13	3
Dis. of Kidneys	47	1	-	-	-	-	1	-	1	1	2	5	6	8	6	8	8	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	16	-	-	-	1	-	1	1	2	-	3	4	2	2	-	-	1	-
Diseases of the Skin	10	3	1	-	-	-	4	-	-	-	-	-	1	-	3	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	191	9	10	11	3	2	35	25	12	12	12	19	15	22	16	15	7	1
Other Causes	597	287	16	9	3	-	315	1	2	3	3	5	9	9	20	54	130	46

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

452.—STOCKPORT.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	48884	-	-	-	-	-	5785	5111	5028	5276	5413	7938	5870	4319	2580	1176	346	42
TOTAL DEATHS	11980	3027	988	489	324	244	5072	442	278	477	521	897	766	863	987	980	573	124
Small-pox	133	44	25	10	15	8	102	17	9	-	1	3	-	1	-	-	-	-
Measles	291	49	110	63	32	15	269	19	-	3	-	-	-	-	-	-	-	-
Scarlatina	473	21	58	87	77	64	307	130	25	3	3	3	-	-	2	-	-	-
Diphtheria	18	3	2	2	3	2	12	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough	284	109	78	46	24	16	273	10	1	-	-	-	-	-	-	-	-	-
Typhus	449	16	12	18	18	20	84	56	33	53	33	48	56	40	25	18	3	-
Cholera, Diarrh., Dysent^{y}	1052	652	146	30	13	6	847	7	5	7	3	18	16	20	44	64	17	4
Other Zymotic Dis.	393	99	52	45	26	20	242	21	8	11	9	23	20	21	16	19	6	3
Cancer	181	-	-	-	-	-	-	1	-	2	2	15	28	52	52	22	6	1
Scrofula, Tabes Mesent.	149	48	32	6	3	4	93	10	7	7	4	7	10	8	3	-	-	-
Phthisis	1690	22	17	10	2	5	56	27	84	275	297	439	226	162	85	35	4	-
Hydrocephalus	169	74	40	15	14	13	156	10	-	1	-	2	-	-	-	-	-	-
Diseases of Brain	1509	706	94	47	36	25	908	34	24	24	22	39	37	81	138	131	67	4
Heart Dis. and Dropsy	607	3	6	1	3	1	14	10	26	29	26	53	74	101	134	107	33	-
Dis. of Lungs	1899	433	179	71	38	24	745	32	17	12	26	66	111	190	282	298	107	13
Dis. of Stom. and Liver	543	29	4	7	4	1	45	11	13	17	25	58	70	111	103	72	18	-
Dis. of Kidneys	44	-	1	-	-	-	1	-	1	5	1	7	9	8	8	3	1	-
Dis. of Gener. Organs	58	-	-	-	-	-	-	-	-	-	3	11	16	12	9	6	1	-
Diseases of the Joints	25	1	1	1	-	1	4	1	3	5	-	-	3	1	4	4	-	-
Diseases of the Skin	22	6	1	-	-	-	7	-	-	-	-	2	-	3	5	5	-	-
Childbirth and Metria	200	-	-	-	-	-	-	-	-	5	47	86	59	3	-	-	-	-
Violent Deaths	211	18	17	10	10	14	67	32	15	5	10	8	11	21	18	11	11	2
Other Causes	1574	696	113	20	6	5	840	9	6	13	9	9	20	28	59	185	299	97

453.—MACCLESFIELD.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	32364	-	-	-	-	-	3810	3591	3333	3288	3175	5176	3978	2857	1858	981	288	34
TOTAL DEATHS	7854	1656	494	267	167	126	2710	319	230	443	390	677	590	543	631	774	437	110
Small-pox	49	10	12	8	4	1	35	9	-	-	2	1	2	-	-	-	-	-
Measles	93	16	34	21	4	8	83	5	5	-	-	-	-	-	-	-	-	-
Scarlatina	236	13	82	38	44	25	152	61	14	4	1	4	-	-	-	-	-	-
Diphtheria	32	1	1	5	3	5	15	6	6	1	-	3	-	-	-	1	-	-
Whooping-cough	154	69	35	28	9	6	147	6	1	-	-	-	-	-	-	-	-	-
Typhus	321	7	9	18	10	18	52	40	26	36	27	39	28	26	10	19	9	-
Cholera, Diarrh., Dysent^{y}	370	151	23	18	4	2	198	12	5	5	5	14	17	16	27	45	19	7
Other Zymotic Dis.	201	50	18	16	12	4	100	12	6	4	5	9	4	18	14	15	11	3
Cancer	134	-	-	1	-	-	1	1	1	-	-	12	27	38	32	14	8	-
Scrofula, Tabes Mesent.	100	26	13	5	8	4	56	11	8	9	1	5	5	3	2	-	-	-
Phthisis	1443	15	8	4	3	6	36	28	82	311	232	345	219	107	66	15	2	-
Hydrocephalus	140	42	36	13	8	14	113	19	3	2	1	2	-	-	-	-	-	-
Diseases of Brain	901	428	37	15	13	8	501	25	12	14	20	35	37	58	78	84	33	4
Heart Dis. and Dropsy	550	7	5	-	-	-	12	11	18	12	23	52	74	92	115	105	32	4
Dis. of Lungs	1215	271	143	45	30	21	510	27	12	15	17	44	52	78	138	204	100	18
Dis. of Stom. and Liver	373	23	6	5	3	4	41	6	11	16	17	37	44	57	65	60	17	2
Dis. of Kidneys	22	1	1	-	-	-	2	-	1	2	2	2	2	1	4	5	-	1
Dis. of Gener. Organs	31	-	-	-	-	-	-	-	-	-	-	4	7	12	5	3	-	-
Diseases of the Joints	32	1	2	-	1	-	4	1	7	2	2	1	2	2	7	3	1	-
Diseases of the Skin	16	5	1	1	-	-	7	1	-	-	-	-	2	2	-	4	-	-
Childbirth and Metria	123	-	-	-	-	-	-	-	-	2	30	48	43	-	-	-	-	-
Violent Deaths	130	16	12	6	4	8	46	25	9	3	2	10	3	7	7	13	5	-
Other Causes	1188	504	66	20	7	2	599	13	3	5	3	10	22	26	52	184	200	71

454.—ALTRINCHAM.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	19042	-	-	-	-	-	2382	2178	1925	1830	1849	3042	2179	1615	1141	652	227	24
TOTAL DEATHS	3628	692	192	115	94	52	1145	133	93	140	157	330	253	243	300	390	355	89
Small-pox	31	8	7	4	1	2	22	1	-	1	2	1	4	-	-	-	-	-
Measles	32	4	14	4	3	3	28	2	2	-	-	-	-	-	-	-	-	-
Scarlatina	108	8	15	21	19	7	70	24	10	1	1	-	2	-	-	-	-	-
Diphtheria	11	1	3	-	2	-	6	2	2	1	-	-	-	-	-	-	-	-
Whooping-cough	62	27	14	13	5	1	60	2	-	-	-	-	-	-	-	-	-	-
Typhus	124	3	2	7	7	4	23	13	7	19	6	17	14	12	9	2	1	1
Cholera, Diarrh., Dysent^{y}	164	62	17	4	1	2	86	3	4	-	2	6	9	6	12	11	20	5
Other Zymotic Dis.	115	20	11	13	8	6	58	13	6	3	-	5	5	5	8	6	6	-
Cancer	63	-	-	-	-	-	-	-	-	-	-	4	9	16	17	12	5	-
Scrofula, Tabes Mesent.	44	7	7	3	3	1	21	4	2	4	4	5	1	2	-	1	-	-
Phthisis	619	6	8	3	2	2	21	17	29	71	90	186	100	46	39	15	4	1
Hydrocephalus	77	23	14	6	9	10	62	11	3	-	-	-	-	-	1	-	-	-
Diseases of Brain	472	185	20	14	10	4	233	8	8	7	8	13	10	31	40	63	41	10
Heart Dis. and Dropsy	221	2	2	-	1	-	5	4	8	6	6	12	23	30	52	44	29	2
Dis. of Lungs	474	104	33	18	16	6	177	8	5	8	9	15	21	31	46	94	53	7
Dis. of Stom. and Liver	215	17	4	1	1	-	23	3	1	10	10	16	18	34	38	41	20	1
Dis. of Kidneys	23	1	-	-	-	-	1	1	1	-	1	3	4	5	2	5	-	-
Dis. of Gener. Organs	23	-	-	-	-	-	-	-	-	-	1	4	4	8	5	1	-	-
Diseases of the Joints	12	-	-	-	-	-	-	1	2	3	1	2	-	1	-	1	1	-
Diseases of the Skin	11	3	-	-	-	-	3	-	-	-	-	-	-	-	4	3	1	-
Childbirth and Metria	61	-	-	-	-	-	-	-	-	-	-	10	31	18	2	-	-	-
Violent Deaths	63	7	9	2	5	4	27	9	2	1	3	2	3	3	2	6	2	3
Other Causes	603	204	12	2	1	-	219	7	1	5	3	8	8	11	25	85	172	59

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
455.—RUNCORN.																		
Mean Popul^{n}, 1851-61	13580	-	-	-	-	-	1896	1735	1558	1323	1237	1987	1477	1128	737	363	123	16
TOTAL DEATHS	2911	729	213	124	71	74	1211	163	86	72	91	188	175	206	240	244	187	48
Small-pox	58	14	14	11	4	3	46	7	-	-	2	2	-	1	-	-	-	-
Measles	51	11	20	9	4	1	45	5	-	1	-	-	-	-	-	-	-	-
Scarlatina	178	15	22	28	27	20	112	50	12	1	2	1	-	-	-	-	-	-
Diphtheria	12	1	1	1	2	3	8	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	51	24	13	9	2	1	49	2	-	-	-	-	-	-	-	-	-	-
Typhus	76	5	5	3	1	3	17	9	7	4	10	5	9	9	4	2	-	-
Cholera, Diarrh., Dysent^{y}	140	60	25	6	3	5	99	4	-	1	3	2	3	6	9	7	5	1
Other Zymotic Dis.	110	11	4	9	6	5	35	8	5	3	4	7	7	7	13	9	10	2
Cancer	20	-	-	-	1	-	1	-	-	-	-	2	2	2	3	6	4	-
Scrofula, Tabes Mesent.	46	12	6	3	-	2	23	10	5	3	2	2	1	-	-	-	-	-
Phthisis	336	19	10	4	2	4	39	9	12	21	36	72	55	55	28	9	-	-
Hydrocephalus	65	23	12	12	1	6	54	7	3	-	-	-	1	-	-	-	-	-
Diseases of Brain	384	188	14	10	2	4	218	4	3	4	2	15	12	28	35	37	25	1
Heart Dis. and Dropsy	153	2	1	-	1	-	4	5	1	1	1	9	14	27	32	41	16	2
Dis. of Lungs	380	118	41	11	8	4	182	10	6	6	6	13	17	30	41	43	22	4
Dis. of Stom. and Liver	133	16	3	1	-	1	21	5	3	8	3	3	13	19	29	24	5	-
Dis. of Kidneys	44	-	-	-	-	-	-	1	-	1	-	7	4	5	6	16	4	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Diseases of the Joints	15	1	-	-	1	1	3	2	3	1	4	-	-	1	-	1	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	216	6	1	3	6	9	25	21	24	16	14	37	28	10	23	11	5	2
Other Causes	440	202	21	4	-	2	229	1	1	1	2	10	9	6	16	38	91	36
456.—NORTHWICH.																		
Mean Popul^{n}, 1851-61	16205	-	-	-	-	-	2301	2148	1787	1611	1319	2244	1733	1374	931	538	200	19
TOTAL DEATHS	3762	1096	291	153	106	70	1716	174	102	114	113	195	206	184	264	326	303	65
Small-pox	96	24	20	12	8	4	68	10	5	4	2	4	2	1	-	-	-	-
Measles	64	12	22	16	7	2	59	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	182	18	22	22	33	16	111	54	10	4	2	-	-	1	-	-	-	-
Diphtheria	12	1	2	1	2	1	7	2	1	-	1	-	-	-	-	1	-	-
Whooping-cough	49	20	17	7	1	3	48	1	-	-	-	-	-	-	-	-	-	-
Typhus	138	9	11	5	6	5	36	6	19	15	8	23	10	7	6	6	2	-
Cholera, Diarrh., Dysent^{y}	105	43	13	2	2	1	61	-	-	-	-	3	5	4	7	14	10	1
Other Zymotic Dis.	139	30	19	12	9	6	76	5	1	4	3	7	8	8	9	12	6	-
Cancer	30	-	-	1	-	-	1	1	-	-	-	-	4	3	8	10	2	1
Scrofula, Tabes Mesent.	72	19	8	4	2	-	33	11	8	6	6	1	1	4	2	-	-	-
Phthisis	374	26	7	7	4	3	47	7	17	39	52	76	52	37	27	19	1	-
Hydrocephalus	78	33	19	6	5	4	67	8	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	539	364	11	12	4	3	394	9	6	8	5	10	25	15	40	44	29	4
Heart Dis. and Dropsy	158	2	3	-	2	2	9	8	3	3	4	13	14	21	32	27	24	-
Dis. of Lungs	441	126	55	21	10	9	221	12	3	5	7	15	14	26	46	48	41	3
Dis. of Stom. and Liver	198	10	7	4	-	1	22	10	2	1	4	15	30	22	42	36	13	1
Dis. of Kidneys	43	-	-	1	-	-	1	1	1	-	2	2	2	7	7	11	7	2
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Diseases of the Joints	12	-	1	-	-	-	1	1	2	3	-	-	2	-	2	1	-	-
Diseases of the Skin	11	6	-	-	-	-	6	-	-	-	-	-	1	-	-	2	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	228	10	14	12	8	9	53	22	18	19	13	21	27	18	16	18	8	-
Other Causes	741	343	40	8	3	1	395	2	3	2	4	5	7	10	20	32	159	52
457.—CONGLETON.																		
Mean Popul^{n}, 1851-61	16009	-	-	-	-	-	2236	1927	1766	1639	1309	2294	1853	1328	922	516	174	25
TOTAL DEATHS	3780	1096	224	124	99	75	1618	182	132	145	138	186	189	191	297	348	279	75
Small-pox	27	10	1	2	4	1	18	3	1	2	-	-	2	-	1	-	-	-
Measles	37	11	9	4	3	6	33	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	177	13	23	28	33	21	118	40	11	4	-	2	2	-	-	-	-	-
Diphtheria	20	-	4	2	1	2	9	8	1	-	1	-	1	-	-	-	-	-
Whooping-cough	50	27	9	9	3	-	48	2	-	-	-	-	-	-	-	-	-	-
Typhus	113	4	7	4	3	1	19	15	17	11	14	9	15	5	7	1	-	-
Cholera, Diarrh., Dysent^{y}	97	47	7	1	1	2	58	6	1	-	2	3	-	3	5	10	8	1
Other Zymotic Dis.	166	82	15	13	12	3	125	8	1	2	3	1	3	7	5	8	3	-
Cancer	15	-	-	-	-	-	-	-	-	-	1	1	3	4	3	1	2	-
Scrofula, Tabes Mesent.	101	45	15	3	1	-	64	10	8	6	3	3	-	2	2	3	-	-
Phthisis	480	8	5	3	1	3	20	12	37	79	80	93	65	45	36	11	2	-
Hydrocephalus	89	22	15	7	9	7	60	14	8	6	-	1	-	-	-	-	-	-
Diseases of the Brain	490	273	24	10	4	8	319	14	10	6	4	11	12	21	39	37	17	-
Heart Dis. and Dropsy	129	-	1	1	1	-	3	3	7	4	5	6	9	14	39	24	13	2
Dis. of Lungs	509	163	52	21	12	9	230	16	3	4	4	10	19	26	57	73	37	-
Dis. of Stom. and Liver	216	9	3	1	2	-	15	4	5	3	6	10	30	37	50	49	6	1
Dis. of Kidneys	27	-	-	-	1	-	1	-	2	-	-	4	-	3	6	8	3	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the Joints	17	-	-	-	-	-	-	1	3	2	1	3	1	1	4	-	1	-
Diseases of the Skin	4	2	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	166	7	5	8	4	9	33	13	13	14	11	22	20	13	14	11	2	-
Other Causes	849	370	29	7	4	3	413	10	2	1	2	7	7	10	29	112	185	71

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

455.—RUNCORN.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	12714	-	-	-	-	-	1802	1574	1436	1161	1085	1869	1416	1071	723	407	151	19
TOTAL DEATHS	2637	550	209	122	82	50	1013	137	81	76	96	211	177	186	194	222	178	36
Small-pox	57	16	10	8	6	2	42	6	2	-	1	4	2	-	-	-	-	-
Measles	43	8	15	9	5	3	40	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	173	10	22	27	33	18	110	47	14	1	-	-	1	-	-	-	-	-
Diphtheria	17	1	1	-	1	1	4	6	3	3	-	-	-	1	-	-	-	-
Whooping-cough	59	27	17	9	2	1	56	3	-	-	-	-	-	-	-	-	-	-
Typhus	85	1	1	4	3	2	11	17	13	11	4	6	5	10	2	4	2	-
Cholera, Diarrh., Dysent^{y}	132	55	17	6	2	1	81	4	-	-	4	9	2	5	9	7	8	3
Other Zymotic Dis.	100	19	14	7	9	7	56	3	4	1	3	2	3	8	4	7	9	-
Cancer	57	-	-	-	-	-	-	1	-	-	-	4	9	16	13	10	3	1
Scrofula, Tabes Mesent.	53	14	8	2	2	1	27	4	2	3	5	4	2	3	1	1	1	-
Phthisis	376	8	7	5	-	-	20	16	22	37	46	95	66	45	15	12	2	-
Hydrocephalus	48	18	13	8	2	1	42	4	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	300	124	21	9	4	3	161	8	4	1	6	17	15	16	25	33	13	1
Heart Dis. and Dropsy	154	1	1	-	1	-	3	1	1	4	4	9	13	24	43	37	11	4
Dis. of Lungs	275	78	34	15	9	4	140	3	3	1	7	9	11	19	24	34	23	1
Dis. of Stom. and Liver	164	10	3	2	-	-	15	3	4	4	7	18	16	25	28	32	11	1
Dis. of Kidneys	25	-	-	-	-	-	-	-	-	1	1	7	7	2	2	3	2	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	2	2	2	3	2	-	-
Diseases of the Joints	9	-	-	-	-	-	-	-	2	-	1	1	1	3	1	-	-	-
Diseases of the Skin	6	2	-	1	-	-	3	-	-	-	-	-	1	-	1	1	-	-
Childbirth and Metria	32	-	-	-	-	-	-	-	-	2	3	16	10	1	-	-	-	-
Violent Deaths	48	5	5	4	3	4	21	9	1	4	2	1	3	2	2	2	1	-
Other Causes	413	153	20	6	-	2	181	-	3	3	2	7	8	4	21	37	92	55

456.—NORTHWICH.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	16065	-	-	-	-	-	2341	2084	1752	1450	1413	2274	1741	1297	929	542	212	30
TOTAL DEATHS	3430	800	238	135	90	62	1325	162	89	104	145	291	197	189	211	352	268	97
Small-pox	75	21	11	7	6	4	49	15	2	3	5	1	-	-	-	-	-	-
Measles	45	7	17	8	7	-	39	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	145	7	25	25	16	21	94	42	7	1	-	-	-	1	-	-	-	-
Diphtheria	13	1	1	3	2	1	8	3	-	-	1	-	-	1	-	-	-	-
Whooping-cough	52	20	17	9	3	3	52	-	-	-	-	-	-	-	-	-	-	-
Typhus	139	3	11	4	9	3	30	25	17	12	10	18	7	8	5	4	2	1
Cholera, Diarrh., Dysent^{y}	89	21	6	4	-	1	32	3	-	-	3	7	4	5	6	11	12	6
Other Zymotic Dis.	119	23	14	11	11	3	62	6	3	3	4	2	1	8	4	20	4	2
Cancer	37	-	-	-	-	-	-	-	-	-	2	1	5	14	7	7	1	-
Scrofula, Tabes Mesent.	55	15	7	3	2	1	28	6	5	4	1	2	4	2	2	-	1	-
Phthisis	467	11	5	3	4	2	25	16	31	46	59	131	80	38	19	18	4	-
Hydrocephalus	47	24	5	3	3	1	36	7	2	1	-	-	-	-	-	1	-	-
Diseases of Brain	500	270	26	14	5	6	321	6	2	8	6	17	17	13	37	45	23	5
Heart Dis. and Dropsy	194	2	-	-	-	1	3	4	3	4	7	19	12	19	32	63	24	4
Dis. of Lungs	374	88	39	19	13	6	165	4	5	5	4	20	18	21	29	53	41	9
Dis. of Stom. and Liver	189	11	2	1	3	-	17	1	2	4	8	23	14	26	31	40	14	-
Dis. of Kidneys	21	-	-	-	-	-	-	1	-	-	1	4	1	4	6	4	-	-
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	1	-	2	4	6	5	-	-	-
Diseases of the Joints	16	1	1	-	-	-	2	2	-	-	1	2	1	2	2	3	-	1
Diseases of the Skin	6	-	1	-	-	-	1	-	-	-	-	-	4	-	-	-	1	-
Childbirth and Metria	70	-	-	-	-	-	-	-	-	4	21	28	16	1	-	-	-	-
Violent Deaths	73	2	4	9	2	9	26	12	7	2	5	2	3	3	5	7	-	1
Other Causes	695	273	46	12	4	-	335	3	3	6	7	12	6	17	21	76	141	68

457.—CONGLETON.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	16411	-	-	-	-	-	2130	1889	1788	1750	1653	2438	1335	1339	879	519	168	23
TOTAL DEATHS	3786	826	234	114	101	65	1340	191	136	196	203	296	270	202	264	364	246	78
Small-pox	39	7	6	5	5	3	26	7	1	3	-	1	-	1	-	-	-	-
Measles	54	8	14	13	6	3	44	8	2	-	-	-	-	-	-	-	-	-
Scarlatina	173	10	22	20	21	21	94	52	15	4	4	3	1	-	-	-	-	-
Diphtheria	22	-	3	2	4	3	12	9	1	-	-	-	-	-	-	-	-	-
Whooping-cough	60	29	16	8	3	1	57	3	-	-	-	-	-	-	-	-	-	-
Typhus	121	2	3	3	5	3	16	17	18	11	13	16	9	9	7	3	2	-
Cholera, Diarrh., Dysent^{y}	78	32	9	5	3	1	50	2	-	2	1	5	5	1	4	6	2	-
Other Zymotic Dis.	152	73	15	7	6	3	104	9	3	3	3	1	5	3	5	10	6	-
Cancer	41	-	-	-	-	-	-	-	-	1	1	4	4	11	13	6	1	-
Scrofula, Tabes Mesent.	101	57	11	4	3	2	77	6	5	6	-	2	2	2	1	-	-	-
Phthisis	714	2	3	-	1	-	6	15	58	128	126	170	125	50	24	9	3	-
Hydrocephalus	66	14	8	3	9	6	40	10	10	3	1	2	-	-	-	-	-	-
Diseases of Brain	421	182	30	15	5	5	237	11	7	6	7	13	14	23	28	55	20	-
Heart Dis. and Dropsy	169	-	-	-	1	-	1	7	5	6	9	11	28	17	43	33	7	2
Dis. of Lungs	465	127	57	18	18	5	225	14	5	8	7	21	18	31	57	56	21	2
Dis. of Stom. and Liver	221	14	2	2	2	3	23	1	4	8	9	14	28	39	51	39	5	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	2	1	2	3	1	1	-	-
Diseases of the Joints	11	-	-	-	-	-	-	1	-	1	3	1	3	1	1	-	-	-
Diseases of the Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	57	-	-	-	-	-	-	-	-	3	14	23	16	1	-	-	-	-
Violent Deaths	50	3	1	2	5	5	16	15	1	-	2	2	4	2	2	5	1	-
Other Causes	751	284	34	7	4	1	310	4	1	3	1	5	4	6	25	140	178	74

x 2

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
458.—NANTWICH.*																		
Mean Popul^{n}, 1851-61	19343	-	-	-	-	-	2692	2376	2139	1806	1688	2771	2188	1626	1111	663	254	35
TOTAL DEATHS	3914	1086	274	150	99	83	1692	183	108	107	113	192	207	191	260	391	357	113
Small-pox	6	3	1	-	1	-	5	-	-	-	-	-	1	-	-	-	-	-
Measles	45	13	11	4	4	-	32	9	4	-	-	-	-	-	-	-	-	-
Scarlatina	231	15	25	35	33	32	145	53	19	6	3	3	1	-	-	1	-	-
Diphtheria	53	3	4	7	6	4	24	20	5	4	-	-	-	-	-	-	-	-
Whooping-cough	58	21	21	9	1	4	56	2	-	-	-	-	-	-	-	-	-	-
Typhus	129	4	5	5	5	5	24	10	6	13	6	20	18	13	11	7	1	-
Cholera, Diarrh., Dysent^{y}	117	47	13	6	4	2	72	6	2	-	-	2	1	6	8	9	9	2
Other Zymotic Dis.	159	42	16	9	11	7	85	8	7	3	1	4	10	15	8	14	4	-
Cancer	35	-	-	-	-	-	-	-	-	-	-	-	4	6	11	7	6	1
Scrofula, Tabes Mesent.	134	61	22	12	3	1	99	9	6	3	3	5	4	1	1	3	-	-
Phthisis	336	3	4	-	1	1	9	6	15	46	65	76	54	34	26	4	1	-
Hydrocephalus	73	36	27	6	2	1	72	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	582	332	22	14	8	5	381	14	9	8	5	11	20	14	34	52	28	6
Heart Dis. and Dropsy	186	-	1	3	1	2	7	4	6	2	4	11	16	15	31	59	28	3
Dis. of Lungs	475	145	46	23	7	13	234	9	5	5	5	15	18	32	39	66	36	11
Dis. of Stom. and Liver	205	16	4	1	-	2	23	9	7	3	7	15	29	24	38	36	13	1
Dis. of Kidneys	41	-	-	-	-	1	1	-	1	2	1	4	4	1	8	12	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	11	-	-	-	-	-	-	2	1	1	1	2	-	1	3	-	-	-
Diseases of the Skin	10	2	1	1	-	-	4	-	-	-	-	1	-	-	3	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	169	8	14	8	7	2	39	15	11	11	8	17	21	14	11	14	7	1
Other Causes	859	335	37	7	-	1	380	7	3	-	4	6	6	15	28	106	216	88
459.—GREAT BOUGHTON (CHESTER).*																		
Mean Popul^{n}, 1851-61	27318	-	-	-	-	-	3628	3291	3152	2599	2402	3891	3134	2365	1534	850	332	40
TOTAL DEATHS	6355	1436	405	225	145	108	2319	278	140	176	255	439	472	543	512	606	491	124
Small-pox	48	14	10	4	6	3	37	3	1	3	1	1	1	-	-	1	-	-
Measles	93	11	39	13	13	4	80	11	2	-	-	-	-	-	-	-	-	-
Scarlatina	232	14	23	35	33	32	137	70	16	7	2	-	-	-	-	-	-	-
Diphtheria	24	8	3	2	-	1	9	7	2	2	2	2	-	-	-	-	-	-
Whooping-cough	103	44	28	14	7	6	99	4	-	-	-	-	-	-	-	-	-	-
Typhus	297	10	12	21	20	9	72	35	21	20	22	28	25	30	18	13	12	1
Cholera, Diarrh., Dysent^{y}	218	102	25	7	-	1	135	4	-	-	4	8	8	9	15	14	16	5
Other Zymotic Dis.	214	34	11	20	11	11	87	17	9	12	5	18	11	18	12	13	11	1
Cancer	82	-	-	-	-	-	-	-	-	1	2	4	5	20	23	25	2	-
Scrofula, Tabes Mesent.	91	15	15	6	5	1	42	9	10	5	4	10	5	3	1	1	1	-
Phthisis	815	11	11	8	1	4	35	13	21	55	127	194	155	120	63	28	4	-
Hydrocephalus	87	27	19	7	12	8	73	9	2	1	1	-	-	1	-	-	-	-
Diseases of Brain	1146	552	50	22	9	6	639	22	12	10	17	46	95	83	69	81	68	4
Heart Dis. and Dropsy	399	1	1	-	2	-	4	6	9	10	17	21	38	65	82	103	39	5
Dis. of Lungs	629	145	63	31	10	9	258	13	1	5	12	30	35	56	77	93	43	6
Dis. of Stom. and Liver	300	30	4	4	3	-	41	8	6	8	8	26	27	56	51	52	15	2
Dis. of Kidneys	85	-	-	-	1	1	2	-	-	1	1	10	17	8	13	19	12	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Joints	36	1	-	-	1	-	2	6	5	8	-	2	5	2	2	2	2	-
Diseases of the Skin	12	3	1	1	-	-	5	1	-	1	-	-	-	-	-	2	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	330	13	10	14	8	7	52	29	20	23	28	31	37	48	33	16	11	2
Other Causes	1113	406	80	16	3	5	510	11	3	4	2	7	8	24	53	143	252	96
460.—WIRRALL.																		
Mean Popul^{n}, 1851-61	32807	-	-	-	-	-	4875	4138	3442	3007	3020	5483	4210	2542	1342	555	170	17
TOTAL DEATHS	6724	1822	710	309	228	157	3226	346	173	197	188	439	545	468	430	398	238	76
Small-pox	100	21	23	12	12	3	71	13	1	1	2	8	1	2	1	-	-	-
Measles	177	46	67	24	16	8	161	16	-	-	-	-	-	-	-	-	-	-
Scarlatina	405	42	51	64	55	57	269	104	22	4	-	3	3	-	-	-	-	-
Diphtheria	31	4	6	6	6	1	23	6	1	-	-	-	-	1	-	-	-	-
Whooping-cough	173	63	64	27	11	5	170	3	-	-	-	-	-	-	-	-	-	-
Typhus	224	9	8	6	7	3	38	34	15	21	17	30	21	22	13	9	4	-
Cholera, Diarrh., Dysent^{y}	365	174	58	15	6	3	256	14	6	3	4	11	12	9	20	15	9	6
Other Zymotic Dis.	236	71	34	24	25	16	170	15	9	5	7	18	25	18	14	10	1	4
Cancer	66	-	-	-	-	-	-	-	-	-	2	4	10	14	22	13	1	-
Scrofula, Tabes Mesent.	161	64	39	9	11	4	127	9	7	2	3	4	5	3	1	-	-	-
Phthisis	633	12	12	10	7	2	43	17	18	71	68	153	130	90	36	6	1	-
Hydrocephalus	173	65	56	17	10	9	157	15	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	787	376	59	25	15	9	484	16	13	8	11	20	39	39	59	56	36	6
Heart Dis. and Dropsy	286	4	6	3	5	1	19	8	6	8	4	32	49	46	59	44	10	1
Dis. of Lungs	921	263	115	87	28	15	458	19	6	5	10	39	63	83	88	90	47	13
Dis. of Stom. and Liver	320	56	10	1	3	2	72	11	10	10	10	18	49	48	43	35	12	2
Dis. of Kidneys	79	-	1	3	-	1	5	4	-	5	1	6	10	9	13	15	11	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	27	2	1	3	-	2	8	1	4	4	1	2	1	4	2	-	-	-
Diseases of the Skin	15	5	2	1	-	-	8	1	-	-	-	-	-	1	2	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	512	17	16	11	7	9	60	34	42	45	47	81	104	52	25	17	5	-
Other Causes	971	528	82	11	4	2	627	5	12	5	1	10	23	26	32	87	99	44

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of these Districts.

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
458.—NANTWICH.*																		
Mean Popul^{n}, 1851-61	19099	-	-	-	-	-	2658	2351	1984	1868	1676	2852	2116	1490	1088	673	289	54
TOTAL DEATHS	3874	848	266	146	102	72	1434	217	120	117	144	285	221	194	245	414	358	125
Small-pox	9	2	1	2	-	-	5	-	-	2	-	-	-	-	-	2	-	-
Measles	42	5	16	5	3	4	33	7	1	-	1	-	-	-	-	-	-	-
Scarlatina	224	9	28	40	28	26	131	59	24	4	3	1	-	2	-	-	-	-
Diphtheria	42	3	2	5	4	3	17	15	9	1	-	-	-	-	-	-	-	-
Whooping-cough	76	38	22	8	1	4	73	3	-	-	-	-	-	-	-	-	-	-
Typhus	131	2	4	3	3	5	17	20	16	14	11	18	13	10	6	4	2	-
Cholera, Diarrh., Dysent^{y}	72	27	7	2	3	2	41	-	1	1	2	5	4	-	1	3	8	1
Other Zymotic Dis.	141	34	12	10	18	8	82	19	4	3	1	5	4	6	4	6	6	1
Cancer	73	-	-	-	-	-	-	-	-	-	-	4	8	19	22	10	9	1
Scrofula, Tabes Mesent.	124	61	18	7	4	2	92	5	7	4	2	6	3	3	2	-	-	-
Phthisis	441	7	2	2	-	-	11	11	25	47	70	131	79	37	20	10	-	-
Hydrocephalus	52	16	14	6	3	2	41	5	2	4	-	-	-	-	-	-	-	-
Diseases of Brain	537	252	36	15	8	1	312	14	8	2	11	16	13	23	33	68	32	5
Heart Dis. and Dropsy	181	-	1	-	2	-	3	8	5	6	5	16	18	25	34	48	12	1
Dis. of Lungs	421	94	54	24	10	7	189	15	3	7	8	12	16	16	53	62	35	5
Dis. of Stom. and Liver	199	13	4	5	3	-	25	8	5	9	3	22	18	32	32	34	11	-
Dis. of Kidneys	10	-	-	-	-	-	-	1	-	-	-	1	2	-	4	1	1	-
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	-	2	-	8	3	5	-	-	-
Diseases of the Joints	10	-	-	-	1	-	1	-	1	1	-	-	2	3	1	1	-	-
Diseases of the Skin	10	1	1	-	-	-	2	-	-	-	-	1	2	1	3	-	1	-
Childbirth and Metria	76	-	-	-	-	-	-	-	-	3	20	37	13	3	-	-	-	-
Violent Deaths	103	10	9	7	7	6	39	22	5	4	1	5	6	3	6	5	3	4
Other Causes	882	274	35	5	4	2	320	5	4	5	4	5	12	8	19	155	238	107
459.—GREAT BOUGHTON (CHESTER).*																		
Mean Popul^{n}, 1851-61	28408	-	-	-	-	-	3552	3153	2979	2763	2684	4240	3258	2480	1678	1110	436	72
TOTAL DEATHS	6019	1159	397	229	134	84	2003	263	148	175	243	475	422	412	496	625	570	187
Small-pox	50	20	8	6	8	2	44	-	-	2	1	3	-	-	-	-	-	-
Measles	78	19	24	19	7	2	71	7	-	-	-	-	-	-	-	-	-	-
Scarlatina	216	15	30	41	32	16	134	61	14	4	1	1	1	-	-	-	-	-
Diphtheria	24	5	2	2	2	2	13	3	4	2	-	1	1	-	-	-	-	-
Whooping-cough	151	59	47	26	8	4	144	7	-	-	-	-	-	-	-	-	-	-
Typhus	290	19	19	21	14	10	83	38	27	23	23	29	18	17	14	10	8	-
Cholera, Diarrh., Dysent^{y}	164	73	9	4	1	1	88	3	2	-	2	5	9	11	9	17	16	2
Other Zymotic Dis.	174	37	17	14	13	8	89	20	3	2	5	14	4	7	8	10	10	2
Cancer	165	-	-	-	-	-	-	-	-	-	-	4	18	26	55	36	15	1
Scrofula, Tabes Mesent.	62	10	6	3	2	1	22	9	6	8	2	9	3	1	2	-	-	-
Phthisis	880	16	10	6	1	5	38	29	39	85	115	223	157	103	48	38	5	-
Hydrocephalus	65	23	16	5	5	3	52	11	1	-	-	-	-	1	-	-	-	-
Diseases of Brain	538	365	37	15	6	10	433	20	17	9	12	30	46	59	75	77	49	11
Heart Dis. and Dropsy	471	-	-	-	-	-	-	5	4	12	14	38	42	67	100	121	59	9
Dis. of Lungs	546	117	65	31	19	9	241	13	5	7	10	20	23	31	55	81	52	8
Dis. of Stom. and Liver	326	19	5	3	4	3	34	7	7	8	19	30	42	47	58	52	18	4
Dis. of Kidneys	22	-	-	-	-	-	-	-	1	-	1	3	6	1	2	6	2	-
Dis. of Gener. Organs	31	-	-	-	-	-	-	-	-	1	-	3	9	6	8	3	1	-
Diseases of the Joints	23	-	-	2	-	1	3	3	1	2	2	5	4	-	1	2	-	-
Diseases of the Skin	13	4	1	-	-	-	5	1	-	-	-	1	1	1	-	1	3	-
Childbirth and Metria	91	-	-	-	-	-	-	-	-	3	27	40	21	-	-	-	-	-
Violent Deaths	122	7	9	9	4	4	33	18	9	6	6	6	6	5	15	9	7	2
Other Causes	1217	351	92	22	8	3	476	8	8	1	3	10	11	19	46	162	325	148
460.—WIRRALL.																		
Mean Popul^{n}, 1851-61	35692	-	-	-	-	-	4843	4125	3527	3503	3756	6361	4304	2675	1531	764	248	43
TOTAL DEATHS	6329	1413	666	325	224	177	2805	341	174	184	200	482	490	384	406	443	312	108
Small-pox	91	29	12	10	5	7	63	10	3	3	5	5	2	-	-	-	-	-
Measles	167	33	59	29	17	13	151	11	3	-	-	2	-	-	-	-	-	-
Scarlatina	375	26	50	58	59	44	237	107	20	6	2	2	1	-	-	-	-	-
Diphtheria	33	1	5	3	6	2	17	7	2	3	-	2	1	-	1	-	-	-
Whooping-cough	217	75	71	32	22	8	208	9	-	-	-	-	-	-	-	-	-	-
Typhus	237	8	14	17	13	12	64	33	28	21	9	24	23	12	17	6	-	-
Cholera, Diarrh., Dysent^{y}	347	140	60	18	9	4	221	10	4	5	6	13	16	12	13	15	15	7
Other Zymotic Dis.	231	54	29	27	17	9	136	19	5	9	1	11	8	8	16	9	7	2
Cancer	123	-	-	-	-	1	1	-	-	-	-	4	20	28	31	29	9	1
Scrofula, Tabes Mesent.	162	52	39	13	7	9	120	15	8	5	5	2	3	2	2	-	-	-
Phthisis	796	19	12	19	4	8	62	16	51	81	98	219	174	73	21	8	2	-
Hydrocephalus	121	45	30	14	8	8	105	13	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	710	263	59	18	14	13	367	20	14	12	13	21	44	46	55	60	48	10
Heart Dis. and Dropsy	315	7	2	1	3	4	17	12	11	4	11	28	40	51	64	52	30	5
Dis. of Lungs	822	210	119	39	23	20	411	16	5	10	11	24	35	49	89	101	69	11
Dis. of Stom. and Liver	519	29	11	8	2	5	55	5	8	8	14	30	41	49	43	48	15	3
Dis. of Kidneys	31	-	-	-	1	2	3	-	-	-	1	3	5	10	4	3	2	-
Dis. of Gener. Organs	24	-	-	-	-	-	-	-	-	-	2	6	7	5	1	3	-	-
Diseases of the Joints	15	-	-	-	2	1	3	2	1	1	-	2	1	3	1	1	-	-
Diseases of the Skin	17	4	1	1	-	-	6	1	-	1	-	2	-	1	3	3	-	-
Childbirth and Metria	120	-	-	-	-	-	-	-	-	3	16	60	38	3	-	-	-	-
Violent Deaths	111	12	9	15	6	3	40	23	4	5	2	7	7	4	3	9	6	1
Other Causes	945	406	84	17	6	6	519	12	4	7	4	15	24	28	40	96	128	66

* The Mean Population, 1851–61, has been corrected on account of a change in the limits of these Districts.

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
461.—LIVERPOOL.																		
Mean Popul^{n}, 1851-61	129977	-	-	-	-	-	16559	13828	12632	12485	13467	23489	18206	11581	5376	1843	457	54
TOTAL DEATHS	45788	11729	5652	2695	1651	1027	22754	2015	737	1030	1598	3748	4176	3834	2876	1960	907	153
Small-pox	542	128	72	50	34	30	314	71	15	20	43	60	15	4	-	-	-	-
Measles	1238	240	486	218	141	75	1160	69	5	-	1	1	2	-	-	-	-	-
Scarlatina	2010	186	368	382	343	200	1459	450	67	11	10	9	3	1	-	-	-	-
Diphtheria	59	12	13	4	8	5	42	10	-	1	-	3	2	-	1	-	-	-
Whooping-cough	1284	440	383	201	134	62	1220	61	3	-	-	-	-	-	-	-	-	-
Typhus	1858	58	82	82	76	65	363	164	74	111	143	285	294	222	124	60	18	-
Cholera, Diarrh., Dysent^{y}	3877	1597	771	231	92	51	2742	117	41	40	72	198	160	205	132	110	55	5
Other Zymotic Dis.	1812	446	192	133	88	44	903	57	14	28	54	204	196	178	118	39	17	4
Cancer	231	1	-	-	1	1	3	2	2	3	3	15	50	52	62	34	5	-
Scrofula, Tabes Mesent.	758	187	181	92	32	35	527	71	46	28	9	35	20	10	8	4	-	-
Phthisis	5375	111	126	82	35	39	393	148	150	355	651	1291	1225	764	308	71	19	-
Hydrocephalus	1322	451	432	190	86	62	1221	84	13	1	1	1	-	-	-	1	-	-
Diseases of Brain	4787	2362	384	176	94	59	3075	120	40	52	54	187	296	311	302	256	82	12
Heart Dis. and Dropsy	1547	14	29	15	14	14	86	43	27	55	59	222	293	325	246	137	44	5
Dis. of Lungs	8779	2224	1271	487	268	135	4385	217	49	85	159	444	728	954	890	628	214	26
Dis. of Stom. and Liver	1460	229	64	25	23	15	356	32	29	38	52	165	235	238	184	99	30	2
Dis. of Kidneys	412	3	8	3	3	4	21	10	9	18	17	56	81	80	58	41	18	3
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-
Diseases of the Joints	167	3	4	6	2	4	19	27	15	14	17	17	18	17	14	7	2	-
Diseases of the Skin	72	18	7	1	-	3	29	2	2	1	3	6	6	10	10	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	2703	337	66	77	69	65	614	144	114	151	200	441	389	305	207	104	30	4
Other Causes	5490	2682	713	260	108	59	3822	111	22	18	50	108	162	158	209	367	371	92
462.—WEST DERBY.																		
Mean Popul^{n}, 1851-61	88734	-	-	-	-	-	13738	11354	9564	7850	7793	14452	11327	7216	3496	1428	372	44
TOTAL DEATHS	21632	6058	2633	1278	854	566	11389	1127	496	472	638	1310	1488	1504	1356	1107	605	140
Small-pox	204	45	29	23	13	9	119	25	6	15	14	13	10	1	1	-	-	-
Measles	566	94	214	105	67	35	515	45	1	2	2	1	-	-	-	-	-	-
Scarlatina	1345	92	213	237	229	169	940	324	53	16	3	2	5	-	2	-	-	-
Diphtheria	76	10	21	11	8	7	57	10	5	1	1	-	-	2	-	-	-	-
Whooping-cough	615	221	198	84	56	34	593	20	1	-	-	-	-	-	1	-	-	-
Typhus	780	27	39	40	48	33	187	96	55	43	69	93	91	71	45	23	7	-
Cholera, Diarrh., Dysent^{y}	1429	725	291	66	30	12	1124	33	12	8	14	28	51	33	46	43	22	10
Other Zymotic Dis.	894	210	117	88	66	34	415	46	13	14	18	59	57	70	56	34	9	3
Cancer	141	1	-	1	1	-	3	2	-	1	1	9	17	31	39	31	7	-
Scrofula, Tabes Mesent.	400	101	89	41	21	10	262	89	32	13	16	15	15	5	3	-	-	-
Phthisis	2764	94	121	64	34	23	336	97	104	173	313	603	508	397	191	40	4	-
Hydrocephalus	802	324	211	103	52	30	820	68	9	2	1	2	-	-	-	-	-	-
Diseases of Brain	2537	1181	186	93	57	40	1557	79	30	34	30	84	127	158	162	174	90	12
Heart Dis. and Dropsy	932	19	10	9	8	14	60	35	30	32	31	86	137	167	156	154	38	6
Dis. of Lungs	3326	1143	497	169	90	52	1951	66	19	28	24	96	187	244	308	265	118	19
Dis. of Stom. and Liver	850	174	27	17	11	5	234	25	21	20	18	53	125	125	142	63	22	2
Dis. of Kidneys	204	3	1	2	2	1	9	9	4	8	5	11	29	34	43	36	18	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-
Diseases of the Joints	64	1	1	1	2	4	9	12	16	4	6	4	3	6	1	3	-	-
Diseases of the Skin	48	24	4	2	2	-	32	1	2	1	1	-	-	3	2	4	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	886	136	28	31	27	26	248	54	74	54	54	116	93	92	65	24	9	3
Other Causes	2765	1433	336	91	30	28	1918	41	9	3	15	35	35	60	91	212	262	84
463.—PRESCOT.																		
Mean Popul^{n}, 1851-61	32722	-	-	-	-	-	5100	4069	3555	3176	3155	5212	3782	2463	1384	625	183	17
TOTAL DEATHS	7987	2215	841	401	253	182	3892	434	218	235	291	540	546	496	525	466	295	49
Small-pox	108	27	7	5	7	8	54	22	3	7	6	7	5	4	-	-	-	-
Measles	184	36	79	34	17	8	174	9	1	-	-	-	-	-	-	-	-	-
Scarlatina	440	32	69	84	52	57	294	123	16	2	1	3	1	-	-	-	-	-
Diphtheria	23	5	4	1	1	3	14	6	2	-	-	-	1	-	-	-	-	-
Whooping-cough	128	56	32	16	9	11	124	3	1	-	-	-	-	-	-	-	-	-
Typhus	318	8	10	9	10	8	65	38	31	36	36	45	31	24	20	8	3	1
Cholera, Diarrh., Dysent^{y}	499	208	108	18	10	7	349	15	7	3	12	7	20	15	22	30	19	-
Other Zymotic Dis.	353	80	58	46	36	24	244	22	3	3	5	11	14	19	13	16	3	-
Cancer	39	1	-	-	-	1	2	-	1	-	-	2	5	9	11	5	4	-
Scrofula, Tabes Mesent.	124	52	18	7	3	2	82	13	8	6	4	5	3	3	-	-	-	-
Phthisis	730	17	14	5	5	6	47	14	21	78	89	185	146	87	46	15	2	-
Hydrocephalus	244	105	76	13	20	10	224	17	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	1164	555	65	40	24	11	695	31	21	9	22	75	82	82	58	56	30	3
Heart Dis. and Dropsy	254	6	1	5	3	1	16	16	6	10	9	12	32	29	59	49	15	1
Dis. of Lungs	1368	436	200	64	37	16	783	31	8	4	13	47	56	92	143	109	70	12
Dis. of Stom. and Liver	319	40	10	9	4	2	65	9	11	9	10	28	33	44	60	39	10	1
Dis. of Kidneys	71	2	-	-	-	-	2	-	2	2	3	6	11	14	8	16	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	21	2	-	-	-	-	2	3	4	4	1	2	4	-	1	-	-	-
Diseases of the Skin	16	5	3	1	-	-	9	-	1	-	-	-	-	-	3	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	604	24	22	32	12	6	96	51	63	60	76	99	90	60	45	20	3	1
Other Causes	920	488	65	14	3	1	571	11	5	2	4	6	12	14	36	101	129	23

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

461.—LIVERPOOL.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	134012	-	-	-	-	-	16369	13534	12293	12928	15144	24964	18185	11198	5926	2556	802	112
TOTAL DEATHS	42110	9958	5161	2697	1581	1016	20713	1939	732	926	1436	3128	3413	3008	2754	2175	1258	328
Small-pox	465	116	59	68	41	26	300	64	21	15	23	32	6	4	-	-	-	-
Measles	1248	220	447	255	154	72	1148	79	10	2	3	5	-	1	-	-	-	-
Scarlatina	1973	142	331	308	302	213	1406	460	66	17	6	11	4	3	-	-	-	-
Diphtheria	65	8	14	11	8	6	46	11	2	-	-	1	3	1	-	1	-	-
Whooping-cough	1574	502	496	255	151	80	1484	87	3	-	-	-	-	-	-	-	-	-
Typhus	1752	55	83	96	68	51	354	193	91	116	143	233	237	198	127	46	13	1
Cholera, Diarrh., Dysent^{y}	3818	1463	797	208	88	56	2612	96	46	45	83	196	179	152	104	151	82	12
Other Zymotic Dis.	1381	443	182	131	74	58	888	63	25	19	35	78	83	75	52	39	17	7
Cancer	552	-	2	1	-	-	3	1	-	6	1	35	108	183	130	68	15	2
Scrofula, Tabes Mesent.	664	182	169	85	33	22	491	52	35	18	12	25	18	7	2	4	-	-
Phthisis	5279	89	128	91	53	34	395	148	201	386	635	1515	1135	563	221	67	9	4
Hydrocephalus	924	305	277	130	76	49	837	75	9	1	-	-	1	1	-	-	-	-
Diseases of Brain	3995	1882	342	166	102	62	2554	104	43	55	54	138	179	205	264	246	132	21
Heart Dis. and Dropsy	1558	10	17	7	17	15	66	46	38	54	68	202	271	235	261	172	82	13
Dis. of Lungs	7764	1742	1134	472	241	153	3792	179	51	61	113	298	517	793	935	685	294	46
Dis. of Stom. and Liver	1513	172	58	27	19	11	287	37	18	27	71	205	255	249	198	125	35	6
Dis. of Kidneys	213	1	5	-	3	3	12	5	5	6	17	39	40	39	32	11	6	1
Dis. of Gener. Organs	136	-	-	1	-	-	1	-	1	4	7	28	35	29	21	9	1	-
Diseases of the Joints	106	7	2	3	8	1	21	17	12	16	3	15	6	3	8	4	-	1
Diseases of the Skin	81	20	10	8	1	2	41	2	1	-	1	8	7	5	5	8	2	1
Childbirth and Metria	497	-	-	-	-	-	-	-	-	21	113	220	138	5	-	-	-	-
Violent Deaths	1103	333	58	55	39	36	521	116	27	36	21	71	88	76	56	50	30	11
Other Causes	5449	2265	750	269	103	67	3454	104	27	21	27	73	103	131	278	439	510	202

462.—WEST DERBY.

Mean Popul^{n}, 1851-61	100328	-	-	-	-	-	13436	11169	9852	9397	10593	18350	12562	7965	4581	2166	676	81
TOTAL DEATHS	21451	4860	2500	1235	807	557	9959	1071	454	506	649	1654	1705	1458	1367	1407	963	253
Small-pox	201	49	26	17	18	7	117	27	15	7	13	19	2	-	1	-	-	-
Measles	540	67	199	122	79	33	500	34	4	1	-	-	1	-	-	-	-	-
Scarlatina	1308	84	208	240	208	165	905	321	41	18	8	12	2	-	1	-	-	-
Diphtheria	88	14	18	6	12	9	59	17	7	1	1	3	-	-	-	-	-	-
Whooping-cough	732	232	242	128	68	33	703	29	-	-	-	-	-	-	-	-	-	-
Typhus	849	20	51	41	47	41	200	121	55	54	46	108	107	71	44	27	16	-
Cholera, Diarrh., Dysent^{y}	1345	622	277	64	23	15	1001	28	11	4	11	52	39	38	43	64	42	12
Other Zymotic Dis.	709	193	88	71	48	43	443	45	16	8	13	39	29	31	33	34	13	3
Cancer	386	-	2	1	-	-	3	1	-	4	2	12	74	115	96	60	16	3
Scrofula, Tabes Mesent.	305	81	79	33	9	8	210	30	25	10	7	10	3	3	5	2	-	-
Phthisis	3030	93	89	51	26	25	284	99	133	245	325	785	632	349	131	39	6	2
Hydrocephalus	597	211	182	66	49	25	533	50	9	1	-	-	2	1	1	-	-	-
Diseases of Brain	2242	893	172	74	37	30	1211	79	36	28	36	77	115	150	180	192	123	15
Heart Dis. and Dropsy	992	21	11	12	12	7	63	22	32	28	31	84	133	184	173	169	73	9
Dis. of Lungs	3164	793	470	179	99	66	1607	75	18	31	36	101	166	212	344	333	181	30
Dis. of Stom. and Liver	975	120	23	16	9	11	179	18	24	18	37	109	148	160	145	94	40	3
Dis. of Kidneys	107	2	-	1	-	2	5	7	4	2	6	17	14	22	15	11	4	-
Dis. of Gener. Organs	81	-	-	-	-	-	-	-	-	-	4	13	27	21	9	5	2	-
Diseases of the Joints	77	4	2	-	3	2	11	11	14	4	6	5	12	8	3	3	-	-
Diseases of the Skin	43	12	7	1	2	1	23	-	2	-	-	-	4	3	4	5	2	-
Childbirth and Metria	342	-	-	-	-	-	-	-	-	16	45	154	119	8	-	-	-	-
Violent Deaths	370	110	29	18	20	15	192	25	2	11	12	21	20	26	21	18	16	6
Other Causes	2968	1234	325	91	38	19	1710	32	6	15	10	33	56	56	118	330	454	168

463.—PRESCOT.

Mean Popul^{n}, 1851-61	31673	-	-	-	-	-	5023	4154	3431	2902	3023	4941	3536	2328	1449	728	243	40
TOTAL DEATHS	7269	1793	787	419	265	173	3487	382	177	195	286	471	494	403	445	533	354	92
Small-pox	83	24	12	7	5	10	58	12	4	1	3	2	2	-	-	1	-	-
Measles	185	33	62	46	22	7	170	13	-	-	1	1	-	-	-	-	-	-
Scarlatina	448	25	70	84	70	55	304	100	26	8	4	2	3	-	1	-	1	-
Diphtheria	32	3	10	5	4	1	23	6	2	-	-	-	-	-	-	-	-	-
Whooping-cough	155	63	48	27	8	5	151	4	-	-	-	-	-	-	-	-	-	-
Typhus	328	6	6	10	16	8	46	55	24	35	37	42	31	24	13	13	8	1
Cholera, Diarrh., Dysent^{y}	424	187	69	22	6	5	289	12	4	3	3	13	12	24	24	23	13	2
Other Zymotic Dis.	299	59	64	37	39	20	219	23	4	5	3	6	8	4	9	14	4	-
Cancer	83	1	-	1	-	1	3	-	-	-	1	3	15	16	26	15	4	-
Scrofula, Tabes Mesent.	72	26	13	6	2	1	48	8	1	6	4	2	2	1	-	-	-	-
Phthisis	778	15	19	8	6	5	53	22	40	74	113	192	155	93	24	9	3	-
Hydrocephalus	180	70	46	24	11	10	161	16	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	1027	456	59	38	20	14	587	26	25	13	27	33	52	55	75	80	45	6
Heart Dis. and Dropsy	298	3	3	2	1	2	11	7	10	8	12	28	43	41	65	47	24	9
Dis. of Lungs	1179	333	186	67	28	15	659	34	6	13	16	28	56	48	108	155	67	19
Dis. of Stom. and Liver	334	23	14	3	7	1	48	4	10	9	15	36	26	54	67	44	20	1
Dis. of Kidneys	44	2	-	1	-	-	3	-	-	3	2	5	8	7	2	8	3	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	1	4	2	4	1	1	2	2
Diseases of the Joints	22	2	1	1	1	-	5	3	2	-	2	2	3	4	-	1	-	-
Diseases of the Skin	12	4	1	2	-	-	7	-	-	-	-	-	-	1	1	1	2	-
Childbirth and Metria	151	-	-	-	-	-	-	-	-	5	28	61	56	1	-	-	-	-
Violent Deaths	169	17	24	12	15	11	79	28	9	8	6	6	8	3	6	9	5	-
Other Causes	951	411	80	16	4	2	513	9	4	4	8	5	12	20	25	191	152	68

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

464.—ORMSKIRK.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	20751	-	-	-	-	-	2989	2697	2349	2141	1846	2894	2204	1645	1118	616	223	28
TOTAL DEATHS	4173	1020	318	169	124	80	1711	228	94	123	157	266	255	271	304	360	311	93
Small-pox	58	15	6	4	3	-	28	8	2	1	8	6	2	2	1	-	-	-
Measles	72	17	27	10	8	4	66	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	176	18	29	23	30	12	112	50	10	1	3	-	-	-	-	-	-	-
Diphtheria	14	-	1	-	1	3	5	7	2	-	-	-	-	-	-	-	-	-
Whooping-cough	50	29	14	2	1	3	49	1	-	-	-	-	-	-	-	-	-	-
Typhus	144	2	3	10	5	6	26	20	7	16	11	18	16	14	8	4	4	-
Cholera, Diarrh., Dysent^{y}	240	105	35	10	6	3	159	8	1	-	4	5	8	9	6	19	14	7
Other Zymotic Dis.	227	32	32	25	21	11	121	23	8	4	4	7	15	7	15	11	4	4
Cancer	30	-	-	-	-	-	-	-	-	-	1	-	2	7	9	7	3	1
Scrofula, Tabes Mesent.	71	17	10	5	5	-	37	9	4	6	2	5	2	3	1	2	-	-
Phthisis	442	9	10	3	2	2	26	14	13	39	69	107	63	54	40	13	1	-
Hydrocephalus	72	21	16	12	3	5	57	14	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	558	274	24	21	10	3	332	15	12	12	6	14	25	20	29	53	35	5
Heart Dis. and Dropsy	168	1	3	1	1	-	6	1	4	7	5	11	18	21	39	39	15	2
Dis. of Lungs	513	114	40	18	11	9	192	12	2	4	8	20	33	37	58	90	51	6
Dis. of Stom. and Liver	239	18	2	1	2	3	26	7	5	6	9	22	20	42	47	32	22	1
Dis. of Kidneys	66	-	-	-	-	-	-	2	-	2	2	8	10	6	10	12	9	5
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	15	-	-	-	-	-	-	1	2	3	3	3	-	2	-	-	1	-
Diseases of the Skin	14	4	-	-	-	-	4	-	2	-	-	-	2	-	2	1	1	2
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	246	14	12	13	10	10	59	17	12	16	19	33	27	28	21	11	2	1
Other Causes	757	329	54	11	5	6	405	10	7	6	3	7	12	19	17	63	149	59

465.—WIGAN.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	43357	-	-	-	-	-	6593	5192	4936	4444	4230	6474	4745	3344	2037	1017	311	34
TOTAL DEATHS	11950	3729	1267	584	376	265	6221	567	375	405	454	671	572	673	682	769	458	103
Small-pox	133	38	15	20	7	7	87	27	2	7	6	3	-	-	1	-	-	-
Measles	376	76	136	78	42	22	354	21	-	-	-	-	1	-	-	-	-	-
Scarlatina	498	39	81	73	87	61	341	129	19	6	1	1	-	1	-	-	-	-
Diphtheria	20	2	6	6	1	1	16	1	1	-	-	1	-	-	1	-	-	-
Whooping-cough	226	105	71	23	10	6	215	11	-	-	-	-	-	-	-	-	-	-
Typhus	540	50	42	24	16	24	156	75	47	36	46	53	42	33	28	15	4	2
Cholera, Diarrh., Dysent^{y}	1013	496	178	56	25	18	773	12	11	11	13	18	31	40	37	42	22	3
Other Zymotic Dis.	509	93	86	83	56	30	348	34	9	5	8	18	15	29	19	17	7	-
Cancer	32	-	-	-	1	-	1	-	-	-	-	1	-	2	15	8	5	-
Scrofula, Tabes Mesent.	243	78	55	14	13	5	165	19	14	10	11	9	8	4	1	1	1	-
Phthisis	988	41	32	8	10	4	95	29	37	110	152	213	149	109	63	27	4	-
Hydrocephalus	137	53	28	15	14	5	115	13	4	3	-	1	-	1	-	-	-	-
Diseases of Brain	1553	1035	78	40	17	13	1183	35	15	14	13	24	29	53	48	93	42	4
Heart Dis. and Dropsy	355	11	6	8	4	2	31	12	12	16	9	33	36	46	83	50	24	3
Dis. of Lungs	1672	555	214	76	43	22	910	48	17	22	11	36	60	146	179	153	84	6
Dis. of Stom. and Liver	591	64	20	5	3	3	95	9	12	8	18	30	31	60	55	61	11	3
Dis. of Kidneys	91	-	1	-	-	-	1	1	2	3	7	6	11	10	13	26	8	3
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Diseases of the Joints	41	1	1	-	-	1	3	6	6	7	3	4	2	5	-	5	-	-
Diseases of the Skin	19	5	2	-	-	-	7	1	-	-	-	-	2	2	2	2	2	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	1183	62	25	24	17	27	155	52	159	144	142	202	138	101	46	32	11	1
Other Causes	1926	925	190	31	10	14	1170	32	8	3	14	18	17	28	89	237	233	77

466.—WARRINGTON.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	20062	-	-	-	-	-	2991	2470	2150	1989	1938	3176	2267	1528	933	463	138	19
TOTAL DEATHS	4958	1475	465	206	142	99	2387	193	111	141	164	302	319	344	334	357	257	49
Small-pox	51	16	8	12	3	4	43	3	1	1	1	1	-	1	-	-	-	-
Measles	100	26	43	22	2	5	98	1	-	-	1	-	-	-	-	-	-	-
Scarlatina	222	15	38	45	39	29	166	44	5	2	2	3	-	-	-	-	-	-
Diphtheria	15	1	3	2	1	1	8	4	1	-	-	-	-	1	1	-	-	-
Whooping-cough	97	47	39	1	5	4	96	1	-	-	-	-	-	-	-	-	-	-
Typhus	171	3	1	8	3	4	19	19	16	19	15	18	23	14	15	12	1	-
Cholera, Diarrh., Dysent^{y}	307	185	48	9	6	1	249	2	1	1	2	4	5	9	12	9	11	2
Other Zymotic Dis.	196	54	39	19	15	9	136	6	4	2	2	4	8	16	11	3	4	-
Cancer	50	-	-	-	1	-	1	-	2	-	1	3	4	12	9	13	5	-
Scrofula, Tabes Mesent.	78	10	12	7	7	4	40	12	7	3	3	5	1	6	-	-	1	-
Phthisis	507	16	10	9	3	3	41	16	21	49	71	110	92	57	28	11	2	-
Hydrocephalus	132	51	35	11	8	9	114	14	3	1	-	-	-	-	-	-	-	-
Diseases of Brain	858	489	44	19	15	7	574	16	7	9	5	28	34	45	35	43	26	6
Heart Dis. and Dropsy	198	2	-	1	-	3	6	2	1	7	8	11	28	31	38	43	16	4
Dis. of Lungs	695	202	80	19	22	5	328	11	6	7	11	29	39	56	86	82	36	4
Dis. of Stom. and Liver	218	29	2	-	2	1	34	8	1	3	7	18	19	51	40	28	9	-
Dis. of Kidneys	49	-	-	1	-	-	1	-	-	3	4	7	3	10	8	9	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	12	1	-	1	1	-	3	-	2	2	-	1	2	1	1	-	-	-
Diseases of the Skin	14	1	2	-	-	-	3	-	1	-	2	-	1	-	1	4	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	303	6	13	12	5	8	44	28	30	27	23	36	31	29	27	20	6	-
Other Causes	685	321	48	8	4	2	383	6	2	5	4	5	9	5	22	77	134	33

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

464.—ORMSKIRK.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	21529	-	-	-	-	-	2954	2549	2363	2137	2020	3183	2378	1744	1222	679	255	45
TOTAL DEATHS	3968	825	307	166	128	88	1514	200	90	159	147	282	279	251	285	325	336	100
Small-pox	41	9	3	5	2	2	21	4	4	2	4	4	1	1	-	-	-	-
Measles	66	12	18	11	12	7	60	5	-	-	-	1	-	-	-	-	-	-
Scarlatina	165	11	22	32	32	15	112	43	7	3	-	-	-	-	-	-	-	-
Diphtheria	16	-	-	2	4	3	9	5	-	2	-	-	-	-	-	-	-	-
Whooping-cough	80	36	23	6	10	4	79	1	-	-	-	-	-	-	-	-	-	-
Typhus	175	3	7	8	3	4	25	24	22	23	17	16	20	13	9	5	1	-
Cholera, Diarrh., Dysent^{y}	204	73	31	6	7	2	121	6	2	4	3	7	8	12	5	22	13	1
Other Zymotic Dis.	207	37	30	23	15	21	126	30	3	1	1	8	7	6	9	5	9	2
Cancer	47	-	-	-	1	-	1	-	-	-	-	4	10	6	17	6	2	1
Scrofula, Tabes Mesent.	60	20	5	3	5	2	35	5	2	2	5	2	5	2	1	1	-	-
Phthisis	556	9	10	7	2	3	31	15	21	69	71	129	93	62	38	22	5	-
Hydrocephalus	47	18	8	7	2	3	38	7	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	527	228	43	9	8	5	293	16	3	12	8	18	19	28	45	45	36	4
Heart Dis. and Dropsy	215	2	2	1	2	2	9	2	4	6	6	13	22	41	41	44	26	1
Dis. of Lungs	462	91	60	20	11	6	188	12	6	4	6	16	30	26	42	74	50	8
Dis. of Stom. and Liver	223	12	2	4	1	-	19	4	5	8	6	22	22	35	45	36	19	2
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	1	1	3	2	4	5	1	1	-
Dis. of Gener. Organs	9	-	-	1	-	-	1	-	-	1	-	1	1	1	2	-	2	-
Diseases of the Joints	6	1	-	1	-	1	3	-	1	-	-	1	-	-	-	1	-	-
Diseases of the Skin	10	5	-	-	-	-	5	-	1	-	-	1	-	-	1	1	1	-
Childbirth and Metria	67	-	-	-	-	-	-	-	-	3	12	25	27	-	-	-	-	-
Violent Deaths	86	7	10	6	3	5	31	18	4	11	1	3	2	2	2	2	8	2
Other Causes	681	249	33	14	8	3	307	3	4	6	6	8	10	12	23	60	163	79

465.—WIGAN.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	42693	-	-	-	-	-	6476	5278	4695	4178	4081	6367	4758	3265	2066	1117	360	52
TOTAL DEATHS	11117	3075	1319	594	340	240	5568	520	261	389	398	653	637	559	663	764	557	148
Small-pox	146	44	30	18	7	10	109	24	8	3	1	1	-	-	-	-	-	-
Measles	353	68	153	70	28	12	331	21	1	-	-	-	-	-	-	-	-	-
Scarlatina	449	21	62	83	70	53	289	122	27	6	1	2	2	-	-	-	-	-
Diphtheria	15	2	3	3	1	3	12	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	305	110	97	48	22	19	296	9	-	-	-	-	-	-	-	-	-	-
Typhus	565	27	38	37	31	25	158	71	59	57	33	51	49	33	30	18	6	-
Cholera, Diarrh., Dysent^{y}	982	484	179	43	20	6	732	13	5	6	15	26	32	34	42	46	24	7
Other Zymotic Dis.	426	67	32	57	42	34	282	36	2	8	4	14	14	18	27	12	8	1
Cancer	84	-	-	1	-	-	1	2	-	-	1	5	11	21	24	13	4	2
Scrofula, Tabes Mesent.	173	56	49	17	9	4	135	11	4	7	4	5	2	2	1	-	1	1
Phthisis	1305	31	43	16	4	8	102	29	64	202	223	280	212	110	43	31	4	-
Hydrocephalus	102	33	31	9	7	5	85	13	2	1	-	-	-	-	-	1	-	-
Diseases of Brain	1360	708	83	42	19	12	954	28	17	11	9	29	34	55	67	95	57	4
Heart Dis. and Dropsy	423	2	10	3	1	5	21	16	20	22	11	36	48	64	86	74	24	1
Dis. of Lungs	1500	459	227	91	42	23	842	54	13	12	10	44	65	97	158	131	63	11
Dis. of Stom. and Liver	402	45	23	4	3	-	75	7	9	12	13	36	56	58	63	58	13	2
Dis. of Kidneys	29	-	1	1	1	-	3	-	3	4	1	3	1	4	4	6	-	-
Dis. of Gener. Organs	21	-	-	1	-	-	1	-	-	-	1	2	3	8	5	1	-	-
Diseases of the Joints	41	2	1	1	-	1	5	6	1	3	6	5	4	4	4	2	1	-
Diseases of the Skin	19	8	-	-	1	-	9	1	1	-	-	1	-	-	2	2	3	-
Childbirth and Metria	235	-	-	-	-	-	-	-	-	-	11	43	93	80	8	-	-	-
Violent Deaths	233	38	15	18	18	7	96	39	16	16	8	7	10	9	15	9	8	-
Other Causes	1949	780	192	31	14	13	1030	15	9	8	9	13	14	34	92	265	341	119

466.—WARRINGTON.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	19957	-	-	-	-	-	2920	2423	2068	1905	1957	3173	2225	1481	1016	558	207	24
TOTAL DEATHS	4623	1148	476	248	149	87	2108	193	93	125	178	324	294	280	309	367	269	83
Small-pox	62	14	12	15	4	2	47	6	1	3	-	1	3	1	-	-	-	-
Measles	103	17	43	16	12	7	95	7	-	-	1	-	-	-	-	-	-	-
Scarlatina	207	13	35	40	39	20	147	46	10	2	1	-	-	-	1	-	-	-
Diphtheria	10	1	2	-	1	2	6	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	137	53	41	25	13	3	135	2	-	-	-	-	-	-	-	-	-	-
Typhus	142	3	9	8	3	5	28	14	12	13	9	21	12	13	14	5	-	1
Cholera, Diarrh., Dysent^{y}	260	110	51	4	4	2	171	8	1	2	4	6	8	8	12	23	15	2
Other Zymotic Dis.	166	33	26	21	20	7	107	13	2	2	5	6	4	8	7	10	2	-
Cancer	65	-	-	-	1	-	1	-	-	-	-	2	12	22	9	13	5	1
Scrofula, Tabes Mesent.	74	13	16	8	3	3	43	9	6	5	1	5	3	2	-	-	-	-
Phthisis	545	12	13	10	4	5	44	14	30	55	92	128	98	56	20	8	-	-
Hydrocephalus	80	16	17	19	8	6	66	12	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	734	389	50	21	12	4	476	13	7	6	9	26	22	50	50	53	18	2
Heart Dis. and Dropsy	216	1	1	2	1	3	8	6	4	9	8	20	24	26	42	51	17	1
Dis. of Lungs	626	160	80	26	15	4	285	16	3	12	8	30	35	33	67	82	30	5
Dis. of Stom. and Liver	213	24	8	5	-	-	37	6	5	5	11	23	23	23	35	27	7	1
Dis. of Kidneys	24	1	1	-	-	-	2	1	1	1	5	2	5	4	2	1	-	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	2	4	4	2	2	1	-	-
Diseases of the Joints	15	-	1	-	1	-	2	-	3	2	3	1	1	-	1	1	1	-
Diseases of the Skin	11	1	2	-	1	-	4	-	-	-	-	-	-	1	1	2	2	1
Childbirth and Metria	77	-	-	-	-	-	-	-	-	6	15	33	22	1	-	-	-	-
Violent Deaths	118	13	14	16	4	10	57	12	3	1	1	5	4	9	8	8	8	2
Other Causes	723	274	54	12	3	4	347	5	3	1	2	9	9	18	18	80	164	67

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
467.—LEIGH.																		
Mean Popul^{n}, 1851-61	17040	-	-	-	-	-	2371	2040	1811	1723	1547	2481	1940	1449	962	515	187	14
TOTAL DEATHS	4553	1342	418	189	123	101	2173	214	108	169	156	234	223	250	311	359	306	50
Small-pox	109	36	17	14	6	6	79	15	4	6	2	1	-	2	-	-	-	-
Measles	99	23	41	16	11	5	96	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	222	14	36	35	40	25	150	62	7	3	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	1	-
Whooping-cough	72	42	15	7	2	1	67	5	-	-	-	-	-	-	-	-	-	-
Typhus	165	24	14	6	3	4	51	19	9	11	14	11	14	13	12	7	4	-
Cholera, Diarrh., Dysent^{y}	114	58	19	1	1	-	79	-	-	1	1	1	4	5	8	8	7	-
Other Zymotic Dis.	182	38	24	26	21	6	115	7	5	3	1	6	13	11	6	6	5	2
Cancer	32	-	-	-	-	-	-	3	-	-	-	-	4	5	9	6	4	1
Scrofula, Tabes Mesent.	96	31	15	7	1	2	56	8	6	8	4	5	5	1	1	1	1	-
Phthisis	468	10	17	5	2	3	37	10	22	65	70	99	60	43	33	22	7	-
Hydrocephalus	93	38	26	12	3	6	85	6	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	757	446	50	11	6	10	523	18	8	9	7	15	20	23	39	55	35	5
Heart Dis. and Dropsy	228	7	3	-	2	4	16	6	6	10	8	13	21	29	44	50	24	1
Dis. of Lungs	628	185	67	24	15	12	303	22	4	7	8	14	21	39	66	75	64	5
Dis. of Stom. and Liver	262	50	10	5	-	3	68	6	3	9	10	17	20	35	47	35	9	3
Dis. of Kidneys	59	1	-	-	-	-	1	1	-	3	1	3	5	5	8	18	12	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of the Joints	21	1	1	1	-	1	4	-	3	3	3	3	-	3	-	2	-	-
Diseases of the Skin	12	4	-	1	-	1	6	-	2	-	-	-	-	1	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	274	6	15	13	8	9	51	19	22	29	26	42	28	25	17	12	3	-
Other Causes	655	328	48	5	1	3	385	4	3	2	1	4	8	10	21	58	128	31
468.—BOLTON.																		
Mean Popul^{n}, 1851-61	59537	-	-	-	-	-	8580	7296	6535	6193	5651	8828	6784	4857	2944	1415	414	40
TOTAL DEATHS	17023	5272	1809	756	515	457	8809	812	400	606	532	820	911	1018	1110	1157	733	120
Small-pox	101	33	13	13	5	9	73	13	2	2	7	3	-	-	1	-	-	-
Measles	392	83	158	50	36	43	370	20	1	1	-	-	-	-	-	-	-	-
Scarlatina	1151	94	168	164	180	162	768	319	47	9	4	1	2	1	-	-	-	-
Diphtheria	11	2	-	3	1	2	8	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	366	170	116	40	18	14	358	8	-	-	-	-	-	-	-	-	-	-
Typhus	657	55	49	37	24	19	184	88	54	93	38	64	47	44	29	13	3	-
Cholera, Diarrh., Dysent^{y}	988	489	170	38	22	21	740	8	10	8	7	15	14	33	35	57	30	1
Other Zymotic Dis.	759	179	117	76	55	37	464	52	12	14	13	30	51	40	33	33	15	2
Cancer	87	-	-	-	-	1	1	-	-	3	1	3	13	16	23	21	6	-
Scrofula, Tabes Mesent.	184	69	38	9	6	2	124	7	7	11	13	10	6	2	3	1	-	-
Phthisis	1729	84	68	27	13	18	210	34	79	227	248	331	265	180	97	50	5	3
Hydrocephalus	397	120	127	55	22	28	352	30	9	1	2	1	1	1	-	-	-	-
Diseases of Brain	2596	1644	126	50	26	23	1869	41	26	32	17	48	53	85	168	149	98	10
Heart Dis. and Dropsy	630	7	7	2	4	3	23	23	20	31	23	52	60	108	123	121	44	2
Dis. of Lungs	2585	664	273	101	54	38	1130	49	31	40	40	95	150	262	339	331	111	7
Dis. of Stom. and Liver	571	108	23	7	5	4	147	25	15	29	24	30	68	73	82	60	18	-
Dis. of Kidneys	164	-	-	2	-	1	3	5	3	8	10	15	20	23	27	25	25	-
Dis. of Gener. Organs	4	2	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Diseases of the Joints	59	3	2	2	1	-	8	6	9	8	5	2	1	10	5	5	-	-
Diseases of the Skin	34	6	-	1	1	-	8	1	3	1	-	-	2	5	3	8	2	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	863	32	37	33	32	26	160	57	61	72	73	102	132	81	64	44	14	3
Other Causes	2730	1428	317	46	10	6	1807	24	10	16	7	18	26	54	77	238	362	91
469.—BURY.																		
Mean Popul^{n}, 1851-61	46209	-	-	-	-	-	6320	5504	5120	4727	4568	6980	5419	3831	2276	1120	322	22
TOTAL DEATHS	11098	3342	1103	472	281	191	5389	467	276	378	394	615	597	718	794	852	526	92
Small-pox	74	32	16	5	1	1	55	11	2	3	2	-	-	-	1	-	-	-
Measles	232	63	80	46	15	13	217	13	2	-	-	-	-	-	-	-	-	-
Scarlatina	463	33	95	77	73	44	322	98	25	4	1	2	-	1	-	-	-	-
Diphtheria	16	2	5	5	-	2	14	1	-	-	1	-	-	-	-	-	-	-
Whooping-cough	189	88	57	26	12	2	185	4	-	-	-	-	-	-	-	-	-	-
Typhus	402	17	19	21	14	13	84	44	39	49	31	44	33	32	15	25	6	-
Cholera, Diarrh., Dysent^{y}	619	327	107	13	5	1	453	10	5	7	1	14	8	13	30	45	28	5
Other Zymotic Dis.	527	98	74	64	48	36	320	45	10	8	9	21	16	32	31	25	8	2
Cancer	47	-	-	-	-	-	-	1	-	-	-	4	5	10	13	11	2	1
Scrofula, Tabes Mesent.	128	30	25	6	4	1	66	13	10	9	9	6	7	2	2	3	1	-
Phthisis	1280	68	24	11	9	10	122	23	58	184	209	246	192	144	76	22	4	-
Hydrocephalus	305	117	89	31	15	14	257	42	3	1	2	-	-	-	-	-	-	-
Diseases of Brain	1684	963	103	43	20	14	1143	44	22	19	18	31	35	62	95	145	62	8
Heart Dis. and Dropsy	698	16	23	6	6	4	55	26	27	11	23	37	67	107	128	117	35	5
Dis. of Lungs	1540	394	205	63	22	14	798	32	10	15	17	62	79	133	194	191	98	11
Dis. of Stom. and Liver	435	50	20	3	3	-	76	15	15	15	10	43	45	61	79	53	22	1
Dis. of Kidneys	107	-	-	1	1	1	3	3	4	4	6	10	13	11	16	24	10	3
Dis. of Gener. Organs	4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-
Diseases of the Joints	35	1	-	-	-	-	1	4	5	4	5	2	2	3	5	1	3	-
Diseases of the Skin	19	6	2	2	-	-	10	1	1	1	-	-	-	1	2	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	524	12	21	25	26	16	100	28	34	34	44	71	73	58	44	33	5	-
Other Causes	1840	1024	147	24	7	5	1207	9	4	10	6	22	22	48	62	154	240	56

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
467.—LEIGH.																		
Mean Popul^{n}, 1851-61	18177	-	-	-	-	-	2431	2106	1983	1914	1735	2739	2050	1450	983	560	205	21
TOTAL DEATHS	4300	1015	384	188	126	81	1794	190	103	165	180	351	282	240	254	375	300	66
Small pox	112	27	27	11	12	6	83	11	5	4	1	5	3	-	-	-	-	-
Measles	98	26	41	15	5	6	93	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	190	13	23	42	28	22	128	53	5	-	2	2	-	-	-	-	-	-
Diphtheria	7	-	1	2	-	-	3	2	1	1	-	-	-	-	-	-	-	-
Whooping-cough	77	25	30	10	5	4	74	3	-	-	-	-	-	-	-	-	-	-
Typhus	131	19	12	7	6	6	50	9	9	8	10	16	8	8	6	6	1	-
Cholera, Diarrh., Dysent^{y}	149	68	21	5	5	1	100	4	2	-	3	3	4	4	5	11	10	3
Other Zymotic Dis.	154	25	17	24	17	12	95	16	-	1	-	6	5	5	8	14	4	-
Cancer	58	-	-	1	-	-	1	-	2	-	-	3	5	21	14	7	5	-
Scrofula, Tabes Mesent.	79	23	17	5	6	3	54	5	4	6	1	2	2	2	2	1	-	-
Phthisis	644	12	11	4	2	1	30	6	30	99	100	165	108	56	31	17	2	-
Hydrocephalus	50	11	15	6	5	-	37	7	3	2	1	-	-	-	-	-	-	-
Diseases of Brain	650	353	36	15	10	7	421	22	7	7	9	15	16	21	33	61	32	6
Heart Dis. and Dropsy	262	3	3	3	2	2	13	12	9	7	11	24	24	36	40	58	26	2
Dis. of Lungs	558	112	67	18	11	4	212	16	6	4	9	22	37	36	54	93	64	5
Dis. of Stom. and Liver	249	31	9	2	5	2	49	3	4	12	8	27	19	32	39	41	13	2
Dis. of Kidneys	9	-	-	1	-	-	1	1	1	-	-	1	-	2	1	2	-	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	1	1	1	4	1	2	-	-
Diseases of the Joints	18	-	1	-	-	1	2	1	2	3	2	2	2	2	1	1	-	-
Diseases of the Skin	4	1	1	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	110	-	-	-	-	-	-	-	-	6	16	49	37	2	-	-	-	-
Violent Deaths	65	3	6	9	6	3	27	12	8	1	2	2	2	4	3	1	1	2
Other Causes	616	263	46	8	1	1	319	2	5	4	4	6	9	5	15	60	141	46
468.—BOLTON.																		
Mean Popul^{n}, 1851-61	62954	-	-	-	-	-	8607	7421	6676	6458	6303	9936	7206	5009	3129	1633	520	56
TOTAL DEATHS	15896	4068	1731	823	488	397	7507	806	405	574	595	1036	951	905	1019	1129	803	166
Small-pox	105	36	16	14	7	3	76	5	6	6	3	7	1	1	-	-	-	-
Measles	333	71	122	78	36	15	322	11	-	-	-	-	-	-	-	-	-	-
Scarlatina	1144	62	171	188	104	143	728	335	61	11	4	1	4	-	-	-	-	-
Diphtheria	8	1	1	2	1	-	5	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	486	204	130	62	41	31	468	17	1	-	-	-	-	-	-	-	-	-
Typhus	645	35	49	33	26	27	170	87	64	69	53	53	46	41	34	25	2	1
Cholera, Diarrh., Dysent^{y}	910	438	167	40	12	11	668	16	6	7	-	23	22	25	43	55	40	5
Other Zymotic Dis.	642	135	102	87	48	39	411	51	17	17	17	22	23	21	26	23	12	2
Cancer	193	-	-	1	-	-	1	-	-	2	-	8	30	62	44	31	15	-
Scrofula, Tabes Mesent.	130	36	34	10	3	4	87	9	10	7	5	3	2	3	3	1	-	-
Phthisis	2110	72	61	23	14	14	184	58	112	295	305	463	321	202	109	49	11	1
Hydrocephalus	319	103	98	40	19	21	281	28	6	-	1	1	-	-	1	1	-	-
Diseases of Brain	2141	1192	131	51	29	15	1418	38	35	26	33	40	66	87	127	162	101	8
Heart Dis. and Dropsy	791	13	4	4	1	2	24	18	18	33	31	89	107	132	142	114	47	6
Dis. of Lungs	2037	468	243	107	51	41	910	48	19	32	40	93	116	152	256	270	116	15
Dis. of Stom. and Liver	609	74	17	2	3	5	101	14	18	28	32	72	65	91	97	78	13	-
Dis. of Kidneys	77	1	4	1	1	-	7	1	4	4	5	9	12	8	12	12	3	-
Dis. of Gener. Organs	41	1	-	-	-	-	1	-	-	-	-	10	10	10	5	4	1	-
Diseases of the Joints	49	4	2	1	1	3	11	6	6	2	1	4	7	8	4	-	-	-
Diseases of the Skin	44	11	5	1	-	-	17	2	1	1	2	2	2	4	4	7	2	-
Childbirth and Metria	212	-	-	-	-	-	-	-	-	5	37	90	77	3	-	-	-	-
Violent Deaths	259	20	27	25	22	18	112	34	12	11	11	19	12	17	12	9	6	4
Other Causes	2581	1091	347	53	9	5	1505	25	9	18	15	27	28	38	100	258	431	124
469.—BURY.																		
Mean Popul^{n}, 1851-61	48766	-	-	-	-	-	6347	5593	5168	5032	5016	7830	5743	3915	2425	1247	410	37
TOTAL DEATHS	10888	2609	1027	455	286	206	4583	446	264	426	479	870	756	717	739	916	571	121
Small-pox	80	28	14	7	3	5	57	10	5	4	1	1	2	-	-	-	-	-
Measles	221	56	88	38	14	13	209	11	1	-	-	-	-	-	-	-	-	-
Scarlatina	446	20	73	77	68	47	285	128	22	5	1	3	-	-	1	1	-	-
Diphtheria	18	3	3	3	3	1	13	2	2	-	-	1	-	-	-	-	-	-
Whooping-cough	227	93	68	31	17	8	217	7	-	-	-	2	-	-	1	-	-	-
Typhus	412	21	22	10	16	18	87	37	41	41	37	48	38	31	23	21	7	1
Cholera, Diarrh., Dysent^{y}	572	260	88	16	5	5	374	5	3	9	8	25	18	18	31	42	36	3
Other Zymotic Dis.	440	73	74	58	39	34	278	29	8	9	12	18	14	19	15	23	11	1
Cancer	134	1	-	-	-	-	1	1	-	-	-	8	24	33	35	22	10	-
Scrofula, Tabes Mesent.	114	24	19	10	1	1	55	8	7	8	6	9	8	5	5	1	2	-
Phthisis	1707	42	32	18	7	8	107	27	92	244	285	426	279	154	63	26	4	-
Hydrocephalus	244	82	56	31	20	7	196	38	5	2	-	2	1	-	-	-	-	-
Diseases of Brain	1420	701	101	42	26	15	885	39	20	22	14	36	37	63	106	127	63	8
Heart Dis. and Dropsy	720	15	25	8	2	4	54	21	17	18	18	78	92	132	137	115	84	4
Dis. of Lungs	1380	320	198	52	37	19	626	30	14	23	14	51	67	111	117	202	86	9
Dis. of Stom. and Liver	482	39	15	5	3	2	64	14	9	11	30	47	59	71	84	71	19	1
Dis. of Kidneys	47	-	2	2	-	-	4	2	1	1	5	5	11	6	4	7	-	1
Dis. of Gener. Organs	39	-	-	-	-	-	-	-	-	-	2	6	8	9	10	3	1	-
Diseases of the Joints	30	2	-	-	-	-	2	3	4	3	1	1	3	3	3	5	2	-
Diseases of the Skin	15	3	2	-	-	1	6	-	-	1	-	1	-	3	2	2	-	-
Childbirth and Metria	179	-	-	-	-	-	-	-	-	6	34	66	68	5	-	-	-	-
Violent Deaths	169	14	8	20	17	12	71	24	6	6	8	7	10	6	8	15	6	2
Other Causes	1792	812	159	27	8	6	992	10	7	13	3	29	17	48	62	230	287	91

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
470.—BARTON-UPON-IRWELL.																		
Mean Popul^n, 1851-61	16898	-	-	-	-	-	2269	2079	2037	1675	1523	2425	1890	1452	926	476	134	12
TOTAL DEATHS	3855	993	319	149	114	80	1655	214	109	117	138	223	266	257	305	324	214	33
Small-pox	35	11	4	3	1	3	22	4	-	3	2	1	2	1	-	-	-	-
Measles	76	15	25	18	10	4	72	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	183	13	29	31	35	13	121	51	11	3	-	-	-	-	-	-	-	-
Diphtheria	5	-	-	1	1	1	3	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	48	19	17	4	1	2	43	5	-	-	-	-	-	-	-	-	-	-
Typhus	126	4	8	1	7	3	23	22	9	8	10	19	12	9	8	4	2	-
Cholera,Diarrh.,Dysent^y	202	100	48	7	1	1	157	1	2	-	2	3	6	7	7	9	7	1
Other Zymotic Dis.	190	33	23	16	17	9	98	15	3	-	3	9	15	13	16	12	6	-
Cancer	18	-	-	-	-	-	-	-	-	-	1	1	3	5	3	5	-	-
Scrofula, Tabes Mesent.	30	4	3	1	1	-	9	3	5	6	2	2	1	1	1	-	-	-
Phthisis	455	13	11	2	5	4	35	12	20	44	63	100	82	54	28	16	1	-
Hydrocephalus	75	24	16	10	7	5	62	11	-	1	-	1	-	-	-	-	-	-
Diseases of Brain	502	242	27	10	5	9	293	22	9	11	10	14	14	22	47	39	19	2
Heart Dis. and Dropsy	155	4	-	1	-	-	5	5	8	7	3	10	16	26	31	33	9	2
Dis. of Lungs	486	125	50	23	11	12	221	14	6	1	7	11	31	36	72	53	31	3
Dis. of Stom. and Liver	183	12	1	2	5	1	21	8	3	5	3	8	31	31	38	31	4	-
Dis. of Kidneys	44	2	-	-	-	-	2	2	1	3	1	-	5	8	3	12	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	20	-	1	-	-	2	3	1	7	-	1	2	1	1	1	3	-	-
Diseases of the Skin	6	2	-	-	-	-	2	-	-	-	-	-	1	1	-	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	273	4	10	8	5	6	33	22	18	21	28	36	31	29	23	8	4	-
Other Causes	760	366	46	11	2	5	430	11	6	4	2	6	15	13	27	97	125	24
471.—CHORLTON.																		
Mean Popul^n, 1851-61	69436	-	-	-	-	-	9985	8134	7004	6780	7239	12087	8656	5484	2742	1034	265	26
TOTAL DEATHS	17528	5488	2005	936	631	423	9483	811	324	501	528	1056	1104	1226	1128	869	418	80
Small-pox	99	31	12	11	5	4	63	14	5	5	5	5	1	1	-	-	-	-
Measles	370	69	136	69	48	17	339	28	2	-	-	-	1	-	-	-	-	-
Scarlatina	1097	82	167	183	192	154	778	257	39	8	4	6	1	3	1	-	-	-
Diphtheria	52	11	9	9	2	5	36	12	1	1	-	-	2	-	-	-	-	-
Whooping-cough	534	184	181	78	41	30	514	20	-	-	-	-	-	-	-	-	-	-
Typhus	616	35	40	33	40	28	176	74	49	54	43	72	43	42	36	22	5	-
Cholera,Diarrh.,Dysent^y	1297	842	234	38	12	6	1132	15	4	6	9	18	18	21	35	24	13	2
Other Zymotic Dis.	644	176	88	61	47	28	400	27	10	7	12	34	57	41	31	20	4	1
Cancer	93	1	1	2	-	1	5	2	-	-	2	4	16	16	26	17	3	2
Scrofula, Tabes Mesent.	319	115	57	33	11	8	224	25	24	9	10	9	4	6	4	2	2	-
Phthisis	2073	36	27	8	8	5	84	46	68	254	288	511	393	297	106	23	3	-
Hydrocephalus	514	202	157	76	20	23	478	28	7	1	-	-	-	-	-	-	-	-
Diseases of Brain	2222	1039	172	65	59	28	1363	78	20	33	30	80	97	131	167	147	63	8
Heart Dis. and Dropsy	619	16	14	7	7	7	51	22	15	20	21	60	81	115	122	86	21	5
Dis. of Lungs	2955	836	404	140	88	40	1508	57	15	24	32	100	176	309	367	261	97	9
Dis. of Stom. and Liver	682	131	19	10	7	4	171	28	14	21	20	62	85	109	92	64	14	2
Dis. of Kidneys	154	4	3	3	2	1	13	2	3	6	7	14	25	33	25	17	7	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	81	2	1	1	1	1	6	10	14	10	13	6	8	6	4	4	-	-
Diseases of the Skin	25	13	4	-	-	1	18	1	-	1	-	-	-	-	-	3	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	474	57	27	41	25	21	171	34	25	32	24	48	48	51	27	9	4	1
Other Causes	2607	1606	252	68	16	11	1953	31	9	9	8	27	48	44	85	170	175	48
472.—SALFORD.																		
Mean Popul^n, 1851-61	45702	-	-	-	-	-	6473	5285	4754	4619	4662	7545	5599	3822	1966	756	202	19
TOTAL DEATHS	12610	3906	1477	636	410	256	6685	612	256	295	348	683	849	911	906	634	396	65
Small-pox	103	29	16	5	7	7	64	21	3	6	5	1	2	1	-	-	-	-
Measles	288	48	116	58	36	11	269	19	-	-	-	-	-	-	-	-	-	-
Scarlatina	804	56	120	130	140	92	538	206	44	8	2	3	1	1	1	-	-	-
Diphtheria	15	1	3	1	3	-	8	3	1	1	-	1	-	1	-	-	-	-
Whooping-cough	386	142	125	61	30	19	377	9	-	-	-	-	-	-	-	-	-	-
Typhus	394	21	22	22	22	21	108	51	30	25	28	39	28	34	26	16	4	-
Cholera,Diarrh.,Dysent^y	1256	741	245	67	15	8	1076	15	5	4	5	9	14	24	43	31	24	6
Other Zymotic Dis.	491	107	66	40	29	19	261	29	4	11	9	29	53	48	25	10	11	1
Cancer	57	-	-	-	-	-	-	-	-	-	-	1	4	12	24	12	4	-
Scrofula, Tabes Mesent.	136	30	27	10	6	2	75	24	10	9	7	3	2	2	4	-	-	-
Phthisis	1190	18	20	5	4	-	47	27	37	136	180	267	258	152	68	15	2	1
Hydrocephalus	269	101	93	28	14	9	247	20	2	-	-	-	*	-	-	-	-	-
Diseases of Brain	1732	974	120	44	20	15	1173	29	16	14	17	54	66	89	125	99	46	4
Heart Dis. and Dropsy	427	11	3	4	6	1	25	16	13	15	9	43	70	99	71	50	16	-
Dis. of Lungs	2367	536	266	101	34	25	1009	47	17	19	30	108	179	275	336	218	122	7
Dis. of Stom. and Liver	436	67	15	7	3	3	95	18	11	10	15	40	54	74	61	39	18	1
Dis. of Kidneys	110	3	2	-	1	-	6	-	5	3	2	7	19	22	17	21	7	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	46	-	4	3	3	1	11	5	5	5	2	3	7	4	1	2	1	-
Diseases of the Skin	20	9	1	1	-	-	11	-	-	-	1	2	-	-	2	3	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	484	11	22	24	25	15	100	61	44	25	33	57	52	49	39	22	1	1
Other Causes	1623	941	189	95	12	8	1185	12	9	4	8	16	30	24	63	95	139	49

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
470.—BARTON-ON-IRWELL.																		
Mean Popul^{n}, 1851-61	18414	-	-	-	-	-	2272	2023	1998	1939	1912	2045	2121	1541	946	522	179	16
TOTAL DEATHS	3873	856	286	141	95	87	1465	176	124	150	168	313	279	265	294	329	254	56
Small-pox	38	11	3	2	5	7	28	2	1	2	2	3	-	-	-	-	-	-
Measles	53	9	18	5	8	10	50	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	190	6	24	26	25	35	116	56	14	2	1	-	1	-	-	-	-	-
Diphtheria	9	2	-	1	-	2	5	2	2	-	-	-	-	-	-	-	-	-
Whooping-cough	52	26	18	4	1	2	51	1	-	-	-	-	-	-	-	-	-	-
Typhus	137	6	2	6	4	7	25	13	16	21	11	20	9	10	8	4	-	-
Cholera, Diarrh., Dysentry	195	87	30	12	-	-	129	3	2	1	3	5	7	12	8	11	12	2
Other Zymotic Dis.	163	24	23	17	12	4	80	15	9	1	3	6	14	7	6	16	5	1
Cancer	66	-	-	-	-	-	-	1	1	1	-	1	10	22	18	6	5	1
Scrofula, Tabes Mesent.	27	4	7	2	-	-	13	2	2	3	-	2	3	2	-	-	-	-
Phthisis	609	11	6	4	3	-	24	14	41	87	101	153	98	56	22	9	4	-
Hydrocephalus	62	25	13	6	4	4	50	9	1	1	1	-	-	-	-	-	-	-
Diseases of Brain	446	211	22	15	6	5	259	14	8	5	7	18	16	20	44	40	13	2
Heart Dis. and Dropsy	213	2	1	2	-	1	6	4	8	8	5	14	26	39	52	40	10	1
Dis. of Lungs	432	97	58	19	16	5	195	12	8	4	10	17	25	27	57	44	31	2
Dis. of Stom. and Liver	186	21	1	2	1	1	26	3	1	7	4	16	23	35	39	32	9	-
Dis. of Kidneys	14	1	-	-	1	-	2	-	1	1	1	2	2	1	3	1	-	-
Dis. of Gener. Organs	12	-	-	1	-	-	1	-	-	-	1	5	2	3	-	-	-	-
Diseases of the Joints	15	1	-	2	-	-	3	-	2	1	-	2	3	-	2	2	-	-
Diseases of the Skin	8	1	3	-	-	-	4	-	1	1	-	-	-	-	2	-	-	-
Childbirth and Metria	71	-	-	-	-	-	-	-	-	1	8	37	22	3	-	-	-	-
Violent Deaths	69	6	6	7	4	2	25	14	3	1	2	2	1	8	6	5	1	1
Other Causes	806	307	51	8	5	2	373	8	3	2	8	10	17	20	36	119	164	46
471.—CHORLTON.																		
Mean Popul^{n}, 1851-61	77273	-	-	-	-	-	9921	8078	7198	7342	8905	14217	9832	5320	3490	1536	390	44
TOTAL DEATHS	17595	4277	1947	923	586	412	8145	849	295	493	625	1388	1318	1308	1262	1123	636	153
Small-pox	101	27	19	8	1	8	63	9	3	5	10	5	5	1	-	-	-	-
Measles	365	59	134	76	38	23	330	23	2	-	-	-	-	-	-	-	-	-
Scarlatina	1005	56	149	163	162	133	663	286	37	7	6	3	3	-	-	-	-	-
Diphtheria	52	3	8	6	5	3	25	17	7	-	-	3	-	-	-	-	-	-
Whooping cough	686	199	215	131	68	35	648	37	-	-	1	-	-	-	-	-	-	-
Typhus	627	20	38	34	43	41	189	105	49	49	48	62	40	34	34	18	8	-
Cholera, Diarrh., Dysentry	1263	724	269	39	16	10	1049	13	2	6	6	19	26	28	40	48	29	6
Other Zymotic Dis.	553	158	61	64	29	19	331	31	13	18	18	33	27	30	24	21	7	-
Cancer	320	1	-	-	1	-	2	1	-	2	2	24	68	103	72	36	9	1
Scrofula, Tabes Mesent.	252	73	65	28	9	8	183	15	11	8	9	17	2	2	4	1	-	-
Phthisis	2230	25	21	13	5	7	71	49	78	267	320	650	466	213	91	24	1	-
Hydrocephalus	396	149	124	39	27	12	351	38	6	1	-	-	-	-	-	-	-	-
Diseases of Brain	1935	807	135	73	41	27	1083	69	25	17	30	74	98	134	154	171	70	10
Heart Dis. and Dropsy	856	8	10	8	6	2	34	17	15	27	26	100	124	181	155	124	24	5
Dis. of Lungs	2893	583	424	154	82	42	1285	49	17	25	41	103	169	316	404	334	132	18
Dis. of Stom. and Liver	793	67	23	11	6	5	112	16	7	25	30	76	105	151	126	65	18	2
Dis. of Kidneys	113	3	1	4	1	-	9	3	2	4	5	16	21	22	15	13	1	2
Dis. of Gener. Organs	83	-	-	-	1	-	1	-	-	2	4	17	16	22	16	4	1	-
Diseases of the Joints	64	4	-	1	1	2	8	8	4	9	3	6	9	4	8	3	2	-
Diseases of the Skin	25	6	3	1	1	-	11	2	-	-	1	-	2	-	4	3	2	-
Childbirth and Metria	273	-	-	-	-	-	-	-	-	12	46	135	78	2	-	-	-	-
Violent Deaths	245	41	25	25	14	21	126	21	6	5	6	11	13	10	21	15	11	-
Other Causes	2545	1264	232	55	24	14	1589	30	11	4	14	33	46	55	94	243	317	109
472.—SALFORD.																		
Mean Popul^{n}, 1851-61	50728	-	-	-	-	-	6547	5294	4866	5051	5694	8867	6265	4309	2381	1082	339	33
TOTAL DEATHS	12436	3242	1355	667	437	316	6017	553	239	325	402	785	883	885	847	817	560	123
Small-pox	106	30	14	13	9	8	74	17	6	3	3	1	1	1	-	-	-	-
Measles	304	50	127	59	35	17	288	13	1	-	1	-	1	-	-	-	-	-
Scarlatina	857	44	123	159	137	123	586	213	44	8	3	1	2	-	-	-	-	-
Diphtheria	28	3	4	6	5	4	22	2	1	1	-	1	-	1	-	-	-	-
Whooping-cough	480	172	148	66	47	22	455	23	1	1	-	-	-	-	-	-	-	-
Typhus	407	16	16	29	22	21	104	72	35	24	25	38	25	44	21	19	8	1
Cholera, Diarrh., Dysentry	1188	639	237	34	16	12	958	11	3	5	5	17	28	27	39	41	47	7
Other Zymotic Dis.	404	117	62	37	19	28	263	25	8	5	5	16	26	19	11	16	9	1
Cancer	204	-	1	1	2	-	4	-	-	-	-	7	46	64	51	26	5	1
Scrofula, Tabes Mesent.	88	18	18	13	4	4	57	4	10	6	1	5	1	3	1	-	-	-
Phthisis	1346	22	13	10	3	1	49	27	62	161	225	363	263	126	51	19	-	-
Hydrocephalus	213	89	60	28	12	11	200	11	-	1	-	-	-	-	1	-	-	-
Diseases of Brain	1542	768	80	57	35	10	950	30	15	24	25	53	59	86	102	122	66	10
Heart Dis. and Dropsy	460	7	3	1	4	1	16	6	13	19	16	41	70	103	90	60	24	2
Dis. of Lungs	2251	469	220	97	57	27	870	41	16	18	23	94	177	257	315	296	135	19
Dis. of Stom. and Liver	458	43	16	9	4	5	77	15	5	16	13	41	71	76	73	44	25	2
Dis. of Kidneys	57	-	-	-	-	-	-	4	2	3	2	5	13	13	8	3	4	-
Dis. of Gener. Organs	48	1	1	-	-	-	2	-	-	-	4	4	13	14	5	6	-	-
Diseases of the Joints	40	-	-	1	2	-	3	7	6	4	3	3	3	4	4	1	2	-
Diseases of the Skin	20	6	1	2	-	-	9	1	-	1	-	1	1	1	4	1	1	-
Childbirth and Metria	170	-	-	-	-	-	-	-	-	10	33	73	50	4	-	-	-	-
Violent Deaths	214	29	25	15	16	14	99	20	6	5	7	12	16	17	21	11	7	2
Other Causes	1551	728	166	30	8	8	940	11	5	10	8	9	17	25	59	171	227	73

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

473.—MANCHESTER.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85
Mean Popul^{n}, 1851-61	112630	-	-	-	-	-	15316	12662	11627	11226	11239	13567	14305	9845	5180	2125	551	43
TOTAL DEATHS	37917	10784	4318	1874	1129	856	18961	1617	669	946	1140	2401	2911	3121	2728	2139	1076	200
Small-pox	301	85	38	30	19	21	193	46	14	12	11	20	4	1	-	-	-	-
Measles	767	127	340	127	92	37	723	42	-	2	-	-	-	-	-	-	-	-
Scarlatina	1807	136	336	306	287	244	1309	426	45	11	10	5	1	-	-	-	-	-
Diphtheria	50	8	12	6	7	2	35	8	2	2	-	1	1	-	1	-	-	-
Whooping-cough	987	359	309	143	90	50	951	35	1	-	-	-	-	-	-	-	-	-
Typhus	1444	36	75	87	59	71	328	170	112	115	98	175	149	155	83	46	11	1
Cholera, Diarrh., Dysent^{y}	2966	1792	616	103	39	25	2575	35	12	3	12	33	43	59	85	64	39	6
Other Zymotic Dis.	1321	327	159	111	73	59	729	86	19	18	23	86	123	103	67	49	17	-
Cancer	251	-	1	-	2	-	3	-	3	1	6	30	41	67	58	31	12	-
Scrofula, Tabes Mesent.	684	242	162	74	24	16	518	55	23	21	15	15	12	10	7	3	-	-
Phthisis	4322	75	87	47	20	20	249	79	135	407	547	970	879	626	320	103	7	-
Hydrocephalus	719	272	237	94	32	29	664	49	5	1	-	-	-	-	-	-	-	-
Diseases of Brain	4979	2642	336	137	92	50	3257	89	41	53	56	175	280	334	338	251	100	-
Heart Dis. and Dropsy	1275	19	16	24	7	13	79	39	30	39	46	145	199	273	238	151	34	-
Dis. of Lungs	6515	1541	761	303	146	93	2844	128	35	38	82	232	542	828	868	668	228	22
Dis. of Stom. and Liver	1116	152	46	16	14	10	238	34	23	32	34	96	164	189	180	99	25	-
Dis. of Kidneys	415	3	5	6	6	9	29	13	11	20	22	51	76	63	58	47	23	-
Dis. of Gener. Organs	5	1	1	-	-	-	2	-	-	-	-	1	-	-	1	-	1	-
Diseases of the Joints	190	3	1	6	5	8	23	25	21	34	18	17	19	17	9	4	3	-
Diseases of the Skin	62	13	3	1	-	1	18	2	1	3	4	6	5	7	3	8	5	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	2006	116	69	70	57	69	381	205	113	115	132	278	270	243	151	92	64	-
Other Causes	5735	2835	708	183	58	29	3813	51	18	21	24	65	103	146	263	523	547	16

474.—ASHTON-UNDER-LYNE.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85
Mean Popul^{n}, 1851-61	60339	-	-	-	-	-	8185	6956	6683	6434	6015	9375	7204	5047	2842	1251	319	23
TOTAL DEATHS	16960	5485	1626	687	445	382	8625	810	425	626	605	925	923	1119	1128	1109	578	8
Small-pox	115	30	13	9	11	1	64	27	9	4	3	7	1	-	-	-	-	-
Measles	440	105	182	74	32	21	414	26	-	-	-	-	-	-	-	-	-	-
Scarlatina	903	73	142	136	136	125	612	245	26	15	2	-	2	-	-	1	-	-
Diphtheria	26	4	7	4	2	2	19	6	-	-	-	-	-	1	-	-	-	-
Whooping-cough	339	166	94	36	24	11	331	8	-	-	-	-	-	-	-	-	-	-
Typhus	544	21	22	32	26	18	119	77	66	48	37	59	49	33	32	21	3	-
Cholera, Diarrh., Dysent^{y}	1013	651	149	30	12	9	851	19	2	3	5	9	10	21	30	34	27	-
Other Zymotic Dis.	544	122	57	42	37	36	294	32	12	16	12	24	28	51	35	28	10	-
Cancer	76	-	-	1	-	-	1	1	1	2	2	5	11	17	18	17	1	-
Scrofula, Tabes Mesent.	172	53	28	5	3	1	90	14	21	18	7	11	3	3	4	1	-	-
Phthisis	1998	88	34	14	8	9	153	53	97	302	321	403	280	195	123	66	4	-
Hydrocephalus	431	164	124	51	18	23	380	41	9	-	1	-	-	-	-	-	-	-
Diseases of Brain	2664	1666	165	70	33	25	1959	52	27	35	35	42	54	98	145	154	57	-
Heart Dis. and Dropsy	804	15	19	11	9	7	61	38	28	34	33	59	93	155	146	117	37	-
Dis. of Lungs	2356	666	251	90	57	36	1100	50	19	24	36	88	169	259	295	252	61	-
Dis. of Stom. and Liver	682	93	12	10	2	7	124	24	25	29	25	61	71	119	102	85	17	-
Dis. of Kidneys	95	1	-	-	2	-	3	-	4	7	2	7	6	9	25	22	9	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the Joints	58	5	1	2	-	3	11	6	8	9	2	4	4	6	3	5	-	-
Diseases of the Skin	30	12	1	1	-	1	15	1	-	-	1	4	2	-	2	1	4	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	756	18	32	23	23	31	127	62	55	70	59	112	88	84	62	27	8	-
Other Causes	2913	1532	293	46	10	16	1897	28	16	10	21	30	52	68	106	278	340	60

475.—OLDHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85
Mean Popul^{n}, 1851-61	48610	-	-	-	-	-	6684	5652	5314	4880	4901	7748	5811	3963	2310	1063	283	21
TOTAL DEATHS	12847	4180	1360	526	336	272	6674	555	270	371	382	652	723	890	917	878	463	77
Small-pox	116	33	15	9	9	9	75	19	11	4	2	4	1	-	-	-	-	-
Measles	255	69	93	42	21	13	238	16	1	-	-	-	-	-	-	-	-	-
Scarlatina	626	48	97	110	100	84	439	159	22	5	-	-	-	1	-	-	-	-
Diphtheria	18	3	2	-	-	2	7	4	1	-	-	-	1	-	-	-	-	-
Whooping-cough	206	109	62	20	9	3	203	3	-	-	-	-	-	-	-	-	-	-
Typhus	415	15	16	14	17	21	83	57	35	35	34	43	43	37	25	15	8	-
Cholera, Diarrh., Dysent^{y}	656	346	129	26	9	6	516	10	4	4	4	14	16	20	26	28	11	-
Other Zymotic Dis.	524	97	90	57	46	31	321	36	4	16	9	25	32	32	31	11	6	-
Cancer	70	-	-	1	-	-	1	-	-	1	1	9	5	16	18	18	-	1
Scrofula, Tabes Mesent.	193	78	41	8	3	3	133	13	13	12	2	7	3	7	2	1	-	-
Phthisis	1394	58	39	14	12	9	132	26	58	166	189	272	210	182	118	40	1	-
Hydrocephalus	285	113	81	24	22	8	248	30	3	2	1	1	-	-	-	-	-	-
Diseases of Brain	1988	1176	164	56	29	25	1450	38	22	32	17	51	60	82	102	104	26	4
Heart Dis. and Dropsy	532	15	15	8	6	6	50	23	14	14	21	34	60	91	105	90	29	1
Dis. of Lungs	1856	525	233	83	24	21	886	44	8	15	20	57	115	205	220	204	77	6
Dis. of Stom. and Liver	460	56	15	3	3	1	78	13	10	14	21	35	55	83	86	45	18	2
Dis. of Kidneys	82	-	1	-	2	1	4	6	4	4	-	7	9	9	12	16	10	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	45	-	-	-	2	1	3	6	13	5	3	2	3	4	4	2	-	-
Diseases of the Skin	23	10	2	1	-	2	15	2	-	-	-	-	2	3	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	482	10	18	19	13	15	75	31	31	29	52	60	69	60	40	30	5	-
Other Causes	2626	1419	247	31	9	11	1717	19	16	13	6	31	39	58	128	273	272	54

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

473.—MANCHESTER.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.														
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–
Mean Popul^{n}, 1851-61	123520	-	-	-	-	-	15358	12716	11730	12326	13688	21650	15762	10632	5994	2728	834
TOTAL DEATHS	36442	8941	4139	1901	1227	794	17002	1551	657	968	1299	2660	2738	2888	2683	2297	1385
Small-pox	250	58	31	33	29	12	163	39	21	10	8	5	3	1	-	-	-
Measles	783	144	289	164	96	46	739	38	5	-	1	-	-	-	-	-	-
Scarlatina	1726	134	304	300	271	213	1222	403	69	15	8	5	1	2	1	-	-
Diphtheria	47	4	8	9	7	5	33	11	1	-	-	1	-	1	-	-	-
Whooping-cough	1291	412	381	224	125	83	1225	63	3	-	-	-	-	-	-	-	-
Typhus	1492	52	74	84	82	65	357	201	98	115	119	169	140	147	80	49	17
Cholera, Diarrh., Dysent^{y}	2737	1528	563	132	33	14	2270	44	11	15	12	39	47	62	92	82	48
Other Zymotic Dis.	1099	334	163	91	91	48	727	61	14	16	27	43	58	65	49	31	7
Cancer	530	1	-	1	1	-	3	4	1	2	3	33	111	193	103	54	19
Scrofula, Tabes Mesent.	591	212	147	41	33	20	453	42	22	14	15	18	12	6	5	4	-
Phthisis	4431	65	82	43	33	17	240	101	176	499	645	1175	877	475	195	42	6
Hydrocephalus	486	167	142	69	44	26	448	31	5	1	-	1	-	-	-	-	-
Diseases of Brain	4264	2022	336	141	81	44	2624	95	45	39	70	145	219	251	327	319	112
Heart Dis. and Dropsy	1558	17	32	10	9	14	82	34	43	56	70	184	237	308	297	191	52
Dis. of Lungs	6185	1184	825	299	171	85	2564	119	31	53	69	215	429	802	919	668	254
Dis. of Stom. and Liver	1271	100	42	24	12	8	186	25	24	38	64	149	183	240	196	137	28
Dis. of Kidneys	217	1	3	-	1	2	7	2	10	13	19	54	41	33	24	10	4
Dis. of Gener. Organs	165	-	1	-	-	-	1	-	-	2	10	35	35	46	23	6	6
Diseases of the Joints	124	1	6	2	1	4	14	16	10	15	8	12	18	17	10	9	-
Diseases of the Skin	55	20	5	6	1	-	32	2	2	3	1	-	4	-	6	5	-
Childbirth and Metria	480	-	-	-	-	-	-	-	-	22	85	220	147	6	-	-	-
Violent Deaths	935	99	57	56	53	49	314	166	45	23	37	55	68	83	56	44	32
Other Causes	5725	2386	648	172	53	39	3298	54	21	17	28	72	113	159	300	646	800

474.—ASHTON-UNDER-LYNE.

Mean Popul^{n}, 1851-61	66637	-	-	-	-	-	8241	7113	6939	7122	7190	11101	8193	5636	3216	1475	376
TOTAL DEATHS	16892	4244	1647	781	477	388	7537	781	393	716	748	1361	1237	1023	1161	1162	650
Small-pox	116	18	17	11	12	9	67	32	8	3	3	3	-	-	-	-	-
Measles	431	70	172	88	46	23	399	27	3	1	-	1	-	-	-	-	-
Scarlatina	906	63	147	160	124	134	628	224	36	6	4	3	3	1	1	-	-
Diphtheria	25	3	4	4	3	5	19	6	-	-	-	-	-	-	-	-	-
Whooping-cough	440	178	109	73	43	21	424	15	1	-	-	-	-	-	-	-	-
Typhus	570	14	23	34	24	20	115	80	65	77	43	64	45	37	21	18	5
Cholera, Diarrh., Dysent^{y}	887	487	136	37	6	5	671	10	3	4	10	24	17	22	44	54	22
Other Zymotic Dis.	489	100	63	57	32	31	283	34	13	11	19	22	30	24	24	20	7
Cancer	164	1	1	1	-	-	3	-	-	2	-	5	29	46	47	23	9
Scrofula, Tabes Mesent.	147	48	34	4	4	3	93	7	7	10	7	13	3	4	2	-	1
Phthisis	2647	61	57	20	9	10	157	63	128	432	411	677	402	209	125	41	2
Hydrocephalus	375	130	94	48	28	19	319	49	6	1	-	-	-	-	-	-	-
Diseases of Brain	2291	1261	166	62	44	31	1564	63	29	23	33	70	69	94	159	138	46
Heart Dis. and Dropsy	1070	14	14	9	11	4	52	22	24	28	47	113	191	194	188	165	42
Dis. of Lungs	2024	466	255	96	50	30	897	54	21	29	47	88	161	182	250	231	58
Dis. of Stom. and Liver	731	74	26	12	7	6	125	15	17	36	36	93	89	98	119	79	23
Dis. of Kidneys	64	-	1	-	-	1	2	-	1	7	6	5	10	5	17	9	2
Dis. of Gener. Organs	55	-	-	-	-	-	-	-	-	-	1	11	15	17	8	2	1
Diseases of the Joints	44	3	-	-	1	3	7	7	7	2	-	8	6	4	2	1	-
Diseases of the Skin	28	8	5	1	1	1	16	1	1	1	-	-	-	3	-	4	2
Childbirth and Metria	288	-	-	-	-	-	-	-	-	11	57	120	97	3	-	-	-
Violent Deaths	246	25	20	17	13	14	89	43	10	10	8	15	11	16	21	14	7
Other Causes	2854	1220	303	47	19	18	1607	29	13	22	16	26	59	64	133	363	423

475.—OLDHAM.

Mean Popul^{n}, 1851-61	50422	-	-	-	-	-	6844	5745	5383	5082	5160	8206	5939	4030	2481	1185	332
TOTAL DEATHS	12283	3225	1282	555	371	262	5695	518	272	453	519	923	797	696	858	920	539
Small-pox	115	33	11	13	5	9	71	22	7	7	2	1	3	2	-	-	-
Measles	251	52	102	48	21	13	236	14	-	-	1	-	-	-	-	-	-
Scarlatina	614	42	96	108	113	71	430	149	28	3	2	2	-	-	-	-	-
Diphtheria	17	1	3	1	1	3	9	4	2	-	-	-	1	-	1	-	-
Whooping-cough	283	125	78	38	14	15	270	12	1	-	-	-	-	-	-	-	-
Typhus	481	17	11	23	33	18	102	60	42	53	37	62	40	29	33	17	6
Cholera, Diarrh., Dysent^{y}	617	263	119	16	12	2	412	14	2	2	10	24	22	18	43	33	29
Other Zymotic Dis.	399	73	59	39	39	36	246	35	7	10	7	23	16	17	16	15	6
Cancer	130	-	-	-	-	-	-	-	1	-	2	8	21	41	28	28	1
Scrofula, Tabes Mesent.	162	67	38	9	5	6	125	6	6	9	1	3	6	1	3	2	-
Phthisis	1685	42	27	16	6	5	96	35	84	252	288	439	249	134	78	25	5
Hydrocephalus	197	52	71	25	21	12	181	11	2	-	1	1	1	-	-	-	-
Diseases of Brain	1666	874	166	67	17	31	1155	42	26	13	22	42	47	77	83	105	50
Heart Dis. and Dropsy	695	9	17	4	4	4	38	18	20	39	23	60	79	121	154	107	35
Dis. of Lungs	1469	355	207	77	46	20	705	36	19	16	20	52	92	92	182	183	67
Dis. of Stom. and Liver	475	50	16	8	3	4	81	16	9	14	21	38	64	75	84	57	15
Dis. of Kidneys	39	-	-	2	-	-	2	-	2	2	3	7	7	6	2	7	1
Dis. of Gener. Organs	57	-	-	-	-	-	-	-	-	1	4	8	14	13	12	4	1
Diseases of the Joints	43	2	2	-	1	1	6	3	2	4	3	7	7	4	7	-	-
Diseases of the Skin	25	6	6	3	-	1	16	-	-	-	-	2	-	3	3	1	-
Childbirth and Metria	250	-	-	-	-	-	-	-	-	5	53	109	82	1	-	-	-
Violent Deaths	167	9	19	16	16	8	68	23	7	8	9	7	9	13	8	8	5
Other Causes	2446	1133	234	42	14	3	1446	18	5	15	10	30	35	52	121	321	317

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

476.—ROCHDALE.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	40149	-	-	-	-	-	5329	4595	4406	4211	4010	6225	4788	3314	2015	959	276	21
TOTAL DEATHS	9957	2710	977	452	266	215	4620	513	270	364	367	578	642	638	710	746	432	77
Small-pox	110	29	18	16	10	10	83	14	2	3	3	3	2	-	-	-	-	-
Measles	298	78	95	63	22	18	276	22	-	-	-	-	-	-	-	-	-	-
Scarlatina	414	34	68	56	69	54	281	105	18	8	1	1	-	-	-	-	-	-
Diphtheria	20	2	5	-	3	3	13	4	1	2	-	-	-	-	-	-	-	-
Whooping-cough	185	92	61	12	9	4	178	5	2	-	-	-	-	-	-	-	-	-
Typhus	329	18	10	17	15	9	69	46	32	35	32	35	23	22	14	15	2	1
Cholera, Diarrh., Dysent^{y}	498	264	95	22	4	4	389	8	6	1	5	3	13	13	13	23	20	4
Other Zymotic Dis.	420	68	64	52	38	28	250	39	-	13	6	25	22	27	15	17	6	-
Cancer	45	-	-	-	-	-	-	-	-	2	1	3	5	3	15	13	3	-
Scrofula, Tabes Mesent.	170	42	29	15	6	3	95	22	14	13	8	10	4	2	1	1	-	-
Phthisis	1219	22	15	10	7	5	59	25	68	173	197	248	227	121	67	30	4	-
Hydrocephalus	268	82	62	41	16	18	219	41	8	-	-	-	-	-	-	-	-	-
Diseases of Brain	1380	726	122	42	23	10	923	49	21	18	13	32	40	54	84	93	47	6
Heart Dis. and Dropsy	466	7	6	3	2	6	24	11	20	14	14	28	55	77	89	96	36	2
Dis. of Lungs	1406	357	140	57	22	27	603	32	10	16	26	60	90	150	196	159	55	9
Dis. of Stom. and Liver	495	66	15	5	2	5	93	27	15	18	13	45	55	73	82	57	16	1
Dis. of Kidneys	96	2	-	1	-	-	3	2	4	4	5	6	12	6	19	26	9	-
Dis. of Gener. Organs	3	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-
Diseases of the Joints	37	-	1	1	-	1	3	3	5	4	5	2	3	1	6	3	1	1
Diseases of the Skin	19	7	3	-	1	1	12	-	1	-	-	-	-	2	1	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	438	8	18	18	9	6	59	38	35	30	34	55	53	50	41	30	12	1
Other Causes	1641	305	150	21	8	3	987	20	8	10	4	22	34	37	66	181	220	52

477.—HASLINGDEN.

Mean Popul^{n}, 1851-61	29403	-	-	-	-	-	4071	3425	3311	3151	2959	4494	3359	2374	1418	634	193	14
TOTAL DEATHS	6803	2068	623	283	191	139	3304	332	182	254	240	356	386	397	455	488	354	60
Small-pox	36	7	3	2	2	3	17	7	3	1	2	5	-	1	-	-	-	-
Measles	143	35	58	25	9	7	134	9	-	-	-	-	-	-	-	-	-	-
Scarlatina	300	14	42	56	50	32	194	83	17	4	-	1	1	-	-	-	-	-
Diphtheria	62	11	10	13	7	9	50	5	4	-	1	-	1	-	1	-	-	-
Whooping-cough	135	52	50	13	9	3	127	8	-	-	-	-	-	-	-	-	-	-
Typhus	253	2	9	11	4	4	30	32	24	20	32	38	21	23	9	10	5	-
Cholera, Diarrh., Dysent^{y}	296	168	44	10	2	1	225	4	2	2	3	5	8	7	12	19	7	2
Other Zymotic Dis.	285	47	27	24	38	28	164	27	8	10	3	15	22	15	7	9	5	-
Cancer	36	-	-	-	-	-	-	-	-	-	-	2	4	8	10	10	2	-
Scrofula, Tabes Mesent.	136	49	18	8	3	2	80	7	12	14	7	4	3	5	1	2	1	-
Phthisis	680	31	16	8	2	3	60	19	29	100	104	148	97	64	37	21	1	-
Hydrocephalus	220	78	55	28	15	13	189	19	7	2	-	1	2	-	-	-	-	-
Diseases of Brain	1008	515	63	24	13	11	626	30	19	16	15	13	40	55	73	74	42	5
Heart Dis. and Dropsy	289	6	5	-	2	2	15	12	9	14	10	12	32	35	76	56	18	-
Dis. of Lungs	1080	318	133	39	20	10	520	27	10	14	20	35	49	76	103	118	99	4
Dis. of Stom. and Liver	377	69	13	5	3	2	92	16	9	17	17	30	39	44	49	48	16	-
Dis. of Kidneys	86	-	-	-	-	-	-	2	3	7	2	8	9	15	10	17	12	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	34	1	-	-	2	-	3	4	7	3	1	3	1	3	5	2	1	1
Diseases of the Skin	14	3	2	-	-	-	5	3	-	1	-	-	-	1	1	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	261	6	9	11	6	7	39	15	16	11	19	35	47	31	27	13	7	1
Other Causes	1071	656	66	6	4	2	734	3	3	9	4	1	10	13	29	32	137	46

478.—BURNLEY.

Mean Popul^{n}, 1851-61	34343	-	-	-	-	-	4845	4203	3829	3544	3289	5267	3905	2700	1636	793	256	25
TOTAL DEATHS	8224	2481	830	369	210	182	4072	415	233	265	265	425	423	453	545	597	443	88
Small-pox	108	29	20	9	6	4	68	15	5	7	5	3	5	-	-	-	-	-
Measles	179	42	72	25	18	15	172	4	2	1	-	-	-	-	-	-	-	-
Scarlatina	515	58	93	77	69	70	367	118	23	4	-	1	1	-	1	-	-	-
Diphtheria	11	3	3	1	2	-	9	1	-	-	-	-	-	1	-	-	-	-
Whooping-cough	165	100	35	14	9	4	162	3	-	-	-	-	-	-	-	-	-	-
Typhus	344	18	19	24	16	12	89	62	42	31	21	33	22	22	14	6	2	-
Cholera, Diarrh., Dysent^{y}	227	113	32	11	3	1	160	7	4	2	3	5	6	9	13	12	6	-
Other Zymotic Dis.	332	68	53	41	18	22	202	29	7	7	7	15	16	18	11	14	5	1
Cancer	53	3	1	-	-	-	4	-	-	2	2	1	7	7	12	13	4	1
Scrofula, Tabes Mesent.	129	23	20	12	2	1	58	12	16	8	13	8	7	5	1	-	1	-
Phthisis	873	18	12	9	3	3	45	33	52	124	126	190	124	89	58	30	2	-
Hydrocephalus	128	57	33	10	7	2	109	17	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	1293	818	64	28	13	10	933	36	20	15	8	21	32	43	67	75	40	3
Heart Dis. and Dropsy	319	4	8	6	6	3	27	11	10	18	10	19	29	53	68	47	26	1
Dis. of Lungs	1089	258	153	48	17	16	497	18	9	11	13	30	63	83	152	142	65	6
Dis. of Stom. and Liver	335	38	9	3	2	5	57	8	10	10	14	36	38	45	56	44	16	1
Dis. of Kidneys	98	5	1	-	3	-	9	4	1	3	6	9	11	11	13	22	5	2
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	-	-
Diseases of the Joints	22	-	-	-	2	-	2	3	4	1	4	3	2	1	1	1	-	-
Diseases of the Skin	24	11	1	2	-	-	14	1	-	1	-	1	2	-	2	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	263	4	5	16	4	12	41	19	19	13	26	38	35	35	21	8	6	2
Other Causes	1713	811	191	33	10	2	1047	14	7	7	7	11	22	28	55	180	264	71

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

476.—ROCHDALE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	41986	-	-	-	-	-	5350	4667	4370	4466	4404	6922	4939	3382	2102	1050	310	24
TOTAL DEATHS	9509	2148	967	434	286	202	4037	421	239	410	438	746	612	583	651	773	496	103
Small-pox	92	18	16	14	8	8	64	17	7	1	1	-	2	-	-	-	-	-
Measles	247	48	115	40	20	11	234	11	1	1	-	-	-	-	-	-	-	-
Scarlatina	364	20	61	63	59	39	242	101	12	4	2	-	3	-	-	-	-	-
Diphtheria	18	3	4	4	3	1	15	-	3	-	-	-	-	-	-	-	-	-
Whooping-cough	237	104	71	35	12	7	229	8	-	-	-	-	-	-	-	-	-	-
Typhus	370	14	15	12	17	22	80	55	33	49	36	38	26	18	19	13	3	-
Cholera, Diarrh., Dysent^{y}	454	205	90	15	5	1	316	11	3	1	7	13	15	18	21	25	23	1
Other Zymotic Dis.	382	70	59	49	43	27	248	31	11	6	10	15	14	14	13	14	6	-
Cancer	102	-	-	-	-	-	-	-	-	-	2	4	22	19	26	23	6	-
Scrofula, Tabes Mesent.	135	34	26	12	1	1	74	9	8	9	6	16	7	3	3	-	-	-
Phthisis	1330	24	13	6	7	7	57	25	73	227	227	324	211	107	59	16	3	1
Hydrocephalus	243	82	74	23	18	17	214	22	6	-	-	-	-	1	-	-	-	-
Diseases of Brain	1212	559	93	53	27	24	756	34	24	18	16	33	34	60	87	103	43	4
Heart Dis. and Dropsy	580	13	4	3	-	6	26	14	12	23	31	50	68	97	112	124	21	2
Dis. of Lungs	1204	247	171	63	33	14	528	32	9	13	20	58	56	101	139	156	84	8
Dis. of Stom. and Liver	541	42	14	6	7	2	71	7	10	27	25	60	63	89	91	77	21	-
Dis. of Kidneys	41	-	1	1	1	1	4	-	3	2	3	7	6	3	7	3	3	-
Dis. of Gener. Organs	28	-	-	-	-	-	-	-	1	1	2	6	4	6	5	3	-	-
Diseases of the Joints	33	-	1	-	1	-	2	2	5	5	3	5	2	3	5	1	-	-
Diseases of the Skin	19	7	2	-	1	-	10	-	1	-	1	-	1	1	-	2	3	-
Childbirth and Metria	183	-	-	-	-	-	-	-	-	8	35	87	52	1	-	-	-	-
Violent Deaths	146	5	5	12	14	11	47	31	7	9	4	11	6	12	4	7	8	-
Other Causes	1548	633	132	23	9	3	820	11	10	6	7	19	20	30	60	206	272	87

477.—HASLINGDEN.

Mean Popul^{n}, 1851-61	30699	-	-	-	-	-	4120	3551	3393	3340	3183	4851	3525	2407	1436	667	204	22
TOTAL DEATHS	6683	1559	627	313	175	142	2816	326	206	318	293	512	444	446	445	500	307	70
Small-pox	30	7	2	7	2	1	19	3	1	2	2	2	1	-	-	-	-	-
Measles	157	28	69	23	15	10	145	10	2	-	-	-	-	-	-	-	-	-
Scarlatina	308	18	49	48	37	43	195	84	19	5	2	1	1	1	-	-	-	-
Diphtheria	56	7	7	15	7	5	41	11	1	-	-	-	2	-	-	1	-	-
Whooping-cough	154	62	56	20	7	6	151	3	-	-	-	-	-	-	-	-	-	-
Typhus	255	8	8	6	8	13	43	29	32	39	30	22	24	14	11	8	3	-
Cholera, Diarrh., Dysent^{y}	233	130	46	8	5	5	194	3	3	6	1	10	7	10	19	21	8	1
Other Zymotic Dis.	243	53	34	30	18	12	147	22	7	8	7	10	8	13	11	6	3	1
Cancer	89	-	-	1	-	-	1	-	1	1	1	3	20	20	19	17	6	-
Scrotula, Tabes Mesent.	96	42	15	5	3	3	68	6	3	4	2	5	5	1	1	1	-	-
Phthisis	931	23	8	5	5	4	45	17	65	177	150	190	144	84	41	17	1	-
Hydrocephalus	174	55	50	22	9	7	143	16	10	4	-	1	-	-	-	-	-	-
Diseases of Brain	873	364	60	28	16	9	477	27	11	17	18	26	23	70	80	90	30	4
Heart Dis. and Dropsy	347	9	4	2	1	-	16	7	10	11	11	36	48	65	66	54	21	2
Dis. of Lungs	927	222	124	57	31	12	446	40	12	14	17	48	40	59	83	108	53	7
Dis. of Stom. and Liver	471	45	10	9	2	4	70	16	17	11	15	55	51	72	69	63	30	2
Dis. of Kidneys	58	1	-	1	-	-	2	1	2	2	5	15	8	9	7	7	-	-
Dis. of Gener. Organs	24	-	1	-	-	-	1	-	-	1	1	5	5	7	3	1	-	-
Diseases of the Joints	23	-	1	1	-	1	3	1	3	3	2	2	3	5	2	2	1	1
Diseases of the Skin	14	5	2	2	-	-	9	-	-	1	-	1	1	-	-	2	-	-
Childbirth and Metria	138	-	-	-	-	-	-	-	-	4	21	68	44	1	-	-	-	-
Violent Deaths	98	5	13	9	5	5	37	22	5	3	3	4	2	5	4	7	5	1
Other Causes	929	475	68	14	4	2	563	8	2	5	5	8	7	10	29	93	146	51

478.—BURNLEY.

Mean Popul^{n}, 1851-61	35389	-	-	-	-	-	4929	4249	3810	3698	3476	5573	4023	2782	1706	847	269	27
TOTAL DEATHS	8260	2009	789	359	221	158	3536	391	200	335	383	697	530	429	597	634	437	91
Small-pox	107	29	13	17	11	3	73	22	2	2	3	4	1	-	-	-	-	-
Measles	175	36	67	38	17	6	164	10	1	-	-	-	-	-	-	-	-	-
Scarlatina	469	42	85	81	74	49	331	114	17	5	1	1	-	-	-	-	-	-
Diphtheria	9	1	2	1	-	2	6	1	2	-	-	-	-	-	-	-	-	-
Whooping-cough	177	80	51	27	8	7	173	4	-	-	-	-	-	-	-	-	-	-
Typhus	340	20	21	16	14	14	85	55	36	30	31	42	20	11	17	8	5	-
Cholera, Diarrh., Dysent^{y}	236	92	35	11	2	3	143	3	5	1	4	12	16	16	13	13	7	3
Other Zymotic Dis.	278	60	44	23	17	19	163	23	1	6	10	10	17	14	14	17	3	-
Cancer	92	1	-	-	-	-	1	-	-	1	-	3	15	27	29	14	1	1
Scrofula, Tabes Mesent.	72	11	14	3	-	1	29	4	5	4	7	7	5	5	4	1	1	-
Phthisis	1261	24	19	7	3	4	57	30	65	206	217	336	187	97	43	19	4	-
Hydrocephalus	90	37	15	9	7	5	73	15	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	1151	631	65	42	25	18	781	32	12	15	21	27	33	39	82	70	36	3
Heart Dis. and Dropsy	481	4	7	1	5	2	19	10	11	21	16	56	54	63	106	96	29	-
Dis. of Lungs	904	216	129	38	22	12	417	27	10	15	15	39	44	61	122	108	42	4
Dis. of Stom. and Liver	334	24	7	5	4	2	42	7	7	7	18	41	48	54	62	40	7	1
Dis. of Kidneys	43	-	1	-	-	2	3	-	2	-	6	10	9	4	5	2	2	-
Dis. of Gener. Organs	23	-	-	1	-	-	1	-	-	-	-	4	5	4	6	2	1	-
Diseases of the Joints	20	3	1	-	-	-	4	-	5	2	-	3	3	1	-	1	1	-
Diseases of the Skin	14	6	1	1	-	1	9	-	-	-	-	2	-	-	1	1	1	-
Childbirth and Metria	137	-	-	-	-	-	-	-	-	9	22	73	51	2	-	-	-	-
Violent Deaths	99	6	11	6	4	4	31	20	11	5	6	6	6	2	4	3	2	3
Other Causes	1728	686	201	32	8	4	931	14	7	6	6	20	16	29	89	239	205	75

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

479.—CLITHEROE.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
Mean Populn, 1851-61	10929	-	-	-	-	-	1397	1242	1264	1168	920	1489	1210	950	702	398	170	19
TOTAL DEATHS	2242	482	129	93	54	35	793	121	74	90	79	111	116	129	193	243	243	50
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	46	12	15	6	4	2	39	6	1	-	-	-	-	-	-	-	-	-
Scarlatina	159	6	16	33	22	18	95	51	8	3	2	-	-	-	-	-	-	-
Diphtheria	5	1	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	38	16	9	5	3	2	35	3	-	-	-	-	-	-	-	-	-	-
Typhus	60	2	1	-	1	-	4	6	9	10	4	8	4	2	4	6	3	1
Cholera, Diarrh., Dysentry	32	15	3	1	-	-	19	-	-	2	1	-	2	2	3	2	1	-
Other Zymotic Dis.	88	11	6	9	4	2	32	4	4	4	1	3	9	3	8	18	1	1
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	-	2	5	4	1	1
Scrofula, Tabes Mesent.	33	7	3	2	-	-	12	2	5	5	2	4	1	-	1	1	-	-
Phthisis	250	5	-	-	3	-	8	1	16	36	39	47	35	27	24	14	3	-
Hydrocephalus	51	15	15	6	6	1	43	6	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	268	107	15	6	2	1	131	12	5	5	6	8	15	11	24	25	23	3
Heart Dis. and Dropsy	126	1	-	-	-	-	1	3	5	4	4	8	5	14	31	30	23	3
Dis. of Lungs	284	59	13	12	4	4	92	9	3	6	4	11	15	19	43	38	42	2
Dis. of Stom. and Liver	105	11	-	3	-	-	14	4	6	5	8	8	9	17	16	15	8	-
Dis. of Kidneys	28	-	-	1	-	-	1	-	1	-	1	2	1	5	4	11	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	-	-	-	-	-	-	1	2	-	1	-	2	1	-	1	-
Diseases of the Skin	4	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	95	2	4	4	4	1	15	5	3	2	6	8	17	12	10	12	5	-
Other Causes	548	211	28	5	1	4	249	5	5	6	6	7	3	12	19	67	129	40

480.—BLACKBURN.

Mean Populn, 1851-61	51249	-	-	-	-	-	7672	5108	5810	5367	5072	7832	5686	3841	2352	1125	345	393
TOTAL DEATHS	13993	4600	1545	669	427	282	7523	709	359	482	433	726	687	762	847	784	558	123
Small-pox	107	27	23	10	11	6	77	15	5	4	3	1	2	-	-	-	-	-
Measles	343	78	127	67	32	22	326	17	-	-	-	-	-	-	-	-	-	-
Scarlatina	724	54	112	114	121	75	476	199	37	8	-	3	1	-	-	-	-	-
Diphtheria	30	4	5	4	2	2	17	8	2	1	1	1	-	-	-	-	-	-
Whooping-cough	267	130	75	34	12	6	257	9	1	-	-	-	-	-	-	-	-	-
Typhus	804	98	65	38	40	31	272	77	65	83	55	74	64	44	31	30	8	1
Cholera, Diarrh., Dysentry	674	393	114	17	2	5	531	13	4	4	5	19	10	14	35	29	8	2
Other Zymotic Dis.	577	138	86	64	43	23	354	44	14	18	10	23	28	31	26	22	11	1
Cancer	55	1	1	-	1	-	3	1	-	-	1	1	10	7	17	10	5	-
Scrofula, Tabes Mesent.	356	135	86	29	11	2	263	21	16	23	8	15	2	5	8	-	-	-
Phthisis	1504	81	33	24	15	10	163	34	84	192	212	297	191	160	118	47	6	-
Hydrocephalus	281	141	79	19	7	10	256	22	1	1	-	-	-	-	1	-	-	-
Diseases of Brain	1911	1045	137	64	33	25	1304	77	23	35	21	50	50	81	90	111	62	7
Heart Dis. and Dropsy	575	17	8	7	8	7	47	29	23	30	22	55	66	93	110	75	24	1
Dis. of Lungs	2050	674	307	113	53	32	1179	56	16	25	20	57	95	145	204	174	71	8
Dis. of Stom. and Liver	469	76	18	5	8	2	109	13	8	14	17	34	51	79	71	53	19	1
Dis. of Kidneys	120	1	1	3	1	-	6	1	1	3	5	17	16	13	20	23	12	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	36	-	-	1	1	-	2	5	9	7	2	3	1	2	2	2	1	-
Diseases of the Skin	22	8	1	1	-	1	11	-	-	-	1	-	1	2	1	3	2	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	493	22	21	28	13	8	102	42	35	27	31	53	68	59	39	22	15	-
Other Causes	2595	1477	246	27	13	5	1768	26	15	12		23	31	27	79	180	314	101

481.—CHORLEY.

Mean Populn, 1851-61	19748	-	-	-	-	-	2802	2456	2264	2030	1709	2608	2205	1733	1115	592	207	25
TOTAL DEATHS	4389	1208	380	189	98	83	1958	223	141	167	150	264	213	245	299	384	292	53
Small-pox	61	16	14	4	6	3	43	7	4	1	2	1	3	-	-	-	-	-
Measles	102	29	43	13	4	5	94	7	1	-	-	-	-	-	-	-	-	-
Scarlatina	213	18	28	38	29	23	136	60	10	4	1	-	1	1	-	-	-	-
Diphtheria	8	2	2	2	-	1	7	-	-	-	1	-	-	-	-	-	-	-
Whooping-cough	72	32	22	12	2	-	68	4	-	-	-	-	-	-	-	-	-	-
Typhus	166	4	6	2	5	5	22	24	20	25	10	17	13	12	13	7	3	-
Cholera, Diarrh., Dysentry	110	42	15	2	2	1	62	2	2	2	-	8	2	7	7	8	9	1
Other Zymotic Dis.	193	38	32	28	11	13	122	21	8	4	-	9	9	7	7	7	4	-
Cancer	19	-	-	-	-	-	-	-	-	-	1	1	1	4	7	4	1	-
Scrofula, Tabes Mesent.	42	3	6	6	1	-	16	5	-	4	6	6	3	-	-	1	1	-
Phthisis	520	19	16	7	5	7	54	24	42	65	74	109	66	48	30	7	1	-
Hydrocephalus	68	24	24	5	1	4	58	7	1	1	-	1	-	-	-	-	-	-
Diseases of Brain	563	337	24	16	5	2	384	12	6	5	4	17	11	23	29	44	24	-
Heart Dis. and Dropsy	199	2	1	-	-	-	3	4	7	12	9	10	18	27	47	44	16	-
Dis. of Lungs	488	92	37	10	10	5	154	16	7	11	7	18	29	39	62	98	42	-
Dis. of Stom. and Liver	138	9	4	1	1	1	16	3	7	6	4	11	15	26	23	17	10	-
Dis. of Kidneys	54	-	-	-	-	1	1	-	-	2	2	1	3	8	11	17	9	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	8	1	2	-	-	-	3	2	-	1	1	-	-	-	-	1	-	-
Diseases of the Skin	12	3	1	-	-	-	4	-	-	-	1	1	-	-	1	4	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	253	13	15	10	9	5	58	14	19	21	23	43	29	21	22	5	3	-
Other Causes	1094	524	88	27	7	7	653	11	12	3	4	11	10	21	40	121	168	40

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
479.—CLITHEROE.																		
Mean Popul^{n}, 1851-61	10492	-	-	-	-	-	1361	1213	1083	1018	904	1511	1193	932	691	418	147	21
TOTAL DEATHS	2232	360	127	59	58	39	643	101	59	97	99	187	173	137	189	247	246	54
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	39	5	17	3	4	4	33	4	1	-	-	-	1	-	-	-	-	-
Scarlatina	134	8	14	21	18	13	74	38	13	2	3	2	2	-	-	-	-	-
Diphtheria	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	38	24	7	3	1	1	36	2	-	-	-	-	-	-	-	-	-	-
Typhus	93	-	6	3	5	5	19	12	10	11	7	13	5	8	1	4	3	-
Cholera, Diarrh., Dysent^{y}	20	4	-	-	2	-	6	-	-	1	1	2	2	1	5	2	-	-
Other Zymotic Dis.	79	8	5	3	7	5	28	7	2	2	3	5	3	5	8	14	1	1
Cancer	26	-	-	-	-	-	-	-	1	-	-	-	6	5	7	6	1	-
Scrofula, Tabes Mesent.	26	5	3	-	-	-	8	4	1	5	1	3	2	-	1	-	1	-
Phthisis	351	1	2	1	1	-	5	6	13	54	57	88	57	33	28	10	-	-
Hydrocephalus	42	17	9	3	3	4	36	4	1	-	-	-	1	-	-	-	-	-
Diseases of Brain	232	78	13	3	3	2	99	2	3	6	5	6	9	13	26	41	21	1
Heart Dis. and Dropsy	166	-	1	-	1	-	2	1	3	2	8	11	16	29	36	34	23	1
Dis. of Lungs	217	45	21	6	8	1	81	9	2	4	-	14	15	18	28	29	17	-
Dis. of Stom. and Liver	119	7	1	-	-	1	9	3	4	4	4	9	19	14	27	14	12	-
Dis. of Kidneys	7	-	-	-	1	-	1	1	-	-	1	2	1	-	-	1	-	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	1	3	4	-	1	3	1	-
Diseases of the Joints	4	-	-	1	-	-	1	-	-	-	-	-	1	-	1	1	-	-
Diseases of the Skin	7	2	-	1	-	-	3	-	-	-	-	2	-	-	1	1	-	-
Childbirth and Metria	40	-	-	-	-	-	-	-	-	-	4	19	17	-	-	-	-	-
Violent Deaths	28	2	5	4	2	2	15	3	1	-	-	-	3	1	1	4	-	-
Other Causes	548	153	23	6	2	1	185	4	4	6	4	8	9	10	18	83	166	51
480.—BLACKBURN.																		
Mean Popul^{n}, 1851-61	54091	-	-	-	-	-	7743	6416	5915	5741	5607	8560	5944	4120	2452	1173	378	42
TOTAL DEATHS	13757	3577	1518	698	427	318	6538	702	367	600	559	1013	886	740	796	848	577	131
Small-pox	120	24	24	9	16	7	77	24	9	5	1	3	-	-	1	-	-	-
Measles	405	93	148	80	32	28	381	20	4	-	-	-	-	-	-	-	-	-
Scarlatina	724	49	105	109	95	92	450	227	33	8	3	3	-	-	-	-	-	-
Diphtheria	39	1	3	4	3	7	18	15	5	1	-	-	-	-	-	-	-	-
Whooping-cough	334	159	91	31	27	10	318	15	-	-	-	-	1	-	-	-	-	-
Typhus	865	70	54	51	32	31	238	103	83	111	76	105	48	42	31	22	6	-
Cholera, Diarrh., Dysent^{y}	659	341	102	22	7	5	477	8	4	8	13	21	25	20	34	43	15	1
Other Zymotic Dis.	562	109	87	79	46	27	348	42	8	16	7	30	20	35	22	19	13	2
Cancer	120	-	-	-	-	-	-	-	1	-	-	10	20	25	40	19	14	-
Scrofula, Tabes Mesent.	295	115	79	30	10	4	238	13	4	7	6	7	6	9	3	2	-	-
Phthisis	2016	83	42	23	12	12	172	37	94	306	284	458	325	187	96	46	11	-
Hydrocephalus	164	64	44	6	13	7	134	23	5	1	-	-	-	1	-	-	-	-
Diseases of Brain	1431	677	126	63	27	25	918	37	24	22	18	33	57	69	103	107	39	4
Heart Dis. and Dropsy	634	16	14	6	2	6	44	24	26	32	35	87	94	90	101	76	25	-
Dis. of Lungs	1872	488	337	112	74	37	1048	50	25	31	21	75	96	120	182	161	57	6
Dis. of Stom. and Liver	468	38	10	8	2	2	60	16	14	21	22	60	68	56	73	55	22	1
Dis. of Kidneys	51	-	-	-	-	-	-	1	5	3	8	9	6	7	7	4	1	-
Dis. of Gener. Organs	41	-	1	1	-	-	2	-	2	1	3	6	15	8	3	1	-	-
Diseases of the Joints	24	-	1	-	-	-	1	3	3	5	3	2	-	4	2	1	-	-
Diseases of the Skin	21	9	5	1	-	-	15	-	-	-	-	3	1	-	2	-	-	-
Childbirth and Metria	150	-	-	-	-	-	-	-	-	3	31	57	57	2	-	-	-	-
Violent Deaths	216	21	17	20	18	8	84	31	7	5	8	18	12	19	11	10	10	1
Other Causes	2527	1220	231	43	11	10	1515	13	11	14	20	26	35	46	85	282	364	116
481.—CHORLEY.																		
Mean Popul^{n}, 1851-61	19942	-	-	-	-	-	2752	2463	2224	2076	1814	2836	2242	1634	1064	580	229	28
TOTAL DEATHS	4186	908	348	159	96	81	1592	186	107	175	183	322	298	254	293	389	304	83
Small-pox	34	9	5	5	-	1	20	7	-	2	1	4	-	-	-	-	-	-
Measles	83	17	32	12	7	3	71	10	-	-	1	1	-	-	-	-	-	-
Scarlatina	186	15	22	26	25	30	118	50	13	4	1	-	-	-	-	-	-	-
Diphtheria	6	-	2	-	1	-	3	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	91	47	26	11	5	2	91	-	-	-	-	-	-	-	-	-	-	-
Typhus	141	6	6	8	2	8	30	22	12	15	12	17	19	7	2	4	1	-
Cholera, Diarrh., Dysent^{y}	85	30	14	6	-	-	50	2	2	1	2	-	8	5	4	7	4	-
Other Zymotic Dis.	151	25	20	26	12	7	90	12	8	3	3	3	5	7	6	8	5	1
Cancer	40	-	-	-	-	-	-	-	-	-	-	-	7	10	14	4	5	-
Scrofula, Tabes Mesent.	42	11	6	2	2	-	21	1	-	3	6	4	3	1	2	1	-	-
Phthisis	668	27	11	5	3	1	47	10	34	97	98	151	107	66	34	22	2	-
Hydrocephalus	38	9	13	3	2	2	29	5	3	-	1	-	-	-	-	-	-	-
Diseases of Brain	489	219	27	8	8	5	267	20	4	8	7	24	16	22	41	49	30	1
Heart Dis. and Dropsy	241	3	-	1	1	1	6	3	10	9	11	17	30	38	54	48	14	1
Dis. of Lungs	403	68	49	14	11	8	150	13	4	11	5	15	27	31	56	68	20	3
Dis. of Stom. and Liver	156	7	5	1	2	-	15	3	1	4	4	19	21	30	25	25	8	1
Dis. of Kidneys	17	-	-	-	-	-	-	-	1	-	-	5	2	3	3	2	1	-
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	1	1	3	1	9	1	-	-	-
Diseases of the Joints	9	-	-	-	-	1	1	-	1	1	2	1	1	-	1	-	1	-
Diseases of the Skin	4	-	2	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	89	-	-	-	-	-	-	-	-	2	18	37	30	2	-	-	-	-
Violent Deaths	77	3	16	8	10	4	41	7	2	3	2	3	2	3	5	6	2	1
Other Causes	1120	412	92	22	5	8	539	19	10	11	8	18	19	20	45	145	211	75

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
482.—PRESTON.																		
Mean Popul^{n}, 1851-61	49435	-	-	-	-	-	6871	5797	5449	5371	4866	7340	5489	3938	2544	1289	425	56
TOTAL DEATHS	14205	4433	1428	689	424	312	7286	631	335	439	496	788	808	798	873	933	664	154
Small-pox	89	22	18	9	6	3	58	14	1	3	6	6	1	-	-	-	-	-
Measles	472	99	204	87	39	23	452	17	2	-	-	1	-	-	-	-	-	-
Scarlatina	757	74	107	132	110	88	511	178	50	11	2	3	1	1	-	-	-	-
Diphtheria	10	5	1	-	1	-	7	1	-	1	-	-	-	-	-	-	1	-
Whooping-cough	283	138	72	29	22	8	269	12	1	1	-	-	-	-	-	-	-	-
Typhus	532	27	23	34	14	22	120	54	44	50	47	59	55	39	28	29	6	1
Cholera, Diarrh., Dysent^{y}	1070	650	161	32	25	7	875	16	4	5	7	14	14	14	29	53	33	0
Other Zymotic Dis.	520	121	89	76	36	27	349	29	6	5	5	14	37	25	20	20	10	-
Cancer	61	2	-	-	-	-	2	-	1	1	2	-	6	7	17	16	7	2
Scrofula, Tabes Mesent.	325	105	69	30	6	15	225	24	18	15	12	8	10	5	3	4	1	-
Phthisis	1677	57	46	21	12	15	151	34	76	209	283	359	247	156	104	49	9	-
Hydrocephalus	261	99	73	27	16	14	229	26	3	1	-	1	-	1	-	-	-	-
Dis. of Brain	1835	1040	94	50	28	17	1229	54	32	23	10	44	58	96	104	116	60	9
Heart Dis. and Dropsy	508	5	7	5	3	6	26	14	12	20	29	43	74	72	93	92	25	3
Dis. of Lungs	2453	651	295	85	60	27	1118	63	24	30	41	91	160	211	276	263	156	20
Dis. of Stom. and Liver	521	110	10	8	6	7	141	21	15	19	10	39	49	84	71	57	14	1
Dis. of Kidneys	129	1	2	1	3	1	8	2	2	5	5	19	15	8	21	28	15	1
Dis. of Gener. Organs	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	49	1	-	-	1	2	4	8	5	6	4	8	3	4	3	3	-	1
Diseases of the Skin	23	10	-	2	-	-	12	-	-	-	1	1	1	2	1	3	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	448	13	22	30	25	20	110	43	35	22	21	52	51	45	36	18	11	4
Other Causes	2180	1202	135	31	11	10	1389	21	4	12	11	21	26	27	67	182	314	106
483.—FYLDE.																		
Mean Popul^{n}, 1851-61	11594	-	-	-	-	-	1573	1465	1456	1177	888	1477	1314	984	676	399	162	23
TOTAL DEATHS	2298	499	144	87	68	46	844	108	64	78	94	146	141	143	163	231	226	60
Small-pox	6	2	1	-	1	-	4	-	-	-	1	1	-	-	-	-	-	-
Measles	19	5	5	5	2	-	17	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	139	7	19	21	23	18	88	40	7	-	1	2	1	-	-	-	-	-
Diphtheria	10	1	-	1	1	-	3	4	1	-	-	1	-	1	-	-	-	-
Whooping-cough	31	14	10	4	1	1	30	1	-	-	-	-	-	-	-	-	-	-
Typhus	66	2	4	6	3	3	18	5	2	9	7	7	8	4	2	2	2	-
Cholera, Diarrh., Dysent^{y}	45	19	5	1	-	-	25	1	-	1	1	1	-	1	-	4	9	2
Other Zymotic Dis.	100	10	10	11	14	7	52	8	4	2	1	5	3	4	6	7	7	1
Cancer	24	-	-	-	-	-	-	-	-	-	-	1	1	4	7	8	2	1
Scrofula, Tabes Mesent.	43	13	3	3	2	-	21	7	5	1	2	2	2	-	1	2	-	-
Phthisis	257	3	1	-	-	-	4	1	14	26	44	63	39	28	23	13	2	-
Hydrocephalus	60	15	16	6	3	3	43	9	5	1	2	-	-	-	-	-	-	-
Diseases of Brain	281	105	13	5	2	2	127	6	2	6	5	11	20	24	20	35	25	-
Heart Dis. and Dropsy	122	2	-	1	-	2	5	3	7	7	3	15	14	12	20	22	13	1
Dis. of Lungs	205	59	21	10	6	2	98	2	-	4	2	3	11	12	19	38	13	3
Dis. of Stom. and Liver	147	16	3	1	2	2	24	3	4	4	3	8	19	20	24	27	10	1
Dis. of Kidneys	33	1	-	-	-	1	2	1	-	1	1	2	1	5	7	5	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	14	-	-	1	-	-	1	1	3	2	2	-	2	1	2	-	-	-
Diseases of the Skin	6	2	-	1	-	-	3	1	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	134	-	5	4	6	4	19	11	6	12	17	17	17	15	12	4	2	2
Other Causes	556	223	28	6	2	1	260	3	3	2	2	7	3	12	19	63	134	43
484.—GARSTANG.																		
Mean Popul^{n}, 1851-61	6509	-	-	-	-	-	855	778	710	673	544	861	692	566	420	271	114	15
TOTAL DEATHS	1155	210	57	36	30	18	351	61	35	40	44	71	53	71	81	151	151	46
Small-pox	4	1	1	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
Measles	8	3	3	1	-	-	7	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	87	9	10	11	10	8	48	25	8	3	2	-	-	1	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	8	3	3	1	1	-	8	-	-	-	-	-	-	-	-	-	-	-
Typhus	40	-	2	2	2	-	6	3	3	6	4	7	-	3	4	4	-	-
Cholera, Diarrh., Dysent^{y}	28	10	2	1	-	1	14	-	-	-	1	-	1	3	3	2	4	-
Other Zymotic Dis.	69	13	4	5	5	6	33	5	-	-	-	1	4	4	4	9	8	1
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	1	-
Scrofula, Tabes Mesent.	18	4	-	4	-	-	8	1	1	2	2	-	1	1	-	2	-	-
Phthisis	185	3	7	1	2	1	14	6	10	19	23	34	27	19	16	14	3	-
Hydrocephalus	15	7	2	-	-	-	9	4	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	98	37	2	2	2	-	43	9	1	1	-	2	2	4	9	16	8	3
Heart Dis. and Dropsy	37	2	3	-	-	-	5	-	-	2	-	4	3	7	8	18	9	1
Dis. of Lungs	82	13	7	3	2	1	26	2	-	-	5	3	3	7	5	16	14	1
Dis. of Stom. and Liver	62	13	2	1	-	-	16	2	3	1	1	4	5	5	5	12	7	1
Dis. of Kidneys	20	-	-	-	-	-	-	1	-	-	-	2	2	2	4	4	5	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of the Joints	8	-	-	-	-	-	-	-	3	-	-	-	-	3	2	-	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	58	2	5	2	6	1	16	1	3	4	5	10	2	6	7	2	2	-
Other Causes	292	90	4	2	-	-	96	-	1	2	1	3	2	4	10	45	89	39

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
482.—PRESTON.																		
Mean Popul^{n}, 1851-61	54099	-	-	-	-	-	6919	5814	5462	5881	5937	8783	6213	4487	2741	1345	457	60
TOTAL DEATHS	13925	3461	1364	658	409	271	6163	620	282	607	560	1061	956	869	942	972	715	178
Small-pox	82	26	12	7	4	3	52	11	2	4	8	2	1	2	-	-	-	-
Measles	487	113	189	86	51	23	462	22	2	1	-	-	-	-	-	-	-	-
Scarlatina	621	49	110	102	80	65	406	173	35	2	2	2	-	-	1	-	-	-
Diphtheria	21	4	2	2	1	2	11	4	1	2	1	-	-	1	1	-	-	-
Whooping-cough	369	128	120	55	32	17	352	17	-	-	-	-	-	-	-	-	-	-
Typhus	589	20	28	28	24	27	127	77	49	85	39	70	40	41	31	18	11	1
Cholera, Diarrh., Dysent^{y}	1021	538	156	42	14	11	761	24	7	8	7	19	35	26	39	53	37	5
Other Zymotic Dis.	420	89	72	65	29	20	275	29	6	10	12	11	17	13	14	25	7	1
Cancer	174	-	-	-	-	-	-	1	-	1	1	8	33	47	45	24	11	3
Scrofula, Tabes Mesent.	240	73	56	18	13	8	168	18	7	9	11	8	8	5	4	1	1	-
Phthisis	2080	48	30	22	7	13	120	51	84	333	291	512	342	194	97	46	10	-
Hydrocephalus	170	58	40	29	12	9	148	17	3	1	1	-	-	-	-	-	-	-
Diseases of Brain	1596	839	98	46	33	13	1029	43	18	22	21	45	45	72	99	133	64	5
Heart Dis. and Dropsy	576	4	5	2	1	4	16	17	13	32	32	73	92	93	99	69	39	1
Dis. of Lungs	2270	467	273	102	64	33	939	44	17	30	35	108	141	211	304	288	133	20
Dis. of Stom. and Liver	602	80	23	5	7	5	120	12	11	22	29	60	70	88	101	72	17	-
Dis. of Kidneys	61	2	1	-	1	-	4	1	2	6	5	7	11	11	4	10	-	-
Dis. of Gener. Organs	46	-	-	-	-	-	-	-	-	1	3	9	12	8	9	2	1	1
Diseases of the Joints	44	-	-	-	1	-	1	9	5	8	2	4	1	5	5	2	2	-
Diseases of the Skin	23	11	3	1	-	-	15	-	1	-	-	-	2	2	1	-	2	-
Childbirth and Metria	220	-	-	-	-	-	-	-	-	11	42	89	75	3	-	-	-	-
Violent Deaths	183	8	13	17	16	11	65	35	11	7	6	12	11	10	11	8	7	-
Other Causes	2030	904	133	29	19	7	1092	15	8	12	12	22	20	37	77	221	373	141
483.—FYLDE.																		
Mean Popul^{n}, 1851-61	12248	-	-	-	-	-	1577	1404	1326	1184	1134	1798	1437	1061	681	443	179	24
TOTAL DEATHS	2201	378	125	76	54	41	674	120	58	84	101	142	163	155	175	229	221	79
Small-pox	7	4	-	1	-	-	5	-	-	-	1	-	1	-	-	-	-	-
Measles	22	2	12	3	2	-	19	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	110	3	10	14	19	12	58	34	11	2	2	3	-	-	-	-	-	-
Diphtheria	7	-	2	-	-	-	2	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough	43	20	7	6	6	-	39	4	-	-	-	-	-	-	-	-	-	-
Typhus	69	3	7	3	2	2	17	7	4	4	5	7	2	11	6	2	4	-
Cholera, Diarrh., Dysent^{y}	68	23	7	3	-	-	33	3	-	1	1	9	3	1	2	9	5	1
Other Zymotic Dis.	87	20	10	6	8	2	46	9	2	1	1	2	3	3	9	6	4	1
Cancer	29	-	-	-	-	-	-	-	-	-	-	-	1	4	7	13	4	-
Scrofula, Tabes Mesent.	36	8	7	2	-	2	19	4	2	4	1	3	2	-	1	-	-	-
Phthisis	325	3	3	1	-	1	8	4	12	49	53	60	66	40	20	12	1	-
Hydrocephalus	59	10	14	8	5	7	44	10	4	-	-	-	1	-	-	-	-	-
Diseases of Brain	257	62	12	7	4	4	89	9	5	6	9	11	21	24	28	25	26	6
Heart Dis. and Dropsy	143	-	1	-	-	-	1	-	5	3	11	13	17	27	23	31	11	1
Dis. of Lungs	196	44	12	10	3	4	73	6	3	2	2	6	11	13	30	33	13	4
Dis. of Stom. and Liver	122	7	1	-	2	2	12	7	2	3	5	6	15	18	26	20	7	1
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	1	1	3	-	-	1	-	-
Diseases of the Joints	13	-	-	-	-	-	-	2	1	2	-	2	2	1	3	-	-	-
Diseases of the Skin	6	3	1	-	-	-	4	1	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	34	-	-	-	-	-	-	-	-	2	4	15	11	2	-	-	-	-
Violent Deaths	37	3	3	6	1	-	13	6	4	-	2	2	1	3	1	3	2	-
Other Causes	519	163	16	6	2	5	192	7	1	5	2	2	2	7	18	74	144	65
484.—GARSTANG.																		
Mean Popul^{n}, 1851-61	6051	-	-	-	-	-	847	741	671	573	517	868	626	496	359	236	100	17
TOTAL DEATHS	1088	174	45	45	26	16	306	54	28	44	46	81	63	83	85	114	129	55
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	12	6	-	1	1	2	10	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	70	1	7	12	8	3	34	23	8	-	3	2	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	20	12	3	3	1	-	19	1	-	-	-	-	-	-	-	-	-	-
Typhus	43	1	1	1	2	-	5	4	1	6	4	9	4	4	4	2	-	-
Cholera, Diarrh., Dysent^{y}	30	11	4	-	1	-	16	-	-	-	1	3	-	2	1	4	3	-
Other Zymotic Dis.	52	9	2	5	2	3	21	3	-	3	2	1	1	4	3	6	8	-
Cancer	20	-	-	-	-	-	-	-	-	-	-	-	1	8	9	2	-	-
Scrofula, Tabes Mesent.	10	1	-	2	1	-	4	1	1	1	-	-	-	-	-	2	1	-
Phthisis	212	2	4	4	1	1	12	4	7	25	29	41	30	24	19	18	3	-
Hydrocephalus	4	2	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Diseases of Brain	104	34	6	3	2	2	47	4	3	1	-	4	3	7	9	13	11	2
Heart Dis. and Dropsy	55	-	-	1	-	-	1	-	-	1	1	1	7	7	11	16	10	-
Dis. of Lungs	78	15	6	6	6	1	34	6	1	-	-	4	4	5	10	11	3	-
Dis. of Stom. and Liver	56	7	4	2	-	-	13	2	2	3	3	3	2	12	8	4	4	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	1	1	2	1	-	1	1	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	1	-	-	2	3	1	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	1	-	-	-	1	1	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	-	-	8	5	-	-	-	-	-
Violent Deaths	20	-	2	3	-	1	6	3	2	2	-	-	1	1	1	-	2	2
Other Causes	289	70	6	2	1	-	79	1	2	-	-	3	2	6	7	34	84	51

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
485.—LANCASTER.																		
Mean Popul^{n}, 1851-61	17278	-	-	-	-	-	2388	2102	1858	1757	1370	2382	2017	1518	1045	597	211	33
TOTAL DEATHS	4174	761	263	153	126	86	1389	174	104	125	134	307	349	331	367	457	353	84
Small-pox	41	11	7	3	1	3	25	6	-	2	-	3	1	2	2	-	-	-
Measles	72	14	22	11	11	6	64	5	1	-	1	1	-	-	-	-	-	-
Scarlatina	237	15	33	41	44	24	157	55	15	7	-	2	1	-	-	-	-	-
Diphtheria	5	-	1	-	2	-	3	1	-	-	-	-	-	-	1	-	-	-
Whooping-cough	83	44	21	7	5	4	81	1	1	-	-	-	-	-	-	-	-	-
Typhus	147	9	9	6	7	8	39	13	17	16	10	17	9	9	8	7	1	1
Cholera, Diarrh., Dysent^{y}	111	31	11	4	-	-	46	3	3	3	2	2	3	9	9	17	8	1
Other Zymotic Dis.	180	26	23	16	13	7	85	8	4	5	1	7	16	18	11	16	8	1
Cancer	40	-	-	-	-	-	-	-	-	-	-	2	-	6	8	17	6	1
Scrofula, Tabes Mesent.	90	23	11	5	7	3	49	8	3	2	7	9	6	1	3	2	-	-
Phthisis	439	11	7	3	2	3	26	9	14	56	72	122	87	53	32	14	4	-
Hydrocephalus	90	30	19	10	10	8	77	8	3	-	-	-	-	1	1	-	-	-
Diseases of Brain	654	177	13	6	6	5	207	17	9	8	3	44	99	76	80	66	38	2
Heart Dis. and Dropsy	235	2	1	-	1	-	4	8	6	7	3	15	27	33	49	48	33	2
Dis. of Lungs	500	101	33	17	6	5	167	7	5	2	4	24	27	52	68	89	52	3
Dis. of Stom. and Liver	130	20	2	4	1	3	30	5	5	3	2	15	25	27	35	32	10	1
Dis. of Kidneys	62	-	-	1	-	-	1	1	1	2	1	2	11	7	9	16	11	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	21	1	-	-	-	-	1	4	4	1	2	1	-	3	4	1	-	-
Diseases of the Skin	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	169	3	5	8	5	6	27	9	12	10	17	27	20	14	16	11	5	1
Other Causes	756	242	39	11	5	1	298	6	1	1	4	14	12	20	31	121	177	71
486.—ULVERSTONE.																		
Mean Popul^{n}, 1851-61	16951	-	-	-	-	-	2431	2127	1854	1595	1467	2410	1916	1401	953	567	203	27
TOTAL DEATHS	3390	727	211	105	65	64	1172	170	108	105	150	234	226	224	276	340	310	75
Small-pox	29	13	3	-	1	1	18	3	-	1	2	1	2	1	1	-	-	-
Measles	36	6	16	4	3	-	29	3	-	1	-	-	-	-	-	-	-	-
Scarlatina	167	4	18	21	18	22	83	57	16	5	3	1	1	1	-	-	-	-
Diphtheria	20	-	1	2	2	-	5	6	9	-	-	-	-	-	-	-	-	-
Whooping-cough	67	32	21	7	3	3	66	1	-	-	-	-	-	-	-	-	-	-
Typhus	108	2	1	4	1	2	10	10	13	14	14	15	11	7	6	6	1	1
Cholera, Diarrh., Dysent^{y}	82	31	12	7	-	1	51	-	1	1	-	7	1	3	4	6	8	-
Other Zymotic Dis.	146	31	14	11	6	8	70	9	8	1	2	3	8	7	14	16	11	2
Cancer	27	-	-	-	-	-	-	-	-	-	1	-	2	1	10	11	2	-
Scrofula, Tabes Mesent.	93	19	17	9	5	1	51	8	6	9	5	1	5	4	1	3	-	-
Phthisis	391	4	2	2	1	-	9	4	15	36	61	102	62	49	42	10	1	-
Hydrocephalus	53	27	9	4	1	2	43	8	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	368	154	15	9	4	7	189	18	9	3	3	12	15	22	29	30	31	2
Heart Dis. and Dropsy	170	2	-	-	1	-	3	7	4	3	7	9	11	16	38	53	18	1
Dis. of Lungs	379	107	42	11	7	6	173	4	3	5	5	15	22	24	43	54	30	1
Dis. of Stom. and Liver	224	35	5	6	1	3	50	10	4	4	13	11	24	33	33	30	11	1
Dis. of Kidneys	34	-	-	-	-	-	-	1	1	-	2	4	5	4	3	9	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	18	-	-	-	-	1	1	3	2	3	3	1	2	2	-	1	-	-
Diseases of the Skin	10	2	-	-	-	2	4	-	-	-	-	-	2	-	-	2	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	245	12	8	5	8	4	37	9	17	16	20	38	42	31	22	9	4	-
Other Causes	726	246	27	3	3	1	280	9	3	3	4	14	11	19	30	100	186	67

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
485.—LANCASTER.																		
Mean Popul^{n}, 1851-61	17701	-	-	-	-	-	2234	2029	1810	1683	1562	2553	2048	1623	1134	700	293	32
TOTAL DEATHS	3802	562	278	123	95	64	1122	208	95	150	138	328	301	306	278	402	368	106
Small-pox	21	2	2	3	3	-	10	6	1	3	-	1	-	-	-	-	-	-
Measles	71	19	24	10	3	5	61	9	1	-	-	-	-	-	-	-	-	-
Scarlatina	253	14	50	33	32	20	149	75	14	9	1	1	3	-	1	-	-	-
Diphtheria	10	1	2	2	-	1	6	2	1	-	-	-	-	1	-	-	-	-
Whooping-cough	89	33	31	11	7	1	83	5	1	-	-	-	-	-	-	-	-	-
Typhus	140	6	5	6	4	5	26	17	15	16	8	21	8	10	9	7	3	-
Cholera, Diarrh., Dysent^{y}	88	27	7	1	3	1	39	4	2	2	2	3	4	4	9	6	11	2
Other Zymotic Dis.	136	17	25	14	12	5	73	8	5	1	2	10	6	8	3	12	5	3
Cancer	70	-	-	-	-	-	-	-	-	-	-	3	6	23	15	14	8	1
Scrofula, Tabes Mesent.	89	16	17	4	3	4	44	6	4	4	5	6	7	9	3	1	-	-
Phthisis	615	7	3	2	3	1	16	12	22	70	88	165	143	67	24	8	-	-
Hydrocephalus	58	14	15	9	3	2	43	11	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	494	132	21	4	4	3	164	17	11	13	11	33	36	61	47	57	41	3
Heart Dis. and Dropsy	202	1	1	-	-	2	4	1	3	9	2	16	15	29	41	56	22	4
Dis. of Lungs	399	59	40	11	14	8	132	6	4	10	2	13	20	31	61	72	41	7
Dis. of Stom. and Liver	165	7	3	1	-	-	11	9	2	4	4	13	19	21	32	35	13	2
Dis. of Kidneys	32	-	-	-	-	1	1	1	1	-	1	4	3	11	2	5	2	1
Dis. of Gener. Organs	19	-	-	-	-	-	-	-	-	-	1	1	4	7	1	5	-	-
Diseases of the Joints	16	-	-	1	-	2	3	2	1	1	-	1	1	3	1	2	1	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	1
Childbirth and Metria	42	-	-	-	-	-	-	-	-	-	9	22	11	-	-	-	-	-
Violent Deaths	68	3	5	6	3	2	19	11	1	5	2	6	2	4	3	7	7	1
Other Causes	720	202	27	5	1	1	236	6	2	3	-	9	13	17	26	115	212	81
486.—ULVERSTONE.																		
Mean Popul^{n}, 1851-61	16195	-	-	-	-	-	2344	2100	1764	1443	1278	2220	1820	1327	930	643	273	53
TOTAL DEATHS	3254	553	206	110	93	60	1022	167	105	105	153	241	196	183	254	352	349	127
Small-pox	27	8	6	1	1	2	18	2	-	-	1	4	1	1	-	-	-	-
Measles	29	2	12	6	3	2	25	1	1	1	-	1	-	-	-	-	-	-
Scarlatina	186	8	23	21	16	22	90	69	13	5	2	4	-	1	2	-	-	-
Diphtheria	28	1	4	4	3	1	13	6	5	3	-	1	-	-	-	-	-	-
Whooping-cough	70	24	29	7	5	3	68	2	-	-	-	-	-	-	-	-	-	-
Typhus	120	2	2	2	3	3	12	13	12	7	11	15	11	5	8	15	11	-
Cholera, Diarrh., Dysent^{y}	76	32	10	4	1	-	47	2	-	-	1	4	2	5	4	7	4	-
Other Zymotic Dis.	145	20	11	15	16	5	67	6	2	2	4	3	4	8	12	24	9	4
Cancer	38	-	-	-	-	-	-	1	-	-	-	3	2	6	13	7	6	-
Scrofula, Tabes Mesent.	80	16	14	9	5	-	44	6	8	2	-	5	3	1	6	4	1	-
Phthisis	470	4	2	1	2	2	11	8	29	55	86	126	73	43	26	11	2	-
Hydrocephalus	51	16	9	3	2	4	34	14	1	1	-	1	-	-	-	-	-	-
Diseases of Brain	380	120	21	7	9	3	160	9	9	6	8	12	12	23	51	57	28	3
Heart Dis. and Dropsy	182	-	1	1	1	-	3	3	4	4	5	8	25	24	36	41	25	4
Dis. of Lungs	278	75	29	15	8	1	128	8	6	2	8	9	6	18	21	34	35	3
Dis. of Stom. and Liver	173	18	5	5	4	7	37	4	4	3	6	9	18	20	34	28	9	1
Dis. of Kidneys	19	-	-	-	-	-	-	-	-	-	-	2	2	2	5	4	1	3
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	1	-	4	1	2	2	1	3	1
Diseases of the Joints	20	-	-	-	1	1	2	1	2	2	1	2	2	1	3	4	-	-
Diseases of the Skin	8	6	-	-	-	-	6	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	54	-	-	-	-	-	-	-	-	4	13	16	20	1	-	-	-	-
Violent Deaths	46	2	2	4	8	3	19	6	2	1	-	2	3	3	1	7	2	-
Other Causes	759	201	26	5	5	1	238	6	7	6	7	10	11	17	30	107	212	108

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
487.—SEDBERGH.																		
Mean Popul^{n}, 1851-61	2286	–	–	–	–	–	298	296	299	222	147	247	256	224	142	96	50	9
TOTAL DEATHS	440	66	13	8	5	9	101	20	28	16	13	36	28	24	41	43	73	17
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	4	–	–	1	–	–	1	–	2	–	–	1	–	–	–	–	–	–
Scarlatina	12	–	1	–	1	–	2	2	6	1	1	–	–	–	–	–	–	–
Diphtheria	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Whooping-cough	4	2	2	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	–	–	1	–	3	4	–	2	2	2	2	4	1	1	1	1	–
Cholera, Diarrh., Dysent^{y}	11	5	–	–	–	–	5	1	–	–	–	–	–	–	3	1	1	–
Other Zymotic Dis.	29	4	–	2	1	2	9	4	–	–	–	2	1	–	2	7	4	–
Cancer	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Scrofula, Tabes Mesent.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Phthisis	57	–	1	1	–	–	2	2	4	4	4	16	12	7	4	–	2	–
Hydrocephalus	7	2	1	1	1	1	6	1	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	50	14	3	–	–	–	17	1	2	3	1	1	4	3	5	6	7	–
Heart Dis. and Dropsy	25	1	–	–	–	–	1	–	3	–	–	3	–	2	6	1	6	3
Dis. of Lungs	57	8	4	1	2	3	18	3	1	2	1	1	2	2	11	10	6	–
Dis. of Stom. and Liver	30	2	–	–	–	–	2	3	4	1	1	1	–	6	2	3	7	–
Dis. of Kidneys	16	–	–	–	–	–	–	–	–	–	–	2	1	–	3	5	5	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Diseases of the Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	20	–	–	1	–	–	1	1	2	1	2	3	3	2	3	1	–	1
Other Causes	87	27	1	–	–	–	28	1	–	–	–	3	–	–	1	8	33	13
488.—SETTLE.																		
Mean Popul^{n}, 1851-61	6547	–	–	–	–	–	897	788	681	587	479	879	765	593	445	300	119	14
TOTAL DEATHS	1323	240	77	38	27	17	399	74	47	64	26	68	69	83	123	173	154	43
Small-pox	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	15	4	6	2	2	1	15	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	92	2	18	7	8	10	40	33	14	2	1	–	–	2	–	–	–	–
Diphtheria	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	12	4	5	2	–	1	12	–	–	–	–	–	–	–	–	–	–	–
Typhus	45	–	2	–	–	–	2	3	6	12	2	6	7	2	2	3	–	–
Cholera, Diarrh., Dysent^{y}	15	4	1	–	–	–	5	1	–	–	–	2	–	–	1	5	1	–
Other Zymotic Dis.	72	11	6	4	9	3	33	5	–	2	–	2	1	5	9	12	3	–
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	4	3	2	2	3	–
Scrofula, Tabes Mesent.	10	1	–	–	–	–	1	–	1	2	1	2	1	1	–	1	–	–
Phthisis	168	1	1	1	1	–	4	13	9	29	13	36	25	12	16	11	–	–
Hydrocephalus	32	7	12	5	–	–	24	3	5	–	–	–	–	–	–	–	–	–
Diseases of Brain	233	109	15	9	1	–	134	3	4	5	2	5	6	11	14	32	15	2
Heart Dis. and Dropsy	82	–	1	–	–	1	2	1	–	–	2	4	3	9	27	20	12	2
Dis. of Lungs	119	25	5	5	4	1	40	4	1	3	1	2	7	13	15	23	9	1
Dis. of Stom. and Liver	68	2	3	–	1	–	6	1	–	4	–	4	8	10	13	14	7	1
Dis. of Kidneys	17	1	–	–	–	–	1	1	–	1	–	1	1	4	2	2	4	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	7	–	–	–	–	–	–	–	1	3	2	–	–	–	1	–	–	–
Diseases of the Skin	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	36	–	1	1	1	–	3	3	3	–	1	3	5	5	10	3	–	–
Other Causes	282	69	6	1	–	–	76	3	2	1	–	1	1	6	11	44	100	37
489.—SKIPTON.																		
Mean Popul^{n}, 1851-61	14501	–	–	–	–	–	1938	1681	1554	1447	1245	2067	1734	1204	887	529	190	25
TOTAL DEATHS	3123	773	173	108	74	58	1186	173	81	112	128	166	161	190	245	327	278	76
Small-pox	18	5	–	3	–	–	8	–	–	3	1	4	2	–	–	–	–	–
Measles	42	7	20	7	5	1	40	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	219	22	25	34	28	24	133	64	13	6	2	1	–	–	–	–	–	–
Diphtheria	4	–	–	–	1	–	1	2	–	1	–	–	–	–	–	–	–	–
Whooping-cough	54	30	16	3	1	1	51	3	–	–	–	–	–	–	–	–	–	–
Typhus	81	3	1	2	–	5	11	6	7	10	7	8	2	11	12	5	2	–
Cholera, Diarrh., Dysent^{y}	53	12	4	1	1	–	18	1	–	1	1	1	6	1	4	10	8	2
Other Zymotic Dis.	154	26	12	17	14	4	73	16	4	5	5	3	6	6	17	12	6	1
Cancer	21	–	–	–	–	–	–	–	–	–	–	2	–	4	4	8	3	–
Scrofula, Tabes Mesent.	46	9	6	5	1	1	22	6	4	3	3	3	1	1	2	–	1	–
Phthisis	398	4	6	1	3	2	16	8	24	49	82	83	51	41	26	17	–	1
Hydrocephalus	85	8	6	5	3	4	26	6	3	–	–	–	–	–	–	–	–	–
Diseases of Brain	526	298	21	11	7	7	339	24	3	8	6	9	14	18	32	40	30	3
Heart Dis. and Dropsy	160	2	1	–	–	1	4	7	4	–	3	8	9	22	35	35	30	3
Dis. of Lungs	318	45	18	8	3	4	78	14	2	3	6	14	20	36	40	69	30	6
Dis. of Stom. and Liver	151	10	1	2	3	1	17	3	1	8	4	5	21	26	33	23	10	–
Dis. of Kidneys	43	1	–	–	–	–	1	–	–	1	–	2	5	7	4	15	8	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	10	–	–	–	–	–	–	2	3	2	–	1	–	–	–	1	1	–
Diseases of the Skin	8	3	–	–	–	–	3	1	–	–	–	1	–	–	1	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	115	11	4	6	2	1	24	4	8	9	7	14	18	9	11	8	3	–
Other Causes	667	282	32	3	2	2	321	4	5	3	1	7	6	8	24	83	145	60

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
487.—SEDBERGH.																		
Mean Popul^{n}, 1851-61	2197	-	-	-	-	-	303	277	245	196	183	277	243	206	124	96	42	5
TOTAL DEATHS	423	55	10	11	7	12	95	19	16	22	21	29	26	29	31	44	75	16
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	5	-	-	1	1	-	2	2	-	-	-	1	-	-	-	-	-	-
Scarlatina	7	1	-	2	1	-	4	2	1	-	-	-	-	-	-	-	-	-
Diphtheria	9	-	2	-	-	1	3	3	2	-	1	-	-	-	-	-	-	-
Whooping-cough	7	3	-	2	-	2	7	-	-	-	-	-	-	-	-	-	-	-
Typhus	15	-	-	-	-	-	-	2	-	2	-	2	1	2	2	3	1	-
Cholera, Diarrh., Dysent^{y}	4	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-
Other Zymotic Dis.	23	2	2	2	-	2	8	1	-	1	-	1	-	1	2	2	7	-
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	-
Scrofula, Tabes Mesent.	9	-	-	-	-	1	1	1	1	-	3	-	1	1	-	-	1	-
Phthisis	77	-	2	1	-	1	4	2	3	12	15	14	9	7	5	4	2	-
Hydrocephalus	4	1	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Diseases of the Brain	45	18	-	-	-	-	18	1	2	4	-	1	-	2	6	4	5	2
Heart Dis. and Dropsy	27	-	-	-	-	-	-	-	2	-	-	1	2	4	7	5	6	-
Dis. of Lungs	42	11	3	1	3	1	19	1	3	-	-	2	1	2	1	9	4	-
Dis. of Stom. and Liver	29	-	-	-	-	2	2	1	-	2	-	3	3	6	4	3	4	1
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Childbirth and Metria	5	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-
Violent Deaths	9	1	-	1	1	2	4	2	-	-	1	-	1	-	-	-	1	-
Other Causes	92	17	1	1	1	-	20	-	1	-	-	2	2	-	2	11	41	13
488.—SETTLE.																		
Mean Popul^{n}, 1851-61	6598	-	-	-	-	-	894	775	713	604	566	900	719	549	435	303	129	11
TOTAL DEATHS	1275	186	61	29	28	19	323	55	32	64	53	95	94	76	89	158	187	49
Small-pox	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Measles	22	4	9	-	2	1	16	3	2	-	-	1	-	-	-	-	-	-
Scarlatina	69	7	7	10	10	9	43	19	3	1	1	-	2	-	-	-	-	-
Diphtheria	3	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
Whooping-cough	16	11	4	1	-	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	49	1	2	3	-	1	7	6	6	11	3	6	7	2	1	-	-	-
Cholera, Diarrh., Dysent^{y}	12	4	-	1	-	-	5	1	-	-	-	-	-	1	2	3	-	-
Other Zymotic Dis.	54	5	5	4	4	3	21	4	2	-	1	1	-	2	9	10	4	-
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	1	5	4	-	1	1
Scrofula, Tabes Mesent.	20	2	2	1	2	-	7	1	-	2	1	6	3	-	-	-	-	-
Phthisis	204	-	2	1	2	-	5	6	9	36	25	50	41	22	6	3	1	-
Hydrocephalus	21	5	6	1	2	1	15	2	2	2	-	-	-	-	-	-	-	-
Diseases of Brain	197	86	11	2	1	2	102	3	1	2	6	10	4	9	13	27	19	1
Heart Dis. and Dropsy	103	-	-	-	-	-	-	3	2	1	3	6	9	13	23	31	12	-
Dis. of Lungs	84	14	6	4	2	-	26	2	2	3	3	1	6	7	10	16	7	1
Dis. of Stom. and Liver	57	1	2	-	1	-	4	-	2	2	4	3	7	7	7	16	5	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-
Diseases of the Joints	7	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	17	-	-	-	-	-	-	-	-	-	2	8	7	-	-	-	-	-
Violent Deaths	15	-	1	-	2	2	5	3	1	1	-	-	1	-	1	2	1	-
Other Causes	304	45	4	1	-	-	50	1	-	3	3	1	2	4	11	46	137	45
489.—SKIPTON.																		
Mean Popul^{n}, 1851-61	14263	-	-	-	-	-	1917	1639	1522	1445	1273	2072	1642	1188	818	523	200	24
TOTAL DEATHS	2990	572	162	100	67	63	964	131	87	137	156	265	185	192	231	310	265	67
Small-pox	13	3	1	-	-	-	4	-	2	1	1	3	2	-	-	-	-	-
Measles	49	9	17	8	5	3	42	5	1	-	-	-	1	-	-	-	-	-
Scarlatina	176	14	19	31	25	28	117	43	7	5	2	2	-	-	-	-	-	-
Diphtheria	5	-	-	1	-	-	1	2	2	-	-	-	-	-	-	-	-	-
Whooping-cough	53	25	15	3	2	4	49	3	1	-	-	-	-	-	-	-	-	-
Typhus	84	2	2	6	2	1	13	8	7	11	6	12	8	7	7	4	1	-
Cholera, Diarrh., Dysent^{y}	49	12	4	3	-	-	19	1	2	-	-	2	2	5	6	5	7	-
Other Zymotic Dis.	122	20	14	10	10	10	64	14	3	2	1	-	-	5	7	19	7	-
Cancer	50	-	-	-	1	-	1	-	-	-	-	3	4	11	10	11	9	1
Scrofula, Tabes Mesent.	25	6	6	2	3	-	17	1	1	1	-	2	1	1	-	-	1	-
Phthisis	527	4	1	2	1	-	8	15	30	87	95	128	75	48	24	16	1	-
Hydrocephalus	24	9	3	1	1	4	18	5	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	373	175	12	8	4	7	206	11	6	4	5	9	13	21	28	43	25	2
Heart Dis. and Dropsy	215	-	1	3	1	1	6	3	4	6	12	16	13	24	43	66	18	4
Dis. of Lungs	261	29	21	11	2	2	65	9	5	5	5	15	15	32	42	37	30	1
Dis. of Stom. and Liver	174	15	2	2	2	1	22	4	8	5	8	22	16	24	30	28	7	-
Dis. of Kidneys	14	-	1	-	1	-	2	1	1	2	-	3	1	1	3	-	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	1	2	3	1	1	1	-	-
Diseases of the Joints	14	-	2	1	-	-	3	-	2	3	-	1	2	1	1	1	-	-
Diseases of the Skin	8	3	-	-	-	-	3	-	-	-	-	1	1	-	2	1	-	-
Childbirth and Metria	71	-	-	-	-	-	-	-	-	2	15	35	19	-	-	-	-	-
Violent Deaths	41	6	3	1	6	2	18	3	3	1	-	2	3	3	1	2	4	1
Other Causes	633	240	38	7	1	-	286	3	2	1	5	7	6	8	26	76	155	58

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
490.—PATELEY BRIDGE.*																		
Mean Popul^{n}, 1851-61	4806	-	-	-	-	-	646	586	534	454	369	614	538	430	341	200	82	12
TOTAL DEATHS	905	226	38	27	20	11	322	41	24	34	38	40	39	50	78	114	101	24
Small-pox	5	1	2	-	-	-	3	-	-	1	1	-	-	-	-	-	-	-
Measles	7	3	2	-	1	-	6	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	39	4	6	3	10	4	27	10	1	-	1	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	10	7	-	1	1	-	9	1	-	-	-	-	-	-	-	-	-	-
Typhus	31	1	-	1	1	1	4	2	2	2	3	3	6	2	4	1	2	-
Cholera, Diarrh., Dysent^{y}	18	8	1	-	1	1	11	2	-	-	-	-	-	2	1	1	1	-
Other Zymotic Dis.	61	16	3	7	1	2	29	3	1	1	-	-	1	7	7	5	7	-
Cancer	9	-	-	-	-	-	-	-	-	-	1	-	1	3	3	-	2	-
Scrofula, Tabes Mesent.	4	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-
Phthisis	123	1	2	1	-	-	4	3	10	19	16	23	11	12	10	15	-	-
Hydrocephalus	17	8	2	3	-	1	14	2	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	144	90	4	4	1	1	100	4	2	2	2	1	1	2	10	11	9	-
Heart Dis. and Dropsy	54	-	2	-	-	-	2	-	2	3	3	-	4	4	17	15	4	-
Dis. of Lungs	94	8	2	3	1	-	14	6	1	1	3	6	6	9	10	25	13	-
Dis. of Stom. and Liver	31	1	-	1	-	-	2	1	1	1	1	1	3	3	5	11	2	-
Dis. of Kidneys	33	-	-	-	1	-	1	-	-	-	3	1	2	1	2	10	12	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	2	1	2	-	-	1	-	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	25	1	1	2	2	1	7	1	1	1	2	4	3	1	3	1	1	-
Other Causes	191	75	11	1	-	-	87	2	1	1	-	1	1	2	6	19	43	23
491.—RIPON.*																		
Mean Popul^{n}, 1851-61	7785	-	-	-	-	-	997	921	862	762	618	999	877	707	519	352	152	19
TOTAL DEATHS	1683	392	90	38	41	19	580	62	26	51	59	84	73	110	164	198	203	73
Small-pox	5	2	1	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-
Measles	28	6	11	4	2	-	23	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	55	2	8	12	10	3	35	18	-	-	1	-	-	-	1	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	13	7	4	1	1	-	13	-	-	-	-	-	-	-	-	-	-	-
Typhus	50	2	4	2	1	-	9	3	4	4	6	3	2	5	4	5	5	-
Cholera, Diarrh., Dysent^{y}	49	23	2	3	-	1	29	1	1	1	2	-	1	1	2	5	4	2
Other Zymotic Dis.	76	13	12	2	8	4	39	4	2	3	1	2	2	6	6	7	4	-
Cancer	24	-	-	-	-	-	-	-	-	-	-	1	2	4	5	5	6	1
Scrofula, Tabes Mesent.	31	4	3	2	2	1	12	3	-	4	3	5	1	1	1	1	-	-
Phthisis	174	1	5	-	-	2	8	5	8	17	27	43	22	19	21	4	-	-
Hydrocephalus	26	8	7	2	3	3	23	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	282	163	10	4	2	1	180	1	2	4	2	6	9	17	15	25	15	6
Heart Dis. and Dropsy	139	5	2	2	-	1	10	5	-	2	2	3	5	9	37	42	22	2
Dis. of Lungs	171	32	13	4	5	1	55	1	1	3	2	4	9	14	21	34	25	2
Dis. of Stom. and Liver	90	12	2	-	-	-	14	5	4	4	6	3	3	14	21	10	4	1
Dis. of Kidneys	29	-	-	-	-	-	-	1	-	-	1	3	3	5	5	7	2	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	68	2	4	-	6	2	14	4	1	7	5	6	8	7	10	5	1	-
Other Causes	366	109	2	-	1	-	112	1	2	2	3	1	5	7	15	47	114	57
492 (*a*).—GREAT OUSEBURN.‡																		
Mean Popul^{n}, 1851-61†	5965	-	-	-	-	-	771	717	660	554	456	781	666	553	407	287	98	15
TOTAL DEATHS *In 6½ years.*	695	141	19	19	15	12	206	36	18	19	19	35	43	57	49	92	93	28
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	4	-	1	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	38	4	2	4	6	1	17	14	5	2	-	-	-	-	-	-	-	-
Diphtheria	8	2	-	1	-	1	4	2	-	-	-	1	1	-	-	-	-	-
Whooping-cough	6	1	1	2	-	-	4	2	-	-	-	-	-	-	-	-	-	-
Typhus	17	-	-	-	-	1	1	-	1	1	-	2	2	3	1	1	5	-
Cholera, Diarrh., Dysent^{y}	25	12	3	-	-	-	15	1	1	-	-	-	-	2	1	2	2	1
Other Zymotic Dis.	50	5	3	3	-	1	12	3	-	1	1	3	3	3	7	5	10	2
Cancer	10	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	1	1
Scrofula, Tabes Mesent.	12	2	-	-	1	1	4	1	-	2	-	2	-	2	-	-	1	-
Phthisis	62	-	-	-	-	1	1	1	1	6	11	14	13	13	1	1	-	-
Hydrocephalus	9	4	1	-	1	2	8	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	120	48	4	4	3	1	60	3	3	2	2	2	10	10	6	11	7	4
Heart Dis. and Dropsy	26	-	-	-	-	-	-	-	-	-	-	3	1	2	5	8	7	-
Dis. of Lungs	81	10	3	3	2	1	19	1	1	-	1	2	5	5	9	20	17	1
Dis. of Stom. and Liver	36	1	-	-	-	-	1	1	-	1	1	-	3	7	8	10	4	-
Dis. of Kidneys	11	-	1	-	-	-	1	-	-	1	1	-	-	1	1	3	2	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	29	1	-	1	2	-	4	3	2	3	-	5	-	4	4	3	1	-
Other Causes	142	48	-	1	-	2	51	1	-	-	2	-	3	2	5	26	34	18

* The Mean Population, 1851-61, has been corrected on account of changes in the limits of these Districts.

† The Ages of the Population of Great Ouseburn in 1851 have been estimated on the assumption that the Population taken from the several Districts out of which Great Ouseburn was constituted was in the same proportion at each age as the Total Population of each of those Districts.

‡ The District of Great Ouseburn was formed in August 1854, by the severance of parishes and places from the Districts of Ripon (491), Knaresborough (492 *b*), York (515), and Easingwold (527).

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																Uncertain ages.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	
490.—PATELEY BRIDGE.*																		
Mean Popul^{n}, 1851-61	4628	-	-	-	-	-	622	575	515	452	377	618	488	376	308	198	86	13
TOTAL DEATHS	914	164	34	26	18	18	260	31	30	48	53	72	55	44	67	111	107	36
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	11	-	2	1	3	1	7	2	1	1	-	-	-	-	-	-	-	-
Scarlatina	32	-	2	6	2	6	16	10	3	2	-	1	-	-	-	-	-	-
Diphtheria	4	-	1	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	18	9	3	3	2	1	18	-	-	-	-	-	-	-	-	-	-	-
Typhus	31	-	-	-	-	1	1	2	3	6	4	4	3	4	1	3	-	-
Cholera, Diarrh., Dysent^{y}	9	1	1	-	1	1	4	1	1	-	-	-	-	-	-	3	-	-
Other Zymotic Dis.	65	8	5	5	6	3	27	3	1	3	3	2	3	1	4	9	8	1
Cancer	15	-	-	-	-	-	-	-	-	-	-	2	3	2	3	3	2	-
Scrofula, Tabes Mesent.	9	1	-	-	-	-	1	1	1	-	1	2	1	1	-	1	-	-
Phthisis	169	2	4	-	1	-	7	1	10	30	24	36	23	11	12	14	1	-
Hydrocephalus	15	3	3	2	-	1	9	4	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	107	53	5	2	-	2	62	-	1	3	4	2	5	5	5	14	6	-
Heart Dis. and Dropsy	62	-	-	-	-	-	-	-	4	1	3	7	5	7	13	14	8	-
Dis. of Lungs	48	3	-	-	-	-	3	1	-	1	1	3	4	4	12	14	5	-
Dis. of Stom. and Liver	42	3	-	2	-	-	5	1	2	1	4	5	1	5	6	8	4	-
Dis. of Kidneys	10	-	-	-	-	-	-	1	1	-	3	-	-	2	2	1	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	-	1	5	4	1	-	-	-	-
Violent Deaths	11	1	-	2	2	1	6	1	1	-	1	-	-	-	1	1	-	-
Other Causes	239	79	8	2	1	-	90	1	-	-	2	2	2	1	8	25	73	35
491.—RIPON.*																		
Mean Popul^{n}, 1851-61	8107	-	-	-	-	-	999	915	816	772	681	1108	913	738	569	387	180	29
TOTAL DEATHS	1614	291	73	34	32	14	444	49	21	55	80	125	107	95	128	181	231	98
Small-pox	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Measles	15	1	7	1	2	1	12	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	39	6	8	6	3	3	26	10	1	2	-	-	-	-	-	-	-	-
Diphtheria	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	10	4	2	2	1	1	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	40	-	1	1	4	-	6	4	4	4	5	3	1	5	3	2	3	-
Cholera, Diarrh., Dysent^{y}	37	6	4	2	4	-	16	1	-	-	1	1	2	3	-	5	6	2
Other Zymotic Dis.	63	10	7	8	1	1	27	9	2	3	-	1	3	1	4	7	4	2
Cancer	40	-	-	-	-	-	-	-	-	-	-	-	11	8	13	5	3	-
Scrofula, Tabes Mesent.	12	3	2	-	-	-	5	-	1	-	-	2	1	1	-	2	-	-
Phthisis	245	2	1	-	1	1	5	3	5	30	50	69	39	25	15	3	1	-
Hydrocephalus	23	2	8	5	1	1	17	3	2	-	-	1	-	-	-	-	-	-
Diseases of Brain	256	126	9	3	4	1	143	2	1	4	8	7	4	8	16	26	30	7
Heart Dis. and Dropsy	141	3	1	1	-	-	5	2	1	2	5	9	13	17	28	40	17	2
Dis. of Lungs	133	36	15	3	5	2	61	3	1	3	1	5	4	10	9	12	18	6
Dis. of Stom. and Liver	95	8	1	-	1	-	10	2	2	1	4	8	8	11	20	20	8	1
Dis. of Kidneys	17	-	-	-	-	-	-	-	1	-	1	4	2	2	3	3	1	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	1	-	3	1	-	3	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	-	2	9	12	-	-	-	-	-
Violent Deaths	27	3	2	-	4	3	12	3	-	2	-	-	-	1	2	3	4	-
Other Causes	384	80	5	1	1	-	87	3	-	3	2	6	4	2	14	50	135	78
492 (*a*).—GREAT OUSEBURN.‡																		
Mean Popul^{n}, 1851-61†	5886	-	-	-	-	-	763	670	612	545	486	786	677	538	391	282	117	19
TOTAL DEATHS *In 6½ years.*	688	116	25	13	15	20	189	28	18	23	24	45	47	46	59	95	91	23
Small-pox	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Measles	5	1	2	-	1	1	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	34	1	6	5	4	9	25	4	4	1	-	-	-	-	-	-	-	-
Diphtheria	7	2	-	-	-	2	4	2	-	-	-	-	-	-	1	-	-	-
Whooping-cough	12	6	3	1	2	-	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	19	-	-	-	1	1	2	2	1	1	2	3	3	1	2	1	1	-
Cholera, Diarrh., Dysent^{y}	26	9	1	-	-	-	10	2	1	-	1	-	3	2	-	2	3	2
Other Zymotic Dis.	36	4	1	2	1	1	9	3	1	-	1	3	1	1	5	6	6	-
Cancer	24	-	-	1	-	-	1	1	-	1	-	-	4	4	2	7	4	-
Scrofula, Tabes Mesent.	8	4	1	-	-	-	5	1	2	-	-	-	-	-	-	-	-	-
Phthisis	72	-	-	-	-	1	1	3	2	8	10	25	11	7	2	3	-	-
Hydrocephalus	12	2	1	-	2	1	6	4	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	90	30	3	1	-	-	34	2	3	2	1	2	5	9	10	13	8	1
Heart Dis. and Dropsy	51	1	-	-	-	1	2	-	1	3	1	1	3	10	11	15	3	1
Dis. of Lungs	69	11	3	2	2	-	18	1	-	1	-	-	4	3	10	15	16	1
Dis. of Stom. and Liver	45	3	-	-	-	1	4	1	1	2	1	2	5	6	10	10	2	1
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-
Diseases of the Skin	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	-	2	4	5	-	-	-	-	-
Violent Deaths	13	2	3	-	2	1	8	1	-	-	1	-	-	-	-	2	1	-
Other Causes	143	40	1	1	-	-	42	1	-	3	2	3	2	3	5	21	44	17

* The Mean Population, 1851-61, has been corrected on account of changes in the limits of these Districts.

† The Ages of the Population of Great Ouseburn in 1851 have been estimated on the assumption that the Population taken from the several Districts out of which Great Ouseburn was constituted was in the same proportion at each age as the Total Population of each of those Districts.

‡ The District of Great Ouseburn was formed in August 1854, by the severance of parishes and places from the Districts of Ripon (491), Knaresborough (492 *b*), York (515), and Easingwold (527).

Mean Population, 1851–61, and **Deaths in Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
492 (*b*).—KNARESBOROUGH.*																		
Mean Popul^{n}, 1851-61	7942	-	-	-	-	-	1030	898	836	696	639	1123	956	764	541	313	126	20
TOTAL DEATHS	2324	538	87	73	44	40	782	82	48	44	68	113	156	169	222	294	265	81
Small-pox	17	4	-	1	3	-	8	5	1	1	-	1	1	-	-	-	-	-
Measles	17	4	5	2	1	1	13	3	-	-	-	-	1	-	-	-	-	-
Scarlatina	76	3	10	13	8	12	46	19	8	1	-	1	-	1	-	-	-	-
Diphtheria	8	2	1	2	2	-	7	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	22	7	6	2	2	1	18	3	1	-	-	-	-	-	-	-	-	-
Typhus	62	-	1	-	1	3	5	5	8	3	7	4	9	3	3	8	5	2
Cholera, Diarrh., Dysent^{y}	72	41	2	2	-	1	46	1	2	-	2	-	2	3	3	8	5	-
Other Zymotic Dis.	101	22	3	7	7	2	41	5	2	1	1	2	11	8	10	16	3	1
Cancer	28	-	-	1	-	-	1	-	2	-	-	1	1	6	8	5	3	1
Scrofula, Tabes Mesent.	44	16	5	5	-	1	27	-	4	3	4	2	1	1	-	2	-	-
Phthisis	210	5	4	2	2	-	13	5	5	14	32	45	41	29	13	12	1	-
Hydrocephalus	35	9	7	6	-	3	25	9	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	437	206	13	10	9	6	244	7	6	2	6	12	25	18	33	47	27	10
Heart Dis. and Dropsy	117	2	-	-	-	-	2	1	-	3	4	9	9	14	26	33	15	1
Dis. of Lungs	338	64	19	11	4	3	101	8	4	3	-	5	23	37	52	56	43	6
Dis. of Stom. and Liver	170	29	1	2	2	1	35	3	1	1	3	7	12	30	38	31	8	1
Dis. of Kidneys	37	-	-	-	-	-	-	-	-	1	-	1	3	3	7	13	7	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	-	1	2	2	1	-	1	-	2	-	-
Diseases of the Skin	7	1	-	-	-	-	1	-	-	-	-	-	1	-	1	3	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	85	3	1	4	2	6	16	6	3	8	6	14	6	10	9	4	3	-
Other Causes	431	120	9	3	1	-	133	1	-	-	1	8	10	4	19	54	145	56
492 (*c*).—WETHERBY.‡																		
Mean Popul^{n}, 1851-61†	2637	-	-	-	-	-	335	290	316	246	207	374	281	239	172	115	53	9
TOTAL DEATHS *In 6½ years.*	286	59	12	9	3	4	87	6	6	9	6	14	16	17	25	36	49	15
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	4	1	1	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	9	-	1	1	-	-	2	3	3	-	-	-	1	-	-	-	-	-
Diphtheria	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Typhus	9	-	-	-	-	2	2	1	1	2	-	-	1	-	1	1	-	-
Cholera, Diarrh., Dysent^{y}	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	1
Other Zymotic Dis.	12	2	2	-	1	-	5	-	-	-	-	1	1	1	1	1	1	1
Cancer	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	-	1
Scrofula, Tabes Mesent.	5	2	1	1	-	-	4	-	-	-	-	-	-	-	1	-	-	-
Phthisis	24	-	-	-	1	-	1	-	-	3	5	5	4	5	1	-	-	-
Hydrocephalus	5	1	2	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	57	29	1	2	-	1	33	1	-	-	-	1	4	2	4	7	5	-
Heart Dis. and Dropsy	12	-	-	-	-	-	-	-	-	-	-	2	2	-	3	3	2	-
Dis. of Lungs	32	8	2	1	-	-	11	-	-	-	-	2	1	3	6	4	5	-
Dis. of Stom. and Liver	19	2	-	-	-	-	2	-	-	1	-	-	2	5	2	2	4	1
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	13	-	1	-	-	1	1	-	1	2	1	1	-	1	2	2	2	-
Other Causes	60	8	1	1	-	1	11	-	-	-	-	-	-	-	2	11	25	11
493.—OTLEY.*																		
Mean Popul^{n}, 1851-61	14715	-	-	-	-	-	1886	1725	1706	1515	1305	2065	1649	1279	890	499	177	19
TOTAL DEATHS	3236	787	203	111	69	47	1217	144	82	130	140	185	180	197	278	342	279	62
Small-pox	22	7	3	2	1	2	15	2	-	2	1	1	-	1	-	-	-	-
Measles	47	11	18	9	3	1	42	3	1	-	-	-	1	-	-	-	-	-
Scarlatina	165	13	31	26	22	12	104	49	8	-	2	2	-	-	-	-	-	-
Diphtheria	12	1	-	2	1	1	5	4	1	1	-	-	1	-	-	-	-	-
Whooping-cough	43	28	8	3	1	2	42	1	-	-	-	-	-	-	-	-	-	-
Typhus	110	5	3	4	5	2	19	9	2	17	14	9	14	13	8	3	2	-
Cholera, Diarrh., Dysent^{y}	68	20	4	1	2	2	29	5	2	1	1	2	3	2	6	9	4	4
Other Zymotic Dis.	106	26	15	8	9	3	61	6	2	2	2	6	7	3	4	9	4	-
Cancer	26	-	1	1	-	-	2	-	-	-	-	-	2	5	5	9	3	-
Scrofula, Tabes Mesent.	29	2	4	3	-	1	10	3	4	4	2	3	1	2	-	-	-	-
Phthisis	426	3	1	2	1	3	10	11	23	55	83	78	58	50	38	15	5	-
Hydrocephalus	100	28	17	13	6	6	70	15	9	2	1	1	2	-	-	-	-	-
Diseases of Brain	635	372	35	11	6	5	429	8	5	5	6	15	21	27	36	48	30	5
Heart Dis. and Dropsy	259	2	4	2	2	1	11	11	6	11	9	18	17	20	50	62	33	2
Dis. of Lungs	281	51	19	9	1	-	80	3	4	1	6	14	19	23	51	53	24	3
Dis. of Stom. and Liver	176	13	5	1	1	2	22	2	4	10	6	27	13	17	37	33	4	1
Dis. of Kidneys	40	-	-	-	1	-	1	1	-	2	1	1	2	2	5	15	9	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	18	1	4	-	-	-	5	1	2	5	1	1	-	-	2	1	-	-
Diseases of the Skin	8	1	-	-	-	-	1	-	-	1	-	-	-	-	4	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	97	1	4	5	4	2	16	6	8	9	3	6	11	9	18	6	5	-
Other Causes	568	202	27	9	3	2	243	4	1	2	2	1	8	14	14	77	156	46

* The Mean Population, 1851-61, has been corrected on account of changes in the limits of these Districts.

† The Ages of the Population of Wetherby in 1851 have been estimated on the assumption that the Population taken from Knaresborough was in the same proportion at each age as the Total Population of that District.

‡ The District of Wetherby was formed in August 1854, by the severance of parishes and places from the District of Knaresborough (492 *b*).

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
492 (*b*).—KNARESBOROUGH.*																		
Mean Popul^{n}, 1851-61	8383	-	-	-	-	-	1005	923	843	735	770	1246	980	789	561	374	142	15
TOTAL DEATHS	2110	400	117	61	39	29	646	87	45	75	56	132	159	132	174	265	248	91
Small-pox	24	3	5	3	2	2	15	5	1	2	1	-	-	-	-	-	-	-
Measles	20	4	10	2	1	-	17	2	-	-	-	1	-	-	-	-	-	-
Scarlatina	81	10	6	12	9	11	48	23	6	1	-	1	2	-	-	-	-	-
Diphtheria	9	-	-	-	-	-	-	5	2	1	-	-	1	-	-	-	-	-
Whooping-cough	39	18	9	5	1	2	35	4	-	-	-	-	-	-	-	-	-	-
Typhus	57	2	-	1	4	1	8	5	2	11	3	7	7	2	7	3	1	1
Cholera, Diarrh., Dysent^{y}	72	30	4	1	2	-	37	1	-	3	-	4	3	1	3	9	7	4
Other Zymotic Dis.	51	12	3	4	5	2	26	5	-	1	-	2	3	1	1	10	2	-
Cancer	45	-	1	-	-	-	1	1	1	-	-	1	5	14	6	11	4	1
Scrofula, Tabes Mesent.	34	9	7	4	1	-	21	6	2	2	1	1	-	-	1	-	-	-
Phthisis	250	1	4	-	2	-	7	6	11	37	36	57	49	25	13	7	2	-
Hydrocephalus	34	15	8	3	-	1	27	5	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	322	124	13	8	2	5	152	8	6	2	4	9	13	15	28	51	29	5
Heart Dis. and Dropsy	141	1	-	-	-	-	1	1	-	-	2	10	18	19	29	39	22	-
Dis. of Lungs	276	40	27	10	4	1	82	3	6	4	1	16	12	16	29	51	51	5
Dis. of Stom. and Liver	167	14	9	2	4	2	31	3	1	7	2	6	24	23	31	27	11	1
Dis. of Kidneys	15	-	-	-	-	-	-	-	1	-	3	-	2	1	4	4	-	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	-	3	3	5	-	2	1	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	1	-
Diseases of the Skin	6	-	-	-	-	-	-	-	1	-	-	-	1	-	2	2	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	1	2	7	8	-	-	-	-	-
Violent Deaths	41	5	3	5	-	1	14	3	1	2	-	1	4	5	3	4	3	1
Other Causes	388	112	8	1	2	1	124	1	2	-	-	6	8	5	15	45	114	73
492 (*c*).—WETHERBY.†																		
Mean Popul^{n}, 1851-61†	2489	-	-	-	-	-	304	282	274	235	210	350	280	233	166	107	43	5
TOTAL DEATHS *In 6½ years.*	305	54	16	9	5	7	91	13	7	17	13	17	18	20	28	36	35	10
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	5	-	2	2	-	1	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	6	-	1	1	1	2	5	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	5	1	2	2	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Typhus	10	1	-	-	-	-	1	3	1	-	2	1	-	-	-	2	-	-
Cholera, Diarrh., Dysent^{y}	8	4	-	-	-	-	4	1	-	2	-	-	-	-	-	1	-	-
Other Zymotic Dis.	14	4	4	-	1	1	10	-	-	1	-	1	-	-	1	-	-	1
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	3	3	4	2	2	-
Scrofula, Tabes Mesent.	3	1	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-
Phthisis	33	-	-	-	1	-	1	2	2	9	4	7	6	1	-	1	-	-
Hydrocephalus	3	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	46	26	2	-	-	-	28	-	-	2	3	-	1	1	5	3	3	-
Heart Dis. and Dropsy	25	1	-	-	-	-	1	-	-	-	1	1	1	7	4	5	5	-
Dis. of Lungs	32	3	4	3	-	1	11	1	-	2	1	2	1	3	3	4	3	1
Dis. of Stom. and Liver	25	-	-	1	-	-	1	1	1	-	-	1	4	3	9	2	3	-
Dis. of Kidneys	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	6	-	-	-	-	-	-	-	-	-	1	4	1	-	-	-	-	-
Violent Deaths	7	1	-	-	1	-	2	-	3	-	1	-	-	-	-	1	-	-
Other Causes	59	12	1	-	-	-	13	1	-	-	-	-	1	1	1	15	19	8
493.—OTLEY.*																		
Mean Popul^{n}, 1851-61	14307	-	-	-	-	-	1949	1685	1587	1432	1326	2090	1598	1186	793	471	170	20
TOTAL DEATHS	3052	597	199	86	60	44	986	157	80	151	164	263	216	165	255	276	272	67
Small-pox	16	6	1	4	2	-	13	-	1	-	1	-	1	-	-	-	-	-
Measles	44	9	17	5	4	2	37	7	-	-	-	-	-	-	-	-	-	-
Scarlatina	148	12	21	15	13	16	77	55	7	2	2	4	-	-	-	-	1	-
Diphtheria	8	1	1	-	1	-	3	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough	76	39	22	9	5	-	75	1	-	-	-	-	-	-	-	-	-	-
Typhus	112	3	5	4	3	3	18	16	15	18	12	12	9	4	2	4	2	-
Cholera, Diarrh., Dysent^{y}	77	20	7	-	2	1	30	2	2	2	3	3	4	6	11	3	10	1
Other Zymotic Dis.	110	24	16	14	11	4	69	6	2	5	1	3	7	3	4	4	5	1
Cancer	46	-	-	-	-	1	1	-	-	-	-	1	8	11	14	9	2	-
Scrofula, Tabes Mesent.	23	3	3	-	-	1	7	-	1	2	4	4	2	1	1	1	-	-
Phthisis	505	5	4	1	1	-	11	8	24	85	94	129	83	27	32	11	1	-
Hydrocephalus	62	12	14	8	3	5	42	12	3	3	2	-	-	-	-	-	-	-
Diseases of Brain	459	250	23	12	1	3	294	11	7	10	8	14	9	23	30	30	22	1
Heart Dis. and Dropsy	289	4	-	1	2	2	9	12	8	8	5	27	25	35	64	58	36	2
Dis. of Lungs	209	31	16	4	7	2	60	6	4	2	5	8	11	14	33	40	19	2
Dis. of Stom. and Liver	155	4	4	-	-	2	10	6	2	8	7	17	25	22	24	24	9	1
Dis. of Kidneys	12	-	-	1	-	-	1	1	-	-	1	2	1	2	-	1	3	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	2	2	3	2	1	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	1	1	-	-	2	1	-	2	1	1	-
Diseases of the Skin	5	1	1	-	-	-	2	1	-	-	-	-	-	-	-	2	-	-
Childbirth and Metria	58	-	-	-	-	-	-	-	-	2	12	24	18	2	-	-	-	-
Violent Deaths	36	3	3	1	3	1	11	5	1	-	1	2	1	5	3	4	1	2
Other Causes	583	170	36	7	2	1	216	3	1	4	4	9	8	8	29	84	160	57

* The Mean Population, 1851–61, has been corrected on account of changes in the limits of these Districts.
† The Ages of the Population of Wetherby in 1851 have been estimated on the assumption that the Population taken from Knaresborough was in the same proportion at each age as the Total Population of that District.
‡ The District of Wetherby was formed in August, 1854, by the severance of parishes and places from the District of Knaresborough (492 *b*).

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
494.—KEIGHLEY.																		
Mean Popul^{n}, 1851-61	22403	-	-	-	-	-	2930	2658	2540	2388	2112	3195	2589	1932	1251	604	184	20
TOTAL DEATHS	5300	1547	461	215	129	109	2461	271	167	243	221	243	258	301	347	435	289	64
Small-pox	74	28	10	7	8	6	59	5	2	1	4	2	-	1	-	-	-	-
Measles	129	23	47	28	13	7	118	8	3	-	-	-	-	-	-	-	-	-
Scarlatina	287	37	43	44	34	36	194	72	19	1	1	-	-	-	-	-	-	-
Diphtheria	17	1	6	1	2	3	13	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough	122	61	35	8	6	6	116	4	2	-	-	-	-	-	-	-	-	-
Typhus	206	3	9	8	3	4	27	28	27	27	15	23	20	21	8	9	1	-
Cholera, Diarrh., Dysent^{y}	127	41	15	5	2	2	65	4	-	4	2	4	5	9	10	14	8	2
Other Zymotic Dis.	179	42	25	20	13	8	108	14	5	6	1	6	6	14	8	7	4	-
Cancer	19	-	-	-	-	-	-	-	1	-	-	2	2	4	5	4	1	-
Scrofula, Tabes Mesent.	41	4	6	3	1	2	16	3	3	5	6	3	2	2	-	1	-	-
Phthisis	759	5	11	7	1	3	27	30	51	145	138	121	109	67	54	15	2	-
Hydrocephalus	123	29	25	17	12	13	96	13	10	1	1	-	-	2	-	-	-	-
Diseases of Brain	883	574	44	20	11	3	652	16	10	7	4	12	12	26	51	53	36	4
Heart Dis. and Dropsy	216	2	2	-	1	1	6	8	4	10	9	12	24	30	42	53	16	2
Dis. of Lungs	550	114	66	22	7	4	213	18	8	9	8	15	33	51	73	101	19	2
Dis. of Stom. and Liver	194	13	1	-	3	2	19	8	5	10	7	18	22	30	34	33	7	1
Dis. of Kidneys	47	-	-	-	-	1	1	-	1	-	3	6	-	6	11	17	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	12	2	-	-	-	-	2	1	1	2	4	-	1	1	-	-	-	-
Diseases of the Skin	5	2	1	-	-	-	3	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	141	6	9	5	6	4	30	19	7	9	7	11	16	17	14	7	4	-
Other Causes	1169	560	106	20	6	4	696	16	8	6	11	8	6	19	35	121	189	53
495.—TODMORDEN.																		
Mean Popul^{n}, 1851-61	14869	-	-	-	-	-	1946	1753	1662	1487	1338	2172	1818	1254	847	454	129	9?
TOTAL DEATHS	3163	786	225	117	64	43	1235	132	80	117	112	177	213	224	250	340	244	39
Small-pox	4	-	-	-	1	1	2	1	-	-	-	-	-	1	-	-	-	-
Measles	50	15	17	15	2	1	50	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	99	3	16	16	14	14	63	27	5	2	1	1	-	-	-	-	-	-
Diphtheria	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	54	30	18	4	1	1	54	-	-	-	-	-	-	-	-	-	-	-
Typhus	189	6	7	6	3	3	25	19	13	17	14	15	16	4	9	5	2	-
Cholera, Diarrh., Dysent^{y}	122	41	17	8	3	1	70	1	-	3	4	3	3	7	11	12	7	1
Other Zymotic Dis.	169	22	18	15	13	4	72	15	9	5	3	15	14	10	13	8	4	1
Cancer	18	-	1	-	-	-	1	-	-	1	-	1	-	6	3	5	1	-
Scrofula, Tabes Mesent.	42	5	5	7	1	2	20	4	4	2	2	2	2	1	2	2	1	-
Phthisis	324	-	1	-	-	-	1	8	16	45	45	74	65	42	26	6	1	-
Hydrocephalus	35	7	15	6	3	-	31	1	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	394	187	16	9	6	5	223	13	9	8	6	12	8	17	26	52	18	2
Heart Dis. and Dropsy	151	-	2	2	2	1	7	5	3	7	9	5	12	17	23	45	18	-
Dis. of Lungs	467	85	31	12	5	2	135	15	-	8	6	19	34	56	73	81	36	4
Dis. of Stom. and Liver	222	30	11	4	-	-	45	7	3	7	6	10	28	33	35	36	11	1
Dis. of Kidneys	33	-	-	-	-	-	-	-	-	-	-	1	2	3	7	14	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	-	-
Diseases of the Skin	10	4	-	-	-	-	4	-	-	1	-	-	3	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	127	5	6	3	7	7	28	13	7	7	10	11	14	17	8	8	4	-
Other Causes	694	346	44	10	8	-	403	8	7	3	4	8	11	8	13	64	135	30
496.—SADDLEWORTH.																		
Mean Popul^{n}, 1851-61	8990	-	-	-	-	-	1187	1017	999	924	833	1286	1056	791	521	286	84	6
TOTAL DEATHS	2132	588	148	69	45	34	884	113	41	75	64	118	122	151	175	188	168	33
Small-pox	18	4	2	4	-	-	10	3	-	2	-	2	-	1	-	-	-	-
Measles	23	2	8	6	3	-	19	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	102	11	14	12	15	12	64	32	4	-	1	-	-	-	-	-	-	-
Diphtheria	4	2	1	-	-	-	3	-	-	1	-	-	-	-	-	1	-	-
Whooping-cough	27	16	7	2	1	1	27	-	-	-	-	-	-	-	-	-	-	-
Typhus	71	3	2	2	2	4	13	11	9	7	2	8	4	7	3	5	2	-
Cholera, Diarrh., Dysent^{y}	80	33	10	5	1	-	49	1	-	1	4	-	2	3	8	8	4	-
Other Zymotic Dis.	65	12	6	8	4	2	32	6	-	-	1	7	6	3	5	4	1	-
Cancer	16	-	-	-	-	-	-	1	-	-	-	-	2	4	6	2	1	-
Scrofula, Tabes Mesent.	40	12	9	2	1	-	24	4	2	-	3	1	2	2	-	1	1	-
Phthisis	279	12	12	2	1	1	28	7	10	33	37	55	31	36	29	11	2	-
Hydrocephalus	43	10	14	3	1	2	30	11	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	337	208	15	5	6	4	238	8	4	3	1	3	4	17	26	21	11	1
Heart Dis. and Dropsy	117	2	-	1	-	-	3	1	4	4	2	8	16	13	16	33	16	1
Dis. of Lungs	322	96	29	12	3	4	144	7	1	5	5	3	23	22	39	37	32	4
Dis. of Stom. and Liver	103	10	1	1	2	-	14	2	-	6	5	6	9	20	21	14	6	-
Dis. of Kidneys	19	-	-	-	-	-	-	2	1	2	-	-	1	-	1	8	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	1	-	-	-	1	1	-	2	-	2	1	-	1	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	99	2	3	3	5	3	16	11	3	5	2	10	16	16	5	4	2	-
Other Causes	357	152	14	1	-	1	168	1	2	3	1	4	5	7	14	39	86	27

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
494.—KEIGHLEY.																		
Mean Popul^{n}, 1851-61	23401	-	-	-	-	-	2969	2708	2519	2564	2371	3636	2690	1903	1203	621	194	23
TOTAL DEATHS	5369	1165	418	207	125	123	2038	287	184	308	304	450	354	284	363	428	307	62
Small-pox	82	25	16	9	10	3	63	5	4	3	3	-	4	-	-	-	-	-
Measles	127	28	49	22	9	7	115	10	2	-	-	-	-	-	-	-	-	-
Scarlatina	317	27	47	47	37	40	198	89	14	7	4	4	1	-	-	-	-	-
Diphtheria	6	1	-	-	1	1	3	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	124	64	35	13	5	3	120	4	-	-	-	-	-	-	-	-	-	-
Typhus	254	5	9	15	2	8	39	30	35	41	27	36	18	11	9	7	1	-
Cholera, Diarrh., Dysent^{y}	134	39	9	8	1	3	60	4	1	1	8	12	12	4	9	13	9	1
Other Zymotic Dis.	180	23	17	18	13	13	94	17	4	3	3	7	8	10	12	20	2	-
Cancer	38	-	-	-	-	-	-	-	-	-	-	-	6	11	9	8	4	-
Scrofula, Tabes Mesent.	30	1	3	1	-	-	5	4	1	5	4	3	2	2	2	2	-	-
Phthisis	1039	11	6	3	1	5	26	29	73	202	175	250	144	78	43	19	-	-
Hydrocephalus	102	26	24	8	12	5	75	18	7	-	1	1	-	-	-	-	-	-
Diseases of Brain	705	412	36	13	8	7	476	18	11	7	9	20	15	24	43	60	19	3
Heart Dis. and Dropsy	285	-	2	-	-	1	3	10	5	5	10	26	30	51	79	44	20	2
Dis. of Lungs	435	76	56	18	9	8	167	11	6	9	11	16	28	29	63	72	20	3
Dis. of Stom. and Liver	197	9	4	3	3	2	21	8	8	2	19	22	18	24	42	26	7	-
Dis. of Kidneys	12	-	1	-	-	-	1	-	1	2	1	2	2	1	-	2	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	2	2	3	1	-	-	-
Diseases of the Joints	16	-	-	-	-	-	-	2	1	1	2	5	-	4	-	1	-	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	-	2	1	-	-	-	-
Childbirth and Metria	94	-	-	-	-	-	-	-	-	4	19	36	32	3	-	-	-	-
Violent Deaths	54	5	7	4	6	7	29	7	2	2	1	-	3	5	3	1	1	-
Other Causes	1125	406	97	25	8	5	541	18	9	14	7	8	27	23	48	153	224	53
495.—TODMORDEN.																		
Mean Popul^{n}, 1851-61	15551	-	-	-	-	-	1952	1770	1671	1557	1406	2458	1930	1327	857	463	143	17
TOTAL DEATHS	2959	608	184	89	64	48	993	104	55	133	125	225	223	203	247	354	241	56
Small-pox	3	1	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-
Measles	34	5	16	2	6	2	31	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	58	4	4	8	7	13	36	16	4	2	-	-	-	-	-	-	-	-
Diphtheria	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	67	37	22	5	2	1	67	-	-	-	-	-	-	-	-	-	-	-
Typhus	134	7	3	2	3	1	16	10	12	23	10	21	14	9	9	7	3	-
Cholera, Diarrh., Dysent^{y}	142	42	16	2	-	1	61	4	1	4	3	6	9	6	11	21	14	2
Other Zymotic Dis.	133	13	17	20	11	10	71	7	1	1	9	10	11	5	12	3	2	1
Cancer	35	-	-	-	-	-	-	-	-	-	-	2	2	9	11	10	-	1
Scrofula, Tabes Mesent.	42	5	6	1	1	5	18	7	1	2	-	2	7	1	2	2	-	-
Phthisis	337	-	-	1	-	-	1	3	15	57	62	86	56	29	16	12	-	-
Hydrocephalus	34	3	11	4	5	2	25	7	-	2	-	-	-	-	-	-	-	-
Diseases of Brain	378	135	7	15	8	4	169	11	8	12	6	14	18	30	36	46	-	-
Heart Dis. and Dropsy	198	1	1	3	-	-	5	3	1	3	4	12	31	28	28	-	-	-
Dis. of Lungs	369	59	27	10	8	3	107	11	2	9	6	20	26	36	50	-	-	-
Dis. of Stom. and Liver	197	16	4	1	1	-	22	7	3	6	8	12	21	31	37	-	-	-
Dis. of Kidneys	10	-	-	-	-	-	-	1	-	-	-	3	-	2	-	-	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Diseases of the Joints	8	-	-	1	1	-	2	-	1	-	1	2	1	-	-	-	-	-
Diseases of the Skin	8	4	-	-	-	-	4	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	48	-	-	-	-	-	-	-	-	-	7	24	17	-	-	-	-	-
Violent Deaths	54	5	4	5	5	2	21	8	1	1	1	1	4	2	-	-	-	-
Other Causes	664	271	45	9	5	4	334	6	5	5	7	2	6	13	5	-	-	-
496.—SADDLEWORTH.																		
Mean Popul^{n}, 1851-61	9224	-	-	-	-	-	1171	1024	1009	962	876	1452	1089	785	493	261	86	11
TOTAL DEATHS	2219	470	168	83	51	45	817	101	76	107	108	204	145	142	141	211	134	33
Small-pox	17	8	2	2	-	2	14	2	-	-	1	-	-	-	-	-	-	-
Measles	24	5	6	7	3	2	23	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	114	7	16	21	13	15	72	34	6	2	-	-	-	-	-	-	-	-
Diphtheria	6	1	1	-	-	1	3	1	-	2	-	-	-	-	-	-	-	-
Whooping-cough	34	12	11	4	2	2	31	3	-	-	-	-	-	-	-	-	-	-
Typhus	81	3	2	2	3	-	10	11	7	12	7	11	9	7	6	1	-	-
Cholera, Diarrh., Dysent^{y}	59	19	10	4	1	-	34	-	1	-	1	1	1	3	6	7	5	-
Other Zymotic Dis.	91	15	6	7	7	6	41	8	1	4	3	2	11	5	9	4	3	-
Cancer	21	-	-	-	-	-	-	-	-	-	-	2	2	4	3	8	1	1
Scrofula, Tabes Mesent.	34	9	6	1	1	-	17	4	2	2	4	3	1	1	-	-	-	-
Phthisis	402	9	13	4	4	1	31	6	29	63	58	97	53	34	17	14	-	-
Hydrocephalus	42	9	19	5	-	1	34	2	5	-	-	-	1	-	-	-	-	-
Diseases of Brain	319	176	17	10	2	2	207	8	7	2	5	7	8	14	21	26	13	1
Heart Dis. and Dropsy	137	2	-	-	2	3	7	7	4	4	6	10	17	23	19	29	11	-
Dis. of Lungs	251	60	28	8	9	8	113	9	1	5	6	19	14	20	20	33	10	1
Dis. of Stom. and Liver	115	6	1	1	-	-	8	2	5	2	8	14	12	16	17	27	4	-
Dis. of Kidneys	9	1	1	-	-	-	2	-	-	2	-	3	-	-	1	1	-	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	3	3	2	1	1	2	-
Diseases of the Joints	6	-	1	-	-	-	1	-	-	-	-	3	-	1	-	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	35	-	-	-	-	-	-	-	-	1	5	20	8	1	-	-	-	-
Violent Deaths	32	1	2	3	-	2	8	2	3	2	2	2	3	1	2	4	2	1
Other Causes	377	127	28	4	4	-	161	1	4	4	2	7	2	10	19	55	83	29

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
497.—HUDDERSFIELD.																		
Mean Popul^{n}, 1851-61	63576	-	-	-	-	-	9093	7917	7221	6533	5671	9218	7301	5104	3336	1649	485	48
TOTAL DEATHS	14401	4093	1298	592	370	290	6643	746	400	514	490	738	714	906	1064	1230	803	153
Small-pox	101	27	19	12	5	2	65	16	5	3	5	5	1	-	1	-	-	-
Measles	270	50	117	49	18	19	253	17	-	-	-	-	-	-	-	-	-	-
Scarlatina	796	69	98	132	109	85	493	225	55	14	4	1	2	2	-	-	-	-
Diphtheria	29	6	3	3	1	4	17	9	-	-	-	-	1	1	1	-	-	-
Whooping-cough	324	161	99	27	18	10	315	8	1	-	-	-	-	-	-	-	-	-
Typhus	550	15	17	21	10	20	83	61	51	69	43	67	52	47	39	24	13	1
Cholera, Diarrh., Dysent^{y}	565	209	97	22	9	4	341	19	8	2	6	14	13	16	43	50	50	3
Other Zymotic Dis.	480	93	50	50	37	28	258	46	12	11	10	16	28	30	34	25	10	-
Cancer	103	-	-	-	-	-	-	1	-	1	3	10	16	22	18	23	8	1
Scrofula, Tabes Mesent.	221	38	35	13	2	4	92	15	14	25	17	21	11	12	6	7	1	-
Phthisis	1791	56	39	14	12	7	128	52	80	195	240	348	259	220	182	79	8	-
Hydrocephalus	391	144	105	35	22	17	323	51	7	5	3	2	-	-	-	-	-	-
Diseases of Brain	2184	1192	131	66	32	21	1442	66	36	33	26	55	46	91	135	170	76	8
Heart Dis. and Dropsy	547	6	7	11	5	4	33	21	13	23	25	27	58	71	111	119	44	2
Dis. of Lungs	1888	542	244	66	49	31	932	42	11	25	29	48	81	134	202	254	121	9
Dis. of Stom. and Liver	703	65	20	10	3	5	103	21	26	25	17	36	54	108	135	125	53	-
Dis. of Kidneys	235	2	1	1	1	-	5	3	9	11	6	19	20	31	30	64	34	3
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	66	1	3	3	1	1	9	4	14	7	7	2	4	6	6	7	-	-
Diseases of the Skin	33	7	1	1	-	1	10	1	3	2	1	-	2	5	3	4	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	523	12	24	24	22	21	103	45	41	45	27	49	48	68	45	34	16	2
Other Causes	2600	1398	188	32	14	6	1638	23	14	18	21	18	18	42	72	245	367	124
498.—HALIFAX.																		
Mean Popul^{n}, 1851-61	61190		-	-	-	-	8328	7398	7037	6384	5648	9113	7148	4983	3151	1544	420	36
TOTAL DEATHS	14732	4225	1384	562	404	301	6876	735	428	525	466	774	842	947	1067	1248	701	123
Small-pox	106	31	18	7	8	3	67	14	5	3	12	1	2	1	1	-	-	-
Measles	301	82	109	54	24	17	286	15	-	-	-	-	-	-	-	-	-	-
Scarlatina	758	58	107	115	130	85	495	208	39	5	5	3	2	-	1	-	-	-
Diphtheria	14	4	3	2	1	-	10	3	-	-	-	-	1	-	-	-	-	-
Whooping-cough	215	113	59	20	10	6	208	7	-	-	-	-	-	-	-	-	-	-
Typhus	409	9	16	11	18	13	67	57	44	44	38	54	29	32	24	16	3	1
Cholera, Diarrh., Dysent^{y}	475	189	68	12	4	4	277	7	2	4	7	9	22	20	33	57	34	3
Other Zymotic Dis.	509	114	46	44	43	27	274	34	9	10	6	33	46	35	25	23	13	1
Cancer	101	1	-	1	1	-	3	-	1	1	1	4	11	25	18	31	4	2
[illegible]ula, Tabes Mesent.	267	64	42	9	7	3	125	23	30	28	18	25	6	6	2	3	1	-
[illegible]	1672	32	30	9	4	11	86	44	103	258	230	324	243	210	130	42	2	-
[illegible]halus	434	144	98	52	19	19	332	71	22	4	2	-	2	-	1	-	-	-
[illegible] Brain	2918	1813	204	72	41	33	2163	63	41	36	28	58	67	79	148	170	63	2
[illegible] Dropsy	574	6	4	5	3	5	23	24	25	19	16	41	61	105	112	111	36	1
[illegible]	2048	426	248	71	43	25	813	52	18	31	28	67	121	200	272	338	101	7
[illegible] Liver	767	78	22	11	8	8	127	29	21	24	26	58	100	113	136	110	23	-
[illegible]	151	1	-	-	1	1	3	2	2	2	3	12	11	20	29	44	12	1
[illegible]	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
[illegible]	50	3	-	-	1	1	5	2	5	6	4	6	8	4	7	3	-	-
[illegible]	29	16	1	-	-	1	18	-	-	1	1	-	2	1	2	4	-	-
[illegible]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
[illegible]	558	15	22	23	21	25	106	50	40	36	33	65	77	55	45	31	16	4
[illegible]	2374	1026	287	44	17	14	1388	30	21	13	8	13	31	41	80	265	383	101
499.—BRADFORD.																		
Mean Popul^{n}, 1851-61	91208	-	-	-	-	-	12316	10832	9969	9713	8943	14302	10792	7442	4335	1960	552	52
TOTAL DEATHS	24526	8167	2671	1055	705	500	13098	1183	647	899	810	1214	1216	1350	1558	1498	856	197
Small-pox	169	50	22	17	12	7	108	30	10	8	2	8	1	2	-	-	-	-
Measles	681	127	299	108	62	36	632	46	1	1	-	-	1	-	-	-	-	-
Scarlatina	1300	108	183	237	201	151	880	349	60	7	2	-	2	-	-	-	-	-
Diphtheria	40	6	8	3	5	7	29	6	3	-	1	-	-	-	1	-	-	-
Whooping-cough	490	266	148	39	18	4	475	13	1	-	1	-	-	-	-	-	-	-
Typhus	918	30	45	41	45	35	196	103	76	116	75	94	79	56	54	51	17	1
Cholera, Diarrh., Dysent^{y}	1456	735	255	52	16	17	1075	40	8	13	15	26	32	44	71	75	47	10
Other Zymotic Dis.	782	216	95	73	65	29	478	55	20	10	14	36	42	49	34	26	15	3
Cancer	113	-	1	-	-	-	1	-	-	2	2	6	13	27	32	24	5	1
Scrofula, Tabes Mesent.	425	120	73	28	13	16	250	24	43	39	18	26	9	7	2	4	2	1
Phthisis	2549	60	53	12	11	10	146	70	126	407	394	511	393	272	164	63	3	-
Hydrocephalus	696	257	186	66	34	34	577	83	26	5	2	3	-	-	-	-	-	-
Diseases of Brain	4700	3020	306	110	59	45	3540	103	59	53	52	77	107	142	204	248	98	17
Heart Dis. and Dropsy	943	12	7	11	12	9	51	35	39	40	46	73	93	159	186	163	53	5
Dis. of Lungs	3513	1032	520	148	92	49	1841	77	35	45	53	107	157	235	415	373	157	18
Dis. of Stom. and Liver	1108	151	43	14	8	10	226	35	39	43	46	82	126	168	187	123	33	2
Dis. of Kidneys	250	3	1	1	-	3	8	5	7	11	9	19	37	39	45	51	15	4
Dis. of Gener. Organs	4	1	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-
Diseases of the Joints	111	8	6	3	-	4	21	10	12	16	11	11	6	11	7	5	1	-
Diseases of the Skin	51	24	4	-	-	1	29	1	2	-	2	1	3	2	3	2	5	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	737	49	40	32	29	23	173	75	59	58	47	100	87	85	65	22	14	2
Other Causes	3440	1892	376	60	23	10	2361	25	21	25	18	34	28	51	86	268	391	132

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
497.—HUDDERSFIELD.																		
Mean Popul^{n}, 1851-61	64022	-	-	-	-	-	9138	7910	7261	6600	6227	9608	7081	4884	3118	1623	516	55
TOTAL DEATHS	13615	3264	1143	585	384	301	5677	698	388	612	628	1040	830	718	905	1179	769	171
Small-pox	105	25	23	8	12	5	73	17	4	4	5	-	1	1	-	-	-	-
Measles	271	43	103	54	27	18	250	19	2	-	-	-	-	-	-	-	-	-
Scarlatina	753	51	105	116	102	83	457	216	56	8	12	2	-	1	1	-	-	-
Diphtheria	50	4	8	5	8	6	26	17	1	3	1	2	-	-	-	-	-	-
Whooping-cough	313	147	86	44	18	10	305	7	1	-	-	-	-	-	-	-	-	-
Typhus	590	13	18	21	18	12	82	69	58	87	64	79	47	39	28	29	6	2
Cholera, Diarrh., Dysent^{y}	547	108	89	15	12	4	318	8	4	2	8	16	24	16	42	54	43	12
Other Zymotic Dis.	427	99	53	50	40	34	276	31	7	8	7	14	16	12	20	22	12	2
Cancer	163	1	-	-	1	-	2	-	-	2	1	13	25	42	28	37	11	2
Scrofula, Tabes Mesent.	199	39	37	15	11	4	106	17	5	13	15	14	10	5	8	6	-	-
Phthisis	2093	30	28	13	14	12	97	39	100	320	327	495	326	181	127	75	6	-
Hydrocephalus	317	105	74	37	22	20	238	45	11	1	-	-	1	-	-	1	-	-
Diseases of Brain	1809	943	93	52	30	28	1146	69	27	28	23	52	45	72	124	156	59	5
Heart Dis. and Dropsy	586	11	2	7	3	5	28	11	15	24	23	56	65	84	112	116	52	-
Dis. of Lungs	1535	404	203	79	34	34	754	42	17	16	22	57	60	78	156	235	90	8
Dis. of Stom. and Liver	680	34	11	6	5	2	59	17	26	28	28	72	68	91	133	126	30	2
Dis. of Kidneys	87	-	2	3	-	-	5	4	5	1	2	10	13	16	14	16	1	-
Dis. of Gener. Organs	40	-	-	1	-	-	1	-	-	1	2	7	9	10	6	3	1	-
Diseases of the Joints	67	5	-	2	2	-	9	5	6	5	4	10	6	10	6	4	2	-
Diseases of the Skin	34	13	-	-	-	1	14	3	-	1	1	3	1	1	3	4	3	-
Childbirth and Metria	236	-	-	-	-	-	-	-	-	11	57	97	69	2	-	-	-	-
Violent Deaths	277	23	20	24	12	14	93	53	18	27	4	19	19	17	20	7	15	5
Other Causes	2436	1076	188	33	13	8	1318	29	25	22	19	22	25	40	77	288	438	133
498.—HALIFAX.																		
Mean Popul^{n}, 1851-61	63626	-	-	-	-	-	8166	7389	6932	6675	6299	9974	7398	5087	3359	1758	535	53
TOTAL DEATHS	14666	3252	1363	586	445	304	5950	689	474	715	649	1050	927	814	1058	1278	886	176
Small-pox	103	42	14	7	10	1	74	15	4	2	3	2	2	1	-	-	-	-
Measles	278	53	118	54	18	13	256	20	2	-	-	-	-	-	-	-	-	-
Scarlatina	777	40	114	118	135	107	514	202	51	7	1	2	-	-	-	-	-	-
Diphtheria	14	1	2	3	3	-	9	4	-	-	-	1	-	-	-	-	-	-
Whooping-cough	302	137	88	48	14	6	293	8	1	-	-	-	-	-	-	-	-	-
Typhus	470	9	12	11	12	8	52	66	39	80	46	65	34	42	27	14	5	-
Cholera, Diarrh., Dysent^{y}	482	120	66	19	13	6	224	15	8	5	11	27	27	30	45	57	31	2
Other Zymotic Dis.	501	108	67	40	48	35	298	30	11	14	16	21	21	16	26	33	15	-
Cancer	209	1	-	-	2	-	3	1	-	3	2	11	26	54	52	47	9	1
Scrofula, Tabes Mesent.	202	40	37	19	4	4	104	18	20	8	16	14	8	7	4	3	-	-
Phthisis	2172	24	22	7	11	7	71	43	170	428	353	491	314	161	94	42	4	1
Hydrocephalus	348	78	80	40	29	22	249	72	19	4	-	2	1	1	-	-	-	-
Diseases of Brain	2440	1360	191	59	37	26	1673	62	35	34	30	60	66	90	135	163	85	7
Heart Dis. and Dropsy	710	3	4	1	6	1	15	21	30	22	24	62	95	100	150	152	55	4
Dis. of Lungs	1788	328	238	77	52	30	725	38	24	32	29	73	94	120	233	274	131	15
Dis. of Stom. and Liver	832	69	22	16	12	7	123	18	23	31	39	81	91	106	154	136	28	2
Dis. of Kidneys	63	-	1	1	1	-	3	-	3	4	6	5	8	8	9	11	5	1
Dis. of Gener. Organs	76	-	1	-	-	-	1	-	-	3	3	8	23	14	15	8	1	-
Diseases of the Joints	42	2	2	1	-	2	7	4	3	6	2	4	2	6	5	1	2	-
Diseases of the Skin	27	7	4	1	1	1	14	1	1	-	-	1	-	4	2	4	-	-
Childbirth and Metria	205	-	-	-	-	-	-	-	-	9	35	87	70	4	-	-	-	-
Violent Deaths	200	7	16	21	19	14	77	24	15	8	6	6	13	11	16	14	7	3
Other Causes	2425	826	264	43	18	14	1165	27	15	15	27	27	32	39	91	339	508	140
499.—BRADFORD.																		
Mean Popul^{n}, 1851-61	98012	-	-	-	-	-	12600	11100	10350	10687	10591	16304	11369	7442	4647	2187	671	64
TOTAL DEATHS	24083	6482	2536	1070	725	476	11289	1163	637	1159	1131	1836	1519	1180	1382	1569	1003	215
Small-pox	152	46	35	11	15	5	112	16	9	5	3	5	2	-	-	-	-	-
Measles	642	121	265	116	59	37	589	46	2	2	2	1	-	-	-	-	-	-
Scarlatina	1305	107	174	208	204	164	857	362	57	17	3	4	5	-	-	-	-	-
Diphtheria	88	3	3	4	10	1	21	9	3	1	2	1	1	-	-	-	-	-
Whooping-cough	630	275	205	65	43	23	611	17	2	-	-	-	-	-	-	-	-	-
Typhus	942	34	41	51	35	34	195	130	113	123	80	102	70	53	34	30	7	-
Cholera, Diarrh., Dysent^{y}	1474	617	258	48	29	22	974	39	15	18	28	59	51	50	75	103	55	7
Other Zymotic Dis.	779	238	85	85	56	25	489	53	14	20	21	27	34	28	33	37	21	2
Cancer	282	1	-	-	-	1	2	-	1	1	5	19	63	76	69	38	7	1
Scrofula, Tabes Mesent.	350	98	71	24	10	6	209	25	17	26	10	24	13	10	12	4	-	-
Phthisis	5442	54	59	31	12	8	164	62	176	661	594	877	494	266	131	42	5	-
Hydrocephalus	560	202	123	54	43	23	445	78	25	7	-	3	-	-	-	2	-	-
Diseases of Brain	3748	2202	277	101	61	40	2681	90	59	59	56	99	84	119	166	213	111	11
Heart Dis. and Dropsy	1204	12	10	8	7	4	41	37	53	48	70	142	175	189	225	190	51	3
Dis. of Lungs	3013	744	475	162	89	41	1511	95	52	49	66	115	156	185	298	359	173	14
Dis. of Stom. and Liver	1052	107	30	7	7	8	159	23	24	50	58	119	133	141	168	143	28	6
Dis. of Kidneys	77	-	-	1	2	-	3	2	3	4	9	14	12	11	5	11	3	-
Dis. of Gener. Organs	102	2	3	-	-	-	5	-	-	4	8	15	29	14	14	12	1	-
Diseases of the Joints	75	2	2	3	1	2	10	9	7	12	5	8	10	2	6	4	2	-
Diseases of the Skin	38	15	2	3	-	-	20	4	1	-	3	1	2	1	3	2	1	-
Childbirth and Metria	359	-	-	-	-	-	-	-	-	19	78	141	110	2	-	-	-	-
Violent Deaths	306	30	22	29	23	21	125	37	23	9	8	16	19	21	15	16	11	6
Other Causes	3513	1572	396	59	28	11	2066	29	21	19	22	44	47	42	128	363	537	165

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

500.—HUNSLET.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	48849	-	-	-	-	-	6909	6025	5261	4898	4733	7637	5675	3912	2368	1093	312	26
TOTAL DEATHS	12166	3891	1308	556	318	251	6324	541	283	384	395	624	621	722	816	829	537	90
Small-pox	73	18	13	8	11	4	54	7	1	1	3	6	1	-	-	-	-	-
Measles	344	63	144	78	28	18	331	13	-	-	-	-	-	-	-	-	-	-
Scarlatina	524	43	80	107	61	69	360	139	16	7	-	1	-	-	-	1	-	-
Diphtheria	51	9	16	5	4	3	37	10	2	-	-	-	-	-	1	1	-	-
Whooping-cough	217	104	69	31	7	1	212	4	-	1	-	-	-	-	-	-	-	-
Typhus	428	16	18	23	16	22	95	57	36	35	45	54	32	23	22	10	6	1
Cholera, Diarrh., Dysent^{y}	802	442	164	25	12	5	648	14	6	5	4	8	10	24	25	34	24	-
Other Zymotic Dis.	368	115	36	20	23	15	209	24	7	11	8	15	25	23	19	20	6	1
Cancer	72	-	1	-	-	1	2	1	1	1	2	1	11	12	22	11	8	-
Scrofula, Tabes Mesent.	187	61	31	13	7	5	117	12	13	11	10	10	4	4	5	1	-	-
Phthisis	1314	28	36	17	14	2	97	32	57	169	201	272	195	165	94	21	11	-
Hydrocephalus	425	182	121	31	18	20	372	38	12	-	2	-	1	-	-	-	-	-
Diseases of Brain	1956	1119	130	52	37	27	1365	50	34	23	23	42	45	75	103	139	55	5
Heart Dis. and Dropsy	467	8	9	8	4	2	31	15	18	17	13	40	50	81	87	91	20	4
Dis. of Lungs	1847	599	261	87	39	24	1010	34	14	24	17	49	96	145	204	176	68	10
Dis. of Stom. and Liver	557	66	19	11	5	6	107	15	19	24	22	37	63	80	100	64	24	2
Dis. of Kidneys	107	-	-	2	2	1	5	1	-	1	3	8	13	12	22	25	16	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	40	-	-	2	2	-	4	7	8	5	2	5	1	3	4	1	-	-
Diseases of the Skin	22	4	2	2	1	1	10	-	2	1	-	1	1	1	1	4	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	456	27	16	14	12	17	86	49	20	36	31	56	55	45	32	28	7	1
Other Causes	1908	987	142	20	15	8	1172	19	7	12	9	19	18	26	69	242	290	65

501.—LEEDS.

Mean Popul^{n}, 1851-61	52707	-	-	-	-	-	7037	6079	5421	5203	5426	8632	6454	4583	2539	1066	248	19
TOTAL DEATHS	15514	4529	1660	712	457	307	7665	611	336	423	511	963	1088	1127	1198	990	529	73
Small-pox	125	43	27	11	10	9	100	13	1	4	3	-	4	-	-	-	-	-
Measles	370	76	148	78	39	11	352	17	-	1	-	-	-	-	-	-	-	-
Scarlatina	520	45	79	80	103	65	372	125	16	5	1	-	-	-	1	-	-	-
Diphtheria	26	4	7	4	7	2	24	1	-	-	-	1	-	-	-	-	-	-
Whooping-cough	340	142	101	49	21	13	326	14	-	-	-	-	-	-	-	-	-	-
Typhus	590	5	14	19	21	22	81	63	49	52	64	90	68	45	33	32	13	-
Cholera, Diarrh., Dysent^{y}	1255	724	192	34	20	12	982	21	10	7	6	14	22	35	43	71	38	6
Other Zymotic Dis.	457	139	46	36	26	9	256	26	9	6	7	25	34	29	29	20	7	-
Cancer	101	1	-	-	-	-	1	1	-	-	3	3	17	27	23	19	2	-
Scrofula, Tabes Mesent.	313	80	71	20	17	13	201	25	30	19	7	14	4	3	4	-	1	-
Phthisis	1529	18	22	12	11	9	72	37	57	161	234	348	328	184	90	15	3	-
Hydrocephalus	508	190	162	60	22	24	458	37	11	-	1	-	1	-	-	-	-	-
Diseases of Brain	2432	1261	211	84	34	33	1623	56	31	24	24	53	83	109	136	139	70	4
Heart Dis. and Dropsy	638	51	12	7	8	7	65	22	18	30	20	58	94	108	140	65	17	3
Dis. of Lungs	2985	659	387	144	70	33	1273	52	15	35	39	130	205	300	372	357	172	15
Dis. of Stom. and Liver	584	65	8	7	3	2	85	19	16	13	19	55	78	109	103	78	28	1
Dis. of Kidneys	186	-	2	-	-	3	5	3	1	4	14	21	30	35	22	36	15	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-
Diseases of the Joints	84	-	2	1	2	2	7	7	16	7	10	14	7	9	4	2	1	-
Diseases of the Skin	47	13	2	-	1	-	16	1	-	2	1	4	5	10	2	4	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	678	35	13	19	24	28	119	50	46	41	53	102	87	87	57	29	7	-
Other Causes	1742	1018	154	47	18	10	1247	21	10	12	5	11	21	29	73	116	153	44

502.—DEWSBURY.

Mean Popul^{n}, 1851-61	40579	-	-	-	-	-	5907	5036	4606	4280	3884	5979	4430	3126	1979	936	292	24
TOTAL DEATHS	10438	3402	1162	479	305	206	5554	515	248	376	338	502	463	529	640	738	467	73
Small-pox	201	54	41	25	24	15	159	22	5	4	4	4	2	1	-	-	-	-
Measles	278	58	115	56	26	11	266	12	-	-	-	-	-	-	-	-	-	-
Scarlatina	555	36	85	91	77	65	354	170	23	6	-	-	-	1	1	-	-	-
Diphtheria	38	2	8	3	5	8	26	8	2	2	-	-	-	-	-	-	-	-
Whooping-cough	175	94	46	19	7	5	171	4	-	-	-	-	-	-	-	-	-	-
Typhus	311	3	5	9	9	6	32	29	29	46	41	43	31	14	22	17	7	-
Cholera, Diarrh., Dysent^{y}	453	190	94	11	8	4	307	7	7	2	7	17	5	10	31	32	24	4
Other Zymotic Dis.	408	125	47	36	33	19	260	35	10	9	8	12	14	24	21	10	5	-
Cancer	53	-	1	-	-	1	2	1	-	1	1	4	7	9	14	10	3	1
Scrofula, Tabes Mesent.	229	63	52	20	10	6	151	14	11	13	11	8	6	5	4	1	-	-
Phthisis	985	10	10	5	3	6	34	31	46	176	167	198	151	93	66	17	3	-
Hydrocephalus	415	161	122	35	25	14	357	41	11	2	1	-	-	1	2	-	-	-
Diseases of Brain	1802	1173	83	50	22	12	1340	45	26	26	20	23	20	56	84	111	48	3
Heart Dis. and Dropsy	417	20	5	7	1	1	34	13	14	14	9	31	45	60	85	79	30	3
Dis. of Lungs	1388	379	199	66	35	14	693	37	11	17	16	44	62	110	149	181	62	6
Dis. of Stom. and Liver	372	46	14	2	1	2	65	10	7	6	18	35	47	55	64	60	10	-
Dis. of Kidneys	106	2	-	-	-	-	2	1	1	5	1	10	10	7	18	36	14	1
Dis. of Gener. Organs	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-
Diseases of the Joints	44	1	2	-	-	1	4	4	5	7	2	5	5	5	3	4	-	-
Diseases of the Skin	15	3	2	-	-	-	5	-	1	1	1	-	3	1	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	335	10	18	11	12	10	61	22	22	27	27	48	37	42	24	15	9	1
Other Causes	1855	971	213	33	7	6	1230	9	12	7	8	20	18	32	52	162	251	54

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

500.—HUNSLET.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
Mean Popul^{n}, 1851-61	50470	-	-	-	-	-	6946	5967	5189	4921	4930	8120	5843	4123	2617	1371	400	43
TOTAL DEATHS	11700	3037	1284	579	361	264	5525	564	274	386	418	823	675	628	751	879	611	186
Small-pox	74	20	10	11	10	7	58	6	4	3	-	2	1	-	-	-	-	-
Measles	329	64	145	50	23	28	310	16	3	-	-	-	-	-	-	-	-	-
Scarlatina	548	34	77	97	82	80	370	150	17	4	4	2	1	-	-	-	-	-
Diphtheria	51	8	3	9	6	6	29	13	7	-	-	-	-	-	1	-	-	1
Whooping-cough	319	136	83	51	29	14	313	6	-	-	-	-	-	-	-	-	-	-
Typhus	468	15	16	20	21	18	90	70	51	49	45	46	37	18	31	25	6	-
Cholera, Diarrh., Dysent^{y}	755	349	159	31	10	5	554	12	9	9	6	15	13	25	35	44	24	8
Other Zymotic Dis.	337	119	38	20	28	12	226	18	7	3	4	15	15	13	14	17	4	1
Cancer	179	-	-	2	-	-	2	-	1	1	1	14	41	41	36	31	10	1
Scrofula, Tabes Mesent.	132	40	43	4	2	3	92	6	6	9	4	5	2	3	5	-	-	-
Phthisis	1492	41	37	22	11	9	120	59	60	208	209	674	230	139	70	27	13	3
Hydrocephalus	361	116	105	53	24	16	314	33	11	1	-	1	-	-	-	-	1	-
Diseases of Brain	1603	819	134	55	26	16	1050	54	20	22	26	40	33	65	111	114	61	4
Heart Dis. and Dropsy	620	8	10	3	4	3	28	19	19	19	15	58	79	111	129	100	40	3
Dis. of Lungs	1475	405	253	99	55	24	836	49	15	19	25	55	54	85	121	148	63	5
Dis. of Stom. and Liver	574	51	28	7	6	6	98	23	23	15	27	61	69	69	92	79	17	1
Dis. of Kidneys	45	-	3	-	-	-	3	3	-	1	2	7	7	10	6	5	1	-
Dis of Gener. Organs	43	-	1	1	-	-	2	-	-	-	2	12	7	14	1	2	2	1
Diseases of the Joints	40	2	3	-	-	-	5	6	6	3	3	6	2	3	4	2	-	-
Diseases of the Skin	19	10	2	1	-	-	15	1	-	-	-	1	-	-	1	1	-	-
Childbirth and Metria	180	-	-	-	-	-	-	-	-	5	34	86	52	3	-	-	-	-
Violent Deaths	163	30	12	12	7	11	72	22	5	9	6	12	6	5	9	10	9	3
Other Causes	1888	775	117	27	13	6	938	18	10	6	5	11	23	24	84	274	390	105

501.—LEEDS.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
Mean Popul^{n}, 1851-61	56747	-	-	-	-	-	7131	6116	5509	5564	5067	9403	6975	4974	2988	1392	424	49
TOTAL DEATHS	14831	3764	1613	756	472	353	6938	590	303	416	532	1095	967	973	1112	1080	672	153
Small-pox	115	36	26	15	9	6	92	12	3	-	4	3	1	-	-	-	-	-
Measles	371	56	134	86	38	30	344	20	5	1	1	-	-	-	-	-	-	-
Scarlatina	545	26	78	100	101	64	369	132	27	10	2	3	-	2	-	-	-	-
Diphtheria	27	5	5	5	3	-	18	6	2	1	-	-	-	-	-	-	-	-
Whooping-cough	438	140	151	75	42	19	427	11	-	-	-	-	-	-	-	-	-	-
Typhus	599	6	9	18	23	29	85	75	63	60	62	84	53	41	29	30	12	2
Cholera, Diarrh., Dysent^{y}	1218	530	233	39	14	11	877	20	4	9	7	36	26	42	61	81	50	5
Other Zymotic Dis.	410	125	46	27	25	11	234	26	6	7	14	17	20	21	19	35	9	2
Cancer	254	-	-	-	-	-	-	-	-	1	3	14	42	79	70	31	13	1
Scrofula, Tabes Mesent.	318	93	77	37	14	11	232	22	16	13	7	5	6	8	7	-	2	-
Phthisis	1472	21	16	14	5	7	63	37	71	183	217	420	270	183	65	11	2	-
Hydrocephalus	408	146	119	41	39	27	372	29	2	5	-	-	-	-	-	-	-	-
Diseases of Brain	2075	1025	153	71	39	31	1319	61	32	20	29	70	78	88	126	158	77	17
Heart Dis. and Dropsy	795	33	13	11	7	5	69	14	13	21	36	84	106	148	165	152	86	1
Dis. of Lungs	2725	548	359	152	85	45	1189	57	21	24	43	103	160	227	319	358	182	37
Dis. of Stom. and Liver	667	35	12	4	4	5	60	14	13	21	35	96	84	113	128	74	27	2
Dis. of Kidneys	82	1	3	1	3	-	8	3	2	4	6	13	11	13	12	9	1	-
Dis. of Gener. Organs	53	-	-	-	-	-	-	-	-	-	4	12	16	6	11	4	-	-
Diseases of the Joints	37	2	-	1	-	1	4	3	3	3	6	3	1	4	8	2	-	-
Diseases of the Skin	16	1	-	3	-	-	4	-	-	1	-	1	-	2	3	4	1	-
Childbirth and Metria	195	-	-	-	-	-	-	-	-	11	38	97	47	2	-	-	-	-
Violent Deaths	280	43	21	20	10	20	114	39	12	10	9	8	14	20	19	20	12	3
Other Causes	1731	842	158	36	11	11	1058	9	5	11	9	21	32	24	70	161	248	83

502.—DEWSBURY.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
Mean Popul^{n}, 1851-61	41747	-	-	-	-	-	6120	5136	4636	4310	4168	6370	4496	3110	2016	1029	331	39
TOTAL DEATHS	9915	2576	1092	439	330	215	1682	553	272	302	393	629	545	496	697	719	593	114
Small-pox	150	32	28	17	21	10	108	23	4	5	4	5	-	-	1	-	-	-
Measles	261	42	109	46	31	16	244	17	-	-	-	-	-	-	-	-	-	-
Scarlatina	590	86	77	91	87	72	303	183	35	6	2	1	-	-	-	-	-	-
Diphtheria	43	6	7	3	3	5	24	13	3	2	-	-	1	-	-	-	-	-
Whooping-cough	215	95	71	28	12	3	209	6	-	-	-	-	-	-	-	-	-	-
Typhus	310	8	9	11	14	2	44	29	33	46	35	37	22	24	21	17	2	-
Cholera, Diarrh., Dysent^{y}	460	140	79	12	4	2	237	10	3	4	10	13	19	23	22	30	28	1
Other Zymotic Dis.	376	104	42	32	34	18	230	34	10	8	7	21	11	15	15	17	9	1
Cancer	186	-	-	-	-	-	-	-	1	-	-	11	24	30	43	17	10	-
Scrofula, Tabes Mesent.	108	47	50	23	8	5	133	15	16	6	10	6	2	4	5	2	1	-
Phthisis	1223	12	16	6	9	7	50	24	80	202	268	257	194	85	54	12	-	-
Hydrocephalus	307	77	101	34	32	23	267	32	7	1	-	-	-	-	-	-	-	-
Diseases of Brain	1412	826	89	42	18	14	989	39	18	17	16	25	42	55	77	73	61	5
Heart Dis. and Dropsy	501	34	19	5	5	1	65	13	17	12	13	30	41	61	85	101	63	2
Dis. of Lungs	1118	264	182	69	24	24	573	37	12	11	15	30	45	62	110	143	81	11
Dis. of Stom. and Liver	405	32	13	9	2	1	54	12	7	9	13	40	43	76	61	57	24	4
Dis. of Kidneys	49	-	2	1	1	-	4	1	1	1	2	7	5	10	7	4	6	1
Dis. of Gener. Organs	28	-	-	-	-	-	-	-	-	-	-	6	3	9	3	2	-	1
Diseases of the Joints	32	-	-	-	-	-	-	4	3	2	3	6	3	4	5	2	-	-
Diseases of the Skin	23	6	3	-	1	-	10	-	2	-	2	1	1	1	4	1	1	-
Childbirth and Metria	129	-	-	-	-	-	-	-	-	2	36	53	37	1	-	-	-	-
Violent Deaths	124	11	17	10	3	6	47	22	9	8	2	5	5	5	6	5	9	1
Other Causes	1362	804	157	35	13	6	1015	19	11	10	10	26	24	30	51	214	55	88

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

503.—WAKEFIELD.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards
Mean Popul^{n}, 1851-61	25503	-	-	-	-	-	3501	3056	2757	2637	2366	3749	2932	2143	1346	749	242	25
TOTAL DEATHS	6369	1592	421	233	162	97	2505	283	159	233	241	436	489	486	488	551	416	82
Small-pox	63	10	11	8	2	2	33	10	1	3	6	5	3	1	1	–	–	–
Measles	102	23	34	19	10	6	92	9	–	1	–	–	–	–	–	–	–	–
Scarlatina	314	28	41	43	56	38	206	82	15	8	–	2	1	–	–	–	–	–
Diphtheria	22	–	4	4	3	2	13	5	1	–	–	2	1	–	–	–	–	–
Whooping-cough	90	45	24	14	3	1	87	3	–	–	–	–	–	–	–	–	–	–
Typhus	164	7	6	7	11	1	32	21	12	19	11	22	12	10	8	12	4	–
Cholera, Diarrh., Dysent^{y}	322	128	36	14	4	2	184	7	3	6	3	8	17	17	22	28	23	–
Other Zymotic Dis.	208	50	23	12	12	2	99	10	7	4	4	10	14	20	16	13	9	–
Cancer	42	–	–	–	–	–	–	–	–	1	–	3	4	4	13	14	3	–
Scrofula, Tabes Mesent.	133	33	8	10	5	2	58	9	8	10	14	11	10	4	5	3	1	–
Phthisis	614	12	7	5	1	2	27	15	21	82	96	141	111	78	33	10	–	–
Hydrocephalus	133	53	38	9	8	5	113	20	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	1249	537	39	23	15	5	619	22	20	26	29	68	128	113	89	89	41	3
Heart Dis. and Dropsy	301	8	3	1	2	3	17	7	5	8	12	25	23	45	70	53	35	1
Dis. of Lungs	869	228	78	42	11	11	370	16	10	5	14	41	48	81	81	136	60	7
Dis. of Stom. and Liver	290	42	3	3	2	4	54	8	8	8	6	24	35	46	52	37	11	–
Dis. of Kidneys	93	–	1	–	–	–	1	1	4	2	8	7	11	8	8	19	21	3
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Diseases of the Joints	36	–	1	2	–	–	3	3	4	6	4	5	2	5	2	1	1	–
Diseases of the Skin	22	7	5	1	–	–	13	–	2	–	–	–	1	–	1	3	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	343	10	10	8	12	4	44	27	34	32	23	46	48	35	34	13	6	–
Other Causes	957	371	49	8	5	7	440	8	4	12	11	16	18	19	53	120	200	5

504 (*a*).—PONTEFRACT.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards
Mean Popul^{n}, 1851-61	16243	-	-	-	-	-	2307	2097	1857	1600	1352	2165	1768	1388	961	530	194	24
TOTAL DEATHS	3695	1015	283	152	84	85	1619	186	86	110	122	180	160	234	282	337	303	70
Small-pox	36	10	4	6	4	3	27	2	1	–	2	3	1	–	–	–	–	
Measles	58	12	25	9	5	2	53	4	1	–	–	–	–	–	–	–	–	
Scarlatina	157	11	26	26	19	18	100	46	8	2	–	1	–	–	–	–	–	
Diphtheria	27	1	6	5	2	1	15	6	1	2	1	1	1	–	–	–	–	
Whooping-cough	62	34	12	9	4	3	62	–	–	–	–	–	–	–	–	–	–	
Typhus	138	2	6	6	4	12	30	20	14	12	17	13	5	12	5	7	3	
Cholera, Diarrh., Dysent^{y}	176	47	19	6	4	5	81	7	6	5	1	6	8	13	11	18	17	
Other Zymotic Dis.	125	30	9	8	7	7	61	10	1	2	1	7	6	11	13	9	3	
Cancer	46	–	–	–	–	–	–	2	1	–	–	1	–	8	16	10	8	
Scrofula, Tabes Mesent.	67	21	11	6	3	2	43	10	2	4	–	3	2	2	–	1	–	
Phthisis	296	2	1	1	3	1	8	11	5	40	52	69	41	36	27	7	–	
Hydrocephalus	77	27	24	12	2	5	70	4	3	–	–	–	–	–	–	–	–	
Diseases of Brain	643	360	39	9	7	6	421	12	11	10	6	9	17	25	38	50	38	
Heart Dis. and Dropsy	192	1	–	2	2	2	7	5	4	3	6	9	14	29	35	46	32	
Dis. of Lungs	339	81	21	17	6	8	133	13	4	3	4	14	16	27	45	50	28	
Dis. of Stom. and Liver	166	14	3	5	2	–	24	7	1	5	6	10	14	24	35	37	3	
Dis. of Kidneys	51	–	–	2	–	–	2	–	2	3	2	5	3	9	8	12	5	
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	
Diseases of the Joints	9	1	–	–	–	–	1	2	2	–	1	1	–	1	1	–	–	
Diseases of the Skin	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Violent Deaths	213	9	5	8	6	7	35	17	15	17	19	27	24	26	18	11	4	
Other Causes	812	352	72	15	4	3	446	8	4	2	3	1	8	10	29	78	161	6

504 (*b*).—HEMSWORTH.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards
Mean Popul^{n}, 1851-61	3976	-	-	-	-	-	504	455	598	380	306	485	399	340	277	168	56	8
TOTAL DEATHS	640	134	32	16	7	8	197	16	16	28	27	34	32	37	54	90	93	11
Small-pox	6	2	2	–	1	–	5	–	–	–	1	–	–	–	–	–	–	
Measles	6	4	–	–	1	1	6	–	–	–	–	–	–	–	–	–	–	
Scarlatina	13	–	1	3	3	–	7	5	1	–	–	–	–	–	–	–	–	
Diphtheria	2	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	
Whooping-cough	9	5	2	1	1	–	9	–	–	–	–	–	–	–	–	–	–	
Typhus	16	1	–	–	1	–	2	–	–	3	4	1	2	–	2	1	–	
Cholera, Diarrh., Dysent^{y}	15	2	1	–	–	–	3	–	–	1	1	–	–	–	3	4	3	
Other Zymotic Dis.	42	9	3	3	–	1	16	2	3	2	–	1	1	1	3	8	4	
Cancer	8	–	–	–	–	–	–	–	–	1	–	–	–	3	1	1	2	
Scrofula, Tabes Mesent.	17	6	3	2	–	1	12	–	3	–	–	–	2	–	–	–	–	
Phthisis	74	–	1	–	–	–	1	1	1	12	14	18	10	9	4	3	1	
Hydrocephalus	9	2	4	1	–	1	8	1	–	–	–	–	–	–	–	–	–	
Diseases of Brain	92	42	2	1	–	1	46	2	2	1	1	5	–	3	3	18	10	
Heart Dis. and Dropsy	47	1	–	–	–	–	1	–	–	2	2	4	3	6	8	16	5	
Dis. of Lungs	85	24	5	2	–	3	34	–	–	2	2	2	6	2	10	15	11	
Dis. of Stom. and Liver	36	2	–	1	–	–	3	1	1	–	–	1	1	8	11	6	4	
Dis. of Kidneys	9	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	3	
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Diseases of the Joints	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
Diseases of the Skin	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Violent Deaths	27	–	1	1	–	–	2	3	2	2	2	1	6	2	4	1	1	
Other Causes	125	33	7	–	–	–	40	1	1	1	–	1	1	2	3	15	49	11

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

503.—WAKEFIELD.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	25486	-	-	-	-	-	3450	3077	2725	2403	2386	3654	2824	2201	1503	875	349	33
TOTAL DEATHS	6103	1224	473	224	150	104	2175	265	150	207	240	518	446	441	452	590	481	138
Small-pox	46	11	7	8	2	2	30	5	1	2	3	4	-	-	-	1	-	-
Measles	99	17	25	23	13	9	87	10	1	-	-	1	-	-	-	-	-	-
Scarlatina	277	16	43	42	44	30	175	85	12	1	1	2	-	1	-	-	-	-
Diphtheria	31	3	4	4	6	1	18	8	1	2	1	1	-	-	-	-	-	-
Whooping-cough	104	38	33	16	6	7	98	5	1	-	-	-	-	-	-	-	-	-
Typhus	166	8	5	8	5	7	33	28	22	21	13	17	6	8	11	7	2	-
Cholera, Diarrh., Dysent^{y}	330	106	42	7	2	1	158	7	3	2	6	9	16	29	30	35	28	7
Other Zymotic Dis.	211	49	31	11	13	6	110	12	10	-	6	10	8	15	6	16	15	3
Cancer	111	-	-	-	-	-	-	1	-	-	-	10	16	42	20	18	4	-
Scrofula, Tabes Mesent.	127	38	23	10	5	5	81	7	3	4	6	9	8	4	2	2	1	-
Phthisis	791	9	9	4	2	2	26	16	42	107	113	220	131	78	46	9	3	-
Hydrocephalus	79	30	23	8	3	2	66	8	5	-	-	-	-	-	-	-	-	-
Diseases of Brain	972	362	39	15	19	8	443	18	14	14	27	61	74	85	76	108	48	4
Heart Dis. and Dropsy	300	7	2	1	1	-	11	10	5	15	10	28	23	36	69	67	24	2
Dis. of Lungs	717	161	102	35	17	15	330	15	10	8	11	26	46	48	61	101	50	11
Dis. of Stom. and Liver	309	29	10	7	4	2	52	7	9	10	7	23	32	32	56	51	29	1
Dis. of Kidneys	34	-	1	1	-	-	2	1	-	3	3	6	3	4	6	3	3	-
Dis. of Gener. Organs	24	-	-	-	-	-	-	-	-	-	-	2	11	5	3	3	-	-
Diseases of the Joints	29	-	1	1	-	-	2	2	3	-	1	7	6	2	3	2	1	-
Diseases of the Skin	21	9	-	3	1	1	14	-	-	-	-	1	1	-	-	3	2	-
Childbirth and Metria	94	-	-	-	-	-	-	-	-	3	20	41	30	-	-	-	-	-
Violent Deaths	129	6	9	13	4	6	38	13	7	8	4	9	8	8	5	7	17	5
Other Causes	1102	325	64	7	3	2	401	9	1	7	8	31	27	44	58	157	254	105

504 (*a*).—PONTEFRACT.

Mean Popul^{n}, 1851-61	16122	-	-	-	-	-	2319	2100	1793	1453	1347	2202	1740	1354	974	580	222	28
TOTAL DEATHS	3493	815	273	129	103	62	1382	177	75	125	149	212	215	178	227	319	331	103
Small-pox	44	14	11	2	3	-	30	7	-	3	2	1	1	-	-	-	-	-
Measles	74	14	23	15	7	8	67	6	-	-	-	-	-	-	1	-	-	-
Scarlatina	160	10	22	28	22	17	99	47	7	1	3	1	1	1	-	-	-	-
Diphtheria	32	4	5	4	2	2	17	10	2	2	-	1	-	-	-	-	-	-
Whooping-cough	56	32	13	6	3	1	55	1	-	-	-	-	-	-	-	-	-	-
Typhus	161	3	9	8	8	7	35	29	19	20	13	14	6	6	5	9	4	1
Cholera, Diarrh., Dysent^{y}	146	42	10	3	4	4	63	5	1	4	6	8	9	7	10	20	11	2
Other Zymotic Dis.	109	29	15	9	11	1	65	4	4	3	2	2	9	3	2	10	5	-
Cancer	63	-	-	-	-	-	-	1	-	-	1	2	11	12	20	14	2	-
Scrofula, Tabes Mesent.	43	13	9	2	3	1	28	7	1	2	-	4	-	1	-	-	-	-
Phthisis	361	5	3	1	1	1	11	14	15	49	72	81	65	35	14	4	1	-
Hydrocephalus	49	17	12	3	7	1	40	6	1	1	-	-	-	-	-	1	-	-
Diseases of Brain	529	280	30	11	9	2	332	10	5	5	8	10	20	25	29	47	29	9
Heart Dis. and Dropsy	204	2	3	2	1	2	10	1	4	4	5	14	15	27	44	48	28	4
Dis. of Lungs	337	60	41	25	11	7	144	7	2	13	7	23	14	15	29	46	33	4
Dis. of Stom. and Liver	185	12	3	1	4	3	23	6	2	8	5	13	23	29	38	29	8	1
Dis. of Kidneys	18	-	-	-	-	-	-	-	1	2	1	5	2	3	3	1	-	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	2	4	5	1	-	2	-	-
Diseases of the Joints	12	-	-	-	-	-	-	1	3	1	1	1	2	-	2	1	-	-
Diseases of the Skin	4	1	1	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Childbirth and Metria	57	-	-	-	-	-	-	-	-	3	14	19	21	-	-	-	-	-
Violent Deaths	61	-	4	4	4	4	16	13	3	1	1	2	5	4	2	6	7	1
Other Causes	774	277	59	5	3	1	345	2	5	3	6	7	6	7	28	81	203	81

504 (*b*).—HEMSWORTH.

Mean Popul^{n}, 1851-61	3999	-	-	-	-	-	499	472	514	373	318	539	405	340	277	180	73	9
TOTAL DEATHS	652	119	21	9	10	10	169	25	23	26	23	41	35	37	55	109	87	31
Small-pox	3	1	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Measles	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	22	1	3	3	1	3	11	4	6	-	-	1	-	-	-	-	-	-
Diphtheria	10	-	1	1	1	2	5	3	1	-	1	-	-	-	-	-	-	-
Whooping-cough	7	3	1	-	1	-	5	2	-	-	-	-	-	-	-	-	-	-
Typhus	17	-	-	-	1	-	1	3	2	1	2	2	3	-	2	-	1	-
Cholera, Diarrh., Dysent^{y}	11	4	1	-	-	-	5	1	-	-	-	-	1	-	-	2	1	1
Other Zymotic Dis.	24	4	1	1	2	2	10	-	1	1	-	-	2	-	1	5	4	-
Cancer	15	-	-	-	-	-	-	-	-	1	-	-	3	3	3	4	1	-
Scrofula, Tabes Mesent.	15	7	-	1	-	-	8	1	1	2	-	-	1	-	1	1	-	-
Phthisis	90	1	-	-	-	1	2	2	3	13	11	28	10	9	9	3	-	-
Hydrocephalus	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	122	44	4	-	2	1	51	1	3	4	2	1	3	8	9	21	16	4
Heart Dis. and Dropsy	48	3	-	1	-	-	4	-	-	-	1	1	1	7	8	16	10	-
Dis. of Lungs	68	17	4	1	1	-	23	7	2	1	1	2	2	1	4	13	11	1
Dis. of Stom. and Liver	43	3	-	-	-	-	3	-	2	-	4	1	2	5	9	10	6	1
Dis. of Kidneys	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	2	-	3	2	-	-	-	-	-
Childbirth and Metria	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1
Violent Deaths	11	1	1	-	-	-	2	1	2	-	1	-	2	2	3	8	21	35	23
Other Causes	126	27	4	-	1	-	32	-	-	-	-	2	2	3	8	21	35	23

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

505.—BARNSLEY.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
Mean Popul^{n}, 1851-61	20867	-	-	-	-	-	3055	2531	2240	2022	1918	3218	2395	1707	1070	548	149	14
TOTAL DEATHS	5164	1699	455	200	158	117	2629	207	128	180	225	301	289	260	314	326	256	4
Small-pox	48	14	5	5	4	3	31	10	1	2	3	1	-	-	-	-	-	
Measles	152	35	66	21	16	7	145	6	-	-	-	-	-	-	-	1	-	
Scarlatina	262	22	36	42	50	43	193	52	14	2	1	-	-	-	-	-	-	
Diphtheria	24	5	4	-	1	5	15	5	-	-	2	1	-	-	1	-	-	
Whooping-cough	108	56	29	13	5	2	105	3	-	-	-	-	-	-	-	-	-	
Typhus	53	5	1	5	5	4	20	14	14	20	18	20	13	8	11	12	3	
Cholera, Diarrh., Dysent^{y}	207	118	34	8	6	2	168	2	-	2	1	3	7	1	8	9	6	
Other Zymotic Dis.	189	63	19	11	17	9	119	8	5	2	5	4	11	9	8	11	4	
Cancer	34	-	-	-	-	-	-	-	-	-	-	2	3	8	14	6	1	
Scrofula, Tabes Mesent.	79	21	15	7	4	2	49	7	3	4	4	4	2	4	-	2	-	
Phthisis	478	18	10	8	2	3	41	11	16	64	71	97	85	48	32	11	2	
Hydrocephalus	128	50	31	15	10	9	115	9	3	1	-	-	-	-	-	-	-	
Diseases of Brain	870	594	35	9	7	5	650	19	6	10	13	17	14	16	44	54	22	
Heart Dis. and Dropsy	277	4	7	2	2	-	15	11	5	5	4	15	34	33	53	54	42	
Dis. of Lungs	672	236	91	38	16	18	399	20	8	4	5	19	23	56	43	55	41	
Dis. of Stom. and Liver	212	32	2	3	1	-	38	8	4	5	10	13	25	28	44	22	16	
Dis. of Kidneys	43	-	-	-	-	1	1	2	2	-	1	4	3	3	11	11	5	
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Diseases of the Joints	19	1	1	2	1	-	5	2	2	4	1	1	1	-	1	2	-	
Diseases of the Skin	6	5	1	-	-	-	6	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	473	14	10	4	10	2	40	15	47	51	83	93	62	32	25	15	7	
Other Causes	729	405	88	7	1	2	473	3	3	4	3	5	8	14	19	61	107	5

506.—WORTLEY.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
Mean Popul^{n}, 1851-61	18529	-	-	-	-	-	2729	2316	2107	1964	1694	2665	1945	1403	976	544	169	11
TOTAL DEATHS	3852	1156	275	119	102	78	1730	179	108	117	116	186	208	243	285	365	267	44
Small-pox	35	19	3	1	1	2	26	3	-	1	1	2	1	1	-	-	-	
Measles	41	11	11	9	5	-	36	4	1	-	-	-	-	-	-	-	-	
Scarlatina	160	9	23	24	28	23	107	42	7	2	-	-	-	1	1	-	-	
Diphtheria	29	3	2	2	3	2	12	14	-	1	-	1	1	-	-	-	-	
Whooping-cough	52	32	13	2	5	-	52	-	-	-	-	-	-	-	-	-	-	
Typhus	113	3	1	4	4	6	18	18	13	13	9	12	8	8	6	7	1	
Cholera, Diarrh., Dysent^{y}	93	41	11	2	1	2	57	3	2	1	1	1	-	7	7	7	11	
Other Zymotic Dis.	121	36	12	9	13	4	74	6	1	2	3	6	4	7	10	7	1	
Cancer	26	-	-	-	-	-	-	1	-	1	-	1	4	1	9	6	2	
Scrofula, Tabes Mesent.	34	8	8	2	1	2	21	3	2	3	1	1	2	-	1	-	-	
Phthisis	430	7	2	2	-	2	13	6	19	51	56	83	70	73	37	21	1	
Hydrocephalus	92	32	32	10	4	5	83	7	2	-	-	-	-	-	-	-	-	
Diseases of Brain	717	442	33	16	8	8	507	15	13	9	5	15	20	21	34	54	21	
Heart Dis. and Dropsy	142	1	3	-	-	1	5	8	4	6	6	5	20	19	32	26	11	
Dis. of Lungs	552	151	72	19	19	11	272	18	11	7	8	14	22	39	61	67	31	
Dis. of Stom. and Liver	201	20	6	3	1	1	31	7	11	3	5	14	21	27	37	36	9	
Dis. of Kidneys	35	-	-	-	-	-	-	1	-	-	3	2	3	3	6	9	8	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of the Joints	9	-	-	1	-	-	1	1	2	1	1	-	1	1	1	-	-	
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	173	9	4	3	4	6	26	17	16	13	13	25	25	19	11	5	3	
Other Causes	791	331	39	10	5	3	388	5	4	3	4	4	6	16	32	120	168	

507.—ECCLESALL BIERLOW.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
Mean Popul^{n}, 1851-61	24933	-	-	-	-	-	3701	3077	2707	2465	2364	3837	2989	1962	1174	490	151	11
TOTAL DEATHS	5883	1722	581	273	193	122	2891	276	123	192	194	343	330	353	458	418	216	3
Small-pox	79	24	7	3	5	7	46	10	2	3	5	6	5	1	1	-	-	
Measles	90	15	37	13	11	4	80	8	1	-	-	-	-	-	-	-	1	
Scarlatina	308	29	57	49	52	28	215	77	6	1	5	2	1	1	-	-	-	
Diphtheria	44	3	7	4	3	5	22	14	3	1	2	2	-	-	-	-	-	
Whooping-cough	118	48	40	18	5	5	116	2	-	-	-	-	-	-	-	-	-	
Typhus	255	11	20	12	16	16	75	37	26	23	17	26	19	9	9	6	1	
Cholera, Diarrh., Dysent^{y}	348	211	56	13	5	-	285	5	-	1	1	2	4	4	20	16	7	
Other Zymotic Dis.	196	64	18	13	14	6	115	6	5	6	4	8	9	11	13	13	3	
Cancer	26	-	-	-	-	-	-	-	-	-	-	1	2	6	8	5	4	
Scrofula, Tabes Mesent.	97	30	18	4	2	4	58	10	6	8	3	3	2	2	2	3	-	
Phthisis	759	19	25	8	2	1	55	12	26	94	94	161	155	96	48	16	2	
Hydrocephalus	144	50	39	22	8	8	127	16	1	-	-	-	-	-	-	-	-	
Diseases of Brain	921	442	68	29	23	9	571	29	12	7	14	29	28	41	81	84	25	
Heart Dis. and Dropsy	214	3	8	2	2	3	18	10	3	7	7	18	31	44	56	40	10	
Dis. of Lungs	1004	202	115	42	31	13	403	10	6	9	25	42	70	72	117	117	40	
Dis. of Stom. and Liver	256	43	12	4	1	1	61	4	6	11	8	12	23	34	49	38	9	
Dis. of Kidneys	59	1	-	-	-	-	1	5	2	3	3	6	5	6	11	13	4	
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	
Diseases of the Joints	30	-	-	-	3	1	4	3	6	3	1	3	5	4	1	-	-	
Diseases of the Skin	7	3	-	-	-	-	3	-	-	-	-	-	1	-	2	1	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	143	16	4	16	9	10	55	9	6	8	4	16	12	12	17	6	2	
Other Causes	747	418	56	21	1	1	491	9	5	2	1	6	8	10	22	60	107	1

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

505.—BARNSLEY.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards
Mean Popul^n^, 1851-61	19522	–	–	–	–	–	3049	2591	2105	1789	1761	2343	2173	1433	954	602	166	19
TOTAL DEATHS	1519	1321	471	218	145	99	2254	239	91	148	164	296	238	193	286	327	239	65
Small pox	43	22	3	2	5	2	39	3	–	–	–	–	1	–	–	–	–	–
Measles	141	14	49	36	23	5	127	15	1	1	–	–	–	–	–	–	–	–
Scarlatina	260	12	42	48	36	40	178	64	12	5	1	–	–	–	–	1	–	–
Diphtheria	19	1	4	–	3	2	10	6	–	1	–	1	–	–	–	–	–	–
Whooping-cough	146	55	55	18	11	5	144	2	–	–	–	–	–	–	–	–	–	–
Typhus	150	1	3	2	6	2	14	28	15	20	8	16	17	8	5	11	3	1
Cholera, Diarrh., Dysent^y^	225	120	47	9	3	–	179	3	2	–	4	3	5	1	3	13	7	4
Other Zymotic Dis.	154	63	19	14	7	7	110	11	3	3	2	2	5	5	10	6	1	–
Cancer	68	–	–	–	–	–	–	–	1	–	2	4	12	19	16	9	5	–
Scrofula, Tabes Mesent.	71	28	14	2	3	2	49	7	2	1	3	1	2	–	2	1	–	–
Phthisis	548	9	7	5	2	4	27	12	27	68	88	158	92	39	25	12	2	–
Hydrocephalus	132	46	35	13	10	6	110	20	1	–	–	1	–	–	–	–	–	–
Diseases of Brain	644	400	82	12	9	5	508	10	5	8	7	7	12	24	30	42	31	5
Heart Dis. and Dropsy	310	5	3	5	1	2	16	7	6	12	8	25	31	34	61	74	32	2
Dis. of Lungs	549	173	103	33	12	13	335	17	7	5	5	11	17	21	37	44	22	–
Dis. of Stom. and Liver	189	13	5	3	2	1	24	5	1	7	15	23	12	21	61	22	9	–
Dis. of Kidneys	17	–	–	–	1	–	1	–	1	–	2	2	2	2	6	1	–	–
Dis. of Gener. Organs	15	–	–	–	–	–	–	–	–	–	3	2	4	1	4	–	1	–
Diseases of the Joints	18	1	1	–	1	1	4	2	3	2	1	2	2	–	1	–	–	–
Diseases of the Skin	10	6	–	–	–	–	6	2	–	–	–	–	1	–	1	–	–	–
Childbirth and Metria	65	–	–	–	–	–	–	–	–	6	18	27	13	1	–	–	–	–
Violent Deaths	92	13	4	5	6	2	30	14	4	6	1	4	3	6	4	7	12	3
Other Causes	605	339	49	11	3	–	403	6	–	–	1	7	6	8	24	67	107	46

506.—WORTLEY.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards
Mean Popul^n^, 1851-61	16732	–	–	–	–	–	2761	2231	1925	1429	1411	2586	1738	1241	886	494	198	23
TOTAL DEATHS	3527	274	232	147	101	68	1471	157	101	115	143	272	205	184	244	335	231	79
Small pox	32	6	5	5	–	1	19	4	4	1	–	3	1	–	–	–	–	–
Measles	29	7	19	6	4	–	36	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	192	12	25	31	23	24	121	52	15	2	1	1	–	–	–	–	–	–
Diphtheria	37	1	5	4	9	4	23	11	3	–	–	–	–	–	–	–	–	–
Whooping-cough	65	25	23	13	2	1	64	1	–	–	–	–	–	–	–	–	–	–
Typhus	131	7	4	8	7	3	29	17	12	13	14	14	7	6	10	3	–	1
Cholera, Diarrh., Dysent^y^	90	38	15	2	3	–	58	1	1	–	2	4	2	1	7	9	5	–
Other Zymotic Dis.	122	60	10	12	11	5	98	7	2	–	2	4	5	4	5	4	1	–
Cancer	53	1	–	1	–	–	2	–	–	–	1	2	8	10	15	11	3	1
Scrofula, Tabes Mesent.	29	8	1	1	–	2	12	1	7	1	2	3	2	1	–	–	–	–
Phthisis	443	–	4	3	3	3	13	7	19	57	70	132	73	45	17	10	–	–
Hydrocephalus	67	33	18	3	4	2	60	5	2	–	–	–	–	–	–	–	–	–
Diseases of Brain	499	285	29	14	9	5	322	15	9	6	5	10	17	18	22	23	13	4
Heart Dis. and Dropsy	176	1	2	–	–	1	4	4	6	7	9	20	18	20	42	43	8	3
Dis. of Lungs	435	127	61	18	11	5	222	15	6	10	6	11	12	23	39	32	27	4
Dis. of Stom. and Liver	170	12	4	3	1	2	22	4	5	5	8	16	21	14	42	33	5	1
Dis. of Kidneys	16	–	–	1	–	–	1	1	–	1	–	1	4	1	2	2	1	–
Dis. of Gener. Organs	13	–	–	–	–	–	–	–	–	–	1	–	2	3	3	3	2	–
Diseases of the Joints	9	–	–	–	–	–	–	–	2	1	1	–	1	2	1	1	–	–
Diseases of the Skin	9	–	1	1	–	–	3	–	–	–	–	1	–	2	–	1	–	–
Childbirth and Metria	73	–	–	–	–	–	–	–	–	2	16	33	21	1	–	–	–	–
Violent Deaths	96	3	8	4	6	6	27	5	4	3	1	1	2	7	2	4	1	–
Other Causes	750	265	42	12	4	4	327	6	1	1	4	4	9	17	23	124	103	65

507.—ECCLESALL BIERLOW.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards
Mean Popul^n^, 1851-61	25433	–	–	–	–	–	3720	3088	2701	2357	2598	4036	2990	2003	1322	870	194	17
TOTAL DEATHS	5883	1403	555	271	192	137	2546	285	130	171	209	427	362	334	389	477	495	65
Small pox	71	20	9	2	3	7	35	19	2	2	3	1	1	1	1	–	–	–
Measles	111	22	41	19	11	10	103	7	1	–	–	–	–	1	1	–	–	–
Scarlatina	271	12	42	49	40	33	187	53	12	4	3	–	–	–	–	–	–	–
Diphtheria	10	3	5	7	12	6	34	11	4	–	1	–	–	–	–	–	–	–
Whooping-cough	182	63	51	21	17	3	155	7	–	–	–	–	–	–	–	–	–	–
Typhus	200	6	12	13	14	12	57	43	25	21	22	28	13	5	8	10	1	1
Cholera, Diarrh., Dysent^y^	302	174	67	14	2	5	262	8	4	–	2	8	7	15	14	11	1	–
Other Zymotic Dis.	207	95	14	20	8	9	86	2	3	4	9	15	3	8	14	15	6	3
Cancer	107	–	–	–	–	–	–	1	–	–	2	4	15	35	26	8	4	–
Scrofula, Tabes Mesent.	74	15	17	8	7	2	49	9	2	2	2	8	2	1	1	2	–	–
Phthisis	642	27	12	2	5	5	56	21	24	63	85	181	117	60	2	10	1	1
Hydrocephalus	115	65	23	15	10	6	109	3	2	1	–	1	–	–	–	–	–	–
Diseases of the Brain	388	205	64	28	14	13	453	28	10	20	12	17	23	44	71	78	7	3
Heart Dis. and Dropsy	340	5	3	3	3	2	16	6	12	8	12	31	41	48	72	64	23	4
Dis. of Lungs	721	211	120	41	21	12	405	19	6	10	12	33	36	45	58	120	13	2
Dis. of Stom. and Liver	113	52	11	3	3	4	73	5	4	7	12	25	40	46	5	20	2	–
Dis. of Kidneys	23	–	–	–	–	1	1	1	1	1	1	4	5	1	3	6	–	–
Dis. of Gener. Organs	29	–	–	–	–	–	–	–	–	1	–	5	8	9	3	2	–	–
Diseases of the Joints	23	–	–	–	–	–	–	8	3	3	1	3	–	4	3	–	–	–
Diseases of the Skin	14	7	1	–	1	–	9	–	1	–	–	–	1	–	–	3	1	–
Childbirth and Metria	143	–	–	–	–	–	–	–	–	15	20	40	33	2	–	–	–	–
Violent Deaths	144	11	7	8	3	5	37	5	1	6	3	4	5	5	3	4	7	2
Other Causes	745	264	44	14	7	2	445	3	2	3	5	9	8	14	29	72	114	45

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
508.—SHEFFIELD.																		
Mean Popul^{n}, 1851-61	58418	-	-	-	-	-	8497	6892	6096	5450	5718	9845	7302	4688	2563	1095	252	20
TOTAL DEATHS	17242	5152	1933	922	557	374	8938	818	373	476	525	1015	1055	1192	1203	1060	519	68
Small-pox	401	107	59	41	32	30	269	88	5	6	10	15	7	1	-	-	-	-
Measles	371	70	136	82	32	20	340	26	4	1	-	-	-	-	-	-	-	-
Scarlatina	704	55	102	147	118	83	505	164	16	6	4	3	5	-	1	-	-	-
Diphtheria	116	11	20	20	13	12	76	25	9	4	-	-	1	-	-	1	-	-
Whooping-cough	384	133	134	62	32	7	368	15	-	-	-	1	-	-	-	-	-	-
Typhus	843	42	74	59	61	43	279	127	53	60	61	67	53	43	55	31	12	2
Cholera, Diarrh., Dysent^{y}	1249	637	237	62	28	15	979	21	15	6	14	21	29	31	54	54	18	7
Other Zymotic Dis.	544	135	56	44	28	22	285	29	11	18	10	41	38	49	29	26	8	-
Cancer	104	1	1	-	-	-	2	2	1	-	4	9	12	25	29	17	3	-
Scrofula, Tabes Mesent.	293	78	70	25	11	8	192	17	16	19	11	20	7	4	3	4	-	-
Phthisis	1969	79	58	30	16	7	190	55	71	186	246	436	361	266	124	27	6	1
Hydrocephalus	455	189	128	53	27	20	417	28	6	3	1	-	-	-	-	-	-	-
Diseases of Brain	2484	1349	175	94	43	29	1690	50	36	30	28	56	87	98	172	167	69	1
Heart Dis. and Dropsy	571	7	9	8	7	4	35	23	20	27	25	57	81	112	103	69	19	-
Dis. of Lungs	2923	780	428	113	67	45	1433	43	13	28	27	109	174	299	366	325	93	10
Dis. of Stom. and Liver	628	79	18	22	6	5	130	25	33	19	21	41	71	108	98	57	25	-
Dis. of Kidneys	152	1	3	4	-	2	10	6	4	4	6	17	23	24	31	20	7	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Diseases of the Joints	71	-	-	2	2	1	5	9	7	7	8	15	4	7	3	5	1	-
Diseases of the Skin	36	14	-	1	-	-	15	1	2	3	-	1	-	7	7	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	617	37	20	26	14	19	116	49	42	40	44	92	69	69	55	34	6	1
Other Causes	2324	1349	204	27	20	2	1602	15	9	9	5	14	31	48	73	223	249	46
509.—ROTHERHAM.																		
Mean Popul^{n}, 1851-61	19649	-	-	-	-	-	2988	2427	2144	1924	1775	2949	2244	1536	1000	496	149	17
TOTAL DEATHS	4360	1289	375	183	118	104	2069	201	129	137	147	239	242	250	319	344	240	43
Small-pox	82	27	9	7	7	5	55	10	3	2	4	2	2	3	1	-	-	-
Measles	62	13	24	12	5	5	59	2	-	-	1	-	-	-	-	-	-	-
Scarlatina	197	18	31	34	31	26	140	47	8	1	-	-	1	-	-	-	-	-
Diphtheria	55	4	12	7	8	11	42	6	4	-	1	1	-	-	1	-	-	-
Whooping-cough	55	29	12	7	3	4	55	-	-	-	-	-	-	-	-	-	-	-
Typhus	177	2	9	12	3	6	32	23	16	11	24	17	17	11	11	12	3	-
Cholera, Diarrh., Dysent^{y}	216	105	43	9	3	1	161	4	1	-	2	-	3	5	10	17	12	1
Other Zymotic Dis.	176	44	12	9	15	8	88	7	6	5	1	9	9	14	18	7	12	-
Cancer	25	-	-	-	-	-	-	1	-	-	1	1	5	7	3	3	4	-
Scrofula, Tabes Mesent.	67	18	9	6	3	2	38	6	7	6	2	4	3	1	-	-	-	-
Phthisis	378	5	6	4	4	1	20	12	12	41	56	87	56	53	32	9	-	-
Hydrocephalus	97	49	21	8	1	1	80	11	5	-	-	-	-	-	-	1	-	-
Diseases of Brain	605	317	39	14	10	6	386	10	5	11	2	15	21	28	41	48	34	4
Heart Dis. and Dropsy	186	4	2	1	1	-	8	6	9	4	7	10	19	19	39	46	18	1
Dis. of Lungs	644	195	90	27	10	15	337	16	3	9	5	18	22	47	72	71	40	4
Dis. of Stom. and Liver	197	27	4	3	1	2	37	7	4	9	5	9	27	26	47	21	11	-
Dis. of Kidneys	58	-	-	2	-	-	2	2	1	2	1	3	10	5	1	22	8	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	12	-	1	-	1	-	2	1	3	1	-	1	2	-	1	1	-	-
Diseases of the Skin	13	6	1	2	1	-	10	-	-	-	-	-	-	-	-	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	334	16	8	13	7	7	51	24	39	30	33	57	36	28	18	13	4	1
Other Causes	723	419	42	6	4	4	466	6	3	5	2	5	9	8	24	72	92	31
510.—DONCASTER.																		
Mean Popul^{n}, 1851-61	18221	-	-	-	-	-	2420	2188	1994	1705	1518	2616	2067	1660	1145	646	234	28
TOTAL DEATHS	3974	1108	272	149	95	74	1698	175	91	108	108	186	209	244	314	420	326	95
Small-pox	44	15	5	6	1	1	28	7	3	2	1	2	-	1	-	-	-	-
Measles	77	10	31	11	9	7	68	6	3	-	-	-	-	-	-	-	-	-
Scarlatina	143	12	19	20	24	21	96	37	5	2	2	-	-	-	-	-	-	1
Diphtheria	33	3	1	3	5	2	14	12	5	-	1	-	1	-	-	-	-	-
Whooping-cough	38	21	10	3	3	-	37	1	-	-	-	-	-	-	-	-	-	-
Typhus	193	11	7	8	7	5	38	14	9	16	8	14	11	19	18	21	21	4
Cholera, Diarrh., Dysent^{y}	156	87	20	3	1	1	112	3	-	-	-	2	-	4	6	15	12	2
Other Zymotic Dis.	129	22	8	10	6	1	47	3	4	4	1	7	11	16	11	16	6	3
Cancer	42	-	-	1	-	-	1	1	-	1	-	2	2	4	12	12	7	-
Scrofula, Tabes Mesent.	51	16	10	3	1	2	32	2	3	2	1	3	3	3	1	1	-	-
Phthisis	348	2	2	4	-	2	10	8	13	31	51	83	65	39	37	10	1	-
Hydrocephalus	81	33	24	10	6	3	76	4	-	-	-	-	-	1	-	-	-	-
Diseases of Brain	688	407	28	17	13	10	475	18	7	5	3	9	10	24	33	53	46	5
Heart Dis. and Dropsy	199	2	1	1	-	1	5	4	5	5	8	9	24	29	37	46	21	6
Dis. of Lungs	480	114	49	23	8	6	200	12	5	8	3	15	19	38	50	71	46	13
Dis. of Stom. and Liver	215	29	4	3	2	3	41	11	3	10	6	13	24	21	33	43	9	1
Dis. of Kidneys	48	1	1	-	1	-	3	1	-	2	2	4	1	6	12	12	5	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Joints	11	1	-	-	-	-	1	3	-	2	2	-	2	-	-	-	1	-
Diseases of the Skin	10	3	-	-	-	-	3	-	-	-	-	-	-	-	1	3	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	217	7	6	10	6	5	34	13	19	13	17	13	24	20	30	14	6	1
Other Causes	770	312	46	13	2	4	377	10	7	2	2	5	11	19	33	103	142	59

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

508.—SHEFFIELD.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
Mean Popul^{n}, 1851-61	57870	-	-	-	-	-	8394	7004	5980	5455	5679	9327	6849	4608	2762	1368	404	40
TOTAL DEATHS	15842	4101	1934	919	650	391	7995	825	280	407	514	1008	962	897	1017	1124	661	154
Small-pox	398	88	82	55	38	28	291	61	6	9	12	13	2	-	1	-	-	-
Measles	387	64	161	72	44	18	359	22	3	1	-	2	-	-	-	-	-	-
Scarlatina	746	50	107	127	146	91	521	192	18	8	2	3	1	1	-	-	-	-
Diphtheria	128	12	18	17	21	16	84	32	8	2	1	-	1	-	-	-	-	-
Whooping-cough	489	154	178	78	42	23	475	14	-	-	-	-	-	-	-	-	-	-
Typhus	700	34	56	36	58	35	219	131	53	63	48	56	33	30	29	21	12	5
Cholera, Diarrh., Dysent^{y}	1314	536	277	72	22	15	972	15	6	9	11	36	36	43	55	87	35	9
Other Zymotic Dis.	445	142	49	51	36	18	296	24	4	8	3	19	31	18	21	16	3	2
Cancer	265	1	-	-	-	-	1	1	2	-	2	8	67	63	57	47	16	1
Scrofula, Tabes Mesent.	221	64	54	28	12	9	167	15	7	6	5	6	7	2	3	2	1	-
Phthisis	1742	71	59	33	24	15	202	61	70	174	231	452	330	133	67	16	6	-
Hydrocephalus	316	113	96	39	25	14	287	21	3	4	-	1	-	-	-	-	-	-
Diseases of Brain	1961	957	178	79	38	33	1285	55	26	24	26	54	63	100	130	147	48	3
Heart Dis. and Dropsy	766	10	7	7	3	3	30	28	24	29	16	57	94	136	147	103	40	2
Dis. of Lungs	2347	585	378	150	93	47	1253	72	12	20	34	63	83	177	251	269	97	15
Dis. of Stom. and Liver	636	59	24	9	8	6	106	12	12	14	29	73	78	92	123	83	12	2
Dis. of Kidneys	67	2	1	1	-	-	4	1	1	1	3	14	12	12	12	5	2	-
Dis. of Gener. Organs	66	1	-	-	-	-	1	-	1	-	3	12	16	16	12	5	-	-
Diseases of the Joints	53	1	1	2	2	2	8	4	5	3	6	3	7	4	3	7	2	1
Diseases of the Skin	31	6	1	4	-	1	12	1	3	-	-	2	1	2	3	6	1	-
Childbirth and Metria	252	-	-	-	-	-	-	-	-	11	60	104	71	6	-	-	-	-
Violent Deaths	258	32	15	15	19	8	89	37	10	18	12	14	9	20	15	10	19	5
Other Causes	2314	1069	192	44	19	9	1333	21	6	3	10	16	20	42	88	300	337	108

509.—ROTHERHAM.

Mean Popul^{n}, 1851-61	19067	-	-	-	-	-	2911	2439	2056	1719	1627	2029	2131	1525	1011	575	219	25
TOTAL DEATHS	4021	963	386	172	124	103	1748	184	90	104	164	297	226	209	270	348	291	90
Small-pox	61	26	9	2	5	6	48	8	2	-	1	1	1	-	-	-	-	-
Measles	91	13	32	19	12	7	83	7	1	-	-	-	-	-	-	-	-	-
Scarlatina	221	18	29	40	37	31	155	54	9	1	-	1	-	-	1	-	-	-
Diphtheria	49	4	2	8	5	12	31	13	3	-	1	-	-	1	-	-	-	-
Whooping-cough	91	46	27	8	4	3	88	2	1	-	-	-	-	-	-	-	-	-
Typhus	169	2	11	9	9	9	40	18	20	16	18	15	10	9	11	9	2	1
Cholera, Diarrh., Dysent^{y}	190	87	34	10	1	1	133	1	1	1	2	5	6	4	7	10	16	4
Other Zymotic Dis.	152	31	19	9	13	10	82	5	6	1	4	10	4	5	11	11	10	3
Cancer	83	-	-	-	-	-	-	-	-	-	-	3	13	24	24	16	2	1
Scrofula, Tabes Mesent.	48	15	12	3	1	-	31	-	-	4	2	5	1	3	1	1	-	-
Phthisis	439	1	5	1	2	2	11	8	17	49	82	138	74	39	16	5	-	-
Hydrocephalus	90	34	32	10	2	6	84	6	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	468	215	34	11	14	3	277	14	8	3	11	16	11	16	27	50	31	4
Heart Dis. and Dropsy	192	-	1	-	-	-	1	5	7	6	3	11	19	25	50	44	17	1
Dis. of Lungs	483	121	74	23	14	5	237	12	9	4	4	10	17	27	44	65	41	13
Dis. of Stom. and Liver	247	23	8	5	3	2	41	7	1	6	11	26	22	33	45	38	15	2
Dis. of Kidneys	26	-	2	1	-	-	3	-	-	1	1	3	6	3	4	6	2	-
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	1	1	1	6	5	-	3	-	-
Diseases of the Joints	14	-	-	-	-	-	-	4	3	-	1	-	1	-	1	3	1	-
Diseases of the Skin	9	4	-	1	-	-	5	-	-	-	-	1	-	1	-	1	1	-
Childbirth and Metria	88	-	-	-	-	-	-	-	-	2	19	39	27	1	-	-	-	-
Violent Deaths	67	8	4	3	1	2	18	16	1	4	2	2	5	2	5	6	5	1
Other Causes	726	315	51	9	1	4	380	4	1	5	1	7	6	11	23	80	148	60

510.—DONCASTER.

Mean Popul^{n}, 1851-61	18811	-	-	-	-	-	2432	2131	1965	1734	1636	2711	2108	1728	1186	780	311	37
TOTAL DEATHS	4004	874	290	133	97	70	1464	187	87	126	132	280	257	237	287	402	415	130
Small-pox	44	10	8	6	2	-	26	7	1	1	-	8	-	1	-	-	-	-
Measles	71	11	33	10	7	3	64	6	-	-	-	1	-	-	-	-	-	-
Scarlatina	180	13	25	30	26	25	119	47	9	1	1	1	2	-	-	-	-	-
Diphtheria	42	6	4	3	2	5	20	12	7	1	-	2	-	-	-	-	-	-
Whooping-cough	66	31	21	6	5	1	64	1	1	-	-	-	-	-	-	-	-	-
Typhus	199	2	10	9	13	6	40	22	19	19	8	26	14	6	16	9	19	1
Cholera, Diarrh., Dysent^{y}	165	67	24	10	1	1	103	3	3	2	1	3	2	2	7	23	14	2
Other Zymotic Dis.	134	31	6	6	9	3	55	9	6	3	4	9	9	7	7	13	11	1
Cancer	77	-	-	-	-	-	-	-	1	-	-	3	8	20	17	16	11	1
Scrofula, Tabes Mesent.	37	6	11	4	1	1	23	4	1	5	2	1	-	-	1	-	-	-
Phthisis	477	9	3	-	2	4	18	9	19	65	74	126	82	50	24	7	3	-
Hydrocephalus	60	21	13	6	6	4	50	8	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	508	200	22	15	8	4	349	24	8	6	7	18	19	23	52	55	43	5
Heart Dis. and Dropsy	243	7	6	-	2	2	17	3	1	4	8	13	22	37	40	64	31	3
Dis. of Lungs	434	89	50	14	9	7	169	10	3	4	7	12	20	22	40	65	65	17
Dis. of Stom. and Liver	201	17	4	1	1	-	23	8	2	6	7	12	28	26	40	39	15	4
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	-	-	2	2	4	2	5	1	-
Dis. of Gener. Organs	23	-	-	1	-	-	1	-	-	-	1	3	8	6	4	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	1	-	1	1	2	1	1	2	-	-	-
Diseases of the Skin	15	8	1	-	-	-	9	-	-	-	-	-	1	1	2	2	-	-
Childbirth and Metria	52	-	-	-	-	-	-	-	-	2	5	22	20	3	-	-	-	-
Violent Deaths	64	6	2	6	1	3	18	10	-	4	1	5	1	4	7	4	7	3
Other Causes	797	250	43	6	2	1	305	3	4	2	5	11	18	24	23	111	145	93

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
511.—THORNE.																		
Mean Popul^{n}, 1851-61	7986	–	–	–	–	–	1053	993	848	751	607	1061	854	739	580	359	133	183
TOTAL DEATHS	1718	507	89	51	43	33	723	66	44	47	45	83	63	92	129	194	181	511
Small-pox	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Measles	19	5	4	6	–	–	15	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	67	8	8	10	15	9	50	12	3	1	–	1	–	–	–	–	–	–
Diphtheria	36	2	3	7	5	3	20	9	4	–	1	1	–	–	–	1	–	–
Whooping-cough	25	17	5	2	–	1	25	–	–	–	–	–	–	–	–	–	–	–
Typhus	47	1	–	1	2	4	8	4	3	4	3	5	3	7	3	3	4	–
Cholera, Diarrh., Dysent^{y}	73	26	4	–	1	3	34	1	1	1	1	3	1	1	5	13	10	3
Other Zymotic Dis.	84	21	8	4	2	1	36	4	3	2	1	3	3	7	8	8	6	–
Cancer	15	–	–	–	–	–	–	–	–	–	–	1	1	2	4	4	3	–
Scrofula, Tabes Mesent.	20	6	–	–	1	1	8	3	2	3	–	1	2	–	1	–	–	–
Phthisis	157	4	3	2	–	1	10	7	6	18	26	35	26	10	10	3	1	–
Hydrocephalus	10	3	3	1	2	–	9	–	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	247	146	6	2	1	–	155	2	3	2	3	6	3	18	14	27	12	2
Heart Dis. and Dropsy	32	3	–	–	–	–	3	2	1	2	1	3	4	11	16	23	10	1
Dis. of Lungs	137	33	9	6	5	5	58	5	2	4	–	2	4	11	16	19	12	4
Dis. of Stom. and Liver	73	2	–	1	2	–	5	1	1	1	2	2	3	12	21	16	9	–
Dis. of Kidneys	20	–	–	–	–	–	–	–	2	–	–	2	2	1	5	5	3	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	5	–	–	–	–	–	–	1	2	–	1	–	–	1	–	–	–	–
Diseases of the Skin	5	1	–	–	–	–	1	1	–	–	–	2	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	85	4	4	4	7	4	23	4	8	7	5	9	6	8	7	6	1	1
Other Causes	509	224	31	5	–	1	261	6	2	2	1	7	5	3	19	55	110	38
512.—GOOLE.																		
Mean Popul^{n}, 1851-61	7043	–	–	–	–	–	987	846	745	716	568	983	810	616	430	241	89	123
TOTAL DEATHS	1618	526	128	55	47	21	777	74	36	41	53	82	76	84	95	131	129	40
Small-pox	9	4	–	1	1	1	7	1	–	–	1	–	–	–	–	–	–	–
Measles	21	2	8	4	4	2	20	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	60	2	15	8	10	5	40	14	4	1	–	–	–	–	–	1	–	–
Diphtheria	29	2	3	4	4	2	15	9	1	4	–	–	–	–	–	–	–	–
Whooping-cough	22	13	5	2	1	1	22	–	–	–	–	–	–	–	–	–	–	–
Typhus	47	–	3	3	8	1	15	5	3	5	4	9	–	4	2	–	–	–
Cholera, Diarrh., Dysent^{y}	161	87	20	6	3	1	117	1	4	2	1	1	3	3	10	5	13	–
Other Zymotic Dis.	70	20	6	5	4	2	37	2	2	1	1	6	5	3	3	4	4	–
Cancer	10	–	–	–	–	–	–	–	1	–	–	–	–	2	2	3	2	–
Scrofula, Tabes Mesent.	20	7	3	2	–	–	12	1	–	–	1	1	1	2	–	2	–	–
Phthisis	143	3	6	–	2	1	12	2	3	9	24	32	27	12	16	3	3	–
Hydrocephalus	17	8	2	1	2	–	13	3	–	–	–	–	–	1	–	–	–	–
Diseases of Brain	214	121	15	2	2	–	140	7	–	1	3	5	5	3	10	16	16	–
Heart Dis. and Dropsy	65	–	1	–	–	–	1	1	1	–	1	2	6	12	16	15	7	–
Dis. of Lungs	181	65	21	7	1	1	95	2	–	3	–	3	3	11	7	23	29	–
Dis. of Stom. and Liver	73	10	2	2	–	1	15	3	3	2	–	5	3	7	10	15	10	–
Dis. of Kidneys	28	–	1	–	–	–	1	–	–	–	1	1	–	6	4	9	5	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	10	–	–	–	–	–	–	3	–	2	2	–	–	2	1	–	–	–
Diseases of the Skin	12	3	–	–	–	–	3	–	–	–	–	2	1	1	2	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	111	7	3	6	5	3	24	17	12	11	10	12	12	5	5	2	1	–
Other Causes	315	172	14	2	–	–	188	2	2	–	4	3	5	5	7	31	38	8
513.—SELBY.																		
Mean Popul^{n}, 1851-61	7815	–	–	–	–	–	1020	968	878	747	640	1013	876	705	513	307	126	23
TOTAL DEATHS	1663	535	90	41	33	22	721	48	32	55	45	73	65	88	138	172	179	44
Small-pox	18	8	1	2	–	1	12	–	2	3	–	1	–	–	–	–	–	–
Measles	12	2	3	4	1	1	11	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	55	2	8	10	11	4	35	12	5	1	–	1	1	–	–	–	–	–
Diphtheria	9	–	1	3	–	1	5	2	1	1	–	–	–	–	–	–	–	–
Whooping-cough	16	9	3	3	1	–	16	–	–	–	–	–	–	–	–	–	–	–
Typhus	61	–	1	–	2	1	4	7	4	7	5	12	5	7	7	2	1	–
Cholera, Diarrh., Dysent^{y}	113	57	17	1	–	–	75	1	1	3	2	4	–	4	8	10	4	–
Other Zymotic Dis.	73	19	6	4	7	1	37	1	2	1	5	–	6	7	3	–	5	–
Cancer	15	–	–	–	–	–	–	–	–	–	–	1	1	1	4	8	–	–
Scrofula, Tabes Mesent.	10	2	1	1	–	1	5	1	1	–	–	1	–	–	1	1	–	–
Phthisis	111	–	–	–	1	–	1	3	1	18	17	25	17	15	12	2	–	–
Hydrocephalus	25	3	7	1	3	2	16	6	–	2	–	1	–	–	–	–	–	–
Diseases of Brain	310	222	6	4	1	4	237	2	1	2	1	6	6	8	15	12	18	–
Heart Dis. and Dropsy	60	–	1	–	–	–	1	3	1	3	–	4	3	3	15	21	6	–
Dis. of Lungs	132	37	14	2	3	1	57	2	3	2	3	4	7	9	11	17	15	–
Dis. of Stom. and Liver	65	6	1	–	–	–	7	2	4	2	2	5	5	12	12	7	7	–
Dis. of Kidneys	17	–	–	–	–	–	–	–	–	–	–	1	–	3	5	4	4	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	11	–	1	–	–	1	2	–	1	1	–	–	3	1	2	–	1	–
Diseases of the Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	74	7	3	3	2	4	19	4	4	8	9	4	7	9	5	3	1	–
Other Causes	474	160	16	3	1	–	180	1	1	1	1	3	4	8	32	85	117	–

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

511.—THORNE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^{n}, 1851-61	7983	-	-	-	-	-	989	936	818	746	671	1110	884	688	557	367	167	30
TOTAL DEATHS	1686	336	77	40	44	37	594	86	32	59	63	113	96	80	116	197	182	68
Small-pox	4	-	2	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-
Measles	18	4	7	2	1	1	15	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	85	9	8	10	10	15	52	26	5	-	-	1	1	-	-	-	-	-
Diphtheria	45	2	6	3	6	7	24	10	6	3	-	2	-	-	-	-	-	-
Whooping-cough	22	9	6	4	2	-	21	1	-	-	-	-	-	-	-	-	-	-
Typhus	69	2	1	2	2	3	10	8	7	8	9	6	5	5	3	6	2	-
Cholera, Diarrh., Dysentry	73	23	4	1	2	2	32	1	1	3	-	2	5	3	2	11	12	1
Other Zymotic Dis.	66	14	5	2	1	2	24	4	-	-	2	5	3	5	4	12	7	-
Cancer	34	-	-	-	-	-	-	1	-	-	-	1	4	6	12	9	1	-
Scrofula, Tabes Mesent.	11	3	1	1	1	-	6	2	-	-	1	-	-	-	1	1	-	-
Phthisis	217	2	3	2	1	1	9	3	6	33	36	58	38	14	9	11	-	-
Hydrocephalus	13	5	3	2	1	-	11	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	201	108	5	2	5	-	118	6	1	2	2	4	3	8	13	26	12	6
Heart Dis. and Dropsy	95	1	-	-	-	1	2	3	-	2	3	8	8	16	24	22	5	2
Dis. of Lungs	120	25	10	2	6	1	44	7	5	2	1	3	8	5	11	22	11	1
Dis. of Stom. and Liver	64	6	-	-	1	1	8	2	-	-	2	7	6	11	10	15	2	1
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	1	2	2	-	3	-	1	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	24	-	-	-	-	-	-	-	-	2	6	11	5	-	-	-	-	-
Violent Deaths	38	3	1	1	3	3	11	4	1	4	-	2	1	1	3	4	4	3
Other Causes	464	181	15	6	-	-	202	3	-	-	-	1	5	4	14	56	125	54

512.—GOOLE.

Mean Popul^{n}, 1851-61	7376	-	-	-	-	-	971	875	766	713	671	1070	830	642	459	263	105	11
TOTAL DEATHS	1436	377	102	60	35	25	608	62	25	57	68	91	80	63	102	112	130	40
Small-pox	6	1	2	1	1	1	6	-	-	-	-	-	-	-	-	-	-	-
Measles	25	2	6	3	5	1	22	2	-	1	-	-	-	-	-	-	-	-
Scarlatina	53	6	14	7	7	6	40	11	-	1	-	1	-	-	-	-	-	-
Diphtheria	27	-	4	4	3	4	15	6	2	2	1	-	1	-	-	-	-	-
Whooping-cough	28	15	5	4	1	2	27	1	-	-	-	-	-	-	-	-	-	-
Typhus	55	2	1	6	2	1	12	7	6	5	5	8	6	1	3	-	2	-
Cholera, Diarrh., Dysentry	146	66	13	11	4	1	95	2	1	-	3	6	5	3	13	6	6	6
Other Zymotic Dis.	59	17	5	2	4	-	28	6	1	1	1	3	-	3	4	4	6	2
Cancer	24	-	-	-	-	-	-	-	-	-	-	2	2	6	7	6	1	-
Scrofula, Tabes Mesent.	5	-	2	-	-	-	2	1	-	-	-	1	1	-	-	-	-	-
Phthisis	165	3	5	3	-	-	11	5	6	22	29	40	23	21	11	6	1	-
Hydrocephalus	15	5	2	1	-	3	11	3	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	197	102	7	7	3	3	122	7	4	6	5	5	4	7	9	10	17	1
Heart Dis. and Dropsy	70	1	-	-	-	-	1	1	1	-	3	3	2	4	18	19	16	2
Dis. of Lungs	136	37	14	7	4	1	63	2	1	4	4	5	4	10	8	18	13	4
Dis. of Stom. and Liver	91	2	2	2	-	-	6	1	2	2	1	7	16	11	16	17	11	1
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	-	-	1	3	1	1	2	1	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	-	-
Diseases of the Joints	6	-	-	1	-	-	1	2	-	-	2	-	-	-	1	-	-	-
Diseases of the Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	30	-	-	-	-	-	-	-	-	1	11	8	9	1	-	-	-	-
Violent Deaths	26	3	2	2	1	1	9	4	1	5	-	-	-	1	1	1	3	1
Other Causes	253	113	18	3	-	1	135	1	-	6	3	1	3	1	7	20	53	23

513.—SELBY.

Mean Popul^{n}, 1851-61	7900	-	-	-	-	-	1087	954	803	743	672	1084	861	662	513	345	148	23
TOTAL DEATHS	1685	421	106	59	31	25	642	74	31	45	58	113	113	76	106	153	204	70
Small-pox	27	6	4	1	2	2	15	3	2	1	1	3	1	1	-	-	-	-
Measles	25	2	13	4	3	-	22	2	-	-	1	-	-	-	-	-	-	-
Scarlatina	55	-	8	7	9	7	31	16	7	1	1	-	-	-	-	-	-	-
Diphtheria	10	-	1	1	1	1	4	5	-	-	-	-	-	1	-	-	-	-
Whooping-cough	22	10	9	3	-	-	22	-	-	-	-	-	-	-	-	-	-	-
Typhus	64	1	1	6	3	5	16	5	3	12	7	6	5	5	2	2	1	-
Cholera, Diarrh., Dysentry	135	59	11	5	3	-	78	3	2	-	1	7	11	3	5	13	11	2
Other Zymotic Dis.	49	11	5	5	-	2	23	6	-	-	3	5	2	2	2	1	5	-
Cancer	31	-	-	-	-	-	-	-	-	-	-	1	9	5	11	5	-	-
Scrofula, Tabes Mesent.	11	2	4	-	2	-	8	-	-	-	-	-	1	2	-	-	-	-
Phthisis	148	1	1	-	1	1	4	3	5	21	23	36	26	20	9	1	-	-
Hydrocephalus	24	7	5	2	1	1	16	7	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	264	157	12	6	1	3	179	4	4	3	4	10	6	7	10	23	11	3
Heart Dis. and Dropsy	74	-	-	1	-	-	1	3	2	-	1	6	9	7	19	16	10	-
Dis. of Lungs	112	36	6	7	2	2	53	6	2	-	3	1	6	5	12	8	15	1
Dis. of Stom. and Liver	72	2	-	-	-	-	2	5	-	2	5	5	15	11	12	9	5	1
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	-	-	3	1	-	2	2	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	1	3	2	1	4	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
Childbirth and Metria	33	-	-	-	-	-	-	-	-	2	4	15	12	-	-	-	-	-
Violent Deaths	37	4	5	3	3	-	15	5	3	1	2	4	2	-	-	4	1	-
Other Causes	468	122	21	8	-	1	152	1	-	1	1	7	5	5	18	69	145	64

Mean Population, 1851–61, and **Deaths in Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
514.—TADCASTER.																		
Mean Popul^{n}, 1851-61	10030	-	-	-	-	-	1324	1236	1251	935	761	1264	1103	910	662	400	168	16
TOTAL DEATHS	1938	467	106	65	42	29	709	94	50	53	57	68	96	151	148	218	233	61
Small-pox	18	6	4	3	-	1	14	3	-	-	-	-	1	-	-	-	-	-
Measles	14	1	6	2	2	-	11	1	1	1	-	-	-	-	-	-	-	-
Scarlatina	90	7	6	15	14	9	51	29	7	-	-	2	-	1	-	-	-	-
Diphtheria	22	-	2	2	1	1	6	8	4	3	1	-	-	-	-	-	-	-
Whooping-cough	23	13	5	5	-	-	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	59	1	1	3	2	1	8	8	7	6	6	4	3	8	4	4	1	-
Cholera, Diarrh., Dysent^{y}	37	19	2	1	-	-	22	-	1	-	-	-	4	4	2	-	4	-
Other Zymotic Dis.	93	21	6	9	5	5	46	5	1	1	3	3	8	11	6	5	4	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	-	3	5	4	1	-
Scrofula, Tabes Mesent.	23	6	4	2	1	1	14	3	1	1	3	1	-	-	-	-	-	-
Phthisis	190	1	3	-	1	-	5	4	4	22	28	40	34	35	12	5	1	-
Hydrocephalus	35	13	11	3	1	-	28	4	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	337	193	17	6	8	4	228	8	2	2	3	2	7	18	20	32	13	2
Heart Dis. and Dropsy	105	1	1	1	1	-	4	4	1	1	2	4	3	16	27	30	13	-
Dis. of Lungs	189	42	15	6	4	-	67	5	3	2	3	5	9	17	27	28	20	3
Dis. of Stom. and Liver	65	4	1	-	-	1	6	1	1	2	1	2	10	9	16	10	7	-
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	1	-	-	-	2	4	7	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	2	1	-	-	2	-	1	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	87	5	2	3	2	6	18	5	8	8	6	3	7	16	5	7	8	1
Other Causes	510	133	20	4	-	-	157	6	4	1	1	2	8	11	17	86	162	55
515.—YORK.*																		
Mean Popul^{n}, 1851-61	27422	-	-	-	-	-	3568	3091	2802	2628	2401	4151	3382	2547	1607	833	312	50
TOTAL DEATHS	6888	1826	465	261	171	114	2837	258	126	166	229	429	460	496	572	694	464	157
Small-pox	91	25	15	13	8	7	68	12	1	2	1	2	3	2	-	-	-	-
Measles	145	26	49	30	18	9	132	7	3	1	-	1	-	1	-	-	-	-
Scarlatina	222	12	19	43	45	31	150	56	5	3	4	2	1	-	1	-	-	-
Diphtheria	51	6	5	6	7	5	29	10	4	4	1	-	-	2	-	1	-	-
Whooping-cough	94	39	31	15	4	3	92	2	-	-	-	-	-	-	-	-	-	-
Typhus	236	10	8	10	12	6	46	27	17	21	14	29	14	22	24	12	10	-
Cholera, Diarrh., Dysent^{y}	389	234	37	9	3	4	287	8	2	2	2	7	10	12	16	18	20	5
Other Zymotic Dis.	250	68	16	16	9	10	119	12	3	5	7	14	15	21	21	22	6	5
Cancer	69	-	-	1	-	1	2	1	-	2	2	1	7	19	15	15	5	-
Scrofula, Tabes Mesent.	133	40	21	10	3	1	75	14	8	7	3	10	3	5	6	2	-	-
Phthisis	747	12	11	10	2	4	39	17	34	65	118	181	133	95	49	15	1	-
Hydrocephalus	107	35	23	13	12	8	91	11	4	1	-	-	-	-	-	-	-	-
Diseases of Brain	1325	684	48	13	12	5	762	18	6	11	12	49	97	84	119	106	51	10
Heart Dis. and Dropsy	373	17	5	4	5	1	32	8	8	2	11	27	37	50	67	92	33	6
Dis. of Lungs	754	154	86	39	22	8	309	11	8	7	4	25	36	50	92	130	61	21
Dis. of Stom. and Liver	303	49	9	5	-	2	65	8	4	5	7	16	26	52	61	41	17	1
Dis. of Kidneys	110	-	-	-	-	1	1	1	1	3	2	13	14	15	20	26	12	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Joints	28	1	1	-	1	-	3	2	4	3	4	1	3	2	4	2	-	-
Diseases of the Skin	15	5	1	1	-	-	7	1	-	-	1	2	-	-	1	1	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	276	20	10	6	4	7	47	25	9	17	26	38	32	34	21	20	5	2
Other Causes	1169	389	70	17	4	1	481	7	5	5	10	11	28	30	55	191	242	104
516.—POCKLINGTON.																		
Mean Popul^{n}, 1851-61	8473	-	-	-	-	-	1068	1033	871	965	714	1121	933	744	523	331	146	24
TOTAL DEATHS	1634	461	68	38	34	18	619	69	35	36	44	63	71	100	146	179	217	55
Small-pox	25	8	-	2	2	1	13	1	-	1	3	1	3	1	2	-	-	-
Measles	9	1	5	-	1	1	8	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	55	3	4	8	6	5	26	19	8	1	-	1	-	-	-	-	-	-
Diphtheria	16	3	3	1	3	1	11	2	1	-	1	-	-	-	1	-	-	-
Whooping cough	20	8	5	4	2	-	19	1	-	-	-	-	-	-	-	-	-	-
Typhus	50	1	1	1	-	-	3	9	5	4	6	2	7	7	3	4	-	-
Cholera, Diarrh., Dysent^{y}	45	19	-	1	2	1	23	4	-	-	-	1	-	1	5	6	3	2
Other Zymotic Dis.	57	16	1	5	2	-	24	5	1	2	-	2	3	3	6	7	3	1
Cancer	15	-	-	-	-	-	-	-	-	-	-	3	2	1	5	3	1	-
Scrofula, Tabes Mesent.	14	-	3	-	-	1	4	-	1	-	2	2	1	3	1	-	-	-
Phthisis	133	2	1	-	1	-	4	3	5	13	18	27	21	18	19	5	-	-
Hydrocephalus	12	1	2	2	2	-	7	4	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	306	196	12	5	6	2	221	6	-	3	1	7	5	10	16	19	18	-
Heart Dis. and Dropsy	103	-	-	1	-	-	1	1	1	4	1	2	8	14	26	25	20	-
Dis. of Lungs	130	49	9	4	3	3	68	2	2	1	1	2	1	9	15	14	14	1
Dis. of Stom. and Liver	85	9	-	-	-	-	9	-	1	3	4	4	3	13	19	14	9	1
Dis. of Kidneys	20	-	-	-	-	-	-	1	1	-	-	1	1	2	5	7	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	1	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-
Diseases of the Skin	4	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	43	4	1	1	1	1	8	4	4	2	3	2	4	6	4	3	3	-
Other Causes	457	141	20	3	3	2	169	4	3	-	3	6	7	12	18	71	144	50

* The Mean Population, 1851-61, has been corrected on account of changes in the limits of this District.

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
514.—TADCASTER.																		
Mean Popul^{n}, 1851-61	9906	-	-	-	-	-	1262	1183	1085	854	831	1372	1137	908	656	414	179	25
TOTAL DEATHS	1813	352	78	59	32	23	544	102	62	55	71	122	108	109	147	211	210	72
Small-pox	23	1	3	1	3	2	10	2	2	–	1	3	3	–	1	1	–	–
Measles	17	3	7	2	2	–	14	2	–	–	1	–	–	–	–	–	–	–
Scarlatina	94	5	8	16	10	6	45	39	6	3	–	–	–	1	–	–	–	–
Diphtheria	15	–	–	2	2	1	5	5	4	1	–	–	–	–	–	–	–	–
Whooping-cough	21	9	8	3	–	–	20	1	–	–	–	–	–	–	–	–	–	–
Typhus	57	3	1	2	–	2	8	6	12	1	6	3	5	4	4	3	–	–
Cholera, Diarrh., Dysent^{y}	28	12	2	1	–	–	15	–	2	–	1	–	2	1	2	4	1	–
Other Zymotic Dis.	57	10	1	10	4	1	26	5	1	1	–	3	3	4	7	6	1	–
Cancer	36	–	–	–	–	–	–	–	–	–	1	1	4	6	12	10	2	–
Scrofula, Tabes Mesent.	29	8	4	–	–	1	13	2	6	2	2	1	1	–	1	–	1	–
Phthisis	254	2	1	–	–	1	4	11	16	33	39	64	45	28	9	5	–	–
Hydrocephalus	25	8	2	4	2	1	17	3	2	3	–	–	–	–	–	–	–	–
Diseases of Brain	270	148	12	7	2	1	170	8	1	4	2	5	8	14	18	18	20	2
Heart Dis. and Dropsy	113	–	1	–	–	–	1	3	2	2	1	7	9	13	27	32	14	2
Dis. of Lungs	156	33	11	2	4	3	58	3	2	2	4	9	6	12	23	21	13	3
Dis. of Stom. and Liver	81	9	–	–	1	1	11	2	2	1	2	7	7	15	17	12	5	–
Dis. of Kidneys	7	–	–	–	–	–	–	1	–	–	2	–	2	1	–	1	–	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	2	2	1	1	2	–	–	–
Diseases of the Joints	4	–	–	–	–	1	1	1	1	–	–	–	–	–	1	–	–	–
Diseases of the Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–
Childbirth and Metria	11	–	–	–	–	–	–	–	–	1	1	6	3	–	–	–	–	–
Violent Deaths	27	4	1	3	1	1	10	3	3	–	–	2	2	4	1	1	1	–
Other Causes	477	91	16	6	1	1	115	5	–	1	6	4	7	5	22	96	151	65
515.—YORK.*																		
Mean Popul^{n}, 1851-61	29724	-	-	-	-	-	3445	3040	2839	2961	2890	4670	3569	2774	1828	1157	469	82
TOTAL DEATHS	6830	1525	418	237	163	100	2443	243	124	189	239	527	476	496	540	661	657	235
Small-pox	90	27	9	11	11	6	64	12	–	4	2	5	1	1	–	–	–	–
Measles	138	20	50	39	17	1	127	9	2	–	–	–	–	–	–	–	–	–
Scarlatina	193	13	30	32	37	24	136	45	8	–	–	4	1	–	2	–	–	–
Diphtheria	55	5	5	2	7	4	23	15	11	2	2	1	–	1	–	–	–	–
Whooping-cough	111	37	36	22	8	4	107	4	–	–	–	–	–	–	–	–	–	–
Typhus	250	7	10	7	7	13	44	29	14	23	18	37	22	19	20	12	11	1
Cholera, Diarrh., Dysent^{y}	492	192	42	4	6	6	250	8	2	5	4	12	17	12	21	31	29	11
Other Zymotic Dis.	227	53	18	13	4	7	95	15	4	7	5	16	12	8	20	24	16	5
Cancer	186	1	–	–	–	–	1	–	–	–	–	11	35	50	41	33	13	2
Scrofula, Tabes Mesent.	107	34	16	10	8	2	70	8	5	8	3	5	6	2	–	–	–	–
Phthisis	870	8	3	3	7	3	29	25	37	86	128	245	169	95	43	13	–	–
Hydrocephalus	80	22	17	12	4	4	59	15	6	–	–	–	–	–	–	–	–	–
Diseases of Brain	1151	543	48	25	13	5	634	14	4	15	11	42	40	74	105	119	78	15
Heart Dis. and Dropsy	402	8	2	4	2	3	19	9	6	8	10	18	41	72	73	91	44	11
Dis. of Lungs	715	131	63	32	21	10	257	16	5	4	7	23	41	54	85	104	96	23
Dis. of Stom. and Liver	292	30	8	6	3	1	48	3	3	8	8	22	29	41	54	40	23	4
Dis. of Kidneys	52	–	1	–	–	–	1	–	5	2	6	9	8	9	4	5	3	–
Dis. of Gener. Organs	36	–	–	–	–	–	–	–	–	–	2	3	7	14	5	5	–	–
Diseases of the Joints	17	–	–	–	–	1	1	4	3	2	–	1	2	–	2	1	1	–
Diseases of the Skin	17	7	–	–	–	–	7	–	–	–	–	–	1	–	–	3	5	1
Childbirth and Metria	93	–	–	–	–	–	–	–	–	3	21	48	22	1	–	–	–	–
Violent Deaths	107	16	6	3	3	3	31	10	3	5	7	7	10	9	7	9	8	1
Other Causes	1234	371	49	12	5	3	440	2	6	7	5	18	12	33	58	162	330	161
516.—POCKLINGTON.																		
Mean Popul^{n}, 1851-61	7931	-	-	-	-	-	1109	989	828	755	661	1087	827	677	497	334	140	27
TOTAL DEATHS	1535	371	72	50	18	22	533	71	51	45	68	95	105	72	104	145	182	64
Small-pox	23	7	5	3	1	2	18	2	–	1	1	1	–	–	–	–	–	–
Measles	16	3	4	6	1	–	14	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	58	7	8	10	6	4	35	12	6	–	2	1	–	1	–	1	–	–
Diphtheria	19	–	3	3	–	2	8	5	2	1	2	1	–	–	–	–	–	–
Whooping-cough	24	12	8	3	–	–	23	1	–	–	–	–	–	–	–	–	–	–
Typhus	42	1	1	1	–	1	4	5	7	2	–	5	11	4	2	2	–	–
Cholera, Diarrh., Dysent^{y}	47	18	2	1	4	–	25	2	1	1	–	1	1	1	4	5	5	1
Other Zymotic Dis.	50	9	5	6	–	4	24	7	3	–	1	3	–	2	2	3	4	1
Cancer	30	–	–	–	–	–	–	–	–	–	1	–	5	6	8	8	2	–
Scrofula, Tabes Mesent.	8	1	–	–	–	–	1	2	1	–	1	1	1	–	–	1	–	–
Phthisis	192	3	–	–	–	–	3	4	16	29	36	46	28	17	11	2	–	–
Hydrocephalus	15	2	3	4	2	–	11	2	2	–	–	–	–	–	–	–	–	–
Diseases of Brain	256	146	9	1	2	2	160	8	3	–	8	3	8	8	15	20	22	1
Heart Dis. and Dropsy	97	1	–	–	–	–	1	2	–	1	2	7	9	6	19	30	19	1
Dis. of Lungs	98	33	11	7	–	3	54	6	2	–	1	3	3	6	7	12	3	1
Dis. of Stom. and Liver	77	3	2	–	1	1	7	3	1	4	7	6	7	10	15	11	5	1
Dis. of Kidneys	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Dis. of Gener. Organs	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–
Diseases of the Joints	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diseases of the Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	28	–	–	–	–	–	–	–	–	2	–	10	15	1	–	–	–	–
Violent Deaths	25	5	–	2	1	2	10	4	1	1	–	1	2	1	–	4	1	–
Other Causes	422	120	11	3	–	1	135	4	5	2	5	4	12	9	21	46	121	53

* The Mean Population, 1851-61, has been corrected on account of changes in the limits of this District.

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

517.—HOWDEN.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	7411	-	-	-	-	-	1015	906	829	790	624	965	747	631	485	234	113	22
TOTAL DEATHS	1721	542	77	48	31	28	726	66	39	72	76	100	61	70	115	174	166	56
Small-pox	6	1	-	1	1	-	3	-	-	-	2	-	-	1	-	-	-	-
Measles	21	1	8	3	2	2	16	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	41	5	7	4	6	3	25	5	3	6	1	1	-	-	-	-	-	-
Diphtheria	54	16	3	3	1	11	34	13	4	-	-	3	-	-	-	-	-	-
Whooping-cough	35	20	6	5	-	2	33	2	-	-	-	-	-	-	-	-	-	-
Typhus	99	2	1	2	2	1	8	8	5	20	10	20	8	2	7	10	1	-
Cholera, Diarrh., Dysent^{y}	67	27	3	2	1	1	34	4	-	-	3	2	3	-	5	9	5	2
Other Zymotic Dis.	33	45	5	7	2	4	63	2	1	2	1	2	2	1	3	4	2	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	3	-
Scrofula, Tabes Mesent.	19	4	3	1	4	-	12	1	1	2	2	-	-	1	-	-	-	-
Phthisis	160	1	-	-	-	-	1	7	6	25	37	32	22	12	10	7	1	-
Hydrocephalus	20	8	2	4	3	-	17	2	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	269	154	13	6	4	1	178	5	3	2	3	12	4	4	18	25	14	1
Heart Dis. and Dropsy	85	1	-	-	-	-	1	-	3	1	3	2	3	12	11	28	19	2
Dis. of Lungs	96	25	5	2	1	-	33	3	1	3	3	4	4	9	10	17	8	1
Dis. of Stom. and Liver	76	4	2	-	1	1	8	2	1	7	3	4	5	11	13	18	4	-
Dis. of Kidneys	18	1	-	-	-	-	1	-	-	1	-	1	-	3	5	5	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	1	-	1	1	-	1	-	-	-	1	1	-	-	-
Diseases of the Skin	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	78	3	4	5	2	2	16	4	7	1	6	13	6	8	8	4	5	-
Other Causes	476	224	15	2	-	-	241	3	3	-	2	4	3	4	20	44	102	50

518.—BEVERLEY.

Mean Popul^{n}, 1851-61	10245	-	-	-	-	-	1298	1194	1065	1058	945	1411	1159	907	653	371	160	19
TOTAL DEATHS	1946	577	100	64	26	27	794	73	42	47	59	121	106	108	144	207	190	55
Small pox	8	2	2	-	-	-	4	-	-	-	1	2	1	-	-	-	-	-
Measles	26	7	6	4	1	4	22	2	2	-	-	-	-	-	-	-	-	-
Scarlatina	45	3	5	12	4	6	30	11	1	1	1	-	-	-	1	-	-	-
Diphtheria	10	-	2	1	-	-	3	4	3	-	-	-	-	-	-	-	-	-
Whooping-cough	36	21	7	3	3	1	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	67	3	2	5	-	1	11	10	6	7	4	11	5	3	4	6	-	-
Cholera, Diarrh., Dysent^{y}	101	45	11	1	2	1	60	5	-	2	3	2	3	2	8	7	6	3
Other Zymotic Dis.	88	23	4	6	5	1	39	7	1	2	2	6	7	5	5	6	8	-
Cancer	23	-	-	-	-	-	-	-	-	-	-	-	4	2	7	8	1	1
Scrofula, Tabes Mesent.	33	18	1	2	-	-	21	5	2	-	2	3	-	-	-	-	-	-
Phthisis	180	4	1	1	-	1	7	3	6	27	28	43	31	19	12	4	-	-
Hydrocephalus	39	13	8	7	-	2	30	3	5	-	1	-	-	-	-	-	-	-
Diseases of Brain	398	245	13	9	4	3	274	11	5	2	2	10	11	12	22	32	12	5
Heart Dis. and Dropsy	138	2	2	-	-	3	7	3	3	1	4	7	16	22	19	36	20	-
Dis. of Lungs	188	56	16	8	4	3	87	1	1	1	7	6	11	18	18	20	14	4
Dis. of Stom. and Liver	77	6	1	-	-	-	7	1	1	1	-	12	6	8	15	16	9	1
Dis. of Kidneys	22	-	-	-	-	-	-	-	-	-	-	2	2	4	3	6	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Diseases of the Skin	5	3	-	-	-	-	3	-	-	-	1	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	72	4	2	3	2	-	11	6	6	3	1	12	7	8	3	9	1	-
Other Causes	337	122	17	2	1	1	143	-	-	-	2	5	1	5	20	36	114	41

519.—SCULCOATES.

Mean Popul^{n}, 1851-61	22615	-	-	-	-	-	3265	2796	2364	2075	2000	3450	2722	1922	1172	599	222	28
TOTAL DEATHS	5491	1774	169	210	126	104	2683	238	102	149	163	291	292	316	356	416	313	82
Small-pox	41	9	6	4	3	5	27	9	-	-	1	3	1	-	-	-	-	-
Measles	128	28	41	27	15	9	120	8	-	-	-	-	-	-	-	-	-	-
Scarlatina	178	8	21	34	31	27	121	49	7	-	-	-	-	1	-	-	-	-
Diphtheria	22	4	3	3	3	2	15	5	1	1	-	-	-	-	-	-	-	-
Whooping-cough	83	40	24	9	5	5	83	2	-	-	-	-	-	-	-	-	-	-
Typhus	242	9	17	14	16	11	67	37	10	17	15	26	24	14	10	13	9	-
Cholera, Diarrh., Dysent^{y}	466	275	59	11	4	5	354	8	4	2	4	8	5	15	16	22	23	7
Other Zymotic Dis.	185	59	20	12	9	3	103	5	5	7	2	13	14	12	13	10	1	-
Cancer	43	-	-	-	-	-	-	-	-	-	1	4	6	7	12	8	5	-
Scrofula, Tabes Mesent.	166	77	30	8	2	1	118	10	7	10	7	6	3	3	1	1	-	-
Phthisis	485	3	3	3	1	1	11	17	29	65	80	114	71	42	28	5	3	-
Hydrocephalus	154	62	39	16	8	10	135	17	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	819	445	35	12	6	5	503	15	4	7	7	28	28	41	53	84	44	5
Heart Dis. and Dropsy	291	3	1	4	-	4	12	6	7	5	5	23	35	37	65	68	27	1
Dis. of Lungs	607	158	68	23	13	7	269	10	4	4	7	19	37	63	71	73	43	7
Dis. of Stom. and Liver	208	24	3	1	2	-	30	3	2	3	2	12	32	32	39	34	18	1
Dis. of Kidneys	53	-	2	-	-	-	2	-	-	2	4	4	5	3	9	12	10	2
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Diseases of the Joints	14	-	-	-	-	-	-	2	2	3	3	1	2	-	1	-	-	-
Diseases of the Skin	9	4	2	-	-	-	6	-	-	-	-	-	-	-	-	1	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	229	16	8	6	6	5	41	22	15	20	19	24	21	30	19	11	6	1
Other Causes	992	550	87	23	2	4	666	13	4	3	5	5	8	16	19	73	123	57

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
517.—HOWDEN.																		
Mean Popul^{n}, 1851-61	7308	-	-	-	-	-	992	891	805	674	633	965	752	627	486	315	145	23
TOTAL DEATHS	1601	424	60	37	26	35	582	77	47	69	77	109	65	86	100	152	171	66
Small-pox	4	3	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-
Measles	12	2	4	-	1	2	9	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	60	7	3	4	7	12	33	16	2	5	3	1	-	-	-	-	-	-
Diphtheria	64	9	5	7	4	6	31	21	5	4	2	1	-	-	-	-	-	-
Whooping-cough	48	19	16	5	4	2	46	2	-	-	-	-	-	-	-	-	-	-
Typhus	74	1	-	2	2	3	8	1	9	17	12	9	4	4	5	2	3	-
Cholera, Diarrh., Dysent^{y}	67	26	6	1	1	1	35	4	1	-	-	5	2	7	5	2	6	-
Other Zymotic Dis.	50	26	2	6	3	-	37	4	-	1	1	1	-	2	1	1	1	1
Cancer	34	-	-	-	-	-	-	-	-	-	-	-	4	7	7	12	3	1
Scrofula, Tabes Mesent.	11	3	-	-	-	-	3	-	-	4	-	-	1	1	1	1	-	-
Phthisis	183	2	-	1	-	1	4	5	7	26	41	49	20	26	4	1	-	-
Hydrocephalus	20	5	2	2	-	1	10	5	3	-	1	1	-	-	-	-	-	-
Diseases of Brain	234	130	2	1	1	2	136	3	5	2	2	5	9	7	11	20	23	2
Heart Dis. and Dropsy	78	1	-	1	-	1	3	-	3	-	3	5	4	12	15	22	7	4
Dis. of Lungs	97	22	6	1	1	2	32	1	4	3	3	3	4	8	12	14	10	3
Dis. of Stom. and Liver	75	10	1	2	2	-	15	4	3	2	2	3	1	6	14	19	4	2
Dis. of Kidneys	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
Diseases of the Joints	6	-	-	-	-	2	2	1	1	-	-	1	-	-	1	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	35	-	-	-	-	-	-	-	-	2	3	21	9	-	-	-	-	-
Violent Deaths	22	4	-	2	-	-	6	6	-	1	3	1	-	2	1	-	2	-
Other Causes	420	152	13	2	-	-	167	2	3	2	1	1	6	3	22	48	112	53
518.—BEVERLEY.																		
Mean Popul^{n}, 1851-61	10289	-	-	-	-	-	1329	1185	1077	975	839	1412	1188	913	661	447	181	32
TOTAL DEATHS	1938	462	96	51	44	22	675	87	45	65	82	123	127	100	139	194	229	72
Small-pox	7	2	1	-	-	-	3	-	1	1	-	1	1	-	-	-	-	-
Measles	24	7	6	1	3	-	17	6	-	-	-	1	-	-	-	-	-	-
Scarlatina	45	5	4	8	8	3	28	13	2	-	1	-	1	-	-	-	-	-
Diphtheria	21	1	2	1	3	3	10	6	4	-	-	1	-	-	-	-	-	-
Whooping-cough	42	22	8	6	2	2	40	2	-	-	-	-	-	-	-	-	-	-
Typhus	57	1	4	-	2	1	8	6	9	7	7	5	5	2	5	2	1	-
Cholera, Diarrh., Dysent^{y}	88	29	8	6	2	-	45	2	-	3	1	2	2	3	6	16	6	2
Other Zymotic Dis.	54	16	1	7	6	-	30	7	1	1	3	3	2	2	1	2	2	-
Cancer	52	-	-	-	-	-	-	-	1	-	1	2	7	14	13	6	8	-
Scrofula, Tabes Mesent.	21	4	1	1	-	-	6	2	2	-	2	3	2	2	1	1	-	-
Phthisis	240	-	3	-	4	-	7	6	16	33	43	58	41	21	13	2	-	-
Hydrocephalus	25	8	6	2	2	-	18	5	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	363	225	13	2	2	2	244	10	1	4	4	11	11	11	19	30	16	2
Heart Dis. and Dropsy	127	4	-	-	1	-	5	1	-	2	1	7	9	13	36	35	18	-
Dis. of Lungs	150	30	15	13	6	4	68	4	1	2	4	5	11	8	9	16	18	4
Dis. of Stom. and Liver	105	9	3	-	1	1	14	6	2	3	7	4	11	12	14	19	10	3
Dis. of Kidneys	7	-	-	-	-	-	-	-	1	-	-	1	2	1	1	1	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	1	2	3	1	3	1	-	-
Diseases of the Joints	6	-	-	1	-	-	1	-	-	1	1	1	1	-	1	-	-	-
Diseases of the Skin	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	2	2	10	8	1	-	-	-	-
Violent Deaths	44	5	2	1	2	6	16	6	3	4	2	2	3	2	2	1	3	-
Other Causes	424	94	18	2	-	-	114	5	-	1	2	4	6	7	15	62	147	61
519.—SCULCOATES.																		
Mean Popul^{n}, 1851-61	25722	-	-	-	-	-	3221	2818	2481	2505	2518	4095	3110	2300	1507	858	288	41
TOTAL DEATHS	5362	1364	439	212	143	110	2268	214	114	150	193	383	346	314	361	461	436	122
Small-pox	42	11	8	4	6	5	34	5	1	-	-	-	2	-	-	-	-	-
Measles	198	22	40	27	17	9	115	11	1	-	-	1	-	-	-	-	-	-
Scarlatina	181	12	28	34	30	16	120	49	5	2	2	2	1	-	-	-	-	-
Diphtheria	27	-	2	2	3	7	14	8	2	1	1	-	1	-	-	-	-	-
Whooping-cough	121	53	34	19	7	3	116	5	-	-	-	-	-	-	-	-	-	-
Typhus	205	7	13	11	16	14	61	20	14	20	11	20	23	13	8	12	2	1
Cholera, Diarrh., Dysent^{y}	441	201	57	12	5	5	280	11	5	1	2	17	10	13	29	30	40	3
Other Zymotic Dis.	151	48	15	10	5	3	81	5	3	5	5	13	5	9	6	10	8	1
Cancer	122	-	-	-	-	-	-	-	-	-	-	4	24	32	25	27	9	1
Scrofula, Tabes Mesent.	111	48	23	5	3	3	82	9	3	3	3	6	2	-	2	1	-	-
Phthisis	609	2	3	5	5	4	19	13	31	84	99	167	113	56	21	3	2	1
Hydrocephalus	111	40	33	13	10	6	105	5	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	719	360	31	17	8	10	426	18	6	7	13	21	21	34	47	60	57	9
Heart Dis. and Dropsy	343	2	3	3	3	-	11	13	9	6	11	20	33	42	72	89	38	5
Dis. of Lungs	555	93	64	25	14	10	206	16	12	3	11	20	24	52	59	85	59	10
Dis. of Stom. and Liver	255	18	-	4	-	2	19	4	5	6	11	23	37	33	49	55	21	2
Dis. of Kidneys	19	-	-	-	-	-	-	1	1	1	2	3	-	4	4	2	1	-
Dis. of Gener. Organs	35	-	-	-	-	-	-	-	-	-	2	2	11	6	10	3	1	-
Diseases of the Joints	17	-	-	1	-	-	1	-	1	3	1	4	3	1	-	3	-	-
Diseases of the Skin	5	1	-	-	-	-	1	-	-	-	1	-	-	1	1	1	-	-
Childbirth and Metria	83	-	-	-	-	-	-	-	-	3	15	43	21	1	-	-	-	-
Violent Deaths	84	9	5	8	9	10	41	9	3	1	-	6	3	4	4	7	2	4
Other Causes	908	442	80	9	2	3	536	12	11	3	4	11	9	13	21	94	196	85

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
520.—HULL.																		
Mean Popul^{n}, 1851-61	25932	-	-	-	-	-	3356	2949	2462	2542	2567	4407	3289	2213	1309	617	198	23
TOTAL DEATHS	6758	1868	570	322	183	126	3069	302	121	203	211	453	493	493	519	503	322	69
Small-pox	81	21	13	7	13	5	59	9	-	3	4	2	3	1	-	-	-	-
Measles	190	32	66	43	28	9	178	12	-	-	-	-	-	-	-	-	-	-
Scarlatina	241	15	44	57	35	33	184	45	7	-	2	2	1	-	-	-	-	-
Diphtheria	23	3	-	4	5	2	14	6	-	1	-	2	-	-	-	-	-	-
Whooping-cough	123	49	47	15	6	3	120	3	-	-	-	-	-	-	-	-	-	-
Typhus	332	16	11	23	11	14	75	39	15	31	21	30	27	26	32	23	13	-
Cholera, Diarrh., Dysent^{y}	404	208	47	8	8	7	278	9	5	2	3	7	5	16	19	29	26	5
Other Zymotic Dis.	258	70	18	19	8	6	121	8	7	10	2	19	31	21	18	13	7	1
Cancer	54	-	-	-	-	-	-	-	-	1	2	3	6	12	15	12	3	-
Scrofula, Tabes Mesent.	154	63	23	8	8	4	106	10	10	2	7	13	1	3	2	-	-	-
Phthisis	621	8	7	4	6	4	29	21	15	63	98	142	124	76	42	8	2	1
Hydrocephalus	142	54	39	15	11	6	125	16	-	-	-	-	-	1	-	-	-	-
Diseases of Brain	1044	532	57	25	11	9	634	20	9	14	10	47	54	61	66	84	43	2
Heart Dis. and Dropsy	401	9	3	1	1	1	15	19	8	11	6	37	58	64	70	83	27	3
Dis. of Lungs	882	214	100	61	18	12	405	23	4	7	15	41	67	80	96	97	43	4
Dis. of Stom. and Liver	308	34	9	1	-	1	45	9	7	4	11	28	41	44	67	44	8	-
Dis. of Kidneys	93	-	1	1	-	-	2	1	2	3	2	16	13	14	20	15	5	-
Dis. of Gener. Organs	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	29	-	1	-	-	1	2	1	3	4	2	6	1	1	1	7	1	-
Diseases of the Skin	11	3	1	-	-	-	4	-	-	-	-	-	1	3	1	-	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	360	14	8	13	8	4	47	39	23	37	23	51	49	52	25	13	1	-
Other Causes	1005	522	75	17	6	5	625	12	6	10	3	7	11	18	45	74	141	33
521.—PATRINGTON.																		
Mean Popul^{n}, 1851-61	4875	-	-	-	-	-	642	574	487	493	463	691	551	413	300	188	65	8
TOTAL DEATHS	953	292	44	25	18	14	393	39	17	27	38	47	49	57	68	96	105	17
Small-pox	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
Measles	7	4	-	1	-	1	6	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	27	2	1	5	3	4	15	9	3	-	-	-	-	-	-	-	-	-
Diphtheria	7	2	-	2	1	-	5	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	12	5	4	1	2	-	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	39	1	1	1	4	3	10	5	2	2	2	7	4	1	3	3	-	-
Cholera, Diarrh., Dysent^{y}	46	20	2	-	-	1	23	-	-	-	1	-	3	3	7	1	3	-
Other Zymotic Dis.	31	7	2	2	3	2	16	2	-	-	-	1	4	3	1	4	-	-
Cancer	8	-	-	1	-	-	1	-	-	-	-	1	-	1	1	1	3	-
Scrofula, Tabes Mesent.	10	4	2	-	-	-	6	1	-	-	-	-	2	-	-	1	-	-
Phthisis	73	1	-	2	-	-	3	2	4	12	13	18	7	6	5	2	1	-
Hydrocephalus	8	1	-	1	-	-	2	4	1	-	-	-	-	1	-	-	-	-
Diseases of Brain	150	94	6	2	-	1	103	3	-	1	3	2	5	6	7	12	7	1
Heart Dis. and Dropsy	49	-	-	-	-	-	-	-	1	3	1	2	1	7	12	13	8	1
Dis. of Lungs	57	9	8	4	2	-	23	2	-	1	1	4	2	4	7	12	1	-
Dis. of Stom. and Liver	47	2	1	-	-	-	3	1	1	1	3	4	5	9	10	9	1	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	63	-	3	2	3	1	9	5	2	6	12	5	10	4	8	2	-	-
Other Causes	300	140	14	1	-	-	155	3	1	-	-	-	5	11	6	33	71	15
522.—SKIRLAUGH.																		
Mean Popul^{n}, 1851-61	4921	-	-	-	-	-	596	546	503	574	472	666	533	419	316	202	79	15
TOTAL DEATHS	941	273	36	24	11	10	354	36	24	23	30	49	47	47	85	105	104	37
Small-pox	6	1	-	-	-	-	1	1	2	-	1	-	1	-	-	-	-	
Measles	16	2	6	4	-	-	12	2	2	-	-	-	-	-	-	-	-	
Scarlatina	29	1	2	4	1	3	11	10	2	-	4	1	1	-	-	-	-	
Diphtheria	6	-	1	1	1	-	3	1	1	-	-	-	1	-	-	-	-	
Whooping-cough	8	7	-	-	1	-	8	-	-	-	-	-	-	-	-	-	-	
Typhus	38	1	1	3	1	2	8	2	-	5	3	7	4	2	4	1	2	
Cholera, Diarrh., Dysent^{y}	52	17	4	-	-	-	21	-	-	-	1	1	2	3	6	8	7	
Other Zymotic Dis.	49	11	3	1	1	1	17	2	-	1	3	4	3	4	3	4	6	
Cancer	17	-	-	-	-	-	-	-	-	-	-	1	-	3	4	7	2	
Scrofula, Tabes Mesent.	12	3	1	-	-	1	5	1	2	2	1	-	-	-	-	1	-	
Phthisis	72	4	-	-	2	-	6	2	4	7	12	15	10	3	7	4	2	
Hydrocephalus	14	4	1	1	1	2	9	4	-	1	-	-	-	-	-	-	-	
Diseases of Brain	175	93	3	3	1	1	101	2	1	1	2	3	4	8	8	22	19	
Heart Dis. and Dropsy	68	-	-	-	1	-	1	-	2	-	-	4	3	6	16	21	13	
Dis. of Lungs	90	26	7	4	-	-	37	1	-	1	1	2	7	8	14	8	10	
Dis. of Stom. and Liver	43	3	1	-	-	-	4	2	3	-	-	1	4	6	9	10	1	
Dis. of Kidneys	17	1	-	-	-	-	1	-	1	-	1	2	-	1	5	2	3	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of the Joints	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	41	4	1	-	-	-	5	2	2	3	1	6	5	2	5	6	3	
Other Causes	183	94	5	3	1	-	103	3	-	1	-	2	2	1	4	11	36	2

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
520.—HULL.																		
Mean Popul^{n}, 1851-61	27347	-	-	-	-	-	3419	2930	2577	2588	2957	4681	3429	2464	1589	863	306	44
TOTAL DEATHS	6521	1528	586	280	190	144	2728	280	131	177	212	457	456	441	478	570	462	129
Small-pox	53	22	7	6	5	4	44	8	-	1	1	3	1	-	-	-	-	-
Measles	198	28	76	51	23	6	184	12	2	-	-	-	-	-	-	-	-	-
Scarlatina	239	14	35	32	34	36	151	72	11	1	1	3	-	-	-	-	-	-
Diphtheria	32	3	4	5	2	2	16	8	2	1	-	2	2	1	-	-	-	-
Whooping-cough	151	49	50	21	14	9	143	8	-	-	-	-	-	-	-	-	-	-
Typhus	328	23	27	23	18	18	109	30	26	23	21	30	15	24	15	23	7	-
Cholera, Diarrh., Dysent^{y}	403	191	55	14	7	1	268	9	3	2	1	13	17	17	20	24	24	5
Other Zymotic Dis.	224	77	13	15	17	12	134	9	1	12	6	14	10	10	11	13	3	1
Cancer	145	1	1	-	-	1	3	-	1	-	2	7	27	45	26	28	5	1
Scrofula, Tabes Mesent.	109	37	19	4	2	4	66	12	11	5	2	9	2	1	-	1	-	-
Phthisis	677	10	7	2	7	3	29	18	32	82	97	195	140	56	19	7	2	-
Hydrocephalus	102	28	31	16	8	6	89	10	2	-	-	1	-	-	-	-	-	-
Diseases of Brain	876	411	52	21	10	8	502	16	8	12	12	17	37	60	72	84	51	5
Heart Dis. and Dropsy	420	5	3	2	5	1	16	9	10	3	13	26	49	64	104	83	39	4
Dis. of Lungs	731	150	94	50	25	17	336	16	7	7	6	19	34	53	84	101	57	11
Dis. of Stom. and Liver	320	22	2	1	-	-	25	6	3	9	9	36	33	53	58	61	25	2
Dis. of Kidneys	38	-	-	1	-	-	1	-	-	-	3	3	8	8	6	3	1	-
Dis. of Gener. Organs	47	-	-	-	-	-	-	-	-	1	3	5	13	14	3	4	3	1
Diseases of the Joints	26	2	2	-	-	-	4	2	3	2	2	3	8	-	1	1	-	-
Diseases of the Skin	17	3	2	-	-	-	5	-	1	-	-	1	3	2	1	1	3	-
Childbirth and Metria	102	-	-	-	-	-	-	-	-	4	24	40	32	2	-	-	-	-
Violent Deaths	149	18	11	4	7	11	51	29	4	5	8	11	8	9	13	4	10	2
Other Causes	1129	434	95	12	6	5	552	6	4	7	6	14	17	22	45	127	232	97
521.—PATRINGTON.																		
Mean Popul^{n}, 1851-61	4669	-	-	-	-	-	614	577	483	454	417	639	512	406	284	184	85	14
TOTAL DEATHS	953	240	42	27	21	16	346	45	26	34	45	71	43	51	77	78	100	37
Small-pox	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Measles	4	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Scarlatina	39	4	5	7	6	3	25	11	2	1	-	-	-	-	-	-	-	-
Diphtheria	13	2	-	-	1	1	4	4	2	-	-	2	-	-	1	-	-	-
Whooping-cough	19	7	7	-	1	3	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	38	-	2	2	3	2	9	3	4	4	3	6	1	4	2	1	1	-
Cholera, Diarrh., Dysent^{y}	27	5	3	1	-	-	9	1	-	-	1	-	1	2	3	2	7	1
Other Zymotic Dis.	24	10	2	3	-	1	16	3	-	2	-	1	-	1	-	-	1	-
Cancer	17	-	-	-	-	-	-	-	-	-	-	2	3	4	3	5	-	-
Scrofula, Tabes Mesent.	6	3	1	-	1	-	5	1	-	-	-	-	-	-	-	-	-	-
Phthisis	133	1	-	-	2	-	3	6	10	23	26	36	18	9	6	1	-	-
Hydrocephalus	5	2	1	1	1	-	5	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	149	78	10	4	4	2	98	4	-	1	1	2	4	2	11	15	7	4
Heart Dis. and Dropsy	48	2	1	-	-	-	3	-	-	-	3	4	7	9	13	6	3	-
Dis. of Lungs	48	7	4	2	2	2	17	2	1	-	-	6	1	7	6	4	4	-
Dis. of Stom. and Liver	32	-	1	1	-	-	2	-	-	-	4	4	3	2	7	10	-	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Dis. of Gener. Organs	4	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	-	4	3	5	1	-	-	-	-
Violent Deaths	15	-	-	1	-	1	2	6	3	-	1	1	-	-	1	-	1	-
Other Causes	311	117	5	4	-	1	127	2	2	2	2	3	2	9	23	33	75	31
522.—SKIRLAUGH.																		
Mean Popul^{n}, 1851-61	4546	-	-	-	-	-	593	540	459	462	368	619	514	418	302	180	78	13
TOTAL DEATHS	845	214	27	19	16	13	289	37	30	46	31	46	60	50	60	75	87	34
Small-pox	4	2	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
Measles	20	7	3	3	4	2	19	-	-	-	-	1	-	-	-	-	-	-
Scarlatina	33	3	3	5	2	5	18	8	7	-	-	-	-	-	-	-	-	-
Diphtheria	11	1	-	1	3	-	5	3	1	1	-	-	1	-	-	-	-	-
Whooping-cough	6	3	2	-	-	-	5	1	-	-	-	-	-	-	-	-	-	-
Typhus	46	1	-	-	1	3	5	5	2	10	3	3	6	5	3	4	-	-
Cholera, Diarrh., Dysent^{y}	36	15	3	2	-	1	21	1	-	-	1	1	1	3	2	2	4	-
Other Zymotic Dis.	42	13	1	1	1	-	16	2	3	1	1	4	4	-	-	4	4	3
Cancer	28	-	-	-	-	-	-	-	-	-	-	-	4	6	7	5	5	1
Scrofula, Tabes Mesent.	9	2	-	-	-	-	2	1	1	2	2	-	-	-	-	-	1	-
Phthisis	104	4	2	-	1	-	7	2	7	19	12	19	13	10	8	5	2	-
Hydrocephalus	11	3	2	2	-	-	7	1	1	2	-	-	-	-	-	-	-	-
Diseases of Brain	117	61	1	1	2	-	65	1	1	-	2	1	3	6	10	14	14	-
Heart Dis. and Dropsy	48	-	-	-	-	-	-	-	1	-	-	1	8	7	9	10	11	1
Dis. of Lungs	77	19	7	-	2	1	29	7	4	-	-	2	5	5	5	8	8	4
Dis. of Stom. and Liver	35	3	1	1	-	-	5	1	-	1	3	3	4	4	5	6	3	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	-	6	9	6	-	-	-	-	-
Violent Deaths	19	4	1	1	-	-	6	2	-	5	-	-	-	2	1	2	-	1
Other Causes	161	73	1	2	-	1	77	2	1	2	-	1	1	1	5	13	34	24

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
523.—DRIFFIELD.																		
Mean Popul^{n}, 1851-61	9671	–	–	–	–	–	1302	1168	941	1111	830	1369	1058	811	563	369	124	15
TOTAL DEATHS	1928	643	87	45	37	35	847	82	36	52	56	89	88	97	132	197	204	48
Small-pox	20	7	1	–	1	1	10	5	–	–	–	3	–	2	–	–	–	–
Measles	23	6	6	2	3	–	17	5	1	–	–	–	–	–	–	–	–	–
Scarlatina	50	4	8	5	5	3	25	21	2	–	2	–	–	–	–	–	–	–
Diphtheria	28	4	2	2	4	1	13	8	5	1	–	–	–	–	1	–	–	–
Whooping-cough	23	14	1	3	4	1	23	–	–	–	–	–	–	–	–	–	–	–
Typhus	67	2	2	2	1	–	7	6	5	5	7	9	10	7	3	6	2	–
Cholera, Diarrh., Dysent^{y}	57	27	3	–	1	3	34	1	–	1	–	1	–	–	4	6	9	1
Other Zymotic Dis.	111	33	5	14	3	9	64	5	1	1	1	4	5	2	8	6	12	2
Cancer	25	–	–	–	–	–	–	–	–	–	–	–	1	4	9	8	3	–
Scrofula, Tabes Mesent.	25	12	3	–	1	–	16	1	3	1	1	1	2	–	–	–	–	–
Phthisis	174	9	2	1	1	–	13	3	6	24	36	36	24	15	14	2	1	–
Hydrocephalus	25	5	7	2	1	2	17	6	1	–	–	–	–	–	1	–	–	–
Diseases of Brain	456	306	16	6	6	6	340	5	–	4	1	2	13	17	16	29	23	6
Heart Dis. and Dropsy	128	–	1	–	–	1	2	3	1	1	2	6	7	8	28	36	29	5
Dis. of Lungs	130	34	9	5	3	3	54	4	1	2	4	5	5	11	11	18	14	1
Dis. of Stom. and Liver	107	13	2	–	1	1	17	3	3	2	–	11	5	14	13	23	15	1
Dis. of Kidneys	28	–	–	–	–	–	–	–	–	–	–	1	3	1	6	10	6	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Diseases of the Skin	6	2	1	–	–	–	3	–	–	–	–	–	–	–	2	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	70	8	2	1	1	4	16	5	5	9	1	6	5	8	7	2	6	–
Other Causes	373	157	16	2	1	–	176	1	2	1	–	4	8	8	8	51	83	31
524.—BRIDLINGTON.																		
Mean Popul^{n}, 1851-61	7205	–	–	–	–	–	920	830	762	770	615	970	845	653	442	268	117	13
TOTAL DEATHS	1486	407	68	32	29	23	559	61	30	48	59	83	80	94	112	157	159	44
Small-pox	18	1	–	2	1	3	7	1	–	–	3	1	2	1	2	1	–	–
Measles	19	4	7	4	1	1	17	–	–	2	–	–	–	–	–	–	–	–
Scarlatina	57	8	7	8	6	8	37	13	5	1	–	1	–	–	–	–	–	–
Diphtheria	18	4	1	2	4	2	13	3	1	1	–	–	–	–	–	–	–	–
Whooping-cough	18	13	3	–	1	1	18	–	–	–	–	–	–	–	–	–	–	–
Typhus	48	1	–	1	3	–	5	2	1	8	7	6	5	6	5	3	–	–
Cholera, Diarrh., Dysent^{y}	47	15	4	1	1	–	21	1	–	–	2	3	1	2	3	6	6	2
Other Zymotic Dis.	72	22	7	4	2	1	36	7	1	1	2	3	5	4	3	5	4	1
Cancer	19	–	–	–	–	–	–	1	–	–	–	1	1	1	7	7	1	–
Scrofula, Tabes Mesent.	23	11	2	1	–	–	14	3	1	1	–	2	–	–	2	–	–	–
Phthisis	150	4	1	1	–	–	6	10	5	17	28	36	18	21	4	4	1	–
Hydrocephalus	18	4	4	1	3	1	13	3	1	–	–	–	1	–	–	–	–	–
Diseases of Brain	297	171	11	1	3	1	187	6	4	2	3	2	10	11	18	31	18	5
Heart Dis. and Dropsy	93	1	1	1	–	1	4	–	3	2	1	1	9	12	22	22	13	4
Dis. of Lungs	163	42	12	4	1	2	61	3	1	1	1	5	7	9	15	26	28	6
Dis. of Stom. and Liver	63	4	1	–	1	–	6	1	2	2	4	3	4	13	14	8	6	–
Dis. of Kidneys	27	–	–	–	–	–	–	–	–	1	–	–	2	3	3	10	8	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	4	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–
Diseases of the Skin	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	81	1	1	1	2	2	7	5	5	9	7	17	13	6	5	5	1	1
Other Causes	249	100	5	–	–	–	105	1	–	–	1	1	2	4	8	29	73	25
525.—SCARBOROUGH.																		
Mean Popul^{n}, 1851-61	13041	–	–	–	–	–	1806	1587	1406	1174	1095	1869	1530	1098	817	449	188	22
TOTAL DEATHS	2877	812	200	92	68	54	1226	108	67	69	84	134	146	183	213	313	250	84
Small-pox	80	28	7	7	7	6	55	10	4	1	4	2	1	2	–	–	1	–
Measles	60	9	24	6	12	7	58	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	48	2	12	10	4	5	33	10	2	2	1	–	–	–	–	–	–	–
Diphtheria	38	3	4	4	4	5	20	13	1	1	2	–	–	–	–	1	–	–
Whooping-cough	33	16	8	5	3	–	32	1	–	–	–	–	–	–	–	–	–	–
Typhus	83	2	5	3	2	3	15	11	8	7	8	8	8	9	5	3	1	–
Cholera, Diarrh.,Dysent^{y}	124	58	21	4	1	1	85	1	1	–	1	4	2	3	3	6	13	5
Other Zymotic Dis.	146	55	5	12	8	4	84	10	4	2	1	8	4	4	9	7	12	1
Cancer	35	–	–	–	–	–	–	1	–	–	–	1	2	9	5	13	4	–
Scrofula, Tabes Mesent.	70	18	19	4	4	1	46	5	7	2	4	5	–	1	–	–	–	–
Phthisis	189	3	1	1	2	1	8	7	12	24	32	36	24	19	18	9	–	–
Hydrocephalus	76	30	20	10	2	6	68	7	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	372	309	26	8	7	6	356	11	7	2	5	10	24	26	41	49	30	11
Heart Dis. and Dropsy	196	2	–	–	–	1	3	1	2	3	2	10	15	25	31	63	35	6
Dis. of Lungs	374	93	32	15	5	3	148	8	5	5	7	15	22	26	41	42	44	11
Dis. of Stom. and Liver	186	32	4	–	–	1	37	1	3	6	5	9	14	28	31	37	14	1
Dis. of Kidneys	63	–	–	–	–	–	–	–	2	3	1	3	8	5	6	23	11	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	7	–	–	–	–	–	–	1	1	1	–	2	2	–	–	–	–	–
Diseases of the Skin	9	4	–	1	–	–	5	–	–	–	–	1	–	–	–	1	1	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	106	1	3	1	5	2	12	6	6	10	10	16	12	19	10	4	1	–
Other Causes	382	147	9	1	2	2	161	2	1	–	1	4	8	7	13	55	83	47

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

523.—DRIFFIELD.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	9075	-	-	-	-	-	1246	1112	970	851	303	1224	981	755	558	356	137	21
TOTAL DEATHS	1766	473	92	40	36	39	680	79	54	64	80	125	97	89	96	192	156	54
Small-pox	19	3	5	2	1	-	11	-	1	2	1	3	1	-	-	-	-	-
Measles	17	4	4	1	2	2	13	2	1	-	1	-	-	-	-	-	-	-
Scarlatina	46	2	4	8	5	4	23	13	5	2	1	2	-	-	-	-	-	-
Diphtheria	33	-	3	4	5	5	17	10	4	-	-	1	1	-	-	-	-	-
Whooping-cough	33	15	10	2	2	1	30	3	-	-	-	-	-	-	-	-	-	-
Typhus	71	-	3	3	2	5	13	7	7	13	8	5	9	3	3	2	1	-
Cholera, Diarrh., Dysent^{y}	57	28	8	-	-	-	36	1	-	1	2	3	-	1	-	5	7	1
Other Zymotic Dis.	82	28	9	2	6	5	50	4	1	2	-	3	1	1	6	7	4	3
Cancer	33	-	-	-	-	-	-	1	-	-	-	1	2	8	8	9	4	-
Scrofula, Tabes Mesent.	30	12	3	1	1	2	19	4	-	2	-	1	1	1	2	-	-	-
Phthisis	205	5	1	-	-	-	6	2	13	26	43	52	36	20	5	3	-	-
Hydrocephalus	21	1	2	2	2	4	11	6	2	-	-	1	-	-	-	1	-	-
Diseases of Brain	358	212	16	5	6	3	242	2	6	4	4	4	10	13	15	29	28	1
Heart Dis. and Dropsy	142	3	-	-	1	4	4	2	1	3	4	11	11	22	21	48	14	1
Dis. of Lungs	95	19	7	6	-	4	36	6	4	-	2	5	3	6	10	10	10	3
Dis. of Stom. and Liver	93	15	2	2	2	1	22	3	4	3	2	7	10	7	12	14	7	2
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	1	-	-	-	3	-	-	1	-	-
Diseases of the Joints	7	-	-	-	-	-	-	2	2	-	1	2	-	-	-	-	-	-
Diseases of the Skin	4	2	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	2	5	13	8	-	-	-	-	-
Violent Deaths	32	1	2	2	1	1	7	5	2	2	3	2	-	2	1	5	2	1
Other Causes	352	123	13	-	1	1	138	5	1	1	3	7	1	5	12	58	79	42

524.—BRIDLINGTON.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	7141	-	-	-	-	-	920	840	739	706	604	963	807	667	449	293	126	22
TOTAL DEATHS	1429	332	88	33	35	23	511	63	28	50	52	88	84	67	108	142	176	60
Small-pox	11	2	2	-	1	-	5	2	1	1	-	1	1	-	-	-	-	-
Measles	29	6	12	4	2	3	27	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	64	7	11	11	12	4	45	16	1	1	-	1	-	-	-	-	-	-
Diphtheria	23	3	4	1	4	2	14	3	1	-	1	1	-	1	2	-	-	-
Whooping-cough	33	18	8	2	1	3	32	1	-	-	-	-	-	-	-	-	-	-
Typhus	46	1	-	1	1	2	5	9	3	5	6	6	5	2	3	1	1	-
Cholera, Diarrh., Dysent^{y}	40	16	2	-	-	-	18	-	-	-	1	4	2	1	4	4	6	-
Other Zymotic Dis.	60	21	4	4	4	2	35	5	-	1	3	1	-	1	1	9	4	-
Cancer	33	-	-	-	-	-	-	-	-	-	-	2	4	7	11	6	3	-
Scrofula, Tabes Mesent.	17	5	-	-	-	-	5	3	2	1	-	1	2	2	1	-	-	-
Phthisis	178	4	2	-	-	-	6	2	9	22	28	48	27	14	17	4	1	-
Hydrocephalus	20	3	10	3	1	1	18	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	271	128	12	4	2	-	146	7	3	5	3	2	10	9	21	34	28	3
Heart Dis. and Dropsy	102	3	-	-	1	1	5	1	-	-	1	4	5	8	21	30	23	1
Dis. of Lungs	126	27	15	3	5	3	53	1	3	1	1	2	6	6	9	18	16	10
Dis. of Stom. and Liver	65	3	-	-	-	-	3	3	2	2	2	6	7	9	11	10	9	1
Dis. of Kidneys	8	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	2	1
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-
Diseases of the Joints	2	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	15	-	-	-	-	-	-	-	-	3	4	2	6	-	-	-	-	-
Violent Deaths	18	-	-	-	-	-	-	5	-	3	-	1	1	1	2	2	3	-
Other Causes	262	84	6	-	-	2	92	1	2	3	2	4	7	3	4	23	77	44

525.—SCARBOROUGH.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	14479	-	-	-	-	-	1790	1558	1327	1397	1360	2188	1705	1304	923	573	246	50
TOTAL DEATHS	2859	612	197	122	65	42	1038	103	63	76	98	189	188	162	234	299	360	100
Small-pox	53	14	8	11	1	5	39	6	-	1	4	2	1	-	-	-	-	-
Measles	65	9	23	13	9	3	57	6	1	1	-	-	-	-	-	-	-	-
Scarlatina	65	3	11	16	8	10	48	11	2	1	2	-	1	-	-	-	-	-
Diphtheria	38	3	6	4	5	2	20	11	4	1	-	1	-	1	-	-	-	-
Whooping-cough	40	12	18	6	1	-	37	3	-	-	-	-	-	-	-	-	-	-
Typhus	114	2	2	5	6	3	18	12	16	10	14	16	14	3	5	4	2	-
Cholera, Diarrh., Dysent^{y}	100	43	10	5	1	-	59	-	1	1	1	3	3	4	6	8	13	1
Other Zymotic Dis.	111	32	12	12	8	3	67	9	3	2	1	4	4	2	5	4	9	1
Cancer	72	-	-	-	-	-	-	-	-	-	1	4	8	22	14	15	7	1
Scrofula, Tabes Mesent.	47	15	8	2	-	1	26	5	4	2	1	6	2	-	1	-	-	-
Phthisis	248	-	2	-	1	1	4	4	11	32	41	68	48	23	12	4	1	-
Hydrocephalus	69	19	14	16	3	5	57	9	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	501	208	27	14	5	2	256	11	5	9	3	15	15	27	44	68	59	8
Heart Dis. and Dropsy	169	1	-	1	-	-	2	-	1	3	8	9	19	19	37	45	22	4
Dis. of Lungs	373	72	33	13	13	5	136	6	2	5	5	10	22	17	39	54	63	14
Dis. of Stom. and Liver	200	25	5	2	-	-	32	6	5	2	6	10	19	26	40	32	20	2
Dis. of Kidneys	20	-	-	-	-	-	-	-	1	1	2	2	2	2	3	6	1	-
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	-	-	4	2	5	4	3	-	-
Diseases of the Joints	7	-	-	-	-	-	-	2	1	-	1	1	-	-	2	-	-	-
Diseases of the Skin	6	3	-	-	-	-	3	-	-	-	-	1	1	-	-	1	-	-
Childbirth and Metria	41	-	3	1	-	-	-	-	-	-	5	23	13	-	-	-	-	-
Violent Deaths	48	3	3	1	4	1	12	-	2	3	2	4	3	2	4	7	7	2
Other Causes	464	148	15	1	-	1	165	2	2	1	1	6	11	9	18	48	124	67

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
526.—MALTON.																		
Mean Popul^{n}, 1851-61	11805	-	-	-	-	-	1508	1443	1278	1218	980	1556	1294	1049	771	483	199	26
TOTAL DEATHS	2295	610	105	69	42	33	859	97	51	61	63	139	117	117	169	266	274	82
Small-pox	12	5	–	–	–	–	5	–	–	3	1	1	1	–	1	–	–	–
Measles	24	4	7	5	4	1	21	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	80	7	9	22	12	7	57	18	3	–	–	–	–	2	–	–	–	–
Diphtheria	38	3	3	4	–	5	15	13	3	2	3	–	–	–	1	1	–	–
Whooping-cough	28	15	7	4	1	–	27	1	–	–	–	–	–	–	–	–	–	–
Typhus	90	2	–	2	2	1	7	8	8	5	10	16	10	9	9	7	1	–
Cholera, Diarrh., Dysent^{y}	142	75	8	3	3	1	90	5	1	1	1	5	2	4	4	13	13	3
Other Zymotic Dis.	118	28	8	2	8	7	53	8	1	2	1	7	1	10	6	13	14	2
Cancer	32	–	–	–	–	–	–	–	1	–	–	1	1	7	9	5	8	–
Scrofula, Tabes Mesent.	28	5	4	–	1	–	10	–	6	4	4	1	1	–	2	–	–	–
Phthisis	196	3	1	1	–	1	6	6	6	17	28	67	34	21	8	3	–	–
Hydrocephalus	34	10	9	5	3	1	28	4	2	–	–	–	–	–	–	–	–	–
Diseases of Brain	330	174	16	2	2	2	196	13	4	4	2	7	10	12	18	29	28	7
Heart Dis. and Dropsy	146	1	2	–	–	–	3	–	–	4	1	3	14	10	23	61	23	4
Dis. of Lungs	242	53	16	13	3	2	87	6	3	2	2	7	10	17	32	31	38	7
Dis. of Stom. and Liver	111	12	1	–	–	2	15	1	3	3	3	7	14	8	25	20	11	1
Dis. of Kidneys	43	–	–	–	–	–	–	–	–	–	1	4	4	4	9	15	10	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	14	–	–	–	–	–	–	2	1	4	–	–	2	2	–	3	–	–
Diseases of the Skin	7	–	1	–	–	–	1	–	1	–	1	–	–	–	1	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	92	8	1	3	3	2	17	7	6	10	4	9	10	6	10	9	3	1
Other Causes	483	205	12	3	–	1	221	2	2	–	1	4	3	5	11	54	124	56
527.—EASINGWOLD.*																		
Mean Popul^{n}, 1851-61	5232	-	-	-	-	-	674	623	582	557	410	618	549	483	361	251	109	15
TOTAL DEATHS	936	242	44	33	22	7	348	33	13	21	17	42	44	49	69	111	137	52
Small-pox	8	3	–	–	–	1	4	–	2	1	–	–	–	–	–	1	–	–
Measles	11	3	3	2	1	1	10	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	38	4	7	6	10	1	28	6	2	–	–	1	1	–	–	–	–	–
Diphtheria	9	–	4	2	1	–	7	1	–	–	1	–	–	–	–	–	–	–
Whooping-cough	13	8	3	1	–	–	12	1	–	–	–	–	–	–	–	–	–	–
Typhus	41	3	1	–	3	2	9	2	3	2	2	4	6	3	2	3	5	–
Cholera, Diarrh., Dysent^{y}	41	23	4	3	–	–	30	–	–	–	1	–	2	1	1	1	5	–
Other Zymotic Dis.	64	18	7	5	2	–	32	4	1	1	–	–	2	5	3	9	7	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	3	–
Scrofula, Tabes Mesent.	10	1	2	2	1	–	6	3	–	–	1	–	–	–	–	–	–	–
Phthisis	67	2	1	1	1	–	5	1	1	8	7	19	12	7	4	3	–	–
Hydrocephalus	13	5	1	2	–	–	8	3	1	1	–	–	–	–	–	–	–	–
Diseases of Brain	157	93	1	3	1	–	98	–	–	–	1	3	7	8	9	14	12	5
Heart Dis. and Dropsy	56	–	–	–	–	–	–	1	–	1	–	3	1	5	9	18	14	4
Dis. of Lungs	74	8	1	3	–	2	14	2	2	1	1	2	7	2	12	17	11	3
Dis. of Stom. and Liver	46	2	–	–	–	–	2	1	–	1	–	5	3	9	6	14	5	–
Dis. of Kidneys	12	–	–	–	–	–	–	–	–	1	–	1	–	1	3	5	1	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	4	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–
Diseases of the Skin	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	35	5	–	3	1	–	9	5	1	4	1	1	1	4	6	2	1	–
Other Causes	225	64	8	–	1	–	73	2	–	–	1	3	1	3	8	21	73	40
528.—THIRSK.																		
Mean Popul^{n}, 1851-61	6218	-	-	-	-	-	815	752	685	599	503	774	670	582	442	266	112	18
TOTAL DEATHS	1164	278	41	22	15	16	372	38	26	36	31	76	63	62	105	146	159	50
Small-pox	7	1	2	–	–	–	3	–	–	–	–	2	2	–	–	–	–	–
Measles	4	1	–	1	1	–	3	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	19	1	4	3	3	1	12	6	–	–	–	1	–	–	–	–	–	–
Diphtheria	17	–	1	–	2	2	5	5	5	1	–	–	1	–	–	–	–	–
Whooping-cough	10	5	3	–	–	1	9	–	1	–	–	–	–	–	–	–	–	–
Typhus	39	–	1	1	–	1	3	2	3	4	1	3	4	6	7	5	–	1
Cholera, Diarrh., Dysent^{y}	21	9	1	2	–	–	12	–	1	–	2	–	–	–	–	3	3	–
Other Zymotic Dis.	48	21	2	4	1	3	31	–	1	1	2	–	3	3	2	3	2	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	1	2	8	6	–	1
Scrofula, Tabes Mesent.	22	6	3	–	–	2	11	2	2	2	–	2	1	–	1	1	–	–
Phthisis	137	2	1	–	–	–	3	2	7	18	15	41	22	12	11	10	1	–
Hydrocephalus	13	3	1	2	1	–	7	5	–	1	–	–	–	–	–	–	–	–
Diseases of Brain	100	93	8	2	2	1	106	2	2	6	–	4	6	11	11	23	15	4
Heart Dis. and Dropsy	89	1	–	–	–	–	1	2	1	2	2	5	2	6	25	22	18	3
Dis. of Lungs	120	27	7	4	3	4	45	4	1	1	2	3	5	5	12	17	22	3
Dis. of Stom. and Liver	70	10	1	–	1	1	13	–	1	2	3	4	6	9	12	11	9	–
Dis. of Kidneys	21	–	–	–	–	–	–	–	–	1	–	1	3	1	3	5	6	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diseases of the Skin	4	1	1	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	38	–	–	1	–	–	1	5	1	2	2	8	5	3	3	6	2	–
Other Causes	276	97	5	2	1	–	105	1	–	–	2	2	2	3	10	34	80	37

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of this District.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
526.—MALTON.																		
Mean Popul^{n}, 1851-61	11500	-	-	-	-	-	1551	1378	1238	1052	947	1542	1279	1025	743	427	207	34
TOTAL DEATHS	2203	460	126	71	32	43	732	89	67	76	72	159	110	110	171	268	244	105
Small-pox	4	1	1	-	-	1	3	-	-	-	-	-	-	1	-	-	-	-
Measles	28	4	11	4	1	4	24	2	2	-	-	-	-	-	-	-	-	-
Scarlatina	86	1	18	16	10	13	58	23	3	-	1	1	-	-	-	-	-	-
Diphtheria	48	3	5	7	1	6	22	15	7	2	1	-	-	1	-	-	-	-
Whooping-cough	42	21	10	6	1	2	40	2	-	-	-	-	-	-	-	-	-	-
Typhus	93	1	5	-	1	2	9	11	14	10	6	10	8	7	6	12	-	-
Cholera, Diarrh., Dysent^{y}	127	54	6	4	2	-	66	4	-	1	4	7	2	6	9	9	18	1
Other Zymotic Dis.	98	17	11	4	4	1	37	4	3	4	2	3	8	2	7	10	11	7
Cancer	59	-	-	-	-	-	-	-	-	-	-	6	6	9	12	20	6	-
Scrofu'a, Tabes Mesent.	24	6	3	1	-	1	11	2	1	1	1	5	1	1	-	-	1	-
Phthisis	213	2	-	3	-	2	7	4	14	34	32	77	23	13	7	2	-	-
Hydrocephalus	18	5	6	1	2	2	16	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	279	123	17	10	1	1	152	5	8	6	4	7	5	9	25	34	19	5
Heart Dis. and Dropsy	214	2	2	-	1	-	5	3	3	3	5	5	16	31	44	60	37	2
Dis. of Lungs	214	31	17	9	5	3	65	1	4	5	1	7	9	9	26	36	39	12
Dis. of Stom. and Liver	106	16	-	-	-	-	16	3	4	-	5	13	8	9	19	22	7	-
Dis. of Kidneys	13	-	1	-	1	-	2	-	-	1	1	1	-	2	-	5	1	-
Dis. of Gener. Organs	11	-	-	-	1	-	1	-	-	-	1	1	1	3	2	1	1	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-
Diseases of the Skin	6	4	-	-	-	-	4	-	-	-	-	-	-	-	-	2	-	-
Childbirth and Metria	36	-	-	-	-	-	-	-	-	2	5	14	14	1	-	-	-	-
Violent Deaths	42	4	3	2	-	3	12	8	-	1	1	-	2	-	2	8	6	2
Other Causes	436	165	10	4	1	2	182	1	3	3	2	1	5	6	12	47	98	76
527.—EASINGWOLD.*																		
Mean Popul^{n}, 1851-61	4948	-	-	-	-	-	671	599	540	439	380	630	535	444	344	240	111	15
TOTAL DEATHS	950	171	27	23	13	22	256	33	31	27	33	77	55	44	80	116	137	61
Small-pox	10	3	-	1	-	1	5	1	1	-	-	-	1	2	-	-	-	-
Measles	11	1	3	-	2	1	7	3	-	-	-	-	-	1	-	-	-	-
Scarlatina	32	-	5	6	3	3	17	8	4	1	1	-	1	-	-	-	-	-
Diphtheria	3	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	10	2	2	2	-	3	9	1	-	-	-	-	-	-	-	-	-	-
Typhus	41	3	1	-	1	1	6	3	5	2	3	9	2	4	3	2	-	2
Cholera, Diarrh., Dysent^{y}	31	9	3	-	1	-	13	-	1	-	-	-	-	5	1	2	6	3
Other Zymotic Dis.	65	12	1	2	1	4	20	3	-	1	3	4	5	-	2	9	16	2
Cancer	20	-	-	-	-	-	-	-	-	-	-	-	-	4	7	5	2	2
Scrofula, Tabes Mesent.	12	-	-	1	-	-	1	1	1	2	1	2	2	1	1	-	-	-
Phthisis	117	-	-	1	-	-	1	1	13	14	17	42	14	4	8	3	-	-
Hydrocephalus	15	3	2	2	-	2	9	5	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	130	61	3	2	2	-	68	1	2	1	-	3	4	4	10	16	18	3
Heart Dis. and Dropsy	71	2	-	-	-	-	2	1	-	1	-	7	5	7	16	16	15	1
Dis. of Lungs	71	12	-	3	3	2	20	1	-	1	-	2	4	4	11	19	9	-
Dis. of Stom. and Liver	46	3	-	-	-	1	4	-	2	1	2	-	3	5	10	13	5	1
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	1	1	7	7	-	-	-	-	-
Violent Deaths	16	4	1	2	-	1	8	2	1	-	1	1	1	1	1	-	-	-
Other Causes	217	55	6	1	-	-	62	2	-	-	2	-	4	2	7	29	62	47
528.—THIRSK.																		
Mean Popul^{n}, 1851-61	6312	-	-	-	-	-	797	777	658	574	534	815	681	571	439	304	139	23
TOTAL DEATHS	1153	203	49	31	17	10	310	35	35	39	48	94	70	65	90	148	161	58
Small-pox	6	1	2	-	-	-	3	-	-	1	1	1	-	-	-	-	-	-
Measles	5	1	2	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	27	1	4	3	5	1	14	6	4	-	1	2	-	-	-	-	-	-
Diphtheria	21	-	1	-	1	2	4	8	4	-	1	2	2	-	-	-	-	-
Whooping-cough	28	11	8	4	4	-	27	-	1	-	-	-	-	-	-	-	-	-
Typhus	39	1	2	2	-	-	5	-	3	5	6	7	3	1	4	3	2	-
Cholera, Diarrh., Dysent^{y}	23	7	-	1	-	1	9	-	-	1	-	-	1	1	1	2	6	2
Other Zymotic Dis.	49	14	6	2	1	-	23	-	2	-	1	1	1	2	3	4	10	2
Cancer	35	-	-	-	-	-	-	-	-	-	-	-	3	6	11	8	7	-
Scrofula, Tabes Mesent.	15	2	4	2	-	-	8	1	1	-	1	3	1	-	-	-	-	-
Phthisis	151	-	-	1	-	-	1	-	11	20	20	39	26	15	11	7	1	-
Hydrocephalus	13	2	1	3	1	-	7	5	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	146	70	3	2	-	3	78	3	4	1	2	6	7	7	5	21	10	2
Heart Dis. and Dropsy	94	1	-	1	-	-	2	-	1	3	2	7	10	8	16	21	23	1
Dis. of Lungs	93	19	8	4	3	-	34	4	1	-	2	4	2	6	7	18	12	3
Dis. of Stom. and Liver	74	5	1	3	-	1	10	3	1	3	1	8	5	7	11	17	8	-
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	2	-	1	1	2	2	1	-	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	2	3	3	3	1	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	1	-
Diseases of the Skin	6	4	-	-	-	-	4	-	-	-	-	-	-	-	2	-	-	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	1	10	6	3	1	-	-	-	-
Violent Deaths	18	1	1	2	1	2	7	3	-	-	-	1	2	1	1	1	2	-
Other Causes	252	63	6	-	1	-	70	1	1	1	-	3	-	3	12	44	79	48

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of this District.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
529.—HELMSLEY.*																		
Mean Popul^n, 1851-61	6458	-	-	-	-	-	789	717	695	700	559	833	674	605	450	297	123	16
TOTAL DEATHS	1165	255	44	34	23	12	368	45	30	31	43	62	45	67	91	169	172	42
Small-pox	4	-	-	-	1	-	1	-	-	-	-	2	-	-	-	1	-	-
Measles	8	1	3	-	2	-	6	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	46	3	8	7	5	3	26	15	3	2	-	-	-	-	-	-	-	-
Diphtheria	15	-	-	1	3	-	4	3	3	-	1	2	-	2	-	-	-	-
Whooping-cough	14	6	1	4	1	1	13	1	-	-	-	-	-	-	-	-	-	-
Typhus	36	-	1	2	1	-	4	4	1	3	3	6	4	1	3	5	2	-
Cholera, Diarrh., Dysent^y	41	19	2	-	1	-	22	-	1	-	-	-	1	2	4	3	5	3
Other Zymotic Dis.	48	8	3	3	1	2	17	2	-	1	-	2	1	5	5	6	7	2
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	3	-
Scrofula, Tabes Mesent.	22	1	4	-	-	1	6	1	3	5	2	3	1	-	-	1	-	-
Phthisis	84	2	-	1	-	-	3	1	3	8	15	24	8	9	11	2	-	-
Hydrocephalus	14	2	2	1	1	-	6	2	1	1	1	1	1	-	1	-	-	-
Diseases of Brain	176	79	2	4	-	1	86	1	4	2	2	5	4	5	11	28	24	4
Heart Dis. and Dropsy	96	-	-	-	-	-	-	2	1	-	4	5	5	12	20	29	17	1
Dis. of Lungs	187	37	10	5	3	2	57	3	3	4	7	5	4	15	19	26	34	10
Dis. of Stom. and Liver	82	6	1	2	1	-	10	3	1	1	5	2	7	9	8	25	10	1
Dis. of Kidneys	22	-	-	-	-	-	-	-	1	-	1	1	2	1	2	11	2	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	13	-	-	-	-	-	-	1	3	1	1	2	2	1	-	2	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	38	1	3	3	3	2	12	4	2	3	1	1	3	1	2	5	4	-
Other Causes	206	89	4	1	-	-	94	-	-	-	-	1	2	3	2	20	64	20
530.—PICKERING.																		
Mean Popul^n, 1851-61	5172	-	-	-	-	-	668	618	546	481	412	684	589	481	369	227	84	13
TOTAL DEATHS	971	245	35	30	18	9	337	31	27	24	36	44	47	56	78	123	122	46
Small-pox	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	13	2	2	3	3	1	11	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	21	-	3	6	3	1	13	6	1	-	1	-	-	-	-	-	-	-
Diphtheria	5	-	2	-	1	1	4	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	17	12	3	2	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	14	-	-	-	-	-	-	2	4	1	2	1	1	2	1	-	-	-
Cholera, Diarrh., Dysent^y	22	13	-	-	1	-	14	1	-	-	-	-	-	-	2	1	1	3
Other Zymotic Dis.	57	13	2	6	2	3	26	4	2	1	1	5	3	2	4	3	6	-
Cancer	15	-	-	-	-	-	-	-	-	-	-	-	3	2	4	3	1	2
Scrofula, Tabes Mesent.	20	3	1	1	1	1	7	4	1	-	2	2	-	2	2	-	-	-
Phthisis	84	3	2	2	-	-	7	2	1	12	13	13	11	12	7	5	1	-
Hydrocephalus	15	3	2	2	4	1	12	-	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	152	73	4	2	1	-	80	2	4	-	3	6	7	2	12	19	14	3
Heart Dis. and Dropsy	67	-	-	-	-	-	-	1	3	1	1	4	6	6	9	21	12	3
Dis. of Lungs	157	35	7	3	-	-	45	2	-	2	6	5	7	12	24	20	29	5
Dis. of Stom. and Liver	60	11	-	1	-	-	12	-	2	-	3	3	4	4	5	18	9	-
Dis. of Kidneys	26	-	-	-	-	-	-	-	-	2	-	-	1	4	2	10	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	11	-	-	-	-	-	-	1	4	2	1	1	-	-	1	1	-	-
Diseases of the Skin	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	39	3	1	1	1	1	7	1	1	3	3	3	4	7	2	4	3	1
Other Causes	172	71	6	1	1	-	79	1	1	-	-	1	-	1	3	18	39	29
531.—WHITBY.																		
Mean Popul^n, 1851-61	10559	-	-	-	-	-	1637	1403	1163	911	765	1377	1141	856	678	424	134	20
TOTAL DEATHS	2299	552	156	87	54	38	887	91	82	68	79	131	134	115	194	269	220	79
Small-pox	15	3	3	4	1	-	11	1	-	-	-	2	-	-	1	-	-	-
Measles	27	4	11	4	2	2	23	3	-	1	-	-	-	-	-	-	-	-
Scarlatina	70	8	19	11	8	7	53	11	1	2	1	-	-	2	-	-	-	-
Diphtheria	22	3	-	6	4	2	15	6	1	-	-	-	-	-	-	-	-	-
Whooping-cough	50	27	18	1	2	-	48	2	-	-	-	-	-	-	-	-	-	-
Typhus	102	2	3	6	10	3	24	14	7	11	9	11	6	6	3	10	1	-
Cholera, Diarrh., Dysent^y	102	51	6	3	2	-	62	2	1	1	1	3	5	3	7	7	9	1
Other Zymotic Dis.	120	23	8	12	6	4	53	7	1	3	5	8	9	6	7	13	6	2
Cancer	33	-	-	-	-	-	-	1	-	1	1	3	2	4	12	4	4	1
Scrofula, Tabes Mesent.	31	5	5	1	-	1	12	5	-	2	-	1	6	1	2	1	-	1
Phthisis	177	5	5	3	-	2	15	2	5	18	36	33	29	15	15	8	1	-
Hydrocephalus	34	9	9	6	3	3	30	2	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	286	148	15	7	3	4	177	9	1	3	2	9	15	13	14	24	16	3
Heart Dis. and Dropsy	110	2	-	1	1	2	6	2	2	2	2	3	10	13	22	35	11	2
Dis. of Lungs	295	73	31	13	8	3	128	11	1	6	5	13	19	12	36	43	17	4
Dis. of Stom. and Liver	115	18	2	2	-	-	22	5	2	5	2	11	5	15	22	17	8	1
Dis. of Kidneys	64	1	-	-	-	2	3	-	-	-	1	4	5	5	7	22	17	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	12	-	-	-	-	-	-	1	1	-	1	3	2	2	2	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	126	1	3	4	4	2	14	6	7	10	11	21	16	12	21	5	1	2
Other Causes	503	168	18	3	-	1	190	-	1	2	2	5	5	6	23	79	128	62

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of this District.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
529.—HELMSLEY.*																		
Mean Popul^{n}, 1851-61	6055	-	-	-	-	-	775	718	656	581	505	784	646	545	419	281	121	24
TOTAL DEATHS	1141	192	44	28	17	22	303	56	31	27	43	83	65	73	78	148	158	76
Small-pox	2	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Measles	10	1	4	1	2	-	8	-	-	-	1	1	-	-	-	-	-	-
Scarlatina	56	3	7	9	3	8	30	16	7	2	-	-	-	1	-	-	-	-
Diphtheria	14	-	-	2	1	1	4	4	3	-	2	-	1	-	-	-	-	-
Whooping-cough	15	7	4	2	-	-	13	2	-	-	-	-	-	-	-	-	-	-
Typhus	22	-	1	1	2	1	5	6	-	2	1	1	4	-	-	3	-	-
Cholera, Diarrh., Dysent^{y}	45	20	3	-	1	-	24	-	-	-	-	2	4	2	3	3	5	2
Other Zymotic Dis.	45	6	2	1	1	2	12	6	3	-	-	1	-	5	6	5	6	1
Cancer	26	-	-	-	-	-	-	-	-	1	-	3	3	7	2	5	5	-
Scrofula, Tabes Mesent.	17	2	2	1	-	-	5	3	3	2	-	1	-	1	-	2	-	-
Phthisis	120	2	1	1	-	-	4	6	4	11	19	38	17	12	8	1	-	-
Hydrocephalus	15	5	4	1	-	1	11	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	120	50	2	2	1	1	56	2	2	1	2	2	4	6	9	15	18	3
Heart Dis. and Dropsy	80	-	-	1	-	-	1	2	1	3	3	4	4	6	13	31	11	1
Dis. of Lungs	160	25	10	4	4	4	47	3	4	1	2	5	4	7	14	27	34	12
Dis. of Stom. and Liver	93	9	-	-	-	-	9	-	2	1	4	5	6	18	16	23	9	-
Dis. of Kidneys	10	-	-	-	-	-	-	2	-	-	2	-	-	1	1	3	1	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	1	-
Diseases of the Joints	4	1	-	-	-	1	2	-	-	-	-	-	-	-	1	1	-	-
Diseases of the Skin	5	1	-	-	1	-	2	-	-	-	-	-	-	2	1	-	-	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	2	6	9	10	1	-	-	-	-
Violent Deaths	20	4	1	2	1	2	10	-	-	-	-	1	2	1	1	-	3	2
Other Causes	227	56	3	-	-	-	59	-	2	1	1	8	3	2	2	29	65	55
530.—PICKERING.																		
Mean Popul^{n}, 1851-61	5092	-	-	-	-	-	697	624	547	455	389	675	559	463	340	216	108	19
TOTAL DEATHS	935	178	30	16	16	11	251	32	22	28	40	64	66	34	94	119	137	48
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	4	-	2	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	26	1	1	4	3	2	11	10	3	-	-	-	2	-	-	-	-	-
Diphtheria	4	-	1	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	8	3	4	-	-	-	7	1	-	-	-	-	-	-	-	-	-	-
Typhus	16	1	-	-	1	-	2	3	1	2	3	-	1	1	2	-	1	-
Cholera, Diarrh., Dysent^{y}	21	7	2	1	-	2	12	-	-	-	-	2	1	1	-	2	2	1
Other Zymotic Dis.	37	10	2	1	3	1	17	2	2	-	1	-	2	-	1	4	4	4
Cancer	41	-	-	-	-	-	-	-	-	1	-	-	5	6	13	9	6	1
Scrofula, Tabes Mesent.	28	8	1	1	-	1	11	1	2	3	5	1	3	1	1	-	-	-
Phthisis	112	1	-	1	-	-	2	-	8	12	20	26	20	7	8	8	1	-
Hydrocephalus	15	3	5	4	1	1	14	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	122	47	4	-	1	1	53	4	1	2	-	5	6	1	13	14	16	7
Heart Dis. and Dropsy	71	1	-	-	-	-	1	-	-	2	1	6	6	2	16	18	17	2
Dis. of Lungs	135	25	2	2	2	1	32	3	1	1	4	4	2	-	17	29	36	6
Dis. of Stom. and Liver	67	2	-	-	-	-	2	-	-	3	2	6	5	7	18	14	9	1
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-
Diseases of the Joints	8	-	-	-	1	1	2	-	-	-	2	1	2	-	-	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Childbirth and Metria	21	-	-	-	-	-	-	-	-	1	-	9	8	3	-	-	2	-
Violent Deaths	21	1	1	1	2	1	6	2	1	-	2	1	-	-	1	2	4	2
Other Causes	167	67	5	1	1	-	74	1	3	1	-	3	-	2	3	16	41	23
531.—WHITBY.																		
Mean Popul^{n}, 1851-61	12054	-	-	-	-	-	1604	1344	1246	1064	1044	1733	1311	1063	807	538	261	45
TOTAL DEATHS	2321	445	132	71	49	39	736	87	41	79	74	173	116	125	176	314	289	111
Small-pox	9	5	1	-	-	-	6	-	-	-	1	-	2	-	-	-	-	-
Measles	23	8	6	3	4	2	23	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	49	3	7	6	12	4	32	10	4	1	-	1	1	-	-	-	-	-
Diphtheria	31	2	2	6	4	3	17	11	2	-	-	-	-	-	-	-	-	1
Whooping-cough	71	27	29	3	5	4	68	3	-	-	-	-	-	-	-	-	-	-
Typhus	84	3	7	3	5	4	20	8	10	14	7	11	-	5	3	3	3	-
Cholera, Diarrh., Dysent^{y}	85	30	2	2	1	1	36	1	-	2	4	4	4	6	8	9	9	2
Other Zymotic Dis.	117	27	4	9	4	5	49	8	6	2	1	9	3	5	5	11	15	3
Cancer	60	-	-	-	-	-	-	-	-	-	-	2	4	9	19	16	9	1
Scrofula, Tabes Mesent.	37	7	7	3	-	2	19	3	4	3	4	1	1	1	1	-	-	-
Phthisis	221	1	1	2	-	-	4	9	6	28	34	67	39	17	8	8	1	-
Hydrocephalus	26	6	3	7	2	1	19	7	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	239	102	12	4	2	1	121	6	3	9	5	12	9	11	30	40	22	1
Heart Dis. and Dropsy	134	1	-	-	-	-	1	2	1	-	2	10	10	19	28	46	12	3
Dis. of Lungs	301	72	33	16	9	7	137	9	1	9	1	8	10	18	27	47	31	3
Dis. of Stom. and Liver	125	16	-	3	2	1	22	3	1	4	4	18	14	17	21	14	7	-
Dis. of Kidneys	18	-	-	-	-	-	-	-	2	2	1	2	2	3	2	2	1	1
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	2	1	2	1	5	5	2	-	-
Diseases of the Joints	6	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	1	-
Diseases of the Skin	7	1	1	-	-	-	2	-	-	-	-	-	-	1	1	1	2	-
Childbirth and Metria	32	-	-	-	-	-	-	-	-	-	4	20	8	-	-	-	-	-
Violent Deaths	30	4	2	2	-	3	11	4	-	-	1	2	1	1	3	2	3	2
Other Causes	558	130	15	2	1	1	149	2	1	3	2	4	7	7	14	112	173	94

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of this District.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
532.—GUISBOROUGH.																		
Mean Popul^{n}, 1851-61	8907	-	-	-	-	-	1312	1028	851	770	835	1455	1083	683	486	286	119	19
TOTAL DEATHS	1752	469	121	61	46	37	734	74	50	42	72	134	115	94	92	145	149	51
Small-pox	47	15	1	5	2	3	26	4	2	1	3	5	5	1	-	-	-	-
Measles	26	2	12	4	2	4	24	1	-	-	-	-	-	1	-	-	-	-
Scarlatina	83	9	13	10	8	3	43	23	10	3	-	1	2	1	-	-	-	-
Diphtheria	19	3	2	2	2	3	12	5	1	1	-	-	-	-	-	-	-	-
Whooping-cough	25	13	7	2	-	3	25	-	-	-	-	-	-	-	-	-	-	-
Typhus	74	3	9	3	3	4	22	4	3	5	12	9	10	4	3	1	1	-
Cholera, Diarrh., Dysent^{y}	81	34	11	2	3	2	52	1	-	1	1	5	3	2	2	9	3	2
Other Zymotic Dis.	74	20	9	7	3	7	46	6	6	-	-	5	4	-	2	2	3	-
Cancer	15	-	-	-	-	-	-	-	-	-	-	1	1	4	1	4	4	-
Scrofula, Tabes Mesent.	20	13	1	-	1	-	15	-	2	-	1	1	-	-	1	-	-	-
Phthisis	112	-	-	-	1	-	1	2	2	14	22	28	18	15	8	2	-	-
Hydrocephalus	40	18	3	4	4	2	31	8	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	277	174	11	7	3	1	196	2	2	3	2	7	7	10	15	20	11	2
Heart Dis. and Dropsy	59	5	-	1	-	-	6	-	-	1	2	9	4	6	12	13	6	-
Dis. of Lungs	204	44	23	8	6	3	84	7	4	3	4	8	12	14	12	27	25	4
Dis. of Stom. and Liver	85	7	2	-	1	-	10	5	1	2	4	4	11	13	10	16	9	-
Dis. of Kidneys	26	-	-	-	-	-	-	-	1	-	-	-	1	2	4	8	10	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	1	-	1	-	-	2	-	-	-	-	2	-	2	2	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	157	3	2	1	6	2	14	3	15	8	20	46	28	13	3	3	2	2
Other Causes	318	105	15	4	1	-	125	3	-	-	1	3	9	6	17	38	75	41
533.—STOKESLEY.*																		
Mean Popul^{n}, 1851-61	4802	-	-	-	-	-	602	490	503	433	398	612	485	405	325	226	110	13
TOTAL DEATHS	885	181	36	26	13	9	265	41	30	27	33	46	34	41	81	122	115	50
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	11	3	3	1	-	1	8	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	28	1	5	5	1	1	13	13	2	-	-	-	-	-	-	-	-	-
Diphtheria	16	-	-	-	3	1	4	4	4	2	1	-	-	1	-	-	-	-
Whooping-cough	9	6	1	1	-	1	9	-	-	-	-	-	-	-	-	-	-	-
Typhus	35	-	-	1	1	-	2	1	6	7	3	5	3	5	2	1	-	-
Cholera, Diarrh., Dysent^{y}	30	14	3	1	-	2	20	1	-	-	-	-	1	3	3	-	2	-
Other Zymotic Dis.	38	4	1	2	2	1	10	4	2	2	1	1	2	3	2	7	3	1
Cancer	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	2	-
Scrofula, Tabes Mesent.	12	4	1	1	-	-	6	-	4	-	2	-	-	-	-	-	-	-
Phthisis	92	2	-	1	-	-	3	1	-	12	17	21	12	13	9	4	-	-
Hydrocephalus	9	4	5	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	173	85	10	3	5	-	103	4	5	-	2	1	4	3	18	16	12	5
Heart Dis. and Dropsy	29	-	-	-	-	-	-	2	-	-	2	2	1	-	6	8	7	1
Dis. of Lungs	76	12	5	4	1	-	22	1	1	-	2	3	4	2	11	18	12	-
Dis. of Stom. and Liver	40	1	-	1	-	-	2	2	-	1	2	4	2	2	11	10	4	-
Dis. of Kidneys	9	-	-	-	-	-	-	1	-	-	-	1	-	1	1	3	1	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
Diseases of the Skin	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	26	1	-	3	-	-	4	2	3	1	1	3	3	1	2	3	2	1
Other Causes	239	44	2	1	-	1	48	2	3	1	-	3	2	6	16	47	70	41
534.—NORTHALLERTON.																		
Mean Popul^{n}, 1851-61	6264	-	-	-	-	-	794	710	666	635	508	332	683	572	435	277	127	25
TOTAL DEATHS	1128	243	54	25	22	16	360	46	17	28	51	74	55	61	83	139	157	57
Small-pox	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	12	-	7	-	1	2	10	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	23	1	3	3	1	3	11	9	1	1	-	1	-	-	-	-	-	-
Diphtheria	18	1	2	1	2	4	10	5	1	1	-	-	1	-	-	-	-	-
Whooping-cough	18	7	6	3	1	-	17	-	-	-	-	1	-	-	-	-	-	-
Typhus	37	-	1	1	-	-	2	3	1	1	6	8	6	3	2	5	-	-
Cholera, Diarrh., Dysent^{y}	32	9	6	1	1	-	17	-	-	-	1	1	-	2	2	4	3	2
Other Zymotic Dis.	25	4	1	2	3	1	11	2	-	-	-	2	2	1	3	3	1	-
Cancer	18	-	-	-	-	-	-	-	-	-	1	-	2	3	3	7	2	-
Scrofula, Tabes Mesent.	12	2	1	-	-	1	4	1	-	2	1	1	1	-	1	1	-	-
Phthisis	133	1	-	1	1	-	3	2	9	14	24	31	16	18	11	5	-	-
Hydrocephalus	23	10	4	2	3	1	20	5	1	1	-	-	-	-	1	-	-	-
Diseases of Brain	183	85	7	1	1	1	95	6	2	3	2	5	9	3	8	26	21	3
Heart Dis. and Dropsy	72	-	-	-	-	-	-	3	-	-	4	4	6	8	13	20	10	4
Dis. of Lungs	131	29	6	7	5	1	48	4	-	2	3	3	4	5	13	22	21	6
Dis. of Stom. and Liver	55	1	-	2	1	-	4	2	-	1	2	4	3	9	8	13	9	-
Dis. of Kidneys	24	-	-	-	-	-	-	-	-	-	1	1	1	1	7	4	9	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	40	2	2	1	-	2	7	2	2	1	6	7	3	4	5	2	1	-
Other Causes	258	90	7	-	2	-	99	-	-	-	-	3	-	4	5	26	79	42

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of this District.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
532.—GUISBOROUGH.																		
Mean Popul^{n}, 1851-61	8257	-	-	-	-	-	1342	985	817	682	678	1238	902	632	467	337	150	27
TOTAL DEATHS	1699	397	133	58	52	31	671	78	43	57	65	124	87	71	92	172	169	70
Small-pox	39	11	7	4	1	1	24	4	1	3	2	4	1	–	–	–	–	–
Measles	26	3	11	4	1	2	21	4	–	–	–	–	1	–	–	–	–	–
Scarlatina	77	3	13	9	7	5	37	25	5	5	2	1	1	–	–	1	–	–
Diphtheria	37	3	2	3	7	7	22	7	4	–	–	1	3	–	–	–	–	–
Whooping-cough	58	16	10	3	3	3	35	3	–	–	–	–	–	–	–	–	–	–
Typhus	68	4	2	2	4	1	13	4	8	8	10	10	9	3	2	1	–	–
Cholera,Diarrh.,Dysent^{y}	60	29	6	2	–	1	38	2	–	1	2	3	3	4	2	3	1	1
Other Zymotic Dis.	72	17	11	8	6	4	46	5	1	2	–	1	2	1	3	5	5	1
Cancer	33	–	–	–	–	–	–	–	1	–	1	2	4	3	11	6	4	1
Scrofula, Tabes Mesent.	*25	9	6	–	1	1	17	3	1	2	–	1	1	–	–	–	–	–
Phthisis	166	–	–	–	–	–	–	2	11	22	31	50	24	11	10	4	1	–
Hydrocephalus	31	9	4	3	5	2	23	5	1	2	–	–	–	–	–	–	–	–
Diseases of Brain	262	141	19	8	5	–	176	2	2	4	2	7	5	5	23	20	14	–
Heart Dis. and Dropsy	74	–	1	1	–	–	2	–	–	3	1	5	7	11	10	23	7	–
Dis. of Lungs	177	33	23	9	8	2	78	4	5	2	2	6	6	4	10	20	23	5
Dis. of Stom. and Liver	89	6	–	–	–	–	6	1	–	1	6	13	8	17	12	19	6	–
Dis. of Kidneys	7	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	1	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
Diseases of the Joints	4	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2	–	–
Diseases of the Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–
Childbirth and Metria	25	–	–	–	–	–	–	–	–	2	4	14	5	–	–	–	–	–
Violent Deaths	24	2	2	1	1	1	7	6	1	–	–	1	–	2	2	3	1	1
Other Causes	359	104	16	1	3	1	125	1	1	–	2	3	5	9	3	47	102	61
533.—STOKESLEY.*																		
Mean Popul^{n}, 1851-61	4552	-	-	-	-	-	596	495	455	427	381	612	479	382	330	250	123	22
TOTAL DEATHS	945	149	23	22	20	11	225	49	26	40	42	72	59	47	57	126	143	59
Small-pox	3	1	–	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–
Measles	6	1	1	3	–	–	5	–	–	–	–	1	–	–	–	–	–	–
Scarlatina	32	5	3	2	2	3	15	12	4	1	–	–	–	–	–	–	–	–
Diphtheria	25	1	–	–	2	1	4	12	4	4	1	–	–	–	–	–	–	–
Whooping-cough	9	5	1	1	1	1	9	–	–	–	–	–	–	–	–	–	–	–
Typhus	31	–	–	–	–	–	–	2	2	5	5	3	5	2	2	4	1	–
Cholera,Diarrh.,Dysent^{y}	23	6	1	–	1	–	8	3	–	–	–	1	1	3	1	4	2	–
Other Zymotic Dis.	42	3	1	3	2	1	10	3	1	1	–	2	1	4	5	8	7	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	1	1	3	4	6	3	–
Scrofula, Tabes Mesent.	7	2	1	1	1	–	5	–	–	–	–	–	2	–	–	–	–	–
Phthisis	118	–	–	–	1	–	1	–	6	18	24	39	18	9	2	1	–	–
Hydrocephalus	5	–	–	3	–	–	3	1	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	141	65	3	3	3	–	74	5	3	2	1	3	4	5	7	20	14	3
Heart Dis. and Dropsy	41	–	–	–	–	–	–	1	1	3	2	4	4	3	3	11	4	–
Dis. of Lungs	79	13	6	4	5	3	31	6	2	2	3	1	4	3	3	9	10	–
Dis. of Stom. and Liver	53	6	2	–	1	–	9	1	–	1	2	6	5	4	10	11	4	–
Dis. of Kidneys	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	1	–	–	2	2	1	1	1	–	–
Diseases of the Joints	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Diseases of the Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	12	–	–	–	–	–	–	–	–	–	2	4	6	–	–	–	–	–
Violent Deaths	8	–	–	2	–	1	3	1	1	–	–	–	–	–	1	–	2	–
Other Causes	280	41	4	–	1	–	46	2	1	2	2	3	6	8	8	50	93	55
534.—NORTHALLERTON.																		
Mean Popul^{n}, 1851-61	6053	-	-	-	-	-	804	711	623	536	479	800	645	534	413	300	151	27
TOTAL DEATHS	1205	217	52	27	22	20	338	50	38	53	46	80	73	64	93	133	163	71
Small-pox	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Measles	8	2	2	1	–	2	7	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	23	3	2	3	5	2	15	7	1	–	–	–	–	–	–	–	–	–
Diphtheria	24	–	2	2	2	5	11	7	3	2	1	–	–	–	–	–	–	–
Whooping-cough	20	11	4	2	1	2	20	–	–	–	–	–	–	–	–	–	–	–
Typhus	43	–	–	–	–	1	1	5	6	4	7	5	4	2	5	5	2	–
Cholera,Diarrh.,Dysent^{y}	31	16	4	1	–	–	21	2	–	–	–	2	–	–	1	3	2	–
Other Zymotic Dis.	26	7	1	4	2	1	15	–	1	3	–	–	1	1	1	2	1	1
Cancer	34	–	–	–	–	–	–	–	–	–	–	–	4	6	11	7	6	–
Scrofula, Tabes Mesent.	15	4	3	1	–	–	8	2	3	–	1	–	–	1	–	–	–	–
Phthisis	183	–	2	1	1	2	6	8	9	37	23	42	34	15	8	1	–	–
Hydrocephalus	22	3	5	3	1	–	12	5	4	–	1	–	–	–	–	–	–	–
Diseases of Brain	163	67	8	1	2	2	80	2	1	1	5	2	4	9	11	20	21	7
Heart Dis. and Dropsy	83	–	–	–	–	–	–	2	2	–	3	3	4	6	21	22	17	3
Dis. of Lungs	117	17	8	3	5	1	34	3	2	2	1	1	4	7	10	22	21	7
Dis. of Stom. and Liver	65	3	–	1	1	–	5	1	1	2	2	5	6	8	15	15	4	3
Dis. of Kidneys	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Diseases of the Joints	7	–	–	–	–	–	–	–	–	1	–	4	–	–	1	1	–	–
Diseases of the Skin	4	1	–	–	–	–	1	–	–	–	–	–	–	–	1	2	–	–
Childbirth and Metria	19	–	–	–	–	–	–	–	–	–	1	8	9	1	–	–	–	–
Violent Deaths	27	–	4	2	1	–	7	4	4	–	–	3	–	2	3	3	1	–
Other Causes	280	83	7	2	1	2	95	1	–	–	1	3	3	4	7	32	85	49

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of this District.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
535.—BEDALE.																		
Mean Popul^{n}, 1851-61	4371	-	-	-	-	-	579	503	512	407	347	549	473	384	306	201	95	15
TOTAL DEATHS	804	180	33	18	13	12	256	20	11	18	23	36	40	42	68	103	140	47
Small-pox	2	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	7	2	1	1	1	-	5	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	8	-	3	1	1	-	5	2	-	-	-	1	-	-	-	-	-	-
Diphtheria	10	-	1	-	2	1	4	2	1	2	-	-	1	-	-	-	-	-
Whooping-cough	14	8	4	1	1	-	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	17	-	-	-	-	1	1	-	2	3	3	1	2	3	-	2	-	-
Cholera, Diarrh., Dysent^{y}	12	4	2	-	2	-	8	-	-	-	-	-	2	1	-	1	-	-
Other Zymotic Dis.	37	2	2	3	3	3	13	4	-	1	-	3	5	1	3	6	1	-
Cancer	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	-
Scrofula, Tabes Mesent.	8	1	-	2	1	-	4	2	-	-	1	-	-	-	1	-	-	-
Phthisis	65	-	-	1	-	-	1	-	1	4	12	20	15	5	6	1	-	-
Hydrocephalus	14	5	4	2	-	2	13	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	140	83	6	1	-	-	90	1	1	-	4	6	5	2	5	11	15	-
Heart Dis. and Dropsy	66	-	-	-	-	-	-	-	1	3	-	1	3	7	11	16	14	4
Dis. of Lungs	81	21	6	3	1	3	34	2	1	2	-	1	2	8	14	10	6	1
Dis. of Stom. and Liver	34	4	-	1	-	-	5	1	-	-	-	2	1	4	6	13	1	1
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	26	-	-	2	-	1	3	-	1	-	2	2	-	6	5	4	2	1
Other Causes	248	50	4	-	-	1	55	5	-	1	-	-	4	4	10	38	91	40
536.—LEYBURN.																		
Mean Popul^{n}, 1851-61	5062	-	-	-	-	-	654	567	607	535	403	641	545	429	339	227	97	15
TOTAL DEATHS	831	172	37	13	17	11	250	27	14	28	36	45	44	38	74	119	117	39
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	19	4	7	1	1	2	15	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	7	1	1	1	1	1	5	2	-	-	-	-	-	-	-	-	-	-
Diphtheria	3	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	14	7	6	1	-	-	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	29	1	-	-	1	2	4	3	2	2	4	4	5	2	2	1	-	-
Cholera, Diarrh., Dysent^{y}	13	1	1	-	1	-	3	-	-	1	-	-	1	-	2	2	4	-
Other Zymotic Dis.	35	11	-	-	1	-	12	3	-	1	2	2	2	1	4	6	2	-
Cancer	11	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	2	1
Scrofula, Tabes Mesent.	13	1	1	1	-	-	3	1	1	3	1	2	-	1	-	1	-	-
Phthisis	89	-	-	-	-	1	1	-	5	5	19	20	14	9	8	7	1	-
Hydrocephalus	31	6	10	1	4	2	23	3	2	2	-	-	1	-	-	-	-	-
Diseases of Brain	101	63	1	-	1	-	65	1	1	2	1	3	3	6	5	12	-	2
Heart Dis. and Dropsy	57	-	-	-	2	-	2	-	-	-	-	-	5	4	15	19	11	1
Dis. of Lungs	66	17	4	2	1	2	26	2	-	3	2	4	3	2	8	11	4	1
Dis. of Stom. and Liver	43	3	2	1	-	-	6	1	1	2	1	2	5	4	11	8	2	-
Dis. of Kidneys	22	-	-	1	-	-	1	-	-	1	-	1	2	3	3	4	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	39	4	2	1	3	1	11	3	-	2	5	4	3	3	4	1	3	-
Other Causes	236	53	2	3	-	-	58	3	-	4	-	1	-	2	10	43	81	34
537.—ASKRIGG.																		
Mean Popul^{n}, 1851-61	2792	-	-	-	-	-	374	353	293	238	196	364	321	244	201	150	50	8
TOTAL DEATHS	560	129	22	7	7	6	171	16	8	25	18	37	27	32	38	78	81	29
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	1	-	3	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	10	2	2	-	1	2	7	-	-	1	-	2	-	-	-	-	-	-
Diphtheria	4	-	-	1	-	1	2	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	6	4	1	1	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Typhus	17	-	-	-	-	-	-	2	2	1	3	1	4	1	2	1	-	-
Cholera, Diarrh., Dysent^{y}	9	2	4	-	-	-	6	-	-	-	-	-	-	1	-	1	-	1
Other Zymotic Dis.	24	6	3	1	2	1	13	3	1	2	-	1	1	1	1	1	-	-
Cancer	2	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	3	-
Scrofula, Tabes Mesent.	12	4	-	-	-	-	4	4	-	-	1	1	1	1	-	-	-	-
Phthisis	60	-	1	-	-	-	1	3	1	12	8	14	7	9	3	2	-	-
Hydrocephalus	9	5	1	-	2	-	8	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	56	23	1	-	-	-	24	-	1	2	1	3	2	5	3	10	3	-
Heart Dis. and Dropsy	44	-	1	-	1	-	2	1	1	2	4	2	1	6	9	6	9	1
Dis. of Lungs	32	5	3	1	-	-	9	-	2	1	-	2	1	3	7	1	5	1
Dis. of Stom. and Liver	37	3	1	-	-	-	4	1	-	2	1	4	5	2	5	10	3	-
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	1	-	-	1	-	1	5	2	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	10	-	1	-	1	2	4	-	-	-	-	1	-	1	1	3	-	-
Other Causes	206	74	3	-	-	-	77	-	-	-	-	5	3	2	5	35	54	25

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

535.—BEDALE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	4444	-	-	-	-	-	566	510	469	374	354	596	500	409	329	217	97	23
TOTAL DEATHS	784	115	21	14	16	11	177	23	20	17	40	62	66	40	75	108	117	39
Small-pox	3	-	1	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-
Measles	5	1	1	1	1	-	4	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	8	-	-	2	1	-	3	2	1	-	-	1	-	1	-	-	-	-
Diphtheria	8	-	-	-	1	5	6	1	-	-	-	-	-	1	-	-	-	-
Whooping-cough	8	4	1	2	1	-	8	-	-	-	-	-	-	-	-	-	-	-
Typhus	27	1	-	-	-	3	4	3	4	1	2	4	4	-	2	2	1	-
Cholera, Diarrh., Dysent^{y}	10	1	1	-	-	1	3	-	-	-	-	-	1	-	2	1	3	-
Other Zymotic Dis.	19	-	2	1	2	1	6	1	-	-	-	-	1	2	3	5	1	-
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	2	3	3	1	3	-
Scrofula, Tabes Mesent.	8	-	1	-	1	-	2	-	1	-	1	1	1	-	1	-	1	-
Phthisis	91	-	-	1	1	-	2	1	7	7	20	22	24	8	5	-	-	-
Hydrocephalus	18	10	4	2	-	-	16	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	100	55	3	-	2	-	60	2	1	3	2	5	5	6	3	8	4	1
Heart Dis. and Dropsy	69	-	-	-	-	-	-	1	2	1	2	4	4	8	12	24	10	1
Dis. of Lungs	78	13	3	2	3	-	21	2	-	1	2	8	2	4	12	15	11	-
Dis. of Stom. and Liver	46	1	-	-	-	-	1	3	-	2	1	2	7	5	12	9	4	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	1	1	2	-	2	2	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	-	2	6	5	-	-	-	-	-
Violent Deaths	22	1	1	1	1	1	5	4	-	1	1	4	1	2	-	3	-	1
Other Causes	222	28	3	2	1	-	34	1	3	1	4	2	4	3	17	38	79	36

536.—LEYBURN.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	5019	-	-	-	-	-	648	612	526	473	402	654	566	426	342	234	111	25
TOTAL DEATHS	836	134	20	16	12	7	189	30	28	18	20	66	52	46	70	116	140	61
Small-pox	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	10	-	1	3	1	1	6	3	-	-	-	1	-	-	-	-	-	-
Scarlatina	13	-	-	2	1	-	3	6	3	-	-	-	1	-	-	-	-	-
Diphtheria	2	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough	14	5	5	-	2	2	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	17	1	-	-	-	-	1	1	2	2	-	4	2	-	1	4	-	-
Cholera, Diarrh., Dysent^{y}	7	-	-	1	-	-	1	-	1	-	-	1	1	-	-	1	2	-
Other Zymotic Dis.	35	6	2	2	3	-	13	4	3	-	1	1	1	1	3	5	2	1
Cancer	20	-	-	-	-	-	-	-	-	1	-	-	-	4	6	7	-	2
Scrofula, Tabes Mesent.	9	1	1	1	-	-	3	1	-	-	1	1	2	-	1	-	-	-
Phthisis	92	-	1	1	-	1	3	3	7	8	9	28	15	11	5	3	-	-
Hydrocephalus	19	4	1	2	2	1	10	4	3	1	-	1	-	-	-	-	-	-
Diseases of Brain	99	51	-	-	1	-	52	3	-	1	1	3	4	4	8	16	6	1
Heart Dis. and Dropsy	84	1	-	-	-	-	1	-	1	2	1	3	6	9	18	22	17	4
Dis. of Lungs	70	18	6	1	1	-	26	-	2	-	3	3	4	6	10	8	6	2
Dis. of Stom. and Liver	40	5	1	1	-	1	8	1	2	1	1	2	3	4	8	7	3	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of the Joints	6	1	1	-	-	-	2	-	2	-	-	1	-	-	1	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	-	1	8	11	-	-	-	-	-
Violent Deaths	14	-	-	-	1	-	1	2	1	-	1	3	-	-	-	1	3	3
Other Causes	258	39	1	2	-	-	42	2	1	1	1	5	1	6	9	42	100	48

537.—ASKRIGG.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	2850	-	-	-	-	-	376	349	287	249	241	400	303	244	195	141	56	9
TOTAL DEATHS	563	96	20	4	10	7	137	19	12	19	29	45	38	31	49	66	88	30
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	11	1	-	1	3	-	5	6	-	-	-	-	-	-	-	-	-	-
Diphtheria	7	-	-	-	1	1	2	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	8	5	2	-	-	1	8	-	-	-	-	-	-	-	-	-	-	-
Typhus	13	-	-	-	-	1	1	-	1	2	4	2	1	1	1	-	-	-
Cholera, Diarrh., Dysent^{y}	9	2	1	-	-	-	3	-	-	-	-	2	-	-	1	2	1	-
Other Zymotic Dis.	15	4	2	-	-	2	8	1	-	-	-	-	-	-	-	2	2	2
Cancer	12	-	-	-	-	-	-	-	-	-	1	-	1	1	3	5	1	-
Scrofula, Tabes Mesent.	7	2	1	-	-	-	3	-	1	1	-	1	1	-	-	-	-	-
Phthisis	71	1	-	-	1	-	2	3	3	9	16	16	11	4	5	2	-	-
Hydrocephalus	8	1	4	-	-	1	6	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	51	13	4	1	1	-	19	1	-	2	3	3	2	3	4	7	7	-
Heart Dis. and Dropsy	50	1	1	-	-	-	2	-	1	1	-	5	3	12	9	7	8	2
Dis. of Lungs	35	6	1	1	2	-	10	1	-	1	-	3	3	2	4	8	3	-
Dis. of Stom. and Liver	29	4	-	-	-	1	5	-	-	1	1	3	2	3	7	7	-	-
Dis. of Kidneys	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	1	2	4	10	1	-	-	-	-
Violent Deaths	13	-	-	-	1	-	1	1	3	-	-	1	1	1	1	1	3	-
Other Causes	199	56	3	-	1	-	60	-	1	1	2	3	3	3	12	25	63	26

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85
538.—REETH.																		
Mean Popul^{n}, 1851-61	3273	-	-	-	-	-	459	448	399	350	275	422	372	266	168	84	27	3
TOTAL DEATHS	673	159	30	17	7	10	223	20	23	19	19	24	59	60	85	80	48	13
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	13	-	-	-	-	1	1	7	4	1	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	13	7	5	1	-	-	13	-	-	-	-	-	-	-	-	-	-	-
Typhus	9	1	-	-	-	-	1	2	2	1	-	1	-	1	1	-	-	-
Cholera, Diarrh., Dysent^{y}	10	3	1	1	-	1	6	-	-	-	-	-	-	-	-	1	3	-
Other Zymotic Dis.	31	3	4	4	5	2	18	2	1	-	1	1	1	1	2	2	2	-
Cancer	12	3	-	-	-	-	3	-	-	-	-	-	1	2	2	2	2	-
Scrofula, Tabes Mesent.	24	4	3	2	-	-	9	1	6	2	-	-	3	-	2	1	-	-
Phthisis	75	-	-	-	-	-	-	-	2	5	9	6	17	13	19	3	1	-
Hydrocephalus	8	5	-	2	-	1	8	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	103	51	-	2	-	-	53	2	4	2	1	1	8	4	13	8	4	3
Heart Dis. and Dropsy	47	-	-	1	-	1	2	1	-	1	2	2	4	4	5	16	10	-
Dis. of Lungs	173	25	8	2	1	-	36	3	1	2	2	7	18	24	35	31	11	3
Dis. of Stom. and Liver	34	2	1	2	-	1	6	1	1	-	-	4	4	7	2	5	3	1
Dis. of Kidneys	12	-	-	-	-	1	1	-	-	-	-	-	2	-	1	2	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	16	-	-	-	-	1	1	1	1	3	4	1	-	2	2	1	-	-
Other Causes	86	55	5	-	-	1	61	-	1	2	-	1	1	1	1	7	6	5
539.—RICHMOND.																		
Mean Popul^{n}, 1851-61	6668	-	-	-	-	-	864	814	844	655	509	778	669	588	481	325	119	22
TOTAL DEATHS	1309	288	60	27	24	27	426	66	20	35	43	64	71	76	101	178	163	67
Small-pox	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Measles	8	1	2	2	1	-	6	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	26	3	2	2	4	5	16	7	1	-	-	1	-	1	-	-	-	-
Diphtheria	18	1	3	1	1	1	7	8	2	-	-	1	-	-	-	-	-	-
Whooping-cough	16	6	3	-	3	1	13	3	-	-	-	-	-	-	-	-	-	-
Typhus	37	1	1	-	1	2	5	2	-	3	3	4	4	7	1	5	3	-
Cholera, Diarrh., Dysent^{y}	44	24	3	-	-	1	28	1	-	-	1	-	1	2	2	5	4	-
Other Zymotic Dis.	75	9	4	7	3	5	28	8	1	1	-	3	4	5	5	6	8	6
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	1	-	6	5	5	-
Scrofula, Tabes Mesent.	18	2	1	1	1	-	5	3	2	-	3	2	-	-	2	1	-	-
Phthisis	137	1	2	2	-	1	6	3	2	17	23	31	25	15	6	9	-	-
Hydrocephalus	28	7	5	2	1	4	19	7	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	171	73	7	2	3	2	87	6	2	3	1	5	6	10	13	20	15	3
Heart Dis. and Dropsy	73	-	1	-	-	-	1	1	1	1	2	1	7	8	18	15	16	7
Dis. of Lungs	182	37	14	4	1	3	59	6	2	2	4	6	10	10	20	35	19	9
Dis. of Stom. and Liver	86	7	2	-	2	2	13	4	3	2	2	5	6	8	17	16	8	2
Dis. of Kidneys	20	-	-	-	-	-	-	-	-	1	-	-	-	1	2	7	8	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	41	2	2	4	1	-	9	3	-	4	3	2	2	5	2	11	-	-
Other Causes	301	113	8	-	2	-	123	1	1	1	-	2	4	4	7	43	76	39

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
538.—REETH.																		
Mean Popul^{n}, 1851-61	3235	-	-	-	-	-	473	431	395	296	269	399	354	244	180	129	53	10
TOTAL DEATHS	643	119	34	20	7	8	188	15	14	23	19	44	61	41	45	88	79	26
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	5	-	3	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	8	2	2	1	-	1	6	-	1	1	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	-	2	-	2	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	13	6	3	2	-	2	13	-	-	-	-	-	-	-	-	-	-	-
Typhus	16	1	-	-	-	1	2	2	2	4	3	-	-	2	1	-	-	-
Cholera, Diarrh., Dysent^{y}	17	5	-	-	-	-	5	-	-	-	1	1	2	-	2	4	2	-
Other Zymotic Dis.	33	5	4	8	2	1	20	2	-	-	1	1	2	2	2	1	1	1
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	2	4	3	1	3	1
Scrofula, Tabes Mesent.	28	7	1	3	-	1	12	3	2	3	1	2	4	-	1	-	-	-
Phthisis	76	-	-	-	-	-	-	-	3	8	7	18	27	9	4	-	-	-
Hydrocephalus	6	3	2	-	1	-	6	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	73	26	3	1	-	-	30	-	1	-	1	2	3	6	4	11	13	2
Heart Dis. and Dropsy	69	-	-	-	-	-	-	-	-	-	1	3	5	5	10	28	12	5
Dis. of Lungs	110	24	12	2	1	1	40	1	2	1	1	1	4	5	8	17	24	6
Dis. of Stom. and Liver	53	3	-	-	1	-	4	1	1	4	1	6	4	5	6	13	4	4
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Childbirth and Metria	14	-	-	-	-	-	-	-	-	1	1	5	7	-	-	-	-	-
Violent Deaths	7	1	-	1	-	-	2	3	-	-	-	-	-	1	-	-	1	-
Other Causes	82	36	4	2	-	-	42	1	1	-	-	1	-	-	2	11	17	7
539.—RICHMOND.																		
Mean Popul^{n}, 1851-61	6984	-	-	-	-	-	841	767	721	692	620	920	737	639	505	351	156	35
TOTAL DEATHS	1284	182	57	42	20	11	312	47	33	43	45	90	78	73	121	182	189	71
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	29	-	3	9	2	1	15	5	4	3	-	1	1	-	-	-	-	-
Diphtheria	13	-	2	2	2	1	7	3	1	1	-	1	-	-	-	-	-	-
Whooping-cough	24	9	8	3	3	-	23	1	-	-	-	-	-	-	-	-	-	-
Typhus	30	-	1	-	1	-	2	5	2	7	2	2	3	1	2	1	3	-
Cholera, Diarrh., Dysent^{y}	35	12	2	-	-	1	15	-	-	-	-	-	2	3	3	7	5	-
Other Zymotic Dis.	56	3	6	5	1	1	16	6	2	1	2	3	4	1	7	6	6	2
Cancer	23	-	-	1	-	-	1	-	-	-	-	-	2	6	11	2	1	-
Scrofula, Tabes Mesent.	16	1	1	2	2	2	8	3	2	1	-	1	-	-	1	-	-	-
Phthisis	165	1	1	-	-	-	2	3	9	20	27	45	29	15	11	4	-	-
Hydrocephalus	26	6	7	4	3	1	21	5	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	155	45	5	6	-	2	58	3	3	2	4	7	6	9	19	22	20	2
Heart Dis. and Dropsy	90	1	-	1	-	-	2	2	1	2	-	5	6	13	20	22	17	-
Dis. of Lungs	166	20	15	5	3	1	44	4	4	1	2	4	7	7	17	39	32	5
Dis. of Stom. and Liver	104	4	1	3	-	-	8	2	1	3	6	13	2	10	18	32	8	1
Dis. of Kidneys	5	-	-	-	-	-	-	1	-	1	-	2	-	1	-	-	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	-	3	4	2	1	1	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Diseases of the Skin	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	5	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-
Violent Deaths	20	1	-	-	2	-	3	3	1	-	-	-	6	1	-	-	4	2
Other Causes	301	76	4	1	1	1	83	1	2	1	1	4	5	1	9	44	91	59

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
540.—DARLINGTON.																		
Mean Popul^{n}, 1851-61	11433	-	-	-	-	-	1572	1456	1236	1099	941	1574	1278	1017	672	394	168	26
TOTAL DEATHS	2336	594	164	63	74	45	940	107	63	89	98	131	114	135	165	218	208	68
Small-pox	23	5	3	-	1	-	9	2	2	4	1	2	2	1	-	-	-	-
Measles	34	6	10	4	8	4	32	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	73	2	10	7	16	8	43	26	4	-	-	-	-	-	-	-	-	-
Diphtheria	24	-	6	3	2	5	16	2	3	2	-	-	-	-	-	-	1	-
Whooping-cough	53	20	16	8	7	-	51	2	-	-	-	-	-	-	-	-	-	-
Typhus	79	2	2	1	2	3	10	9	6	7	7	9	10	8	7	5	-	1
Cholera, Diarrh., Dysent^{y}	101	54	13	4	-	2	73	2	-	-	-	1	1	6	7	4	5	2
Other Zymotic Dis.	76	15	5	4	6	5	35	10	3	2	4	-	5	2	6	4	5	-
Cancer	15	-	-	-	-	-	-	-	-	1	-	1	-	4	5	2	2	-
Scrofula, Tabes Mesent.	37	13	8	-	-	1	22	3	1	1	2	5	1	1	-	1	-	-
Phthisis	300	8	2	4	-	2	16	5	11	41	58	66	89	29	20	13	2	-
Hydrocephalus	56	21	9	4	7	1	42	7	6	1	-	-	-	-	-	-	-	-
Diseases of Brain	401	208	32	11	3	3	257	12	9	3	8	11	11	17	15	32	22	4
Heart Dis. and Dropsy	149	2	5	-	-	2	9	4	4	5	3	7	13	17	32	36	16	3
Dis. of Lungs	252	78	22	9	12	4	125	6	4	4	5	5	5	12	28	31	21	6
Dis. of Stom. and Liver	73	7	1	2	-	2	12	2	3	5	1	5	5	10	7	15	7	1
Dis. of Kidneys	39	1	-	-	2	1	4	-	-	1	-	4	1	5	8	10	5	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	1	-	2	-	-	2	1	-	2	1	-
Diseases of the Skin	7	3	-	-	-	-	3	-	-	1	-	-	-	-	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	103	3	7	1	7	2	20	9	4	6	6	12	12	11	14	4	5	-
Other Causes	431	146	13	1	1	-	161	3	3	4	2	3	7	10	15	57	116	50
541 (*a.*) STOCKTON AND 541 (*b.*) HARTLEPOOL.*																		
Mean Popul^{n}, 1851-61	35751	-	-	-	-	-	5296	4297	3483	3378	3598	6039	4247	2725	1578	736	283	36
TOTAL DEATHS	8079	2597	779	340	251	167	4134	366	183	257	327	468	479	462	456	441	396	110
Small-pox	150	36	22	14	12	11	95	10	6	1	15	17	5	1	-	-	-	-
Measles	161	35	65	25	17	10	152	8	-	-	-	1	-	-	-	-	-	-
Scarlatina	236	21	47	42	54	33	197	63	14	6	-	6	-	-	-	-	-	-
Diphtheria	59	8	11	3	6	8	36	16	4	-	-	2	-	-	-	1	-	-
Whooping-cough	118	49	34	15	8	6	112	6	-	-	-	-	-	-	-	-	-	-
Typhus	362	13	27	24	21	11	96	49	26	45	34	32	27	25	12	8	8	-
Cholera, Diarrh., Dysent^{y}	553	229	64	11	11	8	323	23	12	9	18	30	28	29	27	29	17	8
Other Zymotic Dis.	265	63	19	25	19	14	140	19	3	5	8	21	21	12	13	12	9	2
Cancer	49	-	-	-	1	1	2	1	-	-	1	3	3	6	11	8	13	1
Scrofula, Tabes Mesent.	205	69	46	17	10	4	146	17	10	6	3	6	8	5	3	1	-	-
Phthisis	677	12	18	8	5	2	45	21	22	69	116	148	115	79	44	16	2	-
Hydrocephalus	249	87	75	27	16	10	215	26	5	2	-	-	1	-	-	-	-	-
Diseases of Brain	1168	690	53	30	15	10	798	17	8	14	9	32	53	41	56	88	49	3
Heart Dis. and Dropsy	336	5	11	8	7	3	34	7	9	6	7	20	30	54	72	63	31	3
Dis. of Lungs	959	355	160	48	27	17	607	19	8	13	10	22	41	65	65	54	47	8
Dis. of Stom. and Liver	324	70	9	9	3	2	93	8	5	7	10	12	34	40	55	48	12	-
Dis. of Kidneys	86	-	1	1	-	1	3	1	1	1	3	4	10	11	13	19	19	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	17	-	-	-	-	1	1	2	3	3	1	2	3	-	1	1	-	-
Diseases of the Skin	18	6	1	-	-	-	7	-	-	-	3	2	1	3	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	605	35	17	18	17	13	100	44	48	60	77	96	69	56	36	16	6	2
Other Causes	1432	814	99	15	2	2	932	9	4	10	12	12	30	35	47	76	183	82
542.—AUCKLAND.																		
Mean Popul^{n}, 1851-61	21232	-	-	-	-	-	3317	2665	2227	2090	2120	3482	2393	1518	868	386	144	20
TOTAL DEATHS	4875	1586	489	260	134	101	2570	248	169	164	197	282	248	246	266	230	191	64
Small pox	78	17	12	8	2	2	41	8	1	4	9	6	2	6	-	1	-	-
Measles	114	23	42	20	9	7	101	13	-	-	-	-	-	-	-	-	-	-
Scarlatina	270	31	34	46	46	32	189	66	12	2	1	-	-	-	-	-	-	-
Diphtheria	17	2	4	4	1	2	13	2	-	-	-	-	1	-	1	-	-	-
Whooping-cough	119	51	37	21	3	2	114	5	-	-	-	-	-	-	-	-	-	-
Typhus	187	2	5	7	6	3	23	22	19	21	26	36	16	14	4	5	1	-
Cholera, Diarrh., Dysent^{y}	246	77	30	9	6	4	126	2	3	6	11	20	26	16	13	16	5	2
Other Zymotic Dis.	168	23	26	21	15	8	93	15	6	8	4	4	5	5	11	9	7	1
Cancer	15	-	-	-	-	-	-	-	1	-	-	-	-	2	7	1	3	1
Scrofula, Tabes Mesent.	147	36	51	23	1	3	114	15	3	7	2	4	-	2	-	-	-	-
Phthisis	474	7	2	3	2	3	17	17	28	55	74	94	61	57	48	21	4	-
Hydrocephalus	164	61	36	24	8	3	132	20	7	1	-	2	-	2	-	-	-	-
Diseases of Brain	576	381	35	11	5	3	435	7	13	4	9	10	10	17	29	24	13	2
Heart Dis. and Dropsy	175	1	2	1	4	3	11	2	6	6	9	14	15	30	34	26	18	4
Dis. of Lungs	652	279	82	40	15	13	429	29	12	7	7	8	19	28	48	32	30	3
Dis. of Stom. and Liver	116	15	4	2	3	-	24	5	3	4	4	9	15	12	17	12	10	1
Dis. of Kidneys	37	1	1	-	-	1	3	-	1	-	2	2	2	3	6	13	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	13	-	-	-	-	-	-	4	1	2	2	1	-	1	2	-	-	-
Diseases of the Skin	13	3	-	-	-	-	3	1	-	-	2	1	1	2	2	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	375	7	3	13	6	9	38	12	54	34	31	58	65	42	29	10	1	1
Other Causes	919	569	83	7	2	3	664	3	1	3	4	13	10	7	15	59	91	49

* Hartlepool was constituted a separate Superintendent's District in June 1859; in this Table the District is combined with Stockton, of which it formed a part during a portion of the 10 years 1851-60.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
540.—DARLINGTON.																		
Mean Popul^{n}, 1851-61	12437	-	-	-	-	-	1613	1380	1271	1258	1175	1761	1371	1055	801	480	229	43
TOTAL DEATHS	2451	456	141	89	63	43	792	116	61	98	95	197	138	143	186	252	266	107
Small-pox	38	13	7	5	2	2	29	1	4	-	1	2	-	1	-	-	-	-
Measles	36	7	15	4	1	3	30	5	-	-	-	-	1	-	-	-	-	-
Scarlatina	85	3	10	15	12	2	42	32	7	1	1	2	-	-	-	-	-	-
Diphtheria	22	1	3	-	4	2	10	5	2	2	1	2	-	-	-	-	-	-
Whooping-cough	49	15	9	6	7	7	44	3	1	1	-	-	-	-	-	-	-	-
Typhus	106	2	-	4	1	-	7	14	7	12	11	12	9	10	13	8	2	1
Cholera, Diarrh., Dysent^{y}	108	41	10	2	1	3	57	2	1	3	5	5	6	3	7	12	6	1
Other Zymotic Dis.	98	20	6	11	9	5	51	5	2	-	1	1	5	4	11	8	6	4
Cancer	44	-	-	-	-	-	-	-	-	-	-	2	5	5	18	8	6	-
Scrofula, Tabes Mesent.	32	8	2	1	1	3	15	5	4	-	1	5	-	-	2	-	-	-
Phthisis	392	8	1	2	3	4	18	11	23	54	50	103	55	41	25	11	1	-
Hydrocephalus	36	12	4	7	2	1	26	7	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	314	148	19	13	7	3	190	6	4	7	5	8	7	13	19	31	23	1
Heart Dis. and Dropsy	159	2	-	1	1	1	5	2	1	3	2	12	12	24	34	38	19	7
Dis. of Lungs	232	62	36	12	5	1	116	7	-	5	3	12	6	12	17	38	15	1
Dis. of Stom. and Liver	96	8	3	1	1	1	14	3	2	-	2	5	6	16	20	16	10	2
Dis. of Kidneys	13	-	-	-	-	-	-	1	-	2	1	3	-	1	1	4	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	2	3	1	3	2	-	-
Diseases of the Joints	9	-	-	-	-	-	-	2	-	2	-	-	2	1	-	2	-	-
Diseases of the Skin	6	2	-	-	1	-	3	-	-	-	1	-	-	-	-	2	-	-
Childbirth and Metria	37	-	-	-	-	-	-	-	-	1	7	15	12	2	-	-	-	-
Violent Deaths	44	2	2	3	2	4	13	4	-	2	2	-	3	4	1	4	9	2
Other Causes	484	102	14	2	3	1	122	1	1	2	1	6	6	5	15	68	169	88
541 (*a*) STOCKTON AND 541 (*b*) HARTLEPOOL.*																		
Mean Popul^{n}, 1851-61	33842	-	-	-	-	-	5224	4204	3453	3089	3165	5339	3358	2469	1523	914	393	76
TOTAL DEATHS	7488	2081	769	370	234	155	3609	346	142	234	257	576	478	348	381	460	457	200
Small-pox	129	30	22	21	13	9	95	15	1	4	4	6	2	1	1	-	-	-
Measles	175	24	75	28	26	10	163	12	-	-	-	-	-	-	-	-	-	-
Scarlatina	265	21	42	58	37	26	184	60	13	2	1	3	1	1	-	-	-	-
Diphtheria	73	6	12	4	14	7	43	20	5	4	-	1	-	-	-	-	-	-
Whooping-cough	175	62	68	20	14	6	170	4	-	-	-	1	-	-	-	-	-	-
Typhus	314	15	29	19	16	15	94	50	19	40	16	41	21	12	10	8	3	-
Cholera, Diarrh., Dysent^{y}	489	167	71	20	9	10	277	20	8	4	11	34	29	31	24	26	21	4
Other Zymotic Dis.	204	50	25	25	22	5	127	18	4	1	4	7	9	9	9	5	7	4
Cancer	99	-	-	1	1	-	2	-	-	1	-	6	17	22	23	13	12	3
Scrofula, Tabes Mesent.	185	70	38	21	8	2	139	13	6	-	4	10	2	4	4	3	-	-
Phthisis	839	11	14	13	3	6	47	27	31	114	109	239	151	66	43	11	1	-
Hydrocephalus	185	79	40	22	7	10	158	20	5	1	-	1	-	-	-	-	-	-
Diseases of Brain	902	484	63	15	13	10	585	17	8	13	15	18	31	43	52	60	46	14
Heart Dis. and Dropsy	390	10	3	3	3	3	22	5	9	10	16	40	57	40	64	73	45	9
Dis. of Lungs	915	293	154	66	29	24	566	27	10	11	16	25	30	34	48	73	64	11
Dis. of Stom. and Liver	364	47	21	7	2	3	80	3	8	8	18	40	39	41	55	48	20	4
Dis. of Kidneys	40	-	-	-	-	-	-	2	1	-	1	7	7	9	4	8	1	-
Dis. of Gener. Organs	23	-	-	-	-	-	-	-	-	-	-	7	7	5	1	3	-	-
Diseases of the Joints	13	1	-	-	1	-	2	-	-	1	1	2	4	-	2	-	1	-
Diseases of the Skin	14	6	2	-	-	-	8	-	-	1	-	-	2	1	-	2	-	-
Childbirth and Metria	133	-	-	-	-	-	-	-	-	6	28	59	38	2	-	-	-	-
Violent Deaths	172	32	6	13	10	7	68	24	8	9	6	4	12	11	7	8	10	5
Other Causes	1390	673	84	14	6	2	779	9	6	4	7	23	19	16	35	118	226	146
542.—AUCKLAND.																		
Mean Popul^{n}, 1851-61	19055	-	-	-	-	-	3221	2674	2171	1709	1703	2809	1986	1328	806	426	183	34
TOTAL DEATHS	4572	1286	481	256	142	114	2279	240	119	143	175	336	290	233	197	210	254	96
Small-pox	65	15	12	6	8	2	43	8	-	2	4	3	3	2	-	-	-	-
Measles	126	22	40	23	17	10	112	12	1	1	-	-	-	-	-	-	-	-
Scarlatina	283	25	51	56	41	31	204	56	13	6	2	1	-	1	-	-	-	-
Diphtheria	37	9	2	7	3	4	25	9	2	-	-	1	-	-	-	-	-	-
Whooping-cough	126	61	35	17	3	4	120	5	1	-	-	-	-	-	-	-	-	-
Typhus	155	-	6	10	5	2	23	20	18	25	23	16	13	7	5	3	2	-
Cholera, Diarrh., Dysent^{y}	209	59	31	9	5	2	106	9	4	4	2	12	18	11	11	13	15	4
Other Zymotic Dis.	147	14	23	17	23	11	88	13	5	2	2	3	3	8	8	11	4	-
Cancer	29	-	-	-	-	-	-	1	-	-	-	-	7	9	8	1	2	1
Scrofula, Tabes Mesent.	133	26	49	17	3	5	100	15	6	2	1	4	4	-	-	1	-	-
Phthisis	600	8	3	13	2	3	29	11	32	54	82	151	108	75	33	21	4	-
Hydrocephalus	136	49	41	16	5	6	117	10	5	-	-	2	-	1	-	-	1	-
Diseases of Brain	429	280	16	6	3	4	309	5	4	6	2	11	9	21	17	22	20	3
Heart Dis. and Dropsy	225	-	3	2	2	2	9	7	5	8	5	22	30	28	42	35	25	9
Dis. of Lungs	577	228	76	31	11	14	360	39	9	10	6	15	16	22	22	36	33	9
Dis. of Stom. and Liver	131	18	2	6	1	3	30	-	3	6	5	13	17	19	22	12	3	1
Dis. of Kidneys	13	1	-	-	-	-	1	-	-	-	-	-	3	5	1	1	2	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-
Diseases of the Joints	13	-	-	1	-	-	1	1	2	3	-	1	-	1	-	2	1	1
Diseases of the Skin	12	2	2	-	1	-	5	2	1	-	-	2	-	1	-	1	-	-
Childbirth and Metria	160	-	-	-	-	-	-	-	-	10	36	69	44	1	-	-	-	-
Violent Deaths	82	8	6	10	6	9	39	10	4	3	-	2	6	4	5	3	6	-
Other Causes	878	461	83	9	3	2	558	7	4	1	4	7	7	16	22	48	136	68

* Hartlepool was constituted a separate Superintendent's District in June 1859; in this Table the District is combined with Stockton, of which it formed a part during a portion of the 10 years 1851-60.

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
543.—TEESDALE.																		
Mean Popul^{n}, 1851-61	10122	-	-	-	-	-	1426	1264	1150	1012	818	1357	1086	864	612	357	155	21
TOTAL DEATHS	1954	450	119	50	42	34	695	96	57	76	73	118	99	123	182	180	185	65
Small-pox	12	3	1	1	1	1	7	1	–	1	2	–	1	–	–	–	–	–
Measles	16	1	7	2	5	–	15	–	–	–	–	1	–	–	–	–	–	–
Scarlatina	96	10	11	14	9	12	56	29	8	3	–	–	–	–	–	–	–	–
Diphtheria	36	4	2	1	4	3	14	13	4	2	–	2	1	–	–	–	–	–
Whooping-cough	22	14	4	1	1	–	20	2	–	–	–	–	–	–	–	–	–	–
Typhus	37	1	3	1	–	1	6	4	2	9	4	7	1	2	–	1	1	–
Cholera, Diarrh., Dysent^{y}	44	12	4	–	1	–	17	2	1	2	1	–	1	5	5	5	4	1
Other Zymotic Dis.	95	15	9	7	4	4	39	8	5	–	2	8	3	6	9	7	6	2
Cancer	20	–	–	–	–	–	–	–	1	–	–	–	–	1	4	8	5	1
Scrofula, Tabes Mesent.	38	10	6	1	1	1	19	5	4	2	3	2	–	1	1	1	–	–
Phthisis	232	2	3	1	–	1	7	3	6	26	37	54	33	28	28	9	1	–
Hydrocephalus	38	10	9	4	5	2	30	4	1	3	–	–	–	–	–	–	–	–
Diseases of Brain	224	108	6	2	2	3	121	4	1	10	4	8	8	8	20	22	15	3
Heart Dis. and Dropsy	122	2	2	–	–	2	6	4	7	1	–	2	12	16	29	22	21	2
Dis. of Lungs	257	41	31	8	5	2	87	5	4	6	2	8	18	36	44	27	19	1
Dis. of Stom. and Liver	106	23	2	1	–	–	26	2	3	1	3	9	9	11	15	20	7	–
Dis. of Kidneys	21	–	–	–	–	–	–	–	–	–	2	2	2	1	4	3	5	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	13	–	–	–	–	–	–	2	1	1	3	2	–	1	2	1	–	–
Diseases of the Skin	5	–	1	–	–	1	2	–	–	–	–	–	–	1	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	79	–	4	3	2	–	9	8	4	7	9	9	10	7	11	4	1	–
Other Causes	441	194	14	3	2	1	214	–	5	2	1	4	–	4	10	49	99	53
544.—WEARDALE.																		
Mean Popul^{n}, 1851-61	7954	-	-	-	-	-	1161	995	913	833	756	1196	904	618	354	161	54	9
TOTAL DEATHS	1688	461	102	61	57	27	708	71	46	52	72	97	112	160	159	120	74	17
Small-pox	4	1	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
Measles	16	2	6	5	–	2	15	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	72	5	14	15	13	4	51	18	2	1	–	–	–	–	–	–	–	–
Diphtheria	19	2	2	1	3	3	11	1	4	2	–	–	1	–	–	–	–	–
Whooping-cough	28	18	6	2	–	1	27	1	–	–	–	–	–	–	–	–	–	–
Typhus	74	–	1	–	3	3	7	7	7	7	10	10	8	7	7	4	–	–
Cholera, Diarrh., Dysent^{y}	31	11	2	1	4	1	19	2	–	–	1	–	1	2	–	2	4	–
Other Zymotic Dis.	116	32	10	10	9	3	64	8	3	1	1	1	8	8	7	5	9	1
Cancer	9	–	–	–	–	–	–	–	–	1	1	–	3	3	1	–	–	–
Scrofula, Tabes Mesent.	35	8	2	3	2	–	15	1	–	1	5	4	5	2	–	2	–	–
Phthisis	222	1	4	2	–	–	7	6	9	17	22	38	36	47	26	11	2	1
Hydrocephalus	16	3	4	2	1	1	11	5	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	156	68	13	1	3	2	87	5	1	5	4	3	5	7	13	19	7	–
Heart Dis. and Dropsy	60	–	–	–	3	–	3	–	1	3	1	3	4	10	8	16	11	–
Dis. of Lungs	280	54	22	11	7	3	97	8	4	3	7	8	17	36	53	35	10	2
Dis. of Stom. and Liver	100	18	6	2	3	2	31	3	1	2	6	10	10	17	13	5	2	–
Dis. of Kidneys	20	–	–	–	–	–	–	1	–	1	1	4	2	3	2	4	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	10	–	–	–	1	–	1	–	–	–	1	3	1	2	1	1	–	–
Diseases of the Skin	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	82	–	–	4	1	2	7	1	8	6	12	9	13	14	9	2	–	1
Other Causes	337	238	10	2	4	–	254	2	5	3	–	2	–	2	17	13	27	12
545.—DURHAM.																		
Mean Popul^{n}, 1851-61	32877	-	-	-	-	-	4797	3981	3602	3337	3353	5199	3683	2443	1492	716	244	30
TOTAL DEATHS	7473	2321	712	366	225	166	3790	331	195	255	298	483	414	388	409	462	342	106
Small-pox	124	34	17	12	8	6	77	14	2	4	5	12	6	3	1	–	–	–
Measles	129	18	42	38	12	10	120	8	1	–	–	–	–	–	–	–	–	–
Scarlatina	420	34	78	80	65	47	304	90	14	3	2	2	4	1	–	–	–	–
Diphtheria	30	4	3	5	1	3	21	5	2	–	–	1	–	–	–	1	–	–
Whooping-cough	109	48	22	17	7	6	100	9	–	–	–	–	–	–	–	–	–	–
Typhus	385	9	11	23	15	12	70	45	29	44	36	57	35	21	25	18	5	–
Cholera, Diarrh., Dysent^{y}	283	101	48	16	3	3	171	5	4	2	5	18	14	14	10	22	14	4
Other Zymotic Dis.	267	46	28	25	22	19	140	17	5	7	7	11	15	21	21	15	8	–
Cancer	53	–	–	–	–	–	–	–	–	1	–	5	9	7	11	15	5	–
Scrofula, Tabes Mesent.	271	106	76	22	6	6	216	15	6	10	5	6	6	4	1	2	–	–
Phthisis	637	8	10	6	5	5	34	15	20	75	105	151	111	72	40	11	1	2
Hydrocephalus	296	123	86	32	16	10	267	22	4	2	1	–	–	–	–	–	–	–
Diseases of Brain	854	514	46	20	9	6	595	16	8	5	12	22	30	35	39	60	28	4
Heart Dis. and Dropsy	332	11	4	1	1	2	19	5	6	12	22	21	35	56	66	62	26	2
Dis. of Lungs	772	252	102	37	31	12	434	24	10	9	9	26	27	47	65	73	38	10
Dis. of Stom. and Liver	297	57	16	9	5	5	92	7	4	12	12	22	28	33	43	34	6	4
Dis. of Kidneys	65	–	–	–	1	–	1	1	2	2	3	9	9	8	9	12	7	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diseases of the Joints	26	–	1	–	1	–	2	1	6	3	4	2	3	–	4	1	–	–
Diseases of the Skin	8	2	–	–	–	–	2	1	–	–	–	1	1	2	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	549	14	14	8	10	8	54	24	68	59	67	109	64	53	32	14	4	1
Other Causes	1565	940	108	15	7	1	1071	7	4	5	3	8	16	11	42	122	199	77

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

543.—TEESDALE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
Mean Popul^{n}, 1851-61	10224	-	-	-	-	-	1325	1267	1072	1020	920	1370	1093	860	645	430	182	40
TOTAL DEATHS	1960	353	112	64	33	31	593	103	58	83	78	138	123	91	134	231	230	107
Small-pox	6	-	-	-	1	-	1	2	-	-	1	-	-	-	2	-	-	-
Measles	22	4	9	3	-	3	19	2	-	1	-	-	-	-	-	-	-	-
Scarlatina	78	5	10	17	6	6	44	23	7	2	1	-	-	-	1	-	-	-
Diphtheria	31	1	3	2	2	3	11	12	4	1	1	1	1	-	-	-	-	-
Whooping-cough	26	7	6	7	4	2	26	-	-	-	-	-	-	-	-	-	-	-
Typhus	47	3	1	-	3	1	8	7	3	4	6	9	3	-	5	2	-	-
Cholera, Diarrh., Dysent^{y}	53	15	5	1	-	2	23	1	-	-	1	2	3	1	4	12	5	1
Other Zymotic Dis.	89	9	12	4	3	3	31	13	3	1	1	2	3	6	7	14	7	1
Cancer	24	-	-	-	1	-	1	-	-	-	-	1	5	3	6	8	-	-
Scrofula, Tabes Mesent.	36	12	6	4	2	1	25	4	1	1	-	2	-	1	1	-	1	-
Phthisis	239	3	1	-	1	-	5	1	15	45	38	53	47	20	7	3	-	-
Hydrocephalus	28	7	8	2	1	1	19	6	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	213	89	11	9	2	2	113	6	4	5	4	8	6	9	16	19	18	5
Heart Dis. and Dropsy	168	2	-	-	-	1	3	4	3	6	4	13	14	16	29	49	22	5
Dis. of Lungs	192	38	21	6	4	3	72	10	8	4	6	7	8	10	19	24	24	-
Dis. of Stom. and Liver	133	13	5	4	2	-	24	3	1	3	6	12	13	18	19	21	10	3
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
Diseases of the Joints	10	-	1	-	-	-	1	1	2	3	-	-	-	-	2	-	1	-
Diseases of the Skin	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	33	-	-	-	-	-	-	-	-	2	6	12	13	-	-	-	-	-
Violent Deaths	24	-	-	2	1	3	6	6	3	-	-	2	1	-	1	3	-	2
Other Causes	506	144	12	3	-	-	159	2	1	5	3	4	5	6	15	74	143	89

544.—WEARDALE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
Mean Popul^{n}, 1851-61	7538	-	-	-	-	-	1163	999	912	770	681	1033	770	572	347	200	77	14
TOTAL DEATHS	1547	340	107	58	37	28	570	75	46	67	91	136	114	83	93	139	99	34
Small-pox	8	1	1	-	-	1	3	2	-	1	1	-	-	-	1	-	-	-
Measles	13	1	5	2	2	1	11	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	81	3	8	12	13	10	46	27	6	1	-	1	-	-	-	-	-	-
Diphtheria	12	-	3	2	1	1	7	3	1	-	1	-	-	-	-	-	-	-
Whooping-cough	24	10	9	4	-	-	23	1	-	-	-	-	-	-	-	-	-	-
Typhus	90	3	-	5	5	2	15	8	7	8	10	16	6	4	6	9	1	-
Cholera, Diarrh., Dysent^{y}	38	12	7	1	-	-	20	1	1	-	1	3	1	-	1	4	5	1
Other Zymotic Dis.	101	24	9	9	4	3	49	5	1	2	1	4	6	2	3	14	6	1
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	1	-
Scrofula, Tabes Mesent.	24	5	6	4	-	-	15	3	2	1	1	-	2	-	-	-	-	-
Phthisis	241	1	4	-	-	-	5	7	11	34	45	57	34	20	16	12	-	-
Hydrocephalus	27	4	4	4	2	1	15	4	8	-	-	-	-	-	-	-	-	-
Diseases of Brain	167	63	11	3	-	1	78	3	3	5	3	6	6	8	18	23	13	1
Heart Dis. and Dropsy	76	1	-	-	-	-	1	-	-	2	4	10	13	6	13	16	8	3
Dis. of Lungs	173	40	21	8	5	6	80	4	1	6	4	6	8	12	14	20	15	3
Dis. of Stom. and Liver	97	13	8	1	2	1	25	2	1	4	9	9	9	13	11	12	2	-
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	1	-	3	4	2	-	2	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
Diseases of the Joints	7	-	-	-	1	-	1	-	1	1	1	1	1	1	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	36	-	-	-	-	-	-	-	-	-	7	16	11	2	-	-	-	-
Violent Deaths	9	1	-	1	-	1	3	1	-	-	1	1	1	-	-	1	-	1
Other Causes	299	157	11	2	2	-	172	3	1	1	2	2	6	5	9	23	48	24

545.—DURHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
Mean Popul^{n}, 1851-61	30236	-	-	-	-	-	4646	3838	3267	2948	2833	4535	3248	2282	1473	800	308	58
TOTAL DEATHS	6772	1830	694	352	220	169	3265	383	141	171	247	492	388	335	351	437	398	161
Small-pox	98	26	10	15	12	4	67	12	1	2	6	5	2	1	2	-	-	-
Measles	155	27	51	28	17	14	137	12	2	1	1	1	1	-	-	-	-	-
Scarlatina	436	36	71	66	57	55	285	123	17	7	2	-	1	1	-	-	-	-
Diphtheria	30	1	2	4	4	5	16	7	4	2	-	-	1	-	-	-	-	-
Whooping-cough	157	61	49	26	8	5	149	6	2	-	-	-	-	-	-	-	-	-
Typhus	305	5	18	14	9	12	58	49	32	35	23	35	24	17	20	8	4	-
Cholera, Diarrh., Dysent^{y}	231	69	44	5	6	-	124	5	2	-	5	14	9	8	13	23	22	6
Other Zymotic Dis.	219	33	20	28	27	14	122	22	5	2	5	7	7	13	8	18	9	1
Cancer	79	1	-	-	-	-	1	-	-	-	2	8	15	21	20	8	4	-
Scrofula, Tabes Mesent.	219	76	64	25	10	8	183	15	4	1	3	4	4	2	1	2	-	-
Phthisis	763	4	5	4	4	4	21	13	31	68	127	237	138	78	39	9	2	-
Hydrocephalus	244	106	70	27	13	11	227	12	3	1	1	-	-	-	-	-	-	-
Diseases of Brain	735	411	49	26	8	6	500	20	5	5	8	19	30	40	46	46	11	5
Heart Dis. and Dropsy	314	6	4	4	1	4	19	7	6	11	7	37	40	48	49	62	28	-
Dis. of Lungs	612	175	94	46	28	17	360	35	6	11	4	11	18	31	43	53	36	4
Dis. of Stom. and Liver	290	45	12	4	1	-	62	14	7	11	13	30	30	37	41	28	15	2
Dis. of Kidneys	27	-	1	1	-	-	2	1	-	1	2	2	6	3	5	3	2	-
Dis. of Gener. Organs	27	-	-	-	-	-	-	-	-	-	-	4	9	1	6	6	1	-
Diseases of the Joints	13	1	-	-	-	-	1	2	3	-	1	5	-	1	-	-	-	-
Diseases of the Skin	10	5	-	1	-	-	6	-	-	-	-	-	-	2	1	1	-	-
Childbirth and Metria	124	-	-	-	-	-	-	-	-	5	29	56	33	1	-	-	-	-
Violent Deaths	113	18	12	10	5	4	49	19	5	3	3	3	5	6	11	3	4	2
Other Causes	1571	724	113	13	10	6	876	9	6	5	5	14	15	24	49	107	230	141

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
546.—EASINGTON.																		
Mean Popul^{n}, 1851-61	12893	-	-	-	-	-	2015	1712	1512	1359	1223	1859	1387	964	549	230	75	8
TOTAL DEATHS	2662	891	286	147	85	79	1488	147	118	91	76	108	131	121	134	138	83	27
Small-pox	31	11	4	4	3	2	24	2	1	–	2	1	1	–	–	–	–	–
Measles	83	18	23	15	6	8	70	11	2	–	–	–	–	–	–	–	–	–
Scarlatina	209	10	30	36	33	29	138	60	10	1	–	–	–	–	–	–	–	–
Diphtheria	18	4	3	3	1	1	12	4	2	–	–	–	–	–	–	–	–	–
Whooping-cough	50	20	16	4	4	3	47	3	–	–	–	–	–	–	–	–	–	–
Typhus	70	2	3	3	4	2	14	11	9	9	8	6	7	1	4	–	1	–
Cholera, Diarrh., Dysent^{y}	118	43	35	11	–	4	93	2	1	2	2	2	2	4	2	4	4	–
Other Zymotic Dis.	66	22	6	9	9	6	52	4	1	–	–	–	4	–	2	3	–	–
Cancer	15	–	–	–	–	–	–	–	–	–	–	1	5	2	1	3	3	–
Scrofula, Tabes Mesent.	81	30	33	3	2	1	74	1	1	–	2	1	–	2	–	–	–	–
Phthisis	143	1	4	3	–	1	9	2	10	27	20	31	22	16	3	3	–	–
Hydrocephalus	85	30	32	9	2	3	76	4	4	1	–	–	–	–	–	–	–	–
Diseases of Brain	307	182	18	8	5	6	219	10	5	3	3	2	9	17	11	23	3	2
Heart Dis. and Dropsy	118	5	3	5	–	–	13	6	1	2	5	5	16	14	26	22	8	–
Dis. of Lungs	247	92	35	11	9	7	154	4	3	7	4	1	7	12	28	18	8	1
Dis. of Stom. and Liver	74	14	1	–	1	–	16	2	4	1	2	3	10	14	16	4	2	–
Dis. of Kidneys	14	–	–	–	–	–	–	–	–	–	–	1	1	3	5	4	–	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	8	–	–	–	–	–	–	2	1	1	2	–	1	1	–	–	–	–
Diseases of the Skin	3	1	1	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	327	3	5	11	5	6	30	17	62	36	25	52	43	31	22	9	–	–
Other Causes	590	403	34	7	1	–	445	2	1	1	1	2	3	3	9	45	54	24
547.—HOUGHTON-LE-SPRING.																		
Mean Popul^{n}, 1851-61	10505	-	-	-	-	-	1566	1363	1264	1060	966	1442	1071	814	536	304	107	12
TOTAL DEATHS	2306	714	204	100	56	42	1116	116	90	105	84	105	95	104	144	171	136	40
Small-pox	20	4	–	2	1	1	8	2	1	2	2	3	–	2	–	–	–	–
Measles	42	6	13	8	7	1	35	6	1	–	–	–	–	–	–	–	–	–
Scarlatina	95	5	16	22	16	10	69	20	3	–	2	–	1	–	–	–	–	–
Diphtheria	9	–	1	–	1	–	2	2	3	–	1	–	–	1	–	–	–	–
Whooping-cough	17	7	5	3	–	1	16	1	–	–	–	–	–	–	–	–	–	–
Typhus	129	4	6	9	5	7	31	23	12	12	9	12	5	6	5	7	2	–
Cholera, Diarrh., Dysent^{y}	91	40	20	2	–	–	62	3	1	1	1	2	3	3	6	4	5	–
Other Zymotic Dis.	56	14	6	5	5	3	33	4	–	1	1	3	4	–	3	3	3	1
Cancer	10	–	–	–	–	–	–	–	–	–	–	1	3	–	3	1	2	–
Scrofula, Tabes Mesent.	52	10	14	6	1	–	31	3	6	5	2	1	–	3	–	1	–	–
Phthisis	163	3	2	–	2	–	7	1	13	28	35	32	19	14	10	4	–	–
Hydrocephalus	42	19	7	5	4	4	39	3	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	352	198	26	7	2	5	238	4	3	5	1	5	6	11	26	33	16	4
Heart Dis. and Dropsy	102	1	1	–	1	–	3	6	7	1	5	7	9	14	13	21	14	2
Dis. of Lungs	278	90	43	20	6	5	164	7	–	2	3	6	6	17	33	24	11	5
Dis. of Stom. and Liver	105	22	2	2	–	–	26	2	1	3	4	5	10	11	17	13	11	2
Dis. of Kidneys	22	–	–	–	–	–	–	1	–	–	1	1	2	1	3	11	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	3	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–
Diseases of the Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	198	8	3	1	2	2	16	15	38	39	16	19	21	13	11	8	2	–
Other Causes	519	283	39	8	3	3	336	7	1	6	1	8	5	8	13	41	67	26
548.—CHESTER-LE-STREET.																		
Mean Popul^{n}, 1851-61	12569	-	-	-	-	-	1871	1609	1427	1359	1230	1804	1314	960	588	292	100	15
TOTAL DEATHS	2662	795	215	110	80	46	1246	134	101	107	95	139	112	169	168	190	159	42
Small-pox	58	21	10	6	6	1	44	5	1	–	3	2	–	3	–	–	–	–
Measles	84	7	7	13	5	–	33	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	186	29	26	26	26	21	128	50	7	1	–	–	–	–	–	–	–	–
Diphtheria	7	1	1	1	1	1	5	–	2	–	–	–	–	–	–	–	–	–
Whooping-cough	23	9	7	2	3	–	21	2	–	–	–	–	–	–	–	–	–	–
Typhus	111	7	5	5	2	4	23	10	15	16	18	10	3	6	9	1	–	–
Cholera, Diarrh., Dysent^{y}	61	25	7	4	–	–	36	4	–	–	1	3	3	3	2	4	5	–
Other Zymotic Dis.	70	18	5	4	10	2	34	9	3	2	1	1	4	3	7	5	1	–
Cancer	11	–	–	–	–	1	1	–	–	–	–	1	2	3	1	3	–	–
Scrofula, Tabes Mesent.	65	16	30	7	4	2	59	–	–	2	1	1	1	1	–	–	–	–
Phthisis	248	–	2	1	1	1	5	6	18	34	32	52	27	38	24	11	1	–
Hydrocephalus	77	37	20	11	4	2	74	2	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	322	184	25	5	3	3	220	9	4	4	2	7	8	15	18	19	16	–
Heart Dis. and Dropsy	141	6	–	1	–	1	8	5	2	4	6	6	14	28	21	32	12	3
Dis. of Lungs	240	86	38	15	8	6	153	8	–	2	1	10	5	8	28	20	10	1
Dis. of Stom. and Liver	109	24	8	4	1	–	37	2	1	3	1	4	14	13	13	14	7	–
Dis. of Kidneys	26	–	–	–	–	–	–	–	–	2	2	4	1	3	2	9	3	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–
Diseases of the Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	272	7	2	3	3	1	16	19	44	36	25	35	30	38	21	7	1	–
Other Causes	589	322	22	2	2	–	348	2	2	1	2	3	–	7	22	61	103	38

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

546.—EASINGTON.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	11651	-	-	-	-	-	1894	1623	1377	1101	1067	1648	1244	869	487	229	94	18
TOTAL DEATHS	2310	667	292	124	86	64	1233	151	55	54	76	159	115	110	102	115	107	33
Small-pox	33	12	3	1	1	5	22	5	1	-	1	1	1	2	-	-	-	-
Measles	84	12	31	17	11	6	77	6	1	-	-	-	-	-	-	-	-	-
Scarlatina	177	5	34	34	29	25	127	36	7	3	3	1	-	-	-	-	-	-
Diphtheria	21	1	1	1	1	2	6	10	3	1	1	-	-	-	-	-	-	-
Whooping-cough	49	16	16	8	3	4	47	2	-	-	-	-	-	-	-	1	-	-
Typhus	78	1	5	3	2	2	13	24	7	9	6	5	5	4	4	1	-	-
Cholera, Diarrh., Dysent^{y}	103	27	43	3	-	-	73	2	1	1	2	2	5	5	2	3	4	3
Other Zymotic Dis.	76	14	13	8	7	4	46	10	3	-	1	5	1	4	3	2	1	-
Cancer	25	-	-	-	-	1	1	-	-	-	-	1	3	8	7	5	-	-
Scrofula, Tabes Mesent.	80	30	30	6	1	-	67	9	1	1	-	-	2	-	-	-	-	-
Phthisis	216	2	4	-	1	1	8	8	6	20	29	75	41	20	8	1	-	-
Hydrocephalus	82	27	23	11	7	5	73	7	-	-	1	-	-	1	-	-	-	-
Diseases of Brain	241	139	19	3	5	2	168	3	4	3	3	5	6	10	14	14	6	-
Heart Dis. and Dropsy	138	5	4	1	1	1	12	4	4	2	7	10	15	23	30	25	6	-
Dis. of Lungs	181	68	25	18	9	2	122	4	6	1	1	6	3	9	6	17	6	-
Dis. of Stom. and Liver	67	9	3	1	-	1	14	2	2	2	1	9	6	11	12	5	3	-
Dis. of Kidneys	11	-	1	1	-	-	2	-	1	1	-	-	2	3	1	1	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	75	-	-	-	-	-	-	-	-	7	16	33	18	1	-	-	-	-
Violent Deaths	49	3	4	4	6	3	20	7	5	2	3	1	2	5	2	-	2	-
Other Causes	515	295	33	4	2	-	334	5	3	1	1	5	2	2	12	41	79	30

547.—HOUGHTON-LE-SPRING.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	10164	-	-	-	-	-	1547	1286	1156	941	861	1473	1078	786	552	325	134	25
TOTAL DEATHS	2070	506	182	85	52	42	867	88	45	57	95	152	121	99	134	183	162	67
Small-pox	15	2	4	1	-	1	8	4	1	-	1	1	-	-	-	-	-	-
Measles	41	5	17	8	5	-	35	5	-	1	-	-	-	-	-	-	-	-
Scarlatina	97	10	17	21	13	10	71	15	8	-	3	-	-	-	-	-	-	-
Diphtheria	6	1	1	2	1	-	5	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough	23	8	5	5	3	2	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	105	3	5	3	5	5	21	25	13	14	7	14	5	2	2	2	-	-
Cholera, Diarrh., Dysent^{y}	93	33	13	3	-	3	52	2	2	-	1	6	6	3	6	10	9	1
Other Zymotic Dis.	45	6	7	4	3	5	25	5	-	-	-	-	2	4	4	4	-	1
Cancer	47	-	-	-	-	-	-	-	-	-	-	4	10	12	9	7	4	1
Scrofula, Tabes Mesent.	38	14	9	-	1	2	26	1	2	1	1	-	1	2	2	1	1	-
Phthisis	219	-	1	2	1	1	5	3	5	27	45	68	35	17	12	2	-	-
Hydrocephalus	35	8	11	7	2	1	29	5	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	285	144	27	6	6	2	185	7	5	2	8	9	9	10	13	23	13	1
Heart Dis. and Dropsy	91	1	1	-	1	1	4	2	-	5	8	8	8	11	9	20	12	4
Dis. of Lungs	202	52	27	11	2	5	97	4	-	1	4	7	10	5	15	25	25	9
Dis. of Stom. and Liver	108	10	3	2	2	1	18	1	3	2	5	8	12	13	20	18	7	1
Dis. of Kidneys	7	1	-	1	-	-	2	-	1	-	1	-	-	1	-	2	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-
Diseases of the Skin	4	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Childbirth and Metria	33	-	-	-	-	-	-	-	-	3	5	11	13	1	-	-	-	-
Violent Deaths	33	4	1	3	5	1	14	4	2	-	2	1	-	2	3	2	2	1
Other Causes	526	203	32	6	2	2	245	5	2	-	3	13	8	13	36	65	89	47

548.—CHESTER-LE-STREET.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	11714	-	-	-	-	-	1831	1555	1291	1127	1032	1633	1251	921	577	328	144	24
TOTAL DEATHS	2372	634	222	102	73	52	1083	110	55	71	74	182	145	111	132	161	177	71
Small-pox	57	17	4	4	11	3	39	8	-	1	1	5	-	1	2	-	-	-
Measles	36	6	14	6	5	2	33	1	1	-	1	-	-	-	-	-	-	-
Scarlatina	155	15	29	26	23	16	109	32	12	2	-	-	-	-	-	-	-	-
Diphtheria	5	1	-	-	1	1	3	-	-	-	1	1	-	-	-	-	-	-
Whooping-cough	25	8	8	7	-	1	24	1	-	-	-	-	-	-	-	-	-	-
Typhus	115	4	6	7	4	2	23	19	8	12	9	12	14	6	6	5	1	-
Cholera, Diarrh., Dysent^{y}	63	20	16	2	-	1	39	2	1	1	2	3	1	-	3	5	3	3
Other Zymotic Dis.	75	14	10	10	4	3	41	6	4	1	1	4	4	3	3	7	1	-
Cancer	18	-	-	-	-	-	-	-	-	-	-	3	3	2	5	4	-	1
Scrofula, Tabes Mesent.	67	26	23	5	-	3	57	2	1	2	-	2	1	-	2	-	-	-
Phthisis	277	1	2	2	-	1	6	9	12	35	38	73	49	34	19	1	1	-
Hydrocephalus	59	23	19	6	3	5	56	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	251	137	20	6	4	3	170	7	3	2	3	5	10	7	18	15	9	2
Heart Dis. and Dropsy	121	3	3	1	4	2	13	3	2	7	1	13	16	19	24	19	4	-
Dis. of Lungs	217	71	37	15	8	5	136	9	5	2	2	7	7	9	11	16	12	1
Dis. of Stom. and Liver	120	22	7	2	1	1	33	2	2	3	4	18	15	14	16	9	4	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	2	2	1	1	1	3	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	-
Diseases of the Joints	9	1	-	1	1	-	3	2	1	1	-	1	-	-	-	1	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
Childbirth and Metria	49	-	-	-	-	-	-	-	-	1	7	26	13	2	-	-	-	-
Violent Deaths	28	2	4	-	3	3	12	3	1	-	1	-	2	6	-	3	-	-
Other Causes	607	263	20	2	1	-	286	1	2	1	1	7	5	6	20	73	141	64

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

549.—SUNDERLAND.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	39019	-	-	-	-	-	5929	4902	4131	3761	3638	6045	4528	3063	1797	903	289	33
TOTAL DEATHS	10138	3036	1137	527	339	244	5283	456	212	260	265	565	582	586	643	687	475	124
Small-pox	171	44	25	21	19	12	121	24	4	4	2	8	5	3	–	–	–	–
Measles	223	54	74	48	23	14	213	9	–	–	–	1	–	–	–	–	–	–
Scarlatina	454	31	97	78	76	66	348	83	16	1	1	4	–	–	–	1	–	–
Diphtheria	38	2	10	4	4	1	21	15	2	–	–	–	–	–	–	–	–	–
Whooping-cough	279	108	86	42	18	14	268	11	–	–	–	–	–	–	–	–	–	–
Typhus	309	10	15	23	13	16	77	47	22	37	23	35	24	10	15	13	4	2
Cholera, Diarrh., Dysent^{y}	685	324	119	35	13	9	500	13	7	7	10	16	18	21	30	36	20	7
Other Zymotic Dis.	384	100	40	36	15	14	205	21	4	9	5	28	34	25	30	14	6	3
Cancer	84	–	1	1	–	–	2	–	–	–	1	3	10	19	18	23	6	–
Scrofula, Tabes Mesent.	288	119	77	24	16	5	241	15	7	6	1	5	3	5	5	–	–	–
Phthisis	809	8	18	8	7	8	49	32	31	83	107	186	142	105	57	15	2	–
Hydrocephalus	251	89	78	35	18	11	231	19	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	1242	600	85	38	24	27	774	87	15	8	17	36	56	66	83	103	41	6
Heart Dis. and Dropsy	591	8	7	4	5	3	27	16	12	17	14	57	81	95	113	103	49	7
Dis. of Lungs	1409	456	253	84	49	23	865	29	7	8	13	35	56	75	113	139	63	6
Dis. of Stom. and Liver	383	70	10	4	5	1	90	18	7	6	11	33	44	48	58	53	13	2
Dis. of Kidneys	104	–	–	–	–	–	–	4	2	4	2	15	10	9	27	19	10	2
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Diseases of the Joints	45	4	–	2	2	1	9	10	6	3	3	5	4	1	2	2	–	–
Diseases of the Skin	26	11	1	1	–	–	13	1	–	–	–	1	2	1	3	4	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	610	29	6	9	16	12	72	36	65	60	50	80	74	74	55	27	16	1
Other Causes	1751	969	135	30	16	7	1157	16	4	7	5	16	19	29	33	133	244	88

550.—SOUTH SHIELDS.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	19970	-	-	-	-	-	3045	2512	2150	1904	1929	3133	2215	1551	889	473	153	16
TOTAL DEATHS	4957	1352	499	271	166	114	2402	275	145	167	150	310	280	301	286	335	230	76
Small-pox	54	14	5	3	5	3	30	8	1	–	3	8	2	1	1	–	–	–
Measles	105	19	37	26	9	9	100	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	335	27	50	57	54	36	224	88	15	2	3	2	1	–	–	–	–	–
Diphtheria	10	1	1	2	1	–	5	5	–	–	–	–	–	–	–	–	–	–
Whooping-cough	157	58	56	17	15	8	154	3	–	–	–	–	–	–	–	–	–	–
Typhus	235	14	10	17	14	14	69	27	15	16	22	18	19	8	13	16	9	3
Cholera, Diarrh., Dysent^{y}	292	104	46	17	5	3	175	11	6	5	2	13	14	13	16	19	16	2
Other Zymotic Dis.	207	60	20	13	11	10	114	16	2	3	3	9	14	11	14	12	8	1
Cancer	51	–	–	–	–	–	–	1	1	–	–	1	10	9	16	10	3	–
Scrofula, Tabes Mesent.	169	44	54	23	8	3	132	9	11	7	1	3	3	2	–	1	–	–
Phthisis	382	6	6	1	2	–	15	9	16	44	54	109	64	57	10	3	1	–
Hydrocephalus	153	59	48	18	8	4	137	12	3	1	–	–	–	–	–	–	–	–
Diseases of Brain	490	180	15	17	5	1	218	17	8	9	8	17	17	38	53	64	36	5
Heart Dis. and Dropsy	247	5	2	5	2	–	14	4	6	8	6	21	35	38	46	50	15	4
Dis. of Lungs	623	167	93	33	17	10	320	13	4	3	7	18	19	41	60	84	44	10
Dis. of Stom. and Liver	242	92	16	3	2	3	116	3	3	3	2	11	17	31	26	21	6	3
Dis. of Kidneys	49	–	–	–	–	1	1	1	3	–	2	5	6	6	9	5	9	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diseases of the Joints	17	1	–	–	–	–	1	2	4	1	3	1	1	1	3	–	–	–
Diseases of the Skin	13	6	1	1	–	–	8	–	1	–	–	–	–	1	–	–	2	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	419	20	4	8	7	9	48	37	44	62	32	71	51	36	15	16	5	2
Other Causes	706	475	35	10	1	–	521	4	2	3	2	3	7	8	4	33	76	43

551.—GATESHEAD.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	27148	-	-	-	-	-	4130	3395	2935	2607	2489	4218	3148	2169	1247	592	197	21
TOTAL DEATHS	7120	2001	728	333	210	148	3420	354	171	189	207	452	478	450	468	529	327	75
Small-pox	74	24	9	6	7	5	51	12	1	1	–	3	3	2	1	–	–	–
Measles	142	32	46	31	12	11	132	10	–	–	–	–	–	–	–	–	–	–
Scarlatina	344	35	51	50	55	46	237	81	18	4	2	2	–	–	–	–	–	–
Diphtheria	9	2	3	1	2	–	8	1	–	–	–	–	–	–	–	–	–	–
Whooping-cough	95	39	32	6	7	6	90	5	–	–	–	–	–	–	–	–	–	–
Typhus	256	8	8	8	11	10	45	38	25	26	23	36	15	16	18	10	4	–
Cholera, Diarrh., Dysent^{y}	533	124	69	28	12	6	239	28	10	7	10	48	49	42	30	54	19	2
Other Zymotic Dis.	247	47	35	23	20	12	137	20	3	13	2	12	14	15	15	9	7	–
Cancer	48	–	–	–	–	1	1	–	–	–	1	2	6	8	16	12	2	–
Scrofula, Tabes Mesent.	326	121	93	39	13	5	276	23	6	6	1	6	1	1	5	1	–	–
Phthisis	600	3	9	3	4	1	20	13	23	64	83	149	114	71	52	11	–	–
Hydrocephalus	199	87	53	23	13	5	181	16	2	–	–	–	–	–	–	–	–	–
Diseases of Brain	967	396	74	11	14	10	505	23	10	8	15	60	78	78	61	79	42	8
Heart Dis. and Dropsy	362	10	7	2	4	6	29	11	10	8	9	21	36	53	79	64	38	4
Dis. of Lungs	868	257	127	58	18	12	472	25	9	7	11	25	45	58	85	91	34	6
Dis. of Stom. and Liver	338	68	18	16	5	1	108	12	5	10	10	20	39	39	41	43	8	3
Dis. of Kidneys	64	–	1	–	–	–	1	1	1	1	3	4	9	9	11	14	9	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	23	1	–	–	–	1	2	4	5	4	2	1	1	1	2	–	1	–
Diseases of the Skin	7	1	1	–	–	–	2	1	–	–	–	–	–	1	1	–	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	348	16	13	10	8	9	56	26	39	26	31	49	45	38	16	18	3	1
Other Causes	1265	730	74	18	5	1	828	4	4	4	4	14	23	18	35	123	153	50

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwds.
549.—SUNDERLAND.																		
Mean Popul^{n}, 1851-61	41621	-	-	-	-	-	5856	4849	4223	3978	3981	6590	4897	3419	2140	1176	445	67
TOTAL DEATHS	9934	2429	1156	571	332	236	4724	417	193	203	275	612	592	603	701	749	657	203
Small-pox	159	41	29	19	16	8	113	24	4	2	2	6	4	2	2	-	-	-
Measles	205	26	76	50	26	13	191	12	-	1	-	1	-	-	-	-	-	-
Scarlatina	488	26	92	99	82	64	363	96	19	6	1	2	1	-	-	-	-	-
Diphtheria	36	1	5	6	6	5	23	11	-	1	-	-	1	-	-	-	-	-
Whooping-cough	376	136	125	54	28	16	339	16	1	-	-	-	-	-	-	-	-	-
Typhus	354	6	15	22	18	21	82	49	29	27	26	38	22	23	33	16	9	-
Cholera, Diarrh., Dysent^{y}	726	262	132	33	8	10	445	14	5	2	13	28	36	35	40	51	50	7
Other Zymotic Dis.	317	88	32	31	17	11	179	28	10	5	5	16	18	19	13	13	15	1
Cancer	194	1	-	-	-	1	2	1	-	-	-	10	38	45	52	35	10	1
Scrofula, Tabes Mesent.	249	89	81	19	12	4	205	14	8	8	1	6	4	3	-	-	-	-
Phthisis	934	4	9	9	4	10	36	23	49	87	137	277	166	103	41	14	1	-
Hydrocephalus	200	66	55	27	16	11	175	19	5	-	-	1	-	-	-	-	-	-
Diseases of Brain	1085	423	100	44	25	15	607	37	15	6	5	31	35	68	102	97	72	10
Heart Dis. and Dropsy	605	5	8	2	3	1	19	10	16	17	18	43	80	106	115	114	60	7
Dis. of Lungs	1233	307	215	97	45	29	693	32	7	6	9	27	41	72	126	134	67	19
Dis. of Stom. and Liver	460	62	14	8	3	3	85	9	8	8	17	30	52	64	89	71	22	5
Dis. of Kidneys	44	-	1	-	1	-	2	-	-	-	1	12	4	8	8	4	4	1
Dis. of Gener. Organs	54	-	-	-	-	-	-	-	-	-	2	8	15	14	6	8	1	-
Diseases of the Joints	28	1	1	1	-	-	3	-	5	3	2	1	6	3	3	2	-	-
Diseases of the Skin	26	11	2	-	1	-	14	-	-	-	-	-	2	2	1	5	1	1
Childbirth and Metria	136	-	-	-	-	-	-	-	-	9	29	59	39	-	-	-	-	-
Violent Deaths	158	20	7	9	7	7	50	14	8	9	2	9	12	13	15	10	11	5
Other Causes	1867	854	157	46	14	7	1078	8	4	6	5	7	21	23	53	175	334	151
550.—SOUTH SHIELDS.																		
Mean Popul^{n}, 1851-61	20349	-	-	-	-	-	2939	2455	2062	1844	1962	3109	2341	1668	1114	588	228	39
TOTAL DEATHS	4723	1087	545	250	149	105	2136	237	110	103	140	304	259	270	315	421	306	122
Small-pox	50	17	5	5	4	1	32	9	2	1	2	2	1	1	-	-	-	-
Measles	103	21	34	19	8	4	86	14	-	1	1	1	-	-	-	-	-	-
Scarlatina	314	15	64	51	51	36	217	69	20	4	3	1	-	-	-	-	-	-
Diphtheria	13	3	2	-	2	1	8	1	3	-	-	-	-	-	-	1	-	-
Whooping-cough	202	54	77	31	21	11	194	8	-	-	-	-	-	-	-	-	-	-
Typhus	254	11	20	13	9	9	62	26	21	14	13	17	20	11	19	24	21	6
Cholera, Diarrh., Dysent^{y}	306	103	53	14	3	3	176	9	6	5	4	7	9	14	16	29	21	10
Other Zymotic Dis.	182	64	23	10	9	6	112	10	3	1	3	6	8	10	10	15	4	-
Cancer	119	-	-	-	-	-	-	-	1	-	-	8	29	30	29	18	3	1
Scrofula, Tabes Mesent.	145	44	48	15	6	4	117	10	4	1	2	1	4	2	1	1	2	-
Phthisis	430	4	6	4	3	3	20	16	17	48	56	132	78	41	13	8	1	-
Hydrocephalus	113	35	33	18	4	4	94	13	4	1	-	-	-	-	1	-	-	-
Diseases of Brain	130	25	14	5	5	5	179	16	5	5	5	15	12	41	53	75	45	9
Heart Dis. and Dropsy	251	6	5	1	1	2	15	6	9	2	10	28	27	40	47	47	16	4
Dis. of Lungs	622	146	85	33	13	8	285	9	4	4	11	25	22	28	62	95	58	19
Dis. of Stom. and Liver	242	62	7	1	4	4	78	7	3	7	6	16	19	29	33	31	12	1
Dis. of Kidneys	25	-	-	-	-	-	-	1	1	1	1	3	1	5	5	6	1	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	1	2	3	3	4	1	1	-
Diseases of the Joints	7	-	-	1	-	-	1	1	1	-	1	-	1	1	-	1	-	-
Diseases of the Skin	6	2	-	-	-	-	2	-	-	1	-	-	-	-	-	1	2	-
Childbirth and Metria	79	-	-	-	-	-	-	-	-	6	18	35	19	1	-	-	-	-
Violent Deaths	104	19	7	9	5	3	43	10	6	1	1	3	3	5	8	9	11	4
Other Causes	681	351	51	11	1	1	415	2	-	-	2	2	3	8	14	59	108	68
551.—GATESHEAD.																		
Mean Popul^{n}, 1851-61	26597	-	-	-	-	-	4106	3259	2866	2326	2336	4049	2993	2184	1405	739	285	49
TOTAL DEATHS	6756	1530	687	374	255	167	3013	345	162	171	216	497	460	423	448	495	382	144
Small-pox	90	25	14	8	10	8	65	6	7	2	2	4	2	1	1	-	-	-
Measles	144	29	48	32	13	7	129	14	-	-	1	-	-	-	-	-	-	-
Scarlatina	376	16	56	71	69	57	269	83	19	3	2	-	-	-	-	-	-	-
Diphtheria	16	4	2	3	4	1	14	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	136	49	37	20	15	3	124	12	-	-	-	-	-	-	-	-	-	-
Typhus	265	4	12	14	23	11	64	46	20	30	22	25	10	9	17	17	5	-
Cholera, Diarrh., Dysent^{y}	604	115	67	31	18	7	238	21	10	7	18	62	56	64	53	56	32	7
Other Zymotic Dis.	200	39	24	23	21	16	123	22	4	3	1	9	9	7	9	6	5	2
Cancer	109	1	1	-	-	-	2	-	-	1	1	7	13	31	26	15	7	1
Scrofula, Tabes Mesent.	294	100	83	29	19	7	238	20	10	2	5	8	4	5	2	-	-	-
Phthisis	667	5	6	-	2	4	17	12	39	72	90	187	133	80	80	7	-	-
Hydrocephalus	169	66	53	17	8	6	150	15	4	-	-	-	-	-	-	-	-	-
Diseases of Brain	757	276	60	26	13	11	386	23	11	8	10	32	43	60	67	75	37	5
Heart Dis. and Dropsy	314	11	3	3	4	3	24	3	7	11	12	27	43	39	58	68	17	5
Dis. of Lungs	699	218	105	57	20	14	414	26	9	4	7	18	27	37	61	59	29	8
Dis. of Stom. and Liver	400	55	22	8	8	5	98	10	5	7	9	42	47	46	62	52	22	-
Dis. of Kidneys	36	1	1	-	1	-	3	2	1	-	4	4	4	10	7	1	-	-
Dis. of Gener. Organs	25	-	-	-	-	-	-	-	-	-	-	4	7	7	6	1	-	-
Diseases of the Joints	16	-	-	1	-	-	1	5	2	1	1	3	1	1	-	-	1	-
Diseases of the Skin	6	1	1	-	-	-	2	-	-	-	-	-	1	-	1	-	2	-
Childbirth and Metria	117	-	-	-	-	-	-	-	-	10	26	48	33	-	-	-	-	-
Violent Deaths	91	10	7	3	5	3	28	15	7	4	2	4	2	6	6	7	8	2
Other Causes	1225	505	85	28	2	4	624	9	6	6	3	13	20	20	42	151	217	114

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

552.—NEWCASTLE-UPON-TYNE.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	49340	–	–	–	–	–	6764	5584	4895	4792	5220	8294	6120	4123	2214	996	306	32
TOTAL DEATHS	14116	3728	1300	671	377	312	6388	632	272	431	533	1028	1052	1126	1090	902	541	121
Small-pox	194	55	25	23	11	10	124	28	4	4	9	8	9	6	2	–	–	–
Measles	273	59	102	56	21	21	259	14	–	–	–	–	–	–	–	–	–	–
Scarlatina	565	47	100	88	80	87	402	124	24	9	2	4	–	–	–	–	–	–
Diphtheria	11	2	2	1	1	1	7	3	1	–	–	–	–	–	–	–	–	–
Whooping-cough	312	126	98	45	24	14	307	5	–	–	–	–	–	–	–	–	–	–
Typhus	508	9	21	27	17	17	91	63	32	41	49	66	46	44	43	19	3	1
Cholera, Diarrh., Dysent^{y}	1342	377	110	51	25	21	584	47	26	30	40	105	118	139	120	80	43	10
Other Zymotic Dis.	416	97	36	34	29	10	206	16	7	12	13	32	33	43	26	18	8	2
Cancer	121	1	1	–	–	–	2	–	–	–	1	8	18	27	42	16	6	1
Scrofula, Tabes Mesent.	518	172	133	62	17	16	400	43	14	18	11	19	5	4	1	3	–	–
Phthisis	1482	12	12	6	6	7	43	36	39	153	224	334	239	201	88	12	2	1
Hydrocephalus	298	103	91	38	21	15	268	27	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	1329	882	113	57	35	22	1109	51	28	13	22	52	74	114	144	135	78	9
Heart Dis. and Dropsy	808	14	13	8	5	8	48	22	14	14	26	79	124	142	144	144	45	6
Dis. of Lungs	1823	518	247	103	50	31	949	42	10	15	17	55	84	167	223	177	70	14
Dis. of Stom. and Liver	594	117	21	11	7	5	161	13	12	15	23	58	67	80	97	50	18	–
Dis. of Kidneys	190	–	1	2	1	1	5	4	4	7	12	24	27	22	23	37	22	3
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Diseases of the Joints	79	1	3	2	2	–	8	12	13	12	6	7	6	7	5	1	–	–
Diseases of the Skin	27	14	1	–	–	–	15	2	–	–	1	2	3	2	1	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	732	39	25	12	13	17	106	48	32	30	63	106	104	81	67	28	16	1
Other Causes	1991	1083	145	45	12	9	1294	27	9	8	12	19	34	45	64	182	224	73

553.—TYNEMOUTH.

Mean Popul^{n}, 1851-61	35738	–	–	–	–	–	5220	4390	3785	3537	3525	5687	3993	2734	1665	876	291	35
TOTAL DEATHS	8525	2291	875	416	257	179	4018	404	223	301	329	508	500	512	486	628	492	124
Small-pox	104	24	18	7	5	8	62	8	1	6	15	3	7	1	1	–	–	–
Measles	143	24	62	32	8	7	133	8	1	1	–	–	–	–	–	–	–	–
Scarlatina	563	54	92	84	100	64	394	141	19	4	3	1	1	–	–	–	–	–
Diphtheria	16	6	4	1	–	2	13	2	–	–	1	–	–	–	–	–	–	–
Whooping-cough	143	65	39	23	6	1	134	9	–	–	–	–	–	–	–	–	–	–
Typhus	313	11	16	24	14	12	77	35	32	21	26	39	21	25	22	9	5	1
Cholera, Diarrh., Dysent^{y}	460	162	77	19	11	2	271	11	6	9	15	24	30	26	18	25	19	6
Other Zymotic Dis.	309	60	36	28	24	16	164	22	7	3	8	22	23	13	20	18	9	–
Cancer	69	–	–	–	–	–	–	1	–	1	1	2	3	17	5	29	10	–
Scrofula, Tabes Mesent.	294	100	90	34	14	8	246	13	10	8	3	5	3	4	2	–	–	–
Phthisis	710	18	28	13	8	4	71	22	25	82	110	154	115	72	29	26	4	–
Hydrocephalus	215	66	81	25	13	10	195	18	2	–	–	–	–	–	–	–	–	–
Diseases of Brain	1063	436	68	24	15	18	561	24	9	16	14	28	45	61	87	120	85	13
Heart Dis. and Dropsy	449	10	6	6	4	4	30	10	4	14	7	29	65	85	76	81	46	2
Dis. of Lungs	1052	362	143	55	23	10	593	25	8	4	10	31	28	45	85	118	86	18
Dis. of Stom. and Liver	461	115	26	4	1	5	151	8	13	7	12	35	37	57	48	61	29	3
Dis. of Kidneys	126	3	3	2	1	–	9	5	2	4	7	10	11	12	21	19	25	1
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Diseases of the Joints	31	2	–	–	–	–	2	5	6	3	2	1	3	3	2	3	1	–
Diseases of the Skin	20	11	–	–	1	–	12	–	1	–	–	–	1	2	2	–	1	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	732	22	14	13	6	5	60	30	72	114	91	114	93	72	41	34	11	–
Other Causes	1250	740	72	22	3	3	840	7	5	4	4	10	14	16	27	85	100	78

554.—CASTLE WARD.

Mean Popul^{n}, 1851-61	7271	–	–	–	–	–	932	822	818	756	653	981	768	656	461	287	117	20
TOTAL DEATHS	1420	315	88	43	34	34	514	45	32	54	53	80	88	73	130	146	146	59
Small-pox	9	4	1	–	–	–	5	–	1	–	2	1	–	–	–	–	–	–
Measles	14	1	3	4	2	3	13	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	73	3	16	9	15	13	56	11	1	2	–	–	2	1	–	–	–	–
Diphtheria	4	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–
Whooping-cough	14	8	2	3	1	–	14	–	–	–	–	–	–	–	–	–	–	–
Typhus	50	1	1	1	1	4	8	2	3	13	4	4	6	3	4	2	1	–
Cholera, Diarrh., Dysent^{y}	66	23	6	1	–	1	31	1	–	–	2	5	3	3	6	8	5	2
Other Zymotic Dis.	56	5	6	5	3	4	23	5	2	1	2	2	3	5	6	4	3	–
Cancer	13	–	–	–	–	–	–	–	–	–	–	2	–	1	4	5	–	1
Scrofula, Tabes Mesent.	29	7	7	–	3	–	17	–	1	–	3	4	1	1	1	1	–	–
Phthisis	144	1	4	1	–	1	7	2	4	15	23	31	25	19	10	7	1	–
Hydrocephalus	37	16	10	4	1	1	32	2	3	–	–	–	–	–	–	–	–	–
Diseases of Brain	160	48	12	4	2	3	69	4	3	1	3	6	4	3	18	23	18	3
Heart Dis. and Dropsy	129	4	2	–	1	–	7	2	2	1	–	4	12	12	32	32	14	2
Dis. of Lungs	123	38	7	5	4	1	55	4	3	4	3	5	7	9	10	12	9	2
Dis. of Stom. and Liver	72	9	1	2	1	–	13	–	1	3	3	3	4	5	17	12	10	1
Dis. of Kidneys	26	–	–	–	–	–	–	–	–	1	–	1	3	–	6	7	6	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Diseases of the Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	69	–	2	2	–	1	5	4	7	8	6	7	14	6	4	7	1	–
Other Causes	339	147	8	2	–	2	159	5	1	3	2	5	4	4	11	26	78	41

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85
552.—NEWCASTLE-UPON-TYNE.																		
Mean Popul^{n}, 1851-61	50722	-	-	-	-	-	6637	5438	4880	5089	5265	8353	6019	4354	2641	1459	521	66
TOTAL DEATHS	13272	3066	1349	651	422	337	5825	606	248	330	448	990	940	857	900	1084	812	23
Small-pox	207	55	18	20	26	25	144	33	3	3	5	7	7	3	1	1	-	
Measles	261	42	91	52	43	13	241	18	1	-	-	-	1	-	-	-	-	
Scarlatina	515	36	91	85	77	63	352	131	19	2	5	3	3	-	-	-	-	
Diphtheria	9	2	1	1	1	-	5	-	1	1	-	-	1	-	1	-	-	
Whooping-cough	422	138	136	74	30	24	402	19	1	-	-	-	-	-	-	-	-	
Typhus	484	10	16	28	26	30	110	67	43	41	30	53	34	27	32	35	6	
Cholera, Diarrh., Dysent^{y}	1473	352	150	46	23	29	600	57	23	32	51	131	164	121	114	117	55	
Other Zymotic Dis.	341	106	30	41	24	16	217	13	5	5	6	28	12	14	9	14	15	
Cancer	242	-	1	1	1	-	3	3	1	-	1	16	34	70	54	47	13	
Scrofula, Tabes Mesent.	445	149	132	58	11	19	369	23	15	12	8	10	3	1	1	3	-	
Phthisis	1325	15	13	5	4	7	44	39	48	151	189	388	268	132	47	16	3	
Hydrocephalus	274	97	82	31	27	13	250	20	4	-	-	-	-	-	-	-	-	
Diseases of Brain	1557	703	138	41	26	23	931	38	19	17	21	44	58	78	119	132	84	1
Heart Dis. and Dropsy	713	12	13	4	4	8	41	14	18	9	19	57	83	117	144	149	52	1
Dis. of Lungs	1673	355	254	109	63	36	817	51	13	10	17	56	84	132	159	193	119	2
Dis. of Stom. and Liver	567	80	13	7	4	4	108	10	7	16	23	55	64	76	88	87	30	
Dis. of Kidneys	81	2	2	2	1	1	8	3	3	1	6	11	16	14	5	14	-	
Dis. of Gener. Organs	71	-	-	1	-	-	1	-	-	1	-	13	11	14	16	12	3	
Diseases of the Joints	33	1	-	-	1	-	2	8	7	4	3	1	3	3	5	2	-	
Diseases of the Skin	17	7	1	1	1	-	10	-	-	1	-	2	2	-	-	2	-	
Childbirth and Metria	181	-	-	-	-	-	-	-	-	8	34	78	58	3	-	-	-	
Violent Deaths	282	36	12	8	15	12	83	40	7	12	23	15	16	22	19	22	20	
Other Causes	2094	868	155	36	14	14	1087	19	10	4	7	22	18	30	86	238	412	16
553.—TYNEMOUTH.																		
Mean Popul^{n}, 1851-61	35364	-	-	-	-	-	5079	4255	3708	3160	3193	5505	4014	2908	1950	1119	410	6
TOTAL DEATHS	7957	1820	812	410	284	201	3527	388	144	199	275	543	475	392	519	688	598	2
Small-pox	78	24	16	7	6	3	56	4	2	4	6	4	2	-	-	-	-	
Measles	149	30	50	25	15	11	131	17	-	-	-	1	-	-	-	-	-	
Scarlatina	525	31	88	102	86	71	378	126	17	1	2	1	-	-	-	-	-	
Diphtheria	19	4	2	2	1	2	11	6	-	1	-	1	-	-	-	-	-	
Whooping-cough	205	72	63	30	15	13	193	12	-	-	-	-	-	-	-	-	-	
Typhus	305	14	21	24	22	16	97	46	17	24	23	36	21	12	18	9	2	
Cholera, Diarrh., Dysent^{y}	433	144	78	18	10	3	253	9	4	8	6	24	23	18	24	26	29	
Other Zymotic Dis.	237	46	20	24	29	20	139	19	8	4	3	10	11	9	10	14	8	
Cancer	171	-	-	1	-	-	1	-	-	-	2	12	31	32	49	34	10	
Scrofula, Tabes Mesent.	238	76	89	27	8	4	204	10	7	4	-	2	2	3	3	3	-	
Phthisis	855	28	28	5	4	9	74	23	31	85	126	225	144	58	60	21	1	
Hydrocephalus	159	52	46	17	20	7	142	13	2	-	1	-	-	-	-	-	1	
Diseases of Brain	921	336	57	26	19	16	454	24	21	14	7	18	33	59	87	126	67	
Heart Dis. and Dropsy	472	14	5	2	3	3	27	9	14	8	19	32	56	56	80	107	57	
Dis. of Lungs	950	258	141	63	25	10	497	20	3	10	13	27	31	38	59	117	111	
Dis. of Stom. and Liver	517	63	14	11	2	3	93	10	3	7	20	52	47	63	86	97	33	
Dis. of Kidneys	62	-	3	1	2	1	7	1	2	2	6	9	11	4	8	10	1	
Dis. of Gener. Organs	32	-	-	-	-	-	-	-	-	1	1	4	11	6	5	3	1	
Diseases of the Joints	84	2	1	5	-	1	9	4	4	2	2	1	5	1	3	3	-	
Diseases of the Skin	20	6	1	-	2	-	9	-	-	1	-	-	2	1	1	2	4	
Childbirth and Metria	140	-	-	-	-	-	-	-	-	11	25	69	34	1	-	-		
Violent Deaths	148	21	9	8	4	6	48	23	7	8	4	8	6	10	9	7	12	
Other Causes	1287	599	80	12	11	2	704	9	2	4	9	7	5	21	17	109	258	1
554.—CASTLE WARD.																		
Mean Popul^{n}, 1851-61	7149	-	-	-	-	-	903	798	772	713	671	986	768	635	472	281	132	
TOTAL DEATHS	1327	236	67	36	25	21	385	53	25	34	65	101	79	78	102	167	168	7
Small-pox	5	3	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-	
Measles	16	1	4	4	2	3	14	2	-	-	-	-	-	-	-	-	-	
Scarlatina	59	5	8	8	8	7	36	16	6	1	-	-	-	-	-	-	-	
Diphtheria	5	-	-	1	1	-	2	-	-	-	1	-	1	1	-	-	-	
Whooping-cough	14	8	2	1	2	-	13	1	-	-	-	-	-	-	-	-	-	
Typhus	50	-	-	1	-	3	4	7	4	4	6	6	-	8	7	4	-	
Cholera, Diarrh., Dysent^{y}	48	16	6	1	-	-	23	-	-	-	1	4	-	2	5	4	6	
Other Zymotic Dis.	36	6	3	3	1	-	13	3	1	-	2	1	-	2	2	5	3	
Cancer	25	-	-	-	-	-	-	-	-	-	-	1	4	5	7	6	2	
Scrofula, Tabes Mesent.	18	2	7	1	1	-	11	1	2	-	1	1	1	-	1	-	-	
Phthisis	183	1	2	-	-	-	3	5	6	12	30	53	40	17	11	5	1	
Hydrocephalus	26	9	5	2	3	4	23	1	1	-	-	-	-	-	1	-	-	
Diseases of Brain	139	40	7	5	2	1	55	2	1	6	3	2	8	8	15	25	10	
Heart Dis. and Dropsy	115	3	1	-	-	1	5	2	1	2	4	5	6	10	21	33	24	
Dis. of Lungs	112	21	9	7	2	-	39	1	-	1	3	3	2	9	9	15	23	
Dis. of Stom. and Liver	73	11	2	1	1	-	15	2	1	-	3	6	6	4	8	21	6	
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	1	
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	
Diseases of the Joints	3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	
Diseases of the Skin	6	4	-	-	-	-	4	-	-	-	1	-	-	-	-	1	-	
Childbirth and Metria	18	-	-	-	-	-	-	-	-	1	2	9	5	1	-	-	-	
Violent Deaths	32	2	1	-	2	-	5	6	-	2	2	1	-	2	3	6	2	
Other Causes	333	104	10	1	-	2	117	1	1	3	4	8	3	6	12	41	89	

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
555.—HEXHAM.																		
Mean Popul^{n}, 1851-61	15536	-	-	-	-	-	2145	1905	1738	1596	1304	2107	1680	1322	919	569	211	39
TOTAL DEATHS	2931	631	150	77	53	37	948	119	70	102	128	187	155	254	263	336	271	98
Small-pox	15	3	1	1	2	-	7	2	2	-	-	-	1	2	1	-	-	-
Measles	14	6	2	1	2	1	12	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	90	6	18	16	12	7	59	25	4	1	-	1	-	-	-	-	-	-
Diphtheria	12	4	-	1	1	1	7	3	1	-	-	1	-	-	-	-	-	-
Whooping-cough	38	26	7	3	1	-	37	1	-	-	-	-	-	-	-	-	-	-
Typhus	99	2	1	1	5	5	14	8	8	13	7	18	7	12	6	5	1	-
Cholera, Diarrh., Dysent^{y}	85	25	7	6	3	-	41	3	1	1	2	3	3	9	7	4	3	-
Other Zymotic Dis.	110	21	5	5	7	2	40	7	5	6	4	6	5	9	13	7	6	2
Cancer	50	-	1	-	-	-	1	-	-	-	-	-	7	11	5	14	10	2
Scrofula, Tabes Mesent.	61	14	14	4	1	2	35	4	2	6	5	4	1	2	1	1	-	-
Phthisis	374	1	3	1	-	2	7	7	7	33	70	80	52	66	33	19	-	-
Hydrocephalus	54	17	19	7	1	3	47	6	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	290	80	8	6	4	3	101	15	6	6	5	8	12	21	24	47	35	10
Heart Dis. and Dropsy	214	2	1	-	-	1	4	4	4	5	3	13	6	26	45	62	34	8
Dis. of Lungs	411	101	44	17	6	6	174	12	2	6	6	22	19	36	55	45	28	6
Dis. of Stom. and Liver	224	58	3	1	1	1	64	8	2	4	6	11	18	24	35	40	10	2
Dis. of Kidneys	47	-	-	1	-	-	1	3	3	1	2	1	5	5	5	9	8	4
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	20	1	-	-	-	-	1	2	4	4	2	4	2	1	-	-	-	-
Diseases of the Skin	8	1	-	-	1	-	2	-	1	-	-	-	1	-	1	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	137	7	2	1	5	2	17	6	16	15	14	14	11	16	13	11	1	3
Other Causes	578	256	14	5	1	1	277	2	-	1	2	1	5	14	19	70	129	58
556.—HALTWHISTLE.																		
Mean Popul^{n}, 1851-61	3652	-	-	-	-	-	469	419	386	315	336	577	418	308	232	130	52	10
TOTAL DEATHS	601	135	29	14	13	8	199	25	17	24	26	39	33	39	42	64	64	29
Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Measles	3	-	-	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	14	-	2	2	3	4	11	2	-	-	-	1	-	-	-	-	-	-
Diphtheria	7	1	2	1	1	1	6	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	9	2	4	1	-	-	7	2	-	-	-	-	-	-	-	-	-	-
Typhus	8	-	-	-	-	-	-	-	2	2	-	1	-	-	2	1	-	-
Cholera, Diarrh., Dysent^{y}	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	27	4	1	2	1	1	9	4	2	1	-	1	1	1	1	-	-	-
Cancer	6	-	-	-	-	-	-	-	-	-	-	-	-	4	1	4	-	-
Scrofula, Tabes Mesent.	2	1	1	-	-	-	2	-	-	-	-	-	-	1	4	1	-	-
Phthisis	87	3	-	2	-	-	5	2	5	11	14	19	14	6	7	4	-	-
Hydrocephalus	9	2	3	-	-	-	5	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	50	3	1	-	1	-	5	3	2	3	-	4	2	4	5	6	12	4
Heart Dis. and Dropsy	39	5	2	-	-	-	7	1	3	3	1	1	-	4	4	9	4	2
Dis. of Lungs	46	9	4	1	2	1	17	-	-	-	1	-	6	4	3	10	4	1
Dis. of Stom. and Liver	61	23	3	3	1	-	30	3	-	1	3	2	4	6	2	7	3	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	1	1	2	1	1	2	-	2	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	29	1	1	-	1	1	4	2	2	-	4	3	4	4	4	1	1	-
Other Causes	184	81	5	2	-	-	88	1	-	2	-	4	1	3	6	20	37	22
557.—BELLINGHAM.																		
Mean Popul^{n}, 1851-61	3549	-	-	-	-	-	432	384	368	312	319	528	422	333	234	142	62	13
TOTAL DEATHS	497	67	17	13	10	5	112	18	11	17	25	34	37	37	47	64	64	31
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	9	-	-	1	2	-	3	3	1	-	-	-	-	-	-	-	-	-
Diphtheria	3	1	-	-	1	-	2	-	1	-	-	1	-	-	1	-	-	-
Whooping-cough	4	2	2	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Typhus	19	-	-	-	-	1	1	4	-	2	2	2	2	2	2	1	1	-
Cholera, Diarrh., Dysent^{y}	14	1	1	1	1	1	5	-	-	-	-	-	-	-	2	4	2	1
Other Zymotic Dis.	31	1	1	5	1	1	9	2	-	1	-	1	3	3	2	5	5	-
Cancer	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-
Scrofula, Tabes Mesent.	4	1	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
Phthisis	72	-	-	-	-	-	-	-	1	7	19	15	9	11	7	2	1	-
Hydrocephalus	11	3	4	1	2	-	10	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	54	2	-	-	1	1	4	1	2	-	1	5	2	2	9	14	10	4
Heart Dis. and Dropsy	41	-	-	-	-	-	-	1	1	1	-	-	6	5	3	13	9	2
Dis. of Lungs	32	11	4	-	-	-	15	1	-	1	-	-	-	5	1	3	5	1
Dis. of Stom. and Liver	46	8	1	2	2	-	13	-	1	-	2	3	3	5	7	9	2	1
Dis. of Kidneys	15	1	-	-	-	-	1	1	-	-	-	-	-	-	2	2	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	20	-	1	1	-	1	3	-	-	3	1	5	5	4	1	1	1	-
Other Causes	110	34	3	2	-	-	39	2	1	1	-	-	5	4	8	8	20	22

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

555.—HEXHAM.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	15607	-	-	-	-	-	2064	1831	1707	1505	1428	2230	1683	1266	952	595	248	48
TOTAL DEATHS	2839	525	142	64	41	47	819	112	72	98	113	236	220	193	228	328	297	123
Small-pox	14	2	2	2	–	1	7	1	2	2	1	1	–	–	–	–	–	–
Measles	19	3	8	1	–	2	14	4	–	–	–	1	–	–	–	–	–	–
Scarlatina	97	4	17	12	12	13	58	26	6	3	2	1	1	–	–	–	–	–
Diphtheria	8	2	1	1	–	2	6	–	2	–	–	–	–	–	–	–	–	–
Whooping-cough	49	24	14	5	1	2	46	2	1	–	–	–	–	–	–	–	–	–
Typhus	68	–	–	2	2	1	5	6	10	13	8	5	7	3	5	6	–	–
Cholera, Diarrh., Dysent^{y}	92	27	8	3	–	3	41	3	1	–	1	4	7	6	5	14	10	–
Other Zymotic Dis.	95	14	6	3	4	7	34	6	7	3	2	6	3	3	9	12	9	1
Cancer	71	–	–	–	–	–	–	–	–	–	1	1	6	16	20	17	10	–
Scrofula, Tabes Mesent.	72	15	12	6	3	1	37	6	3	7	1	6	4	2	4	1	1	–
Phthisis	400	2	3	2	1	1	9	7	18	44	54	114	70	46	26	8	4	–
Hydrocephalus	45	12	11	4	2	1	30	13	2	–	–	–	–	–	–	–	–	–
Diseases of Brain	290	57	7	4	6	4	78	11	7	5	9	15	21	21	31	58	30	4
Heart Dis. and Dropsy	256	6	–	2	–	–	8	6	3	6	7	22	22	27	52	56	36	11
Dis. of Lungs	285	93	20	9	7	5	134	8	3	1	4	11	17	16	21	35	30	5
Dis. of Stom. and Liver	216	42	8	2	1	3	56	3	1	7	11	17	27	28	25	33	10	–
Dis. of Kidneys	12	–	–	–	–	–	–	–	1	2	1	3	2	–	2	1	–	–
Dis. of Gener. Organs	13	–	–	–	–	–	–	–	–	–	–	2	–	7	1	3	–	–
Diseases of the Joints	17	1	–	–	–	–	1	1	1	–	–	4	2	4	4	–	–	–
Diseases of the Skin	8	2	3	–	–	–	5	–	–	–	–	–	–	–	1	1	1	–
Childbirth and Metria	50	–	–	–	–	–	–	–	–	–	7	18	21	4	–	–	–	–
Violent Deaths	35	6	4	2	1	–	13	4	2	1	1	1	4	2	1	3	2	1
Other Causes	627	213	18	4	1	1	237	5	2	4	3	4	6	10	21	80	154	101

556.—HALTWHISTLE.

Mean Popul^{n}, 1851-61	3337	-	-	-	-	-	481	402	367	327	297	461	364	255	191	118	58	16
TOTAL DEATHS	573	90	24	9	7	5	135	18	18	23	27	51	54	28	41	74	67	37
Small-pox	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Measles	2	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	6	1	2	–	–	1	4	2	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	12	2	6	–	1	1	10	2	–	–	–	–	–	–	–	–	–	–
Typhus	9	–	–	–	–	–	–	1	4	1	2	–	–	–	–	1	–	–
Cholera, Diarrh., Dysent^{y}	9	3	–	–	1	–	4	–	–	1	1	1	–	1	–	–	–	1
Other Zymotic Dis.	25	–	1	2	–	1	4	1	2	–	1	–	1	2	2	8	2	2
Cancer	11	–	–	–	–	–	–	–	1	–	–	1	4	2	–	3	–	–
Scrofula, Tabes Mesent.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Phthisis	111	4	1	1	–	–	6	2	6	14	15	35	19	7	4	3	–	–
Hydrocephalus	6	2	2	1	–	–	5	1	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	42	1	1	–	1	1	4	1	–	1	–	2	3	3	8	12	4	4
Heart Dis. and Dropsy	57	5	3	1	1	1	11	1	–	1	–	1	5	3	9	12	12	2
Dis. of Lungs	28	5	1	–	–	–	6	–	1	2	–	1	–	2	5	6	5	–
Dis. of Stom. and Liver	57	16	4	1	–	–	21	3	2	2	3	2	4	5	3	6	5	1
Dis. of Kidneys	4	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Diseases of the Skin	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Childbirth and Metria	12	–	–	–	–	–	–	–	–	–	3	4	5	–	–	–	–	–
Violent Deaths	7	–	1	–	–	–	1	1	–	–	–	1	1	1	2	–	–	–
Other Causes	169	50	2	2	2	–	56	3	2	1	2	2	8	2	6	23	37	27

557.—BELLINGHAM.

Mean Popul^{n}, 1851-61	3268	-	-	-	-	-	402	369	337	314	294	472	373	271	208	143	66	16
TOTAL DEATHS	472	50	7	12	7	6	82	22	18	18	22	31	36	27	38	53	87	38
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	13	–	1	3	3	1	8	3	2	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	4	1	–	1	1	1	4	–	–	–	–	–	–	–	–	–	–	–
Typhus	17	–	–	–	1	–	1	3	3	1	3	2	1	–	3	–	–	–
Cholera, Diarrh., Dysent^{y}	13	1	–	1	–	–	2	–	1	–	–	–	1	–	4	2	1	2
Other Zymotic Dis.	31	3	2	1	1	1	8	5	2	1	1	1	2	1	1	1	8	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	1	–	3	–	1	2	–
Scrofula, Tabes Mesent.	7	1	1	–	–	–	2	–	2	–	–	1	1	1	–	–	–	–
Phthisis	81	–	–	1	–	1	2	3	5	11	11	17	14	7	7	4	–	–
Hydrocephalus	4	3	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	46	4	–	2	–	–	6	2	1	–	1	–	3	2	6	10	14	1
Heart Dis. and Dropsy	42	–	–	–	–	–	–	–	–	1	1	3	4	5	4	11	8	5
Dis. of Lungs	28	3	2	2	–	–	7	–	–	1	–	–	–	2	5	2	8	3
Dis. of Stom. and Liver	22	4	1	–	–	1	6	1	–	1	1	–	–	3	4	3	3	–
Dis. of Kidneys	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–
Diseases of the Joints	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Diseases of the Skin	4	1	–	–	–	–	1	1	–	–	–	1	–	–	–	1	–	–
Childbirth and Metria	8	–	–	–	–	–	–	–	–	–	2	1	5	–	–	–	–	–
Violent Deaths	4	1	–	–	–	–	1	1	–	–	–	–	1	–	–	–	1	–
Other Causes	130	28	–	1	–	1	30	2	1	–	1	2	2	2	4	17	42	27

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwds.
558.—MORPETH.																		
Mean Popul^{n}, 1851-61	10641	-	-	-	-	-	1438	1241	1086	1056	1024	1614	1182	886	615	341	137	21
TOTAL DEATHS	2112	515	155	91	48	46	855	112	54	63	100	137	92	125	131	198	187	58
Small-pox	19	5	1	4	-	-	10	-	1	1	1	-	2	1	2	1	-	-
Measles	23	1	10	7	3	-	21	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	100	12	15	14	9	15	65	27	5	2	1	-	-	-	-	-	-	-
Diphtheria	16	1	1	1	3	1	7	6	1	-	-	1	1	-	-	-	-	-
Whooping-cough	44	13	8	8	5	1	40	4	-	-	-	-	-	-	-	-	-	-
Typhus	102	2	2	3	2	4	13	14	7	13	15	21	4	4	6	5	-	-
Cholera, Diarrh., Dysent^{y}	119	43	19	7	5	-	74	2	2	1	3	1	4	6	7	8	11	-
Other Zymotic Dis.	88	17	2	8	3	5	35	8	3	2	-	3	4	9	9	5	9	1
Cancer	20	1	-	-	-	-	1	-	-	-	-	2	1	1	7	6	2	-
Scrofula, Tabes Mesent.	43	9	5	5	3	2	24	7	4	-	1	7	-	-	-	-	-	-
Phthisis	178	3	4	1	1	-	9	8	6	17	41	43	24	18	6	6	-	-
Hydrocephalus	53	17	17	7	3	2	46	6	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	227	61	10	6	1	3	81	6	4	2	6	10	13	19	12	29	35	10
Heart Dis. and Dropsy	138	3	-	-	-	2	5	3	3	2	3	6	3	24	21	40	27	1
Dis. of Lungs	281	109	36	10	6	5	166	4	3	2	8	7	4	8	21	27	25	6
Dis. of Stom. and Liver	148	37	5	4	-	-	46	6	1	2	2	12	17	11	14	23	11	3
Dis. of Kidneys	44	-	-	-	-	-	-	-	1	1	1	-	-	3	6	15	13	4
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Joints	11	-	-	1	-	1	2	2	3	1	1	-	-	-	1	1	-	-
Diseases of the Skin	5	2	1	2	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	129	4	3	-	2	5	14	4	9	16	16	19	9	15	12	10	5	-
Other Causes	323	170	16	3	2	-	191	4	-	-	1	4	6	6	7	22	49	33
559.—ALNWICK.																		
Mean Popul^{n}, 1851-61	10173	-	-	-	-	-	1420	1259	1155	988	796	1368	1110	890	620	392	152	23
TOTAL DEATHS	1904	357	113	63	34	28	595	77	44	62	75	112	116	107	160	242	237	77
Small-pox	8	4	-	-	-	-	4	-	-	-	-	3	-	-	1	-	-	-
Measles	19	4	6	2	3	1	16	2	-	-	1	-	-	-	-	-	-	-
Scarlatina	65	5	17	11	6	9	48	11	5	1	-	-	-	-	-	-	-	-
Diphtheria	17	-	3	4	2	2	11	4	1	1	-	-	-	-	-	-	-	-
Whooping-cough	18	7	5	2	1	1	16	2	-	-	-	-	-	-	-	-	-	-
Typhus	67	1	1	2	2	-	6	7	6	4	4	7	11	6	6	3	6	1
Cholera, Diarrh., Dysent^{y}	51	21	5	2	1	1	30	-	-	-	1	1	1	-	-	8	10	-
Other Zymotic Dis.	89	10	9	8	6	6	39	13	3	2	2	3	4	2	6	9	6	-
Cancer	20	-	-	-	-	-	-	-	-	-	-	-	2	5	5	5	2	1
Scrofula, Tabes Mesent.	34	7	5	4	1	-	17	8	1	3	-	2	1	-	2	-	-	-
Phthisis	199	1	4	2	-	-	7	1	1	27	40	51	29	18	15	9	1	-
Hydrocephalus	44	17	14	5	2	1	39	3	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	181	45	4	2	2	2	55	4	7	2	-	6	10	10	18	31	31	7
Heart Dis. and Dropsy	154	2	-	1	-	-	3	3	1	4	4	2	11	15	32	40	37	2
Dis. of Lungs	222	55	23	10	5	4	97	2	2	3	2	8	13	15	17	40	23	-
Dis. of Stom. and Liver	142	26	1	2	-	-	29	3	-	2	5	9	12	16	23	28	14	1
Dis of Kidneys	41	-	-	-	-	-	-	2	1	-	3	-	-	1	10	9	12	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	11	-	-	1	-	-	1	1	2	5	1	1	-	-	-	-	-	-
Diseases of the Skin	10	3	1	-	-	-	4	-	-	-	1	1	-	1	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	92	2	1	3	2	-	8	4	8	6	8	15	15	10	10	3	4	1
Other Causes	420	147	14	2	1	1	165	7	4	2	3	3	7	8	15	55	90	61
560.—BELFORD.																		
Mean Popul^{n}, 1851-61	3120	-	-	-	-	-	436	401	359	292	281	385	319	260	202	126	51	8
TOTAL DEATHS	537	105	26	21	14	9	175	32	11	18	21	26	30	27	41	73	63	20
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	2	-	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	29	1	10	5	3	2	21	7	-	1	-	-	-	-	-	-	-	-
Diphtheria	2	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Typhus	24	-	1	-	2	1	4	3	5	5	3	1	-	2	1	-	-	-
Cholera, Diarrh., Dysent^{y}	14	2	-	-	1	-	3	-	-	1	-	1	1	2	1	2	3	-
Other Zymotic Dis.	26	4	3	2	3	2	14	4	-	-	-	-	1	2	2	1	1	-
Cancer	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1	-
Scrofula, Tabes Mesent.	4	1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Phthisis	45	-	-	-	-	1	1	4	1	3	12	10	8	4	2	-	-	-
Hydrocephalus	11	5	2	1	-	-	8	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	54	9	-	3	1	-	13	3	3	1	-	2	3	4	4	13	8	-
Heart Dis. and Dropsy	46	-	-	-	-	-	-	-	2	-	2	3	5	4	6	18	6	-
Dis. of Lungs	25	5	-	-	1	-	6	1	-	1	-	1	1	2	3	8	2	-
Dis. of Stom. and Liver	29	4	-	1	2	-	7	2	-	-	-	3	1	3	6	5	2	-
Dis. of Kidneys	15	-	-	-	-	-	-	-	-	-	1	-	2	-	5	4	2	1
Dis of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	23	2	-	1	-	2	5	1	-	4	1	3	4	-	3	-	2	-
Other Causes	176	70	7	6	-	-	83	3	-	1	2	2	3	3	3	17	35	19

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
558.—MORPETH.																		
Mean Popul^{n}, 1851-61	10424	-	-	-	-	-	1432	1232	1110	952	934	1496	1153	870	643	403	172	27
TOTAL DEATHS	1988	390	113	69	58	22	652	94	53	62	65	158	121	111	141	231	216	84
Small-pox	16	6	-	2	2	-	10	-	4	-	-	1	-	1	-	-	-	-
Measles	23	4	10	5	1	-	20	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	111	6	14	17	22	6	65	30	5	6	2	2	1	-	-	-	-	-
Diphtheria	22	2	1	-	4	1	8	9	3	-	1	1	-	-	-	-	-	-
Whooping-cough	36	15	12	3	3	2	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	82	2	2	1	3	3	11	7	17	7	9	11	8	-	3	6	3	-
Cholera, Diarrh., Dysent^{y}	109	35	17	4	1	-	57	-	-	1	1	8	6	1	7	15	8	5
Other Zymotic Dis.	54	7	7	4	2	2	22	4	-	2	1	1	1	2	4	11	5	1
Cancer	39	-	-	-	-	-	-	-	-	1	-	3	1	8	9	8	9	-
Scrofula, Tabes Mesent.	23	4	2	2	3	1	12	5	1	1	2	2	-	-	-	-	-	-
Phthisis	253	-	-	-	-	1	1	8	14	29	33	72	48	29	15	3	1	-
Hydrocephalus	41	13	9	7	4	1	34	5	1	-	-	-	1	-	-	-	-	-
Diseases of Brain	246	58	6	4	7	-	75	6	1	3	2	8	7	15	31	50	41	7
Heart Dis. and Dropsy	139	2	-	-	-	-	2	4	1	-	2	8	10	21	18	43	28	2
Dis. of Lungs	208	71	23	15	4	2	115	2	2	3	2	4	6	6	13	21	27	7
Dis. of Stom. and Liver	151	23	2	-	1	1	27	3	1	6	3	14	11	14	25	30	14	3
Dis. of Kidneys	22	-	-	-	-	-	-	-	1	1	1	1	1	6	4	7	-	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	1	3	4	2	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	1	2	1	-	1	1	-	1	-	-	-
Diseases of the Skin	5	3	1	-	-	-	4	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	-	4	19	8	-	-	-	-	-
Violent Deaths	32	3	1	3	1	2	10	5	-	1	2	1	3	-	4	3	-	3
Other Causes	328	136	6	2	-	-	144	1	-	-	-	-	4	4	5	34	80	56
559.—ALNWICK.																		
Mean Popul^{n}, 1851-61	10915	-	-	-	-	-	1337	1202	1134	1040	975	1525	1218	1017	716	491	227	33
TOTAL DEATHS	2011	258	95	55	38	40	486	92	49	64	81	130	121	152	180	266	285	105
Small-pox	9	5	-	-	-	-	5	-	-	-	1	-	1	2	-	-	-	-
Measles	17	1	4	5	2	2	14	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	62	3	14	8	9	8	42	15	3	2	-	-	-	-	-	-	-	-
Diphtheria	24	1	3	4	4	3	15	7	2	-	-	-	-	-	-	-	-	-
Whooping-cough	20	6	8	2	1	-	17	3	-	-	-	-	-	-	-	-	-	-
Typhus	75	-	5	2	-	2	9	8	6	7	7	6	8	5	10	6	3	-
Cholera, Diarrh., Dysent^{y}	57	15	6	4	-	-	25	1	-	-	2	2	-	3	1	9	10	4
Other Zymotic Dis.	82	11	9	10	4	10	44	12	-	2	2	2	2	2	4	5	7	-
Cancer	33	-	-	-	-	-	-	-	-	-	1	2	2	5	10	8	5	-
Scrofula, Tabes Mesent.	38	3	7	-	2	-	12	5	5	2	1	-	3	2	4	3	1	-
Phthisis	264	2	-	1	-	-	3	9	18	30	38	72	41	34	13	6	-	-
Hydrocephalus	43	17	9	3	2	5	36	5	1	-	-	-	-	1	-	-	-	-
Diseases of Brain	197	34	3	3	3	3	46	5	2	5	6	4	8	17	31	37	31	5
Heart Dis. and Dropsy	145	-	-	-	-	-	-	1	1	2	-	1	9	24	24	46	34	3
Dis. of Lungs	190	27	15	7	4	5	58	4	5	2	2	7	5	13	21	34	30	9
Dis. of Stom. and Liver	167	16	-	1	2	1	20	-	2	2	10	9	13	22	25	44	18	2
Dis. of Kidneys	20	-	-	-	-	-	-	1	-	-	1	3	3	6	3	1	1	1
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	1	2	2	3	2	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	3	-
Diseases of the Skin	6	1	-	-	-	-	1	-	-	1	-	1	1	1	1	-	-	-
Childbirth and Metria	34	-	-	-	-	-	-	-	-	1	5	15	13	-	-	-	-	-
Violent Deaths	40	1	1	-	2	1	5	9	3	3	1	1	3	2	6	5	1	
Other Causes	469	115	11	5	3	-	134	4	1	4	3	3	8	9	27	59	137	80
560.—BELFORD.																		
Mean Popul^{n}, 1851-61	3445	-	-	-	-	-	420	379	397	336	307	482	362	299	227	156	70	10
TOTAL DEATHS	535	66	24	12	18	10	130	25	16	15	16	40	28	33	36	70	87	39
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	1	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	30	1	2	5	7	5	20	7	3	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	6	3	3	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Typhus	19	-	2	2	-	1	5	2	-	2	2	4	1	2	-	1	-	-
Cholera, Diarrh., Dysent^{y}	17	1	1	-	-	-	2	-	-	-	-	2	-	-	3	6	2	1
Other Zymotic Dis.	27	3	4	3	4	-	14	5	-	-	-	-	2	-	2	2	2	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	2	2	7	3	-	-
Scrofula, Tabes Mesent.	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Phthisis	57	-	-	-	-	-	-	2	4	9	5	17	11	6	2	1	-	-
Hydrocephalus	9	4	1	-	1	1	7	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	44	6	-	-	1	1	8	2	-	2	1	4	1	5	4	8	8	1
Heart Dis. and Dropsy	38	1	-	1	-	-	2	-	1	1	1	3	1	4	6	14	5	-
Dis. of Lungs	30	2	3	-	2	-	7	2	1	-	1	2	-	3	4	7	2	1
Dis. of Stom. and Liver	28	3	-	-	1	-	4	1	-	1	2	-	5	3	3	5	4	-
Dis. of Kidneys	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-
Diseases of the Joints	4	-	-	-	-	1	1	-	1	-	1	-	-	1	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	4	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-
Violent Deaths	7	1	1	-	2	-	4	1	-	-	-	1	-	1	-	-	-	-
Other Causes	190	40	7	-	-	1	48	1	2	-	2	4	4	3	4	22	64	36

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
561.—BERWICK-UPON-TWEED.																		
Mean Popul^{n}, 1851-61	10795	–	–	–	–		1541	1449	1263	1137	863	1359	1122	889	638	375	144	16
TOTAL DEATHS	2166	458	164	86	51	45	804	135	56	64	88	114	112	133	176	229	196	54
Small-pox	25	11	4	4	–	–	19	1	–	1	1	2	1	–	–	–	–	–
Measles	15	4	7	2	1	–	14	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	148	12	28	20	17	22	99	39	8	1	1	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Whooping-cough	31	11	9	7	3	1	31	–	–	–	–	–	–	–	–	–	–	–
Typhus	82	3	4	5	3	5	20	14	11	9	6	3	7	4	4	4	–	–
Cholera, Diarrh., Dysent^{y}	73	15	15	1	4	2	37	3	2	1	1	1	5	7	4	7	5	–
Other Zymotic Dis.	76	15	6	6	3	6	36	9	1	1	–	2	8	5	5	4	3	2
Cancer	26	–	–	–	–	–	–	–	–	–	1	1	1	6	7	7	3	–
Scrofula, Tabes Mesent.	17	2	2	–	–	–	4	4	–	3	1	1	1	1	1	1	–	–
Phthisis	244	2	2	1	3	2	10	11	5	27	46	60	33	23	22	7	–	–
Hydrocephalus	36	6	9	7	3	–	25	10	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	237	49	9	6	1	3	68	5	9	7	4	2	10	17	42	42	28	3
Heart Dis. and Dropsy	139	5	3	1	1	–	10	5	3	2	4	11	8	12	14	38	28	4
Dis. of Lungs	181	40	20	8	4	1	73	10	2	4	4	6	7	16	25	23	11	–
Dis. of Stom. and Liver	115	23	6	1	1	–	31	4	–	2	8	2	10	11	25	14	8	–
Dis. of Kidneys	19	–	–	–	–	1	1	–	–	–	–	1	1	–	3	8	4	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diseases of the Joints	7	–	–	1	–	–	1	–	3	1	–	–	1	1	–	–	–	–
Diseases of the Skin	9	1	2	–	–	–	3	3	–	–	–	–	–	1	1	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	93	2	–	6	3	–	11	5	3	3	3	17	11	18	5	4	5	3
Other Causes	586	257	38	10	4	2	311	10	3	2	3	5	8	16	18	69	100	41
562.—GLENDALE.																		
Mean Popul^{n}, 1851-61	6639	–	–	–	–	–	934	871	796	749	570	777	702	546	375	213	88	18
TOTAL DEATHS	1018	166	47	38	30	23	304	64	20	32	32	54	58	59	90	127	133	45
Small-pox	6	–	–	1	–	–	1	2	–	1	–	–	–	2	–	–	–	–
Measles	10	–	3	1	3	–	7	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	79	7	14	12	8	8	49	22	4	1	2	–	1	–	–	–	–	–
Diphtheria	6	–	3	–	1	–	4	1	–	1	–	–	–	–	–	–	–	–
Whooping-cough	14	7	3	1	1	1	13	1	–	–	–	–	–	–	–	–	–	–
Typhus	37	2	2	1	1	1	7	8	4	3	2	3	2	–	4	4	–	–
Cholera, Diarrh., Dysent^{y}	20	5	–	1	–	–	6	–	–	2	–	1	–	2	1	5	3	–
Other Zymotic Dis.	65	7	3	9	6	5	30	11	2	2	–	2	2	3	1	7	4	1
Cancer	11	–	–	–	–	–	–	1	–	–	–	1	2	2	2	3	–	–
Scrofula, Tabes Mesent.	8	2	2	1	1	–	6	–	–	1	–	–	–	1	–	–	–	–
Phthisis	108	2	1	–	–	1	4	3	1	9	15	23	28	11	10	3	1	–
Hydrocephalus	14	5	–	1	1	2	9	5	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	100	11	4	2	–	–	17	2	–	3	2	4	4	7	15	26	18	2
Heart Dis. and Dropsy	82	1	–	–	–	–	1	–	1	–	1	2	4	10	18	23	21	1
Dis. of Lungs	71	14	1	2	2	2	21	2	2	1	2	2	5	7	9	10	10	–
Dis. of Stom. and Liver	71	19	5	1	2	–	27	–	–	1	1	4	1	5	17	9	4	2
Dis. of Kidneys	21	–	–	–	–	–	–	–	1	–	–	2	1	1	2	6	7	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	4	–	–	–	1	–	1	–	–	1	1	–	–	–	–	1	–	–
Diseases of the Skin	11	3	–	–	–	–	3	1	–	–	1	1	1	1	1	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	45	3	1	3	1	2	10	–	5	3	3	6	4	6	4	3	1	–
Other Causes	234	78	5	2	2	1	88	1	–	3	2	3	3	1	6	26	63	38
563.—ROTHBURY.																		
Mean Popul^{n}, 1851-61	3635	–	–	–	–	–	495	406	383	369	301	476	400	326	245	154	72	8
TOTAL DEATHS	531	76	19	16	8	5	124	21	15	15	30	40	28	35	50	59	76	38
Small-pox	3	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
Measles	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	19	2	2	3	1	2	10	6	2	1	–	–	–	–	–	–	–	–
Diphtheria	9	–	1	2	1	–	4	3	2	–	–	–	–	–	–	–	–	–
Whooping-cough	3	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	–	–	–	–	–	–	2	2	3	5	3	1	2	–	1	1	–
Cholera, Diarrh., Dysent^{y}	11	1	–	–	–	–	1	1	–	–	–	2	1	–	2	2	1	1
Other Zymotic Dis.	15	–	1	1	1	–	3	1	–	–	–	3	2	1	1	2	1	1
Cancer	4	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–
Scrofula, Tabes Mesent.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	62	–	1	–	–	–	1	1	3	6	12	13	8	4	8	5	1	–
Hydrocephalus	13	4	3	3	2	–	12	1	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	36	6	1	–	–	–	7	–	1	–	2	–	–	2	4	2	13	5
Heart Dis. and Dropsy	32	–	–	–	–	–	–	2	–	–	–	3	2	6	9	12	15	3
Dis. of Lungs	26	4	2	1	–	–	7	–	2	–	1	2	1	2	3	6	2	–
Dis. of Stom. and Liver	29	3	–	–	–	2	5	–	–	–	2	4	1	3	4	5	5	–
Dis. of Kidneys	6	–	–	–	–	–	–	–	–	–	2	1	1	–	–	2	–	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	2	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Diseases of the Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	19	–	1	1	1	–	3	–	1	1	1	5	3	–	3	2	–	–
Other Causes	200	50	7	5	2	1	65	4	2	3	5	3	8	12	14	20	36	23

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
561.—BERWICK-UPON-TWEED.																		
Mean Popul^{n}, 1851-61	12181	-	-	-	-	-	1548	1437	1303	1176	1004	1655	1358	1104	820	529	216	31
TOTAL DEATHS	2220	339	123	76	69	41	648	101	55	54	75	114	116	133	200	308	299	117
Small-pox	20	9	3	1	2	1	16	1	1	1	1	-	-	-	-	-	-	-
Measles	15	1	4	4	3	3	15	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	127	8	15	20	20	13	76	32	14	3	1	-	-	1	-	-	-	-
Diphtheria	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	44	18	9	8	7	2	44	-	-	-	-	-	-	-	-	-	-	-
Typhus	91	2	3	6	7	4	22	17	8	7	5	4	6	7	5	7	2	1
Cholera, Diarrh., Dysent^{y}	72	5	7	-	1	2	15	5	-	-	3	6	1	6	10	13	12	1
Other Zymotic Dis.	70	16	10	6	5	3	40	4	4	1	1	1	5	2	4	6	1	1
Cancer	61	-	-	1	-	-	1	-	-	-	-	5	7	11	20	15	2	-
Scrofula, Tabes Mesent.	13	1	4	1	-	-	6	2	-	1	1	1	-	-	1	-	1	-
Phthisis	216	3	-	1	1	-	5	7	12	24	40	52	34	23	14	4	1	-
Hydrocephalus	18	5	4	2	-	2	13	3	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	248	31	5	5	7	-	48	5	5	2	1	6	10	20	51	55	33	7
Heart Dis. and Dropsy	170	1	1	2	-	1	5	3	2	2	3	11	9	31	31	42	29	2
Dis. of Lungs	171	26	15	10	7	5	63	7	3	2	1	4	10	6	14	36	19	6
Dis. of Stom. and Liver	133	25	4	2	-	2	33	6	1	3	5	5	12	10	20	26	16	1
Dis. of Kidneys	15	-	-	-	-	-	-	1	-	1	1	1	3	3	5	-	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	-
Diseases of the Joints	9	-	-	-	2	-	2	-	1	-	1	1	1	-	1	1	-	1
Diseases of the Skin	8	3	-	-	-	-	3	-	-	-	-	1	-	-	1	2	1	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	3	9	4	15	-	-	-	-	-
Violent Deaths	34	5	3	-	2	-	10	3	1	1	-	2	2	3	1	5	4	2
Other Causes	642	180	35	7	5	3	230	5	2	2	2	9	1	8	21	94	173	95
562.—GLENDALE.																		
Mean Popul^{n}, 1851-61	7141	-	-	-	-	-	892	822	764	749	697	1000	781	605	431	273	106	21
TOTAL DEATHS	1061	157	40	35	28	24	284	52	31	35	38	81	47	79	81	128	149	56
Small-pox	3	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Measles	3	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	70	5	8	12	14	10	49	16	3	1	-	1	-	-	-	-	-	-
Diphtheria	8	-	1	1	-	1	3	3	1	1	-	-	-	-	-	-	-	-
Whooping-cough	16	5	4	5	-	2	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	46	1	4	-	2	-	7	3	5	8	4	5	4	4	4	-	2	-
Cholera, Diarrh., Dysent^{y}	22	4	-	-	-	-	4	2	-	-	2	4	-	1	3	2	4	-
Other Zymotic Dis.	35	3	1	3	5	5	17	8	1	-	1	1	1	2	2	-	2	-
Cancer	29	-	-	-	-	-	-	-	1	-	-	-	1	7	8	7	3	2
Scrofula, Tabes Mesent.	8	1	-	2	-	-	3	-	1	1	-	-	-	1	-	1	-	1
Phthisis	117	-	1	1	1	-	3	4	7	15	16	35	14	15	4	4	-	-
Hydrocephalus	13	1	3	2	-	2	8	3	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	113	15	3	2	1	2	23	-	3	2	5	8	6	8	13	23	19	3
Heart Dis. and Dropsy	101	-	-	1	-	-	1	3	4	2	2	7	5	12	20	27	18	-
Dis. of Lungs	62	7	4	2	-	1	14	2	-	1	2	1	-	8	9	15	8	2
Dis. of Stom. and Liver	60	19	2	2	2	1	25	-	-	1	3	1	1	9	6	10	3	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	-	-
Diseases of the Joints	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	9	4	-	1	-	-	5	2	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	2	1	7	10	3	-	-	-	-
Violent Deaths	13	2	1	-	1	-	4	2	1	-	-	2	-	-	2	-	2	-
Other Causes	296	83	7	1	1	-	97	2	2	-	2	6	1	5	8	37	88	43
563.—ROTHBURY.																		
Mean Popul^{n}, 1851-61	3654	-	-	-	-	-	434	412	376	383	347	518	377	335	243	152	65	12
TOTAL DEATHS	544	62	16	12	12	6	108	20	9	10	23	40	35	37	52	78	94	38
Small-pox	3	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	14	-	3	2	1	1	7	4	2	1	-	-	-	-	-	-	-	-
Diphtheria	7	-	1	-	1	1	3	2	-	-	1	1	-	-	-	-	-	-
Whooping-cough	7	5	1	1	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Typhus	11	-	-	-	1	-	1	2	1	-	1	-	2	-	1	2	1	-
Cholera, Diarrh., Dysent^{y}	7	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	4	-
Other Zymotic Dis.	6	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	-
Cancer	16	-	-	-	-	-	-	-	-	-	-	1	2	2	5	4	2	-
Scrofula, Tabes Mesent.	3	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
Phthisis	64	1	-	-	-	1	2	1	4	5	15	19	7	8	2	1	-	-
Hydrocephalus	9	1	1	-	1	2	5	3	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	60	8	2	4	1	1	16	-	-	-	-	2	2	1	10	12	14	3
Heart Dis. and Dropsy	59	-	-	1	-	-	1	2	-	1	-	3	3	5	13	17	12	2
Dis. of Lungs	20	4	1	-	6	-	11	1	1	-	-	1	1	1	-	3	1	-
Dis. of Stom. and Liver	28	1	1	-	-	-	2	-	-	1	-	2	5	5	5	6	1	1
Dis. of Kidneys	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Joints	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
Violent Deaths	8	-	-	1	-	-	1	2	-	-	-	2	1	-	1	-	1	-
Other Causes	215	40	5	3	1	-	49	2	-	1	4	6	6	13	14	32	56	32

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES,	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
564.—ALSTON.																		
Mean Popul^{n}, 1851-61	3303	-	-	-	-	-	470	431	389	346	332	514	374	232	150	52	12	1
TOTAL DEATHS	683	145	38	19	13	9	224	30	15	22	38	44	56	66	102	61	20	5
Small-pox	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Measles	13	3	8	-	1	-	12	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	11	1	2	1	2	-	6	4	-	-	-	1	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	10	6	1	3	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	13	-	1	1	-	1	3	-	1	2	3	-	-	1	2	1	-	-
Cholera, Diarrh., Dysent^{y}	12	3	1	-	-	-	4	-	1	-	-	-	-	1	3	2	1	-
Other Zymotic Dis.	26	3	4	5	1	1	14	3	1	-	1	-	2	1	2	1	1	-
Cancer	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-
Scrofula, Tabes Mesent.	14	5	2	1	-	-	8	-	-	1	2	2	1	-	-	-	-	-
Phthisis	97	2	2	-	1	1	6	2	5	7	16	12	18	18	9	4	-	-
Hydrocephalus	9	2	1	2	1	-	6	2	-	-	-	1	-	-	-	-	-	-
Diseases of Brain	66	13	2	2	2	2	21	7	-	3	4	6	5	2	6	5	7	-
Heart Dis. and Dropsy	42	1	-	-	-	-	1	3	2	1	-	2	2	3	14	8	6	-
Dis. of Lungs	187	25	7	3	2	1	38	4	1	3	4	6	16	30	57	24	1	3
Dis. of Stom. and Liver	51	14	3	-	1	1	19	2	1	-	3	4	6	3	4	8	1	-
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	2	-	2	-	2	2	1	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	28	2	1	-	2	1	6	1	3	3	3	5	4	2	1	-	-	-
Other Causes	84	65	3	1	-	-	69	1	-	-	1	-	1	1	1	5	3	2
565.—PENRITH.																		
Mean Popul^{n}, 1851-61	11132	-	-	-	-	-	1365	1244	1134	1162	949	1461	1280	1019	752	486	200	30
TOTAL DEATHS	2094	401	105	47	36	38	627	88	26	55	69	140	129	155	190	265	270	80
Small-pox	10	4	-	-	-	2	6	1	-	-	-	1	-	-	2	-	-	-
Measles	22	3	7	6	-	2	18	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	61	5	10	4	4	8	31	20	2	6	2	-	-	-	-	-	-	-
Diphtheria	21	1	2	1	4	-	8	9	1	2	1	-	-	-	-	-	-	-
Whooping-cough	25	10	11	1	1	-	23	2	-	-	-	-	-	-	-	-	-	-
Typhus	46	1	-	4	-	3	8	3	-	6	3	4	6	7	5	3	1	-
Cholera, Diarrh., Dysent^{y}	26	10	2	-	1	-	13	1	-	-	-	1	3	1	3	1	2	1
Other Zymotic Dis.	83	9	8	6	4	6	33	7	2	3	1	3	5	7	10	8	4	-
Cancer	35	-	-	-	-	-	-	-	-	-	-	2	-	8	9	13	3	-
Scrofula, Tabes Mesent.	29	6	2	3	2	2	15	4	-	1	-	1	1	2	4	1	-	-
Phthisis	258	9	5	1	-	1	16	4	3	19	51	68	42	28	17	3	2	-
Hydrocephalus	46	14	8	4	1	3	30	12	-	3	-	-	1	-	-	-	-	-
Diseases of Brain	211	41	10	4	2	3	60	4	4	3	2	9	14	18	21	41	32	3
Heart Dis. and Dropsy	162	5	-	-	-	-	5	-	3	5	3	9	5	18	29	47	34	4
Dis. of Lungs	232	54	17	6	3	2	87	4	-	-	1	8	16	24	30	37	22	3
Dis. of Stom. and Liver	131	16	2	1	3	2	24	2	1	2	-	8	13	19	31	24	6	1
Dis. of Kidneys	38	-	-	-	-	1	1	1	1	-	1	3	5	2	7	9	7	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	13	-	-	-	-	-	-	1	-	1	-	3	4	3	-	1	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	87	1	1	1	4	2	9	3	3	4	4	16	11	12	11	10	4	-
Other Causes	554	212	20	5	2	1	240	6	1	-	-	4	3	4	10	66	158	67
566.—BRAMPTON.																		
Mean Popul^{n}, 1851-61	5645	-	-	-	-	-	727	661	698	570	461	719	600	500	366	239	89	15
TOTAL DEATHS	963	201	36	27	24	21	309	48	30	39	44	58	54	51	81	99	101	49
Small-pox	8	6	1	1	-	-	8	-	-	-	-	-	-	-	-	-	-	-
Measles	19	7	3	1	2	3	16	1	1	1	-	-	-	-	-	-	-	-
Scarlatina	39	1	-	8	5	8	22	12	2	2	1	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Whooping-cough	16	9	3	2	1	1	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	18	-	-	-	-	-	-	3	1	1	1	-	2	3	3	2	2	-
Cholera, Diarrh., Dysent^{y}	6	1	1	-	-	-	2	-	-	-	1	1	-	-	-	1	1	-
Other Zymotic Dis.	35	2	1	2	3	2	10	6	4	-	-	-	5	3	3	3	1	-
Cancer	8	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	2	-
Scrofula, Tabes Mesent.	5	2	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-
Phthisis	149	-	1	-	2	2	5	4	7	14	26	27	22	14	16	14	-	-
Hydrocephalus	14	4	2	1	2	-	9	4	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	62	7	1	-	1	1	10	2	2	3	1	4	5	9	6	11	8	1
Heart Dis. and Dropsy	62	-	-	1	-	1	2	2	1	2	3	3	4	9	13	15	8	-
Dis. of Lungs	55	9	3	3	4	-	19	-	-	1	1	3	-	4	11	9	6	1
Dis. of Stom. and Liver	47	7	2	-	-	2	11	2	2	5	1	3	1	2	11	5	3	1
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	1	-	-	1	1	1	-	-	1	1	1	1	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	61	2	1	-	3	1	7	6	6	2	5	8	3	3	7	5	3	1
Other Causes	336	144	17	7	1	-	169	3	2	4	3	5	5	2	7	28	63	45

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

564.—ALSTON.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
Mean Popul^{n}, 1851-61	3307	-	-	-	-	-	468	448	377	341	287	457	333	249	180	112	46	9
TOTAL DEATHS	632	92	34	19	8	14	167	32	24	31	27	56	46	45	57	58	71	18
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	13	2	3	4	-	2	11	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	9	-	-	3	-	-	3	5	-	1	-	-	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	17	7	5	1	1	3	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	21	-	-	-	-	-	-	-	5	1	2	3	2	2	2	3	1	-
Cholera, Diarrh., Dysent^{y}	11	1	1	-	-	-	2	2	-	1	-	-	1	-	2	-	3	-
Other Zymotic Dis.	32	2	2	1	1	2	8	3	3	-	-	3	-	2	3	4	5	1
Cancer	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Scrofula, Tabes Mesent.	11	1	-	1	1	1	4	1	2	2	1	-	-	-	1	-	-	-
Phthisis	106	-	2	-	-	-	2	3	6	19	12	24	14	14	7	2	3	-
Hydrocephalus	10	2	1	1	1	-	5	3	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	57	5	4	-	1	2	12	1	2	3	1	5	6	3	7	5	11	1
Heart Dis. and Dropsy	60	-	1	-	-	-	1	2	1	1	1	7	5	2	13	14	9	4
Dis. of Lungs	98	13	5	4	2	1	25	8	2	-	1	4	2	10	9	16	17	4
Dis. of Stom. and Liver	70	16	4	2	-	2	24	1	2	2	6	5	7	6	8	8	1	-
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	1	4	-	1	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	8	-	-	-	-	-	-	-	-	1	2	2	3	-	-	-	-	-
Violent Deaths	5	-	1	-	1	-	2	-	-	-	-	-	1	1	-	-	1	-
Other Causes	91	43	5	2	-	-	50	1	-	-	-	1	-	2	3	6	20	8

565.—PENRITH.

Mean Popul^{n}, 1851-61	11182	-	-	-	-	-	1408	1267	1151	1058	996	1594	1261	975	742	475	219	36
TOTAL DEATHS	2145	339	103	55	38	38	573	87	54	80	83	164	163	163	165	261	263	89
Small-pox	13	8	-	1	-	1	10	-	-	-	1	-	-	1	1	-	-	-
Measles	24	2	8	9	1	2	22	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	66	3	8	9	7	14	41	17	6	-	1	1	-	-	-	-	-	-
Diphtheria	23	2	3	3	2	3	13	7	2	-	1	-	-	-	-	-	-	-
Whooping-cough	31	11	11	2	2	3	29	2	-	-	-	-	-	-	-	-	-	-
Typhus	47	1	-	1	1	1	4	7	3	6	7	7	3	5	3	2	-	-
Cholera, Diarrh., Dysent^{y}	25	12	5	-	-	-	17	-	-	1	1	-	-	1	1	2	2	-
Other Zymotic Dis.	70	12	9	5	5	4	35	3	4	-	1	2	3	4	6	9	2	1
Cancer	61	-	-	-	-	-	-	-	-	-	-	2	4	-	3	1	-	-
Scrofula, Tabes Mesent.	26	5	3	2	2	2	14	2	-	-	2	4	-	3	1	-	-	-
Phthisis	328	2	6	1	1	-	10	6	16	49	45	87	68	29	15	3	-	-
Hydrocephalus	43	9	6	2	3	-	20	10	6	3	1	2	1	-	-	-	-	-
Diseases of Brain	187	30	2	1	4	2	39	6	1	4	3	9	8	26	21	41	26	3
Heart Dis. and Dropsy	178	1	1	2	1	-	5	2	4	1	4	7	17	27	26	48	35	1
Dis. of Lungs	213	37	17	6	5	3	68	10	5	5	4	4	12	11	28	42	27	2
Dis. of Stom. and Liver	136	12	2	1	-	-	15	4	1	4	2	10	17	19	27	20	8	-
Dis. of Kidneys	13	1	-	-	-	1	2	-	1	1	1	1	2	2	2	-	1	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	2	2	1	2	1	2	-	-
Diseases of the Joints	14	1	-	-	-	-	1	2	1	2	-	3	3	-	1	-	1	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Childbirth and Metria	32	-	-	-	-	-	-	-	-	-	6	15	11	-	-	-	-	-
Violent Deaths	39	6	1	2	2	-	11	4	3	1	-	2	4	7	1	2	3	1
Other Causes	559	184	21	8	2	2	217	4	1	3	1	5	6	4	14	69	155	80

566.—BRAMPTON.

Mean Popul^{n}, 1851-61	5450	-	-	-	-	-	715	643	605	515	477	745	591	474	328	235	101	21
TOTAL DEATHS	875	131	31	22	18	15	217	44	14	43	38	64	65	52	70	109	114	45
Small-pox	4	2	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Measles	6	3	1	1	1	-	6	-	-	-	1	1	-	-	-	-	-	-
Scarlatina	27	2	1	5	1	3	12	11	2	-	-	1	-	-	-	-	-	-
Diphtheria	7	-	1	-	3	-	4	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	19	10	4	1	2	2	19	-	-	-	-	-	-	-	-	-	-	-
Typhus	19	-	-	-	2	2	4	3	-	4	4	1	2	-	1	-	-	-
Cholera, Diarrh., Dysent^{y}	16	3	1	1	-	-	5	1	-	-	-	-	2	2	2	3	1	-
Other Zymotic Dis.	21	1	3	-	2	1	7	6	-	1	-	1	1	-	1	3	1	-
Cancer	19	-	-	-	-	-	-	-	-	-	-	1	5	4	2	6	-	1
Scrofula, Tabes Mesent.	3	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Phthisis	160	-	-	1	-	-	1	6	7	26	17	36	26	18	14	8	1	-
Hydrocephalus	15	4	-	2	1	2	9	4	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	57	5	3	1	1	2	12	-	2	2	4	6	3	1	8	12	5	2
Heart Dis. and Dropsy	50	2	-	-	-	-	2	-	-	2	1	2	6	7	11	12	6	1
Dis. of Lungs	48	9	6	-	1	1	17	4	-	-	2	2	5	2	5	6	5	-
Dis. of Stom. and Liver	45	1	-	1	1	-	3	1	1	2	3	5	6	6	6	7	5	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	1	-	-	3	3	1	-	-	-	-	-
Childbirth and Metria	7	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	3	1
Violent Deaths	17	2	1	2	-	-	5	3	-	-	-	-	-	-	-	-	-	-
Other Causes	325	83	9	7	3	2	104	2	1	2	2	4	6	9	16	52	87	40

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
567.—LONGTOWN.																		
Mean Populn, 1851-61	5238	-	-	-	-	-	650	574	576	514	490	772	594	425	316	218	95	14
TOTAL DEATHS	905	199	54	27	16	10	306	35	27	29	29	46	32	54	55	126	131	35
Small-pox	4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Measles	9	4	2	1	1	-	8	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	25	1	5	4	4	2	16	4	4	1	-	-	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	10	4	3	1	-	1	9	1	-	-	-	-	-	-	-	-	-	-
Typhus	27	1	1	1	1	-	4	2	3	4	4	5	1	2	-	1	1	-
Cholera, Diarrh., Dysentv	9	-	3	-	-	-	3	1	-	-	-		-	1	1	1	2	-
Other Zymotic Dis.	49	4	2	-	1	1	8	3	1	1	1	6	2	3	8	7	8	1
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	2	-
Scrofula, Tabes Mesent.	11	2	1	-	-	2	5	1	1	-	-	-	-	1	-	3	-	-
Phthisis	117	-	5	2	1	-	8	3	4	18	20	22	16	8	8	7	3	-
Hydrocephalus	17	5	2	1	3	-	11	5	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	95	22	2	1	-	-	25	2	2	1	-	2	3	7	5	25	19	4
Heart Dis. and Dropsy	52	-	-	1	-	1	2	2	2	-	-	3	3	9	6	11	14	-
Dis. of Lungs	70	9	6	4	1	1	21	1	-	-	-	2	1	5	6	18	14	2
Dis. of Stom. and Liver	43	5	-	1	-	-	6	1	1	2	-	1	3	5	10	9	5	-
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	3	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-
Diseases of the Joints	3	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-
Diseases of the Skin	6	1	-	-	-	-	1	2	-	-	-	1	-	-	-	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	32	3	1	2	-	1	7	2	3	1	2	1	3	6	3	4	-	-
Other Causes	302	134	21	8	4	-	167	4	4	1	-	3	-	6	4	27	60	23
568.—CARLISLE.																		
Mean Populn, 1851-61	20702	-	-	-	-	-	2785	2511	2259	2113	1815	2953	2301	1785	1241	657	246	36
TOTAL DEATHS	4980	1323	326	185	133	92	2059	221	102	138	166	311	301	318	418	520	315	111
Small-pox	54	22	7	3	6	2	40	3	1	2	2	-	2	2	1	1	-	-
Measles	65	11	18	15	5	7	56	9	-	-	-	-	-	-	-	-	-	-
Scarlatina	271	17	38	56	32	30	173	71	16	2	4	3	2	-	-	-	-	-
Diphtheria	5	-	2	1	1	1	5	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	80	32	29	8	6	3	78	2	-	-	-	-	-	-	-	-	-	-
Typhus	123	5	3	5	2	2	17	7	12	11	6	18	16	13	11	12	-	-
Cholera, Diarrh., Dysentv	212	101	38	12	-	1	152	7	1	3	-	3	2	7	16	13	5	3
Other Zymotic Dis.	223	58	13	11	17	8	107	19	2	4	5	13	17	19	15	12	7	3
Cancer	42	-	-	-	-	-	-	-	1	-	2	1	7	7	8	11	3	2
Scrofula, Tabes Mesent.	84	28	14	7	2	1	52	9	3	5	5	5	2	1	1	1	-	-
Phthisis	622	6	8	-	3	3	20	21	27	67	95	143	98	77	56	18	-	-
Hydrocephalus	119	38	23	20	12	9	102	12	5	-	-	-	-	-	-	-	-	-
Diseases of Brain	539	185	28	13	14	4	244	20	5	5	3	23	25	31	59	77	35	12
Heart Dis. and Dropsy	336	9	3	-	2	-	14	5	6	11	15	23	29	41	77	83	29	3
Dis. of Lungs	521	154	36	12	10	3	215	9	3	5	4	18	23	35	72	98	34	5
Dis. of Stom. and Liver	240	52	7	4	3	-	66	7	3	5	4	12	25	30	32	43	11	2
Dis. of Kidneys	79	2	-	-	-	-	2	1	1	4	4	5	13	9	11	18	11	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	22	-	1	-	1	1	3	-	2	1	2	6	1	5	1	-	-	-
Diseases of the Skin	7	2	2	1	-	-	5	-	-	-	-	-	-	-	2	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	231	15	9	5	9	12	50	10	11	11	13	33	32	27	27	12	4	1
Other Causes	1105	586	47	12	8	5	658	9	3	1	2	5	7	14	29	121	176	80
569.—WIGTON.																		
Mean Populn, 1851-61	11610	-	-	-	-	-	1489	1364	1381	1156	980	1471	1243	1039	782	480	192	23
TOTAL DEATHS	2219	452	101	48	41	23	665	100	52	54	82	133	141	131	223	274	289	75
Small-pox	16	5	3	1	-	1	10	1	-	1	1	1	-	1	-	1	-	-
Measles	28	3	11	3	4	2	23	4	-	-	-	-	-	-	1	-	-	-
Scarlatina	71	7	3	5	11	4	30	26	5	6	1	-	1	1	1	-	-	-
Diphtheria	8	-	1	1	-	1	3	4	-	-	-	-	-	-	-	1	-	-
Whooping-cough	29	16	8	4	1	-	29	-	-	-	-	-	-	-	-	-	-	-
Typhus	47	-	1	2	1	1	5	4	3	8	4	10	10	-	2	1	-	-
Cholera, Diarrh., Dysentv	58	23	7	-	-	-	30	2	1	-	2	1	1	3	5	5	3	-
Other Zymotic Dis.	105	19	7	4	4	4	38	13	4	3	1	11	6	8	9	5	7	-
Cancer	42	-	-	-	-	-	-	-	-	1	-	-	3	5	17	11	5	-
Scrofula, Tabes Mesent.	21	6	2	1	-	1	10	3	-	2	2	-	1	1	1	1	-	-
Phthisis	247	5	1	2	1	-	9	8	11	18	40	56	37	33	23	10	2	-
Hydrocephalus	27	8	3	4	2	1	18	4	3	1	1	-	-	-	-	-	-	-
Diseases of Brain	164	28	4	2	-	1	35	4	3	1	3	8	10	13	23	43	20	1
Heart Dis. and Dropsy	125	2	-	1	1	-	4	2	2	1	3	6	7	9	30	33	28	3
Dis. of Lungs	172	26	12	6	5	3	52	7	4	-	3	9	11	12	27	30	14	3
Dis. of Stom. and Liver	119	15	3	2	1	2	23	2	5	2	2	7	9	16	20	26	7	-
Dis. of Kidneys	30	-	-	-	-	-	-	1	1	1	2	-	6	2	4	9	4	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of the Joints	6	-	-	-	1	-	1	1	-	1	1	-	-	1	1	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	114	7	5	1	1	1	15	6	4	5	7	12	22	17	15	7	3	1
Other Causes	785	281	30	9	8	1	329	8	6	3	9	12	17	9	43	89	192	63

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
567.—LONGTOWN.																		
Mean Popul^{n}, 1851-61	4844	-	-	-	-	-	648	608	527	444	406	639	505	396	310	236	106	19
TOTAL DEATHS	851	163	30	22	24	12	251	43	24	22	31	48	42	42	50	110	135	53
Small-pox	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	13	2	3	1	3	2	11	1	-	-	-	-	1	-	-	-	-	-
Scarlatina	42	3	4	3	5	7	22	16	3	1	-	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	17	11	1	1	2	1	16	1	-	-	-	-	-	-	-	-	-	-
Typhus	16	-	-	-	-	-	-	1	2	2	4	5	2	-	-	-	-	-
Cholera, Diarrh., Dysent^{y}	10	1	1	-	-	1	3	-	-	-	-	-	-	-	1	3	3	-
Other Zymotic Dis.	34	8	1	3	1	-	13	-	-	1	-	-	3	2	1	8	6	-
Cancer	17	-	-	-	-	-	-	-	-	-	-	1	1	3	6	5	-	1
Scrofula, Tabes Mesent.	10	4	1	-	1	-	6	2	-	-	-	-	-	-	1	1	-	-
Phthisis	122	7	3	2	4	1	17	6	5	10	17	27	12	13	12	3	-	-
Hydrocephalus	9	2	-	2	2	-	6	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	67	13	1	1	-	-	15	1	5	1	1	2	1	3	4	16	17	1
Heart Dis. and Dropsy	39	2	-	-	-	-	2	4	-	2	1	-	1	7	3	14	5	-
Dis. of Lungs	73	7	1	4	-	-	12	1	3	-	1	3	6	3	6	20	14	3
Dis. of Stom. and Liver	36	-	1	2	-	-	3	1	2	-	1	3	5	5	5	7	3	1
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Childbirth and Metria	17	-	-	-	-	-	-	-	-	1	4	6	5	1	-	-	-	-
Violent Deaths	17	2	2	1	2	-	7	4	2	-	-	-	-	2	1	1	-	-
Other Causes	298	99	11	2	4	-	116	1	1	3	1	1	2	2	8	30	87	46
568.—CARLISLE.																		
Mean Popul^{n}, 1851-61	22487	-	-	-	-	-	2779	2453	2284	2213	2179	3428	2637	1899	1404	834	322	55
TOTAL DEATHS	5008	1085	365	198	111	99	1858	225	100	158	177	[397	342	287	384	484	434	162
Small-pox	57	21	11	4	4	4	44	6	-	-	1	2	3	1	-	-	-	-
Measles	71	9	35	9	6	5	64	5	-	-	1	1	-	-	-	-	-	-
Scarlatina	260	21	38	46	24	35	164	71	16	5	-	3	-	1	-	-	-	-
Diphtheria	13	-	2	2	-	1	5	5	1	-	-	1	1	-	-	-	-	-
Whooping-cough	122	44	41	20	8	4	117	5	-	-	-	-	-	-	-	-	-	-
Typhus	154	-	4	4	6	1	15	14	14	16	14	29	18	10	13	5	6	-
Cholera, Diarrh., Dysent^{y}	217	69	36	16	6	2	129	4	6	4	2	7	12	7	12	18	13	3
Other Zymotic Dis.	187	47	18	14	10	9	98	21	3	4	5	19	9	4	12	6	3	3
Cancer	105	-	1	-	-	-	1	-	1	1	-	6	25	23	21	20	5	2
Scrofula, Tabes Mesent.	63	19	15	2	3	2	41	8	2	2	1	5	3	1	-	-	-	-
Phthisis	688	8	5	6	3	5	27	13	27	87	102	171	129	72	48	9	3	-
Hydrocephalus	91	25	23	11	9	4	72	18	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	449	141	16	8	8	5	178	17	5	8	6	15	28	26	50	62	46	8
Heart Dis. and Dropsy	337	-	2	3	1	-	6	5	5	13	14	31	30	47	89	77	16	4
Dis. of Lungs	477	96	46	27	9	6	184	9	8	4	2	17	22	35	57	91	37	11
Dis. of Stom. and Liver	239	56	9	3	5	3	76	7	2	8	7	16	18	24	39	26	11	5
Dis. of Kidneys	31	-	-	1	-	1	2	1	-	-	1	6	7	5	3	3	1	2
Dis. of Gener. Organs	28	-	-	-	-	-	-	-	-	-	2	5	8	9	3	-	1	-
Diseases of the Joints	10	-	-	1	-	1	2	2	1	-	1	2	-	1	-	-	1	-
Diseases of the Skin	8	2	1	1	-	-	4	-	-	-	-	1	-	-	-	3	-	-
Childbirth and Metria	78	-	-	-	-	-	-	-	-	3	13	43	18	1	-	-	-	-
Violent Deaths	99	16	13	7	4	6	46	7	4	-	4	7	5	7	3	3	11	2
Other Causes	1224	511	49	13	5	5	533	7	4	3	1	10	6	13	34	161	280	122
569.—WIGTON.																		
Mean Popul^{n}, 1851-61	11857	-	-	-	-	-	1441	1357	1237	1163	1025	1652	1349	1046	774	545	233	35
TOTAL DEATHS	2139	355	103	51	40	25	574	72	57	74	99	148	129	120	170	277	307	112
Small-pox	17	9	4	1	-	1	15	1	-	-	-	-	-	1	-	-	-	-
Measles	26	2	8	4	2	2	18	5	2	-	-	-	1	-	-	-	-	-
Scarlatina	71	3	8	6	8	5	30	21	7	5	2	2	2	1	-	1	-	-
Diphtheria	4	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	33	13	10	4	2	1	30	2	1	-	-	-	-	-	-	-	-	-
Typhus	53	1	2	-	3	3	9	6	6	7	4	5	7	3	4	2	-	-
Cholera, Diarrh., Dysent^{y}	50	12	8	1	3	-	24	-	-	-	1	4	3	1	7	4	5	1
Other Zymotic Dis.	74	13	7	6	6	3	35	9	2	1	2	6	3	4	3	5	4	-
Cancer	42	-	-	-	-	-	-	-	-	-	-	1	4	7	14	13	3	-
Scrofula, Tabes Mesent.	19	2	5	1	-	-	8	-	3	2	-	3	-	1	1	1	-	-
Phthisis	287	2	2	2	1	1	8	4	14	38	52	67	46	19	24	12	3	-
Hydrocephalus	31	9	2	5	4	1	21	3	4	-	1	1	1	-	-	-	-	-
Diseases of Brain	151	19	4	1	1	1	26	2	-	3	7	10	4	16	20	35	26	2
Heart Dis. and Dropsy	128	4	2	1	-	-	7	1	6	3	9	8	8	18	21	32	15	-
Dis. of Lungs	125	20	6	3	2	2	33	4	2	1	5	3	6	10	18	26	16	1
Dis. of Stom. and Liver	81	7	1	1	2	-	11	2	4	5	2	3	5	9	18	18	4	-
Dis. of Kidneys	11	-	1	-	-	-	1	-	1	-	1	1	1	1	3	2	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-
Diseases of the Joints	8	1	-	-	-	-	1	-	2	1	-	-	2	-	2	-	-	-
Diseases of the Skin	6	4	-	-	-	-	4	-	-	-	-	1	1	-	-	-	-	-
Childbirth and Metria	44	-	-	-	-	-	-	-	-	3	8	14	16	3	-	-	-	-
Violent Deaths	44	4	3	5	2	1	15	2	3	2	2	1	2	4	1	4	6	2
Other Causes	829	230	30	10	3	3	276	8	-	3	3	17	16	20	33	122	225	106

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
570.—COCKERMOUTH.																		
Mean Popul^{n}, 1851-61	19262	–	–	–	–	–	2659	2393	2231	1946	1648	2584	2091	1621	1136	681	234	38
TOTAL DEATHS	4430	1027	296	170	112	97	1702	259	130	158	155	251	238	261	353	441	382	100
Small-pox	26	7	6	–	3	1	17	3	–	–	–	3	1	1	1	–	–	–
Measles	84	15	25	14	11	10	75	9	–	–	–	–	–	–	–	–	–	–
Scarlatina	286	12	33	41	34	38	158	84	27	3	3	4	1	–	–	1	–	–
Diphtheria	4	–	1	–	–	1	2	1	–	–	–	–	–	1	–	–	–	–
Whooping-cough	64	25	14	11	5	2	57	7	–	–	–	–	–	–	–	–	–	–
Typhus	174	2	13	10	5	5	35	15	7	24	12	14	12	12	16	20	6	1
Cholera, Diarrh., Dysent^{y}	185	64	22	14	3	1	104	12	–	2	3	2	9	4	10	15	19	5
Other Zymotic Dis.	183	39	18	16	15	9	97	13	7	5	3	7	14	8	12	8	8	1
Cancer	45	–	–	–	–	–	–	–	–	–	–	1	9	6	13	12	3	1
Scrofula, Tabes Mesent.	92	43	12	6	2	–	63	8	8	4	2	3	1	2	–	1	–	–
Phthisis	434	2	–	2	2	1	7	14	24	64	89	108	53	36	31	8	–	–
Hydrocephalus	103	38	20	7	3	5	73	24	3	1	2	–	–	–	–	–	–	–
Diseases of Brain	398	126	15	7	5	1	154	7	12	6	3	11	23	36	48	53	39	6
Heart Dis. and Dropsy	281	8	1	2	2	–	13	5	6	5	4	17	19	29	54	82	43	4
Dis. of Lungs	403	98	43	14	4	5	164	15	6	3	5	8	16	31	58	55	39	3
Dis. of Stom. and Liver	185	22	5	3	–	–	30	5	3	5	1	15	24	32	28	30	11	1
Dis. of Kidneys	69	1	1	–	–	–	2	1	2	1	1	4	11	7	8	15	15	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	19	–	1	–	–	–	1	–	2	4	–	3	2	3	3	1	–	–
Diseases of the Skin	7	3	–	–	–	1	4	1	–	–	–	–	–	–	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	267	3	10	7	5	6	31	20	14	19	21	40	31	37	28	20	5	1
Other Causes	1121	519	56	16	13	11	615	15	9	7	6	11	12	16	43	120	192	75
571.—WHITEHAVEN.																		
Mean Popul^{n}, 1851-61	18293	–	–	–	–	–	2605	2223	2075	1739	1728	2747	1999	1467	961	539	188	22
TOTAL DEATHS	4287	1055	378	204	140	86	1863	208	126	125	163	240	244	277	302	371	292	76
Small-pox	53	16	7	3	2	–	28	5	–	2	4	7	5	2	–	–	–	–
Measles	114	19	48	20	9	7	103	11	–	–	–	–	–	–	–	–	–	–
Scarlatina	207	14	23	42	28	32	139	46	12	6	2	–	1	1	–	–	–	–
Diphtheria	7	3	2	–	1	–	6	1	–	–	–	–	–	–	–	–	–	–
Whooping-cough	75	26	20	11	10	5	72	3	–	–	–	–	–	–	–	–	–	–
Typhus	107	2	3	2	9	5	21	13	13	10	14	12	8	7	5	3	1	–
Cholera, Diarrh., Dysent^{y}	194	90	26	9	3	–	128	5	2	1	4	4	6	13	8	14	8	1
Other Zymotic Dis.	223	42	34	22	17	8	123	17	13	5	5	10	14	11	10	9	6	–
Cancer	33	–	1	–	–	–	1	–	–	–	–	3	5	8	5	7	3	1
Scrofula, Tabes Mesent.	92	18	16	6	2	3	45	15	12	3	4	5	2	–	5	1	–	–
Phthisis	399	15	13	6	3	2	39	9	21	49	68	93	52	42	19	7	–	–
Hydrocephalus	103	32	19	18	14	4	87	10	5	–	1	–	–	–	–	–	–	–
Diseases of Brain	372	118	22	12	8	2	162	8	5	6	6	6	26	29	38	55	25	6
Heart Dis. and Dropsy	195	2	4	–	4	1	11	9	7	6	5	9	17	31	42	36	22	–
Dis. of Lungs	571	161	70	30	15	7	283	20	6	6	2	17	26	42	59	71	30	9
Dis. of Stom. and Liver	176	23	6	2	1	1	33	5	5	3	6	11	21	26	28	31	6	1
Dis. of Kidneys	36	–	1	–	1	–	2	–	–	2	1	4	7	4	5	5	5	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	8	–	–	–	1	–	1	–	1	–	2	2	1	–	1	–	–	–
Diseases of the Skin	13	7	–	–	1	2	10	–	–	–	1	–	–	–	1	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	312	18	7	4	5	3	37	12	19	25	36	46	39	40	33	15	8	2
Other Causes	997	449	56	17	6	4	532	19	5	1	2	11	14	21	43	117	177	55
572.—BOOTLE.																		
Mean Popul^{n}, 1851-61	3104	–	–	–	–	–	385	334	319	324	264	410	367	289	218	130	58	6
TOTAL DEATHS	522	84	15	11	14	10	134	19	16	17	18	44	38	38	35	64	74	25
Small-pox	2	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Measles	4	–	1	1	1	–	3	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	11	–	–	–	1	1	1	3	3	2	–	1	1	–	–	–	–	–
Diphtheria	13	–	–	–	2	3	5	5	–	3	–	–	–	–	–	–	–	–
Whooping-cough	4	1	1	1	–	–	3	1	–	–	–	–	–	–	–	–	–	–
Typhus	6	–	1	2	–	–	3	–	1	–	1	–	1	–	–	–	–	–
Cholera, Diarrh., Dysent^{y}	6	2	–	–	–	–	2	–	–	–	–	2	–	2	–	–	–	–
Other Zymotic Dis.	30	4	2	1	8	–	15	2	–	–	–	1	–	3	1	3	4	1
Cancer	4	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–
Scrofula, Tabes Mesent.	2	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Phthisis	62	–	–	–	–	–	–	3	2	7	9	15	10	6	7	3	–	–
Hydrocephalus	4	2	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
Diseases of Brain	27	1	1	–	2	1	5	1	1	1	2	2	2	5	2	5	1	–
Heart Dis. and Dropsy	32	–	–	–	–	–	–	1	3	1	–	1	3	3	2	9	9	–
Dis. of Lungs	35	5	2	3	–	1	11	1	–	–	2	4	1	2	3	7	4	–
Dis. of Stom. and Liver	17	2	–	1	–	1	4	–	–	–	3	3	1	3	2	–	1	–
Dis. of Kidneys	5	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Diseases of the Skin	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	50	–	1	1	–	2	4	1	3	–	1	12	11	8	4	3	3	–
Other Causes	205	66	5	1	1	1	74	–	1	2	–	–	6	6	10	32	51	23

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

570.—COCKERMOUTH.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	20639	-	-	-	-	-	2607	2391	2129	1952	1727	2906	2424	1849	1364	889	339	62
TOTAL DEATHS	4426	817	310	161	118	73	1479	213	127	139	177	296	273	251	325	492	496	158
Small-pox	21	5	2	4	1	2	14	2	1	-	1	1	2	-	-	-	-	-
Measles	63	11	28	9	4	4	56	6	-	1	-	-	-	-	-	-	-	-
Scarlatina	255	13	22	41	39	38	153	65	26	1	2	5	2	1	-	-	-	-
Diphtheria	4	1	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	81	37	22	12	5	3	79	2	-	-	-	-	-	-	-	-	-	-
Typhus	148	2	6	8	5	4	25	24	8	12	14	20	9	11	10	10	5	-
Cholera, Diarrh., Dysent^{y}	191	53	32	5	2	-	92	6	2	1	4	9	13	14	13	28	6	3
Other Zymotic Dis.	168	27	26	18	19	2	92	20	3	-	3	2	8	3	11	18	6	2
Cancer	97	-	-	-	-	-	-	1	1	-	-	4	11	20	23	21	15	1
Scrofula, Tabes Mesent.	86	45	18	3	3	1	70	4	3	2	-	2	1	2	1	1	-	-
Phthisis	593	2	3	3	2	-	10	17	39	84	97	153	98	54	32	8	1	-
Hydrocephalus	86	20	12	14	6	5	57	15	7	1	1	1	-	3	1	-	-	-
Diseases of Brain	389	94	15	10	4	2	125	8	7	8	9	14	25	24	43	69	49	8
Heart Dis. and Dropsy	337	5	1	3	1	-	10	4	9	3	6	17	23	33	73	110	48	1
Dis. of Lungs	300	58	34	9	6	2	109	2	4	3	6	-	17	25	38	56	36	4
Dis. of Stom. and Liver	214	16	4	5	2	3	30	8	3	7	6	16	23	28	40	39	13	1
Dis. of Kidneys	24	-	-	-	-	-	-	-	-	-	3	3	8	3	4	-	3	-
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	-	-	5	4	5	1	1	-	-
Diseases of the Joints	13	-	-	-	1	-	1	1	1	2	1	1	-	-	1	2	3	-
Diseases of the Skin	10	4	2	-	-	-	6	-	1	-	-	-	-	-	1	1	1	-
Childbirth and Metria	68	-	-	-	-	-	-	-	-	4	15	29	20	-	-	-	-	-
Violent Deaths	82	7	6	1	6	3	23	11	5	4	6	5	4	5	2	5	10	2
Other Causes	1180	417	77	16	11	4	525	16	7	5	3	9	5	20	31	123	300	156

571.—WHITEHAVEN.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	19489	-	-	-	-	-	2530	2219	1985	1864	1835	2891	2214	1718	1180	733	283	37
TOTAL DEATHS	4268	854	361	195	143	101	1654	220	88	139	162	252	250	247	299	431	404	122
Small-pox	36	13	3	3	1	2	22	5	-	1	-	5	2	-	-	1	-	-
Measles	113	12	40	21	19	11	103	9	1	-	-	-	-	-	-	-	-	-
Scarlatina	220	19	27	25	35	32	138	63	11	3	1	1	2	1	-	-	-	-
Diphtheria	4	1	-	1	1	1	4	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	104	36	27	17	13	4	97	7	-	-	-	-	-	-	-	-	-	-
Typhus	132	4	3	9	3	8	27	25	12	13	16	8	8	11	7	3	2	-
Cholera, Diarrh., Dysent^{y}	159	73	18	8	3	1	103	2	1	-	1	4	7	7	11	15	8	-
Other Zymotic Dis.	185	32	28	20	14	13	107	19	5	1	4	3	11	9	9	8	9	-
Cancer	55	-	-	-	-	-	-	-	-	-	-	2	7	17	14	12	3	-
Scrofula, Tabes Mesent.	55	5	14	2	5	1	27	7	2	3	3	5	3	2	1	2	-	-
Phthisis	479	9	6	3	3	-	21	15	24	76	74	125	73	45	19	7	-	-
Hydrocephalus	83	21	23	12	5	4	65	14	3	-	-	1	-	-	-	-	-	-
Diseases of Brain	325	94	12	9	2	-	117	6	4	7	6	10	13	21	43	58	37	3
Heart Dis. and Dropsy	248	2	3	5	3	1	14	6	1	7	12	14	30	33	55	48	25	3
Dis. of Lungs	539	110	85	31	16	15	257	9	4	4	5	14	20	24	45	98	48	11
Dis. of Stom. and Liver	203	23	3	4	2	1	33	3	4	3	18	14	18	33	34	32	11	-
Dis. of Kidneys	19	-	-	-	-	-	-	1	2	2	1	3	2	3	-	3	2	-
Dis. of Gener. Organs	19	-	-	-	-	-	-	-	-	2	3	1	6	6	-	1	-	-
Diseases of the Joints	12	-	-	-	-	1	1	2	1	-	2	1	-	3	-	2	-	-
Diseases of the Skin	7	1	-	-	-	-	1	-	-	1	-	-	1	2	1	-	1	-
Childbirth and Metria	64	-	-	-	-	-	-	-	-	2	11	28	22	1	-	-	-	-
Violent Deaths	101	10	8	6	8	2	34	11	4	8	2	7	7	7	7	4	6	4
Other Causes	1106	389	61	19	10	4	483	16	9	6	3	6	18	22	53	137	252	101

572.—BOOTLE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	2840	-	-	-	-	-	363	348	314	280	250	375	306	233	185	121	58	7
TOTAL DEATHS	446	58	13	7	6	6	90	16	15	19	21	49	34	29	37	51	60	25
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	11	1	1	-	1	1	4	3	3	-	-	1	-	-	-	-	-	-
Diphtheria	6	-	-	2	-	-	2	1	1	1	-	-	1	-	-	-	-	-
Whooping-cough	4	1	-	-	1	1	3	-	1	-	-	-	-	-	-	-	-	-
Typhus	6	-	1	-	1	-	2	1	-	1	-	1	1	-	-	-	-	-
Cholera, Diarrh., Dysent^{y}	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	20	3	1	2	-	2	8	4	-	-	-	1	1	1	-	4	1	-
Cancer	9	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	-	1
Scrofula, Tabes Mesent.	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Phthisis	90	-	-	-	-	-	-	1	7	11	15	28	16	7	3	1	1	-
Hydrocephalus	5	2	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	26	4	-	-	1	-	5	-	1	1	1	3	2	2	5	4	2	-
Heart Dis. and Dropsy	34	-	-	-	-	1	1	1	-	1	-	2	1	10	6	8	3	1
Dis. of Lungs	22	4	1	-	-	1	6	-	1	2	-	-	2	3	2	2	4	-
Dis. of Stom. and Liver	13	1	-	-	-	-	1	-	1	-	3	4	-	-	3	1	-	-
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	-	2	6	4	-	-	-	-	-
Violent Deaths	6	-	1	-	2	-	3	-	-	-	-	-	3	-	-	-	-	-
Other Causes	172	40	7	3	-	-	50	1	-	-	-	1	3	4	12	28	40	23

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
573.—EAST WARD.																		
Mean Popul^{n}, 1851-61	7499	-	-	-	-	-	880	791	760	682	660	1080	904	729	515	342	137	19
TOTAL DEATHS	1316	251	53	23	14	27	368	49	31	24	37	86	68	84	151	192	170	56
Small-pox	5	1	1	1	-	-	3	-	-	-	-	-	-	-	1	1	-	-
Measles	8	1	4	2	-	1	8	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	47	9	6	3	2	6	26	12	6	-	2	1	-	-	-	-	-	-
Diphtheria	20	2	-	1	2	3	8	6	5	-	1	-	-	-	-	-	-	-
Whooping-cough	12	9	1	1	-	-	11	1	-	-	-	-	-	-	-	-	-	-
Typhus	30	2	1	1	-	-	4	1	2	1	-	7	6	3	4	1	1	-
Cholera, Diarrh., Dysent^{y}	16	2	1	-	-	-	3	2	-	1	1	1	-	1	4	3	-	-
Other Zymotic Dis.	62	7	7	4	5	6	29	7	2	-	2	3	4	4	2	4	5	-
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	-	-
Scrofula, Tabes Mesent.	12	1	1	-	-	1	3	1	2	3	-	-	-	3	-	-	-	-
Phthisis	146	1	1	-	1	-	3	4	5	11	21	38	22	15	21	6	-	-
Hydrocephalus	35	9	9	3	-	2	23	8	3	1	-	-	-	-	-	-	-	-
Diseases of Brain	137	47	5	2	-	2	56	-	-	1	3	4	5	14	20	22	10	2
Heart Dis. and Dropsy	98	1	-	-	-	-	1	2	3	2	3	6	5	6	20	32	16	2
Dis. of Lungs	122	23	12	3	-	2	40	3	1	1	-	5	7	6	31	20	8	-
Dis. of Stom. and Liver	75	16	-	-	1	1	18	-	-	1	1	3	5	12	17	14	4	-
Dis. of Kidneys	23	-	-	-	-	-	-	-	1	-	-	-	2	3	5	3	8	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	50	2	-	1	1	2	6	1	-	1	3	12	5	9	4	5	4	-
Other Causes	406	118	4	1	2	1	126	1	1	1	-	6	6	5	19	76	114	51
574.—WEST WARD.																		
Mean Popul^{n}, 1851-61	4190	-	-	-	-	-	547	476	443	408	351	542	445	396	301	190	83	8
TOTAL DEATHS	781	148	27	16	14	8	213	37	13	22	30	47	46	51	73	94	122	33
Small-pox	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Measles	5	2	1	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	13	1	2	2	2	-	7	2	4	-	-	-	-	-	-	-	-	-
Diphtheria	16	4	-	2	2	-	8	6	2	-	-	-	-	-	-	-	-	-
Whooping-cough	14	8	2	-	2	-	12	2	-	-	-	-	-	-	-	-	-	-
Typhus	9	-	-	1	-	-	1	2	-	-	-	-	2	-	2	1	1	-
Cholera, Diarrh., Dysent^{y}	5	2	-	-	-	-	2	-	-	-	-	1	-	-	1	1	-	-
Other Zymotic Dis.	36	9	3	1	2	4	19	6	-	-	1	1	-	2	1	3	3	-
Cancer	15	-	-	-	-	-	-	-	-	-	-	-	1	4	2	7	1	-
Scrofula, Tabes Mesent.	3	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-
Phthisis	107	-	-	-	-	-	-	4	1	10	20	28	19	11	13	1	-	-
Hydrocephalus	15	5	3	2	2	-	12	1	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	62	14	4	1	1	1	21	1	-	4	1	3	4	5	10	7	6	-
Heart Dis. and Dropsy	47	3	1	1	-	2	7	-	1	1	-	2	6	3	7	12	7	1
Dis. of Lungs	58	11	7	2	1	1	22	3	-	1	2	-	2	8	10	5	4	1
Dis. of Stom. and Liver	38	-	-	-	1	-	1	1	3	-	1	3	2	4	8	7	6	2
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	57	1	2	1	1	-	5	6	-	5	4	7	6	8	10	3	3	-
Other Causes	269	87	2	2	-	-	91	2	-	-	1	-	1	6	7	44	88	29
575.—KENDAL.																		
Mean Popul^{n}, 1851-61	18263	-	-	-	-	-	2504	2240	2076	1852	1449	2456	2029	1568	1125	664	260	40
TOTAL DEATHS	3459	598	177	104	81	64	1024	158	91	118	148	256	222	258	318	376	379	111
Small-pox	15	6	-	2	1	-	9	4	-	-	1	-	1	-	-	-	-	-
Measles	60	12	18	11	5	6	52	5	2	1	-	-	-	-	-	-	-	-
Scarlatina	121	7	15	16	17	19	74	30	12	2	2	-	-	-	-	-	-	-
Diphtheria	10	-	1	3	1	1	6	2	2	-	-	-	-	-	1	-	-	-
Whooping-cough	41	19	11	4	3	1	38	2	1	-	-	-	-	-	-	-	-	-
Typhus	108	1	4	4	4	1	14	11	10	13	11	10	13	6	11	6	3	-
Cholera, Diarrh., Dysent^{y}	53	14	3	3	-	3	23	2	1	1	2	2	1	3	5	4	9	-
Other Zymotic Dis.	147	14	11	11	5	5	46	6	2	2	1	9	3	14	14	19	26	5
Cancer	23	-	-	-	-	-	-	-	-	-	-	2	2	1	8	5	2	3
Scrofula, Tabes Mesent.	81	15	8	3	5	5	36	11	6	7	2	8	4	3	2	2	-	-
Phthisis	481	1	1	-	2	-	4	10	14	51	75	129	86	63	39	9	1	-
Hydrocephalus	102	35	22	12	9	4	82	15	3	1	1	-	-	-	-	-	-	-
Diseases of Brain	461	186	24	5	6	4	225	19	10	3	7	14	11	32	39	46	47	8
Heart Dis. and Dropsy	202	-	1	-	-	-	1	4	3	8	7	8	10	30	37	52	36	6
Dis. of Lungs	398	60	23	8	8	7	106	8	4	5	6	19	21	33	51	76	59	11
Dis. of Stom. and Liver	212	14	4	4	-	3	25	3	4	3	8	12	25	37	39	38	17	1
Dis. of Kidneys	49	1	-	-	-	1	2	1	-	1	1	3	5	2	8	16	7	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	14	-	-	1	-	-	1	1	3	-	1	2	3	1	-	1	1	-
Diseases of the Skin	10	4	1	-	-	-	5	1	-	-	-	-	1	-	1	1	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	206	2	5	6	8	3	24	14	8	16	21	30	27	22	21	18	5	-
Other Causes	665	207	25	11	7	1	251	9	6	4	2	8	9	11	42	84	166	73

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
573.—EAST WARD.																		
Mean Popul^{n}, 1851-61	7037	-	-	-	-	-	904	773	698	678	620	985	750	647	476	334	146	26
TOTAL DEATHS	1236	172	38	21	12	16	259	49	35	60	51	97	82	81	94	175	190	63
Small-pox	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	6	-	1	1	2	1	5	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	51	3	3	5	3	6	20	17	7	2	-	4	-	-	-	1	-	-
Diphtheria	12	2	1	-	-	2	5	2	1	2	-	-	-	1	1	-	-	-
Whooping-cough	11	7	4	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	33	-	-	1	1	-	2	1	5	9	5	3	3	-	5	-	-	-
Cholera, Diarrh., Dysent^{y}	20	3	1	-	-	-	4	-	-	1	-	3	2	1	3	2	4	-
Other Zymotic Dis.	54	9	3	4	3	1	20	9	1	1	-	2	1	3	6	6	5	-
Cancer	15	-	-	-	-	-	-	-	-	-	1	1	1	4	1	7	-	-
Scrofula, Tabes Mesent.	8	1	1	-	-	-	2	-	-	-	2	1	3	-	-	-	-	-
Phthisis	188	-	1	-	-	1	2	3	11	29	25	54	30	22	8	4	-	-
Hydrocephalus	22	2	4	1	1	3	11	6	2	1	1	1	-	-	-	-	-	-
Diseases of the Brain	85	20	9	1	-	-	30	2	1	3	2	3	2	9	6	16	11	-
Heart Dis. and Dropsy	125	-	-	1	-	-	1	4	4	6	2	5	14	11	18	33	24	3
Dis. of Lungs	59	13	2	5	-	1	21	1	1	1	1	4	3	5	8	12	2	-
Dis. of Stom. and Liver	76	6	2	-	1	1	10	-	1	3	5	3	10	11	15	15	3	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	1	5	9	9	1	-	-	-	-
Violent Deaths	14	1	1	-	-	-	2	4	-	-	-	1	-	3	1	1	1	1
Other Causes	424	105	4	1	1	-	111	-	-	1	2	3	3	7	22	77	139	59
574.—WEST WARD.																		
Mean Popul^{n}, 1851-61	3923	-	-	-	-	-	496	462	427	391	315	525	435	341	275	170	71	15
TOTAL DEATHS	703	96	22	7	12	9	146	32	16	38	35	48	47	58	64	100	83	36
Small-pox	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	7	1	2	1	1	1	6	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	14	-	1	1	1	1	4	7	1	2	-	-	-	-	-	-	-	-
Diphtheria	13	1	-	-	2	1	4	5	2	1	1	-	-	-	-	-	-	-
Whooping-cough	9	3	2	2	-	2	9	-	-	-	-	-	-	-	-	-	-	-
Typhus	1	1	-	-	-	-	1	4	3	4	2	1	1	-	-	1	-	-
Cholera, Diarrh., Dysent^{y}	11	2	1	-	-	-	3	-	-	-	-	1	-	-	1	5	-	1
Other Zymotic Dis.	28	8	5	1	1	3	18	3	1	1	-	1	1	1	1	1	-	-
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	-	7	5	6	1	-
Scrofula, Tabes Mesent.	7	-	-	-	1	-	1	-	-	2	1	-	2	1	-	-	-	-
Phthisis	119	-	1	1	-	-	2	4	2	19	19	31	18	14	8	2	-	-
Hydrocephalus	15	1	2	-	-	-	3	6	1	2	2	-	-	1	-	-	-	-
Diseases of Brain	51	9	-	-	1	-	10	-	2	-	4	1	3	6	11	12	2	-
Heart Dis. and Dropsy	67	1	-	1	-	-	2	-	-	2	2	2	6	16	18	18	-	1
Dis. of Lungs	41	6	2	-	4	-	12	1	1	-	1	2	2	3	6	8	3	2
Dis. of Stom. and Liver	40	6	2	-	-	-	8	2	2	2	-	2	5	6	5	8	-	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	9	-	-	-	-	-	-	-	-	2	-	3	4	-	-	-	-	-
Violent Deaths	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Causes	226	56	3	-	1	1	61	-	-	1	2	3	2	3	7	38	77	32
575.—KENDAL.																		
Mean Popul^{n}, 1851-61	18755	-	-	-	-	-	2410	2209	2089	1875	1660	2625	2007	1592	1161	736	328	63
TOTAL DEATHS	3407	486	178	106	70	60	900	161	101	172	145	266	219	204	277	391	418	153
Small-pox	10	3	1	-	2	1	7	1	-	-	-	1	1	-	-	-	-	-
Measles	61	8	26	8	4	5	51	8	-	1	-	-	-	-	1	-	-	-
Scarlatina	149	9	17	20	18	15	79	44	16	7	1	1	-	-	1	-	-	-
Diphtheria	5	1	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-
Whooping-cough	56	29	11	4	3	3	50	5	1	-	-	-	-	-	-	-	-	-
Typhus	105	2	1	6	3	3	15	16	10	13	7	13	12	10	4	5	-	-
Cholera, Diarrh., Dysent^{y}	37	8	2	1	-	-	11	2	-	3	-	1	2	1	4	8	3	2
Other Zymotic Dis.	162	18	8	10	10	8	54	14	2	6	5	4	3	8	13	28	20	5
Cancer	49	-	-	-	-	1	1	-	-	1	1	2	5	7	15	12	5	-
Scrofula, Tabes Mesent.	54	7	5	2	3	2	19	8	2	5	-	5	3	8	3	-	1	-
Phthisis	517	1	2	3	3	2	11	9	32	93	78	124	93	48	18	11	-	-
Hydrocephalus	74	20	18	12	3	1	54	13	5	2	-	-	-	-	-	-	-	-
Diseases of Brain	426	137	22	12	6	9	186	10	12	7	8	19	16	27	42	52	44	3
Heart Dis. and Dropsy	213	5	-	1	-	1	7	5	5	7	6	18	18	30	44	40	27	6
Dis. of Lungs	356	59	32	10	7	3	111	13	5	7	7	16	9	21	45	67	42	13
Dis. of Stom. and Liver	184	11	5	-	1	-	17	3	5	10	8	20	17	23	33	30	17	1
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	-	-	-	3	3	3	1	2	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	1	5	2	1	2	1	-
Diseases of the Joints	13	-	-	-	1	-	1	-	-	-	-	5	1	-	1	5	-	-
Diseases of the Skin	12	1	-	1	-	-	2	-	-	1	-	-	-	1	2	2	4	-
Childbirth and Metria	54	-	-	-	-	-	-	-	-	2	13	24	14	1	-	-	-	-
Violent Deaths	59	6	4	5	4	4	23	3	-	2	5	3	2	6	6	4	2	3
Other Causes	787	161	24	11	2	2	200	6	5	5	6	8	15	8	41	123	250	120

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES.																
		Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.

576.—CHEPSTOW

Mean Popul^{n}, 1851-61 - -	3328	-	-	-	-	-	1230	1085	978	882	765	1311	1100	833	614	333	149	63
TOTAL DEATHS -	2860	306	196	73	58	57	330	98	68	62	79	133	113	121	142	296	179	73
Small-pox - - -	11	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Measles - - -	13	5	4	-	-	-	9	3	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	13	2	3	1	-	-	6	5	2	-	-	-	-	-	-	-	-	-
Hydrocephalus - -	26	13	5	3	1	1	23	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough - -	26	12	5	3	4	1	25	1	-	-	-	-	-	-	-	-	-	-
Teething - - -	3	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Cholera, Diarrh., Dysent.	15	2	1	1	-	-	4	1	1	1	1	2	1	1	1	1	-	-
Other Zymotic Dis. -	31	8	3	1	1	1	14	2	1	1	1	2	2	2	2	2	1	-
Cancer - - -	17	-	-	-	-	-	-	-	-	-	-	1	1	2	3	6	3	1
Scrofula, Tabes Mesent.	15	1	1	1	-	-	3	2	1	1	1	1	1	1	-	-	-	-
Phthisis - - -	240	4	11	6	3	1	25	9	6	5	8	21	19	22	20	19	5	1
Hydrocephalus - -	20	11	4	1	1	1	18	1	1	-	-	-	-	-	-	-	-	-
Diseases of Brain -	23	1	1	-	-	-	2	1	1	1	1	2	2	2	2	2	1	-
Heart Dis. and Dropsy	134	1	1	2	1	1	6	2	1	1	1	4	5	7	9	15	15	8
Dis. of Lungs - -	1129	31	11	5	4	3	54	15	9	8	11	25	23	23	23	39	25	7
Dis. of Stom. and Liver	31	1	-	-	-	-	1	-	-	-	-	1	1	2	2	3	1	-
Dis. of Kidneys - -	26	1	-	-	-	-	1	-	-	-	-	1	1	1	2	3	1	-
Dis. of Genit. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Diseases of the Skin -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metra -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Violent Deaths - -	138	2	2	1	1	-	6	4	3	4	6	13	11	12	8	9	2	-
Other Causes - - -	242	13	11	5	3	3	35	8	5	4	5	8	8	11	12	23	14	6

577.—MONMOUTH.

Mean Popul^{n}, 1851-61 - -	14434	-	-	-	-	-	1947	1717	1572	1410	1178	1975	1671	1305	892	360	133	53
TOTAL DEATHS -	1941	636	149	95	69	42	1009	328	77	75	79	165	145	127	115	135	77	30
Small-pox - - -	8	3	1	-	1	-	5	1	1	-	1	1	1	-	1	-	-	-
Measles - - -	25	5	12	3	-	1	21	3	1	-	-	-	-	-	-	-	-	-
Scarlatina - - -	24	11	3	2	1	1	19	4	1	-	-	-	-	-	-	-	-	-
Hydrocephalus - -	61	34	6	3	3	1	47	11	2	1	-	-	-	-	-	-	-	-
Whooping-cough - -	31	14	5	4	3	1	27	3	1	-	-	-	-	-	-	-	-	-
Teething - - -	4	3	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Cholera, Diarrh., Dysent.	126	26	9	4	4	3	46	16	6	2	2	1	1	1	1	1	-	-
Other Zymotic Dis. -	116	29	9	5	4	4	51	15	4	3	2	2	1	1	1	1	-	-
Cancer - - -	31	-	-	-	-	-	-	-	-	-	-	1	1	3	5	11	7	3
Scrofula, Tabes Mesent.	24	11	3	1	1	1	17	3	1	1	1	1	-	-	-	-	-	-
Phthisis - - -	260	4	11	5	4	3	27	11	7	6	8	28	21	26	23	23	5	1
Hydrocephalus - -	13	9	2	1	-	-	12	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain -	43	2	1	1	-	-	4	1	1	1	1	2	2	2	2	2	1	-
Heart Dis. and Dropsy	231	1	1	2	1	1	6	2	1	1	1	4	6	8	10	16	16	8
Dis. of Lungs - -	1355	34	11	6	4	3	62	17	10	9	12	28	25	25	25	42	27	8
Dis. of Stom. and Liver	33	1	-	-	-	-	1	-	-	-	-	1	1	2	2	3	1	-
Dis. of Kidneys - -	29	1	-	-	-	-	1	-	-	-	-	1	1	1	2	3	1	-
Dis. of Genit. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints -	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Diseases of the Skin -	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metra -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Violent Deaths - -	154	3	2	1	1	-	7	4	3	4	6	13	11	12	8	9	2	-
Other Causes - - -	284	136	18	8	6	4	172	24	4	4	4	9	8	11	12	23	14	6

578.—ABERGAVENNY.

Mean Popul^{n}, 1851-61 - -	33565	-	-	-	-	-	4456	3591	3330	3387	3029	5618	4084	2921	1939	733	231	84
TOTAL DEATHS -	5867	1910	946	492	285	188	3821	908	261	325	416	699	548	338	346	339	338	176
Small-pox - - -	26	7	2	1	1	1	12	6	2	1	1	2	1	1	1	-	-	-
Measles - - -	82	24	32	6	2	1	65	15	1	1	-	-	-	-	-	-	-	-
Scarlatina - - -	82	24	12	6	4	2	48	25	6	1	1	-	-	-	-	-	-	-
Hydrocephalus - -	182	94	16	9	5	3	127	32	6	4	2	1	-	-	-	-	-	-
Whooping-cough - -	82	36	15	9	6	3	69	9	2	1	-	-	-	-	-	-	-	-
Teething - - -	12	8	1	-	-	-	9	3	-	-	-	-	-	-	-	-	-	-
Cholera, Diarrh., Dysent.	382	72	26	12	8	6	124	46	19	6	6	3	2	2	2	2	-	-
Other Zymotic Dis. -	352	80	26	14	10	8	138	42	12	9	6	6	3	3	3	3	-	-
Cancer - - -	94	-	-	-	-	-	-	-	-	-	-	3	3	8	15	33	21	11
Scrofula, Tabes Mesent.	73	32	9	3	3	3	50	9	3	3	3	3	-	-	-	-	-	-
Phthisis - - -	790	12	33	16	11	9	81	33	21	18	24	84	63	78	69	69	15	3
Hydrocephalus - -	39	27	6	3	1	1	38	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain -	131	6	3	3	1	1	14	3	3	3	3	6	6	6	6	6	3	1
Heart Dis. and Dropsy	694	3	3	6	3	3	18	6	3	3	3	12	18	24	30	48	48	25
Dis. of Lungs - -	4066	102	33	18	12	9	174	51	30	27	36	84	75	75	75	126	81	24
Dis. of Stom. and Liver	99	3	-	-	-	-	3	-	-	-	-	3	3	6	6	9	3	-
Dis. of Kidneys - -	87	3	-	-	-	-	3	-	-	-	-	3	3	3	6	9	3	-
Dis. of Genit. Organs -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints -	9	-	-	-	-	-	-	-	-	-	-	3	-	-	-	3	-	-
Diseases of the Skin -	6	-	3	-	-	-	3	-	-	-	-	-	-	-	-	3	-	-
Childbirth and Metra -	6	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
Violent Deaths - -	463	11	6	3	3	-	23	12	9	12	18	39	33	36	24	27	6	-
Other Causes - - -	841	411	54	24	18	12	519	69	12	12	12	27	24	33	36	69	42	18

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

AGES OF FEMALES.

	Mean Popul. 1851–61	Total Deaths	Under 1	1	2	3	4	Under 5	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85– and upwards
556.—CHERTSOW.																			
	9773	1000	–	–	–	–	–	121	1002	979	800	799	1267	1000	1000	969	800	199	228
		1000	346	131	90	80	81	328	382	61	60	69	112	100	90	133	202	200	67
577.—MONMOUTH.																			
	4937	2000	–	–	–	–	–	1000	1000	1000	1283	1162	1970	1000	1232	800	524	266	71
		2000	372	200	80	80	80	807	100	68	70	102	154	140	144	140	310	240	168
578.—ABERGAVENNY.																			
	29579	7000	–	–	–	–	–	4672	2000	2000	2000	2812	4611	3000	2000	1000	745	302	82
		7000	1000	800	600	600	600	3607	31.1	200	200	277	393	300	300	300	427	309	317

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
579.—PONTYPOOL.																		
Mean Popul^{n}, 1851-61	15023	-	-	-	-	-	2077	1791	1656	1466	1359	2233	1781	1302	787	392	155	24
TOTAL DEATHS	3574	849	323	182	103	73	1530	200	99	132	153	244	231	217	247	249	215	57
Small-pox	51	18	6	3	6	-	33	5	1	1	2	5	1	-	2	-	1	-
Measles	80	14	19	15	7	8	63	13	2	-	1	1	-	-	-	-	-	-
Scarlatina	167	19	28	31	26	16	120	39	4	2	1	1	-	-	-	-	-	-
Diphtheria	12	7	2	-	1	1	11	-	-	-	-	-	-	1	-	-	-	-
Whooping-cough	105	44	25	22	4	5	100	5	-	-	-	-	-	-	-	-	-	-
Typhus	195	7	8	6	10	8	39	33	20	17	21	21	20	5	8	6	5	-
Cholera, Diarrh., Dysent^{y}	83	30	15	4	2	-	51	5	-	2	-	3	-	4	3	6	9	-
Other Zymotic Dis.	109	28	6	10	5	4	53	6	2	2	2	5	11	4	6	8	8	2
Cancer	30	-	-	-	-	1	1	-	-	1	-	3	3	8	3	7	2	2
Scrotula, Tabes Mesent.	75	12	15	4	3	4	38	9	1	8	9	3	3	1	2	1	-	-
Phthisis	332	1	4	1	1	-	7	9	8	39	46	93	59	44	19	7	-	1
Hydrocephalus	36	10	8	5	1	2	26	5	4	1	-	-	-	-	-	-	-	-
Diseases of Brain	564	299	46	16	12	6	379	15	16	10	9	17	20	13	20	32	26	7
Heart Dis. and Dropsy	134	4	3	2	1	-	10	6	2	6	4	11	9	18	25	21	19	3
Dis. of Lungs	633	140	71	23	10	7	251	15	5	7	13	22	30	54	100	81	46	9
Dis. of Stom. and Liver	124	22	4	1	2	2	31	4	3	2	8	13	13	15	13	16	6	-
Dis. of Kidneys	39	-	-	-	-	2	2	2	-	2	1	6	7	8	2	6	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	-	-	-	3	-	1	3	-	-	-	-
Diseases of the Skin	4	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	250	3	3	3	2	2	13	20	24	28	26	36	44	27	22	8	2	-
Other Causes	544	188	60	36	10	5	299	9	7	4	7	4	10	12	22	50	87	33
580.—NEWPORT.																		
Mean Popul^{n}, 1851-61	24224	-	-	-	-	-	3313	2831	2416	2379	2303	3907	3042	2019	1153	575	241	45
TOTAL DEATHS	5607	1478	466	261	156	98	2459	260	147	187	243	409	396	351	361	363	335	96
Small-pox	106	23	15	15	6	8	67	11	2	6	5	11	2	2	-	-	-	-
Measles	104	21	31	23	9	2	86	14	2	1	1	-	-	-	-	-	-	-
Scarlatina	165	18	27	29	21	14	109	45	6	-	8	1	1	-	-	-	-	-
Diphtheria	28	3	3	6	2	1	15	6	2	-	-	-	-	-	-	-	-	-
Whooping-cough	103	48	23	13	11	4	99	4	-	-	-	-	-	-	-	-	-	-
Typhus	236	9	16	3	15	8	51	34	19	22	19	23	11	24	16	10	7	-
Cholera, Diarrh., Dysent^{y}	176	89	28	6	2	1	126	2	3	1	3	3	6	5	9	9	8	1
Other Zymotic Dis.	215	50	21	12	18	11	112	9	7	2	3	19	13	16	10	10	11	3
Cancer	54	-	-	1	1	-	2	-	-	1	1	2	6	15	12	5	6	4
Scrofula, Tabes Mesent.	99	25	12	9	4	1	51	8	9	7	10	3	5	4	-	1	1	-
Phthisis	579	16	15	5	2	8	46	25	14	47	87	128	108	61	41	17	5	-
Hydrocephalus	81	28	24	14	7	2	75	5	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	950	554	65	37	16	6	678	19	9	8	16	30	28	29	52	53	23	5
Heart Dis. and Dropsy	262	5	4	3	2	3	17	6	6	10	5	25	33	28	46	54	30	2
Dis. of Lungs	886	245	112	46	23	14	440	17	10	18	19	34	54	74	77	80	58	5
Dis. of Stom. and Liver	242	30	12	16	4	2	64	8	8	6	5	21	31	34	33	25	8	1
Dis. of Kidneys	65	1	2	-	-	1	4	-	1	3	3	10	6	6	8	12	10	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	18	-	-	2	2	1	5	2	2	3	2	2	-	-	1	-	1	-
Diseases of the Skin	14	5	2	1	-	-	8	-	-	-	-	1	1	1	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	514	9	13	15	5	10	52	88	43	50	59	91	80	39	31	21	8	2
Other Causes	714	299	41	5	6	1	352	7	3	2	2	5	11	12	24	66	159	71
581.—CARDIFF.																		
Mean Popul^{n}, 1851-61	31833	-	-	-	-	-	4271	3417	2860	3013	3314	5907	4092	2525	1431	684	272	47
TOTAL DEATHS	7609	2042	680	335	220	139	3416	345	199	301	418	686	551	471	394	389	310	129
Small-pox	235	47	35	20	18	16	136	27	4	5	26	24	10	3	-	-	-	-
Measles	183	39	64	30	19	12	164	15	1	1	1	-	1	-	-	-	-	-
Scarlatina	216	15	44	37	28	17	141	57	9	6	1	1	1	-	-	-	-	-
Diphtheria	25	3	9	4	-	3	19	5	-	-	1	-	-	-	-	-	-	-
Whooping-cough	154	74	45	16	5	9	149	5	-	-	-	-	-	-	-	-	-	-
Typhus	323	17	11	14	14	8	64	30	26	26	48	50	30	17	15	14	3	-
Cholera, Diarrh., Dysent^{y}	347	119	37	7	7	5	175	13	5	8	18	36	19	17	16	22	16	2
Other Zymotic Dis.	267	61	42	23	13	18	157	16	4	4	7	15	15	17	13	9	8	2
Cancer	43	-	-	-	-	-	-	3	-	-	1	1	3	8	13	10	4	-
Scrofula, Tabes Mesent.	115	26	18	8	6	4	62	14	7	9	6	7	6	3	1	-	-	-
Phthisis	841	21	9	20	6	2	58	23	27	75	110	216	159	90	42	29	3	-
Hydrocephalus	125	49	41	12	6	4	112	8	4	1	-	-	-	-	-	-	-	-
Diseases of Brain	1056	666	73	37	29	7	812	25	7	9	12	26	37	36	36	39	14	3
Heart Dis. and Dropsy	226	3	4	2	2	2	13	3	6	5	12	20	32	34	41	39	17	4
Dis. of Lungs	1064	302	144	63	34	16	559	30	8	25	25	64	72	94	83	73	31	5
Dis. of Stom. and Liver	268	20	8	2	3	1	34	7	6	9	11	25	38	43	44	34	15	2
Dis. of Kidneys	63	1	1	-	1	-	3	1	-	2	5	3	9	12	9	12	7	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	28	-	-	1	1	-	2	5	4	1	2	3	4	3	2	1	1	-
Diseases of the Skin	10	3	1	-	-	-	4	2	1	-	1	-	-	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	792	13	10	13	17	9	62	44	77	105	115	170	94	66	36	20	1	2
Other Causes	1227	563	84	26	11	6	690	12	8	10	7	25	21	26	43	86	160	109

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
579.—PONTYPOOL.																		
Mean Popul^{n}, 1851-61	14117	-	-	-	-	-	2072	1750	1603	1310	1282	2013	1565	1181	749	389	170	33
TOTAL DEATHS	3144	691	322	150	106	73	1342	171	90	100	136	245	204	156	178	202	229	91
Small-pox	41	10	5	2	4	2	23	4	3	3	6	1	1	-	-	-	-	-
Measles	78	14	28	4	11	7	64	11	-	1	1	1	-	-	-	-	-	-
Scarlatina	179	11	28	32	29	21	121	38	12	4	1	2	-	1	-	-	-	-
Diphtheria	9	1	2	1	2	1	7	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	107	42	36	15	6	5	104	2	1	-	-	-	-	-	-	-	-	-
Typhus	172	7	10	8	10	9	44	30	22	16	9	17	10	7	3	12	2	-
Cholera, Diarrh., Dysent^{y}	57	17	10	4	-	2	33	2	-	-	1	-	5	1	3	6	6	-
Other Zymotic Dis.	94	32	5	6	8	2	53	5	1	2	2	7	3	6	2	7	5	1
Cancer	51	1	-	-	-	-	1	-	-	-	-	2	9	12	16	7	4	-
Scrofula, Tabes Mesent.	60	17	13	6	5	-	41	6	2	2	5	2	1	1	-	-	-	-
Phthisis	409	4	3	1	5	1	14	9	21	42	72	122	74	32	17	4	2	-
Hydrocephalus	29	9	12	2	-	2	25	3	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	448	224	32	23	13	3	295	15	6	8	5	11	6	17	14	31	26	13
Heart Dis. and Dropsy	175	6	1	-	1	-	8	3	3	2	5	10	27	19	26	37	28	7
Dis. of Lungs	449	113	72	18	7	8	218	15	6	8	4	17	19	33	44	42	34	9
Dis. of Stom. and Liver	105	11	3	2	1	2	19	3	2	2	3	10	16	11	22	8	8	1
Dis. of Kidneys	14	-	-	-	-	-	-	-	1	2	1	2	2	1	4	-	1	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	1	-	3	1	2	1	-	-	-
Diseases of the Joints	8	1	-	-	-	-	1	2	-	-	-	1	2	1	-	1	-	-
Diseases of the Skin	9	5	1	-	-	-	6	2	-	-	-	-	-	-	-	-	-	1
Childbirth and Metria	61	-	-	-	-	-	-	-	-	1	15	24	20	1	-	-	-	-
Violent Deaths	56	4	4	4	2	4	18	13	2	2	4	2	-	3	2	3	6	1
Other Causes	525	162	57	22	2	4	247	7	6	4	2	10	8	8	24	44	107	58
580.—NEWPORT.																		
Mean Popul^{n}, 1851-61	23218	-	-	-	-	-	3209	2822	2457	2267	2272	3643	2702	1792	1143	591	255	65
TOTAL DEATHS	4925	1147	450	222	151	105	2075	229	134	175	198	425	384	247	289	339	277	153
Small-pox	98	27	17	9	9	7	69	13	3	-	3	9	-	1	-	-	-	-
Measles	90	10	30	17	13	9	79	7	2	1	-	1	-	-	-	-	-	-
Scarlatina	190	11	29	31	26	22	119	46	12	2	3	3	4	-	-	1	-	-
Diphtheria	16	3	1	2	1	4	11	3	1	-	-	1	-	-	-	-	-	-
Whooping-cough	150	56	39	19	14	10	138	10	2	-	-	-	-	-	-	-	-	-
Typhus	236	12	12	13	15	11	63	32	29	22	14	24	22	10	7	9	4	-
Cholera, Diarrh., Dysent^{y}	140	60	24	5	6	-	95	2	-	-	1	6	2	3	7	7	13	4
Other Zymotic Dis.	171	39	28	12	11	7	97	14	5	8	7	7	10	4	11	5	2	1
Cancer	90	-	-	-	-	-	-	-	-	1	1	2	17	22	28	15	3	1
Scrofula, Tabes Mesent.	58	19	10	6	3	1	39	3	6	2	2	1	2	1	1	-	1	-
Phthisis	709	13	11	5	2	2	33	16	34	86	82	184	136	80	39	15	4	-
Hydrocephalus	74	26	20	8	5	3	62	10	-	1	-	1	-	-	-	-	-	-
Diseases of Brain	717	427	50	17	9	9	512	14	8	16	13	22	28	11	22	45	20	6
Heart Dis. and Dropsy	270	4	6	1	1	2	14	11	5	8	11	24	31	32	53	49	25	7
Dis. of Lungs	634	178	99	51	19	7	354	19	10	14	15	30	28	29	50	46	29	10
Dis. of Stom. and Liver	235	18	8	1	4	2	33	6	3	5	17	40	34	27	25	36	8	1
Dis. of Kidneys	22	-	-	-	-	-	-	-	-	1	4	4	4	3	2	1	3	-
Dis. of Gener. Organs	22	-	-	-	-	-	-	-	-	-	1	2	5	5	7	2	-	-
Diseases of the Joints	9	1	-	-	-	-	1	-	3	1	-	2	2	-	-	-	-	-
Diseases of the Skin	16	5	3	-	-	-	8	-	-	-	2	-	-	-	2	2	2	-
Childbirth and Metria	100	-	-	-	-	-	-	-	-	1	15	46	37	1	-	-	-	-
Violent Deaths	123	11	10	10	10	9	50	17	7	5	3	5	7	10	8	8	3	-
Other Causes	755	227	53	15	3	-	298	6	4	1	4	11	15	8	27	93	160	123
581.—CARDIFF.																		
Mean Popul^{n}, 1851-61	28700	-	-	-	-	-	4136	3371	2766	2724	2945	4905	3337	2092	1309	744	313	58
TOTAL DEATHS	6487	1650	610	346	222	180	3008	317	127	207	303	545	433	332	323	359	360	173
Small-pox	209	50	38	37	16	15	156	18	-	6	8	15	6	-	-	-	-	-
Measles	135	20	43	25	19	11	118	15	1	1	-	-	-	-	-	-	-	-
Scarlatina	212	17	34	39	35	28	153	36	13	3	3	3	1	-	-	-	-	-
Diphtheria	34	3	4	6	6	2	21	9	2	-	1	1	-	-	-	-	-	-
Whooping-cough	186	74	56	15	15	17	177	9	-	-	-	-	-	-	-	-	-	-
Typhus	289	11	11	18	19	15	74	45	21	27	25	34	22	12	9	14	5	1
Cholera, Diarrh., Dysent^{y}	302	94	30	11	6	5	146	9	5	2	8	29	35	20	14	18	14	2
Other Zymotic Dis.	242	52	35	34	17	13	151	24	3	11	4	9	5	15	7	8	4	1
Cancer	85	-	-	-	-	-	-	-	-	1	-	4	16	19	20	18	6	1
Scrofula, Tabes Mesent.	93	24	18	8	6	3	59	11	6	2	1	4	3	4	-	1	2	-
Phthisis	890	8	7	8	7	6	36	22	37	106	149	233	160	80	44	18	5	-
Hydrocephalus	83	29	18	9	8	1	65	17	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	889	529	95	33	18	14	689	27	10	11	11	25	10	21	27	37	19	2
Heart Dis. and Dropsy	253	4	2	2	1	2	11	4	6	5	15	26	24	34	58	40	28	2
Dis. of Lungs	769	220	115	51	25	20	431	29	9	12	17	37	42	40	55	67	25	5
Dis. of Stom. and Liver	266	25	11	8	5	4	53	8	4	6	19	29	37	47	30	25	8	-
Dis. of Kidneys	16	-	2	-	-	1	3	1	-	1	2	3	1	-	3	-	2	-
Dis. of Gener. Organs	21	-	-	-	-	-	-	-	-	1	1	2	5	8	1	2	1	-
Diseases of the Joints	13	-	-	1	-	-	1	3	-	-	1	4	1	1	2	-	-	-
Diseases of the Skin	12	4	-	1	-	1	6	-	1	-	3	-	-	-	-	1	1	-
Childbirth and Metria	138	-	-	-	-	-	-	-	-	5	26	68	33	1	-	-	-	-
Violent Deaths	107	11	8	7	6	15	47	19	4	4	4	4	6	7	5	5	2	-
Other Causes	1243	475	83	33	13	7	611	11	4	3	5	15	21	23	48	105	238	159

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
582.—MERTHYR TYDFIL.																		
Mean Popul^{n}, 1851-61	48894	-	-	-	-	-	6800	5338	4775	4707	5570	9008	6038	3662	1954	785	212	45
TOTAL DEATHS	14516	3999	1608	846	529	328	7310	700	520	535	815	1188	853	794	709	596	380	116
Small-pox	676	141	101	70	60	32	404	111	17	17	64	53	9	1	-	-	-	-
Measles	303	57	107	60	35	14	273	21	3	1	3	1	1	-	-	-	-	-
Scarlatina	488	59	90	80	86	62	377	92	10	3	2	4	-	-	-	-	-	-
Diphtheria	42	8	7	8	8	4	35	3	2	1	-	-	-	1	-	-	-	-
Whooping-cough	175	77	47	23	10	8	165	9	1	-	-	-	-	-	-	-	-	-
Typhus	909	52	78	76	45	31	282	100	57	66	112	120	63	52	28	19	9	1
Cholera, Diarrh., Dysent^{y}	815	191	149	56	35	19	450	32	16	22	38	48	56	47	44	35	19	8
Other Zymotic Dis.	515	214	60	50	37	23	384	22	7	15	10	17	15	20	13	9	3	-
Cancer	50	-	-	1	-	-	1	-	1	-	1	1	8	7	18	8	5	-
Scrofula, Tabes Mesent.	246	49	47	22	13	11	142	20	25	13	13	13	5	5	8	2	-	-
Phthisis	1875	74	95	62	30	24	285	73	102	154	269	414	229	200	109	33	2	-
Hydrocephalus	147	36	44	18	18	10	126	16	3	2	-	-	-	-	-	-	-	-
Diseases of Brain	2512	1764	239	90	39	25	2157	41	21	17	19	32	38	37	53	53	38	6
Heart Dis. and Dropsy	347	5	4	8	3	1	21	19	8	15	23	32	39	59	60	48	18	5
Dis. of Lungs	1817	438	266	108	55	25	892	46	22	19	46	72	99	129	200	186	100	8
Dis. of Stom. and Liver	338	29	10	5	4	6	54	11	13	18	19	46	45	49	42	30	10	3
Dis. of Kidneys	112	1	1	2	-	3	7	5	4	2	5	11	20	17	16	19	5	1
Dis. of Gener. Organs	2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	69	2	2	1	3	1	9	5	18	9	9	7	3	5	1	2	1	-
Diseases of the Skin	25	8	4	1	-	-	13	1	1	1	1	-	3	1	-	3	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	1364	9	18	29	23	21	100	56	181	153	167	287	184	131	68	32	2	3
Other Causes	1689	785	238	76	25	8	1132	17	8	7	14	30	36	32	49	112	167	85
583.—BRIDGEND.																		
Mean Popul^{n}, 1851-61	12552	-	-	-	-	-	1683	1529	1368	1211	1086	1775	1383	1099	758	435	189	36
TOTAL DEATHS	2558	611	188	96	73	56	1024	101	83	102	125	164	157	151	162	193	214	82
Small-pox	18	4	3	1	1	-	9	1	1	1	1	4	-	1	-	-	-	-
Measles	57	14	15	13	7	2	51	3	1	1	-	-	-	-	1	-	-	-
Scarlatina	49	4	6	9	8	5	32	10	4	2	1	-	-	-	-	-	-	-
Diphtheria	19	2	-	-	1	4	7	10	2	-	-	-	-	-	-	-	-	-
Whooping-cough	36	15	6	3	3	4	31	5	-	-	-	-	-	-	-	-	-	-
Typhus	171	2	14	5	5	6	32	20	18	20	20	17	18	8	11	3	3	1
Cholera, Diarrh., Dysent^{y}	39	5	2	-	3	-	10	1	1	-	-	1	5	5	5	5	4	2
Other Zymotic Dis.	123	20	20	16	12	11	79	10	4	2	-	2	5	6	5	7	3	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	5	2	5	5	3	2
Scrofula, Tabes Mesent.	28	5	2	-	1	-	8	5	1	4	3	5	-	1	-	1	-	-
Phthisis	289	4	3	5	6	3	21	6	6	39	57	61	34	38	21	6	-	-
Hydrocephalus	11	3	4	-	1	-	8	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	488	312	42	17	7	7	385	4	6	2	3	12	12	7	16	28	11	2
Heart Dis. and Dropsy	101	-	-	-	-	-	-	2	4	4	3	3	7	12	17	29	18	2
Dis. of Lungs	294	31	32	10	9	4	86	8	4	5	7	11	26	26	36	47	36	2
Dis. of Stom. and Liver	84	5	2	1	-	-	8	-	3	6	5	7	12	13	11	13	5	1
Dis. of Kidneys	33	-	-	-	-	-	-	-	2	-	1	1	2	3	8	6	10	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	-	-	1	-	2	3	1	-	-	-	-
Diseases of the Skin	7	1	-	-	-	-	1	-	-	1	-	-	-	2	-	-	2	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	176	4	5	3	4	5	21	5	23	13	23	27	21	23	11	3	5	1
Other Causes	506	180	32	13	5	5	235	8	3	1	1	11	7	3	15	40	114	63
584.—NEATH.																		
Mean Popul^{n}, 1851-61	27096	-	-	-	-	-	4004	3392	3022	2811	2712	4232	3097	2026	1113	477	182	23
TOTAL DEATHS	6034	1464	623	329	194	132	2742	305	213	283	310	411	393	360	396	314	229	73
Small-pox	163	43	20	17	7	6	93	27	8	10	7	13	3	2	-	-	-	-
Measles	124	30	35	24	18	5	112	10	2	-	-	-	-	-	-	-	-	-
Scarlatina	217	23	41	43	40	21	168	35	8	2	1	2	1	-	-	-	-	-
Diphtheria	17	1	3	1	-	4	9	4	2	2	-	-	-	-	-	-	-	-
Whooping-cough	105	51	33	11	5	2	102	3	-	-	-	-	-	-	-	-	-	-
Typhus	507	80	57	34	21	22	164	61	44	52	43	45	38	21	19	17	2	1
Cholera, Diarrh., Dysent^{y}	190	53	36	13	6	-	108	5	7	1	5	11	5	13	11	15	6	3
Other Zymotic Dis.	254	45	39	45	24	17	170	23	5	2	2	7	12	10	12	9	2	-
Cancer	35	1	-	-	-	-	1	-	-	1	1	-	3	8	11	6	4	-
Scrofula, Tabes Mesent.	138	21	36	17	4	2	80	11	10	5	8	11	5	5	3	-	-	-
Phthisis	774	9	20	6	4	5	44	31	35	102	119	170	122	79	51	19	2	-
Hydrocephalus	33	9	9	8	2	2	30	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	1016	648	94	36	13	16	807	16	9	3	9	21	37	44	27	25	16	2
Heart Dis. and Dropsy	171	1	3	-	1	-	5	6	8	10	11	20	19	22	36	21	9	4
Dis. of Lungs	638	101	91	30	24	8	254	17	5	12	17	21	49	56	103	74	26	4
Dis. of Stom. and Liver	186	17	10	4	3	3	37	6	5	8	11	13	19	23	23	26	14	1
Dis. of Kidneys	48	1	-	-	1	1	3	-	-	4	3	1	5	8	7	9	8	-
Dis. of Gener. Organs	2	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Diseases of the Joints	14	-	-	-	-	-	-	4	2	2	2	1	2	1	-	-	-	-
Diseases of the Skin	14	9	1	-	-	-	10	-	-	-	2	1	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	450	7	7	10	11	9	44	33	37	57	58	64	51	32	35	15	3	1
Other Causes	938	364	87	30	10	9	500	10	6	10	11	10	22	36	57	77	137	62

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
582.—MERTHYR TYDFIL.																		
Mean Popul^{n}, 1851-61	43061	-	-	-	-	-	6807	5388	4360	3965	4317	7171	4837	3051	1847	906	355	57
TOTAL DEATHS	11795	3082	1553	844	468	329	6276	708	284	336	464	962	732	478	453	512	422	163
Small-pox	511	110	92	72	59	41	374	84	8	12	14	13	6	-	-	-	-	-
Measles	298	42	114	67	34	16	273	23	-	-	1	1	-	-	-	-	-	-
Scarlatina	476	34	77	101	72	47	331	123	15	5	1	1	-	-	-	-	-	-
Diphtheria	42	3	8	8	5	6	30	5	5	-	1	-	-	-	1	-	-	-
Whooping-cough	222	77	79	36	15	8	215	7	-	-	-	-	-	-	-	-	-	-
Typhus	767	33	68	66	59	44	270	114	68	54	62	77	56	18	17	22	7	2
Cholera, Diarrh., Dysent^{y}	691	176	112	46	19	10	363	33	11	10	18	62	59	36	29	39	28	3
Other Zymotic Dis.	443	151	75	61	39	24	350	24	6	3	7	8	10	6	13	12	4	-
Cancer	92	-	1	-	-	-	1	-	1	-	1	3	17	23	19	20	7	-
Scrofula, Tabes Mesent.	168	28	49	24	8	2	121	20	7	4	4	6	2	1	2	1	-	-
Phthisis	1826	69	105	58	28	14	274	105	74	155	215	465	296	152	64	18	6	2
Hydrocephalus	81	18	21	11	10	7	67	11	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	2090	1369	233	88	39	32	1761	42	18	15	10	24	25	48	40	53	42	12
Heart Dis. and Dropsy	383	7	7	7	5	2	28	11	14	16	19	42	50	49	74	61	16	3
Dis. of Lungs	1241	235	255	88	36	35	749	37	9	15	22	55	49	55	83	93	56	10
Dis. of Stom. and Liver	310	13	10	7	2	3	35	10	4	15	19	53	39	44	42	40	8	1
Dis. of Kidneys	31	-	-	1	3	1	5	1	-	2	2	8	8	1	3	1	-	-
Dis. of Gener. Organs	25	-	-	-	-	-	-	-	1	-	2	5	7	7	-	2	1	-
Diseases of the Joints	29	1	-	2	1	-	4	6	7	1	3	3	1	3	1	-	-	-
Diseases of the Skin	29	11	1	1	-	-	13	2	-	-	-	-	1	-	2	2	-	-
Childbirth and Metria	224	-	-	-	-	-	-	-	-	13	46	101	62	2	-	-	-	-
Violent Deaths	230	15	21	18	14	20	88	38	27	13	7	12	12	10	5	10	7	1
Other Causes	1595	590	225	72	20	17	924	12	6	3	10	23	32	23	53	135	240	154
583.—BRIDGEND.																		
Mean Popul^{n}, 1851-61	12391	-	-	-	-	-	1687	1475	1330	1190	1128	1724	1298	1033	745	432	252	47
TOTAL DEATHS	2348	461	158	102	62	45	828	132	56	79	95	150	139	128	163	203	248	127
Small-pox	22	6	2	1	-	2	11	5	2	-	2	1	-	1	-	-	-	-
Measles	46	5	11	10	5	2	33	11	-	-	2	-	-	-	-	-	-	-
Scarlatina	48	2	8	11	4	7	32	10	3	1	2	-	-	-	-	-	-	-
Diphtheria	13	-	-	-	-	-	-	6	4	2	-	1	-	-	-	-	-	-
Whooping-cough	48	15	10	8	4	6	43	5	-	-	-	-	-	-	-	-	-	-
Typhus	139	2	4	6	10	4	26	28	11	13	18	13	11	5	6	7	1	-
Cholera, Diarrh., Dysent^{y}	43	6	2	-	-	2	10	1	-	-	1	4	4	5	4	9	5	-
Other Zymotic Dis.	76	11	10	9	10	7	47	14	4	1	-	1	2	2	3	-	2	-
Cancer	38	-	-	-	-	-	-	-	-	-	-	1	3	8	11	7	8	-
Scrofula, Tabes Mesent.	28	1	4	2	1	-	8	2	5	2	3	5	2	1	-	-	-	-
Phthisis	293	3	4	-	1	-	8	5	12	44	44	62	52	41	23	5	2	-
Hydrocephalus	7	3	2	1	-	-	6	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	388	223	48	18	7	3	304	8	5	2	1	11	4	8	8	18	15	4
Heart Dis. and Dropsy	135	-	-	1	-	-	1	4	1	3	3	6	5	15	27	39	23	8
Dis. of Lungs	259	28	20	14	11	7	80	10	2	2	2	7	10	4	38	51	46	7
Dis. of Stom. and Liver	82	4	1	1	1	-	7	4	1	-	4	10	3	19	15	15	3	1
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	1	2	3	-	1	1	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	2	-
Childbirth and Metria	73	-	-	-	-	-	-	-	-	3	12	24	33	1	-	-	-	-
Violent Deaths	41	2	3	5	2	3	16	11	-	2	-	1	1	3	2	2	3	-
Other Causes	546	142	29	15	6	2	194	7	6	4	1	2	5	12	23	49	136	107
584.—NEATH.																		
Mean Popul^{n}, 1851-61	25406	-	-	-	-	-	3956	3378	2906	2514	2365	3699	2669	1855	1119	634	255	56
TOTAL DEATHS	5303	1251	549	318	190	135	2473	303	162	175	209	423	364	228	252	276	297	141
Small-pox	138	35	16	10	15	11	87	28	3	7	4	7	1	1	-	-	-	-
Measles	129	15	41	32	17	14	119	7	3	-	-	-	-	-	-	-	-	-
Scarlatina	220	30	32	50	32	21	165	44	5	2	-	2	2	-	-	-	-	-
Diphtheria	23	2	-	2	2	6	12	7	2	1	-	-	1	-	-	-	-	-
Whooping-cough	133	41	45	17	13	7	123	9	1	-	-	-	-	-	-	-	-	-
Typhus	425	27	44	35	23	19	148	60	45	33	22	43	32	13	15	11	2	1
Cholera, Diarrh., Dysent^{y}	167	55	31	12	1	3	102	4	1	3	2	11	8	5	7	8	12	4
Other Zymotic Dis.	227	42	42	45	25	15	169	26	6	5	3	2	1	2	6	4	3	-
Cancer	51	-	-	-	-	-	-	-	-	-	-	3	5	17	13	4	8	1
Scrofula, Tabes Mesent.	93	15	32	11	5	-	63	7	2	2	3	6	6	1	2	-	1	-
Phthisis	807	9	19	15	5	3	51	29	42	87	102	192	156	83	42	19	4	-
Hydrocephalus	16	9	2	1	1	-	13	3	-	-	-	-	-	-	-	-	-	-
Diseases of the Brain	852	552	81	40	17	12	702	18	11	1	8	17	11	12	26	28	13	5
Heart Dis. and Dropsy	157	2	1	2	1	1	7	11	8	10	5	14	13	18	27	26	13	5
Dis. of Lungs	439	109	64	35	12	4	215	18	9	4	6	24	28	24	34	46	28	3
Dis. of Stom. and Liver	147	9	2	3	4	-	18	6	6	4	7	17	19	16	27	17	7	2
Dis. of Kidneys	15	-	-	-	-	-	-	-	-	-	2	2	2	3	2	3	1	-
Dis. of Gener. Organs	15	-	1	1	-	-	2	-	-	-	1	2	2	7	-	-	1	-
Diseases of the Joints	9	1	1	-	-	-	2	-	1	-	1	-	2	1	2	-	-	-
Diseases of the Skin	20	11	-	-	-	-	11	1	-	-	-	1	-	1	1	5	-	-
Childbirth and Metria	143	-	-	-	-	-	-	-	-	2	32	61	45	3	-	-	-	-
Violent Deaths	91	5	13	7	8	9	42	12	7	5	3	5	5	5	2	1	2	2
Other Causes	986	291	82	30	9	10	422	13	10	9	8	14	25	16	46	104	202	117

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
	AGES OF MALES.																	
585 (*a.*) SWANSEA AND 585 (*b.*) GOWER.*																		
Mean Popul^{n}, 1851-61	26086	–	–	–	–	–	3728	3286	2958	2665	2421	3860	2927	2074	1230	632	259	46
TOTAL DEATHS	5465	1283	473	241	170	119	2286	264	175	222	231	380	359	348	368	377	344	111
Small-pox	132	26	22	12	10	10	80	23	6	8	4	6	4	1	–	–	–	–
Measles	96	15	24	26	20	6	91	4	1	–	–	–	–	–	–	–	–	–
Scarlatina	218	32	49	28	32	22	163	41	8	3	1	1	1	–	–	–	–	–
Diphtheria	15	2	1	1	–	1	5	8	1	1	–	–	–	–	–	–	–	–
Whooping-cough	129	65	36	13	7	2	123	6	–	–	–	–	–	–	–	–	–	–
Typhus	256	12	12	12	7	12	55	39	35	31	26	22	17	17	6	7	–	1
Cholera, Diarrh., Dysent^{y}	160	56	23	7	2	3	91	5	3	3	3	5	5	12	11	10	12	–
Other Zymotic Dis.	194	35	33	25	16	12	121	14	3	3	–	13	11	10	8	6	5	–
Cancer	46	–	–	–	–	–	–	–	–	–	1	2	5	14	9	7	7	1
Scrofula, Tabes Mesent.	90	15	14	7	9	2	47	8	8	8	8	6	2	1	–	2	–	–
Phthisis	737	15	14	6	3	5	43	16	30	67	121	169	124	84	61	19	3	–
Hydrocephalus	46	15	10	4	2	1	32	8	3	1	–	1	–	–	1	–	–	–
Diseases of Brain	844	509	55	26	15	8	613	20	11	10	7	15	34	37	33	35	27	2
Heart Dis. and Dropsy	174	1	3	1	1	–	6	6	8	8	8	16	34	17	29	34	12	1
Dis. of Lungs	934	183	106	39	23	16	367	24	7	20	20	40	58	69	122	119	77	11
Dis. of Stom. and Liver	191	23	4	3	2	5	37	10	10	6	6	18	16	26	29	24	9	–
Dis. of Kidneys	62	–	–	1	1	–	2	4	–	2	1	11	10	10	5	10	7	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	8	1	–	–	–	–	1	1	1	2	–	1	–	1	–	–	1	–
Diseases of the Skin	20	10	2	1	–	–	13	–	–	1	–	1	–	1	2	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	304	13	2	8	9	8	40	17	33	41	28	47	28	29	18	13	8	2
Other Causes	809	255	63	21	11	6	356	10	7	7	2	6	10	19	34	90	175	93
586.—LLANELLY.																		
Mean Popul^{n}, 1851-61	12718	–	–	–	–	–	1936	1730	1517	1367	1085	1659	1299	999	647	339	117	23
TOTAL DEATHS	2647	589	186	128	81	61	1045	149	113	177	125	164	144	135	168	197	169	61
Small-pox	38	3	7	1	2	1	14	4	4	3	7	3	2	1	–	–	–	–
Measles	49	6	15	11	6	6	44	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	79	6	22	17	6	3	54	11	6	2	1	2	2	1	–	–	–	–
Diphtheria	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	41	22	8	6	2	1	39	2	–	–	–	–	–	–	–	–	–	–
Typhus	157	8	12	8	11	4	43	28	14	27	12	7	13	5	2	4	1	1
Cholera, Diarrh., Dysent^{y}	43	13	11	2	–	–	26	1	–	1	1	–	1	1	3	5	3	1
Other Zymotic Dis.	122	19	16	20	12	18	85	19	1	–	1	3	3	1	4	3	2	–
Cancer	16	–	–	–	–	–	–	–	–	–	–	1	–	3	1	7	4	–
Scrofula, Tabes Mesent.	50	7	2	6	3	2	20	3	7	8	4	6	1	–	1	–	–	–
Phthisis	376	6	2	5	4	2	19	13	26	58	56	79	41	31	24	13	14	2
Hydrocephalus	3	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Diseases of Brain	307	158	15	8	6	8	195	13	9	8	3	8	9	14	14	15	16	3
Heart Dis. and Dropsy	65	–	1	–	–	–	1	2	–	5	2	3	7	11	7	16	9	2
Dis. of Lungs	238	38	16	9	10	3	76	4	2	9	2	7	18	16	32	44	23	5
Dis. of Stom. and Liver	116	8	3	2	–	2	15	3	3	5	4	8	17	10	23	19	9	–
Dis. of Kidneys	27	–	1	–	–	–	1	3	–	1	–	–	1	2	5	7	6	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diseases of the Joints	9	–	–	–	–	–	–	2	–	2	2	2	1	–	–	–	–	–
Diseases of the Skin	11	2	1	–	1	–	4	2	–	–	–	–	–	–	2	–	2	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	192	4	9	9	7	3	32	8	28	33	16	25	15	14	12	6	2	1
Other Causes	706	288	45	24	10	8	375	24	12	15	14	10	13	25	38	58	78	44
587.—LLANDOVERY.																		
Mean Popul^{n}, 1851-61	7201	–	–	–	–	–	940	920	832	785	619	894	737	597	440	275	135	27
TOTAL DEATHS	1382	248	44	30	32	25	379	64	55	59	67	115	72	98	115	154	136	68
Small-pox	18	2	1	–	1	–	4	–	2	3	1	7	1	–	–	–	–	–
Measles	5	3	–	–	–	–	3	–	1	–	1	–	–	–	–	–	–	–
Scarlatina	28	3	2	6	3	3	17	5	5	1	–	–	–	–	–	–	–	–
Diphtheria	4	–	3	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	7	1	2	1	–	1	5	2	–	–	–	–	–	–	–	–	–	–
Typhus	50	–	1	–	1	–	2	6	7	5	2	8	3	6	3	4	4	–
Cholera, Diarrh., Dysent^{y}	5	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	–
Other Zymotic Dis.	71	9	8	2	11	6	36	14	2	–	2	1	1	1	5	4	4	1
Cancer	14	–	–	–	–	–	–	1	–	–	–	1	–	1	3	7	1	–
Scrofula, Tabes Mesent.	15	–	–	–	–	–	–	–	4	–	2	2	1	1	2	1	2	–
Phthisis	346	2	–	2	3	2	9	7	13	29	48	72	36	51	39	26	12	1
Hydrocephalus	3	1	1	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–
Diseases of Brain	250	150	18	7	5	4	184	18	3	1	–	5	–	4	7	12	19	2
Heart Dis. and Dropsy	54	–	–	1	–	–	1	–	3	1	1	1	3	7	11	19	5	2
Dis. of Lungs	93	6	–	1	1	–	8	3	2	4	1	7	9	7	8	24	16	4
Dis. of Stom. and Liver	60	2	1	–	–	–	3	1	–	4	1	1	5	5	19	14	5	2
Dis. of Kidneys	18	–	–	–	–	–	–	–	–	–	–	1	1	2	3	8	3	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Joints	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diseases of the Skin	3	2	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	42	–	1	4	2	5	12	5	3	4	3	2	3	2	2	4	2	–
Other Causes	295	67	6	6	5	4	88	7	9	7	4	7	7	9	12	29	63	53

* Gower was constituted a separate Superintendent's District on the 19th July 1858; in this Table the District is combined with Swansea of which it formed a part during a portion of the 10 years, 1851-60.

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
585 (*a.*) SWANSEA AND 585 (*b.*) GOWER.*																		
Mean Popul^{n}, 1851-61	27156	-	-	-	-	-	3611	3178	2910	2676	2732	4089	2966	2181	1464	854	398	97
TOTAL DEATHS	5306	985	450	258	172	112	1977	285	134	189	224	363	345	335	332	469	467	246
Small-pox	117	20	23	9	13	9	74	21	3	6	2	5	1	1	1	-	-	-
Measles	84	13	21	23	14	3	74	7	2	1	-	-	-	-	-	-	-	-
Scarlatina	216	20	39	44	39	24	166	40	5	1	2	-	1	1	-	-	-	-
Diphtheria	21	-	-	2	1	3	6	11	3	-	-	-	-	1	-	-	-	-
Whooping-cough	130	48	34	18	13	8	121	8	1	-	-	-	-	-	-	-	-	-
Typhus	244	5	12	8	9	9	43	46	28	32	18	24	15	11	11	8	8	-
Cholera, Diarrh., Dysent^{y}	113	45	19	5	3	1	73	1	4	1	2	1	4	8	6	5	10	3
Other Zymotic Dis.	164	17	21	27	22	11	98	22	4	3	5	5	3	6	3	5	10	-
Cancer	94	-	-	-	-	-	-	-	-	-	-	3	24	16	22	18	10	1
Scrofula, Tabes Mesent.	61	14	13	6	2	3	38	3	4	3	6	3	1	1	1	1	-	-
Phthisis	791	15	19	6	3	7	50	28	30	97	111	170	142	99	44	16	3	1
Hydrocephalus	34	11	4	4	1	2	22	9	3	-	-	-	-	-	-	-	-	-
Diseases of Brain	769	403	57	24	10	9	503	18	12	7	7	18	16	32	47	46	45	9
Heart Dis. and Dropsy	223	3	-	-	-	-	3	6	9	5	8	23	21	35	48	38	23	6
Dis. of Lungs	775	129	106	46	28	10	319	24	6	16	18	33	38	62	73	106	72	7
Dis. of Stom. and Liver	227	21	3	4	2	4	34	10	10	8	13	18	21	27	37	30	16	3
Dis. of Kidneys	14	-	-	-	-	-	-	3	-	-	-	1	2	1	3	4	-	-
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	-	-	3	4	5	2	2	-	-
Diseases of the Joints	12	1	1	-	-	-	2	3	-	-	1	1	-	3	-	1	1	-
Diseases of the Skin	11	4	-	-	-	-	4	-	-	1	-	-	1	-	-	3	1	1
Childbirth and Metria	95	-	-	-	-	-	-	-	-	2	21	39	32	1	-	-	-	-
Violent Deaths	92	4	12	8	4	3	31	13	3	4	4	6	5	3	2	7	8	1
Other Causes	1007	212	66	24	8	6	316	12	7	2	6	7	14	16	32	121	200	214
586—LLANELLY.																		
Mean Popul^{n}, 1851-61	13024	-	-	-	-	-	1891	1637	1474	1330	1206	1769	1298	1039	691	433	213	43
TOTAL DEATHS	2418	457	174	112	78	64	885	135	97	111	99	171	161	126	150	191	194	98
Small-pox	46	11	3	2	1	2	19	14	5	2	1	4	-	1	-	-	-	-
Measles	35	2	9	7	4	3	25	10	-	-	-	-	-	-	-	-	-	-
Scarlatina	84	11	15	15	11	11	63	12	7	-	1	-	1	-	-	-	-	-
Diphtheria	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	51	16	16	7	7	-	46	5	-	-	-	-	-	-	-	-	-	-
Typhus	147	9	11	7	8	7	42	20	16	19	11	6	11	6	8	2	5	1
Cholera, Diarrh., Dysent^{y}	42	10	4	-	-	-	14	-	-	-	-	5	2	2	5	9	4	1
Other Zymotic Dis.	104	17	9	15	20	13	74	7	1	-	2	-	2	5	4	5	4	-
Cancer	31	-	-	-	-	-	-	-	-	-	-	2	6	2	6	10	4	1
Scrofula, Tabes Mesent.	46	7	10	5	2	1	25	4	5	3	3	3	1	2	-	-	-	-
Phthisis	430	4	6	1	-	1	12	17	32	55	40	95	64	45	27	24	13	8
Hydrocephalus	5	2	1	-	1	1	5	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	232	119	15	11	7	3	155	5	8	4	4	5	5	9	10	10	13	4
Heart Dis. and Dropsy	75	-	-	-	-	-	-	-	4	3	1	1	12	11	16	14	12	1
Dis. of Lungs	174	21	17	9	3	5	55	6	1	4	6	8	6	6	22	20	22	8
Dis. of Stom. and Liver	89	1	1	-	-	1	3	2	1	2	7	6	8	19	21	17	3	-
Dis. of Kidneys	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	1	1	-	4	1	2	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	2	-	1	-	1	1	-	1	1	-	-
Diseases of the Skin	5	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	1
Childbirth and Metria	48	-	-	-	-	-	-	-	-	1	8	16	22	1	-	-	-	-
Violent Deaths	54	1	7	5	8	8	29	8	4	4	3	-	1	1	2	-	2	-
Other Causes	699	223	50	28	6	7	314	22	13	14	11	19	15	14	26	66	112	73
587.—LLANDOVERY.																		
Mean Popul^{n}, 1851-61	7715	-	-	-	-	-	935	902	832	840	731	1021	750	656	489	339	177	43
TOTAL DEATHS	1344	193	34	39	31	17	314	75	38	55	62	107	75	77	110	136	182	113
Small-pox	15	5	-	-	-	-	5	2	1	3	1	2	1	-	-	-	-	-
Measles	6	1	-	-	-	-	1	2	2	1	-	-	-	-	-	-	-	-
Scarlatina	33	3	5	4	3	5	20	7	2	2	-	1	-	-	-	-	1	-
Diphtheria	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	19	9	3	3	2	2	19	-	-	-	-	-	-	-	-	-	-	-
Typhus	43	2	-	2	1	-	5	4	3	3	9	4	2	1	3	-	3	-
Cholera, Diarrh., Dysent^{y}	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-
Other Zymotic Dis.	63	6	4	6	10	3	29	10	6	2	1	1	1	2	4	3	4	-
Cancer	16	-	-	-	-	-	-	-	-	-	-	3	-	5	2	2	2	2
Scrofula, Tabes Mesent.	20	-	-	2	-	-	2	2	-	3	1	2	-	2	2	4	2	-
Phthisis	232	2	5	2	2	4	15	15	13	20	31	54	37	27	21	28	19	2
Hydrocephalus	6	-	-	2	-	-	2	2	1	-	-	-	-	1	-	-	-	-
Diseases of Brain	206	106	11	13	4	1	135	5	-	1	-	2	7	7	19	17	13	-
Heart Dis. and Dropsy	87	-	1	-	-	-	1	2	2	2	3	7	6	8	16	15	16	5
Dis. of Lungs	88	2	-	1	1	1	5	3	-	4	4	5	3	11	10	21	21	1
Dis. of Stom. and Liver	35	2	-	1	-	-	3	2	1	2	2	3	4	6	6	4	2	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Childbirth and Metria	25	-	-	-	-	-	-	-	-	-	4	11	10	-	-	-	-	-
Violent Deaths	24	1	1	3	2	-	7	3	1	1	-	2	-	1	1	2	1	-
Other Causes	355	54	4	4	2	1	65	11	5	5	5	8	4	6	14	36	94	102

* Gower was constituted a separate Superintendent's District on the 13th July 1853; in this Table the District is combined with Swansea, of which it formed a part during a portion of the 10 years, 1851-60.

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

588.—LLANDILOFAWR.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	8426	-	-	-	-	-	1141	1127	1005	896	665	986	847	733	530	315	151	30
TOTAL DEATHS	1724	283	77	43	39	34	476	104	57	79	86	132	88	104	143	177	191	87
Small-pox	12	2	1	-	-	1	4	2	-	-	2	3	1	-	-	-	-	-
Measles	8	1	1	-	-	-	2	3	1	-	-	1	1	-	-	-	-	-
Scarlatina	54	2	9	7	6	8	32	14	4	2	1	1	-	-	-	-	-	-
Diphtheria	6	-	2	1	1	-	4	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	14	10	2	1	-	1	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	91	1	2	1	1	1	6	12	8	14	9	16	8	8	5	3	2	-
Cholera,Diarrh.,Dysent^{y}	11	2	-	-	-	-	2	1	-	-	1	1	-	1	2	1	2	-
Other Zymotic Dis.	96	10	11	10	10	10	51	27	3	-	2	-	-	1	4	3	5	-
Cancer	17	-	-	-	-	-	-	-	-	-	-	1	-	3	4	5	4	-
Scrofula, Tabes Mesent.	42	1	2	1	1	1	6	6	1	5	3	6	4	2	5	2	1	1
Phthisis	312	3	2	1	4	1	11	14	13	31	43	67	32	26	38	30	6	1
Hydrocephalus	9	5	1	1	-	-	7	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	207	120	18	8	6	1	153	4	1	4	2	3	6	10	5	3	12	4
Heart Dis. and Dropsy	49	1	-	-	1	-	2	2	5	3	2	4	5	6	5	10	4	1
Dis. of Lungs	124	12	7	-	2	1	22	4	1	3	1	4	11	12	17	21	24	4
Dis. of Stom. and Liver	50	4	-	1	-	-	5	1	-	2	2	2	3	7	15	10	3	-
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	-	-	1	2	2	4	7	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	69	5	2	6	2	1	11	4	6	6	7	6	5	9	7	2	5	1
Other Causes	531	109	17	5	5	8	144	6	14	9	11	16	9	15	32	79	121	75

589.—CARMARTHEN.

Mean Popul^{n}, 1851-61	17489	-	-	-	-	-	2365	2302	2115	1883	1402	2046	1716	1500	1115	689	304	52
TOTAL DEATHS	3943	749	209	123	110	54	1245	234	139	172	198	268	214	208	316	389	407	153
Small-pox	99	25	10	4	12	2	53	15	11	4	4	9	2	1	-	-	-	-
Measles	32	5	12	2	6	1	26	3	2	1	-	-	-	-	-	-	-	-
Scarlatina	183	22	29	26	24	14	115	49	13	5	-	1	-	-	-	-	-	-
Diphtheria	18	2	-	2	3	2	9	3	3	2	-	-	-	-	1	-	-	-
Whooping-cough	59	26	10	10	5	1	52	6	1	-	-	-	-	-	-	-	-	-
Typhus	169	5	5	7	4	3	24	18	25	19	13	20	14	11	8	10	6	1
Cholera,Diarrh.,Dysent^{y}	38	5	2	2	1	-	10	4	-	-	-	1	3	-	3	9	8	-
Other Zymotic Dis.	160	29	14	19	15	8	85	28	6	3	4	3	3	10	4	11	3	-
Cancer	34	-	-	-	-	-	-	-	-	-	1	1	1	1	11	9	11	-
Scrofula, Tabes Mesent.	81	17	15	5	3	-	40	11	4	6	4	5	4	2	2	3	-	-
Phthisis	845	11	17	9	3	2	42	40	36	93	129	165	92	84	89	65	10	-
Hydrocephalus	43	4	12	6	2	7	31	10	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	488	317	26	6	6	4	359	7	2	3	1	4	8	15	21	34	24	10
Heart Dis. and Dropsy	144	1	1	1	-	2	5	4	3	10	5	7	16	10	22	40	21	1
Dis. of Lungs	345	27	16	4	3	1	51	9	2	2	6	10	17	23	49	75	85	16
Dis. of Stom. and Liver	166	13	3	4	3	-	19	4	5	6	9	11	15	17	27	30	23	-
Dis. of Kidneys	45	-	-	-	1	-	1	-	-	2	2	7	3	1	11	11	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	16	-	-	-	-	-	-	-	2	4	3	2	1	1	-	2	1	-
Diseases of the Skin	4	1	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	134	4	5	7	9	4	29	6	14	6	11	15	15	13	15	6	3	1
Other Causes	840	235	32	13	10	3	293	16	8	6	7	7	20	19	52	83	206	123

590.—NARBERTH.

Mean Popul^{n}, 1851-61	10247	-	-	-	-	-	1468	1427	1329	1098	693	1125	1008	837	663	394	176	29
TOTAL DEATHS	2005	344	86	62	50	42	584	130	82	98	100	121	91	114	152	221	216	96
Small-pox	30	5	2	1	-	2	10	8	1	3	3	3	2	-	-	-	-	-
Measles	11	2	1	1	-	2	6	2	2	1	-	-	-	-	-	-	-	-
Scarlatina	114	11	11	15	14	11	62	37	10	1	1	2	-	-	-	1	-	-
Diphtheria	44	4	4	2	5	5	20	14	3	3	1	1	-	2	-	-	-	-
Whooping-cough	23	14	4	2	-	2	22	1	-	-	-	-	-	-	-	-	-	-
Typhus	86	2	4	-	4	-	10	9	7	13	13	5	2	3	6	10	3	-
Cholera,Diarrh.,Dysent^{y}	12	1	1	-	-	-	2	1	-	-	1	1	1	2	-	2	2	-
Other Zymotic Dis.	109	18	16	13	10	6	63	20	5	1	4	2	2	1	2	5	3	1
Cancer	18	-	-	-	-	-	-	-	-	-	-	3	-	4	3	4	4	-
Scrofula, Tabes Mesent.	45	2	1	2	-	-	5	3	3	10	5	6	1	5	6	1	-	-
Phthisis	321	3	4	4	1	3	15	14	19	46	52	60	43	27	27	16	2	-
Hydrocephalus	5	2	1	1	-	-	4	-	-	-	-	-	1	-	-	-	-	-
Diseases of Brain	160	71	8	2	2	-	83	5	3	4	1	5	7	9	14	18	8	3
Heart Dis. and Dropsy	71	-	-	-	1	1	2	1	2	2	3	8	5	10	12	15	10	1
Dis. of Lungs	101	2	-	-	-	2	4	1	3	1	3	6	7	8	25	33	10	-
Dis. of Stom. and Liver	63	5	1	-	1	-	7	1	1	2	1	7	2	7	12	18	4	1
Dis. of Kidneys	15	-	-	-	-	-	-	1	-	-	-	1	2	1	1	6	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	88	2	2	7	7	6	24	4	10	6	5	9	10	9	5	6	-	-
Other Causes	686	200	26	12	5	2	245	8	12	5	7	2	6	20	33	86	167	90

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
588.—LLANDILOFAWR.																		
Mean Popul^{n}, 1851-61	9168	-	-	-	-	-	1124	1057	976	983	809	1199	908	771	598	440	233	70
TOTAL DEATHS	1642	191	59	52	36	27	365	92	38	70	93	108	97	81	135	185	229	149
Small-pox	4	-	1	1	-	1	3	-	-	1	-	-	-	-	-	-	-	-
Measles	11	2	2	-	-	1	5	4	-	-	-	2	-	-	-	-	-	-
Scarlatina	40	5	4	7	3	1	20	13	2	3	-	2	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	18	7	3	3	2	1	16	2	-	-	-	-	-	-	-	-	-	-
Typhus	80	4	-	2	1	1	8	11	10	8	9	11	8	3	6	5	1	-
Cholera, Diarrh., Dysent^{y}	8	1	-	1	-	-	2	1	-	-	-	-	-	1	2	-	2	-
Other Zymotic Dis.	100	13	14	12	13	10	62	18	2	1	1	3	-	2	2	5	2	2
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	1	2	5	3	3	-
Scrofula, Tabes Mesent.	18	1	1	2	-	1	5	-	-	5	-	-	1	3	3	-	1	-
Phthisis	309	3	2	4	1	1	11	10	10	29	50	52	56	28	31	22	9	1
Hydrocephalus	3	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	165	75	12	2	3	2	94	6	2	3	4	3	3	6	6	13	17	8
Heart Dis. and Dropsy	99	-	-	-	-	-	-	-	2	5	3	5	4	12	18	30	16	4
Dis. of Lungs	110	6	5	3	4	1	19	6	3	3	4	1	2	5	12	25	23	7
Dis. of Stom. and Liver	32	1	-	-	-	-	1	-	1	1	2	2	2	2	10	7	3	1
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	26	-	-	-	-	-	-	-	-	-	10	8	7	1	-	-	-	-
Violent Deaths	31	1	1	4	4	2	12	8	-	1	1	3	1	-	-	1	4	-
Other Causes	566	72	13	10	5	5	105	12	4	10	8	16	12	16	37	72	148	123
589.—CARMARTHEN.																		
Mean Popul^{n}, 1851-61	19920	-	-	-	-	-	2355	2257	2160	2084	1859	2637	2019	1714	1320	951	450	114
TOTAL DEATHS	3990	638	200	122	106	82	1148	241	136	146	138	265	197	221	303	436	502	257
Small-pox	109	25	13	15	6	3	62	20	8	4	6	5	2	2	-	-	-	-
Measles	35	6	11	1	7	6	31	2	1	1	-	-	-	-	-	-	-	-
Scarlatina	177	15	16	18	22	26	98	50	13	7	5	3	-	1	-	-	-	-
Diphtheria	10	-	-	-	2	3	5	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	64	22	22	7	5	4	60	3	1	-	-	-	-	-	-	-	-	-
Typhus	173	4	3	5	7	3	22	19	23	23	16	20	9	9	14	11	7	-
Cholera, Diarrh., Dysent^{y}	33	1	2	-	-	-	3	2	1	1	-	-	2	2	2	10	9	1
Other Zymotic Dis.	141	18	13	20	17	14	82	24	2	1	2	1	1	4	6	6	11	1
Cancer	60	-	-	-	-	-	-	-	-	-	-	2	3	12	15	20	8	-
Scrofula, Tabes Mesent.	62	17	4	4	1	1	27	13	2	4	-	2	3	4	5	2	-	-
Phthisis	760	14	14	8	5	6	47	37	44	64	71	143	93	86	85	69	21	-
Hydrocephalus	35	8	7	3	2	2	22	7	5	-	-	-	-	1	-	-	-	-
Diseases of Brain	528	273	40	15	5	4	337	8	7	7	2	13	13	13	28	54	41	5
Heart Dis. and Dropsy	182	1	1	-	-	-	2	4	4	7	4	7	16	21	34	45	34	4
Dis. of Lungs	348	28	13	5	5	1	52	8	2	7	3	5	6	19	44	87	75	40
Dis. of Stom. and Liver	154	11	1	5	3	-	20	8	5	-	9	16	10	14	19	33	19	1
Dis. of Kidneys	12	-	-	1	1	-	2	-	1	2	-	2	3	2	-	-	-	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	-	-	2	5	3	4	-	-
Diseases of the Joints	7	-	-	-	-	-	-	1	-	1	-	1	3	-	1	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-
Childbirth and Metria	64	-	-	-	-	-	-	-	-	1	10	33	18	2	-	-	-	-
Violent Deaths	79	2	5	10	10	4	31	16	5	8	-	3	1	6	2	5	1	1
Other Causes	939	192	35	5	7	5	244	15	10	8	10	9	12	18	45	90	274	204
590.—NARBERTH.																		
Mean Popul^{n}, 1851-61	11490	-	-	-	-	-	1467	1374	1264	1078	1000	1441	1187	999	783	554	276	67
TOTAL DEATHS	2103	269	80	67	65	37	518	116	77	68	81	151	119	126	154	244	294	155
Small-pox	31	9	7	2	2	-	20	7	-	1	-	1	-	2	-	-	-	-
Measles	5	1	-	1	-	-	2	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	109	6	17	14	7	18	62	31	9	6	-	1	-	-	-	-	-	-
Diphtheria	46	4	2	3	8	2	19	15	11	-	-	-	-	1	-	-	-	-
Whooping-cough	38	15	3	10	3	2	33	5	-	-	-	-	-	-	-	-	-	-
Typhus	90	5	1	-	5	-	11	7	15	8	9	10	5	9	8	7	1	-
Cholera, Diarrh., Dysent^{y}	10	4	-	1	-	-	5	-	-	-	-	2	-	-	1	1	1	-
Other Zymotic Dis.	123	25	16	13	20	7	81	21	3	2	-	1	3	1	2	9	-	-
Cancer	33	-	-	-	-	-	-	-	-	-	-	1	3	6	13	7	3	-
Scrofula, Tabes Mesent.	23	-	-	1	-	-	1	3	1	2	1	3	2	2	1	4	3	-
Phthisis	376	6	3	1	3	1	14	6	22	39	45	86	55	46	39	22	2	-
Hydrocephalus	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	115	38	8	5	3	-	54	2	-	1	2	4	4	3	9	20	12	4
Heart Dis. and Dropsy	134	1	-	-	-	2	3	3	4	2	6	9	11	19	21	37	16	3
Dis. of Lungs	61	3	-	1	1	1	6	1	-	2	2	3	2	5	9	17	13	1
Dis. of Stom. and Liver	47	1	-	-	-	-	1	1	2	3	-	4	3	5	10	10	8	-
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
Childbirth and Metria	45	-	-	-	-	-	-	-	-	-	6	16	22	1	-	-	-	-
Violent Deaths	26	-	4	4	5	2	15	2	-	-	-	3	1	2	1	-	1	1
Other Causes	780	151	18	10	8	2	189	9	8	2	8	6	8	22	40	108	231	146

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
591.—PEMBROKE.																		
Mean Popul^{n}, 1851-61	12817	-	-	-	-	-	1692	1529	1367	1416	1253	1915	1387	989	675	405	157	32
TOTAL DEATHS	2484	621	160	93	61	37	972	126	71	74	121	183	160	121	157	213	192	94
Small-pox	59	20	1	6	3	2	32	6	4	2	4	6	3	1	-	1	-	-
Measles	24	6	7	5	1	-	19	3	1	-	1	-	-	-	-	-	-	-
Scarlatina	117	19	13	13	15	8	68	35	9	1	1	1	1	-	-	-	1	-
Diphtheria	4	2	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	38	25	8	2	1	2	38	-	-	-	-	-	-	-	-	-	-	-
Typhus	125	16	6	10	9	8	49	21	5	11	12	7	8	4	2	4	2	-
Cholera, Diarrh., Dysent^{y}	53	9	6	-	2	2	19	3	4	-	1	5	3	4	4	5	4	1
Other Zymotic Dis.	120	26	17	12	4	-	59	7	1	2	5	5	3	8	9	11	6	4
Cancer	16	-	-	-	-	-	-	-	1	-	-	1	4	3	2	4	1	-
Scrofula, Tabes Mesent.	24	5	5	1	1	1	13	3	1	1	-	1	1	1	1	2	-	-
Phthisis	343	6	8	2	1	1	18	12	16	27	66	83	64	29	19	8	1	-
Hydrocephalus	24	3	13	2	1	1	20	3	-	-	-	-	1	-	-	-	-	-
Diseases of Brain	318	158	21	11	4	1	195	4	2	3	3	8	12	9	23	31	26	2
Heart Dis. and Dropsy	142	3	3	-	1	-	7	4	6	6	6	11	14	11	22	34	15	6
Dis. of Lungs	152	16	10	8	4	1	39	5	2	4	7	8	17	17	19	20	10	4
Dis. of Stom. and Liver	70	5	2	1	-	2	10	3	-	3	2	5	6	11	14	9	6	1
Dis. of Kidneys	20	2	-	-	-	-	2	-	-	1	-	1	1	-	4	4	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-
Diseases of the Skin	5	-	1	-	-	-	1	1	-	1	-	-	-	1	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	111	2	1	2	5	4	14	6	10	7	8	32	12	12	6	3	1	-
Other Causes	715	298	37	18	9	4	366	9	8	4	5	9	9	10	32	77	111	75
592.—HAVERFORDWEST.																		
Mean Popul^{n}, 1851-61	17940	-	-	-	-	-	2419	2344	2211	1881	1361	2111	1827	1535	1164	709	319	59
TOTAL DEATHS	3921	811	210	121	75	84	1301	200	122	186	202	243	179	219	295	380	413	181
Small-pox	55	16	7	4	-	3	30	7	2	5	3	4	2	2	-	-	-	-
Measles	17	5	1	2	1	2	11	4	2	-	-	-	-	-	-	-	-	-
Scarlatina	200	16	21	36	23	25	121	61	15	-	-	2	2	1	-	-	-	-
Diphtheria	52	12	4	4	-	6	26	9	8	7	2	-	-	-	-	-	-	-
Whooping-cough	50	22	14	1	3	3	43	7	-	-	-	-	-	-	-	-	-	-
Typhus	170	12	6	2	4	9	33	25	16	16	17	23	11	12	8	6	3	-
Cholera, Diarrh., Dysent^{y}	86	27	8	3	-	-	38	3	4	3	3	3	5	7	6	4	7	3
Other Zymotic Dis.	143	29	15	10	6	6	66	12	4	1	2	8	6	7	9	15	12	1
Cancer	40	-	-	-	-	-	-	-	-	-	2	-	1	8	8	14	5	2
Scrofula, Tabes Mesent.	51	6	5	5	3	1	20	5	5	3	8	6	1	1	1	-	1	-
Phthisis	620	18	17	6	4	6	51	21	20	83	126	122	70	58	44	20	3	2
Hydrocephalus	41	13	11	3	2	2	31	4	3	3	-	-	-	-	-	-	-	-
Diseases of Brain	384	187	19	4	6	3	219	6	5	11	3	6	9	15	26	41	35	8
Heart Dis. and Dropsy	213	2	-	2	-	-	4	4	8	9	3	17	15	20	42	54	33	4
Dis. of Lungs	252	27	19	5	4	3	58	5	4	3	8	14	9	21	35	58	32	5
Dis. of Stom. and Liver	139	9	2	-	-	1	12	2	7	6	7	5	9	22	32	23	10	4
Dis. of Kidneys	54	-	-	1	1	-	2	1	-	2	1	2	2	4	7	16	12	5
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	-	-	-	1	1	1	-	-	-	-	2	-	-
Diseases of the Skin	9	1	-	-	-	-	1	-	-	-	-	1	-	1	-	1	5	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	137	5	4	6	7	5	27	11	7	17	9	15	17	14	9	8	2	1
Other Causes	1203	404	57	27	11	9	508	13	11	16	7	17	20	26	68	118	253	146
593.—CARDIGAN.																		
Mean Popul^{n}, 1851-61	8375	-	-	-	-	-	1136	1178	1087	823	540	876	774	746	630	360	193	32
TOTAL DEATHS	1779	247	75	46	38	27	433	100	59	89	81	112	98	124	152	222	217	92
Small-pox	11	4	1	2	-	-	7	2	-	1	1	-	-	-	-	-	-	-
Measles	7	2	4	-	-	1	7	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	87	8	11	10	10	6	45	31	8	1	-	1	-	1	-	-	-	-
Diphtheria	23	-	1	-	4	1	6	7	6	2	1	-	1	-	-	-	-	-
Whooping-cough	14	7	2	1	-	-	10	4	-	-	-	-	-	-	-	-	-	-
Typhus	62	1	1	-	2	1	5	1	2	6	7	2	10	9	8	9	2	1
Cholera, Diarrh., Dysent^{y}	9	-	1	-	-	-	1	-	-	-	1	-	-	-	3	1	2	1
Other Zymotic Dis.	83	5	14	9	8	6	42	13	4	4	2	1	4	4	1	5	3	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	-	3	3	5	-	-
Scrofula, Tabes Mesent.	65	1	-	-	-	-	1	2	9	6	5	8	3	4	9	12	6	-
Phthisis	348	-	1	-	3	-	4	6	7	52	53	76	49	42	33	21	5	-
Hydrocephalus	6	-	2	1	1	-	4	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	215	112	15	6	4	2	139	7	-	1	2	2	6	8	8	18	22	2
Heart Dis. and Dropsy	105	-	-	1	1	-	2	1	5	1	3	2	9	11	16	36	17	2
Dis. of Lungs	103	6	2	2	-	3	13	3	5	5	-	5	9	12	11	22	16	2
Dis. of Stom. and Liver	65	3	-	1	-	-	4	1	1	-	1	3	1	10	21	14	9	-
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	4	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	3	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	66	1	5	3	2	3	14	10	7	8	4	5	2	8	4	2	2	-
Other Causes	484	96	15	10	2	4	127	10	5	-	1	5	4	11	33	76	128	84

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

591.—PEMBROKE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	13164	-	-	-	-	-	1680	1545	1333	1312	1298	1909	1487	1034	758	511	235	62
TOTAL DEATHS	2559	484	154	93	57	46	834	165	68	82	93	174	166	125	177	251	280	144
Small-pox	38	14	4	2	3	1	24	3	1	3	2	3	2	-	-	-	-	-
Measles	32	6	10	4	4	4	28	2	1	-	-	1	-	-	-	-	-	-
Scarlatina	122	10	13	21	11	12	67	45	4	2	1	2	-	1	-	-	-	-
Diphtheria	3	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	39	13	9	4	7	1	34	4	1	-	-	-	-	-	-	-	-	-
Typhus	131	12	9	7	4	7	39	27	8	7	6	18	5	6	6	8	-	1
Cholera, Diarrh., Dysent^{y}	44	13	3	2	-	2	20	3	-	-	3	3	3	4	3	1	3	1
Other Zymotic Dis.	78	8	13	10	3	3	37	13	2	-	3	4	5	3	2	5	3	1
Cancer	54	-	-	-	-	-	-	-	1	-	-	3	7	12	15	11	4	1
Scrofula, Tabes Mesent.	34	7	3	1	1	2	14	4	5	1	1	1	5	-	1	1	1	-
Phthisis	378	9	5	7	1	3	25	18	23	50	55	82	57	40	20	7	1	-
Hydrocephalus	24	4	7	3	-	-	14	6	1	-	1	-	2	-	-	-	-	-
Diseases of Brain	280	113	17	5	3	1	139	5	4	5	4	5	12	9	16	40	34	7
Heart Dis. and Dropsy	176	1	2	1	2	-	6	11	3	3	2	9	15	13	39	36	32	6
Dis. of Lungs	132	12	12	6	2	3	35	3	2	-	1	5	7	6	16	34	20	3
Dis. of Stom. and Liver	73	7	1	2	1	-	11	1	2	2	5	4	6	10	16	14	1	1
Dis. of Kidneys	13	1	-	1	-	-	2	-	-	-	-	3	-	3	3	1	-	1
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Diseases of the Skin	7	4	1	-	-	-	5	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	46	-	-	-	-	-	-	-	-	1	5	20	18	2	-	-	-	-
Violent Deaths	41	4	2	3	5	3	17	2	4	2	-	-	5	-	5	2	3	1
Other Causes	806	246	42	14	9	4	315	17	5	6	4	10	15	11	34	90	178	121

592.—HAVERFORDWEST.

Mean Popul^{n}, 1851-61	20423	-	-	-	-	-	2419	2274	2115	2127	1807	2699	2158	1824	1446	950	503	101
TOTAL DEATHS	4188	644	219	119	110	84	1176	208	144	169	142	268	264	212	346	463	510	286
Small-pox	55	19	7	4	4	2	36	4	1	5	2	2	1	3	1	-	-	-
Measles	21	5	6	1	5	-	17	1	2	-	-	-	-	1	-	-	-	-
Scarlatina	217	16	24	19	33	25	117	60	23	6	4	4	-	2	1	-	-	-
Diphtheria	44	10	3	3	3	3	22	10	9	1	-	2	-	-	-	-	-	-
Whooping-cough	64	21	16	6	4	10	57	7	-	-	-	-	-	-	-	-	-	-
Typhus	205	3	2	7	9	5	26	32	25	30	16	11	20	11	14	15	5	-
Cholera, Diarrh., Dysent^{y}	85	21	6	1	1	-	29	1	3	5	2	13	6	1	8	9	6	2
Other Zymotic Dis.	185	34	30	16	12	10	102	11	2	7	2	9	2	7	16	13	11	3
Cancer	68	-	-	-	1	-	1	-	-	-	-	3	5	14	17	14	12	2
Scrofula, Tabes Mesent.	52	7	5	2	3	1	18	5	6	5	2	5	2	2	3	3	1	-
Phthisis	638	14	13	6	3	5	41	22	45	73	81	115	111	60	64	24	2	-
Hydrocephalus	20	2	7	2	2	2	15	5	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	309	105	19	11	3	5	143	14	5	7	3	12	15	11	24	42	26	7
Heart Dis. and Dropsy	270	2	-	-	-	-	2	5	5	7	5	12	13	36	63	74	43	5
Dis. of Lungs	255	25	16	11	6	3	61	2	2	5	4	9	6	12	26	68	52	8
Dis. of Stom. and Liver	140	4	1	1	-	2	8	5	2	4	5	14	23	22	20	28	9	-
Dis. of Kidneys	23	-	-	1	1	-	2	-	-	-	1	3	6	5	2	3	1	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	1	1	1	1	3	1	4	1	1	-
Diseases of the Joints	6	-	1	-	-	-	1	-	-	-	2	-	-	-	2	1	-	-
Diseases of the Skin	10	4	-	-	1	-	5	-	-	-	-	1	1	1	1	-	-	1
Childbirth and Metria	65	-	-	-	-	-	-	-	-	3	5	28	28	1	-	-	-	-
Violent Deaths	61	1	1	3	11	5	21	7	2	3	3	3	4	2	5	6	3	2
Other Causes	1381	351	62	25	8	6	452	17	11	7	4	21	18	20	75	162	338	256

593.—CARDIGAN.

Mean Popul^{n}, 1851-61	11011	-	-	-	-	-	1132	1127	1119	1054	931	1518	1268	1098	834	573	290	67
TOTAL DEATHS	1991	200	64	62	29	33	388	100	64	72	78	127	140	138	167	252	311	154
Small-pox	12	4	1	-	-	-	5	2	1	1	1	1	1	-	-	-	-	-
Measles	12	3	1	2	2	2	10	-	2	-	-	-	-	-	-	-	-	-
Scarlatina	95	6	11	13	8	9	47	33	13	2	-	-	-	-	-	-	-	-
Diphtheria	13	-	-	1	-	-	1	7	1	2	1	-	1	-	-	-	-	-
Whooping-cough	17	8	2	3	1	2	16	1	-	-	-	-	-	-	-	-	-	-
Typhus	68	1	1	1	-	-	3	5	4	6	10	9	9	4	11	6	1	-
Cholera, Diarrh., Dysent^{y}	7	-	-	-	-	-	-	1	1	-	-	-	-	1	2	-	2	-
Other Zymotic Dis.	78	5	12	12	7	6	42	16	3	-	1	-	-	-	3	7	6	-
Cancer	34	-	-	-	-	-	-	-	-	-	-	-	5	3	9	12	4	1
Scrofula, Tabes Mesent.	55	2	2	-	1	-	5	1	4	3	1	5	1	9	11	11	4	-
Phthisis	312	-	2	3	-	2	7	5	16	40	45	55	67	57	29	16	5	-
Hydrocephalus	2	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	253	101	19	11	-	1	132	8	-	2	3	6	12	10	16	33	26	5
Heart Dis. and Dropsy	151	-	-	-	-	-	-	2	4	3	4	11	16	26	28	42	23	2
Dis. of Lungs	87	5	-	2	2	2	11	3	3	2	2	3	5	8	9	20	21	-
Dis. of Stom. and Liver	27	-	1	-	-	-	1	1	2	2	-	4	4	4	4	2	2	1
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	47	-	-	-	-	-	-	-	-	-	6	26	15	-	-	-	-	-
Violent Deaths	32	4	1	6	1	3	15	3	1	1	-	1	1	2	2	2	2	2
Other Causes	645	60	11	8	7	5	91	12	9	7	4	4	3	14	42	101	215	143

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
594.—NEWCASTLE-IN-EMLYN.																		
Mean Popul^{n}, 1851-61	9056	-	-	-	-	-	1202	1204	1161	923	647	977	892	804	641	411	168	26
TOTAL DEATHS	1736	232	72	45	41	32	422	98	60	79	98	126	85	91	166	231	197	83
Small-pox	8	1	-	-	-	-	1	1	1	-	1	1	3	-	-	-	-	-
Measles	4	1	2	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	74	4	5	11	11	9	40	18	11	2	3	-	-	-	-	-	-	-
Diphtheria	29	-	1	2	1	4	8	13	5	1	2	-	-	-	-	-	-	-
Whooping-cough	9	2	3	1	2	-	8	1	-	-	-	-	-	-	-	-	-	-
Typhus	82	1	-	1	3	-	5	9	10	13	8	9	6	5	8	5	4	-
Cholera, Diarrh., Dysent^{y}	9	1	-	-	-	-	1	-	-	-	-	-	-	-	1	5	2	-
Other Zymotic Dis.	106	14	16	14	8	9	61	17	3	1	-	3	1	2	-	12	5	1
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	1	-	8	6	2	1
Scrofula, Tabes Mesent.	35	2	1	-	-	-	3	2	4	4	4	6	2	-	5	4	-	1
Phthisis	338	4	-	4	5	1	14	11	11	38	62	82	39	39	53	40	9	-
Hydrocephalus	9	3	4	-	1	1	9	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	136	58	9	3	-	2	72	2	-	-	2	1	3	2	7	23	21	3
Heart Dis. and Dropsy	71	-	-	-	-	-	-	2	3	2	1	3	7	8	11	17	14	3
Dis. of Lungs	122	4	3	1	1	2	11	1	1	2	3	1	10	18	25	36	12	2
Dis. of Stom. and Liver	57	1	-	1	-	-	2	-	3	1	2	2	4	4	11	18	10	-
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	-	-	3	1	-	2	3	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	37	1	4	1	3	-	9	4	4	2	1	6	4	3	-	3	1	-
Other Causes	515	135	24	6	6	4	175	17	3	11	9	9	4	10	35	59	111	72
595.—LAMPETER.																		
Mean Popul^{n}, 1851-61	4732	-	-	-	-	-	654	592	576	467	375	587	464	402	312	205	85	13
TOTAL DEATHS	907	139	28	30	17	19	233	44	33	41	64	82	57	55	71	112	86	29
Small-pox	14	1	3	1	1	-	6	1	-	1	1	3	1	1	-	-	-	-
Measles	6	1	-	1	1	-	3	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	18	1	2	1	3	1	8	3	1	5	1	-	-	-	-	-	-	-
Diphtheria	10	-	2	-	1	-	3	3	2	2	-	-	-	-	-	-	-	-
Whooping-cough	19	10	5	2	1	-	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	69	4	1	2	2	3	12	9	8	9	6	11	1	4	3	4	2	-
Cholera, Diarrh., Dysent^{y}	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	47	3	5	6	3	6	23	10	1	2	-	1	2	-	4	3	1	-
Cancer	5	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-
Scrofula, Tabes Mesent.	16	-	-	-	-	-	-	-	3	2	3	2	2	2	1	1	-	-
Phthisis	231	3	-	5	2	3	13	4	12	14	38	48	32	17	28	23	2	-
Hydrocephalus	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of Brain	84	34	3	4	1	-	42	2	2	-	3	3	1	2	7	10	9	3
Heart Dis. and Dropsy	35	-	-	-	-	1	1	1	-	1	2	-	4	3	4	14	5	-
Dis. of Lungs	49	1	-	2	-	-	3	-	1	-	2	5	2	9	6	13	7	1
Dis. of Stom. and Liver	39	1	-	-	-	-	1	3	-	2	1	1	4	6	4	10	7	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	31	2	-	5	2	4	13	2	1	3	3	2	2	4	1	-	-	-
Other Causes	227	77	7	1	-	1	86	3	1	-	2	4	5	5	10	33	53	25
596.—ABERAYRON.																		
Mean Popul^{n}, 1851-61	6018	-	-	-	-	-	859	833	767	556	420	685	576	535	402	251	115	19
TOTAL DEATHS	1315	213	63	47	40	27	390	82	56	55	67	106	66	70	87	139	149	48
Small-pox	19	4	-	1	1	-	6	1	1	-	2	6	2	1	-	-	-	-
Measles	5	-	-	3	-	-	3	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	69	2	8	6	8	5	29	26	11	2	-	-	1	-	-	-	-	-
Diphtheria	21	2	-	3	2	3	10	7	1	2	1	-	-	-	-	-	-	-
Whooping-cough	22	9	4	4	4	1	22	-	-	-	-	-	-	-	-	-	-	-
Typhus	53	4	-	3	4	2	13	6	6	8	4	3	-	1	5	5	2	-
Cholera, Diarrh., Dysent^{y}	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	-
Other Zymotic Dis.	50	12	4	3	3	6	33	3	2	-	-	-	1	-	-	2	4	-
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	-
Scrofula, Tabes Mesent.	19	2	2	1	1	1	7	1	2	1	2	3	1	1	-	1	-	-
Phthisis	274	-	4	4	2	2	12	4	14	20	40	61	36	30	26	23	7	1
Hydrocephalus	8	1	1	-	1	-	3	3	1	-	-	-	-	-	-	-	1	-
Diseases of Brain	100	44	9	2	-	-	55	1	2	3	1	2	1	4	5	14	10	2
Heart Dis. and Dropsy	45	1	-	-	-	-	1	-	-	1	2	4	1	8	4	16	6	2
Dis. of Lungs	82	1	1	-	-	-	2	-	2	2	6	9	7	9	10	17	15	3
Dis. of Stom. and Liver	43	1	2	-	1	-	4	4	-	1	2	4	6	2	10	7	3	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	38	2	1	2	2	2	9	2	6	5	1	3	2	5	2	3	-	-
Other Causes	418	127	27	10	11	5	180	17	7	10	6	11	6	8	21	46	96	40

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
594.—NEWCASTLE-IN-EMLYN.																		
Mean Popul^{n}, 1851-61	10571	-	-	-	-	-	1131	1176	1093	1047	928	1395	1135	990	812	555	259	50
TOTAL DEATHS	1840	182	61	37	40	24	344	102	58	75	81	134	112	112	171	240	271	140
Small-pox	9	1	-	1	-	-	2	-	2	-	3	1	1	-	-	-	-	-
Measles	7	-	2	3	1	-	6	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	71	2	12	1	10	3	28	24	10	4	3	2	-	-	-	-	-	-
Diphtheria	44	1	-	2	4	5	12	16	10	1	3	2	-	-	-	-	-	-
Whooping cough	13	7	3	1	-	1	12	1	-	-	-	-	-	-	-	-	-	-
Typhus	77	1	-	1	1	-	3	8	4	9	11	16	4	9	4	6	2	1
Cholera, Diarrh., Dysent^{y}	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Other Zymotic Dis.	83	5	4	5	8	8	30	17	2	1	1	2	1	2	8	12	7	-
Cancer	19	-	-	-	-	-	-	1	-	-	-	-	-	1	7	6	2	2
Scrofula, Tabes Mesent.	37	1	3	1	-	-	5	5	1	6	4	4	1	3	2	3	3	-
Phthisis	385	3	1	3	3	2	12	5	17	35	37	74	48	51	49	48	8	1
Hydrocephalus	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	136	36	8	5	4	-	53	7	2	2	-	4	4	8	13	22	18	3
Heart Dis. and Dropsy	117	-	-	1	1	-	2	1	2	3	1	4	10	11	20	39	22	2
Dis. of Lungs	93	1	3	1	1	-	6	2	3	2	-	3	4	8	14	25	25	1
Dis. of Stom. and Liver	52	4	-	1	-	-	5	-	1	2	5	2	8	4	7	15	2	1
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	-	4	11	13	-	-	-	-	-
Violent Deaths	26	1	1	3	-	3	8	2	-	3	3	1	2	3	3	1	-	-
Other Causes	631	118	24	8	7	2	159	11	4	6	6	8	16	10	39	62	181	129
595.—LAMPETER.																		
Mean Popul^{n}, 1851-61	5202	-	-	-	-	-	629	631	545	514	434	695	548	472	353	241	112	28
TOTAL DEATHS	869	113	22	28	12	17	192	58	33	41	34	74	54	47	61	101	111	63
Small-pox	20	1	2	2	-	-	5	3	1	2	2	5	1	1	-	-	-	-
Measles	8	1	2	1	-	-	4	2	2	-	-	-	-	-	-	-	-	-
Scarlatina	19	3	-	2	2	-	7	5	3	2	2	-	-	-	-	-	-	-
Diphtheria	7	-	1	-	-	1	2	1	2	2	-	-	-	-	-	-	-	-
Whooping-cough	21	7	4	4	2	-	17	3	1	-	-	-	-	-	-	-	-	-
Typhus	65	3	1	2	1	4	11	11	9	6	5	7	4	5	2	4	1	-
Cholera, Diarrh., Dysent^{y}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	58	12	4	4	3	5	28	15	4	1	-	1	-	1	1	4	3	-
Cancer	6	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-
Scrofula, Tabes Mesent.	7	-	-	1	-	-	1	1	1	1	-	2	-	-	-	1	-	-
Phthisis	186	2	1	-	-	-	3	5	6	22	18	34	32	15	27	21	3	-
Hydrocephalus	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	65	25	2	3	-	4	34	2	-	3	-	-	4	2	3	9	8	-
Heart Dis. and Dropsy	43	-	-	-	-	-	-	1	1	-	1	4	2	7	7	10	7	3
Dis. of Lungs	54	1	-	-	1	-	2	3	-	-	1	2	1	2	6	14	18	5
Dis. of Stom. and Liver	17	-	-	-	-	-	-	-	-	-	1	3	1	4	5	2	1	-
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	1	9	5	3	-	-	-	-
Violent Deaths	19	1	-	4	3	2	10	-	1	-	2	2	2	2	-	-	-	-
Other Causes	251	56	5	5	-	1	67	5	2	2	-	5	-	4	8	34	69	55
596.—ABERAYRON.																		
Mean Popul^{n}, 1851-61	7353	-	-	-	-	-	846	802	754	727	619	1035	831	673	519	357	167	33
TOTAL DEATHS	1328	141	42	31	51	29	294	71	46	44	68	115	92	67	107	159	193	72
Small-pox	16	3	1	2	1	1	8	1	-	-	3	1	3	-	-	-	-	-
Measles	11	2	2	1	3	-	8	2	-	1	-	-	-	-	-	-	-	-
Scarlatina	46	5	1	3	9	4	22	15	5	2	2	-	-	-	-	-	-	-
Diphtheria	23	1	4	1	2	2	10	9	2	1	-	1	-	-	-	-	-	-
Whooping-cough	22	6	3	2	6	2	19	3	-	-	-	-	-	-	-	-	-	-
Typhus	53	1	-	-	2	3	6	4	6	3	8	6	4	6	3	5	2	-
Cholera, Diarrh., Dysent^{y}	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Other Zymotic Dis.	51	6	7	7	6	5	31	6	1	-	1	1	1	1	4	3	2	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	5	-
Scrofula, Tabes Mesent.	17	-	2	-	-	-	2	1	3	2	3	1	1	-	4	-	-	-
Phthisis	287	1	2	1	2	2	8	5	19	21	22	66	47	34	20	30	6	-
Hydrocephalus	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	94	22	5	5	3	-	35	3	3	1	1	-	4	2	9	15	19	2
Heart Dis. and Dropsy	72	-	-	-	-	-	-	-	-	-	4	2	6	8	10	23	17	2
Dis. of Lungs	100	4	2	3	1	1	11	1	1	5	4	13	7	3	11	17	24	3
Dis. of Stom. and Liver	26	3	-	-	-	-	3	-	1	1	4	2	1	4	4	4	2	-
Dis. of Kidneys	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	-	5	9	6	-	-	-	-	-
Violent Deaths	14	-	1	2	1	2	6	1	-	1	3	1	1	1	-	-	-	-
Other Causes	436	87	12	4	15	7	125	19	5	6	8	10	8	7	30	57	116	65

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

597.—ABERYSTWITH.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	11653	-	-	-	-	-	1619	1507	1326	1187	983	1538	1212	987	694	398	174	28
TOTAL DEATHS	2346	357	153	77	70	63	720	125	56	121	142	187	123	145	192	259	202	74
Small-pox	57	16	6	4	3	3	32	5	-	2	8	8	2	-	-	-	-	-
Measles	25	7	7	1	2	2	19	5	-	1	-	-	-	-	-	-	-	-
Scarlatina	110	21	18	8	13	11	71	30	5	4	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	57	19	10	4	12	5	50	7	-	-	-	-	-	-	-	-	-	-
Typhus	105	4	5	3	3	-	15	12	11	12	9	9	7	7	7	12	4	-
Cholera, Diarrh., Dysent^{y}	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1
Other Zymotic Dis.	153	18	28	25	16	18	105	15	7	2	2	2	2	4	8	6	5	-
Cancer	16	-	-	-	-	-	-	-	-	-	1	2	2	1	5	3	2	-
Scrofula, Tabes Mesent.	28	1	2	-	2	1	6	1	3	2	3	3	1	2	4	3	-	-
Phthisis	376	5	4	4	4	3	20	14	10	31	67	88	40	38	32	32	4	-
Hydrocephalus	8	-	2	2	-	2	6	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	224	103	24	4	7	5	143	3	-	3	3	4	1	11	13	23	14	1
Heart Dis. and Dropsy	69	1	-	-	-	-	1	3	2	3	3	4	11	7	9	16	7	3
Dis. of Lungs	183	8	10	1	-	1	20	5	2	6	1	6	14	8	38	62	21	-
Dis. of Stom. and Liver	84	4	3	4	-	1	12	-	1	3	1	5	4	15	23	15	4	1
Dis. of Kidneys	13	-	-	1	-	-	1	-	-	-	-	-	-	2	1	6	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Skin	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	91	1	3	7	2	3	16	5	5	15	8	11	10	6	8	6	1	-
Other Causes	741	149	30	9	6	8	202	18	10	31	36	44	28	44	49	74	137	68

598.—TREGARON.

Mean Popul^{n}, 1851-61	4966	-	-	-	-	-	705	658	603	532	391	572	502	428	302	191	72	10
TOTAL DEATHS	974	160	39	34	14	25	272	42	25	53	68	75	42	68	87	106	100	36
Small-pox	11	-	2	2	-	-	4	-	1	-	1	3	2	-	-	-	-	-
Measles	11	2	-	1	1	2	6	1	-	3	-	-	1	-	-	-	-	-
Scarlatina	44	3	4	7	2	7	23	12	3	3	1	-	-	1	-	-	1	-
Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Whooping-cough	11	5	3	1	2	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	61	1	1	2	-	1	5	4	4	10	9	4	4	5	11	3	2	-
Cholera, Diarrh., Dysent^{y}	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	-
Other Zymotic Dis.	54	9	6	9	4	7	35	6	1	-	1	2	1	1	6	-	1	-
Cancer	9	-	-	1	-	-	1	-	-	-	-	-	-	-	3	2	3	-
Scrofula, Tabes Mesent.	27	-	-	1	-	2	3	2	1	2	2	7	1	4	4	1	-	-
Phthisis	188	-	2	-	-	-	2	3	6	26	43	43	14	22	17	10	2	-
Hydrocephalus	5	2	2	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	82	31	7	-	1	-	39	2	-	4	-	2	2	5	3	10	10	5
Heart Dis. and Dropsy	33	-	-	-	-	-	-	2	-	-	1	-	1	3	6	13	6	1
Dis. of Lungs	94	1	2	3	1	-	7	-	1	1	-	5	8	9	13	29	16	5
Dis. of Stom. and Liver	31	2	-	-	-	-	2	1	-	1	2	2	2	6	7	7	1	-
Dis. of Kidneys	15	-	-	-	-	-	-	1	-	-	-	-	-	1	2	4	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	42	-	2	3	-	-	5	3	4	-	6	3	4	3	3	3	3	-
Other Causes	243	103	8	4	3	6	124	5	3	3	2	4	2	3	10	18	44	25

599.—BUILTH.

Mean Popul^{n}, 1851-61	4157	-	-	-	-	-	534	516	479	440	341	529	414	328	285	191	81	19
TOTAL DEATHS	742	152	26	26	12	11	227	33	18	24	39	51	42	35	64	91	77	41
Small-pox	6	3	-	-	-	-	3	-	-	-	-	1	2	-	-	-	-	-
Measles	5	-	1	3	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	48	4	3	6	3	7	23	12	8	3	1	1	-	-	-	-	-	-
Diphtheria	2	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	11	4	5	1	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	21	1	1	-	-	-	2	1	2	4	2	1	2	2	3	-	1	1
Cholera, Diarrh., Dysent^{y}	6	-	-	-	-	-	-	-	-	1	-	-	3	-	-	2	-	-
Other Zymotic Dis.	22	3	2	1	1	1	8	2	1	-	3	1	1	1	2	-	2	1
Cancer	8	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	1	-
Scrofula, Tabes Mesent.	11	-	-	-	-	-	-	-	-	2	3	2	2	-	1	1	-	-
Phthisis	89	-	-	-	1	-	1	2	4	3	19	30	13	9	4	4	-	-
Hydrocephalus	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	82	41	2	1	1	-	45	1	-	1	1	1	2	-	8	10	11	2
Heart Dis. and Dropsy	36	-	-	1	-	-	1	-	-	1	1	1	2	4	8	12	5	1
Dis. of Lungs	59	3	-	2	-	1	6	3	-	2	2	1	2	2	11	20	8	2
Dis. of Stom. and Liver	32	2	1	-	-	-	3	-	-	-	-	3	6	6	6	4	3	1
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	28	-	2	-	2	1	5	3	-	5	1	4	2	2	3	2	1	-
Other Causes	268	90	9	11	2	-	112	7	3	2	5	5	4	7	15	31	45	32

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
597.—ABERYSTWITH.																		
Mean Popul^{n}, 1851-61	12956	-	-	-	-	-	1619	1522	1342	1308	1197	1785	1416	1111	854	530	231	41
TOTAL DEATHS	2351	311	131	81	67	48	638	129	73	111	89	167	153	147	198	252	271	123
Small-pox	34	12	7	3	5	-	27	1	1	2	1	2	-	-	-	-	-	-
Measles	31	4	7	5	2	3	21	6	1	3	-	-	-	-	-	-	-	-
Scarlatina	100	10	12	15	8	11	56	28	6	8	2	-	-	-	-	-	-	-
Diphtheria	4	-	-	1	-	1	2	-	1	-	-	1	-	-	-	-	-	-
Whooping-cough	56	14	16	7	3	7	47	7	2	-	-	-	-	-	-	-	-	-
Typhus	124	3	4	6	4	2	19	12	9	17	12	12	3	8	14	13	5	-
Cholera, Diarrh., Dysent^{y}	13	2	-	-	-	1	3	-	-	-	-	-	1	-	4	2	3	-
Other Zymotic Dis.	126	25	16	19	16	12	88	22	2	-	-	1	-	2	4	5	2	-
Cancer	22	2	-	-	-	-	2	1	-	-	-	-	3	4	3	5	4	-
Scrofula, Tabes Mesent.	30	2	1	2	-	-	5	2	6	2	1	3	2	4	3	2	-	-
Phthisis	401	1	3	1	4	5	14	17	24	49	43	72	52	54	40	30	4	2
Hydrocephalus	15	6	3	1	-	1	11	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	238	95	25	5	5	1	131	4	-	2	3	10	7	9	23	24	20	5
Heart Dis. and Dropsy	104	-	-	-	1	1	2	3	2	1	2	7	11	14	22	25	15	-
Dis. of Lungs	123	8	5	1	2	-	16	5	2	4	1	5	6	7	26	39	20	2
Dis. of Stom. and Liver	66	2	1	-	2	1	6	-	2	2	7	5	4	13	15	9	3	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Childbirth and Metria	37	-	-	-	-	-	-	-	-	1	3	11	20	2	-	-	-	-
Violent Deaths	34	1	2	4	3	1	16	5	1	-	1	-	3	-	2	3	2	1
Other Causes	775	124	29	11	7	1	172	12	14	20	13	38	41	28	41	93	191	112
598.—TREGARON.																		
Mean Popul^{n}, 1851-61	5604	-	-	-	-	-	724	653	630	586	465	766	584	466	351	246	114	19
TOTAL DEATHS	933	113	31	27	17	17	205	45	31	52	37	60	77	59	89	125	115	47
Small-pox	14	4	1	1	1	-	7	1	1	-	2	2	1	-	-	-	-	-
Measles	11	-	3	2	1	-	6	3	1	1	-	-	-	-	-	-	-	-
Scarlatina	39	3	3	6	3	4	19	13	4	2	-	-	-	-	-	1	-	-
Diphtheria	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Whooping-cough	20	8	4	3	1	2	18	2	-	-	-	-	-	-	-	-	-	-
Typhus	54	1	-	-	1	-	2	5	5	8	8	3	5	4	7	4	2	1
Cholera, Diarrh., Dysent^{y}	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-
Other Zymotic Dis.	44	7	4	4	3	4	22	5	-	1	1	3	2	2	2	3	1	2
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	3	2	2	3	3	-
Scrofula, Tabes Mesent.	29	1	-	2	-	-	3	2	4	1	3	2	5	3	3	1	1	1
Phthisis	169	1	-	1	1	-	3	3	10	26	11	32	32	15	19	17	1	-
Hydrocephalus	6	2	-	-	-	1	3	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	58	15	4	1	1	1	22	2	1	2	-	1	1	2	11	11	5	-
Heart Dis. and Dropsy	35	-	-	-	-	-	-	1	-	-	2	1	5	5	8	6	6	1
Dis. of Lungs	94	3	-	1	-	-	4	-	1	2	1	-	8	1	11	33	28	5
Dis. of Stom. and Liver	29	-	-	-	-	-	-	-	-	2	1	2	3	4	5	10	2	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	-	4	9	7	-	-	-	-	-
Violent Deaths	16	1	1	3	4	2	11	1	-	1	1	-	1	-	-	-	1	-
Other Causes	273	67	11	3	1	3	85	3	4	5	3	3	4	11	19	35	64	37
599.—BUILTH.																		
Mean Popul^{n}, 1851-61	4169	-	-	-	-	-	557	481	434	448	367	551	413	333	258	211	103	13
TOTAL DEATHS	797	110	30	22	17	11	190	39	14	30	39	61	45	46	66	99	127	41
Small-pox	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Measles	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	52	4	3	8	6	4	25	10	4	4	3	4	1	1	-	-	-	-
Diphtheria	4	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-
Whooping-cough	14	4	3	4	1	-	12	2	-	-	-	-	-	-	-	-	-	-
Typhus	28	-	1	-	1	2	4	5	-	1	4	6	2	3	2	-	1	-
Cholera, Diarrh., Dysent^{y}	4	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-
Other Zymotic Dis.	13	1	-	2	-	-	3	2	-	-	1	-	1	2	1	2	-	1
Cancer	7	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	3	-
Scrofula, Tabes Mesent.	5	-	-	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-
Phthisis	104	1	-	-	-	2	3	5	3	14	19	22	16	9	7	5	1	-
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	66	20	1	-	-	-	21	2	-	1	1	2	3	4	6	12	12	2
Heart Dis. and Dropsy	46	-	-	-	-	-	-	1	1	1	1	5	5	7	8	10	7	-
Dis. of Lungs	65	3	3	1	1	-	8	2	1	-	2	5	1	5	11	17	10	-
Dis. of Stom. and Liver	18	2	1	1	-	-	4	-	-	1	2	1	1	3	3	3	-	-
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	10	-	-	-	-	-	-	-	-	-	1	4	5	-	-	-	-	-
Violent Deaths	15	-	1	1	3	-	5	1	-	1	2	1	1	1	2	-	-	1
Other Causes	328	72	17	5	5	2	101	5	2	5	2	6	8	8	2	48	93	57

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
600.—BRECKNOCK.																		
Mean Popul^{n}, 1851-61	8769	-	-	-	-	-	1065	967	882	903	809	1231	928	766	602	410	180	26
TOTAL DEATHS	1876	387	102	66	34	27	616	72	45	67	65	124	92	114	168	224	208	81
Small-pox	18	2	3	1	-	-	6	-	1	2	1	4	1	2	-	1	-	-
Measles	33	10	6	11	1	-	28	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	56	3	6	14	5	8	36	12	4	2	-	-	-	1	1	-	-	-
Diphtheria	6	-	-	-	-	1	1	3	1	-	1	-	-	-	-	-	-	-
Whooping-cough	27	11	5	4	1	2	23	4	-	-	-	-	-	-	-	-	-	-
Typhus	69	3	5	1	-	2	11	7	5	10	3	7	6	3	8	5	3	1
Cholera, Diarrh., Dysent^{y}	79	18	7	3	1	1	30	5	4	1	2	5	7	7	6	6	6	-
Other Zymotic Dis.	79	20	8	4	7	3	42	8	2	1	1	4	5	2	3	6	4	1
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	1	3	5	1	-	-
Scrofula, Tabes Mesent.	22	3	1	2	1	-	7	1	4	-	1	2	1	2	2	2	-	-
Phthisis	223	3	3	2	1	2	11	6	7	31	34	60	27	25	14	6	2	-
Hydrocephalus	20	4	6	2	3	1	16	2	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	257	135	16	4	4	1	160	2	3	3	5	4	6	11	11	29	15	8
Heart Dis. and Dropsy	101	-	-	-	-	-	-	-	5	3	1	8	7	12	25	21	19	-
Dis. of Lungs	244	25	24	5	5	3	62	6	1	2	4	8	13	22	37	50	35	4
Dis. of Stom. and Liver	77	3	2	-	2	-	7	1	1	1	2	7	6	6	18	20	6	2
Dis. of Kidneys	18	-	-	-	-	-	-	1	-	2	-	1	2	3	2	4	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
Diseases of the Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	83	1	-	6	2	2	11	8	3	5	5	11	6	10	11	10	2	1
Other Causes	448	145	10	7	1	1	164	2	2	3	4	2	4	5	25	62	112	63
601.—CRICKHOWELL.																		
Mean Popul^{n}, 1851-61	11498	-	-	-	-	-	1504	1291	1183	1042	1147	1797	1463	1007	623	299	118	24
TOTAL DEATHS	2854	834	254	123	80	62	1353	147	81	97	103	164	160	166	173	211	143	56
Small-pox	49	11	7	6	1	4	29	4	3	2	3	3	4	-	1	-	-	-
Measles	35	5	11	6	3	3	28	5	1	1	-	-	-	-	-	-	-	-
Scarlatina	126	15	13	16	23	13	80	39	5	-	1	1	-	-	-	-	-	-
Diphtheria	27	1	6	3	2	3	15	6	-	3	-	2	-	1	-	-	-	-
Whooping-cough	43	16	18	3	5	-	42	1	-	-	-	-	-	-	-	-	-	-
Typhus	182	8	9	14	10	7	48	29	15	12	14	23	14	11	9	5	2	-
Cholera, Diarrh., Dysent^{y}	45	14	4	3	-	-	21	2	1	1	-	6	1	3	1	5	3	1
Other Zymotic Dis.	81	28	9	-	6	1	44	6	1	1	1	4	4	5	4	4	3	4
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	1	4	6	8	2	1
Scrofula, Tabes Mesent.	91	21	21	13	1	3	59	6	3	5	6	3	5	2	2	1	-	-
Phthisis	273	3	5	1	1	1	11	12	17	32	34	62	42	31	18	12	1	1
Hydrocephalus	35	9	8	4	3	2	26	4	3	-	-	-	-	-	-	2	-	-
Diseases of Brain	574	391	41	12	5	5	454	8	2	12	2	9	15	16	15	27	11	3
Heart Dis. and Dropsy	109	2	3	-	-	2	7	1	4	1	3	9	10	17	23	24	8	2
Dis. of Lungs	469	117	68	32	13	7	237	6	2	4	4	11	20	29	51	68	33	4
Dis. of Stom. and Liver	97	11	2	4	-	2	19	3	3	6	5	9	8	14	15	13	2	-
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	1	1	3	5	1	3	1	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	1	-	-	1	-	-	3	2	-	-	-	-	1	-	-
Diseases of the Skin	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	196	4	6	3	5	7	25	12	20	12	26	18	28	25	13	14	3	-
Other Causes	370	178	23	2	2	2	207	3	1	1	1	2	3	5	11	25	71	40
602.—HAY.																		
Mean Popul^{n}, 1851-61	5393	-	-	-	-	-	637	608	604	531	427	704	609	495	382	235	121	20
TOTAL DEATHS	1231	232	58	29	24	13	356	49	32	39	43	60	71	91	121	148	163	53
Small-pox	11	3	-	-	-	-	3	-	-	2	2	3	-	1	-	-	-	-
Measles	3	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	54	3	8	10	7	2	30	13	7	2	1	-	1	-	-	-	-	-
Diphtheria	9	1	-	1	2	1	5	2	2	-	-	-	-	-	-	-	-	-
Whooping-cough	19	11	5	1	1	-	18	-	1	-	-	-	-	-	-	-	-	-
Typhus	34	2	-	1	-	1	4	3	3	4	5	2	3	4	5	-	1	-
Cholera, Diarrh., Dysent^{y}	25	5	3	-	-	1	9	1	1	1	-	-	-	-	4	5	3	1
Other Zymotic Dis.	53	6	7	2	5	2	22	6	1	5	1	-	-	2	7	6	3	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	2	3	5	1	2	-
Scrofula, Tabes Mesent.	10	1	1	-	-	1	3	-	1	1	-	-	2	1	1	1	-	-
Phthisis	109	4	3	-	1	-	8	1	5	13	17	25	15	15	7	1	2	-
Hydrocephalus	7	1	1	-	2	-	4	-	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	160	79	7	1	1	2	90	3	1	-	-	5	7	5	6	22	18	3
Heart Dis. and Dropsy	75	-	-	-	-	-	-	4	-	1	2	2	7	12	16	16	11	4
Dis. of Lungs	140	13	9	3	-	-	25	5	3	3	6	3	10	23	23	23	17	-
Dis. of Stom. and Liver	88	4	-	2	1	2	9	5	-	-	1	6	9	15	19	14	10	-
Dis. of Kidneys	22	-	-	-	-	-	-	-	-	-	-	1	1	-	3	8	8	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	53	1	5	3	3	1	13	1	2	2	4	6	8	3	6	5	2	1
Other Causes	338	97	8	4	1	-	110	4	3	4	3	6	6	6	18	45	85	43

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

600.—BRECKNOCK.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	8957	-	-	-	-	-	1003	941	878	916	852	1321	954	749	615	459	222	47
TOTAL DEATHS	1893	287	74	51	36	28	476	100	70	74	69	150	132	117	144	210	233	118
Small-pox	19	5	1	1	2	-	9	2	-	1	1	3	3	-	-	-	-	-
Measles	47	6	9	6	6	3	30	8	4	2	1	2	-	-	-	-	-	-
Scarlatina	53	2	7	8	6	6	29	16	6	1	1	-	-	-	-	-	-	-
Diphtheria	6	-	-	-	-	1	1	3	1	1	-	-	-	-	-	-	-	-
Whooping-cough	32	14	6	5	1	3	29	2	1	-	-	-	-	-	-	-	-	-
Typhus	86	1	5	2	2	3	13	13	11	12	6	11	1	6	8	2	3	-
Cholera, Diarrh., Dysent^{y}	67	12	5	1	-	1	19	1	1	-	-	9	9	6	8	4	7	3
Other Zymotic Dis.	67	10	6	4	4	4	28	10	4	2	-	2	3	4	4	6	3	1
Cancer	31	-	-	-	-	-	-	-	-	-	-	-	3	5	10	9	-	4
Scrofula, Tabes Mesent.	23	2	2	3	2	1	10	3	2	1	2	3	-	1	-	1	-	-
Phthisis	234	1	-	1	1	1	4	7	20	33	32	64	33	25	11	5	-	-
Hydrocephalus	6	1	1	1	-	-	3	2	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	213	97	6	3	1	1	108	3	4	1	4	7	12	8	21	25	16	4
Heart Dis. and Dropsy	152	1	1	-	-	-	2	-	4	3	4	4	17	25	26	35	26	6
Dis. of Lungs	193	23	16	1	2	3	45	10	5	6	5	7	8	9	19	39	38	2
Dis. of Stom. and Liver	81	5	-	1	-	-	6	2	2	3	1	8	6	11	16	14	10	2
Dis. of Kidneys	11	-	-	-	-	-	-	1	-	1	1	3	-	3	1	1	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	1	-	5	2	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
Diseases of the Skin	6	2	-	-	-	-	2	-	-	-	-	-	-	1	1	2	-	-
Childbirth and Metria	38	-	-	-	-	-	-	-	-	-	5	15	15	3	-	-	-	-
Violent Deaths	52	4	3	3	6	1	22	7	2	4	1	1	5	1	1	4	4	-
Other Causes	465	101	6	6	3	-	116	9	3	2	4	10	12	6	18	63	126	96

601.—CRICKHOWELL.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	10579	-	-	-	-	-	1480	1307	1134	996	971	1533	1225	842	586	334	140	31
TOTAL DEATHS	2677	694	237	135	71	76	1213	123	81	91	94	230	154	112	134	179	181	85
Small-pox	37	9	4	5	1	4	23	10	1	-	-	2	-	1	-	-	-	-
Measles	53	4	15	14	4	7	44	6	1	-	1	1	-	-	-	-	-	-
Scarlatina	144	11	15	26	15	21	88	39	12	1	2	2	-	-	-	-	-	-
Diphtheria	14	1	-	-	-	2	3	6	3	-	1	-	1	-	-	-	-	-
Whooping-cough	73	28	24	12	3	4	71	2	-	-	-	-	-	-	-	-	-	-
Typhus	135	5	6	6	14	7	38	12	18	13	12	13	9	6	5	7	2	-
Cholera, Diarrh., Dysent^{y}	53	16	9	5	-	1	31	1	-	-	1	5	1	4	1	5	3	1
Other Zymotic Dis.	74	28	4	5	4	2	43	5	-	2	9	1	2	3	2	5	1	1
Cancer	34	-	-	-	-	-	-	-	-	1	-	2	7	12	7	2	3	-
Scrofula, Tabes Mesent.	86	24	25	13	4	-	66	3	5	3	-	4	-	1	3	1	-	-
Phthisis	347	5	4	2	-	4	15	10	18	43	42	100	63	30	14	10	2	-
Hydrocephalus	18	5	8	2	-	-	15	2	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	506	325	34	10	6	5	380	6	3	9	4	13	10	14	26	21	18	2
Heart Dis. and Dropsy	149	-	1	2	1	1	5	2	2	7	3	16	11	16	16	44	23	4
Dis. of Lungs	355	70	62	27	12	10	181	6	7	3	11	11	13	8	32	47	28	3
Dis. of Stom. and Liver	74	10	3	1	3	2	19	-	1	5	2	10	8	9	9	7	4	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	2	3	-	3	2	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-
Diseases of the Joints	8	-	-	-	-	-	-	-	1	2	-	-	2	1	1	1	-	-
Diseases of the Skin	9	4	-	1	-	-	5	-	-	-	-	1	1	-	-	2	-	-
Childbirth and Metria	56	-	-	-	-	-	-	-	-	-	4	37	15	-	-	-	-	-
Violent Deaths	60	4	7	2	4	6	23	13	8	1	2	3	2	-	3	3	1	1
Other Causes	377	145	16	2	-	-	163	-	1	-	-	6	6	6	10	21	93	68

602.—HAY.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	5498	-	-	-	-	-	656	657	561	525	454	722	609	497	360	289	141	27
TOTAL DEATHS	1145	187	29	23	21	13	273	52	42	44	41	72	61	72	97	138	170	83
Small-pox	11	1	-	1	-	-	2	-	-	3	3	2	1	-	-	-	-	-
Measles	6	1	1	-	1	-	3	1	-	-	1	1	-	-	-	-	-	-
Scarlatina	48	4	1	3	7	1	16	16	9	3	2	2	-	-	-	-	-	-
Diphtheria	14	-	-	1	-	-	1	7	5	-	-	-	-	-	1	-	-	-
Whooping-cough	23	13	6	2	1	1	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	41	-	1	1	-	-	2	2	4	7	1	5	4	2	7	6	1	-
Cholera, Diarrh., D, sent^{y}	17	3	1	1	-	1	6	-	-	-	1	-	1	-	2	4	3	-
Other Zymotic Dis.	45	5	2	4	6	-	17	8	2	2	-	2	-	1	6	3	3	1
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	2	1	6	1	-	1
Scrofula, Tabes Mesent.	6	-	-	1	-	-	1	-	-	1	-	3	1	-	-	-	-	-
Phthisis	122	2	2	-	-	-	4	1	6	14	19	27	19	16	6	7	3	-
Hydrocephalus	2	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	125	47	4	1	-	1	53	2	3	1	1	4	3	8	8	13	19	5
Heart Dis. and Dropsy	89	-	-	1	-	-	1	2	3	-	3	4	2	8	20	23	19	4
Dis. of Lungs	101	14	2	3	1	1	21	4	6	6	2	6	7	9	9	15	12	4
Dis. of Stom. and Liver	71	2	2	1	1	1	7	2	3	4	1	4	8	11	12	13	5	1
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	-
Diseases of the Joints	5	-	-	-	-	-	-	1	-	-	1	-	-	-	1	2	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Childbirth and Metria	17	-	-	-	-	-	-	-	-	-	1	8	6	2	-	-	-	-
Violent Deaths	25	1	1	2	1	4	9	3	1	1	-	-	1	4	-	3	3	-
Other Causes	352	93	6	1	3	2	105	3	-	2	4	4	6	5	17	41	99	66

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
603.—PRESTEIGNE.																		
Mean Popul^{n}, 1851-61	7848	-	-	-	-	-	996	898	816	788	662	1078	889	695	520	339	144	23
TOTAL DEATHS	1474	303	58	28	31	14	434	39	27	39	50	88	73	107	120	214	213	70
Small-pox	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Measles	8	4	-	-	1	1	6	-	1	-	-	1	-	-	-	-	-	-
Scarlatina	20	-	4	2	1	-	7	9	3	-	1	-	-	-	-	-	-	-
Diphtheria	24	4	1	1	4	3	13	2	4	2	2	-	1	-	-	-	-	-
Whooping-cough	25	15	3	2	3	-	23	2	-	-	-	-	-	-	-	-	-	-
Typhus	36	-	4	1	1	2	8	3	1	2	1	6	1	6	1	5	2	-
Cholera, Diarrh., Dysent^{y}	9	5	3	-	-	-	8	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	54	14	5	4	5	1	29	5	3	1	-	3	1	4	2	4	2	-
Cancer	12	-	-	-	-	-	-	-	-	-	-	1	-	1	6	3	1	-
Scrofula, Tabes Mesent.	17	4	-	1	2	-	7	2	1	-	-	3	1	2	1	-	-	-
Phthisis	147	1	1	2	-	2	6	2	4	15	29	43	24	19	5	-	-	-
Hydrocephalus	7	4	-	1	-	1	6	-	-	-	1	-	-	-	-	-	-	-
Diseases of Brain	221	108	8	3	1	-	120	1	1	-	1	5	12	20	14	26	16	5
Heart Dis. and Dropsy	113	-	-	1	-	-	1	2	2	5	2	4	8	16	22	33	16	2
Dis. of Lungs	190	33	12	6	2	1	54	5	1	2	5	6	10	16	31	38	21	1
Dis. of Stom. and Liver	73	8	-	1	1	1	11	1	-	4	2	6	2	5	14	18	9	1
Dis. of Kidneys	18	-	-	-	-	-	-	-	1	1	1	-	2	3	2	4	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	5	-	-	-	-	1	1	1	-	-	-	-	2	-	1	-	-	-
Diseases of the Skin	4	1	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	56	6	5	1	7	1	20	4	3	2	3	3	4	5	6	5	-	1
Other Causes	434	96	12	2	3	-	113	-	2	4	1	7	5	10	14	76	142	60
604.—KNIGHTON.																		
Mean Popul^{n}, 1851-61	5245	-	-	-	-	-	723	629	558	526	466	732	569	425	319	211	72	15
TOTAL DEATHS	832	218	34	23	16	7	298	37	13	27	17	51	36	47	72	94	101	39
Small-pox	8	1	2	-	-	-	3	-	1	1	-	3	-	-	-	-	-	-
Measles	5	-	2	1	-	1	4	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	8	1	1	1	-	1	4	4	-	-	-	-	-	-	-	-	-	-
Diphtheria	7	-	2	1	1	1	4	2	-	-	-	-	-	-	1	-	-	-
Whooping-cough	21	9	4	2	3	-	18	3	-	-	-	-	-	-	-	-	-	1
Typhus	15	-	1	2	2	1	6	1	-	2	-	1	1	1	2	-	-	1
Cholera, Diarrh., Dysent^{y}	6	1	-	-	1	-	2	-	-	-	-	1	-	-	-	-	2	1
Other Zymotic Dis.	21	4	2	1	3	-	10	3	-	2	-	-	1	1	3	1	-	-
Cancer	12	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	3	-
Scrofula, Tabes Mesent.	17	5	2	-	-	-	7	3	1	2	-	1	2	1	-	-	-	-
Phthisis	75	-	1	-	-	-	1	1	1	12	10	19	11	11	7	1	1	-
Hydrocephalus	5	3	-	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	65	23	3	3	1	-	30	3	1	1	2	5	-	-	9	8	6	-
Heart Dis. and Dropsy	33	3	-	-	-	-	3	-	1	2	1	3	-	3	5	6	7	2
Dis. of Lungs	92	23	7	4	2	-	36	6	1	2	1	5	5	10	11	13	1	1
Dis. of Stom. and Liver	32	3	-	-	1	-	4	1	-	1	1	3	3	4	8	6	-	1
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	-	-	2	2	3	2	2	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	39	4	1	3	2	1	11	3	4	-	-	4	4	5	4	4	-	-
Other Causes	356	138	8	3	-	2	151	5	3	4	-	3	5	4	18	51	79	33
605.—RHAYADER.																		
Mean Popul^{n}, 1851-61	3494	-	-	-	-	-	521	448	414	341	284	408	342	292	223	145	64	12
TOTAL DEATHS	591	140	38	19	6	9	212	24	10	17	23	37	24	26	41	74	82	21
Small-pox	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Measles	8	2	2	3	-	1	8	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	11	-	3	3	-	3	9	1	-	-	1	-	-	-	-	-	-	-
Diphtheria	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	18	8	9	-	1	-	18	-	-	-	-	-	-	-	-	-	-	-
Typhus	30	-	2	2	2	2	8	3	1	4	2	3	1	3	1	4	-	-
Cholera, Diarrh., Dysent^{y}	11	1	-	-	-	-	1	1	-	-	-	-	-	-	2	4	3	-
Other Zymotic Dis.	19	3	2	1	1	-	7	1	-	-	1	-	1	2	-	1	4	2
Cancer	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
Scrofula, Tabes Mesent.	6	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-
Phthisis	68	-	-	-	-	-	-	2	2	7	10	18	10	9	7	3	-	-
Hydrocephalus	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	53	19	4	-	-	-	23	1	3	1	1	2	-	1	1	10	10	-
Heart Dis. and Dropsy	23	-	-	-	-	-	-	1	-	2	-	2	3	1	3	6	3	2
Dis. of Lungs	72	7	1	3	1	2	14	2	1	2	2	-	2	5	7	16	18	3
Dis. of Stom. and Liver	31	2	1	-	-	-	3	1	-	1	2	2	3	1	7	6	4	1
Dis. of Kidneys	13	-	-	-	-	-	-	1	-	-	-	-	-	1	1	6	3	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	18	-	-	2	1	-	3	4	1	-	1	5	1	-	1	2	-	-
Other Causes	199	95	13	5	-	1	114	3	2	-	1	4	2	3	9	14	35	12

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

603.—PRESTEIGNE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	7561	-	-	-	-	-	963	870	806	714	644	1043	829	640	518	352	160	22
TOTAL DEATHS	1443	229	49	31	14	23	346	58	37	45	61	88	87	102	129	193	211	86
Small-pox	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Measles	18	4	3	-	4	1	12	4	2	-	-	-	-	-	-	-	-	-
Scarlatina	26	3	-	3	1	3	10	7	3	3	1	1	-	1	-	-	-	-
Diphtheria	21	2	1	-	-	4	7	8	2	2	1	1	-	-	-	-	-	-
Whooping-cough	25	7	6	2	2	2	19	4	2	-	-	-	-	-	-	-	-	-
Typhus	55	3	1	4	-	4	12	4	7	6	5	6	2	2	4	4	3	-
Cholera,Diarrh.,Dysent^{y}	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis.	55	18	7	2	-	4	31	1	1	1	1	1	-	3	5	5	5	1
Cancer	35	-	-	-	-	-	-	-	-	-	-	-	4	12	9	8	2	-
Scrofula, Tabes Mesent.	14	2	1	2	-	-	5	1	2	1	-	-	-	2	2	-	1	-
Phthisis	185	3	2	-	-	-	5	2	11	20	35	47	24	23	10	7	-	1
Hydrocephalus	9	4	-	1	1	-	6	2	-	-	-	-	1	-	-	-	-	-
Diseases of Brain	154	73	8	3	1	1	86	2	2	2	-	1	3	9	3	19	20	1
Heart Dis. and Dropsy	158	-	1	-	-	-	1	6	3	3	2	4	16	14	38	38	30	3
Dis. of Lungs	149	28	13	5	3	2	51	6	1	4	4	4	9	12	12	31	13	2
Dis. of Stom. and Liver	53	5	-	1	-	-	6	2	-	1	4	1	7	10	9	9	4	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-
Diseases of the Skin	5	2	-	-	-	-	2	-	-	-	-	1	1	-	1	-	-	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	-	4	12	10	2	-	-	-	-
Violent Deaths	26	3	-	3	1	1	8	5	-	1	-	4	1	-	1	1	2	-
Other Causes	411	71	6	5	1	1	84	-	1	-	3	3	9	10	25	70	128	78

604.—KNIGHTON.

Mean Popul^{n}, 1851-61	4685	-	-	-	-	-	674	613	503	461	396	642	462	371	280	183	83	17
TOTAL DEATHS	789	136	40	22	13	8	219	37	26	23	34	54	40	49	65	100	103	39
Small-pox	4	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-
Measles	8	1	3	-	2	-	6	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	22	1	1	2	3	-	7	8	4	-	2	1	-	-	-	-	-	-
Diphtheria	8	-	2	2	1	2	7	-	-	-	-	-	1	-	-	-	-	-
Whooping-cough	19	8	6	-	1	-	15	3	1	-	-	-	-	-	-	-	-	-
Typhus	27	-	1	2	-	1	4	2	4	1	3	3	1	5	3	1	-	-
Cholera,Diarrh.,Dysent^{y}	6	1	-	-	-	-	1	1	-	-	-	-	1	-	1	2	-	-
Other Zymotic Dis.	18	3	1	2	1	2	9	4	1	-	1	-	1	1	-	1	-	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	4	4	6	-	-	-
Scrofula, Tabes Mesent.	18	9	2	-	-	-	11	2	1	1	1	1	1	-	-	-	-	-
Phthisis	91	-	-	-	-	-	-	3	2	16	20	25	14	8	3	-	-	-
Hydrocephalus	5	1	1	-	-	1	3	-	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	39	10	1	-	-	-	11	2	-	-	-	-	4	1	4	12	5	-
Heart Dis. and Dropsy	49	-	-	-	-	-	-	-	1	-	3	3	2	1	13	20	5	1
Dis. of Lungs	64	11	9	1	1	1	23	4	7	-	-	4	3	3	8	8	3	1
Dis. of Stom. and Liver	21	1	1	1	-	-	3	-	-	1	3	2	1	4	3	3	1	-
Dis. of Kidneys	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	-	-	7	5	1	-	-	-	-
Violent Deaths	14	2	1	2	2	-	7	2	1	-	-	2	1	-	1	-	-	-
Other Causes	344	88	11	10	2	1	112	3	3	2	-	5	1	18	22	52	89	37

605.—RHAYADER.

Mean Popul^{n}, 1851-61	3312	-	-	-	-	-	459	419	391	306	269	407	340	273	205	158	71	14
TOTAL DEATHS	622	96	34	14	22	13	179	29	23	25	22	39	22	23	46	67	101	46
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	4	1	1	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	19	1	3	4	3	1	12	5	1	-	-	-	-	-	-	1	-	-
Diphtheria	3	-	1	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough	22	8	5	2	5	-	20	2	-	-	-	-	-	-	-	-	-	-
Typhus	21	2	-	1	-	2	5	4	3	3	-	1	-	1	2	2	-	-
Cholera,Diarrh.,Dysent^{y}	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1
Other Zymotic Dis.	45	5	6	1	1	4	17	7	3	1	1	-	1	1	1	7	5	1
Cancer	15	-	-	-	-	-	-	-	-	-	1	-	1	1	5	4	3	-
Scrofula, Tabes Mesent.	3	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-
Phthisis	82	-	-	-	-	-	-	1	9	13	13	17	7	6	10	4	2	-
Hydrocephalus	4	1	1	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	48	11	3	3	1	-	18	1	-	2	-	3	1	2	1	8	11	1
Heart Dis. and Dropsy	32	-	-	-	1	-	1	-	-	1	2	2	5	1	5	4	10	1
Dis. of Lungs	48	4	1	1	1	1	8	2	1	-	1	4	2	1	8	11	9	1
Dis. of Stom. and Liver	36	1	-	-	-	1	2	1	1	3	2	4	1	5	6	6	5	-
Dis. of Kidneys	4	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Childbirth and Metria	7	-	-	-	-	-	-	-	-	1	-	3	2	1	-	-	-	-
Violent Deaths	8	-	-	1	2	1	4	-	3	-	-	1	-	-	-	-	-	-
Other Causes	210	61	11	1	5	1	79	4	2	-	2	4	1	4	6	15	54	39

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
606.—MACHYNLLETH.																		
Mean Popul^{n}, 1851-61	6053	-	-	-	-	-	744	739	656	604	522	765	656	526	424	279	120	18
TOTAL DEATHS	1240	197	42	39	16	22	316	53	44	52	61	81	61	74	96	178	167	57
Small-pox	3	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
Measles	25	10	2	5	3	1	21	3	-	-	-	1	-	-	-	-	-	-
Scarlatina	46	4	4	13	-	6	27	13	3	2	-	-	1	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	23	13	4	4	1	1	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	88	2	2	-	-	4	8	6	9	8	4	12	10	9	12	8	2	-
Cholera, Diarrh., Dysent^{y}	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	-
Other Zymotic Dis.	48	5	3	4	1	2	15	9	4	1	-	-	-	2	5	4	8	-
Cancer	24	-	-	-	1	-	1	-	-	-	1	-	1	2	8	9	2	-
Scrofula, Tabes Mesent.	19	1	1	-	-	-	2	1	-	1	4	4	1	3	-	3	-	-
Phthisis	228	2	2	2	2	1	9	6	17	28	35	41	21	19	21	27	4	-
Hydrocephalus	6	1	2	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	166	93	10	4	4	-	111	4	2	2	2	4	4	5	5	11	15	1
Heart Dis. and Dropsy	41	-	-	1	1	-	2	2	-	2	3	5	5	3	7	10	1	1
Dis. of Lungs	97	6	3	-	-	-	9	1	-	1	-	4	6	7	13	30	23	3
Dis. of Stom. and Liver	41	2	-	-	1	1	4	-	-	-	2	1	6	3	7	14	3	1
Dis. of Kidneys	15	-	-	-	-	-	-	-	-	1	-	1	-	1	2	4	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	7	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	-	-
Diseases of the Skin	8	-	-	-	-	-	-	-	1	1	1	-	-	1	-	3	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	44	-	2	3	-	4	9	2	4	2	5	4	2	5	3	6	2	-
Other Causes	303	56	7	3	2	2	70	4	3	3	3	4	3	11	10	43	99	50
607.—NEWTOWN.																		
Mean Popul^{n}, 1851-61	12214	-	-	-	-	-	1528	1487	1430	1317	1079	1569	1226	1046	814	497	195	26
TOTAL DEATHS	2549	524	152	63	39	49	827	104	82	105	113	166	129	152	213	323	251	84
Small-pox	10	4	-	1	-	1	6	1	-	-	1	2	-	-	-	-	-	-
Measles	38	11	10	5	5	4	35	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	55	11	4	4	7	6	32	17	4	-	2	-	-	-	-	-	-	-
Diphtheria	4	1	2	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-
Whooping-cough	49	18	19	6	3	3	49	-	-	-	-	-	-	-	-	-	-	-
Typhus	57	2	1	1	1	2	7	7	4	5	4	10	4	3	7	5	1	-
Cholera, Diarrh., Dysent^{y}	68	16	5	1	-	2	24	4	1	-	3	3	-	6	7	8	10	2
Other Zymotic Dis.	73	14	13	2	4	7	40	9	2	1	3	2	3	3	6	3	1	-
Cancer	27	-	1	-	-	-	1	1	-	1	-	2	2	1	7	8	2	2
Scrofula, Tabes Mesent.	48	3	2	3	2	1	11	4	8	6	4	5	3	1	3	3	-	-
Phthisis	388	6	6	10	3	5	30	11	21	57	64	72	47	44	23	17	2	-
Hydrocephalus	37	10	8	2	1	1	22	8	5	1	-	-	-	-	-	-	1	-
Diseases of Brain	404	188	33	13	6	7	247	14	5	7	8	15	19	13	23	34	16	3
Heart Dis. and Dropsy	105	-	-	1	-	-	1	2	7	4	5	7	5	16	15	26	14	3
Dis. of Lungs	352	48	23	4	4	2	81	10	5	9	5	16	18	23	51	77	52	5
Dis. of Stom. and Liver	130	8	3	-	1	3	15	3	5	2	4	11	17	17	22	29	5	-
Dis. of Kidneys	34	-	-	-	-	-	-	-	1	-	1	2	-	3	7	13	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	8	-	-	-	-	-	-	-	-	2	-	1	1	-	1	3	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	90	3	4	6	2	3	18	6	9	3	6	12	4	10	9	9	4	-
Other Causes	571	180	18	4	-	2	204	4	5	7	3	6	6	11	32	88	136	69
608.—MONTGOMERY.*																		
Mean Popul^{n}, 1851-61	10730	-	-	-	-	-	1304	1243	1146	1063	947	1490	1175	985	711	474	172	20
TOTAL DEATHS	2028	451	86	42	32	28	639	84	46	79	81	145	95	124	198	251	223	63
Small-pox	9	3	1	-	-	-	4	-	-	-	-	3	2	-	-	-	-	-
Measles	26	4	9	4	3	1	21	3	1	1	-	-	-	-	-	-	-	-
Scarlatina	22	2	2	2	3	3	12	8	1	1	-	-	-	-	-	-	-	-
Diphtheria	21	2	2	2	2	2	10	3	1	-	-	1	-	-	-	1	-	-
Whooping-cough	26	10	7	4	-	3	24	2	-	-	-	-	-	-	-	-	-	-
Typhus	59	2	1	1	1	1	6	6	6	4	6	10	4	3	5	5	3	1
Cholera, Diarrh., Dysent^{y}	28	5	2	1	-	-	8	1	1	1	-	1	2	2	3	5	-	4
Other Zymotic Dis.	63	10	7	4	2	2	25	8	-	3	1	4	5	1	8	5	3	-
Cancer	28	-	-	-	-	-	-	-	-	-	-	1	1	5	13	4	4	-
Scrofula, Tabes Mesent.	15	-	-	1	2	1	4	2	1	-	1	3	1	-	2	1	-	-
Phthisis	287	4	4	2	1	2	13	9	13	40	45	68	36	35	19	9	-	-
Hydrocephalus	17	8	1	2	-	2	13	1	1	-	1	-	1	-	-	-	-	-
Diseases of Brain	323	186	18	5	6	2	217	7	3	2	3	5	11	13	19	21	20	2
Heart Dis. and Dropsy	86	-	1	-	1	-	2	5	2	3	2	5	5	6	24	19	12	1
Dis. of Lungs	271	32	14	4	5	2	57	7	3	5	8	10	8	26	49	69	26	3
Dis. of Stom. and Liver	90	7	-	2	-	2	11	2	1	4	2	8	6	9	17	24	4	2
Dis. of Kidneys	25	-	-	-	-	-	-	1	-	-	-	2	2	1	8	7	4	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	121	7	7	5	4	4	27	9	10	11	9	16	9	12	10	5	3	-
Other Causes	507	169	10	3	2	1	185	5	2	4	3	7	1	10	21	76	143	50

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of this District.

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

606.—MACHYNLLETH.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	6202	-	-	-	-	-	704	691	624	593	541	844	674	544	450	343	169	25
TOTAL DEATHS	1289	157	57	28	22	12	276	63	46	46	44	87	103	81	112	171	193	67
Small-pox	9	2	-	-	1	1	4	-	1	-	1	1	1	1	-	-	-	-
Measles	21	3	5	4	2	-	14	6	1	-	-	-	-	-	-	-	-	-
Scarlatina	34	1	3	3	5	3	15	13	4	1	1	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough	20	4	5	4	5	1	19	1	-	-	-	-	-	-	-	-	-	-
Typhus	60	2	1	3	-	-	6	4	5	5	5	7	9	4	3	10	2	-
Cholera. Diarrh., Dysent^{y}	16	1	1	-	-	-	2	-	1	-	1	-	1	3	1	3	4	-
Other Zymotic Dis.	74	8	6	3	3	3	23	12	3	2	-	-	3	4	6	15	6	-
Cancer	34	-	-	-	-	-	-	-	-	-	-	2	3	8	7	10	4	-
Scrofula, Tabes Mesent.	17	-	-	-	-	-	-	1	3	1	-	2	3	1	3	2	1	-
Phthisis	246	1	2	-	-	1	4	11	13	23	18	49	40	23	30	21	9	-
Hydrocephalus	7	1	2	1	-	-	4	1	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	176	70	14	7	3	1	95	6	5	-	3	5	3	11	7	22	11	3
Heart Dis. and Dropsy	49	1	-	-	-	-	1	1	1	1	1	4	5	15	12	7	-	-
Dis. of Lungs	84	3	2	1	-	-	6	1	2	1	2	2	5	4	13	29	15	4
Dis. of Stom. and Liver	37	-	-	-	-	-	-	-	1	1	1	-	4	6	6	16	2	-
Dis. of Kidneys	5	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	1	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-
Diseases of the Skin	5	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-	2	-
Childbirth and Metria	33	-	-	-	-	-	-	-	-	-	4	11	17	1	-	-	-	-
Violent Deaths	14	-	3	1	-	2	6	1	-	-	-	1	-	1	2	-	2	1
Other Causes	338	60	12	1	3	-	76	4	3	4	6	2	4	8	17	28	127	59

607.—NEWTOWN.

Mean Popul^{n}, 1851-61	12206	-	-	-	-	-	1543	1432	1392	1257	1031	1566	1206	1062	820	574	274	49
TOTAL DEATHS	2603	386	119	86	57	34	682	130	89	124	134	202	172	126	207	313	298	126
Small-pox	11	1	2	-	2	-	5	2	2	1	-	-	1	-	-	-	-	-
Measles	29	11	4	1	4	-	20	6	1	1	1	-	-	-	-	-	-	-
Scarlatina	75	6	5	15	6	4	36	21	9	5	2	1	1	-	-	-	-	-
Diphtheria	4	-	1	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	65	26	19	3	6	3	57	8	-	-	-	-	-	-	-	-	-	-
Typhus	65	2	-	5	1	2	10	5	4	10	5	12	5	7	3	2	2	-
Cholera, Diarrh., Dysent^{y}	63	5	6	2	3	1	17	2	3	4	3	1	4	2	6	11	7	3
Other Zymotic Dis.	73	12	6	13	6	3	40	9	2	1	-	3	4	2	4	4	4	-
Cancer	52	-	-	-	-	1	1	-	-	-	-	2	7	7	15	14	5	1
Scrofula, Tabes Mesent.	28	2	1	2	1	1	7	2	4	6	3	2	2	2	-	-	-	-
Phthisis	477	4	6	5	4	1	20	27	30	71	75	115	69	35	18	10	5	2
Hydrocephalus	22	2	6	3	4	2	17	4	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	305	125	25	11	5	4	170	9	5	7	8	4	15	9	23	33	16	6
Heart Dis. and Dropsy	140	3	-	-	-	-	3	2	4	3	4	12	16	11	29	28	25	3
Dis. of Lungs	298	32	19	11	3	5	70	14	10	4	12	17	18	15	32	60	49	2
Dis. of Stom. and Liver	107	3	1	1	-	-	5	5	6	6	7	4	7	16	21	24	6	-
Dis. of Kidneys	13	-	-	1	-	-	1	1	-	-	-	2	3	2	1	3	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	1	-	-	-	2	3	2	-	-	-
Diseases of the Joints	6	-	-	-	-	1	1	-	2	-	-	-	1	-	-	2	-	-
Diseases of the Skin	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1
Childbirth and Metria	43	-	-	-	-	-	-	-	-	1	9	18	15	-	-	-	-	-
Violent Deaths	41	3	3	2	4	4	16	5	2	2	-	1	1	1	3	5	5	-
Other Causes	674	149	15	10	8	1	183	7	4	1	4	8	6	14	49	116	174	108

608.—MONTGOMERY.*

Mean Popul^{n}, 1851-61	10326	-	-	-	-	-	1303	1227	1148	983	862	1353	1097	900	712	511	191	34
TOTAL DEATHS	1906	349	100	36	29	19	533	92	48	68	87	152	114	95	140	236	249	92
Small-pox	8	3	1	-	-	-	4	-	-	1	-	2	1	-	-	-	-	-
Measles	15	2	5	2	1	1	11	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	34	4	1	7	6	-	18	7	5	2	-	1	1	-	-	-	-	-
Diphtheria	19	2	-	-	-	2	4	8	4	1	1	-	-	1	-	-	-	-
Whooping-cough	32	9	14	2	2	1	28	4	-	-	-	-	-	-	-	-	-	-
Typhus	63	3	4	1	1	1	10	10	3	8	3	4	8	4	2	6	5	-
Cholera, Diarrh., Dysent^{y}	24	4	1	-	-	-	5	2	-	-	-	1	2	-	2	5	6	1
Other Zymotic Dis.	66	9	7	3	2	4	25	5	1	2	1	-	4	2	9	13	3	1
Cancer	39	-	-	-	-	-	-	-	-	-	-	3	2	8	13	8	3	2
Scrofula, Tabes Mesent.	12	1	1	-	-	-	2	3	-	2	-	2	1	2	-	-	-	-
Phthisis	275	4	1	-	1	-	6	11	20	37	47	81	35	17	10	10	1	-
Hydrocephalus	12	3	6	-	-	-	9	3	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	278	130	27	6	4	4	171	9	4	3	8	7	5	8	13	21	20	4
Heart Dis. and Dropsy	120	-	-	-	-	-	-	2	3	1	7	10	14	12	20	31	19	1
Dis. of Lungs	192	24	18	7	6	-	55	12	4	1	3	3	6	14	28	41	17	3
Dis. of Stom. and Liver	104	8	4	1	-	1	14	1	-	5	-	4	15	12	17	29	7	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	2	2	-	3	2	1	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
Diseases of the Joints	5	1	-	-	-	-	1	-	-	-	2	-	-	-	1	-	1	-
Diseases of the Skin	5	-	1	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	43	-	-	-	-	-	-	-	-	1	9	20	13	-	-	-	-	-
Violent Deaths	37	7	-	3	5	2	17	5	4	2	-	-	-	1	1	3	3	1
Other Causes	519	135	9	4	1	2	151	6	-	2	3	7	7	9	16	67	163	79

* The Mean Population, 1851-61, has been corrected on account of a change in the limits of this District.

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
609.—LLANFYLLIN.*																		
Mean Popul^{n}, 1851-61	9717	-	-	-	-	-	1194	1154	1093	1036	780	1231	969	843	746	465	180	26
TOTAL DEATHS	1993	344	77	48	34	18	521	88	67	70	103	118	93	97	191	295	267	83
Small-pox	8	-	-	-	-	-	-	2	2	1	-	1	1	-	-	1	-	-
Measles	5	1	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	-
Scarlatina	64	6	10	8	8	1	33	19	5	5	2	-	-	-	-	-	-	-
Diphtheria	7	2	1	-	-	1	4	1	1	-	1	-	-	-	-	-	-	-
Whooping-cough	26	16	6	1	-	1	24	2	-	-	-	-	-	-	-	-	-	-
Typhus	66	2	-	1	3	-	6	7	11	4	3	9	4	3	12	5	2	-
Cholera, Diarrh., Dysent^{y}	12	3	2	-	-	-	5	-	1	-	-	1	-	1	2	1	1	-
Other Zymotic Dis.	66	10	5	7	6	2	30	5	2	1	3	2	-	3	5	10	5	-
Cancer	21	-	-	-	-	-	-	-	-	-	-	-	2	3	10	3	3	-
Scrofula, Tabes Mesent.	26	1	2	-	-	1	4	1	1	4	6	5	-	2	1	1	-	1
Phthisis	302	4	2	4	2	1	13	14	20	29	56	58	44	34	24	10	-	-
Hydrocephalus	7	-	1	-	-	1	2	4	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	231	160	20	8	4	5	197	8	4	6	2	2	7	3	10	22	20	-
Heart Dis. and Dropsy	52	1	-	1	-	-	2	3	3	1	3	4	4	3	9	12	8	-
Dis. of Lungs	178	17	10	6	3	1	37	3	3	4	3	10	8	11	33	47	19	-
Dis. of Stom. and Liver	52	2	1	-	2	1	6	3	1	2	1	1	6	5	16	9	2	-
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	-	-	1	1	-	1	5	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	81	3	7	2	-	-	12	6	8	5	10	7	7	7	8	11	-	-
Other Causes	727	119	14	5	4	3	145	7	4	7	11	17	8	22	60	158	206	82
610.—HOLYWELL.																		
Mean Popul^{n}, 1851-61	20392	-	-	-	-	-	2694	2589	2443	2129	1650	2684	2241	1798	1276	624	235	29
TOTAL DEATHS	4298	900	275	156	117	87	1535	261	112	135	188	240	251	323	406	434	307	106
Small-pox	35	7	5	5	3	4	24	4	1	1	3	1	1	-	-	-	-	-
Measles	42	3	18	7	6	3	37	3	2	-	-	-	-	-	-	-	-	-
Scarlatina	287	21	37	44	37	30	169	93	15	7	2	-	1	-	-	-	-	-
Diphtheria	9	-	2	-	1	1	4	3	1	-	1	-	-	-	-	-	-	-
Whooping-cough	84	39	18	12	5	2	76	8	-	-	-	-	-	-	-	-	-	-
Typhus	152	2	1	2	7	5	17	21	14	15	16	22	17	15	7	7	1	-
Cholera, Diarrh., Dysent^{y}	40	8	6	-	2	-	16	5	4	1	1	-	2	-	5	4	2	-
Other Zymotic Dis.	109	10	12	7	11	11	51	20	5	2	3	2	5	5	4	8	3	1
Cancer	40	-	-	1	-	-	1	-	-	-	-	2	4	11	8	11	3	-
Scrofula, Tabes Mesent.	30	1	3	2	2	-	8	2	3	2	3	3	4	1	4	-	-	-
Phthisis	648	3	5	1	4	5	18	15	18	62	102	118	104	102	69	37	3	-
Hydrocephalus	34	12	6	1	-	-	19	10	4	-	-	1	-	-	-	-	-	-
Diseases of Brain	856	504	90	33	14	8	649	13	8	3	6	10	7	17	35	46	34	8
Heart Dis. and Dropsy	167	3	1	1	-	-	5	8	3	3	4	5	12	28	44	41	12	2
Dis. of Lungs	521	43	24	10	13	4	94	12	5	1	7	12	28	61	119	127	54	1
Dis. of Stom. and Liver	134	5	2	1	1	-	9	3	-	1	6	9	18	29	27	23	9	-
Dis. of Kidneys	25	-	-	-	-	-	-	-	-	-	1	2	3	-	5	12	1	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	10	-	-	-	-	1	1	1	-	2	4	1	1	-	-	-	-	-
Diseases of the Skin	11	2	-	-	-	-	2	-	-	1	2	-	-	-	3	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	263	3	5	10	5	9	32	18	21	30	23	41	26	27	24	15	5	1
Other Causes	821	234	40	19	6	4	303	22	8	4	4	11	18	27	52	101	179	92
611.—WREXHAM.*																		
Mean Popul^{n}, 1851-61	22432	-	-	-	-	-	2936	2650	2568	2296	2058	3298	2478	1902	1310	660	243	33
TOTAL DEATHS	5096	1368	349	159	120	73	2069	199	134	175	216	324	260	325	447	455	393	99
Small-pox	23	2	4	4	5	-	15	2	1	1	2	2	-	-	-	-	-	-
Measles	73	9	30	6	9	8	62	10	1	-	-	-	-	-	-	-	-	-
Scarlatina	221	21	24	36	27	25	133	63	13	7	2	3	-	-	-	-	-	-
Diphtheria	15	2	3	4	1	-	10	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	69	26	18	13	5	4	66	3	-	-	-	-	-	-	-	-	-	-
Typhus	229	5	10	11	6	2	34	25	25	25	16	25	21	18	19	18	5	1
Cholera, Diarrh., Dysent^{y}	110	41	12	1	-	-	54	-	1	1	3	4	8	7	10	17	5	-
Other Zymotic Dis.	159	29	18	16	13	9	85	14	2	1	6	8	6	10	12	10	5	-
Cancer	40	-	-	-	-	1	1	-	-	-	-	3	1	10	11	9	4	1
Scrofula, Tabes Mesent.	74	20	11	2	1	-	34	4	5	7	7	11	1	2	2	1	-	-
Phthisis	542	21	21	9	3	2	56	14	20	57	86	115	75	65	37	17	-	-
Hydrocephalus	59	29	17	3	2	1	52	6	-	1	-	-	-	-	-	-	-	-
Diseases of Brain	1130	800	79	19	11	9	918	12	6	8	8	16	15	23	39	49	33	3
Heart Dis. and Dropsy	190	3	3	-	2	-	8	3	2	5	6	10	14	33	47	39	21	2
Dis. of Lungs	721	130	55	16	11	5	217	14	7	7	11	27	38	69	124	132	70	5
Dis. of Stom. and Liver	242	26	3	1	3	-	33	8	6	7	8	15	24	32	54	35	19	1
Dis. of Kidneys	39	-	-	-	-	1	1	-	-	-	1	6	1	2	5	14	8	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Diseases of the Joints	12	1	-	1	-	-	2	-	1	1	1	3	-	1	1	1	1	-
Diseases of the Skin	16	6	1	-	-	-	7	-	-	1	-	-	1	3	-	2	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	363	5	8	9	16	3	41	10	40	39	48	63	42	23	21	23	9	1
Other Causes	767	192	32	8	5	3	240	8	2	7	11	13	13	23	61	91	212	83

* The Mean Population, 1851-61, has been corrected on account of changes in the limits of these Districts.

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
609.—LLANFYLLIN.*																		
Mean Popul^{n}, 1851-61	9585	-	-	-	-	-	1192	1180	1061	957	786	1164	982	856	693	462	218	34
TOTAL DEATHS	1902	265	67	49	28	20	429	85	65	76	75	142	103	137	151	235	297	108
Small-pox	5	1	-	1	-	-	2	-	-	1	1	1	-	-	-	-	-	-
Measles	4	1	1	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	51	3	7	4	6	5	25	14	6	2	1	-	2	-	-	1	-	-
Diphtheria	10	-	-	2	-	1	3	4	2	1	-	-	-	-	-	-	-	-
Whooping-cough	29	12	7	3	-	2	24	3	2	-	-	-	-	-	-	-	-	-
Typhus	69	-	1	2	3	1	7	7	11	8	7	10	5	9	-	3	2	-
Cholera, Diarrh., Dysent^{y}	11	-	-	1	-	-	1	2	-	1	-	-	1	-	2	4	-	-
Other Zymotic Dis.	66	4	3	7	2	4	20	6	2	1	2	5	3	2	8	12	5	-
Cancer	33	-	-	-	-	-	-	-	-	1	-	1	3	9	10	4	5	-
Scrofula, Tabes Mesent.	23	4	-	1	-	-	5	2	2	1	5	2	1	4	1	-	-	-
Phthisis	321	2	2	4	4	2	14	13	30	44	40	73	42	40	18	7	-	-
Hydrocephalus	3	-	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	242	120	21	5	4	1	151	8	3	2	2	2	5	13	13	22	19	3
Heart Dis. and Dropsy	90	-	-	-	1	-	1	2	-	4	3	9	10	11	22	19	9	-
Dis. of Lungs	107	13	9	4	2	1	29	4	-	1	3	10	4	11	15	18	9	3
Dis. of Stom. and Liver	33	2	-	-	-	-	2	1	1	-	-	2	2	9	10	4	2	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Diseases of the Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	4	8	5	1	-	-	-	-
Violent Deaths	30	1	1	-	3	1	6	11	1	2	-	1	1	1	-	1	6	-
Other Causes	750	101	14	14	2	1	132	7	5	7	7	16	18	25	52	138	240	103
610.—HOLYWELL.																		
Mean Popul^{n}, 1851-61	20102	-	-	-	-	-	2623	2501	2275	1770	1554	2654	2180	1806	1426	831	397	85
TOTAL DEATHS	4105	678	249	157	124	101	1309	218	105	130	136	279	252	222	326	461	444	223
Small-pox	34	6	8	2	3	3	22	7	1	2	-	2	-	-	-	-	-	-
Measles	49	5	13	8	9	6	41	8	-	-	-	-	-	-	-	-	-	-
Scarlatina	230	13	26	30	45	22	136	68	18	5	2	1	-	-	-	-	-	-
Diphtheria	7	-	-	-	1	-	1	4	1	1	-	-	-	-	-	-	-	-
Whooping-cough	104	27	29	20	12	7	95	8	1	-	-	-	-	-	-	-	-	-
Typhus	132	1	4	5	5	4	19	8	15	16	8	17	15	13	9	9	2	1
Cholera, Diarrh., Dysent^{y}	45	4	4	3	-	2	13	3	2	-	1	1	2	4	5	6	7	1
Other Zymotic Dis.	90	5	13	14	6	9	45	12	5	3	2	5	5	-	5	5	2	1
Cancer	64	-	-	-	-	-	-	-	-	-	-	2	4	23	18	16	1	-
Scrofula, Tabes Mesent.	23	-	4	3	-	1	8	-	6	3	-	1	3	1	1	-	-	-
Phthisis	622	4	4	3	1	-	12	19	22	74	88	147	101	70	53	29	7	-
Hydrocephalus	32	11	9	4	1	1	26	3	2	1	-	-	-	-	-	-	-	-
Diseases of Brain	791	398	69	33	11	16	527	21	7	7	5	15	8	21	33	71	60	16
Heart Dis. and Dropsy	255	2	2	-	-	-	4	4	8	7	2	16	24	29	49	62	40	10
Dis. of Lungs	305	20	14	9	8	10	61	10	3	3	5	7	12	27	35	77	42	2
Dis. of Stom. and Liver	124	1	-	-	1	1	3	1	2	1	6	10	15	10	35	36	5	-
Dis. of Kidneys	11	-	-	-	-	-	-	1	1	1	-	2	-	3	1	2	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-
Diseases of the Joints	7	-	-	-	-	-	-	1	1	1	1	1	2	-	-	-	-	-
Diseases of the Skin	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	82	-	-	-	-	-	-	-	-	-	9	37	34	2	-	-	-	-
Violent Deaths	70	2	7	6	8	8	31	17	2	1	1	2	3	-	4	2	4	3
Other Causes	1020	181	43	16	13	11	264	23	8	4	6	12	23	17	55	145	274	189
611.—WREXHAM.*																		
Mean Popul^{n}, 1851-61	21595	-	-	-	-	-	2901	2602	2396	1938	1894	3110	2373	1859	1307	812	349	54
TOTAL DEATHS	4761	1017	330	174	112	94	1727	198	121	160	201	329	314	279	338	457	474	163
Small-pox	14	5	2	1	2	-	10	1	2	-	1	-	-	-	-	-	-	-
Measles	67	8	25	12	5	5	55	8	2	1	-	1	-	-	-	-	-	-
Scarlatina	246	15	38	41	30	31	155	53	22	8	1	5	1	-	1	-	-	-
Diphtheria	11	-	3	1	1	3	8	1	-	-	-	1	1	-	-	-	-	-
Whooping-cough	68	32	16	9	5	3	65	3	-	-	-	-	-	-	-	-	-	-
Typhus	240	8	10	5	4	9	36	25	22	23	22	33	24	14	12	24	5	-
Cholera, Diarrh., Dysent^{y}	108	20	10	6	-	-	36	2	2	2	1	6	8	14	3	13	18	3
Other Zymotic Dis.	114	15	24	9	9	7	64	11	4	1	2	2	5	6	6	9	4	-
Cancer	67	1	-	-	-	-	1	-	-	-	1	1	10	13	17	16	8	-
Scrofula, Tabes Mesent.	35	12	7	2	2	1	24	2	-	2	1	2	-	1	2	1	-	-
Phthisis	633	13	9	12	7	2	43	20	28	76	88	149	111	64	42	21	-	-
Hydrocephalus	26	11	5	3	3	-	22	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	1037	617	89	29	21	14	770	21	14	9	12	15	17	26	42	60	42	9
Heart Dis. and Dropsy	249	3	1	1	1	3	9	2	2	6	13	24	17	21	49	67	34	5
Dis. of Lungs	517	78	61	23	7	7	176	16	3	6	12	22	32	30	67	84	58	11
Dis. of Stom. and Liver	214	14	3	3	3	-	23	1	1	7	12	19	23	38	47	29	13	1
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	1	-	4	2	1	3	2	-	-
Dis. of Gener. Organs	19	-	-	-	-	-	-	-	-	-	1	1	4	7	2	3	-	1
Diseases of the Joints	4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-
Diseases of the Skin	10	2	-	-	-	-	2	-	1	-	-	-	1	1	-	3	2	-
Childbirth and Metria	105	-	-	-	-	-	-	-	-	4	19	35	42	6	-	-	-	-
Violent Deaths	100	2	6	9	7	7	31	21	11	7	4	3	-	8	3	3	7	-
Other Causes	863	160	21	8	5	2	196	7	7	7	11	15	16	29	41	118	283	133

* The Mean Population, 1851-61, has been corrected on account of changes in the limits of these Districts.

Mean Population, 1851–61, and **Deaths** in **Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
612.—RUTHIN.																		
Mean Popul^{n}, 1851-61	8270	-	-	-	-	-	1015	941	927	872	661	1095	872	730	599	383	158	17
TOTAL DEATHS	1578	277	68	38	22	27	432	78	32	51	60	110	92	78	143	230	213	59
Small-pox	18	8	-	-	-	1	9	2	-	1	2	4	-	-	-	-	-	-
Measles	20	6	4	5	-	-	15	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	45	1	7	3	4	8	23	11	4	5	-	2	-	-	-	-	-	-
Diphtheria	5	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-
Whooping-cough	20	10	5	1	3	1	20	-	-	-	-	-	-	-	-	-	-	-
Typhus	73	2	3	2	1	2	10	10	4	8	3	8	4	7	5	12	1	1
Cholera, Diarrh., Dysent^{y}	4	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-
Other Zymotic Dis.	59	3	3	3	6	5	20	9	3	1	1	4	5	3	3	3	6	1
Cancer	26	-	-	-	-	-	-	-	-	-	-	-	3	4	8	9	2	-
Scrofula, Tabes Mesent.	18	1	1	-	-	-	2	1	3	2	1	3	1	-	3	2	-	-
Phthisis	225	2	1	2	-	-	5	11	7	24	37	51	34	22	17	15	2	-
Hydrocephalus	16	5	5	-	-	-	10	5	-	-	-	-	-	-	1	-	-	-
Diseases of Brain	329	189	24	9	3	5	230	9	2	-	3	4	11	8	17	21	20	4
Heart Dis. and Dropsy	106	-	-	-	-	-	-	1	1	3	1	9	6	10	23	34	18	-
Dis. of Lungs	130	4	6	2	1	3	16	2	2	1	2	6	2	6	25	39	25	4
Dis. of Stom. and Liver	67	4	-	1	1	-	6	2	1	1	2	6	10	5	12	17	5	-
Dis. of Kidneys	34	-	-	-	-	-	-	1	1	-	2	3	1	1	5	14	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	9	-	-	-	-	-	-	-	1	-	1	2	-	1	4	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	45	2	-	5	3	1	11	3	2	-	3	3	6	4	1	9	3	-
Other Causes	327	39	9	5	-	1	54	3	1	3	2	5	9	6	17	55	123	49
613.—ST. ASAPH.																		
Mean Popul^{n}, 1851-61	13036	-	-	-	-	-	1650	1494	1506	1287	1016	1770	1480	1149	919	531	206	28
TOTAL DEATHS	2839	547	146	90	56	44	883	141	70	96	139	196	191	173	265	333	261	91
Small-pox	27	9	4	1	-	-	14	1	1	4	2	4	1	-	-	-	-	-
Measles	36	9	7	6	3	3	28	5	1	1	-	1	-	-	-	-	-	-
Scarlatina	143	10	15	20	16	17	78	49	7	4	2	2	-	-	1	-	-	-
Diphtheria	7	-	-	1	-	1	2	2	2	-	-	-	1	-	-	-	-	-
Whooping-cough	37	16	9	6	2	2	35	2	-	-	-	-	-	-	-	-	-	-
Typhus	108	2	3	5	2	5	17	13	13	9	16	12	9	6	5	6	2	-
Cholera, Diarrh., Dysent^{y}	23	2	1	-	-	-	3	1	-	1	-	1	2	2	5	5	3	-
Other Zymotic Dis.	68	7	4	8	6	2	27	3	-	1	3	4	2	4	7	7	8	2
Cancer	30	-	-	-	-	-	-	-	-	-	-	1	2	5	7	10	4	1
Scrofula, Tabes Mesent.	23	3	2	1	-	1	7	3	2	2	-	3	3	1	-	2	-	-
Phthisis	392	3	4	2	-	1	10	7	13	37	65	85	50	44	42	28	10	1
Hydrocephalus	16	3	7	2	2	-	14	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	721	354	59	26	8	6	453	28	7	9	6	13	32	31	33	57	44	8
Heart Dis. and Dropsy	172	2	-	1	-	-	3	-	8	5	5	15	11	16	36	46	26	1
Dis. of Lungs	302	25	9	6	8	1	49	7	-	10	18	19	20	25	52	64	32	6
Dis. of Stom. and Liver	128	2	5	-	-	2	9	4	2	1	2	8	16	16	29	32	7	2
Dis. of Kidneys	37	-	1	-	-	-	1	2	1	-	1	4	6	5	3	10	4	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Joints	13	-	-	-	1	-	1	-	2	-	1	2	-	2	3	2	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	122	2	4	4	4	2	16	6	9	9	11	16	25	13	12	4	1	-
Other Causes	432	98	12	1	4	1	116	6	2	3	7	6	11	3	30	59	120	69
614.—LLANRWST.																		
Mean Popul^{n}, 1851-61	6284	-	-	-	-	-	820	758	736	640	490	760	679	582	417	258	125	19
TOTAL DEATHS	1172	215	43	26	31	15	330	65	27	47	51	79	68	84	78	134	144	65
Small-pox	11	-	1	-	-	-	1	-	-	-	3	2	3	2	-	-	-	-
Measles	16	3	6	-	5	-	14	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	64	4	5	11	7	1	28	24	8	1	-	2	1	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	14	7	2	2	1	1	13	1	-	-	-	-	-	-	-	-	-	-
Typhus	67	1	1	-	-	3	5	6	3	9	11	5	7	9	6	5	1	-
Cholera, Diarrh., Dysent^{y}	5	1	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	-
Other Zymotic Dis.	43	3	2	4	3	1	18	5	-	-	-	1	4	4	1	9	6	-
Cancer	24	-	-	-	-	-	-	-	-	-	-	-	1	1	5	11	6	-
Scrofula, Tabes Mesent.	15	1	-	-	-	-	1	3	1	1	1	3	1	3	1	-	-	-
Phthisis	164	3	1	-	-	-	4	1	6	19	21	44	29	15	13	9	3	-
Hydrocephalus	12	3	2	-	2	1	8	4	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	247	149	13	3	5	1	171	6	2	4	3	6	6	11	7	10	15	6
Heart Dis. and Dropsy	55	-	-	-	-	-	-	1	2	1	-	2	1	10	10	18	9	1
Dis. of Lungs	63	4	3	-	-	-	7	-	-	-	1	3	2	5	10	11	17	7
Dis. of Stom. and Liver	42	-	-	2	-	1	3	-	-	3	-	1	3	7	4	17	3	1
Dis. of Kidneys	20	1	-	-	-	-	1	-	-	-	-	1	-	-	3	3	10	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	36	-	-	2	4	2	8	-	2	4	6	3	3	4	3	3	-	-
Other Causes	270	35	7	2	4	4	52	13	2	4	5	4	6	11	14	38	73	48

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

612.—RUTHIN.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	8198	-	-	-	-	-	992	962	892	759	669	1057	866	733	602	404	221	36
TOTAL DEATHS	1613	192	59	42	35	26	354	77	51	69	62	100	112	106	129	190	245	118
Small-pox	13	1	1	1	-	-	3	3	1	2	-	2	2	-	-	-	-	-
Measles	18	4	4	1	1	-	10	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	61	1	6	8	8	6	29	19	7	1	3	-	1	-	1	-	-	-
Diphtheria	8	1	2	1	2	-	6	-	1	-	-	-	-	1	-	-	-	-
Whooping-cough	19	10	4	3	1	1	19	-	-	-	-	-	-	-	-	-	-	-
Typhus	64	-	1	2	1	2	6	5	4	4	6	8	10	10	4	5	2	-
Cholera, Diarrh., Dysent^{y}	9	-	1	-	1	-	2	-	-	1	-	1	-	1	1	2	1	-
Other Zymotic Dis.	66	6	2	4	2	4	18	14	3	4	1	2	4	2	4	9	4	1
Cancer	34	-	-	-	-	-	-	-	-	-	-	-	6	8	7	8	5	-
Scrofula, Tabes Mesent.	11	-	-	-	-	2	2	2	4	1	-	1	1	-	-	-	-	-
Phthisis	268	3	4	1	4	1	13	13	10	33	30	57	36	36	19	15	6	-
Hydrocephalus	13	3	1	2	4	1	11	-	1	-	-	1	-	-	-	-	-	-
Diseases of Brain	291	135	25	10	9	4	183	5	6	3	2	5	6	7	16	21	28	9
Heart Dis. and Dropsy	139	-	1	-	-	-	1	1	4	7	2	8	10	12	29	36	28	1
Dis. of Lungs	74	5	-	3	-	-	8	5	-	3	2	1	3	3	13	20	9	7
Dis. of Stom. and Liver	62	1	2	-	-	1	4	-	2	4	7	1	6	11	7	11	8	1
Dis. of Kidneys	10	-	-	-	-	-	-	-	1	1	-	-	2	-	4	2	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	1	-
Diseases of the Joints	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Childbirth and Metria	32	-	-	4	2	2	9	5	1	1	4	10	13	4	-	-	-	-
Violent Deaths	26	1	5	2	-	2	30	2	5	2	4	2	7	7	23	59	148	99
Other Causes	388	21																

613.—ST. ASAPH.

Mean Popul^{n}, 1851-61	13367	-	-	-	-	-	1601	1501	1388	1284	1142	1886	1502	1205	944	594	273	47
TOTAL DEATHS	2720	380	132	89	64	60	725	139	67	100	115	202	194	197	239	300	301	141
Small-pox	19	4	3	3	2	1	13	4	-	2	-	-	-	-	-	-	-	-
Measles	30	5	11	3	-	5	24	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	153	8	24	23	17	20	92	42	10	5	2	2	-	-	-	-	-	-
Diphtheria	11	-	-	1	1	1	3	4	4	-	-	-	-	-	-	-	-	-
Whooping-cough	44	12	16	4	9	2	43	1	-	-	-	-	-	-	-	-	-	-
Typhus	115	1	3	4	4	6	18	16	11	15	10	16	4	10	9	3	2	1
Cholera, Diarrh., Dysent^{y}	18	-	-	-	-	-	-	1	1	2	1	1	3	1	-	5	1	2
Other Zymotic Dis.	64	4	3	4	1	3	15	6	2	3	3	3	8	3	4	5	9	3
Cancer	54	-	-	-	-	-	-	-	-	-	1	1	6	11	15	13	6	1
Scrofula, Tabes Mesent.	20	1	4	1	1	2	9	-	-	-	2	4	2	1	-	2	-	-
Phthisis	419	-	1	4	2	2	9	11	19	37	51	92	65	52	36	28	15	4
Hydrocephalus	12	7	-	1	1	-	9	1	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	597	258	52	26	18	11	360	29	7	7	4	14	18	32	31	50	34	11
Heart Dis. and Dropsy	192	-	-	-	-	-	-	1	2	4	10	13	21	30	30	51	25	5
Dis. of Lungs	254	17	4	4	6	1	32	7	4	18	20	20	18	21	44	40	26	4
Dis. of Stom. and Liver	92	3	2	-	1	-	6	1	3	2	2	13	17	9	20	14	4	1
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	1	-	2	-	3	2	-	-	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	3	4	3	-	-	-	-
Diseases of the Joints	10	-	-	1	-	-	1	1	-	1	1	1	3	1	-	1	-	-
Diseases of the Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	33	-	-	-	-	-	-	-	-	-	3	12	17	1	-	-	-	-
Violent Deaths	29	1	1	2	4	4	12	2	2	3	-	-	1	3	-	2	4	-
Other Causes	534	59	8	8	2	2	79	6	1	-	4	5	7	16	47	86	174	109

614.—LLANRWST.

Mean Popul^{n}, 1851-61	6340	-	-	-	-	-	773	759	700	629	526	829	685	560	412	286	151	30
TOTAL DEATHS	1209	187	51	29	25	27	319	53	49	43	36	88	81	69	91	135	160	85
Small-pox	4	-	1	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-
Measles	14	1	7	1	1	2	12	1	-	-	-	-	-	1	-	-	-	-
Scarlatina	69	1	6	4	11	9	31	17	12	3	3	2	1	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	20	6	7	3	1	2	19	1	-	-	-	-	-	-	-	-	-	-
Typhus	72	1	1	-	-	-	2	9	8	9	5	8	11	7	5	4	4	-
Cholera, Diarrh., Dysent^{y}	6	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	1	-
Other Zymotic Dis.	34	3	2	7	1	2	15	6	1	1	-	-	1	-	4	3	3	-
Cancer	31	-	-	-	-	1	1	-	-	-	1	1	3	6	4	7	7	1
Scrofula, Tabes Mesent.	7	-	-	-	-	-	-	-	1	1	-	1	-	-	-	2	2	-
Phthisis	201	1	3	1	-	1	6	4	13	17	12	44	32	25	21	21	3	-
Hydrocephalus	12	1	-	4	2	3	10	2	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	220	126	13	3	5	2	149	7	1	2	4	4	3	6	13	19	15	6
Heart Dis. and Dropsy	71	-	-	1	-	-	1	-	1	3	-	10	4	8	14	19	11	-
Dis. of Lungs	43	3	1	-	-	-	4	-	2	1	2	-	3	1	5	10	15	2
Dis. of Stom. and Liver	34	2	-	-	-	-	2	-	1	1	1	3	6	5	8	5	2	-
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	3	3	6	9	1	-	-	-	-
Violent Deaths	8	-	-	1	3	1	5	-	-	-	-	-	-	1	-	2	-	-
Other Causes	325	42	10	4	1	4	61	6	6	2	4	9	6	8	14	40	91	75

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

615.—CORWEN.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	7988	-	-	-	-	-	1034	974	867	787	652	1057	865	702	539	329	155	27
TOTAL DEATHS	1488	244	63	40	44	27	418	67	43	65	58	106	86	94	123	174	190	64
Small-pox	25	2	2	2	1	2	9	3	-	3	2	4	4	-	-	-	-	-
Measles	10	1	5	-	-	3	9	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	76	8	4	12	14	8	46	21	6	1	-	1	-	-	-	1	-	-
Diphtheria	7	-	-	-	1	-	1	2	3	-	1	-	-	-	-	-	-	-
Whooping-cough	33	14	12	1	1	3	31	2	-	-	-	-	-	-	-	-	-	-
Typhus	50	-	1	1	-	3	5	3	8	5	4	6	5	6	1	5	2	-
Cholera, Diarrh., Dysent^{y}	14	4	-	-	-	-	4	-	-	-	-	1	-	-	3	4	2	-
Other Zymotic Dis.	67	8	6	10	10	2	36	8	3	2	3	-	-	8	5	-	2	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	1	2
Scrofula, Tabes Mesent.	16	-	4	-	-	-	4	2	1	2	-	2	3	-	1	1	-	-
Phthisis	221	-	-	1	1	-	2	7	11	32	32	58	42	23	8	4	2	-
Hydrocephalus	5	1	-	1	-	-	2	1	1	1	-	-	-	-	-	-	-	-
Diseases of Brain	235	119	13	6	5	1	144	7	2	2	1	6	5	7	12	25	20	4
Heart Dis. and Dropsy	49	1	-	-	-	-	1	-	1	2	1	4	1	8	12	11	8	-
Dis. of Lungs	168	10	7	3	4	2	26	3	1	3	5	4	11	9	25	45	34	2
Dis. of Stom. and Liver	67	1	1	-	-	-	2	1	2	2	1	4	3	14	21	11	6	-
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	-	-	2	1	3	-	5	5	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	52	2	1	2	3	1	9	1	1	8	5	10	2	3	5	4	4	-
Other Causes	358	73	7	1	4	2	87	5	2	1	2	4	9	9	28	53	104	54

616.—BALA.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	3291	-	-	-	-	-	384	369	369	357	281	407	334	309	233	161	73	14
TOTAL DEATHS	602	79	17	12	8	2	118	27	17	16	29	41	29	45	53	90	92	45
Small-pox	3	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
Measles	3	-	1	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	9	1	1	2	-	-	4	3	-	1	1	-	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Whooping-cough	6	2	2	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-
Typhus	24	2	-	1	-	-	3	1	-	1	7	2	2	1	4	3	-	-
Cholera, Diarrh., Dysent^{y}	14	1	-	-	-	-	1	-	-	-	-	-	2	2	3	4	1	1
Other Zymotic Dis.	18	3	-	1	1	-	5	6	1	1	-	-	2	-	3	-	-	-
Cancer	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-
Scrofula, Tabes Mesent.	8	-	1	-	-	-	1	-	3	-	1	3	-	-	-	-	-	-
Phthisis	71	-	-	1	-	-	1	6	6	5	12	20	4	10	4	3	-	-
Hydrocephalus	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	82	39	5	2	3	1	50	3	2	2	3	2	2	2	8	6	2	-
Heart Dis. and Dropsy	33	-	-	-	-	-	-	-	-	1	1	-	4	4	5	13	5	-
Dis. of Lungs	63	3	1	1	-	-	5	1	2	3	2	3	4	6	7	17	11	2
Dis. of Stom. and Liver	40	1	1	-	1	-	3	-	-	-	1	3	4	9	7	8	5	-
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	-	-	4	-	2	1	4	4	3
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	13	-	-	1	-	-	1	2	1	1	-	1	3	1	1	1	1	-
Other Causes	187	27	4	-	3	1	35	2	2	1	-	3	1	8	8	26	62	39

617.—DOLGELLY.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	6072	-	-	-	-	-	764	779	675	604	414	677	648	577	456	307	148	23
TOTAL DEATHS	1140	154	40	21	18	9	242	34	36	45	67	68	75	76	122	143	159	73
Small-pox	4	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-
Measles	5	1	-	-	-	2	3	-	-	1	1	-	-	-	-	-	-	-
Scarlatina	24	6	5	-	1	-	12	7	1	1	1	-	1	1	-	-	-	-
Diphtheria	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	25	10	5	3	3	1	22	1	2	-	-	-	-	-	-	-	-	-
Typhus	78	-	1	-	2	-	3	3	3	8	10	11	10	7	14	7	2	-
Cholera, Diarrh., Dysent^{y}	8	1	-	-	-	-	1	-	-	1	-	-	-	-	1	2	3	-
Other Zymotic Dis.	64	5	3	1	2	4	15	4	6	2	1	3	3	4	8	11	7	-
Cancer	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	2
Scrofula, Tabes Mesent.	12	-	1	-	-	-	1	-	3	2	-	1	3	1	-	-	1	-
Phthisis	172	-	3	-	1	-	4	8	7	21	33	28	21	20	18	12	-	-
Hydrocephalus	3	1	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-
Diseases of Brain	134	50	7	4	1	-	62	1	-	1	-	2	10	5	12	19	16	6
Heart Dis. and Dropsy	35	-	-	-	-	-	-	1	-	-	2	3	2	1	6	14	6	-
Dis. of Lungs	63	2	1	1	1	-	5	1	-	-	2	-	9	7	14	14	11	-
Dis. of Stom. and Liver	30	1	-	-	-	-	1	-	1	-	1	3	2	2	9	7	3	1
Dis. of Kidneys	8	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	2	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	58	-	3	3	-	-	6	3	4	5	10	6	4	10	6	2	1	1
Other Causes	407	76	14	9	3	2	104	3	8	3	5	9	9	18	33	49	104	62

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
615.—CORWEN.																		
Mean Popul^{n}, 1851-61	7775	-	-	-	-	-	1016	924	865	749	611	1025	830	681	522	344	178	30
TOTAL DEATHS	1356	172	56	45	38	21	332	74	55	52	58	101	81	75	92	166	191	79
Small-pox	19	2	2	4	2	-	10	2	4	-	-	1	1	1	-	-	-	-
Measles	11	-	4	2	2	-	8	1	1	-	1	-	-	-	-	-	-	-
Scarlatina	78	1	6	11	7	7	32	25	10	6	-	4	-	-	1	-	-	-
Diphtheria	7	1	-	-	1	-	2	3	1	1	-	-	-	-	-	-	-	-
Whooping-cough	35	11	8	4	2	2	27	6	2	-	-	-	-	-	-	-	-	-
Typhus	52	-	2	1	3	3	9	3	8	7	2	5	2	7	2	3	4	-
Cholera,Diarrh.,Dysent^{y}	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-
Other Zymotic Dis.	50	2	5	2	7	3	19	11	2	-	2	1	1	2	3	7	1	1
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	1	3	5	5	3	-
Scrofula, Tabes Mesent.	12	1	1	1	-	1	4	2	2	2	-	1	-	1	-	-	-	-
Phthisis	215	1	3	2	-	1	7	4	15	26	35	53	35	22	14	4	-	-
Hydrocephalus	3	-	-	2	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	194	80	13	5	2	2	102	3	1	2	1	6	7	3	15	28	19	7
Heart Dis. and Dropsy	87	-	-	-	-	-	-	-	2	-	-	9	9	15	18	22	11	1
Dis. of Lungs	127	8	4	-	4	1	17	2	2	1	4	2	5	4	13	39	36	2
Dis. of Stom. and Liver	46	-	1	-	-	-	1	-	2	2	4	3	6	9	5	10	4	-
Dis. of Kidneys	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Childbirth and Metria	24	-	-	-	-	-	-	-	-	-	7	9	8	-	-	-	-	-
Violent Deaths	22	2	1	3	4	1	11	3	-	-	-	1	-	1	-	3	1	2
Other Causes	350	62	6	8	4	-	80	3	2	5	2	6	4	7	16	44	111	65
616.—BALA.																		
Mean Popul^{n}, 1851-61	3253	-	-	-	-	-	353	349	358	313	278	426	333	309	245	174	98	17
TOTAL DEATHS	576	72	10	10	6	9	107	27	16	17	23	36	32	44	51	70	91	62
Small-pox	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	7	1	1	-	-	-	2	4	-	-	1	-	-	-	-	-	-	-
Scarlatina	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-
Diphtheria	5	-	-	-	-	1	1	2	1	-	-	-	1	-	-	-	-	-
Whooping-cough	6	3	-	2	-	-	5	1	-	-	-	-	-	-	-	-	-	-
Typhus	20	1	-	-	-	1	2	-	1	4	4	3	-	1	2	3	-	-
Cholera,Diarrh.,Dysent^{y}	5	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-
Other Zymotic Dis.	14	1	1	1	-	-	3	5	1	-	-	-	1	1	-	3	1	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	-	2
Scrofula, Tabes Mesent.	6	-	-	-	-	-	-	-	-	2	-	-	1	2	-	-	-	1
Phthisis	62	3	-	-	-	-	3	2	2	3	8	14	11	10	7	2	-	-
Hydrocephalus	5	-	1	-	1	1	3	-	1	-	1	-	-	-	-	-	-	-
Diseases of Brain	75	40	3	1	-	1	45	-	1	1	1	2	6	1	6	6	4	2
Heart Dis. and Dropsy	42	-	-	-	-	-	-	-	-	-	-	3	3	5	8	12	10	1
Dis. of Lungs	38	1	1	3	-	2	7	3	1	-	-	3	2	2	1	8	9	2
Dis. of Stom. and Liver	39	-	-	-	1	-	1	2	1	-	4	3	2	7	9	7	2	1
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Violent Deaths	7	-	-	-	2	1	3	1	-	-	-	-	-	-	-	-	1	2
Other Causes	217	22	3	3	2	2	32	5	5	4	3	6	4	9	12	24	62	51
617.—DOLGELLY.																		
Mean Popul^{n}, 1851-61	6655	-	-	-	-	-	769	711	694	596	495	854	735	626	497	408	233	37
TOTAL DEATHS	1212	132	52	17	18	11	230	52	29	33	41	101	76	76	100	172	212	90
Small-pox	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	13	3	3	-	-	1	7	2	3	1	-	-	-	-	-	-	-	-
Scarlatina	28	1	2	3	4	1	11	10	3	2	-	-	1	-	-	1	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	24	11	6	2	2	1	22	2	-	-	-	-	-	-	-	-	-	-
Typhus	83	-	1	1	-	-	2	9	5	10	7	20	9	6	5	7	2	1
Cholera,Diarrh.,Dysent^{y}	7	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	2	-
Other Zymotic Dis.	53	2	5	3	1	6	17	7	1	-	1	3	2	2	5	9	5	1
Cancer	24	-	-	-	-	-	-	-	-	-	-	1	2	2	6	5	7	1
Scrofula, Tabes Mesent.	10	-	-	-	-	-	-	2	-	1	1	1	1	1	-	3	-	-
Phthisis	178	2	2	1	1	-	6	7	4	13	18	36	34	27	17	15	1	-
Hydrocephalus	2	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Diseases of Brain	140	37	16	1	3	1	58	2	2	1	3	3	3	8	7	21	27	5
Heart Dis. and Dropsy	64	-	-	-	-	-	-	-	2	1	1	7	6	5	11	21	9	1
Dis. of Lungs	38	1	-	1	-	-	2	-	-	1	-	1	4	2	10	8	10	-
Dis. of Stom. and Liver	15	2	1	-	-	-	3	1	-	-	2	-	-	1	4	2	2	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
Diseases of the Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	14	-	-	-	-	-	-	-	-	-	1	9	4	-	-	-	-	-
Violent Deaths	14	-	-	1	2	-	3	2	-	-	3	2	-	-	2	1	1	-
Other Causes	498	73	15	3	5	1	97	8	9	3	4	15	9	20	32	75	145	81

Mean Population, 1851-61, and **Deaths** in **Districts** during the **10 Years 1851-60.**

618.—FESTINIOG.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	8498	-	-	-	-	-	1182	1031	966	842	675	1120	957	743	493	292	125	22
TOTAL DEATHS	1741	396	87	45	39	33	600	113	73	69	101	112	93	98	127	162	148	45
Small-pox	14	6	-	1	-	-	7	-	1	1	3	2	-	-	-	-	-	-
Measles	16	5	4	1	-	1	11	4	-	1	-	-	-	-	-	-	-	-
Scarlatina	112	15	13	14	11	13	66	33	9	1	1	1	1	-	-	-	-	-
Diphtheria	4	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough	35	9	15	5	4	1	34	1	-	-	-	-	-	-	-	-	-	-
Typhus	80	-	-	2	1	1	4	7	7	10	12	7	5	5	15	8	2	-
Cholera, Diarrh., Dysent^{y}	19	-	-	-	1	-	1	2	-	1	1	2	1	1	5	3	2	-
Other Zymotic Dis.	73	9	6	2	4	4	25	5	8	1	1	3	2	4	11	4	7	2
Cancer	9	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	-
Scrofula, Tabes Mesent.	47	2	1	2	3	1	9	1	6	4	11	8	2	3	-	2	1	-
Phthisis	178	1	-	1	-	3	5	9	12	21	38	43	26	11	9	4	-	-
Hydrocephalus	9	2	-	-	1	-	3	5	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	355	236	28	6	9	1	280	16	1	1	4	8	4	7	8	17	7	2
Heart Dis. and Dropsy	39	-	-	-	-	1	1	3	1	-	1	3	5	4	8	10	3	-
Dis. of Lungs	138	10	2	1	-	1	14	8	3	1	7	9	9	10	20	32	21	4
Dis. of Stom. and Liver	71	2	1	-	-	1	4	1	2	5	3	1	8	14	15	14	4	-
Dis. of Kidneys	41	-	-	-	-	-	-	1	-	-	-	-	4	4	7	14	9	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	117	5	1	3	-	1	10	7	13	12	12	18	18	17	3	6	1	-
Other Causes	381	94	15	7	5	4	125	9	8	9	7	7	8	15	24	46	89	34

619.—PWLLHELI.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	9971	-	-	-	-	-	1280	1292	1172	930	675	1171	1085	899	734	504	207	22
TOTAL DEATHS	1931	299	79	59	38	34	509	79	53	76	94	110	95	133	144	267	291	80
Small-pox	11	3	3	-	-	-	6	2	-	-	-	1	2	-	-	-	-	-
Measles	6	-	2	-	1	2	5	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	90	6	7	16	9	9	47	21	14	6	1	-	-	-	1	-	-	-
Diphtheria	13	-	-	1	2	1	4	3	5	-	-	-	-	-	1	-	-	-
Whooping-cough	14	4	4	2	-	3	13	1	-	-	-	-	-	-	-	-	-	-
Typhus	65	-	1	-	-	-	1	1	4	11	8	8	7	7	8	8	2	-
Cholera, Diarrh., Dysent^{y}	17	1	-	2	-	-	3	1	-	-	-	-	1	3	1	7	1	-
Other Zymotic Dis.	83	4	8	10	8	6	36	14	4	-	1	-	3	5	11	8	1	-
Cancer	32	-	-	-	-	-	-	-	-	1	1	-	3	6	3	9	8	1
Scrofula, Tabes Mesent.	14	-	2	1	-	-	3	2	-	3	3	-	-	1	-	2	-	-
Phthisis	239	-	1	-	-	1	2	5	7	23	60	57	30	34	12	8	-	1
Hydrocephalus	8	1	2	-	-	-	3	2	1	1	-	1	-	-	-	-	-	-
Diseases of Brain	473	236	41	18	12	8	315	13	4	4	2	1	1	11	15	54	48	5
Heart Dis. and Dropsy	112	-	-	1	-	-	1	2	-	2	2	6	12	19	17	30	21	-
Dis. of Lungs	125	1	1	1	-	1	4	-	-	5	5	8	7	8	24	33	26	5
Dis. of Stom. and Liver	89	5	2	3	-	-	10	1	2	3	1	2	9	14	19	23	6	-
Dis of Kidneys	20	-	-	-	-	-	-	-	-	1	1	2	1	1	3	6	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
Diseases of the Skin	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	83	2	2	2	4	2	12	4	8	7	4	15	10	9	4	7	3	-
Other Causes	431	36	3	2	2	-	43	5	4	9	4	8	9	15	25	71	170	68

620.—CARNARVON.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Mean Popul^{n}, 1851-61	15406	-	-	-	-	-	2042	1975	1734	1629	1253	1966	1749	1364	977	479	208	30
TOTAL DEATHS	3328	747	240	128	81	64	1260	220	108	123	166	232	177	189	224	266	284	79
Small-pox	98	24	13	6	8	8	59	16	3	6	8	2	2	2	-	-	-	-
Measles	35	5	16	5	3	1	30	3	1	1	-	-	-	-	-	-	-	-
Scarlatina	174	14	25	24	20	16	99	54	16	3	1	1	-	-	-	-	-	-
Diphtheria	3	-	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	63	28	15	9	2	2	56	7	-	-	-	-	-	-	-	-	-	-
Typhus	102	2	1	-	1	-	4	14	9	15	12	14	7	8	8	7	4	-
Cholera, Diarrh., Dysent^{y}	50	5	5	-	-	2	12	1	-	-	1	-	3	5	6	11	9	2
Other Zymotic Dis.	110	8	21	9	10	5	53	9	3	4	3	2	4	11	9	7	5	-
Cancer	38	-	-	-	-	-	-	-	1	-	-	1	3	7	10	11	5	-
Scrofula, Tabes Mesent.	55	-	1	-	1	-	2	10	5	8	7	8	3	4	3	2	3	-
Phthisis	493	2	6	7	4	4	23	21	28	43	91	108	74	48	33	22	2	-
Hydrocephalus	42	7	7	3	1	2	20	15	4	1	1	-	1	-	-	-	-	-
Diseases of Brain	853	513	83	36	18	11	661	39	14	8	5	8	7	13	12	41	43	2
Heart Dis. and Dropsy	109	-	1	-	-	1	2	1	1	4	2	8	10	7	25	26	22	1
Dis. of Lungs	319	26	23	9	3	5	66	11	3	3	8	12	13	29	33	59	76	6
Dis. of Stom. and Liver	152	2	1	2	2	1	8	3	4	8	5	15	15	19	31	32	10	2
Dis. of Kidneys	53	-	-	-	1	-	1	-	1	-	3	3	1	6	6	17	12	3
Dis of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	10	-	-	-	-	-	-	1	-	-	2	1	2	2	-	1	1	-
Diseases of the Skin	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	185	2	6	1	6	5	20	5	11	16	15	41	23	23	20	3	2	1
Other Causes	383	109	13	17	-	1	140	10	4	3	2	8	4	5	28	27	90	62

Mean Population, 1851-61, and Deaths in Districts during the 10 Years 1851-60.

618.—FESTINIOG.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	8737	-	-	-	-	-	1159	1047	969	804	732	1167	954	729	553	383	195	45
TOTAL DEATHS	1592	256	78	54	35	35	458	104	60	73	61	121	110	64	106	140	191	104
Small-pox	5	2	-	1	-	-	3	-	-	-	1	1	-	-	-	-	-	-
Measles	23	4	6	3	-	2	15	6	-	1	-	1	-	-	-	-	-	-
Scarlatina	103	11	9	10	10	12	52	37	9	2	2	-	-	1	-	-	-	-
Diphtheria	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	30	10	7	8	2	-	27	3	-	-	-	-	-	-	-	-	-	-
Typhus	54	-	5	-	-	-	5	2	7	6	6	9	6	4	3	4	2	-
Cholera. Diarrh., Dysent^{y}	16	2	-	-	-	-	2	-	1	-	-	1	-	-	1	4	5	2
Other Zymotic Dis.	63	4	2	7	4	5	22	10	4	3	2	1	4	2	1	9	5	-
Cancer	24	-	-	-	-	-	-	-	-	-	-	-	2	5	7	5	4	1
Scrofula, Tabes Mesent.	34	1	5	-	-	-	6	1	3	5	3	5	3	2	5	1	-	-
Phthisis	251	1	1	1	-	2	5	9	13	40	32	59	49	21	15	5	3	-
Hydrocephalus	14	2	-	1	-	-	3	9	2	-	-	-	-	-	-	-	-	-
Diseases of Brain	294	152	27	11	6	2	198	7	4	4	2	3	4	3	16	21	25	7
Heart Dis. and Dropsy	66	2	-	1	-	-	3	2	2	-	3	6	6	8	8	17	11	-
Dis. of Lungs	98	2	2	1	1	-	6	7	2	-	3	6	4	4	14	25	19	8
Dis. of Stom. and Liver	71	2	1	-	1	2	6	3	2	3	1	9	11	5	11	10	8	2
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
Diseases of the Joints	4	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	2	8	8	-	-	-	-	-
Violent Deaths	26	-	1	6	3	2	12	-	4	-	-	2	1	1	1	1	2	2
Other Causes	388	60	12	5	7	8	92	5	6	8	4	8	11	8	23	35	106	82

619.—PWLLHELI.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	11377	-	-	-	-	-	1263	1200	1186	1095	902	1509	1321	1090	862	615	289	45
TOTAL DEATHS	2001	240	79	40	32	30	421	97	62	66	80	130	123	122	181	285	308	126
Small-pox	14	2	1	3	1	-	7	2	1	-	1	2	1	-	-	-	-	-
Measles	16	1	6	1	1	3	12	3	-	-	-	-	-	1	-	-	-	-
Scarlatina	103	4	14	6	7	10	41	40	13	3	2	1	3	-	-	-	-	-
Diphtheria	9	-	-	-	-	1	1	3	4	1	-	-	-	-	-	-	-	-
Whooping-cough	19	8	3	1	1	4	17	2	-	-	-	-	-	-	-	-	-	-
Typhus	78	1	-	1	-	-	2	4	11	4	10	14	7	8	10	6	2	-
Cholera, Diarrh., Dysent^{y}	19	-	3	1	-	-	4	-	-	-	1	1	2	1	3	4	3	-
Other Zymotic Dis.	67	6	7	6	12	3	34	11	1	-	1	1	2	4	4	6	2	1
Cancer	44	-	-	-	-	-	-	-	3	-	1	1	6	5	12	9	5	2
Scrofula, Tabes Mesent.	13	1	3	-	1	-	5	1	2	1	1	-	-	3	-	-	-	-
Phthisis	275	-	1	2	1	1	5	5	15	38	43	57	43	33	25	8	3	-
Hydrocephalus	4	2	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-
Diseases of Brain	405	180	32	10	3	5	230	13	1	4	5	13	8	10	19	51	41	10
Heart Dis. and Dropsy	121	-	-	-	-	-	-	1	2	2	6	6	10	22	24	36	16	2
Dis. of Lungs	122	1	1	1	1	-	4	1	2	3	1	1	7	7	27	43	24	2
Dis. of Stom. and Liver	59	2	-	1	-	-	3	1	1	1	2	10	6	7	11	13	4	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	1	3	-	-	1	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	1	2	9	5	1	-	-	-
Violent Deaths	37	2	4	1	3	2	12	7	3	2	-	1	2	3	3	1	-	3
Other Causes	567	30	4	6	1	-	41	3	3	6	7	10	19	17	42	105	208	106

620.—CARNARVON.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
Mean Popul^{n}, 1851-61	16029	-	-	-	-	-	1975	1905	1744	1549	1397	2241	1774	1427	1030	617	312	58
TOTAL DEATHS	3613	755	228	131	97	69	1280	187	115	168	148	240	246	192	259	291	348	139
Small-pox	76	12	8	11	6	7	44	17	-	8	2	3	1	1	-	-	-	-
Measles	43	4	12	7	5	4	32	9	2	-	-	-	-	-	-	-	-	-
Scarlatina	180	15	19	21	25	18	98	50	21	5	2	2	1	-	1	-	-	-
Diphtheria	5	1	1	-	1	-	3	-	1	-	1	-	-	-	-	-	-	-
Whooping-cough	76	25	21	20	4	3	73	2	1	-	-	-	-	-	-	-	-	-
Typhus	103	1	1	-	3	2	7	7	14	20	15	11	5	8	6	8	2	-
Cholera, Diarrh., Dysent^{y}	53	4	6	-	-	1	10	-	-	1	2	2	3	4	8	7	13	3
Other Zymotic Dis.	102	11	14	8	11	6	50	9	4	4	3	5	3	3	7	6	8	-
Cancer	68	-	-	-	-	-	-	-	-	-	1	3	5	17	14	21	7	-
Scrofula, Tabes Mesent.	35	3	2	2	2	-	9	1	1	3	6	5	3	3	3	1	-	-
Phthisis	677	6	16	10	8	5	45	33	44	101	75	121	116	69	49	21	5	-
Hydrocephalus	19	7	3	2	1	1	14	1	1	1	-	-	1	1	-	-	-	-
Diseases of Brain	913	538	87	29	18	12	684	24	8	5	10	14	12	19	34	49	45	9
Heart Dis. and Dropsy	140	-	-	2	-	-	2	10	5	5	9	12	18	14	21	26	14	4
Dis. of Lungs	314	20	15	7	6	5	53	7	5	4	4	9	21	14	55	77	51	11
Dis. of Stom. and Liver	154	6	1	-	-	1	8	8	3	4	2	12	17	16	32	36	16	-
Dis. of Kidneys	13	-	-	-	-	-	-	1	1	-	-	-	1	1	2	2	3	2
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-
Diseases of the Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	90	-	-	-	-	-	-	-	-	2	14	37	33	4	-	-	-	-
Violent Deaths	44	2	3	8	5	3	21	5	-	2	2	-	2	2	2	2	4	2
Other Causes	500	99	20	4	2	1	126	3	4	3	2	3	4	13	23	35	176	108

Mean Population, 1851–61, and Deaths in Districts during the 10 Years 1851–60.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
621.—BANGOR.*																		
Mean Popul^{n}, 1851-61	17572	-	-	-	-	-	2255	2106	2014	1771	1472	2487	2020	1511	1064	596	242	34
TOTAL DEATHS	3471	785	207	103	73	55	1223	195	97	151	190	258	238	210	259	287	270	93
Small-pox	49	12	8	5	5	-	30	6	1	3	6	3	-	-	-	-	-	-
Measles	66	11	21	12	8	4	56	10	-	-	-	-	-	-	-	-	-	-
Scarlatina	105	6	12	15	16	13	62	33	5	3	1	-	-	1	-	-	-	-
Diphtheria	5	1	1	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-
Whooping-cough	60	26	13	2	5	5	51	9	-	-	-	-	-	-	-	-	-	-
Typhus	157	2	3	5	3	5	18	15	11	17	16	27	17	14	11	7	3	1
Cholera, Diarrh., Dysent^{y}	36	11	1	1	-	-	13	2	3	-	1	2	-	2	2	7	4	-
Other Zymotic Dis.	94	13	16	8	8	7	52	12	1	2	1	2	4	3	8	8	1	-
Cancer	27	-	-	-	-	-	-	-	-	-	1	1	4	6	8	5	2	-
Scrofula, Tabes Mesent.	41	4	4	2	-	-	10	5	2	8	1	7	1	1	3	3	-	-
Phthisis	549	3	5	5	1	1	15	24	31	67	121	126	83	51	20	8	3	-
Hydrocephalus	67	12	10	4	4	3	33	17	8	4	1	1	1	2	-	-	-	-
Diseases of Brain	785	515	48	23	10	8	604	16	9	5	9	8	15	19	27	39	29	5
Heart Dis. and Dropsy	139	1	-	-	-	-	1	5	2	8	5	4	16	29	27	30	12	-
Dis. of Lungs	316	44	20	8	5	3	80	12	2	9	6	16	22	21	52	55	37	4
Dis. of Stom. and Liver	124	5	1	3	-	-	9	2	2	8	5	5	21	14	24	27	6	1
Dis. of Kidneys	39	-	-	-	-	-	-	-	1	-	-	6	4	5	5	11	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	13	-	-	-	1	-	1	-	-	1	1	3	3	-	1	1	2	-
Diseases of the Skin	4	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	181	2	5	4	3	1	15	8	9	8	11	39	33	30	20	6	2	-
Other Causes	614	117	38	6	4	5	170	18	9	8	2	8	14	12	50	80	161	82
622.—CONWAY.																		
Mean Popul^{n}, 1851-61	6329	-	-	-	-	-	830	747	723	616	515	858	708	535	426	253	105	13
TOTAL DEATHS	1224	248	79	39	31	24	421	50	31	45	58	84	82	60	77	137	132	47
Small-pox	13	1	-	1	-	-	2	1	2	1	2	2	1	2	-	-	-	-
Measles	14	5	6	3	-	-	14	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	84	7	11	10	9	10	47	19	8	4	4	2	-	-	-	-	-	-
Diphtheria	3	-	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	27	10	3	7	3	3	26	1	-	-	-	-	-	-	-	-	-	-
Typhus	40	1	2	1	-	2	6	1	5	1	5	4	4	6	2	5	1	-
Cholera, Diarrh., Dysent^{y}	5	1	1	-	1	-	3	-	-	-	-	-	-	-	1	1	-	-
Other Zymotic Dis.	40	3	3	-	4	3	13	4	1	1	3	4	2	3	6	2	-	-
Cancer	8	-	-	-	-	-	-	-	-	-	-	-	1	4	1	2	-	-
Scrofula, Tabes Mesent.	7	-	-	-	-	-	-	1	1	1	2	2	-	-	-	-	-	-
Phthisis	185	4	5	1	1	1	12	4	4	22	29	45	30	13	11	13	1	-
Hydrocephalus	24	6	2	2	1	1	12	6	4	1	-	1	-	-	-	-	-	-
Diseases of Brain	277	175	34	5	2	3	219	4	1	2	4	2	3	6	5	15	13	3
Heart Dis. and Dropsy	66	-	1	2	2	-	5	1	2	4	3	4	4	7	12	11	12	1
Dis. of Lungs	60	4	2	1	3	-	10	4	-	2	1	5	4	5	6	11	10	2
Dis. of Stom. and Liver	41	1	-	-	-	-	1	-	1	2	-	4	5	8	6	8	6	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
Diseases of the Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	58	-	2	-	2	1	5	2	-	3	5	7	17	6	7	4	2	-
Other Causes	257	29	5	6	3	-	43	1	2	1	1	2	8	2	19	57	80	41
623.—ANGLESEA.*																		
Mean Popul^{n}, 1851-61	19004	-	-	-	-	-	2471	2393	2219	1871	1458	2453	2092	1652	1262	762	329	42
TOTAL DEATHS	3336	692	231	133	90	82	1228	178	88	142	213	296	234	229	278	385	395	170
Small-pox	38	11	7	1	1	1	21	4	-	3	6	4	-	-	-	-	-	-
Measles	62	9	13	13	11	5	51	9	1	-	1	-	-	-	-	-	-	-
Scarlatina	117	8	14	17	16	17	72	38	6	1	-	-	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	99	31	26	18	12	8	95	4	-	-	-	-	-	-	-	-	-	-
Typhus	115	-	-	-	2	1	3	6	8	11	19	22	13	9	8	15	1	-
Cholera, Diarrh., Dysent^{y}	40	3	-	1	-	-	4	1	1	-	1	3	1	8	6	9	5	1
Other Zymotic Dis.	158	17	12	20	14	16	79	16	4	5	1	6	8	5	13	15	5	1
Cancer	39	1	-	-	-	-	1	-	-	1	-	-	3	7	16	8	2	1
Scrofula, Tabes Mesent.	35	1	2	2	-	1	6	5	-	5	4	5	3	5	2	-	-	-
Phthisis	680	-	1	4	3	-	8	19	23	79	125	152	88	69	64	39	13	1
Hydrocephalus	34	6	-	-	4	3	13	9	5	2	3	1	-	1	-	-	-	-
Diseases of Brain	975	527	132	42	14	13	728	22	11	5	7	12	14	23	22	69	56	6
Heart Dis. and Dropsy	116	-	-	1	1	1	3	6	5	4	4	10	15	18	16	22	13	-
Dis. of Lungs	209	4	4	2	2	1	13	7	2	5	6	6	12	14	44	65	32	3
Dis. of Stom. and Liver	139	5	1	-	1	1	8	1	6	1	3	8	19	25	26	29	13	-
Dis. of Kidneys	28	-	-	-	-	-	-	1	-	-	-	2	5	1	4	11	3	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	4	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-
Diseases of the Skin	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	224	7	7	6	7	9	36	14	9	15	20	37	33	24	18	14	2	2
Other Causes	720	62	12	6	2	4	86	15	7	5	13	26	18	20	37	89	250	154

* The Mean Population, 1851–61, has been corrected on account of changes in the limits of these Districts.

Mean Population, 1851–61, and **Deaths in Districts** during the **10 Years 1851–60.**

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwds.
621.—BANGOR.*																		
Mean Popul^{n}, 1851-61	17743	-	-	-	-	-	2185	2078	1870	1742	1558	2570	2028	1543	1114	692	306	57
TOTAL DEATHS	3625	631	236	133	95	73	1168	200	118	162	166	291	261	203	244	319	350	143
Small-pox	41	12	3	6	1	1	23	5	2	3	3	3	2	-	-	-	-	-
Measles	73	11	22	14	9	10	66	10	1	-	-	1	-	-	-	-	-	-
Scarlatina	101	4	8	18	16	12	58	23	12	2	-	-	1	-	-	-	-	-
Diphtheria	5	1	1	-	1	-	3	-	1	-	-	-	-	1	-	-	-	-
Whooping-cough	100	33	29	14	13	2	91	8	1	-	-	-	-	-	-	-	-	-
Typhus	139	2	3	3	4	1	13	16	9	17	21	19	11	15	6	8	3	1
Cholera. Diarrh., Dysent^{y}	37	10	3	2	-	-	15	1	-	1	2	4	3	1	1	6	3	-
Other Zymotic Dis.	106	6	10	19	17	9	61	11	2	3	2	3	5	1	5	9	4	-
Cancer	45	-	-	-	-	-	-	-	-	-	-	-	6	10	13	8	6	2
Scrofula, Tabes Mesent.	30	2	6	2	1	1	12	5	2	3	-	-	5	1	1	1	-	-
Phthisis	653	3	10	5	4	6	28	29	52	103	104	169	99	48	16	4	1	-
Hydrocephalus	52	7	10	6	3	2	28	19	4	1	-	-	-	-	-	-	-	-
Diseases of Brain	713	419	63	15	9	9	515	16	12	8	5	11	14	23	35	34	36	4
Heart Dis. and Dropsy	155	1	1	-	-	1	3	5	2	6	6	14	19	28	28	29	15	-
Dis. of Lungs	294	25	23	16	6	9	79	19	6	5	8	16	14	25	39	42	35	6
Dis. of Stom. and Liver	108	4	3	-	1	1	9	3	-	4	5	12	16	11	24	17	6	1
Dis. of Kidneys	7	-	-	-	-	-	-	1	-	-	-	-	3	-	2	1	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-
Diseases of the Joints	5	-	-	-	-	1	1	-	1	-	-	2	-	1	-	-	-	-
Diseases of the Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	72	-	-	-	-	-	-	-	-	2	6	23	38	3	-	-	-	-
Violent Deaths	35	4	-	1	1	-	7	6	2	-	-	3	4	6	4	2	-	1
Other Causes	844	87	41	12	9	7	156	18	9	4	4	9	21	28	68	158	241	128
622.—CONWAY.																		
Mean Popul^{n}, 1851-61	6434	-	-	-	-	-	797	741	689	609	569	909	701	567	443	264	128	17
TOTAL DEATHS	1122	187	56	38	30	18	329	59	29	44	40	88	70	58	83	129	141	52
Small-pox	9	3	-	-	2	-	5	-	-	-	2	2	-	-	-	-	-	-
Measles	11	3	2	1	2	-	8	2	-	-	-	-	1	-	-	-	-	-
Scarlatina	77	5	11	9	8	6	39	29	4	2	2	1	-	-	-	-	-	-
Diphtheria	3	-	1	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	17	7	3	5	-	1	16	1	-	-	-	-	-	-	-	-	-	-
Typhus	39	-	2	-	2	-	4	1	3	5	4	9	3	2	5	2	1	-
Cholera, Diarrh., Dysent^{y}	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-
Other Zymotic Dis.	30	1	5	5	4	-	15	3	2	1	1	1	1	-	2	1	3	-
Cancer	21	-	-	-	-	-	-	-	-	-	-	1	2	5	2	7	4	-
Scrofula, Tabes Mesent.	6	2	-	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-
Phthisis	184	5	3	4	-	1	13	6	8	26	23	47	33	16	6	6	-	-
Hydrocephalus	14	4	-	-	5	2	11	2	1	-	-	-	-	-	-	-	-	-
Diseases of Brain	232	131	16	7	2	3	159	11	6	-	1	2	1	5	9	19	18	1
Heart Dis. and Dropsy	55	-	-	-	-	-	-	-	-	2	3	5	4	5	15	9	10	2
Dis. of Lungs	53	4	4	1	2	2	13	2	1	-	1	1	4	4	7	11	8	1
Dis. of Stom. and Liver	39	1	1	-	-	-	2	1	-	3	-	3	5	5	9	7	4	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Joints	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Diseases of the Skin	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	-	1	9	9	1	-	-	-	-
Violent Deaths	13	-	2	2	-	-	4	-	1	2	-	-	2	-	1	2	1	-
Other Causes	287	20	6	3	2	3	34	1	2	1	2	2	2	14	26	63	92	48
623.—ANGLESEA.*																		
Mean Popul^{n}, 1851-61	19941	-	-	-	-	-	2430	2353	2113	1859	1609	2772	2266	1726	1373	900	453	87
TOTAL DEATHS	3827	532	213	106	89	80	1020	203	112	161	157	301	227	204	291	432	503	216
Small-pox	38	8	6	1	4	3	22	4	2	2	4	1	2	-	1	-	-	-
Measles	60	11	14	11	5	3	44	11	2	1	-	1	1	-	-	-	-	-
Scarlatina	116	2	13	9	25	12	61	41	7	4	-	1	1	1	-	-	-	-
Diphtheria	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	119	35	25	21	13	11	105	14	-	-	-	-	-	-	-	-	-	-
Typhus	105	-	1	1	3	1	6	11	10	17	12	19	14	5	5	5	1	-
Cholera, Diarrh., Dysent^{y}	27	3	1	-	-	2	6	1	2	2	1	1	2	4	2	5	1	-
Other Zymotic Dis.	141	12	13	12	8	15	60	15	9	3	6	5	5	2	14	14	8	-
Cancer	44	-	-	-	-	-	-	-	-	-	-	1	3	9	10	12	6	3
Scrofula, Tabes Mesent.	31	2	-	-	1	-	3	3	3	4	1	4	2	4	7	-	-	-
Phthisis	745	3	3	3	2	4	15	32	39	100	86	165	99	71	62	58	18	-
Hydrocephalus	33	-	4	3	3	4	14	12	4	1	1	-	-	1	-	-	-	-
Diseases of Brain	803	402	110	38	13	13	576	21	5	3	5	10	12	16	36	63	51	8
Heart Dis. and Dropsy	147	-	-	1	-	2	3	3	6	1	4	7	14	24	24	39	20	2
Dis. of Lungs	204	8	4	1	2	2	17	6	3	4	2	9	2	17	40	72	31	1
Dis. of Stom. and Liver	104	-	2	-	1	2	5	1	2	4	9	5	10	8	26	24	9	1
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	3	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
Diseases of the Joints	6	-	-	-	-	-	-	-	-	-	1	1	3	-	1	-	-	-
Diseases of the Skin	4	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria	63	-	-	-	-	-	-	-	-	1	6	32	22	2	-	-	-	-
Violent Deaths	47	-	1	3	1	2	7	7	3	-	1	5	6	6	4	5	3	-
Other Causes	973	46	15	2	8	4	75	19	15	14	17	33	29	31	55	132	352	201

* The Mean Population, 1851-61, has been corrected on account of changes in the limits of these Districts.

ENGLAND.

DEATHS OF MALES

AGED 5 YEARS AND UPWARDS

OF

DIFFERENT OCCUPATIONS

IN ENGLAND

AND IN EACH OF THE ELEVEN DIVISIONS

REGISTERED IN THE YEARS

1860–1.

ENGLAND.—Deaths of Males of different Occupations registered in the Years 1860-1.

Classes.	CLASSES, ORDERS, AND SUB-ORDERS.	AGES OF MALES.												
		Total 5 Years and upwards.	5 Years and Under 20.	20 Years and upwards.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95
	ALL PERSONS	249,614	36,837	212,777	15,861	8,959	12,017	14,187	25,492	28,021	29,880	35,115	40,276	31,561	7,838	40
	PERSONS OF SPECIFIED OCCUPATIONS AND CONDITIONS	248,887	36,802	212,085	15,861	8,953	11,988	14,133	25,400	27,845	29,763	35,005	40,197	31,523	7,816	40
	CLASSES.															
I.	PROFESSIONAL CLASS	15,807	427	15,380	–	10	417	1,252	2,431	2,190	1,915	2,087	2,782	2,214	540	1
II.	DOMESTIC CLASS	37,399	29,032	8,367	15,839	8,195	4,998	1,142	975	1,282	1,451	1,345	1,184	825	156	
III.	COMMERCIAL CLASS	19,598	834	18,764	–	74	760	1,443	3,117	3,307	3,228	3,025	2,730	1,584	313	1
IV.	AGRICULTURAL CLASS	53,658	1,263	52,395	7	82	1,174	2,010	3,879	4,285	5,338	8,391	12,405	12,242	3,654	19
V.	INDUSTRIAL CLASS	104,290	4,714	99,576	13	524	4,177	7,386	13,082	14,482	15,382	17,072	17,724	11,841	2,490	11
VI.	INDEFINITE AND NON-PRODUCTIVE CLASS	18,135	532	17,603	2	68	462	900	1,916	2,299	2,449	3,135	3,372	2,817	663	5
	ORDERS.															
	Order.															
I.	1. Persons engaged in the GENERAL or LOCAL GOVERNMENT *of the Country*	3003	20	2983	–	1	19	126	400	425	464	432	577	442	113	
	2. Persons engaged in the DEFENCE *of the Country*	6949	271	6678	–	8	263	810	1259	945	563	561	1161	1100	266	12
	3. Persons engaged in the LEARNED PROFESSIONS or engaged in LITERATURE, ART, and SCIENCE (with their immediate Subordinates)	5855	136	5719	–	1	135	316	772	820	888	1044	1044	672	161	
II.	4. Persons engaged in the DOMESTIC OFFICES or DUTIES of WIVES, MOTHERS, Mistresses of Families, CHILDREN, Relatives (not otherwise returned)	29852	28879	973	15839	8187	4853	849	109	14	1	–	–	–	–	
	5. Persons engaged in ENTERTAINING, *and performing* PERSONAL OFFICES *for Man*	7547	153	7394	–	8	145	293	866	1268	1450	1345	1184	825	156	
III.	6. Persons who BUY OR SELL, KEEP OR LEND *Money, Houses, or Goods of* VARIOUS KINDS	5065	141	4924	–	3	138	301	696	789	838	901	829	464	100	
	7. Persons engaged in the CONVEYANCE *of Men, Animals, Goods, and Messages*	14533	693	13840	–	71	622	1142	2421	2518	2390	2124	1901	1120	213	11
IV.	8. Persons *possessing or working the* LAND, *and engaged in growing* GRAIN, FRUITS, GRASSES, ANIMALS, *and other Products*	50278	1183	49095	7	77	1099	1864	3505	3737	4783	7790	11851	11823	3559	188
	9. Persons engaged about ANIMALS	3380	80	3300	–	5	75	146	374	548	555	601	554	419	95	1
V.	10. Persons engaged in ART *and* MECHANIC *Productions, in which Matters of various kinds are employed in combination*	28879	998	27881	–	39	959	2037	3504	4049	4480	4748	5007	3322	714	30
	11. Persons *working and dealing in the* TEXTILE FABRICS and in DRESS	30273	1528	28745	7	118	1403	2148	3486	3736	4118	4858	5476	4044	844	33
	12. Persons *working and dealing in* FOOD and DRINKS	11748	263	11485	–	11	252	561	1414	1783	1885	2174	2107	1287	261	13
	13. Persons *working and dealing in* ANIMAL SUBSTANCES	1648	39	1609	–	–	39	84	186	237	268	294	318	186	33	2
	14. Persons *working and dealing in* VEGETABLE SUBSTANCES	4377	124	4253	–	7	117	235	481	609	587	710	816	638	166	11
	15. Persons *working and dealing in* MINERALS	27365	1762	25603	6	349	1407	2331	4011	4068	4044	4288	4000	2364	472	23
VI.	16. LABOURERS AND OTHERS—*Branch of Labour undefined*	13633	462	13171	1	62	399	757	1604	1949	2010	2390	2299	1723	405	33
	17. Persons of RANK *or* PROPERTY, *not returned under any Office or Occupation*	3285	7	3278	–	–	7	49	158	199	298	582	869	895	216	12
	18. *Persons* SUPPORTED BY THE COMMUNITY *and of no specified Occupation*	1217	63	1154	1	6	56	94	154	151	141	163	204	199	42	6
	SUB-ORDERS.															
	Order.															
I.	1. 1. Officers of National Government	1711	18	1693	–	1	17	70	207	223	249	238	349	283	72	
	2. Officers of Local Government	1093	2	1091	–	–	2	47	180	180	181	170	191	109	33	
	3. Officers of East India and Colonial Government	199	–	199	–	–	–	9	13	22	34	26	37	50	8	
	2. 1. Army	4574	155	4419	–	2	153	590	958	670	332	342	703	660	156	8
	2. Navy	2375	116	2259	–	6	110	220	301	275	231	219	458	440	110	3
	3. 1. Clergymen, Ministers, and Church Officers	1292	–	1292	–	–	–	14	68	112	169	284	322	255	66	1
	2. Lawyers, Law Court Officers, and Law Stationers	1232	36	1196	–	1	35	69	168	194	214	229	210	91	21	
	3. Physicians, Surgeons, and Druggists	1251	27	1224	–	–	27	90	183	197	222	189	191	124	28	
	4. Authors and Literary Persons	86	2	84	–	–	2	5	24	14	12	15	9	5	–	
	5. Artists	373	13	360	–	–	13	23	60	67	59	62	49	31	9	
	6. Musicians, Teachers of Music	412	8	404	–	–	8	23	106	67	75	61	45	22	5	
	7. Actors, Actresses	120	1	119	–	–	1	3	22	33	24	22	11	4	–	
	8. Teachers	981	48	933	–	–	48	82	127	106	98	169	191	131	29	
	9. Scientific Persons	108	1	107	–	–	1	7	14	30	15	13	16	9	3	

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Years 1860-1—*cont.*

Classes.	Order.	CLASSES, ORDERS, AND SUB-ORDERS.	AGES OF MALES. TOTAL 5 Years and upwards.	5 Years and Under 20.	20 Years and upwards.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
		SUB-ORDERS—*cont.*															
II.	4. 3.	Children and Relatives at home (not otherwise described)	29852	28879	973	15839	8187	4853	849	109	14	1	–	–	–	–	–
	5. 1.	In Board and Lodging	4296	3	4293	–	–	3	36	330	762	985	902	707	479	90	2
	2.	Attendance (Domestic Servants, &c.)	3251	150	3101	–	8	142	257	536	506	465	443	477	346	66	5
III.	6. 1.	Mercantile Men	3244	115	3129	–	–	115	243	505	523	517	551	501	240	49	–
	2.	Other General Dealers	1821	26	1795	–	3	23	58	191	266	321	350	328	224	51	6
	7. 1.	Carriers on Railways	1470	86	1384	–	7	79	218	409	335	203	132	63	23	1	–
	2.	,, on Roads	4139	75	4064	–	13	62	192	580	781	792	722	617	323	55	2
	3.	,, on Canals and Rivers	1583	73	1510	–	13	60	81	151	243	230	270	285	200	46	4
	4.	,, on Seas and Rivers	5529	339	5190	–	19	320	539	1076	911	792	683	645	437	102	5
	5.	Engaged in Storage	336	12	324	–	–	12	29	41	41	87	44	53	27	2	–
	6.	Messengers and Porters	1476	108	1368	–	19	89	83	164	207	286	273	238	110	7	–
IV.	8. 1.	In Fields and Pastures (Agriculturists)	47112	1155	45957	7	77	1071	1781	3322	3511	4416	7208	11076	11121	3356	166
	2.	,, Woods (Arboriculturists)	265	4	262	–	–	4	6	18	14	26	45	71	59	22	1
	3.	,, Gardens (Horticulturists)	2900	24	2876	–	–	24	77	165	212	341	537	704	643	181	16
	9.	*Persons engaged about* ANIMALS	3380	80	3300	–	5	75	146	374	548	555	601	554	419	95	8
V.	10. 1.	In Books	1304	92	1212	–	5	87	139	202	227	200	189	168	74	13	–
	2.	,, Musical Instruments	172	8	164	–	–	8	19	20	29	31	29	22	10	4	–
	3.	,, Prints and Pictures	128	10	118	–	1	9	14	27	20	16	17	15	7	2	–
	4.	,, Carving and Figures	93	8	85	–	–	8	6	21	18	16	11	7	4	2	–
	5.	,, Tackle for Sports and Games	96	5	91	–	–	5	4	10	10	21	16	14	14	2	–
	6.	,, Designs, Medals, and Dies	84	6	78	–	–	6	11	17	14	13	15	5	3	–	–
	7.	,, Watches and Philosophical Instrs.	846	31	815	–	–	31	93	111	104	118	136	142	99	12	–
	8.	,, Surgical Instruments	27	2	25	–	–	2	3	2	3	7	3	3	3	1	–
	9.	,, Arms	323	13	310	–	1	12	23	49	43	40	53	58	36	8	–
	10.	,, Machines and Tools	2862	171	2691	–	9	162	331	466	484	441	418	344	175	31	1
	11.	,, Carriages	597	25	572	–	–	25	35	89	89	140	95	83	34	7	–
	12.	,, Harness	659	22	637	–	1	21	44	64	92	98	111	126	87	15	–
	13.	,, Ships	1310	65	1245	–	2	63	113	146	184	148	185	252	170	44	3
	14.	,, Houses and Buildings	16662	413	16249	–	14	399	936	1882	2177	2630	2868	3116	2146	470	24
	15.	,, Furniture	1675	62	1613	–	2	60	123	194	278	276	264	276	165	37	–
	16.	,, Implements	1353	41	1312	–	2	39	94	121	154	170	209	279	235	49	1
	17.	,, Chemicals	688	24	664	–	2	22	39	83	123	115	129	97	60	17	1
	11. 1.	In Wool and Worsted	4415	212	4203	2	24	186	300	423	463	566	739	901	684	124	3
	2.	,, Silk	1375	87	1288	–	12	75	84	142	169	215	238	269	152	18	1
	3.	,, Cotton and Flax	7101	562	6539	5	61	496	605	842	868	928	1103	1182	846	157	8
	4.	,, Mixed Materials (1, 2, 3)	2047	120	1927	–	–	120	218	372	289	232	283	292	217	43	1
	5.	,, Dress	14773	525	14248	–	17	508	920	1669	1885	2107	2402	2708	2054	482	21
	6.	,, Hemp and other Fibrous Materials	562	22	540	–	4	18	21	38	62	70	113	124	91	20	1
	12. 1.	In Animal Food	3700	63	3637	–	1	62	124	434	536	586	709	728	419	99	2
	2.	,, Vegetable Food	3836	92	3744	–	5	87	183	398	547	624	749	711	442	83	7
	3.	,, Drinks and Stimulants	4212	108	4104	–	5	103	254	582	700	675	716	668	426	79	4
	13. 1.	In Grease, Gut, Bones, Horn, Ivory, Whalebone	434	9	425	–	–	9	25	44	70	60	83	86	43	8	1
	2.	,, Skins, Feathers, and Quills	920	19	901	–	–	19	40	100	123	158	167	184	109	19	1
	3.	,, Hair	294	11	283	–	–	11	19	42	44	50	44	48	29	6	1
	14. 1.	In Gums and Resins	341	20	321	–	2	18	24	64	80	47	48	39	15	4	–
	2.	,, Wood	2677	68	2609	–	2	66	141	279	374	385	429	484	405	104	8
	3.	,, Bark	75	5	70	–	1	4	5	3	14	8	12	18	10	–	–
	4.	,, Cane, Rush, and Straw	630	10	620	–	–	10	20	50	57	63	119	147	121	41	2
	5.	,, Paper	654	21	633	–	2	19	45	85	84	84	102	128	87	17	1
	15. 1.	Miners	9452	1036	8416	4	283	749	1024	1539	1310	1257	1381	1198	587	116	4
	2.	In Coal	1711	43	1668	–	7	36	46	200	296	303	311	304	166	41	1
	3.	,, Stone, Clay	4316	113	4203	–	3	110	293	616	670	673	728	707	433	82	1
	4.	,, Earthenware	1079	50	1029	1	6	43	81	113	189	207	186	161	73	17	2
	5.	,, Glass	390	18	372	1	3	14	25	71	69	52	55	63	29	8	–
	6.	,, Salt	68	3	65	–	–	3	3	9	12	9	15	9	6	2	–
	7.	,, Water	107	1	106	–	–	1	2	8	14	29	21	17	12	2	1
	8.	,, Gold, Silver, and Precious Stones	581	18	563	–	–	18	37	75	72	82	102	109	72	14	–
	9.	,, Copper	176	2	174	–	1	1	19	30	27	27	42	20	6	3	–
	10.	,, Tin and Quicksilver	519	33	486	–	2	31	50	66	72	65	79	95	47	9	3
	11.	,, Zinc	19	1	18	–	–	1	1	5	7	1	2	–	2	–	–
	12.	,, Lead and Antimony	144	8	136	–	–	8	9	19	26	29	23	15	13	2	–
	13.	,, Brass and other mixed Metals	1047	46	1001	–	1	45	82	147	182	142	181	155	93	18	1
	14.	,, Iron and Steel	7756	390	7366	–	43	347	659	1113	1122	1168	1162	1147	825	158	12
VI.	16. 1.	General Labourers	12265	441	12824	1	61	379	702	1532	1884	1953	2343	2264	1710	402	34
	2.	Other Persons of indefinite Occupations	368	21	347	–	1	20	55	72	65	57	47	35	13	3	–
	17.	*Persons of* RANK *or* PROPERTY *not returned under any Office or Occupation*	3285	7	3278	–	–	7	49	158	199	293	582	869	895	216	12
	18. 1.	On Income from voluntary Sources and Rates	998	42	956	1	5	36	55	114	120	116	141	174	190	41	8
	2.	Prisoners and others of Criminal Class	157	19	138	–	1	18	36	34	23	12	12	18	3	–	1
	3.	Vagrants and Gipsies	62	2	60	–	–	2	3	6	8	13	10	12	6	1	1
		Persons of *no stated Rank, Profession, or Occupation*	727	35	692	–	6	29	54	92	176	117	110	79	38	22	4

ENGLAND.—Deaths of Males of different Occupations registered in the Years 1860–1.

OCCUPATIONS.	Total.	Ages of Males.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
Total of Males aged 5 Years and upwards	249,614	15861	8959	12017	14187	25492	28021	29380	35115	40276	31561	7838	407
I.—*Persons engaged in the* General *or* Local Government *of the Country.*													
1. National Government.													
Civil Servant not in Post Office or Revenue Departments	189	–	–	–	16	24	22	28	24	40	29	6	–
Post Office	356	–	–	4	19	51	56	67	57	58	37	7	–
Inland Revenue	259	–	–	1	2	13	16	36	43	76	57	17	1
Customs	246	–	–	–	3	20	41	36	33	52	39	22	–
Government Messengers, Workmen	172	–	1	8	14	29	31	34	24	11	17	3	–
Dockyard Artificers	449	–	–	4	16	68	52	44	48	100	98	17	2
Other *Government* Officers	40	–	–	–	–	2	5	7	7	12	6	–	1
2. Local Government.													
Magistrate	65	–	–	–	–	–	3	3	17	16	18	8	–
Police	471	–	–	1	41	148	113	83	33	37	12	3	–
Prison Officer	71	–	–	–	1	10	14	16	17	7	6	–	–
Union and Parish Officer	345	–	–	–	5	13	29	58	78	94	51	17	–
Officer of Local Board	27	–	–	–	–	5	3	5	6	4	4	–	–
Other *Local* Officers	114	–	–	1	–	4	18	16	19	33	18	5	–
3. East India and Colonial Government.													
East India and Colonial Service	199	–	–	–	9	13	22	34	26	37	50	8	–
II.—*Persons engaged in the* Defence *of the Country.*													
1. Army—(at Home).													
Army Officer	246	–	–	–	15	36	36	29	38	62	21	9	–
Army Half-pay Officer	174	–	–	–	2	4	6	6	11	60	70	14	1
Soldier	2154	–	1	128	524	796	447	74	51	61	61	10	1
Chelsea Pensioner	1763	–	–	1	17	81	152	202	234	487	466	117	6
Militia	225	–	1	24	32	40	28	21	7	26	40	6	–
Others connected with the *Army*	12	–	–	–	–	1	1	–	1	7	2	–	–
2. Navy—(Ashore or in Port).													
Navy Officer	170	–	2	–	10	13	20	20	20	51	30	3	1
Navy Half-pay Officer	144	–	–	–	1	2	4	10	16	57	48	6	–
Seaman, R.N.	759	–	4	89	153	160	114	67	39	60	55	18	–
Royal Marine	212	–	–	20	47	79	40	9	4	4	8	1	–
Greenwich Pensioner	950	–	–	1	8	36	76	111	126	245	268	75	4
Others connected with the *Navy*	140	–	–	–	1	11	21	14	14	41	31	7	–
III.—*Persons engaged in the* Learned Professions, *or in* Literature, Art, *and* Science (*with their immediate Subordinates*).													
1. Clergymen, Ministers, and Church Officers.													
(*a*) Clergyman	648	–	–	–	2	35	56	99	152	148	119	36	1
Protestant Minister	292	–	–	–	7	12	27	33	60	75	70	8	–
Roman Catholic Priest	53	–	–	–	1	5	9	5	16	11	6	–	–
Other *Religious Teachers*	60	–	–	–	3	10	10	11	13	8	3	1	1
(*b*) Parish Clerk	99	–	–	–	1	–	2	6	15	34	28	13	–
Other *Church Officers*	140	–	–	–	–	6	8	15	28	46	29	8	–
2. Lawyers, Law Court Officers, and Law Stationers.													
(*a*) Barrister	83	–	–	–	–	6	13	18	24	15	4	3	–
Solicitor	522	–	–	–	5	41	69	103	110	123	55	16	–
Law Student	5	–	–	–	–	3	1	–	–	–	–	1	–
Other *Lawyers*	9	–	–	–	–	1	2	–	1	3	2	–	–
(*b*) Officers of Law Court	94	–	–	–	2	7	13	16	26	17	13	–	–
Law Clerk	492	–	1	34	58	106	93	71	61	50	17	1	–
Law Stationer	27	–	–	1	4	4	3	6	7	2	–	–	–
3. Physicians, Surgeons, and Druggists.													
(*a*) Physician	104	–	–	–	1	5	10	19	18	25	18	8	–
Surgeon, Apothecary	594	–	–	–	8	68	87	126	100	105	89	11	–
Medical Student, Assistant	41	–	–	5	19	12	3	2	–	–	–	–	–
Dentist	43	–	–	–	3	8	8	5	10	6	2	1	–
(*b*) Chemist and Druggist	442	–	–	22	58	88	85	66	57	49	10	7	–
Others connected with *Medicine*	27	–	–	–	1	2	4	4	4	6	5	1	–
4. Authors and Literary Persons.													
Author, Editor, Writer	46	–	–	1	2	12	12	6	6	5	2	–	–
Others engaged in *Literature*	40	–	–	1	3	12	2	6	9	4	3	–	–
5. Artists.													
Artist, Painter	148	–	–	1	8	17	25	27	25	25	17	3	–
Sculptor	18	–	–	1	1	2	4	2	3	3	2	–	–
Engraver	151	–	–	8	10	26	22	20	29	20	11	5	–
Photographic Artist	51	–	–	3	4	15	15	9	4	–	1	–	–
Others engaged in the *Fine Arts*	5	–	–	–	–	–	1	1	1	1	–	1	–

ENGLAND.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total	Ages of Males. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
Order III.—*continued.*													
6. *Musicians, Teachers of Music.*													
Musician	338	–	–	6	21	93	53	62	47	33	16	5	–
Music-master	69	–	–	2	2	12	12	11	13	12	5	–	–
Others connected with *Music*	5	–	–	–	–	1	–	2	1	–	1	–	–
7. *Actors, &c.*													
Actor	62	–	–	–	3	9	17	14	8	9	2	–	–
Persons engaged about *Theatres, Exhibitions*	53	–	–	1	–	13	16	10	14	2	2	–	–
8. *Teachers.*													
Schoolmaster	810	–	–	10	68	107	88	85	143	172	112	25	–
Professor, Teacher of Languages	47	–	–	–	–	3	11	8	13	6	5	1	–
Professor of Mathematics	6	–	–	–	1	2	–	–	1	1	1	–	–
Teacher (General)	85	–	–	38	13	11	5	1	7	4	5	1	–
Teacher of Dancing, Gymnastics	15	–	–	–	–	2	2	1	2	3	3	2	–
Other *Teachers*	18	–	–	–	–	2	–	3	3	5	5	–	–
9. *Scientific Persons.*													
Civil Engineer	88	–	–	1	7	13	27	11	9	10	7	3	–
Other *Scientific* Persons	20	–	–	–	–	1	3	4	4	6	2	–	–
IV. *Persons returned (only) as* Children *or* Relatives *and* Scholars.													
3. *Children and Relatives at Home (not otherwise described).*													
Son, Grandson, *Brother*, Nephew	29852	15839	8187	4853	849	109	14	1	–	–	–	–	–
V.—*Persons engaged in entertaining and performing* Personal Offices *for Man.*													
1. *In Board and Lodging.*													
Innkeeper, Hotelkeeper	1530	–	–	1	11	103	240	326	335	286	201	46	1
Publican, Licensed Victualler	1868	–	–	–	16	155	368	433	365	301	198	31	1
Beerseller	572	–	–	–	4	47	99	151	132	79	50	10	–
Lodging, Boarding-house Keeper	130	–	–	–	–	5	15	28	29	33	19	1	–
Coffee-house, Eating-house, Keeper	101	–	–	1	1	8	25	26	20	16	4	–	–
Cook (not Domestic Servant)	65	–	–	1	3	9	7	19	14	5	5	2	–
Others engaged in *Boarding and Lodging*	30	–	–	–	1	3	8	2	7	7	2	–	–
2. *In Attendance, (Domestic Servants, &c.)*													
Domestic Servant (General)	1428	–	7	86	122	227	186	162	212	230	158	35	3
Coachman	452	–	–	1	10	55	91	83	73	69	62	8	–
Groom	233	–	1	14	36	54	45	34	19	20	8	2	–
Gardener	369	–	–	7	12	27	29	44	67	90	79	13	1
Inn Servant	652	–	–	33	75	158	139	124	51	49	18	4	1
Hospital, Lunatic Asylum, Attendant, Nurse	50	–	–	–	2	10	8	10	9	3	7	1	–
Others engaged in *Attendance*	67	–	–	1	–	5	8	8	12	16	14	3	–
VI.—*Persons who* buy *or* sell, keep *or* lend, *Money, Houses, or Goods of various kinds.*													
1. *Mercantile Men.*													
Merchant	377	–	–	1	5	35	60	58	76	64	63	15	–
Banker	68	–	–	–	2	3	7	10	12	19	11	4	–
Insurance, Benefit Society, Officer	36	–	–	–	1	6	4	8	4	10	2	1	–
Stock, Share, Broker, Dealer	58	–	–	–	–	5	4	10	18	12	6	3	–
Ship Broker, Agent	76	–	–	1	–	17	14	12	15	10	6	1	–
Broker	64	–	–	1	1	7	10	12	10	11	12	–	–
Agent, Factor	202	–	–	3	5	14	36	47	44	39	11	3	–
Coal, Colliery, Agent, Factor	75	–	–	–	2	8	9	16	18	19	3	–	–
Iron Merchant, ..gent	6	–	–	–	–	–	1	1	1	1	1	1	–
Salesman (not otherwise described)	4	–	–	–	1	1	–	–	2	–	–	–	–
Auctioneer, Appraiser, Valuer	173	–	–	3	1	8	24	28	50	42	13	4	–
Accountant	244	–	–	4	12	26	46	35	53	46	19	3	–
Commercial Clerk	1458	–	–	101	203	317	223	194	179	171	70	9	–
Commercial Traveller	348	–	–	1	10	56	75	76	63	42	21	4	–
Other *Mercantile* Men	55	–	–	–	–	2	10	10	15	15	2	1	–
2. *Other General Dealers.*													
Pawnbroker	113	–	1	9	9	10	21	21	18	11	12	1	–
Marine-store Dealer	117	–	–	–	6	11	20	24	24	25	5	2	–
General Dealer, Huckster, Costermonger	401	–	–	6	10	50	70	71	73	69	38	11	3
Shopkeeper (Branch undefined)	259	–	–	1	5	20	19	40	44	63	58	9	–
Hawker, Pedlar	926	–	2	7	23	98	135	164	190	160	111	28	8
Other *General Dealers*	5	–	–	–	–	2	1	1	1	–	–	–	–

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
VII.—*Persons engaged in the* CONVEYANCE *of Men, Animals, Goods, and Messages.*													
1. *Carriers on Railways.*													
Railway Engine Driver, Stoker	315	–	1	20	46	91	91	30	20	11	4	1	–
Railway Officer, Clerk, Station-master	311	–	2	22	58	65	67	53	26	12	6	–	–
Railway Servant, Porter, Gatekeeper	782	–	4	37	110	235	161	108	80	37	10	–	–
Railway Police	58	–	–	–	4	17	16	11	5	3	2	–	–
Others engaged in *Railways*	4	–	–	–	–	1	–	1	1	–	1	–	–
2. *Carriers on Roads.*													
Toll-collector, Turnpike-gate Keeper	183	–	–	–	4	14	19	25	33	56	27	5	–
Coach, Omnibus, Cab,—Owner	130	–	–	1	1	13	28	29	26	17	15	–	–
Livery Stable Keeper	58	–	–	–	–	4	8	14	8	15	6	3	–
Coachman (not Domestic Servant)	683	–	1	2	23	81	127	133	138	102	67	8	1
Cabman, Flyman	594	–	–	3	31	107	166	149	73	47	14	4	–
Carman, Carrier, Carter, Drayman	2424	–	12	56	132	354	418	428	433	367	188	35	1
Others engaged in *Road* Conveyance	67	–	–	–	1	7	15	14	11	13	6	–	–
3. *Carriers on Canals and Rivers.*													
Canal and Inland Navigation Service	202	–	5	7	9	18	22	23	39	33	30	10	1
Bargeman, Lighterman, Waterman	1372	–	8	52	72	132	221	198	229	252	169	36	3
Others connected with *Inland Navigation*	9	–	–	1	–	1	–	4	2	–	1	–	–
4. *Carriers on Seas and Rivers.*													
Shipowner	124	–	–	–	1	6	8	25	26	34	16	8	–
Seaman (Merchant Service)	3719	–	19	293	433	785	582	436	366	411	320	71	3
Pilot	143	–	–	1	8	9	23	20	22	30	22	11	–
Boatman on Seas	49	–	–	1	2	5	5	9	9	9	8	1	–
Harbour, Dock, Service, Dock Labourer	1119	–	–	14	59	183	217	237	206	131	56	5	2
Wharfinger	48	–	–	1	1	6	3	14	9	7	4	3	–
Others connected with *Seas and Rivers*	333	–	–	10	35	82	73	51	45	23	11	3	–
5. *Engaged in Storage.*													
Warehouseman (not Manchester)	274	–	–	11	26	37	34	71	35	39	20	1	–
Others connected with *Storage*	62	–	–	1	3	4	7	16	9	14	7	1	–
6. *Messengers and Porters.*													
Messenger, Porter (not Govt.), Errand Boy	1362	–	17	82	68	150	189	266	247	229	107	7	–
Telegraph Service	41	–	2	7	15	10	3	2	1	1	–	–	–
Others employed about *Messages*	73	–	–	–	–	4	15	13	25	8	3	–	–
VIII.—*Persons possessing or working the* LAND, *and engaged in growing* GRAIN, FRUITS, GRASSES, ANIMALS, *and other Products.*													
1. *In Fields and Pastures.*													
Land Proprietor	847	–	–	–	6	28	43	87	160	220	233	97	3
Farmer, Grazier	13346	–	–	8	108	497	836	1297	2189	3565	3649	1138	59
Farmer's "Son," "Grandson," "Brother," "Nephew"	724	–	4	181	249	192	60	26	10	1	1	–	–
Farm Bailiff	388	–	–	1	–	17	35	59	101	96	61	17	1
Agricultural Labourer (out-door)	31017	6	70	850	1376	2525	2452	2884	4630	7042	7024	2057	101
Shepherd (out-door)	465	1	1	5	15	29	42	58	75	94	108	35	2
Farm Servant (in-door)	79	–	2	25	19	7	7	7	1	4	6	1	–
Land Surveyor, Land Estate Agent	185	–	–	1	8	16	25	19	33	41	31	11	–
Others connected with *Agriculture*	61	–	–	–	–	11	11	9	9	13	8	–	–
2. *In Woods.*													
Woodman	265	–	–	4	6	18	14	25	45	71	59	22	1
Connected with *Arboriculture*	1	–	–	–	–	–	–	1	–	–	–	–	–
3. *In Gardens.*													
Gardener (not Domestic Servant)	2686	–	–	19	64	149	199	318	494	662	602	165	14
Nurseryman (Horticulturist)	214	–	–	5	13	16	13	23	43	42	41	16	2
IX.—*Persons engaged about* ANIMALS.													
Horse Proprietor, Dealer	91	–	–	–	2	5	16	14	17	20	15	2	–
Horsebreaker	98	–	1	–	1	5	19	25	16	15	13	3	–
Horsekeeper, Groom, Jockey	1430	–	3	40	81	201	287	268	268	162	96	24	2
Farrier, Veterinary Surgeon	276	–	–	2	8	37	40	57	44	40	36	11	1
Cattle, Sheep,—Dealer, Salesman	209	–	–	1	6	12	29	33	45	50	25	8	–
Drover	231	–	–	1	6	22	29	48	60	46	18	6	–
Pig Merchant, Dealer	78	–	–	–	–	3	6	17	15	18	14	4	1
Gamekeeper	305	–	–	2	10	23	43	32	55	68	59	10	3
Vermin Destroyer, Rat-catcher	72	–	–	–	2	3	4	8	11	20	18	6	–
Fisherman	534	–	1	28	29	58	68	46	65	100	116	20	3
Others engaged about *Animals*	56	–	–	1	1	5	7	12	5	15	9	1	–

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
X.—*Persons engaged in* ART *and* MECHANIC *Productions, in which matters of various kinds are employed in combination.*													
1. *In Books.*													
Bookseller, Publisher	228	–	–	7	13	27	27	45	33	50	21	5	–
Bookbinder	220	–	1	13	25	31	28	28	54	27	10	3	–
Printer	757	–	3	60	95	134	156	111	83	79	32	4	–
Newspaper Agent, Vendor, &c.	77	–	1	5	6	8	11	14	14	9	8	1	–
Others engaged about *Publications*	22	–	–	2	–	2	5	2	5	3	3	–	–
2. *In Musical Instruments.*													
Musical Instrument Maker, Dealer	142	–	–	7	16	17	22	27	23	18	8	4	–
Others connected with *Musical Instruments*	30	–	–	1	3	3	7	4	6	4	2	–	–
3. *In Prints and Pictures.*													
Lithographer, Lithographic Printer	39	–	–	5	7	14	6	3	1	2	1	–	–
Others connected with *Prints and Pictures*	89	–	1	4	7	13	14	13	16	13	6	2	–
4. *Carving and Figures.*													
Wood-carver	32	–	–	5	3	11	4	2	4	1	1	1	–
Others employed about *Carving and Figures*	61	–	–	3	3	10	14	14	7	6	3	1	–
5. *In Tackle for Sports and Games.*													
Toy Maker, Dealer	56	–	–	1	1	6	8	12	10	8	9	1	–
Bow, Bat, Ball, Tackle, &c. Maker	40	–	–	4	3	4	2	9	6	6	5	1	–
6. *In Designs, Medals, and Dies.*													
Pattern Designer	55	–	–	1	3	8	11	10	12	2	3	–	–
Others engaged about *Designs, Medals, &c.*	29	–	–	5	3	9	3	3	3	3	–	–	–
7. *In Watches and Philosophical Instruments.*													
Watchmaker, Clockmaker	698	–	–	27	74	87	91	95	114	114	86	10	–
Optician, Spectacle-maker	56	–	–	3	3	11	2	5	12	12	7	1	–
Weighing Machine, Scale, Measure, Maker	55	–	–	–	3	9	10	9	6	7	5	1	–
Other *Philosophical Instrument Makers*	37	–	–	1	3	4	1	9	4	9	1	–	–
8. *In Surgical Instruments.*													
Surgical Instrument Maker	25	–	–	2	3	2	3	5	3	3	3	1	–
Others connected with *Surgical Instruments*	2	–	–	–	–	–	–	2	–	–	–	–	–
9. *In Arms.*													
Gunsmith, Gun manufacture	276	–	–	10	23	39	36	34	44	50	33	7	–
Others engaged in manufacturing *Arms*	47	–	1	2	–	10	7	6	9	8	3	1	–
10. *In Machines and Tools.*													
Engine and Machine Maker	1260	–	4	90	182	266	234	177	154	104	48	10	–
Spindle-maker	71	–	1	10	10	12	15	12	6	2	3	–	–
Needle manufacture	80	–	–	3	5	11	17	13	6	9	9	2	–
Scissors-maker	44	–	–	–	7	3	5	7	12	5	4	1	–
Tool Maker, Dealer	137	–	–	5	18	19	19	22	24	18	10	2	–
File-maker	251	–	–	14	19	36	53	56	36	24	9	4	–
Saw Smith, Maker	57	–	1	–	6	7	10	11	13	7	2	–	–
Cutler	263	–	1	7	15	33	34	38	48	58	25	3	1
Blade Maker, Forger	80	–	–	6	5	14	14	14	15	8	4	–	–
Knife-maker	120	–	–	6	13	14	21	17	18	15	15	1	–
Razor-maker	28	–	–	1	3	1	8	7	3	4	1	–	–
Others engaged about *Tools and Machines*	462	–	2	15	48	50	54	67	83	90	45	8	–
11. *In Carriages.*													
Coachmaker	569	–	–	25	33	79	82	136	94	79	34	7	–
Others engaged about *Carriages*	28	–	–	–	2	10	7	4	1	4	–	–	–
12. *In Harness.*													
Saddler, Harness-maker	631	–	1	19	42	63	91	94	103	119	84	15	–
Whip-maker	28	–	–	2	2	1	1	4	8	7	3	–	–
13. *In Ships.*													
Shipbuilder, Shipwright	959	–	2	50	93	113	130	102	126	188	123	30	2
Block, Oar, Mast,—Maker	54	–	–	2	7	5	11	5	7	8	7	2	–
Boat, Barge,—Builder	108	–	–	4	4	6	8	10	21	30	18	6	1
Sailmaker	112	–	–	6	7	12	20	13	18	16	16	4	–
Others engaged in *Ship-building*	77	–	–	1	2	10	15	18	13	10	6	2	–
14. *In Houses and Buildings.*													
House Proprietor	881	–	–	–	3	14	19	59	135	293	279	73	6
House Agent, Rent Collector	107	–	–	–	1	5	4	17	31	25	22	2	–
Architect	99	–	–	4	7	13	16	14	20	14	11	–	–
Surveyor	46	–	–	1	3	2	9	9	5	11	4	2	–
Builder	633	–	–	2	12	44	63	104	143	142	107	16	–
Carpenter, Joiner	5747	–	2	187	386	625	612	761	840	1207	886	229	12
Bricklayer	2721	–	2	59	154	336	421	407	496	484	310	50	2
Marble Mason	78	–	–	4	8	12	10	10	13	12	8	1	–
Mason, Pavior	3057	–	4	48	155	375	443	580	560	501	318	69	4
Slater, Tiler	211	–	–	7	12	27	18	33	42	27	36	9	–
Plasterer	536	–	2	17	30	65	67	97	111	95	47	5	–
Paperhanger	70	–	–	2	6	12	18	12	9	7	4	–	–
Plumber, Painter, Glazier	2425	–	4	67	153	348	476	518	450	293	109	13	–
Others engaged in *Houses and Buildings*	51	–	–	1	6	4	7	9	13	5	5	1	–

ENGLAND.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
Order X.—*continued.*													
15. *In Furniture.*													
Cabinet-maker, Upholsterer	986	–	2	35	79	119	159	150	152	164	99	27	–
Undertaker	55	–	–	1	1	6	6	12	11	12	5	1	–
Chairmaker	209	–	–	10	19	25	36	31	30	28	27	3	–
Picture-frame Maker	35	–	–	2	–	6	11	8	1	5	2	–	–
Carver, Gilder	162	–	–	10	14	21	32	32	19	21	10	3	–
Bedstead, Mattress, Bed-tick,—Maker	53	–	–	2	5	5	5	7	14	7	8	–	–
Furniture Broker	151	–	–	–	2	8	23	33	36	33	13	3	–
Others working and dealing in *Furniture*	24	–	–	–	3	4	6	3	1	6	1	–	–
16. *In Implements.*													
Wheelwright	1005	–	1	29	64	83	107	123	150	221	188	38	1
Millwright	293	–	1	10	27	31	40	42	52	50	39	6	–
Other *Implement* Makers	50	–	–	–	3	7	7	5	7	8	8	5	–
17. *In Chemicals.*													
Manufacturing Chemist, Lab. at Chem. Works	215	–	–	10	15	31	44	41	39	18	12	5	–
Dye, Colour,—manufacture	40	–	1	–	3	5	8	4	10	5	4	–	–
Dyer, Scourer, Calenderer	331	–	–	8	16	35	55	54	62	59	30	12	–
Others manufacturing *Chemicals*	102	–	1	4	5	12	16	16	18	15	14	–	1
XI.—*Persons working and dealing in the* Textile Fabrics *and in* Dress.													
1. *In Wool and Worsted.*													
Woolstapler	74	–	–	1	2	8	10	8	15	15	12	3	–
Felt manufacture	4	–	–	–	–	–	1	–	2	1	–	–	–
Woollen Cloth manufacture	2499	–	7	85	165	232	231	307	410	548	489	74	1
Clothier	151	–	–	9	12	8	21	17	20	28	27	3	–
Fuller	46	–	–	4	4	5	3	4	8	8	7	3	–
Wool, Woollen,—Dyer	83	–	–	4	5	6	16	15	18	10	6	2	1
Worsted manufacture	990	2	17	57	78	93	113	133	179	183	113	21	1
Stuff manufacture	142	–	–	7	11	25	19	17	21	23	18	1	–
Flannel manufacture	119	–	–	5	9	12	5	12	16	28	27	5	–
Blanket manufacture	57	–	–	1	1	3	9	11	5	14	11	2	–
Carpet, Rug,—manufacture	189	–	–	13	13	26	25	34	24	36	15	3	–
Others working and dealing in *Wool & Worsted*	61	–	–	–	–	5	10	8	15	7	9	7	–
2. *In Silk.*													
Silk, Satin,—manufacture	1036	–	11	61	62	109	128	157	189	202	106	10	1
Silk Dyer, Printer	66	–	–	1	4	8	9	8	13	17	5	1	–
Silk Mercer	19	–	–	–	1	3	–	3	1	7	4	–	–
Ribbon manufacture	232	–	1	11	16	19	30	41	28	43	36	7	–
Others working and dealing in *Silk*	22	–	–	2	1	3	2	6	7	–	1	–	–
3. *In Cotton and Flax.*													
Flax, Linen,—manufacture	376	–	–	8	13	23	33	48	63	109	62	16	1
Thread manufacture	5	–	–	–	–	1	1	2	–	1	–	–	–
Lace manufacture	238	–	2	17	26	15	34	28	40	37	36	3	–
Cotton manufacture	5781	5	57	453	528	739	710	742	847	905	676	115	4
Fustian manufacture	111	–	1	1	8	9	22	22	24	15	8	1	–
Muslin manufacture	6	–	–	–	–	–	–	–	2	2	1	1	–
Calico, Cotton,—Printer	352	–	–	12	16	31	38	45	82	60	47	19	2
Calico, Cotton,—Dyer	103	–	–	4	10	14	14	18	15	21	7	–	–
Others working and dealing in *Cotton and Flax*	129	–	1	1	4	10	16	23	30	32	9	2	1
4. *In Mixed Materials.*													
Packer and Presser	125	–	–	2	7	27	28	24	20	10	5	2	–
Weaver (not otherwise defined)	477	–	–	7	18	22	40	38	79	135	119	19	–
Manchester Warehouseman	183	–	–	16	14	39	34	28	21	21	10	–	–
Draper, Linendraper, Mercer	1173	–	–	87	177	268	180	127	128	111	74	21	–
Others working and dealing in *Mixed Fabrics*	89	–	–	8	2	16	7	15	15	15	9	1	1
5. *In Dress.*													
Hairdresser. Wig-maker	447	–	–	13	27	55	73	82	81	62	38	16	–
Hatter, Hat manufacture	608	–	–	9	30	40	70	87	115	135	103	19	–
Straw Plait manufacture	12	–	–	1	2	1	2	2	2	1	–	1	–
Straw, Hat, Bonnet,—Maker	32	–	–	1	5	3	7	7	3	3	3	–	–
Furrier	36	–	–	2	1	1	9	4	7	8	2	1	1
Tailor	4216	–	4	154	271	550	617	681	627	678	505	123	6
Clothes Dealer, Salesman, Outfitter	141	–	–	–	4	14	23	27	29	22	15	7	–
Button maker (all Branches)	80	–	–	1	8	11	12	20	16	10	2	–	–
Hose manufacture	997	–	–	19	55	77	93	94	152	260	202	42	3
Hosier, Haberdasher	123	–	–	8	15	26	9	11	20	18	16	–	–
Glover (not otherwise described), and Leather Glover	114	–	–	2	8	7	11	11	20	30	20	5	–
Shoemaker, Bootmaker	7501	–	13	278	456	839	889	993	1250	1420	1093	260	10
Patten, Clog,—Maker	157	–	–	14	17	15	19	34	26	20	9	3	–
Umbrella, Parasol, Stick,—Maker	94	–	–	–	8	11	18	15	18	10	12	2	–
Others providing *Dress*	215	–	–	6	13	19	33	39	36	31	34	3	1
6. *Hemp and other Fibrous Materials.*													
Mat Maker, Seller	46	–	–	4	2	1	4	12	8	11	3	1	–
Rope, Cord,—Maker	368	–	4	10	15	29	36	42	74	83	58	16	1
Canvas Maker, Dealer	28	–	–	1	–	1	2	5	7	6	5	1	–
Sailcloth manufacture	31	–	–	1	–	–	1	3	3	8	13	2	–
Others working and dealing in *Hemp*	89	–	–	2	4	7	19	8	21	16	12	–	–

ENGLAND.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XII. *Persons working and dealing in* Food *and* Drinks.													
1. *In Animal Food.*													
Cowkeeper, Milkseller	502	–	1	9	14	42	43	70	117	123	63	20	–
Cheesemonger	115	–	–	2	5	17	20	18	18	19	13	3	–
Butcher, Meat Salesman	2288	–	–	43	85	286	347	352	420	427	267	60	1
Provision Curer, Dealer	320	–	–	2	5	28	38	59	76	71	35	6	–
Poulterer, Game Dealer	102	–	–	2	5	11	17	18	18	19	9	2	1
Fishmonger	349	–	–	4	10	48	68	62	55	63	31	8	–
Others working and dealing in *Animal Food*	24	–	–	–	–	2	3	7	5	6	1	–	–
2. *In Vegetable Food.*													
Corn Merchant, Dealer	348	–	–	2	13	26	56	69	72	65	37	8	–
Miller	1094	–	3	28	60	108	131	142	227	229	133	32	1
Flour Dealer, Agent	61	–	–	–	–	6	3	16	15	12	8	1	–
Baker	1461	–	2	42	77	171	219	226	271	248	174	27	4
Confectioner, Pastry Cook	279	–	–	10	11	30	39	47	46	59	35	2	–
Greengrocer, Fruiterer	444	–	–	4	17	44	78	92	86	70	42	10	1
Fruit and Flower,—Hawker, Vendor	32	–	–	–	2	3	5	7	9	3	2	1	–
Potato Merchant	37	–	–	–	–	4	9	8	5	8	3	–	–
Seed Merchant, Seedsman	47	–	–	1	3	6	1	9	12	10	5	–	–
Others working and dealing in *Vegetable Food*	33	–	–	–	–	–	6	8	6	7	3	2	1
3. *In Drinks and Stimulants.*													
Maltster	395	–	–	–	6	19	41	53	89	100	72	15	–
Brewer, and others engaged in Brewing	1026	–	–	13	31	138	214	210	192	131	79	18	–
Wine and Spirit Merchant	382	–	–	7	23	52	74	63	67	67	22	7	–
Distiller, Rectifier (engaged in Distilling)	36	–	–	–	2	5	6	7	7	6	2	1	–
Cellarman	73	–	1	1	2	19	18	12	11	6	2	1	–
Ginger Beer, Soda, Mineral Water,—manuf.	38	–	–	2	3	6	7	12	3	4	1	–	–
Sugar Refiner	100	–	–	1	12	25	18	14	8	13	6	2	1
Grocer, Tea Dealer	1839	–	2	73	147	256	251	261	200	302	222	32	3
Tobacco, Cigar, Snuff,—manufacture	80	–	1	1	11	24	18	6	7	6	6	–	–
Tobacconist	118	–	–	1	13	21	28	17	24	10	4	–	–
Others working & dealing in *Drinks & Stimulants*	125	–	1	4	4	17	25	20	18	23	10	3	–
XIII.—*Persons working and dealing in* Animal Substances.													
1. *In Grease, Gut, Bones, Horn, Ivory, Whalebone.*													
Soap-boiler	56	–	–	3	3	7	10	12	6	11	3	1	–
Tallow-chandler	197	–	–	2	10	18	30	21	45	38	26	6	1
Comb-maker	66	–	–	3	5	2	9	7	12	18	9	1	–
Others working and dealing in *Grease, &c.*	115	–	–	1	7	17	21	20	20	19	10	–	–
2. *In Skins, Feathers, and Quills.*													
Fellmonger	81	–	–	2	5	7	4	12	14	18	16	3	–
Skinner	49	–	–	3	–	5	4	5	15	11	5	1	–
Tanner	322	–	–	4	12	33	45	51	56	73	36	11	1
Currier	384	–	–	8	18	46	56	77	70	66	39	4	–
Others working and dealing in *Skins, &c.*	84	–	–	2	5	9	14	13	12	16	13	–	–
3. *In Hair.*													
Hair, Bristle,—manufacture	20	–	–	2	1	1	4	5	3	3	1	–	–
Brush, Broom,—Maker	271	–	–	9	18	41	39	45	40	44	28	6	1
Others working and dealing in *Hair*	3	–	–	–	–	–	1	–	1	1	–	–	–
XIV.—*Persons working and dealing in* Vegetable Substances.													
1. *In Gums and Resins.*													
Oil Miller, Refiner	54	–	2	3	2	9	8	7	8	9	5	1	–
Oil and Colourman	77	–	–	–	7	14	10	10	13	17	5	1	–
French-polisher	122	–	–	12	9	24	40	16	13	5	3	–	–
Japanner	39	–	–	1	2	8	11	5	6	4	1	1	–
Others working and dealing in *Gums, &c.*	49	–	–	2	4	9	11	9	8	4	1	1	–
2. *In Wood.*													
Timber Merchant, Dealer	216	–	–	2	13	29	41	30	39	31	23	7	1
Wood Dealer	97	–	–	6	11	13	9	17	15	11	11	4	–
Sawyer	1138	–	–	18	34	101	159	155	183	215	218	53	2
Fence, Hurdle,—Maker	32	–	–	–	1	1	–	4	7	7	9	3	–
Lath-maker	53	–	–	1	2	5	12	7	3	9	11	2	1
Turner	249	–	1	15	30	31	31	36	38	36	23	7	1
Box-maker	49	–	–	2	5	11	9	7	8	3	2	2	–
Cooper	660	–	1	17	37	62	88	107	103	142	82	21	–
Hoop Maker, Bender	39	–	–	1	2	3	3	2	8	8	8	3	1
Others working and dealing in *Wood*	144	–	–	4	6	23	22	20	25	22	18	2	2
3. *In Bark.*													
Cork Cutter, manufacture	67	–	–	4	5	3	14	8	11	13	9	–	–
Others working and dealing in *Bark*	8	–	1	–	–	–	–	–	1	5	1	–	–

ENGLAND.—Deaths of Males of different Occupations registered in the Years 1860-1--*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
Order XIV.—*continued.*													
4. In Cane, Rush, and Straw.													
Basket-maker	289	–	–	6	15	34	25	30	55	61	44	19	–
Hay and Straw Dealer	65	–	–	–	–	6	12	9	17	13	6	2	–
Thatcher	226	–	–	4	4	8	12	14	34	61	67	20	2
Others working and dealing in *Cane, Rush, &c.*	50	–	–	–	1	2	8	10	13	12	4	–	–
5. In Paper.													
Rag Gatherer, Dealer	147	–	–	1	2	13	19	23	23	36	24	5	1
Paper manufacture	241	–	1	5	22	28	21	22	39	50	45	8	–
Stationer (not Law)	154	–	–	6	14	29	28	16	24	22	12	3	–
Paper Stainer	32	–	1	1	2	4	6	7	2	5	4	–	–
Others working and dealing in *Paper*	80	–	–	6	5	11	10	16	14	15	2	1	–
XV.—*Persons working and dealing in* Minerals.													
1. In Mining.													
Coal-miner	6806	4	252	590	761	1156	939	817	899	852	444	88	4
Copper-miner	679	–	2	51	72	81	91	129	131	96	24	2	–
Tin-miner	344	–	1	20	34	32	43	61	75	45	27	6	–
Lead-miner	676	–	5	39	62	113	94	113	129	84	40	6	–
Iron-miner	526	–	10	28	61	106	79	76	77	58	25	6	–
Others connected with *Mines*	421	–	13	30	34	51	64	61	70	63	27	8	–
2. In Coal.													
Coal Merchant, Dealer	496	–	1	6	10	32	49	75	111	122	73	17	–
Coalheaver, Labourer	595	–	5	16	20	60	111	109	99	109	52	13	1
Coke Burner, Dealer	94	–	–	1	2	20	19	15	14	13	8	2	–
Chimney Sweeper	216	–	1	7	4	36	53	46	34	26	8	1	–
Gas Works Service	260	–	–	6	10	45	56	52	45	27	16	3	–
Others working and dealing in *Coal*	50	–	–	–	–	7	8	6	8	7	9	5	–
3. In Stone, Clay.													
Stone Quarrier	667	–	1	15	42	77	90	134	148	110	45	5	–
Stone Cutter, Dresser, Polisher	147	–	–	3	7	18	22	31	29	23	11	3	–
Slate Quarrier	348	–	–	23	52	51	50	56	37	40	34	5	–
Limestone Quarrier, Burner	192	–	–	3	6	12	15	22	48	37	39	10	–
Clay Labourer	39	–	–	5	2	5	4	8	7	6	2	–	–
Brick Maker, Dealer	792	–	–	15	44	107	123	108	125	150	96	23	1
Railway Labourer	774	–	2	35	90	204	177	121	89	41	12	3	–
Platelayer	162	–	–	2	16	43	43	29	21	5	1	2	–
Excavator, Navvy	232	–	–	2	14	46	71	42	27	20	10	–	–
Road Contractor, Inspector, Surveyor	57	–	–	–	–	–	5	9	14	18	11	–	–
Road Labourer	595	–	–	2	9	19	25	57	111	201	144	27	–
Scavenger	115	–	–	1	1	6	14	25	27	25	15	1	–
Dust Collector	19	–	–	1	1	3	3	1	5	1	4	–	–
Others working and dealing in *Stone & Clay*	177	–	–	3	9	25	28	30	40	30	9	3	–
4. In Earthenware.													
Earthenware manufacture	804	1	6	36	70	82	155	151	140	109	43	10	1
Tobacco-pipe Maker	108	–	–	2	5	20	20	22	15	15	7	2	–
Earthenware and Glass Dealer	151	–	–	5	6	8	12	31	30	34	20	4	1
Others working and dealing in *Earthenware*	16	–	–	–	–	3	2	3	1	3	3	1	–
5. In Glass.													
Glass manufacture	371	1	3	14	25	70	65	51	50	57	27	8	–
Others working and dealing in *Glass*	19	–	–	–	–	1	4	1	5	6	2	–	–
6. In Salt.													
Salt manufacture	52	–	–	3	2	6	10	6	11	7	5	2	–
Salt Agent, Merchant, Dealer	16	–	–	–	1	3	2	3	4	2	1	–	–
7. In Water.													
Waterworks Service	52	–	–	1	2	6	6	11	12	10	4	–	–
Others working and dealing in *Water*	55	–	–	–	–	2	8	18	9	7	8	2	1
8. In Gold, Silver, and Precious Stones.													
Goldsmith, Silversmith, Jeweller	454	–	–	16	28	60	58	58	84	86	52	12	–
Plater, Plated Ware manufacture	61	–	–	1	4	4	3	14	8	12	14	1	–
Others dealing in *Gold, Silver, &c.*	66	–	–	1	5	11	11	10	10	11	6	1	–
9. In Copper.													
Copper manufacture	119	–	1	1	11	23	19	21	25	12	4	2	–
Coppersmith	56	–	–	–	8	7	8	6	17	7	2	1	–
Working and dealing in *Copper*	1	–	–	–	–	–	–	–	–	1	–	–	–
10. In Tin and Quicksilver.													
Tin manufacture	95	–	2	13	6	12	12	11	13	14	10	2	–
Tinman, Tinworker, Tinker	269	–	–	11	26	32	34	24	44	63	28	4	3
Tinplate Worker	153	–	–	7	18	21	26	30	21	18	9	3	–
Others working and dealing in *Tin, &c.*	2	–	–	–	–	1	–	–	1	–	–	–	–

ENGLAND.—Deaths of Males of different Occupations registered in the Years 1860-1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
Order XV.—*continued.*													
11. *In Zinc.*													
Zinc Manufacture	17	–	–	1	–	5	7	1	2	–	1	–	–
Others working and dealing in *Zinc*	2	–	–	–	1	–	–	–	–	–	1	–	–
12. *In Lead and Antimony.*													
Lead manufacture	87	–	–	5	7	9	14	18	12	10	10	2	–
Type Founder	40	–	–	3	2	9	9	4	8	3	2	–	–
Others working and dealing in *Lead, &c.*	17	–	–	–	–	1	3	7	3	2	1	–	–
13. *In Brass and other Mixed Metals.*													
Brass Founder, Moulder, manufacture	319	–	–	15	28	56	57	44	61	37	19	1	1
Brazier	108	–	–	8	7	12	14	11	18	21	13	4	–
Locksmith, Bellhanger	227	–	1	8	15	16	38	24	40	47	31	7	–
Gasfitter	114	–	–	6	7	19	31	19	23	7	2	–	–
Wire Maker, Drawer	84	–	–	3	8	12	7	12	9	18	12	3	–
Wire Worker, Weaver	59	–	–	3	6	11	11	8	10	5	3	2	–
Others working and dealing in *mixed Metals*	136	–	–	2	11	21	24	24	20	20	13	1	–
14. *In Iron and Steel.*													
Iron manufacture, Moulder, Founder	2705	–	31	160	292	471	441	441	396	294	153	26	–
Whitesmith	340	–	–	11	25	37	44	55	60	65	37	6	–
Blacksmith	3251	–	6	124	247	399	402	451	499	565	461	87	10
Nail manufacture	497	–	2	12	15	39	43	66	90	108	94	26	2
Anchorsmith, Chainsmith	88	–	1	5	10	11	13	14	10	14	10	–	–
Boiler-maker	222	–	–	9	23	59	61	35	19	10	5	1	–
Ironmonger	236	–	–	12	20	38	36	36	25	32	26	11	–
Hardwareman, Dealer	41	–	–	–	–	6	6	5	13	7	4	–	–
Steel manufacture, Worker	55	–	–	3	4	12	13	12	5	5	1	–	–
Grinder (Branch undefined)	69	–	–	2	7	10	18	16	11	2	3	–	–
Others working in *Iron and Steel*	252	–	3	9	16	31	45	37	34	45	31	1	–
XVI.—Labourers *and* Others (*Branch of Labour undefined*).													
1. *General Labourers.*													
Labourer (branch undefined)	13265	1	61	379	702	1532	1884	1953	2343	2264	1710	402	34
2. *Other Persons of Indefinite Occupations.*													
Mechanic	215	–	–	8	39	43	38	33	29	15	9	1	–
Shopman	46	–	–	5	9	10	7	6	5	3	–	1	–
Apprentice	5	–	1	2	2	–	–	–	–	–	–	–	–
Others of Indefinite Occupations	102	–	–	5	5	19	20	18	13	17	4	1	–
XVII.—*Persons of* Rank *or* Property *not returned under any* Office *or* Occupation.													
Gentleman, Independent	2856	–	–	7	48	145	175	284	502	764	762	179	10
Annuitant	429	–	–	–	1	13	24	34	80	105	133	37	2
XVIII.—*Persons* supported by the Community, *and of no specified* Occupation.													
1. *On Income from Voluntary Sources and Rates.*													
Dependent on Relatives	32	–	–	–	3	6	3	5	7	5	2	1	–
Almsperson (no stated Occupation)	123	–	–	1	3	3	2	4	15	21	53	18	3
Pauper (no stated Occupation)	372	1	4	19	28	44	44	45	60	64	57	5	1
Lunatic (no stated Occupation)	208	–	1	15	17	44	49	37	27	13	4	1	–
Others supported from *Voluntary Sources and Rates*	263	–	–	1	4	17	22	25	32	71	74	16	1
2. *Prisoners and Others of Criminal Class.*													
Prisoner (no stated Occupation)	157	–	1	18	36	34	23	12	12	18	3	–	–
3. *Vagrants and Gipsies.*													
Vagrant, Beggar	58	–	–	2	2	6	8	13	10	11	5	1	–
Gipsies (of all Occupations)	4	–	–	–	1	–	–	–	–	1	1	–	1
Visitor (*no stated Occupation*)	2	–	–	–	–	–	1	–	–	–	1	–	–
Others of no stated Occupation or Condition	725	–	6	29	54	92	175	117	110	79	37	22	4

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Years 1860–1.

OCCUPATIONS.	TOTAL.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
TOTAL OF MALES AGED 5 YEARS AND UPWARDS	34939	2446	975	1339	1817	4055	5179	5227	5367	4921	3036	560	37
Order I.													
(1) Civil Servant not in Revenue Departmt.	105	–	–	–	8	13	12	21	20	18	11	2	–
Post Office	69	–	–	–	6	14	13	17	6	6	7	–	–
Inland Revenue	61	–	–	–	1	–	3	10	11	14	16	5	1
Customs	82	–	–	–	–	7	14	13	11	16	15	6	–
Government Messengers, Workmen	144	–	1	7	10	23	27	29	20	11	14	2	–
Dockyard Artificers	68	–	–	1	2	14	8	7	11	12	8	4	1
Other *Government* Officers	12	–	–	–	–	–	1	3	2	3	3	–	–
(2) Magistrate	9	–	–	–	–	–	–	–	1	3	1	3	1
Police	139	–	–	–	11	42	34	23	13	13	3	–	–
Prison Officer	17	–	–	–	–	2	4	5	2	–	2	–	–
Union and Parish Officer	42	–	–	–	1	2	7	10	12	8	2	–	–
Officer of Local Board	9	–	–	–	–	1	–	1	3	3	1	–	–
Other *Local* Officers	28	–	–	–	–	1	4	5	7	10	1	–	–
(3) East India and Colonial Service	107	–	–	–	2	9	12	16	18	21	23	6	–
II.													
(1) Army Officer	88	–	–	–	4	12	16	12	15	18	9	2	–
Army Half-pay Officer	67	–	–	–	–	1	1	3	4	26	27	4	1
Soldier	401	–	–	5	95	162	73	22	11	13	18	2	–
Chelsea Pensioner	384	–	–	1	2	13	29	55	54	111	93	26	–
Militia	40	–	–	–	–	2	–	1	–	15	21	1	–
Others	10	–	–	–	–	–	1	–	1	7	1	–	–
(2) Navy Officer	46	–	–	–	–	3	1	3	6	22	11	–	–
Navy Half-pay Officer	28	–	–	–	–	–	–	3	3	12	10	–	–
Seaman, R.N.	41	–	–	7	3	10	3	1	1	4	6	1	–
Royal Marine	23	–	–	3	7	9	3	1	–	–	–	–	–
Greenwich Pensioner	414	–	–	1	–	4	20	24	40	125	164	35	1
Others	2	–	–	–	–	–	–	1	–	–	1	–	–
III.													
(1) (*a*) Clergyman	78	–	–	–	–	7	5	11	26	18	9	2	–
Protestant Minister	29	–	–	–	–	1	3	3	7	9	6	–	–
Roman Catholic Priest	13	–	–	–	1	3	1	–	4	3	1	–	–
Other *Religious Teachers*	20	–	–	–	–	5	3	3	5	1	2	–	1
(*b*) Parish Clerk	3	–	–	–	–	–	–	–	1	1	1	–	–
Other *Church Officers*	28	–	–	–	–	2	4	2	7	6	7	–	–
(2) (*a*) Barrister	46	–	–	–	–	3	9	10	15	7	2	–	–
Solicitor	133	–	–	–	2	8	13	31	24	32	19	4	–
Law Student	1	–	–	–	–	1	–	–	–	–	–	–	–
Other *Lawyers*	3	–	–	–	–	–	1	–	–	–	1	–	–
(*b*) Officers of Law Court	28	–	–	–	–	5	3	2	7	5	6	–	–
Law Clerk	223	–	–	17	24	39	46	34	21	33	8	1	–
Law Stationer	8	–	–	–	2	2	1	–	2	1	–	–	–
(3) (*a*) Physician	32	–	–	–	–	–	–	7	9	9	6	1	–
Surgeon, Apothecary	108	–	–	–	5	13	15	19	15	24	14	3	–
Medical Student, Assistant	17	–	–	1	7	5	2	2	–	–	–	–	–
Dentist	14	–	–	–	2	3	3	–	3	2	1	–	–
(*b*) Druggist	84	–	–	7	10	13	17	11	13	12	1	–	–
Others	5	–	–	–	–	1	–	2	–	1	1	–	–
(4) Author, Editor, Writer	21	–	–	–	–	6	6	4	2	2	1	–	–
Others engaged in *Literature*	19	–	–	–	2	3	1	3	5	4	1	–	–
(5) Artist, Painter	65	–	–	1	3	8	12	15	10	8	6	2	–
Sculptor	7	–	–	–	–	1	1	1	1	1	2	–	–
Engraver	66	–	–	4	5	9	10	9	11	10	7	1	–
Photographic Artist	26	–	–	2	4	6	8	3	3	–	–	–	–
Others engaged in the *Fine Arts*	5	–	–	–	–	–	1	1	1	1	–	1	–
(6) Musician	111	–	–	3	6	29	15	18	13	15	10	2	–
Music-master	26	–	–	–	1	5	4	5	4	5	2	–	–
Others	2	–	–	–	–	–	–	1	1	–	–	–	–
(7) Actor	23	–	–	–	–	3	7	5	3	4	1	–	–
Persons engaged about *Theatres, Exhib.*	32	–	–	–	–	5	8	6	11	1	1	–	–
(8) Schoolmaster	78	–	–	–	3	10	13	10	19	15	7	1	–
Professor, Teacher of Languages	23	–	–	–	–	1	5	3	8	5	1	–	–
Professor of Mathematics	2	–	–	–	1	–	–	–	1	–	–	–	–
Teacher (General)	15	–	–	5	3	2	1	–	2	1	1	–	–
Teacher of Dancing, Gymnastics	7	–	–	–	–	1	1	1	1	1	1	1	–
Other *Teachers*	4	–	–	–	–	–	–	1	2	–	1	–	–
(9) Civil Engineer	25	–	–	–	2	2	7	4	4	3	3	–	–
Other *Scientific* Persons	9	–	–	–	–	1	1	1	2	2	2	–	–
IV.													
(3) *Son*, Grandson, *Brother*, Nephew (not otherwise described)	3902	2445	926	473	44	10	4	–	–	–	–	–	–
V.													
(1) Innkeeper, Hotelkeeper	23	–	–	–	–	–	2	7	4	3	6	1	–
Publican	444	–	–	–	4	47	91	95	91	64	48	4	–
Beerseller	85	–	–	–	1	7	19	29	11	12	5	1	–
Lodging, Boarding-house Keeper	27	–	–	–	–	–	7	6	3	5	5	1	–
Coffee-house, Eating-house, Keeper	70	–	–	–	–	4	21	20	12	11	2	–	–
Cook (not Domestic Servant)	41	–	–	–	3	5	5	14	8	2	3	1	–
Others *Boarding and Lodging*	11	–	–	–	1	2	3	1	2	2	–	–	–
(2) *Domestic Servant* (General)	425	–	2	11	29	63	66	57	76	76	41	4	–
Coachman	168	–	–	–	1	21	33	33	28	30	19	3	–
Groom	24	–	–	3	2	2	9	4	1	3	–	–	–
Gardener	60	–	–	–	2	2	8	7	14	12	12	3	–
Inn Servant	305	–	–	19	44	85	68	63	12	7	5	1	1
Hospital, Lun. Asylum, Attendt., Nurse	21	–	–	–	1	3	2	6	5	1	3	–	–
Others	17	–	–	–	–	–	1	2	6	6	2	–	–

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
VI.													
(1) Merchant	140	–	–	1	2	12	30	14	31	25	21	4	–
Banker	15	–	–	–	1	1	1	2	2	5	2	1	–
Insurance, Benefit Society, Officer	9	–	–	–	–	1	2	2	2	1	1	–	–
Stock, Share, Broker, Dealer	40	–	–	–	–	5	2	4	14	8	4	3	–
Ship Broker, Agent	17	–	–	–	–	4	3	4	3	1	2	–	–
Broker	13	–	–	–	–	2	1	2	1	4	3	–	–
Agent, Factor	50	–	–	–	1	2	14	11	7	12	3	–	–
Coal, Colliery, Agent, Factor	1	–	–	–	–	–	1	–	–	–	–	–	–
Iron Merchant, Agent	1	–	–	–	–	–	1	–	–	–	–	–	–
Salesman (not otherwise described)	1	–	–	–	1	–	–	–	–	–	–	–	–
Auctioneer, Appraiser, Valuer	37	–	–	3	–	2	7	5	13	4	3	–	–
Accountant	81	–	–	2	4	5	18	11	19	13	8	1	–
Commercial Clerk	495	–	–	39	65	100	85	61	65	58	18	4	–
Commercial Traveller	160	–	–	1	–	23	31	41	28	25	9	2	–
Other *Mercantile* Men	15	–	–	–	–	1	4	3	6	–	1	–	–
(2) Pawnbroker	34	–	–	2	4	5	6	6	4	2	5	–	–
Marine-store Dealer	28	–	–	–	–	7	3	3	7	6	2	–	–
General Dealer, Huckster, Costermonger	254	–	–	5	9	37	33	48	46	41	22	10	3
Shopkeeper (Branch undefined)	26	–	–	–	–	2	2	7	3	6	6	–	–
Hawker, Pedlar	149	–	1	1	3	19	29	35	26	19	11	4	1
VII.													
(1) Railway Engine Driver, Stoker	51	–	–	4	3	12	15	8	6	2	1	–	–
Railway Official, Clerk, Station-master	61	–	–	1	11	10	14	13	8	2	2	–	–
Railway Servant, Porter, Gatekeeper	102	–	–	5	6	36	21	20	9	4	1	–	–
Railway Police	11	–	–	–	1	2	4	2	1	1	–	–	–
(2) Toll-collector, Turnpike-gate Keeper	20	–	–	–	1	5	4	4	3	3	–	–	–
Coach, Omnibus, Cab,—Owner	61	–	–	–	1	3	9	20	13	7	8	–	–
Livery Stable Keeper	24	–	–	–	–	2	3	5	2	9	2	1	–
Coachman (not domestic)	290	–	–	–	11	42	64	64	51	38	19	1	–
Cabman, Flyman	298	–	–	1	9	47	93	83	33	27	4	1	–
Carman, Carrier, Carter, Drayman	426	–	1	11	19	71	82	103	59	54	24	2	–
Others engaged in *Road* Conveyance	34	–	–	–	–	5	9	11	2	6	1	–	–
(3) Canal and Inland Navigation Service	18	–	–	–	–	2	5	3	3	4	1	–	–
Bargeman, Lighterman, Waterman	254	–	–	17	14	26	53	42	40	43	14	5	–
Connected with *Inland Navigation*	1	–	–	–	–	1	–	–	–	–	–	–	–
(4) Shipowner	8	–	–	–	–	–	1	2	2	–	1	2	–
Seaman (Merchant Service)	731	–	7	54	88	189	128	81	57	69	50	6	2
Pilot	21	–	–	–	2	1	3	1	3	7	2	2	–
Boatman on Seas	1	–	–	–	1	–	–	–	–	–	–	–	–
Harbour, Dock, Servant, Dock Labourer	498	–	–	6	24	64	89	114	101	76	21	3	–
Wharfinger	24	–	–	1	1	5	2	8	6	–	–	1	–
Others	68	–	–	1	9	17	12	14	6	6	3	–	–
(5) Warehouseman (not Manchester)	81	–	–	5	6	12	10	25	10	12	4	–	–
Others connected with *Storage*	25	–	–	1	2	2	3	9	–	8	–	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	716	–	8	56	38	81	108	140	118	119	45	3	–
Telegraph Service	9	–	–	1	5	2	–	–	1	–	–	–	–
Others employed about *Messages*	10	–	–	–	–	–	3	3	2	2	–	–	–
VIII.													
(1) Land Proprietor	37	–	–	–	1	–	3	2	11	8	8	3	1
Farmer, Grazier	89	–	–	–	2	3	4	7	14	25	26	8	–
Farmer's "Son," "Brother," "Grandson"	1	–	–	–	–	1	–	–	–	–	–	–	–
Farm Bailiff	11	–	–	–	–	–	1	1	4	2	2	–	1
Agricultural Labourer (out-door)	125	–	–	7	4	15	24	13	22	21	15	4	–
Shepherd (out-door)	4	–	–	–	1	–	1	1	–	–	1	–	–
Farm Servant (in-door)	1	–	–	–	–	–	–	–	–	1	–	–	–
Land Surveyor, Land Estate Agent	10	–	–	–	–	1	1	1	–	3	4	–	–
Others connected with *Agriculture*	6	–	–	–	–	–	2	–	3	–	1	–	–
(2) Woodman	2	–	–	–	–	–	–	–	1	1	–	–	–
(3) Gardener (not Domestic Servant)	359	–	–	1	7	26	35	42	77	85	70	14	2
Nurseryman	24	–	–	–	1	1	3	6	5	3	2	2	1
IX.													
(1) Horse Proprietor, Dealer	16	–	–	–	–	1	4	3	2	4	2	–	–
Horsebreaker	3	–	–	–	–	1	–	–	2	–	–	–	–
Horsekeeper, Groom, Jockey	318	–	–	5	15	40	92	77	47	32	10	–	–
Farrier, Veterinary Surgeon	75	–	–	–	2	11	16	14	13	12	5	2	–
Cattle, Sheep,—Dealer, Salesman	10	–	–	–	–	–	2	–	4	2	2	–	–
Drover	33	–	–	–	1	8	8	8	4	4	–	–	–
Pig Merchant, Dealer	4	–	–	–	–	–	1	1	–	1	1	–	–
Gamekeeper	6	–	–	–	–	–	2	–	–	3	1	–	–
Vermin Destroyer, Rat-catcher	1	–	–	–	–	–	–	–	1	–	–	–	–
Fisherman	22	–	–	–	2	1	3	3	2	6	5	–	–
Others engaged about *Animals*	10	–	–	1	–	1	2	3	–	2	1	–	–
X.													
(1) Bookseller, Publisher	82	–	–	4	5	11	10	14	7	19	9	3	–
Bookbinder	123	–	–	7	12	17	15	19	29	16	6	2	–
Printer	358	–	1	25	30	58	81	59	50	38	14	2	–
Newspaper Agent, Vendor, &c.	40	–	–	3	2	4	4	12	9	4	1	1	–
Others engaged about *Publications*	11	–	–	1	–	1	3	1	3	1	1	–	–
(2) Musical Instrument Maker, Dealer	108	–	–	6	9	12	18	19	19	15	6	4	–
Others connected with *Musical Insts.*	13	–	–	1	2	3	3	1	2	1	–	–	–
(3) Lithographer, Lithographic Printer	17	–	–	1	5	4	4	1	1	–	1	–	–
Others	*56	–	1	1	4	8	11	8	13	5	3	2	–
(4) Wood-carver	19	–	–	1	1	7	3	1	3	1	1	1	–
Others employed about *Carving & Figures*	29	–	–	2	–	5	7	7	3	4	1	–	–
(5) Toy Maker, Dealer	26	–	–	–	1	4	3	6	7	3	2	–	–
Bow, Bat, Ball, Tackle, &c. Maker	15	–	–	1	–	1	–	6	3	1	2	1	–

* Of these, 19 are copper-plate printers; 6 print-sellers; 6 picture-dealers; and 6 print-colourers.

I.—LONDON.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
X.—*cont.*													
(6) Pattern Designer	8	–	–	–	1	2	–	2	1	1	1	–	–
Others engaged about *Designs, Medals*	9	–	–	1	–	3	2	–	2	1	–	–	–
(7) Watchmaker, Clockmaker	201	–	–	8	19	28	26	25	34	36	24	1	–
Optician, Spectacle-maker	25	–	–	2	1	5	–	1	6	7	3	–	–
Weighing Machine, Scale, Measure, Maker	16	–	–	–	2	4	2	4	2	–	1	1	–
Other *Philosophical Instrument Makers*	21	–	–	1	6	1	1	4	2	5	1	–	–
(8) Surgical Instrument Maker	15	–	–	–	1	2	2	3	2	2	3	–	–
Dealing in *Surgical Instruments*	1	–	–	–	–	–	–	1	–	–	–	–	–
(9) Gunsmith, Gun manufacture	52	–	–	3	7	8	5	6	10	8	4	1	–
Others engaged in manufacturing *Arms*	4	–	1	–	–	–	1	2	–	–	–	–	–
(10) Engine and Machine Maker	221	–	–	9	25	40	53	36	32	20	5	1	–
Needle manufacture	1	–	–	–	–	–	–	1	–	–	–	–	–
Tool Maker, Dealer	8	–	–	–	1	–	1	2	3	1	–	–	–
File-maker	6	–	–	–	1	–	–	1	3	1	–	–	–
Saw Smith, Maker	9	–	–	–	2	–	–	3	2	2	–	–	–
Cutler	41	–	–	2	1	2	5	13	5	5	7	1	–
Others engaged about *Tools and Machines*	36	–	–	2	1	3	6	8	8	7	1	–	–
(11) Coachmaker	219	–	–	5	10	26	20	56	50	35	16	1	–
(12) Saddler, Harness-maker	102	–	–	2	8	9	15	14	28	12	12	2	–
Whip-maker	10	–	–	1	1	–	–	2	3	2	1	–	–
(13) Shipbuilder, Shipwright	200	–	–	4	12	21	23	38	25	40	26	8	–
Block, Oar, Mast,—Maker	13	–	–	–	2	–	3	2	1	2	2	1	–
Boat, Barge,—Builder	25	–	–	1	1	–	1	2	6	8	6	–	–
Sailmaker	36	–	–	1	–	–	5	6	7	6	10	1	–
Others engaged in fitting *Ships*	10	–	–	–	–	–	5	1	1	1	1	1	–
(14) House Proprietor	140	–	–	–	–	4	5	13	19	42	46	10	1
House Agent, Rent Collector	28	–	–	–	–	1	1	6	8	5	7	–	–
Architect	28	–	–	–	5	5	6	3	4	3	2	–	–
Surveyor	23	–	–	–	–	1	3	5	3	8	1	2	–
Builder	183	–	–	1	3	15	19	28	48	31	35	3	–
Carpenter, Joiner	843	–	–	18	44	94	112	144	152	152	106	21	–
Bricklayer	640	–	–	9	38	78	123	108	132	104	43	5	–
Marble Mason	23	–	–	1	2	7	1	4	2	4	2	–	–
Mason, Pavior	189	–	–	2	10	24	31	53	44	18	7	–	–
Slater, Tiler	18	–	–	3	–	3	1	2	3	5	1	–	–
Plasterer	148	–	1	7	6	20	23	28	34	20	7	2	–
Paperhanger	36	–	–	1	3	6	10	6	6	2	2	–	–
Plumber, Painter, Glazier	770	–	–	11	37	117	167	166	152	84	35	1	–
Others engaged in *Houses and Buildings*	17	–	–	–	1	–	4	4	3	2	2	1	–
(15) Cabinet-maker, Upholsterer	325	–	1	5	23	30	49	54	65	58	32	8	–
Undertaker	40	–	–	1	1	5	4	9	8	8	3	1	–
Chairmaker	63	–	–	3	6	8	16	10	7	9	4	–	–
Picture-frame Maker	21	–	–	–	–	3	6	5	1	5	1	–	–
Carver, Gilder	82	–	–	3	5	8	16	16	12	12	8	2	–
Bedstead, Mattress, Tick,—Maker	31	–	–	1	3	1	3	4	9	6	4	–	–
Furniture Broker	44	–	–	–	1	1	7	13	8	10	3	1	–
Others dealing in *Furniture*	22	–	–	–	3	4	6	3	–	5	1	–	–
(16) Wheelwright	91	–	–	1	3	8	19	14	15	21	7	3	–
Millwright	28	–	–	–	–	3	6	7	7	3	2	–	–
Other *Implement* Makers	5	–	–	–	–	–	–	1	1	2	1	–	–
(17) Manuf. Chemist, Lab. at Chem. Works	16	–	–	–	2	1	5	2	1	3	2	–	–
Dye, Colour,—manufacture	9	–	–	–	1	2	2	1	2	1	–	–	–
Dyer, Scourer, Calenderer	74	–	–	1	3	5	12	9	14	18	10	2	–
Others manufacturing *Chemicals*	26	–	1	2	3	7	2	2	6	–	3	–	–
XI.													
(1) Woolstapler	8	–	–	–	–	–	2	2	3	–	1	–	–
Felt manufacture	2	–	–	–	–	–	1	–	1	–	–	–	–
Woollen Cloth manufacture	18	–	–	–	–	4	3	4	2	3	2	–	–
Clothier	5	–	–	–	–	–	1	3	–	1	–	–	–
Worsted manufacture	3	–	–	–	–	1	–	–	–	–	2	–	–
Carpet, Rug,—manufacture	25	–	–	3	–	6	5	7	2	2	–	–	–
Others	6	–	–	–	–	2	1	2	1	–	–	–	–
(2) Silk manufacture	126	–	–	2	4	3	12	20	35	27	20	2	1
Silk Dyer, Printer	20	–	–	–	–	2	2	4	4	7	1	–	–
Silk Mercer	9	–	–	–	–	2	–	2	1	3	1	–	–
Ribbon manufacture	3	–	–	–	1	–	1	–	–	–	1	–	–
Others	3	–	–	–	–	1	–	1	1	–	–	–	–
(3) Flax, Linen,—manufacture	6	–	–	–	–	–	2	2	1	1	–	–	–
Thread manufacture	1	–	–	–	–	–	–	1	–	–	–	–	–
Lace manufacture	11	–	–	1	–	2	2	–	3	1	2	–	–
Cotton manufacture	10	–	–	–	–	1	1	–	2	3	3	–	–
Calico, Cotton,—Printer	9	–	–	–	–	1	–	1	1	1	2	3	–
Calico, Cotton,—Dyer	3	–	–	1	–	–	–	1	–	1	–	–	–
Others	11	–	–	–	1	–	1	2	3	3	1	–	–
(4) Packer and Presser	22	–	–	1	–	5	4	5	2	3	1	1	–
Weaver (not otherwise defined)	96	–	–	1	3	1	7	8	14	40	20	2	–
Manchester Warehouseman	14	–	–	2	1	3	1	1	2	2	2	–	–
Draper, Linendraper, Mercer	190	–	–	9	23	37	41	24	30	16	8	2	–
Others	39	–	–	3	–	10	4	4	6	7	4	–	1
(5) Hairdresser, Wig-maker	115	–	–	4	5	14	19	20	22	19	9	3	–
Hatter, Hat manufacture	112	–	–	4	9	13	18	20	21	16	11	–	–
Straw Plait manufacture	1	–	–	–	–	–	–	1	–	–	–	–	–
Straw Hat, Bonnet,—Maker	7	–	–	–	1	–	1	1	1	1	2	–	–
Furrier	29	–	–	1	1	1	8	3	7	5	2	–	1
Tailor	840	–	2	24	35	103	134	106	148	139	77	11	1
Clothes Dealer, Salesman, Outfitter	32	–	–	–	2	4	5	5	6	3	4	3	–
Button-maker (all Branches)	5	–	–	–	1	–	–	4	–	–	–	–	–
Hose manufacture	5	–	–	–	1	–	–	2	–	–	1	–	–
Hosier, Haberdasher	37	–	–	3	4	5	4	5	8	5	3	–	–

I.—LONDON.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XI.—*cont.*													
(5) Glover, Leather, and not otherwise des.	9	–	–	–	–	–	3	2	2	2	–	–	–
Shoemaker, Bootmaker	1168	–	2	42	68	116	165	174	210	231	135	24	1
Patten, Clog,—Maker	6	–	–	1	–	–	2	2	–	1	–	–	–
Umbrella, Parasol, Stick,—Maker	31	–	–	–	5	5	8	4	5	–	2	2	–
Others providing *Dress*	98	–	–	5	7	7	13	19	20	12	13	1	1
(6) Mat Maker, Seller	10	–	–	1	–	1	2	3	1	2	–	–	–
Rope, Cord,—Maker	59	–	1	1	4	7	8	4	8	16	8	2	–
Canvas Maker, Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
Sailcloth manufacture	1	–	–	–	–	–	–	1	–	–	–	–	–
Others	*30	–	–	1	2	3	6	1	8	4	5	–	–
XII.													
(1) Cowkeeper, Milkseller	150	–	–	5	8	16	21	25	31	28	16	–	–
Cheesemonger	61	–	–	2	–	8	15	9	10	9	6	2	–
Butcher, Meat Salesman	342	–	–	10	17	48	61	58	65	51	27	5	–
Provision Curer, Dealer	20	–	–	1	–	3	5	5	3	3	–	–	–
Poulterer, Game Dealer	34	–	–	–	2	5	9	5	7	4	2	–	–
Fishmonger	106	–	–	2	1	19	25	18	17	17	6	1	–
Others dealing in *Animal Food*	7	–	–	–	–	1	–	2	3	1	–	–	–
(2) Corn Merchant, Dealer	62	–	–	–	2	6	10	14	12	11	6	1	–
Miller	47	–	–	–	1	2	9	6	10	5	7	–	–
Flour Dealer, Agent	7	–	–	–	–	–	1	3	3	–	–	–	–
Baker	353	–	1	15	20	39	56	63	75	56	23	5	–
Confectioner, Pastry Cook	79	–	–	4	5	5	11	9	15	17	12	1	–
Greengrocer, Fruiterer	153	–	–	3	8	20	26	30	23	25	15	3	–
Fruit and Flower,—Hawker, Vendor	9	–	–	–	1	2	1	1	3	1	–	–	–
Potato Merchant	10	–	–	–	–	2	2	1	2	3	–	–	–
Seed Merchant, Seedsman	16	–	–	–	–	3	1	3	5	2	2	–	–
Others dealing in *Vegetable Food*	9	–	–	–	–	–	2	2	2	2	1	–	–
(3) Maltster	11	–	–	–	–	–	5	2	2	2	–	–	–
Brewer, and others engaged in Brewing	168	–	–	3	8	21	37	44	28	16	6	2	–
Wine and Spirit Merchant	85	–	–	3	4	10	13	12	18	17	7	1	–
Distiller, Rectifier (engaged in Distilling)	21	–	–	–	1	3	3	4	4	3	1	–	–
Cellarman	48	–	–	1	1	10	14	7	9	5	1	–	–
Ginger Beer, Soda, Min. Water, manuf.	13	–	–	1	1	3	2	3	2	1	–	–	–
Sugar Refiner	52	–	–	–	9	17	10	4	2	6	3	–	1
Grocer, Tea Dealer	212	–	–	12	25	38	34	25	26	35	15	2	–
Tobacco, Cigar, Snuff,—manufacture	56	–	1	1	11	20	14	–	5	3	1	–	–
Tobacconist	44	–	–	–	7	11	7	6	11	1	1	–	–
Others dealing in *Drinks and Stimulants*	49	–	1	1	1	5	12	12	8	4	5	–	–
XIII.													
(1) Soap-boiler	19	–	–	1	1	3	3	5	2	4	–	–	–
Tallow-chandler	69	–	–	1	4	7	12	7	14	13	10	1	–
Comb-maker	13	–	–	1	1	1	2	2	3	1	2	–	–
Others	†54	–	–	1	6	8	9	13	9	4	4	–	–
(2) Fellmonger	12	–	–	–	–	4	–	3	4	–	1	–	–
Skinner	10	–	–	–	–	–	–	–	5	3	2	–	–
Tanner	69	–	–	1	2	7	16	13	12	13	4	1	–
Currier	88	–	–	2	2	12	13	18	16	18	6	1	–
Others	44	–	–	2	3	5	6	4	7	10	7	–	–
(3) Hair, Bristle,—manufacture	10	–	–	1	1	1	2	1	2	2	–	–	–
Brush, Broom,—Maker	87	–	–	5	5	19	10	14	13	11	9	1	–
Others dealing in *Hair*	2	–	–	–	–	–	1	–	1	–	–	–	–
XIV.													
(1) Oil Miller, Refiner	8	–	2	–	–	–	3	–	2	–	1	–	–
Oil and Colourman	60	–	–	–	4	11	5	10	12	13	4	1	–
French-polisher	64	–	–	5	2	14	24	8	7	3	1	–	–
Japanner	8	–	–	–	–	2	2	1	2	–	1	–	–
Others	27	–	–	2	1	3	6	6	5	2	1	1	–
(2) Timber Merchant, Dealer	36	–	–	–	–	5	10	3	11	3	3	1	–
Wood Dealer	46	–	–	4	8	7	6	9	5	5	1	1	–
Sawyer	142	–	–	4	1	12	31	25	27	22	18	2	–
Lath-maker	7	–	–	–	1	1	2	1	2	–	–	–	–
Turner	54	–	–	2	5	3	7	11	12	8	4	1	1
Box-maker	36	–	–	2	3	8	7	4	7	2	2	1	–
Cooper	181	–	–	5	7	21	27	29	41	32	15	4	–
Hoop Maker, Bender	6	–	–	–	–	–	1	–	1	4	–	–	–
Others	59	–	–	3	3	12	9	7	12	7	6	–	–
(3) Cork Cutter, manufacture	27	–	–	2	4	2	4	3	4	4	4	–	–
(4) Basket-maker	36	–	–	1	1	4	4	10	8	4	4	–	–
Hay and Straw Dealer	8	–	–	–	–	1	–	3	3	1	–	–	–
Thatcher	2	–	–	–	–	–	–	–	1	–	1	–	–
Others working in *Cane, Rush, Straw*	29	–	–	–	–	1	5	6	7	9	1	–	–
(5) Bag Gatherer, Dealer	14	–	–	–	1	3	3	3	1	3	–	–	–
Paper manufacture	18	–	–	–	3	2	5	3	1	1	3	–	–
Stationer (not Law)	83	–	–	2	9	18	14	6	14	10	8	2	–
Paper Stainer	23	–	1	–	–	2	4	6	1	5	4	–	–
Others working in *Paper*	37	–	–	3	2	5	3	10	6	8	–	–	–
XV.													
(1) Coal-miner	3	–	–	–	1	–	1	–	1	–	–	–	–
Copper-miner	1	–	–	–	–	–	–	–	1	–	–	–	–
Iron-miner	1	–	–	–	1	–	–	–	–	–	–	–	–
Others	7	–	–	–	–	1	3	–	1	1	–	1	–
(2) Coal Merchant, Dealer	74	–	–	1	1	4	8	9	21	17	9	4	–
Coalheaver, Labourer	193	–	1	1	7	18	43	50	32	29	8	4	–
Coke Burner, Dealer	11	–	–	1	–	4	1	1	3	1	–	–	–
Chimney Sweeper	55	–	1	1	–	4	20	15	9	4	1	–	–
Gas Works Service	95	–	–	2	–	17	18	26	15	11	5	1	–
Others working in *Coal*	4	–	–	–	–	1	2	1	–	–	–	–	–

* Of these, 16 are floor-cloth manufacturers; 7 sacking, sack, bag, makers, weavers; and 2 hemp manufacturers.
† Of these, 18 are ivory cutters, workers, dealers; 7 cats-meat men; 3 sealing-wax manufacturers; 3 whalebone cutters; and 3 bone-boilers.

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XV.—*cont.*													
(3) Stone Quarrier	1	–	–	–	–	–	1	–	–	–	–	–	–
Stone Cutter, Dresser, Polisher	31	–	–	1	–	3	3	5	9	6	3	1	–
Limestone Quarrier, Burner	3	–	–	–	–	–	1	1	–	1	–	–	–
Clay Labourer	1	–	–	–	–	–	–	1	–	–	–	–	–
Brick Maker, Dealer	44	–	–	–	–	5	8	3	14	7	6	1	–
Railway Labourer	27	–	–	–	–	6	9	6	4	2	–	–	–
Platelayer	19	–	–	–	1	5	5	6	2	–	–	–	–
Excavator, Navvy	61	–	–	–	2	8	21	12	8	7	3	–	–
Road Contractor, Inspector, Surveyor	7	–	–	–	–	–	–	1	2	4	–	–	–
Road Labourer	44	–	–	–	2	–	4	7	18	7	6	–	–
Scavenger	23	–	–	–	–	2	3	9	5	1	3	–	–
Dust Collector	14	–	–	1	1	2	2	–	5	1	2	–	–
Others working in *Stone, Clay*	35	–	–	–	1	3	4	6	13	6	2	–	–
(4) Earthenware manufacture	20	–	–	–	2	2	6	3	3	2	1	1	–
Tobacco-pipe Maker	27	–	–	–	–	6	8	7	2	3	–	1	–
Earthenware and Glass Dealer	24	–	–	1	–	1	2	7	4	6	2	1	–
Others	2	–	–	–	–	–	–	–	1	–	1	–	–
(5) Glass manufacture	66	1	–	1	1	13	15	8	11	9	6	1	–
Others working in *Glass*	15	–	–	–	–	1	4	1	3	5	1	–	–
(6) Salt Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
(7) Waterworks Service	15	–	–	–	–	1	2	7	1	3	1	–	–
Others working or dealing in *Water*	7	–	–	–	–	–	–	2	2	2	1	–	–
(8) Goldsmith, Silversmith, Jeweller	199	–	–	8	11	22	26	25	33	44	23	7	–
Plater, Plated Ware manufacture	3	–	–	–	–	–	–	1	–	–	2	–	–
Others dealing in *Gold, Silver*	31	–	–	–	4	5	6	3	5	6	2	–	–
(9) Copper manufacture	3	–	–	–	1	–	–	–	2	–	–	–	–
Coppersmith	27	–	–	–	4	5	4	1	6	6	1	–	–
Working in *Copper*	1	–	–	–	–	–	–	–	–	1	–	–	–
(10) Tinman, Tinworker, Tinker	45	–	–	2	2	3	6	7	6	13	5	1	–
Tinplate Worker	36	–	–	3	6	4	9	4	4	4	2	–	–
Working and dealing in *Tin*	1	–	–	–	–	–	–	–	1	–	–	–	–
(11) Zinc manufacture	13	–	–	1	–	4	4	1	2	–	1	–	–
Others working and dealing in *Zinc*	2	–	–	–	1	–	–	–	–	–	1	–	–
(12) Lead manufacture	6	–	–	1	–	2	1	1	–	1	–	–	–
Type Founder	32	–	–	3	1	7	6	3	7	3	2	–	–
Others working and dealing in *Lead, &c.*	13	–	–	–	–	1	3	5	3	1	–	–	–
(13) Brass Founder, Moulder, manufacture	80	–	–	3	5	12	18	8	18	9	6	1	–
Brazier	34	–	–	2	2	5	6	4	7	6	2	–	–
Locksmith, Bellhanger	33	–	–	–	3	–	5	7	5	3	2	3	–
Gasfitter	58	–	–	3	3	10	20	7	11	4	–	–	–
Wire Maker, Drawer	8	–	–	1	–	–	2	–	1	3	1	–	–
Wire Worker, Weaver	11	–	–	2	2	2	2	1	2	–	–	–	–
Others working in *mixed Metals*	21	–	–	1	1	6	4	3	5	1	–	–	–
(14) Iron manufacture, Moulder, Founder	74	–	–	2	5	10	14	15	10	11	7	–	–
Whitesmith	57	–	–	–	4	5	12	9	12	10	5	–	–
Blacksmith	258	–	1	6	21	27	44	47	42	44	21	5	–
Nail manufacture	2	–	–	–	–	–	–	–	1	1	–	–	–
Boiler-maker	45	–	–	3	3	10	16	5	4	4	–	–	–
Ironmonger	63	–	–	3	6	10	11	12	6	6	6	3	–
Hardwareman, Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
Steel manufacture, Worker	4	–	–	–	1	–	2	–	1	–	–	–	–
Grinder (Branch undefined)	1	–	–	–	1	–	–	–	–	–	–	–	–
Others working in *Iron, Steel*	12	–	1	1	–	–	5	1	1	1	2	–	–
XVI.													
(1) Labourer	2274	–	3	71	135	301	391	391	453	313	171	41	4
(2) Mechanic	22	–	–	1	1	2	7	–	5	6	–	–	–
Shopman	12	–	–	2	3	3	1	–	2	1	–	–	–
Others of indefinite Occupations	25	–	–	–	1	5	11	2	–	5	1	–	–
XVII.													
(1) Gentleman, Independent	849	–	–	4	14	39	59	80	184	202	218	46	3
Annuitant	125	–	–	–	–	4	8	8	31	22	41	10	1
XVIII.													
(1) Dependent on Relatives	4	–	–	–	–	1	1	–	2	–	–	–	–
Almsperson (no stated Occupation)	32	–	–	–	1	–	1	1	2	8	13	5	1
Pauper (no stated Occupation)	60	–	2	5	3	2	5	10	11	13	9	–	–
Lunatic (no stated Occupation)	24	–	–	2	6	4	6	5	–	1	–	–	–
Others	11	–	–	–	–	–	–	–	–	6	5	–	–
(2) *Prisoner* (no stated Occupation)	19	–	–	1	8	3	2	2	1	1	1	–	–
(3) *Vagrant, Beggar*	4	–	–	–	1	–	1	–	2	–	–	–	–
Visitor (no stated Occupation)	1	–	–	–	–	–	1	–	–	–	–	–	–
Others of no stated Occupation or Condition	218	–	3	6	20	17	52	34	41	29	11	3	2

II.—SOUTH-EASTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1.

Order	Occupations.	Total	Ages of Males. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	Total of Males aged 5 years and upwards	22817	1116	700	1000	1416	2494	2500	2466	2943	3764	3403	905	50
I.														
(1)	Civil Servant not in Revenue Departmt.	32	–	–	–	6	3	–	1	2	13	6	1	–
	Post Office	47	–	–	–	1	3	8	9	10	12	3	1	–
	Inland Revenue	27	–	–	–	–	1	2	4	9	9	2	–	–
	Customs	35	–	–	–	–	4	4	3	3	11	7	3	–
	Government Messengers, Workmen	15	–	–	–	1	2	1	4	4	–	2	1	–
	Dockyard Artificers	224	–	–	1	8	30	31	24	28	42	52	7	1
	Other *Government* Officers	13	–	–	–	–	1	1	3	1	5	1	–	1
(2)	Magistrate	14	–	–	–	–	–	1	1	2	3	6	1	–
	Police	38	–	–	–	4	9	13	6	2	1	1	2	–
	Prison Officer	14	–	–	–	–	3	3	3	3	1	1	–	–
	Union and Parish Officer	52	–	–	–	–	1	3	7	11	16	10	4	–
	Officer of Local Board	2	–	–	–	–	2	–	–	–	–	–	–	–
	Other *Local* Officers	7	–	–	–	–	1	1	1	–	1	1	2	–
(3)	East India and Colonial Service	36	–	–	–	5	3	3	7	4	3	11	–	–
II.														
(1)	Army Officer	54	–	–	–	1	8	9	4	10	15	3	4	–
	Army Half-pay Officer	33	–	–	–	–	1	3	2	1	8	14	4	–
	Soldier	957	–	1	74	262	356	203	23	9	10	14	4	1
	Chelsea Pensioner	181	–	–	–	7	15	22	22	26	39	41	8	1
	Militia	54	–	–	14	11	16	6	2	–	3	1	1	–
	Connected with the *Army*	1	–	–	–	–	–	–	–	–	–	1	–	–
(2)	Navy Officer	51	–	2	–	7	5	7	5	4	14	7	–	–
	Navy Half-pay Officer	43	–	–	–	–	2	3	5	5	16	12	–	–
	Seaman, R.N.	341	–	3	43	58	66	69	31	19	23	24	5	–
	Royal Marine	97	–	–	13	16	40	17	3	2	2	3	1	–
	Greenwich Pensioner	198	–	–	–	4	15	25	36	41	44	25	6	2
	Others	63	–	–	–	–	4	15	8	6	18	10	2	–
III.														
(1)	(*a*) Clergyman	80	–	–	–	1	4	10	11	16	22	13	3	–
	Protestant Minister	22	–	–	–	1	1	–	1	5	3	9	2	–
	Other *Religious Teachers*	5	–	–	–	–	1	1	2	–	1	–	–	–
	(*b*) Parish Clerk	17	–	–	–	–	–	–	–	1	7	7	2	–
	Other *Church Officers*	16	–	–	–	–	1	–	1	3	8	2	1	–
(2)	(*a*) Barrister	10	–	–	–	–	2	1	1	2	3	–	1	–
	Solicitor	60	–	–	–	1	3	7	15	12	14	6	2	–
	Other *Lawyers*	1	–	–	–	–	–	1	–	–	–	–	–	–
	(*b*) Officers of Law Court	9	–	–	–	1	–	–	3	2	1	2	–	–
	Law Clerk	32	–	–	2	5	5	5	5	4	4	2	–	–
	Law Stationer	1	–	–	–	–	–	–	1	–	–	–	–	–
(3)	(*a*) Physician	15	–	–	–	–	–	2	3	1	7	2	–	–
	Surgeon, Apothecary	66	–	–	–	–	6	10	17	13	13	5	2	–
	Medical Student, Assistant	3	–	–	–	1	2	–	–	–	–	–	–	–
	Dentist	9	–	–	–	–	4	2	1	1	1	–	–	–
	(*b*) Druggist	22	–	–	1	1	9	3	3	3	2	–	–	–
	Others	4	–	–	–	1	–	–	1	–	2	–	–	–
(4)	Author, Editor, Writer	4	–	–	1	1	–	–	–	1	1	–	–	–
	Others engaged in *Literature*	5	–	–	–	–	1	–	2	2	–	–	–	–
(5)	Artist, Painter	14	–	–	–	2	1	3	2	3	1	2	–	–
	Sculptor	1	–	–	–	–	–	–	1	–	–	–	–	–
	Engraver	4	–	–	1	–	1	1	1	–	–	–	–	–
	Photographic Artist	6	–	–	–	–	3	1	1	1	–	–	–	–
(6)	Musician	34	–	–	1	5	9	6	5	3	4	1	–	–
	Music-master	3	–	–	–	–	1	–	1	–	1	–	–	–
(7)	Actor	2	–	–	–	–	1	–	1	–	–	–	–	–
	Persons engaged about *Theatres, Exhib.*	5	–	–	–	–	–	2	3	–	–	–	–	–
(8)	Schoolmaster	57	–	–	1	3	7	4	5	12	15	9	1	–
	Professor, Teacher of Languages	3	–	–	–	–	1	1	1	–	–	–	–	–
	Professor of Mathematics	2	–	–	–	–	1	–	–	–	–	1	–	–
	Teacher (General)	7	–	–	2	1	2	1	–	–	–	1	–	–
	Teacher of Dancing, Gymnastics	2	–	–	–	–	–	1	–	–	–	1	–	–
	Other *Teachers*	3	–	–	–	–	1	–	–	1	1	–	–	–
(9)	Civil Engineer	6	–	–	1	–	2	2	1	–	–	–	–	–
	Scientific Person	1	–	–	–	–	–	1	–	–	–	–	–	–
IV.														
(3)	*Son*, Grandson, *Brother*, Nephew (not otherwise described)	2336	1111	661	435	100	25	4	–	–	–	–	–	–
V.														
(1)	Innkeeper, Hotelkeeper	150	–	–	–	2	8	22	38	29	19	27	4	1
	Publican	219	–	–	–	1	17	45	45	49	32	22	8	–
	Beerseller	76	–	–	–	–	8	9	21	14	10	12	2	–
	Lodging, Boarding-house Keeper	25	–	–	–	–	–	1	6	10	6	2	–	–
	Coffee-house, Eating-house, Keeper	8	–	–	1	–	1	2	–	3	1	–	–	–
	Cook (not Domestic Servant)	3	–	–	–	–	–	1	–	1	–	–	1	–
	Others *Boarding and Lodging*	5	–	–	–	–	–	–	–	2	2	1	–	–

Note.—The Counties comprised in this Table are Surrey (*Extra-metropolitan*), Kent (*Extra-metropolitan*), Sussex, Hampshire, Berkshire.

II.—SOUTH-EASTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
V.—*cont.*													
(2) *Domestic Servant* (General)	220	–	1	13	25	39	27	24	30	27	28	4	2
Coachman	61	–	–	–	1	7	11	11	9	5	16	1	–
Groom	38	–	–	4	6	11	6	4	4	3	–	–	–
Gardener	83	–	–	2	3	7	8	16	7	23	15	2	–
Inn Servant	78	–	–	3	8	14	16	14	9	9	4	1	–
Hospital, Lun. Asylum, Attendt., Nurse	10	–	–	–	1	4	2	1	1	1	–	–	–
Others	5	–	–	–	–	–	–	–	1	1	3	–	–
VI.													
(1) Merchant	26	–	–	–	–	3	3	6	8	1	2	3	–
Banker	12	–	–	–	1	1	1	2	1	5	1	–	–
Insurance, Benefit Society, Officer	1	–	–	–	–	1	–	–	–	–	–	–	–
Stock, Share, Broker, Dealer	4	–	–	–	–	–	–	1	1	2	–	–	–
Ship Broker, Agent	3	–	–	–	–	1	1	1	–	–	–	–	–
Broker	6	–	–	1	–	1	1	–	2	–	1	–	–
Agent, Factor	4	–	–	–	–	–	1	–	1	2	–	–	–
Auctioneer, Appraiser, Valuer	15	–	–	–	–	1	4	4	1	4	–	1	–
Accountant	11	–	–	–	–	2	2	2	1	2	2	–	–
Commercial Clerk	50	–	–	2	10	12	6	6	3	7	4	–	–
Commercial Traveller	16	–	–	–	1	2	6	2	3	2	–	–	–
Other *Mercantile* Men	5	–	–	–	–	–	–	3	–	2	–	–	–
(2) Pawnbroker	4	–	–	–	–	–	1	1	–	2	–	–	–
Marine-store Dealer	15	–	–	–	–	1	5	4	2	2	1	–	–
General Dealer, Huckster, Costermonger	30	–	–	1	–	5	11	4	2	3	3	1	–
Shopkeeper (Branch undefined)	19	–	–	–	–	1	–	4	1	8	5	–	–
Hawker, Pedlar	67	–	1	1	2	5	11	10	14	18	6	4	–
VII.													
(1) Railway Engine Driver, Stoker	10	–	–	–	1	7	1	1	–	–	–	–	–
Railway Official, Clerk, Station-master	21	–	–	1	1	5	8	5	–	–	1	–	–
Railway Servant, Porter, Gatekeeper	61	–	–	1	13	17	19	5	5	1	–	–	–
Railway Police	3	–	–	–	–	–	2	1	–	–	–	–	–
(2) Toll-collector, Turnpike-gate Keeper	27	–	–	–	1	2	2	3	7	6	5	1	–
Coach, Omnibus, Cab,—Owner	13	–	–	1	–	1	3	1	2	3	2	–	–
Livery Stable Keeper	5	–	–	–	–	–	–	1	1	1	1	1	–
Coachman (not domestic)	60	–	–	–	2	8	9	14	12	8	5	2	–
Cabman, Flyman	75	–	–	–	2	12	14	21	14	9	2	1	–
Carman, Carrier, Carter, Drayman	142	–	1	5	3	22	22	32	21	11	21	4	–
Others engaged in *Road* Conveyance	7	–	–	–	–	–	1	1	2	3	–	–	–
(3) Canal and Inland Navigation Service	5	–	–	–	–	–	–	–	–	1	2	2	–
Bargeman, Lighterman, Waterman	149	–	1	1	7	9	23	30	22	28	20	7	1
Others connected with *Inland Navigation*	1	–	–	–	–	–	–	–	1	–	–	–	–
(4) Shipowner	4	–	–	–	–	1	–	1	1	–	1	–	–
Seaman (Merchant Service)	315	–	1	17	33	72	63	37	29	27	26	9	1
Pilot	26	–	–	1	–	1	3	7	–	3	8	3	–
Boatman on Seas	12	–	–	–	–	3	1	3	1	3	1	–	–
Harbour, Dock, Servant, Dock Labourer	24	–	–	–	–	3	4	1	8	6	1	–	1
Wharfinger	5	–	–	–	–	–	–	1	1	2	–	1	–
Others	*40	–	–	2	7	7	11	3	5	4	1	–	–
(5) Warehouseman (not Manchester)	3	–	–	–	–	–	–	3	–	–	–	–	–
Others connected with *Storage*	9	–	–	–	–	–	1	1	2	2	2	1	–
(6) Messenger, Porter (not Govt.), Errd. Boy	47	–	1	1	2	5	9	9	7	7	5	1	–
Telegraph Service	2	–	–	–	1	1	–	–	–	–	–	–	–
VIII.													
(1) Land Proprietor	86	–	–	–	2	4	4	4	19	18	24	10	1
Farmer, Grazier	892	–	–	–	3	34	60	86	126	250	257	72	4
Farmer's "Son," "Brother," "Grandson"	47	–	1	12	10	16	2	4	1	1	–	–	–
Farm Bailiff	81	–	–	–	–	1	7	7	24	21	17	4	–
Agricultural Labourer (out-door)	4659	2	12	107	216	383	400	421	689	986	1097	333	13
Shepherd (out door)	101	1	1	2	6	8	9	13	13	17	24	7	–
Farm Servant (in-door)	20	–	–	7	3	1	2	2	–	1	4	–	–
Land Surveyor, Land Estate Agent	18	–	–	–	3	2	–	5	1	4	3	–	–
Others connected with *Agriculture*	14	–	–	–	–	1	2	2	1	5	3	–	–
(2) Woodman	55	–	–	–	1	7	5	3	11	11	14	3	–
Connected with *Arboriculture*	1	–	–	–	–	–	–	1	–	–	–	–	–
(3) Gardener (not Domestic Servant)	382	–	–	–	19	25	24	35	79	81	92	24	3
Nurseryman	13	–	–	1	–	–	1	2	–	5	4	–	–
IX.													
(1) Horse Proprietor, Dealer	10	–	–	–	1	–	1	1	2	3	2	–	–
Horsebreaker	3	–	–	–	–	–	–	3	–	–	–	–	–
Horsekeeper, Groom, Jockey	149	–	2	4	7	20	27	28	27	19	11	4	–
Farrier, Veterinary Surgeon	30	–	–	–	1	4	4	5	5	3	5	3	–
Cattle Sheep,—Dealer, Salesman	14	–	–	–	–	1	–	2	3	3	5	–	–
Drover	14	–	–	–	–	2	1	4	3	2	2	–	–
Pig Merchant, Dealer	5	–	–	–	–	–	–	1	1	1	1	–	1
Gamekeeper	45	–	–	1	–	5	4	6	7	8	13	1	–
Vermin Destroyer, Rat-catcher	8	–	–	–	–	–	–	1	1	2	3	1	–
Fisherman	104	–	–	1	6	8	12	8	15	24	26	3	1
Others engaged about *Animals*	7	–	–	–	–	1	–	1	–	3	2	–	–

* Of these, 12 belong to Steam Navigation Service and 8 are Ship Stewards.

II.—SOUTH-EASTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
X.													
(1) Bookseller, Publisher	20	–	–	–	2	3	–	5	5	4	1	–	
Bookbinder	8	–	–	–	1	1	2	1	2	1	–	–	
Printer	40	–	–	4	6	9	12	1	4	3	1	–	
Newspaper Agent, Vendor, &c.	7	–	–	–	–	–	2	–	1	2	2	–	
Engaged about *Publications*	1	–	–	–	–	–	–	–	1	–	–	–	
(2) In *Musical Instruments*	4	–	–	–	–	–	2	–	–	1	1	–	
(3) Lithographer, Lithographic Printer	1	–	–	1	–	–	–	–	–	–	–	–	
Others	2	–	–	–	–	–	–	–	–	1	1	–	
(4) Wood-carver	1	–	–	–	–	–	–	1	–	–	–	–	
Others employed about *Carving & Figures*	2	–	–	–	–	1	–	–	1	–	–	–	
(5) Toy Maker, Dealer	2	–	–	–	–	–	–	1	1	–	–	–	
Bow, Bat, Ball, Tackle, &c. Maker	3	–	–	–	2	–	–	–	–	1	–	–	
(6) Pattern Designer	1	–	–	–	–	–	1	–	–	–	–	–	
(7) Watchmaker, Clockmaker	42	–	–	1	3	2	5	9	10	5	3	4	
Optician, Spectacle-maker	1	–	–	–	–	–	–	–	–	–	1	–	
Weighing Machine, Scale, Measure, Maker	1	–	–	–	–	–	–	–	–	1	–	–	
(8) Surgical Instrument Maker	2	–	–	–	–	–	–	1	–	–	–	1	
(9) Gunsmith, Gun manufacture	5	–	–	1	–	1	–	1	–	–	2	–	
Others engaged in manufacturing *Arms*	9	–	–	–	–	1	–	–	2	3	2	1	
(10) Engine and Machine Maker	42	–	–	2	8	14	6	6	2	1	3	–	
Needle manufacture	1	–	–	–	–	–	–	–	1	–	–	–	
Tool Maker, Dealer	2	–	–	–	–	–	–	1	1	–	–	–	
Saw Smith, Maker	2	–	–	–	–	–	1	1	–	–	–	–	
Cutler	5	–	–	–	–	–	1	1	–	2	–	1	
Others engaged about *Tools and Machines*	2	–	–	–	–	–	–	–	–	–	1	1	
(11) Coachmaker	49	–	–	1	3	8	6	12	6	7	4	2	
(12) Saddler, Harness Maker	50	–	–	1	3	5	4	8	12	11	6	–	
Whip-maker	1	–	–	–	–	–	–	–	–	–	1	–	
(13) Shipbuilder, Shipwright	88	–	–	4	7	10	8	5	10	19	16	7	2
Block, Oar, Mast,—Maker	3	–	–	–	–	1	–	–	1	–	1	–	
Boat, Barge,—Builder	13	–	–	–	1	1	2	–	1	5	1	2	
Sailmaker	8	–	–	–	1	–	–	1	–	2	3	1	
Engaged in fitting *Ships*	1	–	–	–	–	–	–	–	–	1	–	–	
(14) House Proprietor	79	–	–	–	1	3	–	4	8	29	23	8	
House Agent, Rent Collector	4	–	–	–	–	1	–	2	–	–	1	–	
Architect	12	–	–	2	–	2	1	2	1	1	3	–	
Surveyor	6	–	–	–	–	1	–	1	1	2	1	–	
Builder	92	–	–	–	3	3	10	13	18	24	19	2	
Carpenter, Joiner	614	–	–	13	39	73	51	76	72	148	112	30	
Bricklayer	431	–	–	14	27	60	45	56	79	81	61	8	
Marble Mason	1	–	–	–	–	–	–	–	–	–	1	–	
Mason, Pavior	86	–	–	1	6	14	11	14	15	12	10	3	
Slater, Tiler	6	–	–	–	–	2	–	–	2	1	1	–	
Plasterer	29	–	–	1	5	4	2	7	3	6	1	–	
Paperhanger	6	–	–	–	–	1	2	–	–	1	2	–	
Plumber, Painter, Glazier	223	–	–	7	12	33	44	45	43	29	8	2	
Others engaged in *Houses and Buildings*	3	–	–	–	–	–	–	1	2	–	–	–	
(15) Cabinet-maker, Upholsterer	63	–	–	1	5	12	5	7	8	10	12	3	
Undertaker	5	–	–	–	–	–	1	1	1	1	1	–	
Chairmaker	10	–	–	–	–	–	2	2	–	3	3	–	
Carver, Gilder	9	–	–	–	–	2	2	3	1	–	–	1	
Furniture Broker	11	–	–	–	–	1	2	2	4	1	1	–	
Dealing in *Furniture*	1	–	–	–	–	–	–	–	1	–	–	–	
(16) Wheelwright	85	–	–	1	2	8	13	6	11	19	20	5	
Millwright	28	–	–	3	3	2	5	2	4	5	2	2	
Other *Implement* Makers	7	–	–	–	–	1	–	1	–	2	1	2	
(17) Manuf. Chemist, Lab. at Chem. Works	3	–	–	–	–	–	1	–	–	1	–	1	
Dye, Colour,—manufacture	1	–	–	–	–	–	–	–	–	–	1	–	
Dyer, Scourer, Calenderer	13	–	–	2	–	1	–	2	3	4	1	–	
Others manufacturing *Chemicals*	2	–	–	–	–	–	–	–	1	1	–	–	
XI.													
(1) Woolstapler	6	–	–	–	–	–	1	–	–	3	1	1	
Felt manufacture	1	–	–	–	–	–	–	–	–	1	–	–	
Woollen Cloth manufacture	3	–	–	–	–	–	1	1	–	1	–	–	
Clothier	2	–	–	1	–	–	–	–	–	–	1	–	
Worsted manufacture	1	–	–	–	–	–	–	–	–	–	–	1	
Carpet, Rug,—manufacture	2	–	–	–	–	–	–	–	–	2	–	–	
(2) Silk manufacture	9	–	–	–	–	2	–	1	3	2	1	–	
Silk Dyer, Printer	4	–	–	–	–	1	–	1	1	1	–	–	
Silk Mercer	2	–	–	–	–	–	–	–	–	1	1	–	
Others	2	–	–	–	–	–	–	1	1	–	–	–	

II.—SOUTH-EASTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.											
		5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
XI.—*cont.*													
(3) Flax, Linen,—manufacture	5	–	–	–	–	–	–	1	1	3	–	–	–
Lace manufacture	5	–	–	–	–	–	–	2	3	–	–	–	–
Cotton manufacture	1	–	–	–	–	–	–	–	–	1	–	–	–
Calico, Cotton,—Printer	1	–	–	–	–	–	–	–	–	1	–	–	–
(4) Packer and Presser	2	–	–	–	–	1	–	–	1	–	–	–	–
Weaver (not otherwise defined)	5	–	–	–	–	–	1	1	2	–	–	1	–
Draper, Linendraper, Mercer	104	–	–	5	23	26	16	9	8	7	9	1	–
(5) Hairdresser, Wig-maker	39	–	–	–	4	4	5	6	7	7	5	1	–
Hatter, Hat manufacture	14	–	–	–	–	3	2	2	1	2	4	–	–
Straw Hat, Bonnet,—Maker	2	–	–	–	–	–	–	1	1	–	–	–	–
Tailor	260	–	–	6	14	32	43	38	42	48	28	9	–
Clothes Dealer, Salesman, Outfitter	6	–	–	–	–	–	2	1	2	–	1	–	–
Hose manufacture	7	–	–	–	–	–	–	–	–	4	2	1	–
Hosier, Haberdasher	6	–	–	–	–	4	–	–	1	–	1	–	–
Glover, Leather, and not otherwise des.	9	–	–	–	–	–	–	–	1	4	4	–	–
Shoemaker, Bootmaker	587	–	1	17	33	62	63	78	83	114	107	24	–
Patten, Clog,—Maker	4	–	–	–	–	–	1	–	2	1	–	–	–
Umbrella, Parasol, Stick,—Maker	6	–	–	–	–	1	–	1	1	2	1	–	–
Others providing *Dress*	7	–	–	–	1	–	1	–	1	1	3	–	–
(6) Mat Maker, Seller	6	–	–	–	1	–	2	1	2	–	–	–	–
Rope, Cord,—Maker	31	–	–	1	1	1	2	–	9	9	5	3	–
Others	*12	–	–	1	–	–	3	2	3	–	3	–	–
XII.													
(1) Cowkeeper, Milkseller	60	–	–	2	3	2	3	9	13	15	11	2	–
Cheesemonger	5	–	–	–	2	2	1	–	–	–	–	–	–
Butcher, Meat Salesman	200	–	–	2	12	20	23	27	25	50	38	3	–
Provision Curer, Dealer	10	–	–	–	–	–	2	1	1	3	3	–	–
Poulterer, Game Dealer	9	–	–	–	1	3	1	–	–	2	1	1	–
Fishmonger	41	–	–	–	2	4	9	8	8	7	3	–	–
Others dealing in *Animal Food*	4	–	–	–	–	–	–	2	–	2	–	–	–
(2) Corn Merchant, Dealer	39	–	–	1	1	2	7	10	7	6	3	2	–
Miller	130	–	–	3	8	12	21	19	29	25	12	1	–
Flour Dealer, Agent	2	–	–	–	–	–	1	–	1	–	–	–	–
Baker	206	–	1	9	14	23	31	31	34	31	22	9	1
Confectioner, Pastry Cook	27	–	–	1	–	1	7	4	3	8	3	–	–
Greengrocer, Fruiterer	40	–	–	1	1	3	6	7	11	3	6	1	1
Fruit and Flower,—Hawker, Vendor	4	–	–	–	1	–	–	3	–	–	–	–	–
Potato Merchant	4	–	–	–	–	–	1	1	2	–	–	–	–
Seed Merchant, Seedsman	4	–	–	–	–	1	–	1	1	1	–	–	–
(3) Maltster	31	–	–	–	–	–	2	7	8	4	7	3	–
Brewer, and others engaged in Brewing	133	–	–	4	2	21	19	24	22	24	15	2	–
Wine and Spirit Merchant	28	–	–	2	1	1	7	3	4	8	2	–	–
Distiller, Rectifier (engaged in Distilling)	2	–	–	–	1	–	1	–	–	–	–	–	–
Cellarman	3	–	–	–	1	1	–	1	–	–	–	–	–
Ginger Beer, Soda, Min. Water, manuf.	1	–	–	–	1	–	–	–	–	–	–	–	–
Sugar Refiner	3	–	–	–	–	–	1	–	1	–	1	–	–
Grocer, Tea Dealer	203	–	–	7	20	35	17	32	34	29	22	6	1
Tobacco, Cigar, Snuff,—manufacture	5	–	–	–	–	–	1	1	–	3	–	–	–
Tobacconist	12	–	–	–	2	2	4	3	1	–	–	–	–
Others dealing in *Drinks and Stimulants*	6	–	–	–	–	1	1	1	1	1	1	–	–
XIII.													
(1) Soap boiler	1	–	–	–	–	–	–	–	–	1	–	–	–
Tallow-chandler	14	–	–	–	2	1	3	2	3	1	2	–	–
Comb-maker	1	–	–	–	1	–	–	–	–	–	–	–	–
Others	5	–	–	–	–	1	–	1	–	3	–	–	–
(2) Fellmonger	6	–	–	1	–	–	–	–	1	4	–	–	–
Skinner	1	–	–	–	–	–	–	1	–	–	–	–	–
Tanner	22	–	–	–	–	3	3	2	4	7	1	1	1
Currier	16	–	–	–	1	1	2	2	2	5	3	–	–
Others	6	–	–	–	–	–	1	1	1	1	2	–	–
(3) Brush, Broom,—Maker	24	–	–	–	–	1	2	3	3	9	5	1	–
XIV.													
(1) Oil Miller, Refiner	6	–	–	–	–	–	–	–	2	3	1	–	–
Oil and Colourman	2	–	–	–	1	–	–	–	–	–	1	–	–
French-polisher	3	–	–	–	–	2	1	–	–	–	–	–	–
(2) Timber Merchant, Dealer	16	–	–	–	1	3	2	2	2	3	1	2	–
Wood Dealer	21	–	–	–	1	3	1	4	5	4	3	–	–
Sawyer	152	–	–	1	4	11	23	20	14	37	33	8	1
Fence, Hurdle,—Maker	6	–	–	–	–	–	–	1	–	2	–	3	–
Lath-maker	8	–	–	–	–	–	–	1	–	2	4	1	–
Turner	17	–	–	2	–	4	1	1	2	5	2	–	–
Cooper	23	–	–	–	1	5	2	5	–	5	7	1	–
Hoop Maker, Bender	12	–	–	–	–	1	1	1	3	2	2	2	–
Others	6	–	–	–	1	2	1	–	1	–	–	1	–
(3) Cork Cutter, manufacture	3	–	–	1	–	–	–	–	1	–	1	–	–
(4) Basket-maker	36	–	–	–	3	5	5	5	6	4	7	1	–
Hay and Straw Dealer	7	–	–	–	–	–	1	–	3	2	1	–	–
Thatcher	21	–	–	1	–	1	–	3	–	6	8	2	–
Others working in *Cane, Rush, Straw*	2	–	–	–	–	–	–	–	1	1	–	–	–
(5) Rag Gatherer, Dealer	3	–	–	–	–	1	–	–	–	1	1	–	–
Paper manufacture	59	–	–	1	7	6	2	4	9	13	13	4	–
Stationer (not Law)	10	–	–	1	1	2	2	1	–	1	1	1	–
Others working in *Paper*	4	–	–	–	–	–	–	–	1	1	2	–	–

* Of these, 10 are Sacking, Sack, and Bag Makers.

II.—SOUTH-EASTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XV.													
(1) Coal-miner	2	–	–	–	1	1	–	–	–	–	–	–	–
Lead-miner	1	–	–	–	–	–	1	–	–	–	–	–	–
Others	2	–	–	–	–	2	–	–	–	–	–	–	–
(2) Coal Merchant, Dealer	39	–	–	1	1	1	4	2	8	9	12	1	–
Coalheaver, Labourer	33	–	–	1	3	5	5	4	3	4	6	2	–
Chimney Sweeper	23	–	–	1	–	4	3	4	7	2	2	–	–
Gas Works Service	17	–	–	1	2	2	6	1	2	2	1	–	–
Others working in *Coal*	7	–	–	–	–	–	–	–	1	2	1	3	–
(3) Stone Quarrier	8	–	–	1	1	2	1	1	1	1	–	–	–
Stone Cutter, Dresser, Polisher	5	–	–	–	–	–	1	–	3	1	–	–	–
Limestone Quarrier, Burner	14	–	–	–	1	2	1	3	4	2	1	–	–
Clay Labourer	1	–	–	–	–	–	1	–	–	–	–	–	–
Brick Maker, Dealer	103	–	–	1	8	18	18	16	13	13	14	2	–
Railway Labourer	94	–	–	5	8	23	30	19	6	3	–	–	–
Platelayer	6	–	–	–	–	1	3	1	1	–	–	–	–
Excavator, Navvy	9	–	–	–	–	4	4	–	–	–	1	–	–
Road Contractor, Inspector, Surveyor	6	–	–	–	–	–	–	–	2	3	1	–	–
Road Labourer	41	–	–	–	1	3	3	4	6	11	11	2	–
Scavenger	8	–	–	–	–	–	–	3	–	2	3	–	–
Dust Collector	1	–	–	–	–	–	–	–	–	–	1	–	–
Others working in *Stone, Clay*	24	–	–	1	4	4	4	2	1	5	3	–	–
(4) Earthenware manufacture	12	–	–	2	1	1	4	–	2	2	–	–	–
Tobacco-pipe maker	7	–	–	1	–	1	1	2	2	–	–	–	–
Earthenware and Glass Dealer	7	–	–	1	–	1	1	–	–	2	1	1	–
(5) Glass manufacture	6	–	–	–	1	2	2	1	–	–	–	–	–
Others working in *Glass*	2	–	–	–	–	–	–	–	1	–	1	–	–
(7) Waterworks Service	6	–	–	–	–	1	–	1	1	2	1	–	–
Others working or dealing in *Water*	*8	–	–	–	–	–	3	2	–	1	1	–	1
(8) Goldsmith, Silversmith, Jeweller	24	–	–	–	2	2	1	4	11	2	2	–	–
Others dealing in *Gold, Silver*	2	–	–	–	–	–	2	–	–	–	–	–	–
(9) Coppersmith	3	–	–	–	–	1	2	–	–	–	–	–	–
(10) Tinman, Tinworker, Tinker	28	–	–	–	2	4	6	2	5	5	4	–	–
Tinplate worker	3	–	–	–	–	–	–	–	1	1	–	1	–
(12) Lead Manufacture	1	–	–	–	–	–	1	–	–	–	–	–	–
(13) Brass Founder, Moulder, manufacture	5	–	–	–	1	1	–	2	1	–	–	–	–
Brazier	6	–	–	–	1	–	–	–	–	3	1	1	–
Locksmith, Bellhanger	2	–	–	–	–	–	–	–	1	1	–	–	–
Gasfitter	3	–	–	–	–	3	–	–	–	–	–	–	–
Wire Maker, Drawer	1	–	–	–	–	–	–	1	–	–	–	–	–
Wire Worker, Weaver	2	–	–	–	–	1	1	–	–	–	–	–	–
(14) Iron manufacture, Moulder, Founder	26	–	–	–	2	5	4	6	4	2	3	–	–
Whitesmith	39	–	–	2	2	6	9	3	6	5	5	1	–
Blacksmith	274	–	1	5	21	23	25	41	49	45	49	12	3
Boiler-maker	8	–	–	1	1	2	1	3	–	–	–	–	–
Ironmonger	35	–	–	3	1	7	3	6	4	7	4	–	–
Hardwareman, Dealer	1	–	–	–	–	–	–	–	–	–	1	–	–
Grinder (Branch undefined)	1	–	–	–	–	–	–	–	–	–	1	–	–
Others working in *Iron, Steel*	2	–	–	–	–	–	1	–	–	1	–	–	–
XVI.													
(1) Labourer	1340	1	6	40	78	141	199	191	206	233	193	48	4
(2) Mechanic	4	–	–	–	–	1	1	–	2	–	–	–	–
Shopman	3	–	–	1	–	1	–	–	1	–	–	–	–
Apprentice	2	–	–	1	1	–	–	–	–	–	–	–	–
Others of indefinite Occupations	6	–	–	–	2	1	–	–	–	3	–	–	–
XVII.													
(1) Gentleman, Independent	519	–	–	1	13	42	23	50	98	130	134	28	–
Annuitant	58	–	–	–	–	2	–	4	8	17	22	5	–
XVIII.													
(1) Dependent on Relatives	5	–	–	–	–	2	–	2	–	–	–	1	–
Almsperson (no stated Occupation)	4	–	–	–	–	–	–	–	2	1	1	–	–
Pauper (no stated Occupation)	31	1	–	–	1	3	2	2	6	7	9	–	–
Lunatic (no stated Occupation)	22	–	–	1	2	4	5	3	7	–	–	–	–
Others	19	–	–	–	–	2	5	1	2	3	5	1	–
(2) *Prisoner* (no stated Occupation)	43	–	1	5	13	9	8	3	2	2	–	–	–
(3) *Vagrant, Beggar*	15	–	–	1	–	2	2	2	3	3	2	–	–
Gipsy	1	–	–	–	–	–	–	–	–	–	1	–	–
Others of no stated Occupation or Condition	70	–	1	9	2	8	9	11	4	8	10	8	–

* Of these, 6 are Well-sinkers and 2 are Water Carriers.

III.—SOUTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1.

OCCUPATIONS.	Total.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
Total of Males aged 5 Years and upwards	15422	879	488	645	711	1342	1542	1685	2162	2878	2486	581	23
Order													
I.													
(1) Civil Servant not in Revenue Departmt.	9	–	–	–	–	–	3	1	1	2	2	–	–
Post Office	41	–	–	–	3	11	9	4	4	3	6	1	–
Inland Revenue	14	–	–	–	–	1	–	4	1	4	2	2	–
Customs	8	–	–	–	1	–	1	–	1	4	1	–	–
Other *Government* Officers	2	–	–	–	–	–	–	–	1	1	–	–	–
(2) Magistrate	4	–	–	–	–	–	1	1	–	1	1	–	–
Police	36	–	–	–	2	8	8	8	3	4	3	–	–
Prison Officer	4	–	–	–	–	–	2	–	2	–	–	–	–
Union and Parish Officer	31	–	–	–	–	1	2	6	5	7	7	3	–
Officer of Local Board	2	–	–	–	–	–	–	1	–	–	1	–	–
Other *Local* Officers	9	–	–	–	–	–	2	–	1	2	4	–	–
(3) East India and Colonial Service	14	–	–	–	1	1	3	2	–	2	4	1	–
II.													
(1) Army Officer	10	–	–	–	3	3	–	1	1	1	–	1	–
Army Half-pay Officer	6	–	–	–	–	1	–	–	1	1	3	–	–
Soldier	79	–	–	3	14	26	16	5	3	9	3	–	–
Chelsea Pensioner	104	–	–	–	1	6	7	15	8	24	36	7	–
Militia	13	–	1	–	3	1	2	4	–	–	1	1	–
Connected with the *Army*	1	–	–	–	–	1	–	–	–	–	–	–	–
(2) Navy Officer	3	–	–	–	–	–	–	2	–	–	1	–	–
Navy Half pay Officer	11	–	–	–	–	–	–	1	1	6	1	2	–
Seaman, R.N.	2	–	–	1	–	1	–	–	–	–	–	–	–
Royal Marine	6	–	–	–	1	1	2	–	–	–	2	–	–
Greenwich Pensioner	12	–	–	–	–	–	–	2	4	2	2	2	–
III.													
(1) (*a*) Clergyman	59	–	–	–	–	3	9	15	7	10	12	3	–
Protestant Minister	23	–	–	–	–	–	1	3	5	9	5	–	–
Roman Catholic Priest	2	–	–	–	–	–	1	–	1	–	–	–	–
Other *Religious Teachers*	2	–	–	–	1	–	–	1	–	–	–	–	–
(*b*) Parish Clerk	18	–	–	–	–	–	–	2	1	7	6	2	–
Other *Church Officers*	11	–	–	–	–	–	–	1	3	4	3	–	–
(2) (*a*) Barrister	9	–	–	–	–	–	–	3	2	3	–	1	–
Solicitor	27	–	–	–	–	2	4	4	6	7	3	1	–
Law Student	1	–	–	–	–	1	–	–	–	–	–	–	–
(*b*) Officers of Law Court	1	–	–	–	–	–	1	–	–	–	–	–	–
Law Clerk	22	–	–	2	2	5	5	3	2	3	–	–	–
Law Stationer	1	–	–	–	–	–	1	–	–	–	–	–	–
(3) (*a*) Physician	11	–	–	–	1	–	1	2	1	3	3	–	–
Surgeon, Apothecary	33	–	–	–	1	3	2	5	6	7	9	–	–
Medical Student, Assistant	1	–	–	–	1	–	–	–	–	–	–	–	–
Dentist	2	–	–	–	–	–	1	–	1	–	–	–	–
(*b*) Druggist	19	–	–	1	2	6	2	1	3	2	1	1	–
(4) Engaged in *Literature*	2	–	–	–	–	2	–	–	–	–	–	–	–
(5) Artist, Painter	9	–	–	–	–	1	–	2	3	2	1	–	–
Photographic Artist	3	–	–	–	–	1	1	1	–	–	–	–	–
(6) Musician	15	–	–	–	–	2	2	3	6	1	–	1	–
(7) Actor	3	–	–	–	–	–	1	1	–	1	–	–	–
Persons engaged about *Theatres, Exhib.*	1	–	–	–	–	–	–	–	1	–	–	–	–
(8) Schoolmaster	55	–	–	2	2	6	4	5	14	17	5	–	–
Professor, Teacher of Languages	4	–	–	–	–	–	1	2	–	–	1	–	–
Teacher (General)	2	–	–	–	–	1	1	–	–	–	–	–	–
Teacher of Dancing, Gymnastics	1	–	–	–	–	–	–	–	–	1	–	–	–
Other *Teachers*	6	–	–	–	–	1	–	–	–	3	2	–	–
(9) Civil Engineer	3	–	–	–	–	–	1	2	–	–	–	–	–
Scientific Person	1	–	–	–	–	–	–	–	–	1	–	–	–
IV.													
(3) *Son*, Grandson, *Brother*, Nephew (not otherwise described)	1722	879	462	306	58	17	–	–	–	–	–	–	–
V.													
(1) Innkeeper, Hotelkeeper	64	–	–	–	–	7	7	14	16	14	6	–	–
Publican	199	–	–	–	–	11	27	59	41	31	26	4	–
Beerseller	49	–	–	–	1	3	10	12	12	6	5	–	–
Lodging, Boarding house Keeper	3	–	–	–	–	–	–	–	1	2	–	–	–
Coffee-house, Eating-house Keeper	3	–	–	–	–	–	–	1	–	1	1	–	–
Cook (not Domestic Servant)	7	–	–	–	–	1	–	2	2	1	1	–	–
Engaged in *Boarding and Lodging*	1	–	–	–	–	–	–	–	1	–	–	–	–
(2) *Domestic Servant* (General)	123	–	–	6	11	23	17	16	18	21	9	2	–
Coachman	42	–	–	–	1	6	9	5	5	9	6	1	–
Groom	31	–	–	1	5	8	8	3	1	2	3	–	–
Gardener	45	–	–	1	–	5	5	1	9	12	12	–	–
Inn Servant	50	–	–	2	2	8	12	12	4	9	1	–	–
Hospital, Lun. Asylum, Attendt., Nurse	3	–	–	–	–	2	–	–	–	1	–	–	–
Others	23	–	–	1	–	4	3	4	4	4	2	1	–

Note.—The Counties comprised in this Table are Middlesex (*Extra-metropolitan*), Hertfordshire, Buckinghamshire, Oxfordshire, Northamptonshire, Huntingdonshire, Bedfordshire, and Cambridgeshire.

III.—SOUTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25	35–	45–	55–	65–	75–	85–	95 & upwds.
VI.													
(1) Merchant	4	–	–	–	–	–	2	1	–	1	–	–	–
Banker	1	–	–	–	–	–	–	–	1	–	–	–	–
Insurance, Benefit Society, Officer	1	–	–	–	–	–	–	–	–	1	–	–	–
Stock, Share, Broker, Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
Broker	2	–	–	–	–	–	–	1	1	–	–	–	–
Coal, Colliery, Agent, Factor	1	–	–	–	–	–	–	–	–	1	–	–	–
Auctioneer, Appraiser, Valuer	16	–	–	–	–	–	1	3	3	7	2	–	–
Accountant	7	–	–	–	–	1	1	–	4	1	–	–	–
Commercial Clerk	38	–	–	1	7	12	6	2	3	4	3	–	–
Commercial Traveller	9	–	–	–	1	2	3	2	1	–	–	–	–
(2) Pawnbroker	1	–	–	–	–	–	–	–	1	–	–	–	–
Marine-store Dealer	11	–	–	–	–	–	2	2	3	2	1	1	–
General Dealer, Huckster, Costermonger	37	–	–	–	–	4	11	6	10	2	4	–	–
Shopkeeper (Branch undefined)	25	–	–	–	–	2	4	3	3	9	4	–	–
Hawker, Pedlar	43	–	–	1	1	5	6	4	11	8	6	1	–
VII.													
(1) Railway Engine Driver, Stoker	22	–	–	1	4	6	8	2	1	–	–	–	–
Railway Official, Clerk, Station-master	17	–	–	–	3	5	5	1	2	1	–	–	–
Railway Servant, Porter, Gatekeeper	39	–	–	3	4	10	6	8	5	3	–	–	–
Railway Police	12	–	–	–	2	4	3	1	1	1	–	–	–
Engaged in *Railways*	1	–	–	–	–	–	–	–	1	–	–	–	–
(2) Toll collector, Turnpike-gate Keeper	14	–	–	–	–	–	4	1	2	4	2	1	–
Coach, Omnibus, Cab,—Owner	2	–	–	–	–	–	2	–	–	–	–	–	–
Coachman (not domestic)	39	–	–	–	–	3	8	6	7	9	6	–	–
Cabman, Flyman	24	–	–	–	1	3	10	6	4	–	–	–	–
Carman, Carrier, Carter, Drayman	94	–	–	–	5	19	19	12	16	15	8	–	–
(3) Canal and Inland Navigation Service	15	–	–	–	–	–	2	2	2	5	1	3	–
Bargeman, Lighterman, Waterman	67	–	–	2	3	4	7	9	15	9	13	5	–
(4) Shipowner	1	–	–	–	–	–	–	–	–	–	1	–	–
Seaman (Merchant Service)	20	–	–	1	1	3	6	2	3	2	2	–	–
Boatman on Seas	3	–	–	–	–	1	2	–	–	–	–	–	–
Harbour, Dock, Servant, Dock Labourer	7	–	–	1	1	3	1	–	–	–	1	–	–
Wharfinger	2	–	–	–	–	–	–	1	–	–	1	–	–
Others	3	–	–	–	–	–	–	1	2	–	–	–	–
(5) Warehouseman (not Manchester)	6	–	–	–	1	2	1	2	–	–	–	–	–
Others connected with *Storage*	5	–	–	–	–	1	1	–	2	–	1	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	36	–	–	1	2	4	1	13	5	7	3	–	–
Telegraph Service	4	–	–	1	1	2	–	–	–	–	–	–	–
VIII.													
(1) Land Proprietor	33	–	–	–	–	2	1	2	9	5	9	5	–
Farmer, Grazier	823	–	–	1	5	36	59	98	142	235	188	57	2
Farmer's "Son," "Brother," "Grandson"	45	–	–	13	16	11	4	–	1	–	–	–	–
Farm Bailiff	40	–	–	–	–	2	3	5	10	15	1	4	–
Agricultural Labourer (out-door)	4471	–	13	124	197	314	347	414	781	1022	1068	232	9
Shepherd (out-door)	86	–	–	1	2	3	5	13	12	19	19	11	1
Land Surveyor, Land Estate Agent	8	–	–	–	–	–	2	2	2	2	–	–	–
Others connected with *Agriculture*	3	–	–	–	–	–	–	2	–	1	–	–	–
(2) Woodman	28	–	–	1	–	1	–	4	3	7	6	5	1
(3) Gardener (not Domestic Servant)	323	–	–	4	6	20	23	43	49	75	78	24	1
Nurseryman	6	–	–	–	1	–	–	1	2	1	1	–	–
IX.													
(1) Horse Proprietor, Dealer	8	–	–	–	1	–	–	2	1	2	2	–	–
Horsebreaker	6	–	–	–	–	–	1	1	1	2	1	–	–
Horsekeeper, Groom, Jockey	118	–	–	6	8	14	18	23	22	12	10	5	–
Farrier, Veterinary Surgeon	26	–	–	–	1	–	4	9	5	1	5	1	–
Cattle, Sheep,—Dealer, Salesman	22	–	–	–	1	2	3	–	6	5	4	1	–
Drover	29	–	–	–	1	3	4	4	10	4	2	1	–
Pig Merchant, Dealer	12	–	–	–	–	1	–	4	3	2	1	1	–
Gamekeeper	26	–	–	–	2	1	4	1	7	4	6	1	–
Vermin Destroyer, Rat-catcher	10	–	–	–	–	–	1	–	2	3	1	3	–
Fisherman	4	–	–	–	–	–	1	–	2	1	–	–	–
Others engaged about *Animals*	5	–	–	–	–	1	1	–	–	3	–	–	–
X.													
(1) Bookseller, Publisher	6	–	–	–	–	1	1	1	1	1	1	–	–
Bookbinder	13	–	1	–	4	–	2	2	1	2	–	1	–
Printer	28	–	–	2	5	3	5	6	3	3	1	–	–
Newspaper Agent, Vendor, &c.	1	–	–	1	–	–	–	–	–	–	–	–	–
Engaged about *Publications*	1	–	–	–	–	1	–	–	–	–	–	–	–
(2) Musical Instrument Maker, Dealer	7	–	–	–	1	1	–	5	–	–	–	–	–
(3) Lithographer, Lithographic Printer	2	–	–	–	–	1	–	1	–	–	–	–	–
Others	3	–	–	–	–	–	–	–	1	2	–	–	–
(4) In *Carving and Figures*	1	–	–	–	–	–	–	1	–	–	–	–	–
(6) Pattern Designer	1	–	–	–	–	–	–	–	–	–	1	–	–
(7) Watchmaker, Clockmaker	28	–	–	–	1	3	4	3	8	4	4	1	–
Optician, Spectacle-maker	2	–	–	–	–	–	–	–	–	–	1	1	–
Philosophical Instrument Maker	1	–	–	–	–	–	–	1	–	–	–	–	–

III.—SOUTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
X.—*cont.*													
(9) Gunsmith, Gun manufacture	15	–	–	2	2	2	1	1	2	3	2	–	–
Others engaged in manufacturing *Arms*	5	–	–	1	–	2	1	–	–	1	–	–	–
(10) Engine and Machine Maker	28	–	–	2	4	9	7	3	2	1	–	–	–
Needle manufacture	2	–	–	–	–	–	–	–	–	1	1	–	–
Tool Maker, Dealer	1	–	–	–	–	–	1	–	–	–	–	–	–
Saw Smith, Maker	1	–	–	–	–	–	–	1	–	–	–	–	–
Cutler	3	–	–	–	–	1	–	1	–	1	–	–	–
Others engaged about *Tools and Machines*	6	–	–	1	–	1	–	–	1	3	–	–	–
(11) Coachmaker	30	–	–	–	5	3	4	8	3	4	3	–	–
Others engaged about *Carriages*	2	–	–	–	–	2	–	–	–	–	–	–	–
(12) Saddler, Harness-maker	41	–	–	3	1	2	6	6	9	6	8	–	–
Whip-maker	2	–	–	–	–	–	–	–	1	1	–	–	–
(13) Shipbuilder, Shipwright	8	–	–	–	1	1	4	–	1	–	1	–	–
Boat, Barge,—Builder	9	–	–	–	–	1	–	1	4	2	1	–	–
Sailmaker	1	–	–	–	–	–	–	–	–	–	1	–	–
(14) House Proprietor	44	–	–	–	–	1	1	2	8	14	10	8	–
House Agent, Rent Collector	1	–	–	–	–	–	–	–	–	1	–	–	–
Architect	2	–	–	–	–	–	–	1	–	1	–	–	–
Surveyor	2	–	–	–	–	–	1	1	–	–	–	–	–
Builder	45	–	–	–	1	6	3	5	5	15	10	–	–
Carpenter, Joiner	369	–	–	7	13	31	43	44	47	96	75	13	–
Bricklayer	200	–	–	4	14	39	27	21	30	37	22	5	1
Marble Mason	4	–	–	–	–	–	1	–	1	2	–	–	–
Mason, Pavior	96	–	–	3	4	13	10	14	16	19	14	3	–
Slater, Tiler	3	–	–	–	–	1	–	1	–	1	–	–	–
Plasterer	18	–	–	–	–	3	3	2	5	4	1	–	–
Paperhanger	2	–	–	–	–	–	–	1	–	1	–	–	–
Plumber, Painter, Glazier	123	–	–	2	7	15	31	23	20	19	5	1	–
Engaged in *Houses and Buildings*	1	–	–	–	–	–	–	–	1	–	–	–	–
(15) Cabinet-maker, Upholsterer	29	–	–	–	2	5	6	6	3	4	2	1	–
Undertaker	2	–	–	–	–	–	–	–	–	1	1	–	–
Chairmaker	42	–	–	2	9	7	3	6	6	5	4	–	–
Picture-frame Maker	1	–	–	–	–	–	1	–	–	–	–	–	–
Carver, Gilder	3	–	–	–	–	1	–	1	1	–	–	–	–
Furniture Broker	5	–	–	–	–	–	–	2	–	3	–	–	–
(16) Wheelwright	85	–	1	4	2	5	5	9	11	19	24	5	–
Millwright	12	–	–	–	1	1	1	3	–	4	1	1	–
Implement Maker	1	–	–	–	–	1	–	–	–	–	–	–	–
(17) Manuf. Chemist, Lab. at Chem. Works	2	–	–	–	–	–	–	2	–	–	–	–	–
Dyer, Scourer, Calenderer	4	–	–	–	–	–	1	–	1	1	1	–	–
Other manufacturing *Chemicals*	3	–	–	–	–	–	–	1	–	2	–	–	–
XI.													
(1) Woolstapler	5	–	–	–	–	2	–	–	1	–	2	–	–
Woollen Cloth manufacture	12	–	–	–	–	–	3	1	–	4	3	1	–
Worsted manufacture	1	–	–	–	–	–	–	–	–	–	1	–	–
Blanket manufacture	4	–	–	–	–	–	1	–	–	–	2	1	–
(2) Silk manufacture	11	–	–	–	–	2	–	5	2	1	1	–	–
Silk Mercer	1	–	–	–	–	–	–	–		–	1	–	–
Ribbon manufacture	1	–	–	–	–	–	–	1	–	–	–	–	–
Others	2	–	–	–	1	1	–	–	–	–	–	–	–
(3) Flax, Linen,—manufacture	1	–	–	–	–	–	–	–	–	–	1	–	–
Lace manufacture	6	–	–	–	–	–	–	–	–	2	3	1	–
Cotton manufacture	2	–	–	–	–	1	–	–	–	–	1	–	–
Working in *Flax, &c.*	1	–	–	–	–	–	–	–	1	–	–	–	–
(4) Weaver (not otherwise defined)	15	–	–	–	1	–	2	2	5	1	3	1	–
Draper, Linendraper, Mercer	63	–	–	3	5	13	11	10	9	7	5	–	–
Others	9	–	–	–	–	–	1	2	1	1	3	1	–
(5) Hair-dresser, Wig-maker	38	–	–	1	1	6	4	7	7	7	3	2	–
Hatter, Hat manufacture	12	–	–	–	–	1	1	3	6	–	1	–	–
Straw Plait manufacture	9	–	–	1	1	1	2	1	2	1	–	–	–
Straw Hat, Bonnet,—Maker	18	–	–	1	4	3	5	3	1	1	–	–	–
Furrier	1	–	–	–	–	–	–	1	–	–	–	–	–
Tailor	251	–	–	3	13	25	48	31	42	47	34	8	–
Clothes Dealer, Salesman, Outfitter	12	–	–	–	–	2	4	1	4	1	–	–	–
Button-maker (all Branches)	1	–	–	–	–	–	–	1	–	–	–	–	–
Hose manufacture	2	–	–	–	–	–	–	–	–	1	1	–	–
Hosier, Haberdasher	4	–	–	–	1	1	1	–	–	1	–	–	–
Glover, Leather, and not otherwise des.	6	–	–	–	–	–	1	1	1	2	–	1	–
Shoemaker, Bootmaker	663	–	1	40	66	100	78	61	90	127	83	16	1
Umbrella, Parasol, Stick,—Maker	8	–	–	–	–	–	3	–	2	2	1	–	–
Others providing *Dress*	14	–	–	–	1	2	3	2	1	2	3	–	–
(6) Mat Maker, Seller	2	–	–	1	–	–	–	3	–	3	2	–	–
Rope, Cord,—Maker	13	–	–	–	1	1	1	–	2	5	2	1	–
Canvas Maker,—Dealer	1	–	–	–	–	–	–	–	–	–	–	1	–
Sailcloth manufacture	1	–	–	–	–	–	–	–	–	1	–	–	–
Working in *Hemp*	1	–	–	–	–	–	–	–	–	1	–	–	–

III.—SOUTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XII.													
(1) Cowkeeper, Milkseller	28	–	–	–	1	3	2	3	3	7	6	3	–
Cheesemonger	2	–	–	–	–	–	–	–	1	1	–	–	–
Butcher, Meat Salesman	178	–	–	3	6	22	21	27	37	34	25	3	–
Provision Curer, Dealer	3	–	–	–	–	–	–	2	–	1	–	–	–
Poulterer, Game Dealer	7	–	–	–	1	–	–	–	–	2	2	1	1
Fishmonger	17	–	–	–	2	3	1	2	4	2	3	–	–
Others dealing in *Animal Food*	2	–	–	–	–	–	1	–	–	1	–	–	–
(2) Corn Merchant, Dealer	25	–	–	–	1	1	6	4	4	5	4	–	–
Miller	97	–	–	4	4	7	14	13	16	24	13	2	–
Flour Dealer, Agent	6	–	–	–	–	–	–	1	–	4	1	–	–
Baker	165	–	–	4	4	16	25	31	26	30	26	2	1
Confectioner, Pastry Cook	16	–	–	–	1	1	2	2	–	5	5	–	–
Greengrocer, Fruiterer	11	–	–	–	–	1	1	1	3	3	1	1	–
Fruit and Flower,—Hawker, Vendor	1	–	–	–	–	1	–	–	–	–	–	–	–
Potato Merchant	1	–	–	–	–	–	–	–	–	1	–	–	–
Seed Merchant, Seedsman	7	–	–	–	1	1	–	1	1	2	1	–	–
Others dealing in *Vegetable Food*	3	–	–	–	–	–	–	2	–	–	–	1	–
(3) Maltster	39	–	–	–	1	6	4	4	9	6	8	1	–
Brewer, and others engaged in Brewing	101	–	–	–	3	10	27	15	16	15	12	3	–
Wine and Spirit Merchant	12	–	–	–	–	5	–	2	1	2	2	–	–
Distiller, Rectifier (engaged in Distilling)	1	–	–	–	–	–	–	–	1	–	–	–	–
Cellarman	1	–	–	–	–	1	–	–	–	–	–	–	–
Ginger Beer, Soda, Min. Water, manuf.	1	–	–	–	–	–	1	–	–	–	–	–	–
Sugar Refiner	1	–	–	–	–	–	–	–	–	–	–	1	–
Grocer, Tea Dealer	125	–	–	5	11	19	14	17	20	23	11	5	–
Tobacconist	4	–	–	–	–	–	–	1	3	–	–	–	–
Others dealing in *Drinks and Stimulants*	2	–	–	1	1	–	–	–	–	–	–	–	–
XIII.													
(1) Soap-boiler	2	–	–	–	–	–	1	–	–	–	1	–	–
Tallow-chandler	8	–	–	–	–	1	1	–	2	2	2	–	–
Dealing in *Grease, &c.*	1	–	–	–	–	–	1	–	–	–	–	–	–
(2) Fellmonger	14	–	–	–	1	–	1	1	2	5	3	1	–
Tanner	11	–	–	–	–	3	–	–	–	4	2	2	–
Currier	22	–	–	–	2	3	6	6	2	2	1	–	–
Others	4	–	–	–	–	1	–	–	2	–	1	–	–
(3) Brush, Broom,—Maker	5	–	–	–	–	1	1	–	1	2	–	–	–
XIV.													
(1) Oil Miller, Refiner	3	–	–	–	–	–	–	–	1	1	1	–	–
Oil and Colourman	1	–	–	–	–	–	–	–	–	1	–	–	–
French-polisher	1	–	–	–	1	–	–	–	–	–	–	–	–
Others	*6	–	–	–	–	3	1	1	1	–	–	–	–
(2) Timber Merchant, Dealer	6	–	–	–	–	1	2	–	2	1	–	–	–
Wood Dealer	6	–	–	–	–	1	1	–	1	1	2	–	–
Sawyer	75	–	–	1	1	4	7	10	11	17	18	6	–
Fence, Hurdle,—Maker	5	–	–	–	–	–	–	1	2	1	1	–	–
Lath-maker	2	–	–	–	–	–	–	–	–	2	–	–	–
Turner	10	–	–	2	–	1	–	2	–	3	1	1	–
Box-maker	3	–	–	–	–	1	–	1	–	–	–	1	–
Cooper	31	–	–	1	2	2	5	–	4	10	6	1	–
Hoop Maker, Bender	1	–	–	–	–	–	–	–	–	–	1	–	–
Others	6	–	–	1	–	–	2	2	–	–	1	–	–
(3) Cork Cutter, manufacture	2	–	–	–	–	–	1	–	–	1	–	–	–
(4) Basket-maker	19	–	–	–	2	2	1	1	4	3	4	2	–
Hay and Straw Dealer	7	–	–	–	–	1	3	2	–	1	–	–	–
Thatcher	18	–	–	–	–	–	3	1	2	3	9	–	–
Others working in *Cane, Rush, Straw*	2	–	–	–	1	–	–	–	1	–	–	–	–
(5) Rag Gatherer, Dealer	16	–	–	–	–	2	3	1	–	3	6	1	–
Paper manufacture	36	–	1	1	3	3	4	6	3	11	4	–	–
Stationer (not Law)	5	–	–	–	–	–	2	1	–	2	–	–	–
XV.													
(1) Coal miner	1	–	–	–	–	–	–	–	–	1	–	–	–
Lead-miner	1	–	1	–	–	–	–	–	–	–	–	–	–
Iron-miner	1	–	–	–	–	–	1	–	–	–	–	–	–
(2) Coal Merchant, Dealer	20	–	–	–	1	1	1	5	4	5	3	–	–
Coalheaver, Labourer	19	–	–	3	–	4	3	4	1	3	1	–	–
Chimney Sweeper	22	–	–	1	1	6	5	–	1	7	1	–	–
Gas Works Service	10	–	–	1	–	2	3	–	2	–	2	–	–
Others working in *Coal*	5	–	–	–	–	1	–	–	–	2	2	–	–
(3) Stone Quarrier	3	–	1	–	–	1	–	–	1	–	–	–	–
Stone Cutter, Dresser, Polisher	7	–	–	–	–	–	3	2	1	1	–	–	–
Limestone Quarrier, Burner	2	–	–	–	–	–	–	–	–	–	1	1	–
Brick Maker, Dealer	78	–	–	2	5	8	18	15	8	15	5	2	–
Railway Labourer	46	–	–	4	10	12	5	9	5	1	–	–	–
Platelayer	8	–	–	–	2	3	–	2	1	–	–	–	–

* Of these, 5 are engaged in India-rubber and 1 in Varnish manufacture.

III.—SOUTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XV.—*cont.*													
Excavator, Navvy	5	–	–	1	1	1	2	–	–	–	–	–	–
Road Contractor, Inspector, Surveyor	2	–	–	–	–	–	1	–	–	1	–	–	–
Road Labourer	50	–	–	–	–	2	1	5	10	17	14	1	–
Scavenger	3	–	–	1	–	–	–	–	1	1	–	–	–
Dust Collector	2	–	–	–	–	1	–	–	–	–	1	–	–
Others working in *Stone, Clay*	5	–	–	–	–	2	1	–	–	2	–	–	–
(4) Earthenware manufacture	7	–	–	–	–	1	1	–	2	1	–	2	–
Tobacco-pipe Maker	5	–	–	1	–	–	3	–	–	–	1	–	–
Earthenware and Glass Dealer	8	–	–	–	–	–	–	1	2	2	3	–	–
(5) Glass manufacture	2	–	–	–	–	1	–	–	1	–	–	–	–
Working in *Glass*	1	–	–	–	–	–	–	–	1	–	–	–	–
(6) *Salt* Dealer	1	–	–	–	–	1	–	–	–	–	–	–	–
(7) Waterworks Service	3	–	–	–	–	–	–	–	1	1	1	–	–
Others working or dealing in *Water*	3	–	–	–	–	1	1	–	–	1	–	–	–
(8) Goldsmith, Silversmith, Jeweller	17	–	–	–	–	1	2	5	3	3	2	1	–
Plater, Plated Ware manufacture	1	–	–	–	–	–	1	–	–	–	–	–	–
Others dealing in *Gold, Silver*	2	–	–	–	–	1	–	–	–	–	–	1	–
(9) Copper manufacture	3	–	–	–	–	–	–	–	2	–	–	1	–
Coppersmith	1	–	–	–	–	–	–	–	–	–	–	1	–
(10) Tin manufacture	1	–	–	–	–	1	–	–	–	–	–	–	–
Tinman, Tinworker, Tinker	12	–	–	–	–	2	3	2	2	1	–	1	1
Tinplate Worker	2	–	–	–	1	–	–	–	1	–	–	–	–
(12) Type Founder	3	–	–	–	–	1	1	1	–	–	–	–	–
Working and dealing in *Lead, &c.*	1	–	–	–	–	–	–	–	–	–	1	–	–
(13) Brass Founder, Moulder, manufacture	6	–	–	–	1	1	1	–	1	2	–	–	–
Brazier	7	–	–	2	–	–	–	1	2	2	–	–	–
Locksmith, Bellhanger	1	–	–	–	–	–	1	–	–	–	–	–	–
Gasfitter	4	–	–	–	–	–	2	1	1	–	–	–	–
Wire Maker, Drawer	1	–	–	–	–	1	–	–	–	–	–	–	–
Wire Worker, Weaver	4	–	–	–	–	2	–	–	1	1	–	–	–
Others working in *mixed Metals*	2	–	–	–	–	–	–	1	–	–	1	–	–
(14) Iron manufacture, Moulder, Founder	19	–	–	–	4	4	6	4	–	1	–	–	–
Whitesmith	16	–	–	–	2	2	–	2	2	4	3	1	–
Blacksmith	183	–	–	3	10	18	21	26	26	36	36	6	1
Boiler-maker	2	–	–	–	–	1	–	–	1	–	–	–	–
Ironmonger	10	–	–	2	–	1	1	–	2	1	1	2	–
Hardwareman, Dealer	1	–	–	–	–	–	–	1	–	–	–	–	–
XVI.													
(1) Labourer	762	–	6	25	48	79	99	104	124	149	103	24	1
(2) Mechanic	7	–	–	–	–	2	3	–	–	2	–	–	–
Shopman	3	–	–	–	1	1	1	–	–	–	–	–	–
Of indefinite Occupation	1	–	–	–	1	–	–	–	–	–	–	–	–
XVII.													
(1) Gentleman, Independent	244	–	–	–	3	6	19	25	27	71	75	17	1
Annuitant	34	–	–	–	–	2	1	5	5	5	13	3	–
XVIII.													
(1) Dependent on Relatives	3	–	–	–	–	1	–	1	–	1	–	–	–
Almsperson (no stated Occupation)	19	–	–	–	–	–	–	–	3	3	10	3	–
Pauper (no stated Occupation)	15	–	–	1	–	2	3	2	3	1	3	–	–
Lunatic (no stated Occupation)	39	–	–	–	–	9	13	8	4	3	1	1	–
Others	14	–	–	–	–	3	1	–	3	3	3	1	–
(2) *Prisoner* (no stated Occupation)	2	–	–	1	–	–	1	–	–	–	–	–	–
(3) *Vagrant, Beggar*	6	–	–	–	1	2	1	1	1	–	–	–	–
Gipsy	2	–	–	–	–	–	–	–	–	1	–	–	1
Others of no stated Occupation or Condition	28	–	–	2	2	2	7	5	8	1	–	1	–

IV.—EASTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1.

Order.	OCCUPATIONS.	TOTAL.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	TOTAL OF MALES AGED 5 YEARS AND UPWARDS	14140	845	473	663	685	1170	1245	1328	1772	2704	2425	793	37
I.														
(1)	Civil Servant not in Revenue Departmt.	6	–	–	–	–	1	2	–	–	–	2	1	–
	Post Office	25	–	–	–	1	4	1	3	3	6	7	–	–
	Inland Revenue	18	–	–	–	–	–	–	3	5	4	5	1	–
	Customs	10	–	–	–	–	1	1	1	–	3	1	3	–
	Government Messengers. Workmen	1	–	–	–	1	–	–	–	–	–	–	–	–
	Dockyard Artificers	3	–	–	–	–	–	–	–	2	1	–	–	–
	Government Officer	1	–	–	–	–	–	1	–	–	–	–	–	–
(2)	Magistrate	2	–	–	–	–	–	–	–	1	–	–	1	–
	Police	25	–	–	–	3	8	3	6	1	4	–	–	–
	Prison Officer	5	–	–	–	–	–	–	–	3	1	1	–	–
	Union and Parish Officer	22	–	–	–	1	1	1	2	6	8	2	1	–
	Other *Local* Officers	5	–	–	–	–	–	2	2	–	–	1	–	–
(3)	East India and Colonial Service	10	–	–	–	1	–	–	1	–	2	6	–	–
II.														
(1)	Army Officer	9	–	–	–	1	2	–	–	–	3	3	–	–
	Army Half-pay Officer	4	–	–	–	–	–	–	–	–	2	2	–	–
	Soldier	150	–	–	10	29	60	34	2	4	9	1	1	–
	Chelsea Pensioner	148	–	–	–	1	10	18	16	24	30	42	7	–
	Militia	10	–	–	3	2	2	–	1	–	1	1	–	–
(2)	Navy Officer	1	–	–	–	–	–	1	–	–	–	–	–	–
	Navy Half-pay Officer	4	–	–	–	–	–	–	–	1	–	2	1	–
	Seaman, R.N.	113	–	–	7	13	19	17	9	12	16	13	7	–
	Royal Marine	2	–	–	–	1	–	1	–	–	–	–	–	–
	Greenwich Pensioner	12	–	–	–	–	2	–	1	3	3	2	1	–
	Others	9	–	–	–	–	1	2	–	1	1	4	–	–
III.														
(1)	(*a*) Clergyman	58	–	–	–	–	2	5	8	9	14	13	7	–
	Protestant Minister	13	–	–	–	–	–	2	4	2	3	1	1	–
	Roman Catholic Priest	2	–	–	–	–	–	–	–	2	–	–	–	–
	Other *Religious Teachers*	2	–	–	–	–	–	–	1	1	–	–	–	–
	(*b*) Parish Clerk	14	–	–	–	–	–	–	–	2	8	2	2	–
	Other *Church Officers*	6	–	–	–	–	–	1	–	1	2	–	2	–
(2)	(*a*) Solicitor	20	–	–	–	–	1	1	1	4	8	3	2	–
	(*b*) Officers of Law Court	2	–	–	–	–	–	–	1	1	–	–	–	–
	Law Clerk	21	–	–	3	2	7	5	2	–	2	–	–	–
	Law Stationer	2	–	–	–	–	–	–	–	2	–	–	–	–
(3)	(*a*) Physician	6	–	–	–	–	1	–	1	–	1	2	1	–
	Surgeon, Apothecary	28	–	–	–	–	3	7	4	4	4	6	–	–
	Dentist	1	–	–	–	–	–	–	–	1	–	–	–	–
	(*b*) Druggist	20	–	–	–	2	5	5	2	1	3	2	–	–
	Others	3	–	–	–	–	–	–	–	–	–	2	1	–
(5)	Artist, Painter	1	–	–	–	–	1	–	–	–	–	–	–	–
	Sculptor	1	–	–	–	–	–	1	–	–	–	–	–	–
	Photographic Artist	1	–	–	–	–	–	1	–	–	–	–	–	–
(6)	Musician	7	–	–	–	–	1	2	1	2	1	–	–	–
	Music-master	1	–	–	–	–	–	–	–	1	–	–	–	–
(7)	Actor	1	–	–	–	–	–	1	–	–	–	–	–	–
	Persons engaged about *Theatres, Exhib.*	1	–	–	–	–	–	–	–	1	–	–	–	–
(8)	Schoolmaster	47	–	–	–	3	7	4	3	9	8	8	5	–
	Professor, Teacher of Languages	1	–	–	–	–	–	1	–	–	–	–	–	–
	Professor of Mathematics	2	–	–	–	–	1	–	–	–	1	–	–	–
	Teacher (General)	4	–	–	2	1	1	–	–	–	–	–	–	–
	Engaged in *Teaching*	1	–	–	–	–	–	–	1	–	–	–	–	–
(9)	Civil Engineer	7	–	–	–	1	4	1	1	–	–	–	–	–
IV.														
(3)	*Son*, Grandson, *Brother*, Nephew (not otherwise described)	1633	845	443	290	51	4	–	–	–	–	–	–	–
V.														
(1)	Innkeeper, Hotelkeeper	126	–	–	–	–	11	22	21	29	21	16	6	–
	Publican	69	–	–	–	–	4	13	13	18	13	7	–	1
	Beerseller	22	–	–	–	–	2	1	6	5	3	5	–	–
	Lodging, Boarding-house Keeper	4	–	–	–	–	–	–	1	2	–	1	–	–
	Cook (not Domestic Servant)	2	–	–	1	–	–	–	1	–	–	–	–	–
(2)	*Domestic Servant* (General)	88	–	–	8	8	7	13	11	13	17	6	5	–
	Coachman	23	–	–	–	–	3	6	6	2	3	3	–	–
	Groom	29	–	–	2	4	8	2	4	2	3	2	2	–
	Gardener	15	–	–	1	2	–	1	2	2	3	4	–	–
	Inn Servant	29	–	–	1	3	6	6	6	2	4	–	1	–
	Hospital, Lun. Asylum, Attendt., Nurse Engaged in *Attendance*	1	–	–	–	–	–	1	–	–	–	–	–	–
		1	–	–	–	–	–	–	1	–	–	–	–	–
VI.														
(1)	Merchant	11	–	–	–	2	–	–	1	4	1	2	1	–
	Banker	6	–	–	–	–	–	–	–	1	2	1	2	–
	Insurance, Benefit Society, Officer	2	–	–	–	–	–	–	–	–	2	–	–	–
	Ship Broker, Agent	4	–	–	–	–	–	–	–	3	–	1	–	–
	Broker	2	–	–	–	–	–	–	–	1	–	1	–	–
	Agent, Factor	3	–	–	1	–	–	1	1	–	–	–	–	–

NOTE.—The Counties comprised in this Table are Essex, Suffolk, and Norfolk.

IV.—EASTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
VI.—*cont.*													
Coal, Colliery, Agent, Factor	1	–	–	–	–	–	–	–	–	1	–	–	–
Auctioneer, Appraiser, Valuer	14	–	–	–	1	–	–	–	3	8	2	–	–
Accountant	9	–	–	–	–	–	4	1	1	1	2	–	–
Commercial Clerk	37	–	–	5	5	7	6	1	5	6	2	–	–
Commercial Traveller	4	–	–	–	–	1	1	–	–	–	2	–	–
Other *Mercantile* Men	2	–	–	–	–	–	2	–	–	–	–	–	–
(2) Pawnbroker	6	–	1	1	1	–	2	–	1	–	–	–	–
Marine-store Dealer	5	–	–	–	1	1	1	–	1	–	–	1	–
General Dealer, Huckster, Costermonger	11	–	–	–	–	1	–	2	3	3	2	–	–
Shopkeeper (Branch undefined)	23	–	–	–	1	3	2	3	4	5	3	2	–
Hawker, Pedlar	47	–	–	3	1	3	7	11	6	8	6	2	–
VII.													
(1) Railway Engine Driver, Stoker	8	–	–	–	1	2	4	–	1	–	–	–	–
Railway Official, Clerk, Station-master	18	–	1	3	2	4	3	3	1	1	–	–	–
Railway Servant, Porter, Gatekeeper	29	–	–	2	1	11	7	4	3	1	–	–	–
(2) Toll-collector, Turnpike-gate Keeper	6	–	–	–	1	–	1	2	1	1	–	–	–
Livery Stable Keeper	5	–	–	–	–	–	2	1	1	1	–	–	–
Coachman (not Domestic)	28	–	–	–	1	4	3	5	7	4	4	–	–
Cabman, Flyman	11	–	–	1	–	3	2	2	–	1	1	1	–
Carman, Carrier, Carter, Drayman	59	–	–	–	1	6	8	11	4	15	12	2	–
(3) Bargeman, Lighterman, Waterman	47	–	–	2	4	4	8	9	7	8	5	–	–
(4) Shipowner	12	–	–	–	–	–	1	4	3	1	2	1	–
Seaman (Merchant Service)	154	–	2	18	16	22	17	20	12	24	17	6	–
Pilot	13	–	–	–	–	–	1	2	3	3	2	2	–
Boatman on Seas	3	–	–	–	–	–	–	–	1	1	1	–	–
Harbour, Dock, Servant, Dock Labourer	22	–	–	1	1	4	2	7	2	2	1	1	1
Wharfinger	1	–	–	–	–	–	–	–	–	–	1	–	–
Others	9	–	–	1	–	1	1	2	2	1	1	–	–
(5) Warehouseman (not Manchester)	3	–	–	1	1	–	–	1	–	–	–	–	–
Others connected with *Storage*	2	–	–	–	–	–	–	–	1	1	–	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	40	–	1	–	4	4	4	7	9	7	4	–	–
Telegraph Service	2	–	–	–	–	1	1	–	–	–	–	–	–
VIII.													
(1) Land Proprietor	32	–	–	–	–	–	–	2	4	11	9	6	–
Farmer, Grazier	860	–	–	2	7	37	43	66	148	226	229	97	5
Farmer's "Son," "Brother," "Grandson"	39	–	1	11	11	10	4	2	–	–	–	–	–
Farm Bailiff	73	–	–	1	–	1	5	16	14	19	13	4	–
Agricultural Labourer (out-door)	4234	–	3	136	191	336	339	359	536	954	1013	349	18
Shepherd (out-door)	63	–	–	–	2	6	4	8	11	14	14	4	–
Farm Servant (in-door)	2	–	–	1	–	–	–	–	–	–	1	–	–
Land Surveyor, Land Estate Agent	9	–	–	–	–	–	1	–	2	5	1	–	–
Others connected with *Agriculture*	4	–	–	–	–	2	1	1	–	–	–	–	–
(2) Woodman	18	–	–	–	–	1	–	2	1	7	3	4	–
(3) Gardener (not Domestic Servant)	180	–	–	1	2	3	9	18	24	46	52	22	3
Nurseryman	19	–	–	1	2	3	1	–	2	3	5	2	–
IX.													
(1) Horse Proprietor, Dealer	6	–	–	–	–	–	–	–	1	3	1	1	–
Horsebreaker	11	–	–	–	–	–	3	1	2	1	4	–	–
Horsekeeper, Groom, Jockey	80	–	–	2	5	12	13	15	10	16	6	1	–
Farrier, Veterinary Surgeon	17	–	–	1	–	3	1	4	3	2	3	–	–
Cattle, Sheep,—Dealer, Salesman	20	–	–	–	–	1	2	3	6	4	3	1	–
Drover	22	–	–	1	–	3	1	6	2	6	3	–	–
Pig Merchant, Dealer	7	–	–	–	–	1	–	–	–	2	3	1	–
Gamekeeper	30	–	–	–	1	2	5	4	3	3	9	2	1
Vermin Destroyer, Rat catcher	16	–	–	–	1	1	1	2	2	3	6	–	–
Fisherman	93	–	–	5	6	15	15	7	9	15	16	4	1
Others engaged about *Animals*	7	–	–	–	–	–	–	3	1	2	1	–	–
X.													
(1) Bookseller, Publisher	12	–	–	–	–	1	–	1	2	6	1	1	–
Bookbinder	6	–	–	1	1	1	–	–	3	–	–	–	–
Printer	18	–	–	3	2	3	6	2	1	1	–	–	–
Newspaper Agent, Vendor, &c.	2	–	–	–	1	–	–	–	–	–	1	–	–
Others engaged about *Publications*	3	–	–	–	–	–	1	1	–	1	–	–	–
(2) Musical Instrument Maker, Dealer	5	–	–	–	–	2	1	1	–	1	–	–	–
Connected with *Musical Insts.*	1	–	–	–	–	–	–	–	–	1	–	–	–
(3) In *Maps & Pictures*	1	–	–	–	–	–	–	1	–	–	–	–	–
(4) In *Carving & Figures*	2	–	–	–	–	–	1	–	1	–	–	–	–
(5) Toy Maker, Dealer	3	–	–	–	–	1	2	–	–	–	–	–	–
(6) Pattern Designer	2	–	–	–	1	–	–	–	–	1	–	–	–
(7) Watchmaker, Clockmaker	23	–	–	1	2	1	1	5	4	6	3	–	–
Philosophical Instrument Maker	1	–	–	–	–	–	–	–	1	–	–	–	–
(8) Surgical Instrument Maker	1	–	–	–	–	–	–	–	1	–	–	–	–
(9) Gunsmith, Gun manufacture	8	–	–	–	1	1	–	1	2	–	1	2	–
Others engaged in manufacturing *Arms*	6	–	–	–	–	1	2	1	2	–	–	–	–
(10) Engine and Machine Maker	25	–	–	–	5	3	6	6	2	2	1	–	–
File maker	1	–	–	–	–	–	1	–	–	–	–	–	–
Cutler	4	–	–	–	–	–	1	–	1	1	1	–	–
Razor-maker	1	–	–	–	1	–	–	–	–	–	–	–	–
(11) Coachmaker	25	–	–	–	1	6	5	6	2	3	2	–	–
Engaged about *Carriages*	1	–	–	–	–	–	1	–	–	–	–	–	–
(12) Saddler, Harness maker	53	–	–	2	4	8	6	7	6	6	11	3	–

IV.—EASTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860-1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
X.—*cont.*													
(13) Shipbuilder, Shipwright	44	–	–	3	4	–	6	4	5	10	8	4	–
Block, Oar, Mast,—Maker	4	–	–	1	–	–	–	–	–	2	1	–	–
Boat, Barge,—Builder	7	–	–	–	–	1	–	–	2	1	1	1	1
Sailmaker	2	–	–	–	–	1	–	1	–	–	–	–	–
Engaged in fitting *Ships*	1	–	–	–	–	–	–	–	–	1	–	–	–
(14) House Proprietor	46	–	–	–	–	–	–	6	6	14	13	7	–
House Agent, Rent Collector	2	–	–	–	–	–	–	–	1	1	–	–	–
Architect	5	–	–	1	–	–	1	–	2	–	1	–	–
Surveyor	1	–	–	–	–	–	–	1	–	–	–	–	–
Builder	27	–	–	–	–	2	–	4	3	11	5	2	–
Carpenter, Joiner	405	–	–	15	29	34	33	38	56	102	76	22	–
Bricklayer	256	–	–	6	11	27	26	24	31	64	54	12	1
Mason, Pavior	17	–	–	1	–	4	–	2	4	6	–	–	–
Slater, Tiler	3	–	–	–	1	–	–	–	1	1	–	–	–
Plasterer	4	–	–	–	1	1	–	2	–	–	–	–	–
Paperhanger	1	–	–	–	–	–	–	1	–	–	–	–	–
Plumber, Painter, Glazier	113	–	–	2	13	9	13	19	25	23	7	2	–
(15) Cabinet maker, Upholsterer	49	–	–	1	1	4	6	4	8	10	12	3	–
Chairmaker	4	–	–	1	1	–	1	–	–	–	1	–	–
Carver, Gilder	2	–	–	–	1	–	–	1	–	–	–	–	–
Furniture Broker	10	–	–	–	–	1	–	1	4	3	–	1	–
(16) Wheelwright	98	–	–	2	7	6	8	10	10	29	20	6	–
Millwright	15	–	–	1	–	4	–	3	3	–	3	1	–
Other *Implement* Makers	3	–	–	–	–	–	–	–	1	–	1	1	–
(17) Manuf. Chemist, Lab. at Chem. Works	3	–	–	1	–	1	–	–	–	–	1	–	–
Dye, Colour,—manufacture	1	–	–	–	–	–	–	–	1	–	–	–	–
Dyer, Scourer, Calenderer	10	–	–	–	–	–	2	–	2	2	3	1	–
Others manufacturing *Chemicals*	6	–	–	1	–	–	–	1	2	1	1	–	–
XI.													
(1) Woolstapler	7	–	–	–	–	1	2	–	–	–	3	1	–
Woollen Cloth manufacture	5	–	–	–	–	–	–	–	–	2	2	1	–
Worsted manufacture	10	–	–	–	1	–	2	2	2	2	3	–	–
Carpet, Rug,—manufacture	2	–	–	–	1	–	1	–	–	–	–	–	–
Others	5	–	–	–	–	–	–	–	1	–	2	2	–
(2) Silk manufacture	97	–	–	–	3	10	10	10	23	25	16	–	–
Silk Dyer, Printer	10	–	–	–	2	3	2	–	2	1	–	–	–
Ribbon manufacture	2	–	–	–	–	1	–	–	–	–	–	1	–
Working and de tling in *Silk*	1	–	–	–	–	–	1	–	–	–	–	–	–
(3) Flax, Linen —manufacture	8	–	–	–	–	2	–	–	1	1	3	–	1
Cotton manufacture	1	–	–	–	–	–	1	–	–	–	–	–	–
Calico, Cotton,—Dyer	1	–	–	–	–	–	–	–	1	–	–	–	–
Working and dealing in *Flax, &c.*	1	–	–	–	–	–	–	1	–	–	–	–	–
(4) Packer and Presser	1	–	–	–	–	–	–	–	1	–	–	–	–
Weaver (not otherwise defined)	27	–	–	1	1	–	1	–	10	6	7	1	–
Manchester Warehouseman	1	–	–	–	–	–	–	–	–	1	–	–	–
Draper, Linendraper, Mercer	53	–	–	9	9	10	7	6	2	7	2	1	–
Others	2	–	–	–	–	1	–	–	–	1	–	–	–
(5) Hairdresser, Wig maker	22	–	–	1	2	3	5	4	5	1	–	1	–
Hatter, Hat manufacture	8	–	–	–	–	–	2	1	1	1	1	2	–
Straw Plait manufacture	1	–	–	–	1	–	–	–	–	–	–	–	–
Straw, Hat, Bonnet,—Maker	1	–	–	–	–	–	1	–	–	–	–	–	–
Furrier	1	–	–	–	–	–	–	–	–	1	–	–	–
Tailor	199	–	1	6	8	23	19	29	25	40	34	14	–
Clothes Dealer, Salesman, Outfitter	6	–	–	–	–	–	2	–	4	–	–	–	–
Hosier, Haberdasher	1	–	–	–	–	–	–	1	–	–	–	–	–
Glover, Leather, and not otherwise des.	20	–	–	–	–	1	2	3	3	4	6	1	–
Shoemaker, Bootmaker	464	–	1	17	35	44	57	48	78	89	74	20	1
Umbrella, Parasol, Stick,—Maker	1	–	–	–	–	–	–	–	–	–	1	–	–
Others providing *Dress*	3	–	–	–	–	–	–	2	–	1	–	–	–
(6) Mat Maker, Seller	1	–	–	–	–	–	–	–	–	–	1	–	–
Rope, Cord,—Maker	21	–	1	1	–	–	1	2	3	6	6	1	–
Others	4	–	–	–	–	1	–	–	–	1	2	–	–
XII.													
(1) Cowkeeper, Milkseller	9	–	–	–	1	1	–	2	1	2	1	1	–
Cheesemonger	2	–	–	–	–	–	1	–	1	–	–	–	–
Butcher, Meat Salesman	145	–	–	4	3	13	21	14	29	40	17	4	–
Provision Curer, Dealer	1	–	–	–	–	–	–	–	–	–	–	1	–
Poulterer, Game Dealer	8	–	–	1	–	1	1	2	1	2	–	–	–
Fishmonger	45	–	–	–	2	5	5	4	8	11	8	2	–
Others dealing in *Animal Food*	3	–	–	–	–	1	–	–	1	–	1	–	–
(2) Corn Merchant, Dealer	27	–	–	–	2	–	2	4	8	9	1	1	–
Miller	141	–	–	4	15	19	11	18	27	28	15	4	–
Flour Dealer, Agent	4	–	–	–	–	–	–	–	2	1	1	–	–
Baker	136	–	–	4	5	14	15	16	18	36	24	3	1
Confectioner, Pastry Cook	7	–	–	–	–	2	2	–	–	3	–	–	–
Greengrocer, Fruiterer	12	–	–	–	–	–	4	–	3	3	2	–	–
Fruit and Flower,—Hawker, Vendor	7	–	–	–	–	–	1	1	2	–	2	1	–
Seed Merchant, Seedsman	3	–	–	–	–	–	–	1	2	–	–	–	–
Dealing in *Vegetable Food*	1	–	–	–	–	–	–	–	–	1	–	–	–
(3) Maltster	42	–	–	–	–	–	3	2	9	13	14	1	–
Brewer, and others engaged in Brewing	47	–	–	–	2	3	7	13	8	6	7	1	–
Wine and Spirit Merchant	13	–	–	–	–	–	2	1	3	5	1	1	–
Distiller, Rectifier (engaged in Distilling)	1	–	–	–	–	–	–	–	–	1	–	–	–
Cellarman	1	–	–	–	–	1	–	–	–	–	–	–	–
Ginger Beer, Soda, Min. Water, manuf.	1	–	–	–	–	–	1	–	–	–	–	–	–
Sugar Refiner	4	–	–	–	–	–	1	–	–	2	1	–	–
Grocer, Tea Dealer	90	–	–	1	5	16	12	13	8	23	10	2	–
Tobacconist	2	–	–	–	–	–	–	–	–	2	–	–	–
Others dealing in *Drinks and Stimulants*	6	–	–	–	1	2	1	–	–	2	–	–	–

IV.—EASTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XIII.													
(1) Soap-boiler	1	–	–	–	–	–	–	1	–	–	–	–	–
Tallow-chandler	7	–	–	–	–	1	–	–	1	3	1	1	–
Others	2	–	–	–	–	–	2	–	–	–	–	–	–
(2) Fellmonger	3	–	–	–	–	–	–	2	–	–	1	–	–
Tanner	10	–	–	–	1	2	1	1	–	4	1	–	–
Currier	10	–	–	2	–	–	2	–	1	2	2	1	–
Working and dealing in *Skins, &c.*	1	–	–	–	–	–	1	–	–	–	–	–	–
(3) Hair, Bristle,—manufacture	1	–	–	–	–	–	1	–	–	–	–	–	–
Brush, Broom,—Maker	11	–	–	–	2	2	3	2	–	–	1	1	–
XIV.													
(1) Oil and Colourman	1	–	–	–	1	–	–	–	–	–	–	–	–
French-polisher	3	–	–	–	1	–	–	1	–	1	–	–	–
(2) Timber Merchant, Dealer	3	–	–	–	1	–	–	1	–	1	–	–	–
Wood Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
Sawyer	51	–	–	1	4	7	4	8	3	10	11	3	–
Fence, Hurdle,—Maker	9	–	–	–	–	1	–	1	2	2	3	–	–
Lath-maker	4	–	–	–	–	–	1	1	1	–	1	–	–
Turner	6	–	–	–	1	1	–	–	2	1	1	–	–
Cooper	27	–	–	–	1	1	5	1	4	6	7	2	–
Hoop Maker, Bender	1	–	–	–	–	–	–	1	–	–	–	–	–
Others	2	–	–	–	–	2	–	–	–	–	–	–	–
(3) Cork Cutter, manufacture	1	–	–	–	–	–	–	–	–	1	–	–	–
(4) Basket-maker	25	–	–	–	2	3	4	2	1	6	4	3	–
Hay and Straw Dealer	12	–	–	–	–	1	3	1	3	2	2	–	–
Thatcher	62	–	–	–	1	1	4	5	5	23	14	9	–
Others working in *Cane, Rush, Straw*	2	–	–	–	–	–	–	–	1	–	1	–	–
(5) Rag Gatherer, Dealer	4	–	–	–	–	–	–	1	2	1	–	–	–
Paper manufacture	4	–	–	–	–	3	–	–	–	1	–	–	–
Stationer (not Law)	1	–	–	–	–	–	1	–	–	–	–	–	–
Working in *Paper*	1	–	–	–	–	–	–	1	–	–	–	–	–
XV.													
(1) *In Mining*	2	–	–	–	–	–	1	1	–	–	–	–	–
(2) Coal Merchant, Dealer	20	–	–	1	–	1	–	4	2	6	5	1	–
Coalheaver, Labourer	49	–	–	1	–	4	6	8	7	16	7	–	–
Coke Burner, Dealer	1	–	–	–	–	–	–	1	–	–	–	–	–
Chimney Sweeper	12	–	–	–	–	2	1	3	2	–	3	1	–
Gas Works Service	6	–	–	–	–	2	–	1	1	1	1	–	–
Others working in *Coal*	3	–	–	–	–	1	–	–	1	–	1	–	–
(3) Stone Cutter, Dresser, Polisher	2	–	–	–	–	1	–	–	1	–	–	–	–
Limestone Quarrier, Burner	9	–	–	–	1	1	–	1	3	–	1	2	–
Brick Maker, Dealer	52	–	–	–	1	7	6	3	7	14	8	6	–
Railway Labourer	25	–	–	2	8	3	7	1	3	1	–	–	–
Platelayer	4	–	–	–	–	2	1	1	–	–	–	–	–
Excavator, Navvy	12	–	–	–	3	5	1	1	2	–	–	–	–
Road Contractor, Inspector, Surveyor	1	–	–	–	–	–	–	–	1	–	–	–	–
Road Labourer	6	–	–	–	–	1	–	–	1	3	1	–	–
Scavenger	5	–	–	–	–	–	–	2	1	2	–	–	–
Others working in *Stone, Clay*	13	–	–	–	2	5	2	1	1	–	–	2	–
(4) Earthenware manufacture	1	–	–	–	–	–	–	–	–	–	1	–	–
Tobacco-pipe Maker	4	–	–	–	1	1	–	–	–	1	1	–	–
Earthenware and Glass Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
(5) Glass manufacture	2	–	–	–	–	–	–	1	–	1	–	–	–
(7) Working or dealing in *Water*	5	–	–	–	–	–	1	2	–	–	2	–	–
(8) Goldsmith, Silversmith, Jeweller	6	–	–	–	1	–	–	1	3	–	1	–	–
(10) Tinman, Tinworker, Tinker	7	–	–	1	–	2	–	–	–	2	1	1	–
Tinplate Worker	1	–	–	–	–	1	–	–	–	–	–	–	–
(13) Brazier	11	–	–	–	2	2	1	1	–	1	3	1	–
Gasfitter	2	–	–	–	–	–	1	1	–	–	–	–	–
Others working in *mixed Metals*	2	–	–	–	–	–	2	–	–	–	–	–	–
(14) Iron manufacture, Moulder, Founder	31	–	–	2	2	4	2	6	7	6	2	–	–
Whitesmith	18	–	–	2	2	–	3	1	1	6	3	–	–
Blacksmith	228	–	1	7	13	23	22	19	37	57	42	7	–
Boiler-maker	1	–	–	–	–	1	–	–	–	–	–	–	–
Ironmonger	21	–	–	–	4	4	1	5	1	3	2	1	–
Hardwareman, Dealer	1	–	–	–	–	–	–	–	–	1	–	–	–
XVI.													
(1) Labourer	544	–	14	16	31	45	74	78	78	109	80	19	–
(2) Mechanic	2	–	–	–	1	–	–	1	–	–	–	–	–
Apprentice	1	–	1	–	–	–	–	–	–	–	–	–	–
Others of indefinite Occupations	4	–	–	1	1	1	–	–	1	–	–	–	–
XVII.													
(1) Gentleman, Independent	133	–	–	–	–	5	6	9	25	36	42	10	–
Annuitant	19	–	–	–	–	–	–	3	–	3	10	3	–
XVIII.													
(1) Almsperson (no stated Occupation)	14	–	–	1	1	–	1	1	2	3	4	1	–
Pauper (no stated Occupation)	19	–	–	–	–	2	7	2	4	1	3	–	–
Lunatic (no stated Occupation)	11	–	–	2	–	–	4	3	1	1	–	–	–
Others	21	–	–	1	1	–	1	4	4	4	5	1	–
(2) *Prisoner* (no stated Occupation)	1	–	–	1	–	–	–	–	–	–	–	–	–
(3) *Vagrant, Beggar*	2	–	–	–	–	1	–	1	–	–	–	–	–
Gipsy	1	–	–	–	1	–	–	–	–	–	–	–	–
Others of no stated Occupation or Condition	39	–	2	1	4	7	4	8	3	5	1	2	2

V.—SOUTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1.

Order	OCCUPATIONS.	TOTAL.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	TOTAL OF MALES AGED 5 YEARS AND UPWARDS	22745	1198	795	1009	1254	1995	2072	2285	3119	4165	3785	1006	62
I.														
	(1) Civil Servant not in Revenue Departmt.	16	–	–	–	–	4	2	2	–	2	4	2	–
	Post Office	35	–	–	1	2	3	2	8	6	9	3	1	–
	Inland Revenue	34	–	–	–	–	3	2	1	6	13	9	–	–
	Customs	14	–	–	–	–	1	1	1	3	1	3	4	–
	Government Messengers, Workmen	8	–	–	–	2	3	2	–	–	–	1	–	–
	Dockyard Artificers	134	–	–	1	6	19	9	11	6	40	37	5	–
	Other *Government* Officers	3	–	–	–	–	–	–	1	–	–	2	–	–
	(2) Magistrate	9	–	–	–	–	–	1	–	2	3	3	–	–
	Police	24	–	–	–	3	12	6	2	–	1	–	–	–
	Prison Officer	5	–	–	–	–	–	1	1	1	2	–	–	–
	Union and Parish Officer	21	–	–	–	–	1	2	3	5	8	1	1	–
	Other *Local* Officers	7	–	–	–	–	–	–	1	1	2	2	1	–
	(3) East India and Colonial Service	10	–	–	–	–	–	2	2	–	4	1	1	–
II.														
	(1) Army Officer	39	–	–	–	3	6	3	8	5	10	2	2	–
	Army Half-pay Officer	20	–	–	–	2	–	1	–	1	8	6	2	–
	Soldier	153	–	–	8	42	63	30	1	2	3	4	–	–
	Chelsea Pensioner	198	–	–	–	3	9	15	22	26	41	57	22	3
	Militia	29	–	–	1	5	2	2	4	3	2	8	2	–
	(2) Navy Officer	44	–	–	–	2	3	10	8	5	6	8	1	1
	Navy Half-pay Officer	38	–	–	–	1	–	1	1	5	16	11	3	–
	Seaman, R.N.	228	–	1	29	64	56	21	26	6	11	10	4	–
	Royal Marine	68	–	–	4	17	23	16	3	–	2	3	–	–
	Greenwich Pensioner	222	–	–	–	3	8	25	38	31	50	49	17	1
	Others	44	–	–	–	–	5	3	3	5	15	8	5	–
III.														
	(1) (*a*) Clergyman	105	–	–	–	–	9	6	8	19	22	29	11	1
	Protestant Minister	20	–	–	–	1	1	2	4	3	5	4	–	–
	Roman Catholic Priest	2	–	–	–	–	–	–	1	–	–	1	–	–
	Other *Religious Teachers*	5	–	–	–	2	–	1	–	–	1	1	–	–
	(*b*) Parish Clerk	11	–	–	–	–	–	–	–	3	3	4	1	–
	Other *Church Officers*	13	–	–	–	–	1	1	–	4	3	3	1	–
	(2) (*a*) Barrister	9	–	–	–	–	–	2	1	4	1	1	–	–
	Solicitor	71	–	–	–	–	9	12	13	14	12	8	3	–
	Other *Lawyers*	2	–	–	–	–	–	–	–	–	2	–	–	–
	(*b*) Officers of Law Court	10	–	–	–	–	–	1	3	2	4	–	–	–
	Law Clerk	27	–	–	1	2	10	5	5	2	1	1	–	–
	(3) (*a*) Physician	12	–	–	–	–	–	1	2	3	1	2	3	–
	Surgeon, Apothecary	72	–	–	–	–	7	7	11	10	14	22	1	–
	Medical Student, Assistant	1	–	–	1	–	–	–	–	–	–	–	–	–
	Dentist	2	–	–	–	1	–	–	–	1	–	–	–	–
	(*b*) Druggist	28	–	–	2	3	4	6	5	6	2	–	–	–
	Connected with *Medicine*	1	–	–	–	–	1	–	–	–	–	–	–	–
	(4) Author, Editor, Writer	1	–	–	–	–	–	–	–	1	–	–	–	–
	Others engaged in *Literature*	2	–	–	1	–	–	–	–	1	–	–	–	–
	(5) Artist, Painter	7	–	–	–	1	1	1	–	1	2	1	–	–
	Sculptor	4	–	–	1	1	–	–	–	2	–	–	–	–
	Engraver	4	–	–	1	–	–	–	1	1	1	–	–	–
	Photographic Artist	3	–	–	–	–	–	2	1	–	–	–	–	–
	(6) Musician	23	–	–	–	1	3	3	8	6	2	–	–	–
	Music-master	5	–	–	–	–	–	–	1	1	2	1	–	–
	(7) Actor	3	–	–	–	1	–	–	–	–	1	1	–	–
	Persons engaged about *Theatres, Exhib.*	2	–	–	1	–	1	–	–	–	–	–	–	–
	(8) Schoolmaster	92	–	–	1	15	12	10	4	19	17	12	2	–
	Professor, Teacher of Languages	2	–	–	–	–	1	1	–	–	–	–	–	–
	Teacher (General)	3	–	–	2	1	–	–	–	–	–	–	–	–
	Engaged in *Teaching*	1	–	–	–	–	–	–	–	–	–	1	–	–
	(9) Civil Engineer	9	–	–	–	–	1	4	1	2	–	–	1	–
	Other *Scientific* Persons	4	–	–	–	–	–	–	2	–	2	–	–	–
IV.														
	(3) *Son, Grandso.., Brother*, Nephew (not otherwise described)	2121	1196	743	381	81	16	4	–	–	–	–	–	–
V.														
	(1) Innkeeper, Hotelkeeper	161	–	–	1	2	12	21	31	30	31	23	10	–
	Publican	97	–	–	–	3	10	23	15	21	14	10	1	–
	Beerseller	25	–	–	–	–	1	4	9	2	6	2	1	–
	Lodging, Boarding-house keeper	17	–	–	–	–	1	1	2	4	7	2	–	–
	Coffee house, Eating-house, Keeper	2	–	–	–	1	–	–	1	–	–	–	–	–
	Cook (not Domestic Servant)	1	–	–	–	–	1	–	–	–	–	–	–	–
	(2) *Domestic Servant* (General)	145	–	–	10	11	23	19	15	18	19	25	5	–
	Coachman	29	–	–	–	1	2	9	4	5	5	2	1	–
	Groom	14	–	–	–	1	4	3	3	2	1	–	–	–
	Gardener	43	–	–	1	1	4	–	4	10	12	9	2	–
	Inn Servant	28	–	–	2	–	4	5	6	3	6	2	–	–
	Hospital, Lun. Asylum, Attendt., Nurse	4	–	–	–	–	–	–	1	1	–	2	–	–

NOTE.—The counties comprised in this Table are Wiltshire, Dorsetshire, Devonshire, Cornwall, and Somersetshire.

V.—SOUTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 upwards
VI.													
(1) Merchant	32	–	–	–	–	1	2	3	6	8	10	2	
Banker	8	–	–	–	–	1	2	1	2	1	1	–	–
Stock, Share, Broker, Dealer	3	–	–	–	–	–	1	–	–	2	–	–	–
Ship Broker, Agent	3	–	–	–	–	–	2	–	–	–	1	–	–
Broker	1	–	–	–	–	–	–	1	–	–	–	–	–
Agent, Factor	5	–	–	–	–	–	–	1	2	2	–	–	–
Coal, Colliery, Agent, Factor	1	–	–	–	–	–	–	1	–	–	–	–	–
Auctioneer, Valuer, Appraiser	7	–	–	–	–	1	–	1	1	3	–	1	–
Accountant	30	–	–	1	3	6	6	4	2	5	3	–	–
Commercial Clerk	36	–	–	3	8	7	3	6	3	3	3	–	–
Commercial Traveller	11	–	–	–	–	–	3	2	5	1	–	–	–
Mercantile Man	1	–	–	–	–	–	–	–	1	–	–	–	–
(2) Pawnbroker	6	–	–	1	–	–	–	3	–	–	1	1	–
Marine-store Dealer	7	–	–	–	–	–	1	–	1	5	–	–	–
General Dealer, Huckster, Costermonger	13	–	–	–	–	1	3	1	3	4	1	–	–
Shopkeeper (Branch undefined)	15	–	–	–	–	2	1	–	2	5	5	–	–
Hawker, Pedlar	49	–	–	–	2	6	6	6	11	6	10	1	1
VII.													
(1) Railway Engine Driver, Stoker	9	–	–	–	1	3	3	–	1	1	–	–	–
Railway Official, Clerk, Station-master	10	–	–	–	–	2	2	3	1	1	1	–	–
Railway Servant, Porter, Gatekeeper	38	–	–	1	5	13	10	2	5	1	1	–	–
Railway Police	7	–	–	–	–	4	1	1	1	–	–	–	–
(2) Toll-collector, Turnpike-gate Keeper	20	–	–	–	–	2	2	1	6	4	4	1	–
Coach, Omnibus, Cab,—Owner	6	–	–	–	–	–	1	–	4	–	1	–	–
Livery Stable Keeper	8	–	–	–	–	–	3	2	2	1	–	–	–
Coachman (not Domestic)	48	–	–	–	–	5	8	8	9	5	12	1	–
Cabman, Flyman	21	–	–	–	3	6	3	5	3	1	–	–	–
Carman, Carrier, Carter, Drayman	143	–	–	4	15	11	19	19	28	27	15	5	–
Others engaged in *Road* Conveyance	19	–	–	–	–	1	4	1	6	4	3	–	–
(3) Canal and Inland Navigation Service	5	–	–	–	–	1	1	–	1	1	1	–	–
Bargeman, Lighterman, Waterman	78	–	–	2	3	3	10	11	15	15	16	3	–
(4) Shipowner	15	–	–	–	–	–	1	4	3	6	1	–	–
Seaman (Merchant Service)	417	–	2	36	52	78	59	46	39	50	44	11	–
Pilot	13	–	–	–	–	–	–	1	1	4	4	3	–
Boatman on Seas	4	–	–	–	–	–	–	1	–	1	2	–	–
Harbour, Dock, Servant, Dock Labourer	33	–	–	–	2	6	3	6	4	4	8	–	–
Wharfinger	2	–	–	–	–	–	–	2	–	–	–	–	–
Others	6	–	–	–	1	–	4	–	1	–	–	–	–
(5) Warehouseman (not Manchester)	4	–	–	1	–	1	–	2	–	–	–	–	–
Others connected with *Storage*	4	–	–	–	1	–	–	–	–	–	3	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	34	–	1	2	2	5	4	4	7	5	3	1	–
Telegraph Service	5	–	–	–	4	–	1	–	–	–	–	–	–
VIII.													
(1) Land Proprietor	125	–	–	–	2	–	8	7	16	31	43	18	–
Farmer, Grazier	1809	–	–	1	24	66	116	181	280	476	512	147	6
Farmer's "Son," "Brother," "Grandson"	101	–	–	39	28	23	6	5	–	–	–	–	–
Farm Bailiff	24	–	–	–	–	3	1	1	8	4	6	1	–
Agricultural Labourer (out-door)	4351	2	16	126	180	370	311	390	632	1000	1010	293	21
Shepherd (out-door)	56	–	–	–	1	4	9	9	13	6	11	3	–
Farm Servant (in-door)	5	–	–	–	1	–	2	–	–	–	1	1	–
Land Surveyor, Land Estate Agent	17	–	–	–	–	–	1	2	5	2	5	2	–
Others connected with *Agriculture*	4	–	–	–	–	2	–	–	–	–	2	–	–
(2) Woodman	30	–	–	–	2	1	2	4	8	11	7	4	–
(3) Gardener (not Domestic Servant)	272	–	–	4	9	12	22	30	54	68	56	16	1
Nurseryman	10	–	–	–	1	2	–	1	3	1	1	–	1
IX.													
(1) Horse Proprietor, Dealer	7	–	–	–	–	–	1	2	1	1	1	1	–
Horsebreaker	6	–	–	–	–	–	2	–	1	3	–	–	–
Horsekeeper, Groom, Jockey	124	–	–	4	11	16	26	18	23	14	10	2	–
Farrier, Veterinary Surgeon	21	–	–	–	–	2	2	6	–	6	4	1	–
Cattle, Sheep,—Dealer, Salesman	14	–	–	–	–	–	2	3	7	2	–	–	–
Drover	17	–	–	–	–	–	2	3	5	4	2	1	–
Pig Merchant, Dealer	4	–	–	–	–	–	1	–	–	1	–	2	–
Gamekeeper	33	–	–	–	3	1	2	6	10	8	3	–	–
Vermin Destroyer, Rat-catcher	5	–	–	–	1	–	–	1	–	3	–	–	–
Fisherman	114	–	1	4	3	7	10	7	11	32	32	7	–
Others engaged about *Animals*	4	–	–	–	–	–	–	1	1	2	–	–	–
X.													
(1) Bookseller, Publisher	16	–	–	1	1	2	2	3	3	4	–	–	–
Bookbinder	7	–	–	–	–	1	1	1	2	1	1	–	–
Printer	32	–	–	3	11	9	3	2	3	1	–	–	–
Newspaper Agent, Vendor, &c.	3	–	–	–	–	–	1	–	1	–	1	–	–
(2) Musical Instrument Maker, Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
Others connected with *Musical Insts.*	2	–	–	–	–	–	–	–	2	–	–	–	–
(4) In *Carving & Figures*	2	–	–	–	1	–	1	–	–	–	–	–	–
(5) Toy Maker, Dealer	1	–	–	–	–	–	–	1	–	–	–	–	–
Bow, Bat, Ball, Tackle, &c. Maker	2	–	–	–	–	–	–	–	–	1	1	–	–
(6) Pattern Designer	1	–	–	–	–	–	–	–	1	–	–	–	–

V.—SOUTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860-1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
X.—*cont.*													
(7) Watchmaker, Clockmaker	33	–	–	–	2	3	5	4	8	7	4	–	–
Philosophical Instrument Maker	1	–	–	–	–	–	–	–	1	–	–	–	–
(9) Gunsmith, Gun manufacture	7	–	–	–	–	–	2	2	1	2	–	–	–
Engaged in manufacturing *Arms*	1	–	–	–	–	–	–	–	–	1	–	–	–
(10) Engine and Machine Maker	21	–	–	1	2	5	6	4	1	–	2	–	–
Tool Maker, Dealer	8	–	–	1	–	1	2	1	1	1	1	–	–
Saw Smith, Maker	1	–	–	–	–	–	–	1	–	–	–	–	–
Cutler	11	–	–	–	–	1	1	2	–	5	2	–	–
Others engaged about *Tools and Machines*	4	–	–	–	–	–	1	–	–	–	2	1	–
(11) Coachmaker	39	–	–	6	2	5	9	7	2	6	2	–	–
(12) Saddler, Harness-maker	60	–	–	2	5	4	5	9	7	18	9	1	–
Whip-maker	2	–	–	1	–	1	–	–	–	–	–	–	–
(13) Shipbuilder, Shipwright	93	–	–	11	11	15	4	4	11	23	12	2	–
Block, Oar, Mast,—Maker	5	–	–	1	–	–	2	–	1	1	–	–	–
Boat, Barge,—Builder	1	–	–	–	–	–	–	–	–	1	–	–	–
Sailmaker	13	–	–	1	2	2	2	–	3	3	–	–	–
(14) House Proprietor	76	–	–	–	–	1	–	3	15	31	20	5	1
House Agent, Rent Collector	1	–	–	–	–	–	–	–	–	1	–	–	–
Architect	4	–	–	–	–	–	1	1	1	1	–	–	–
Surveyor	1	–	–	–	–	–	1	–	–	–	–	–	–
Builder	53	–	–	–	–	5	6	13	15	12	2	–	–
Carpenter, Joiner	656	–	–	27	41	54	61	72	77	159	132	30	3
Bricklayer	45	–	–	1	2	7	5	5	8	8	6	3	–
Marble Mason	7	–	–	–	1	–	3	–	–	2	1	–	–
Mason, Pavior	527	–	1	10	23	50	56	54	88	118	107	19	1
Slater, Tiler	4	–	–	–	–	–	–	–	4	–	–	–	–
Plasterer	51	–	1	–	3	1	4	4	14	17	6	1	–
Paperhanger	1	–	–	–	1	–	–	–	–	–	–	–	–
Plumber, Painter, Glazier	136	–	1	4	9	16	16	28	25	25	10	2	–
Engaged in *Houses and Buildings*	1	–	–	–	1	–	–	–	–	–	–	–	–
(15) Cabinet-maker, Upholsterer	80	–	–	3	12	13	16	7	7	12	7	3	–
Chairmaker	11	–	–	2	–	–	1	2	3	1	2	–	–
Carver, Gilder	10	–	–	1	2	1	2	–	–	4	–	–	–
Bedstead, Mattress, Tick,—Maker	2	–	–	–	–	–	–	–	1	–	1	–	–
Furniture Broker	6	–	–	–	–	1	–	1	1	2	1	–	–
Dealing in *Furniture*	1	–	–	–	–	–	–	–	–	1	–	–	–
(16) Wheelwright	54	–	–	2	8	4	5	8	7	9	10	–	1
Millwright	20	–	–	1	5	2	1	2	3	2	4	–	–
Other *Implement* Makers	2	–	–	–	–	–	–	–	1	–	1	–	–
(17) Manuf. Chemist, Lab. at Chem. Works	2	–	–	–	–	–	–	–	–	1	1	–	–
Dyer, Scourer, Calenderer	9	–	–	–	–	–	–	2	4	3	–	–	–
Others manufacturing *Chemicals*	5	–	–	–	–	1	1	1	1	–	1	–	–
XI.													
(1) Woolstapler	11	–	–	–	–	2	2	–	1	4	1	1	–
Felt manufacture	1	–	–	–	–	–	–	–	1	–	–	–	–
Woollen Cloth manufacture	187	–	–	5	5	11	11	8	27	39	53	22	1
Clothier	6	–	–	–	–	–	1	–	–	1	4	–	–
Fuller	3	–	–	–	–	2	–	–	1	–	–	–	–
Wool, Woollen,—Dyer	13	–	–	2	–	1	1	1	3	1	2	1	1
Worsted manufacture	30	–	1	–	–	1	2	3	5	6	10	2	–
Blanket manufacture	3	–	–	–	–	–	–	2	1	–	–	–	–
Carpet, Rug,—manufacture	5	–	–	–	–	–	2	2	1	–	–	–	–
Others	7	–	–	–	–	–	1	–	–	1	3	2	–
(2) Silk manufacture	8	–	–	1	1	1	1	–	1	2	1	–	–
Silk Dyer, Printer	1	–	–	–	–	–	–	–	–	1	–	–	–
Silk Mercer	2	–	–	–	–	–	–	–	–	2	–	–	–
Others	4	–	–	–	–	–	2	–	2	–	–	–	–
(3) Flax, Linen,—manufacture	16	–	–	–	–	–	2	2	5	5	2	–	–
Lace manufacture	18	–	–	1	2	3	4	2	1	1	4	–	–
Others	3	–	–	–	–	–	1	–	–	1	–	1	–
(4) Weaver (not otherwise defined)	17	–	–	–	–	–	2	3	4	1	7	–	–
Manchester Warehouseman	1	–	–	–	–	1	–	–	–	–	–	–	–
Draper, Linen Draper, Mercer	110	–	–	11	17	30	14	10	8	9	11	–	–
(5) Hairdresser, Wig-maker	32	–	–	–	3	3	2	4	3	2	7	3	–
Hatter, Hat manufacture	26	–	–	1	2	3	–	6	5	6	3	–	–
Tailor	348	–	–	10	31	41	34	40	47	64	64	15	2
Clothes Dealer, Salesman, Outfitter	5	–	–	–	1	1	–	–	–	1	2	–	–
Hosier, Haberdasher	1	–	–	–	–	1	–	–	–	–	–	–	–
Glover, Leather, and not otherwise des.	24	–	–	1	6	4	1	3	1	7	–	1	–
Shoemaker, Bootmaker	695	–	2	19	35	80	75	81	104	128	130	40	1
Patten, Clog,—Maker	5	–	–	–	–	–	–	–	–	2	1	2	–
Umbrella, Parasol, Stick,—Maker	3	–	–	–	–	–	1	1	–	1	–	–	–
Others providing *Dress*	7	–	–	–	1	1	1	1	1	–	2	–	–
(6) Mat Maker, Seller	1	–	–	–	–	–	–	–	–	1	–	–	–
Rope, Cord,—Maker	51	–	1	2	3	1	4	8	9	11	10	2	–
Canvas Maker, Dealer	7	–	–	–	–	–	2	1	1	1	2	–	–
Sailcloth manufacture	13	–	–	–	–	–	–	–	–	4	8	1	–
Others	11	–	–	–	1	–	3	–	4	2	1	–	–

V.—SOUTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XII.													
(1) Cowkeeper, Milkseller	73	–	–	1	–	5	3	7	15	22	14	6	–
Cheesemonger	14	–	–	–	1	5	–	1	1	3	2	1	–
Butcher, Meat Salesman	190	–	–	2	5	16	29	24	35	32	36	11	–
Provision Carer, Dealer	13	–	–	1	–	1	2	1	1	5	1	1	–
Poulterer, Game Dealer	9	–	–	1	–	1	3	2	2	–	–	–	–
Fishmonger	18	–	–	–	–	–	3	2	–	7	3	3	–
(2) Corn Merchant, Dealer	14	–	–	–	–	–	3	1	4	2	3	1	–
Miller	131	–	2	4	9	9	14	21	25	25	18	4	–
Flour Dealer, Agent	4	–	–	–	–	–	–	2	1	1	–	–	–
Baker	170	–	–	3	10	25	15	20	25	35	32	4	1
Confectioner, Pastry Cook	22	–	–	–	–	2	4	4	6	4	2	–	–
Greengrocer, Fruiterer	13	–	–	–	–	1	2	3	5	–	2	–	–
Fruit and Flower,—Hawker, Vendor	1	–	–	–	–	–	–	–	1	–	–	–	–
Potato Merchant	2	–	–	–	–	–	1	–	–	–	1	–	–
Seed Merchant, Seedsman	2	–	–	–	–	–	–	–	–	1	1	–	–
Others dealing in *Vegetable Food*	2	–	–	–	–	–	–	1	1	–	–	–	–
(3) Maltster	49	–	–	–	–	1	5	6	10	19	7	1	–
Brewer, and others engaged in Brewing	71	–	–	–	3	4	21	9	11	12	10	1	–
Wine and Spirit Merchant	23	–	–	–	1	3	4	9	4	2	–	–	–
Distiller, Rectifier (engaged in Distilling)	1	–	–	–	–	–	–	1	–	–	–	–	–
Cellarman	9	–	–	–	–	1	3	2	2	–	–	1	–
Sugar Refiner	4	–	–	–	–	1	–	2	–	1	–	–	–
Grocer, Tea Dealer	137	–	–	4	9	9	22	18	26	25	23	1	–
Tobacco, Cigar, Snuff,—manufacture	2	–	–	–	–	–	–	–	–	–	2	–	–
Tobacconist	4	–	–	–	–	2	–	–	1	–	1	–	–
Others dealing in *Drinks and Stimulants*	6	–	–	–	1	1	1	–	–	1	1	1	–
XIII.													
(1) Soap-boiler	1	–	–	–	–	1	–	–	–	–	–	–	–
Tallow-chandler	25	–	–	–	1	1	4	–	4	8	4	3	–
Comb-maker	1	–	–	–	–	–	–	–	–	–	1	–	–
Others	3	–	–	–	–	1	–	–	1	–	1	–	–
(2) Fellmonger	9	–	–	–	1	–	–	–	3	–	4	1	–
Tanner	47	–	–	–	2	4	2	9	15	8	7	–	–
Currier	44	–	–	–	–	3	5	9	10	8	9	–	–
Others	4	–	–	–	1	–	1	2	–	–	–	–	–
(3) Brush, Broom,—Maker	15	–	–	–	1	1	3	2	2	2	2	2	–
XIV.													
(1) Oil and Colourman	1	–	–	–	–	1	–	–	–	–	–	–	–
French-polisher	11	–	–	1	–	2	4	2	2	–	–	–	–
Japanner	1	–	–	–	–	–	1	–	–	–	–	–	–
Dealing in *Gums, &c.*	1	–	–	–	–	–	–	1	–	–	–	–	–
(2) Timber Merchant, Dealer	13	–	–	–	–	2	3	2	2	2	–	2	–
Wood Dealer	4	–	–	–	–	–	–	–	1	–	2	1	–
Sawyer	132	–	–	–	2	13	17	12	17	24	37	9	1
Fence, Hurdle,—Maker	4	–	–	–	1	–	–	–	1	1	1	–	–
Lath-maker	1	–	–	–	–	–	–	–	–	1	1	–	–
Turner	12	–	–	–	1	3	1	2	–	3	1	1	–
Cooper	72	–	–	3	3	–	8	10	9	22	15	2	–
Others	11	–	–	–	–	–	3	2	1	2	1	1	1
(3) Cork Cutter, manufacture	2	–	–	–	–	–	1	–	1	–	–	–	–
Working in *Bark*	1	–	–	–	–	–	–	–	–	1	–	–	–
(4) Basket-maker	35	–	–	–	–	6	1	2	10	11	4	1	–
Hay and Straw Dealer	5	–	–	–	–	1	1	–	–	1	1	1	–
Thatcher	102	–	–	2	3	6	5	3	21	24	23	9	1
Others working in *Cane, Rush, Straw*	3	–	–	–	–	–	1	1	1	–	–	–	–
(5) Rag Gatherer, Dealer	4	–	–	–	–	–	–	1	1	2	–	–	–
Paper manufacture	12	–	–	1	–	4	1	1	2	3	–	–	–
Stationer (not Law)	9	–	–	–	3	–	–	1	3	2	–	–	–
Working in *Paper*	1	–	–	–	–	–	–	1	–	–	–	–	–
XV.													
(1) Coal-miner	150	–	4	11	10	10	15	13	21	31	24	10	1
Copper-miner	597	–	2	44	60	69	85	121	120	75	20	1	–
Tin-miner	344	–	1	20	34	32	43	61	75	45	27	6	–
Lead-miner	41	–	1	–	9	12	4	7	3	4	1	–	–
Iron-miner	4	–	–	1	–	2	–	1	–	–	–	–	–
Others	*186	–	7	14	21	12	32	30	29	27	11	3	–
(2) Coal Merchant, Dealer	26	–	–	–	–	1	2	4	5	11	2	1	–
Coalheaver, Labourer	60	–	–	–	1	1	11	14	13	7	10	3	–
Chimney Sweeper	9	–	–	–	–	3	1	2	2	1	–	–	–
Gas Works Service	11	–	–	–	1	–	5	–	1	1	3	–	–
Others working in *Coal*	2	–	–	–	–	–	1	–	–	1	–	–	–
(3) Stone Quarrier	69	–	–	3	5	8	8	15	8	10	10	2	–
Stone Cutter, Dresser, Polisher	20	–	–	2	2	–	4	4	1	4	3	–	–
Slate Quarrier	18	–	–	–	3	3	4	1	2	3	2	–	–
Limestone Quarrier, Burner	37	–	–	–	–	–	2	1	13	9	9	3	–
Clay Labourer	24	–	–	3	2	3	2	4	5	4	1	–	–
Brick Maker, Dealer	37	–	–	2	6	8	–	3	5	4	8	1	–

* Most of these are indefinitely returned as "Miners."

V.—SOUTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1.

OCCUPATIONS.	TOTAL.	AGES OF MALES.											
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 upwards
XV.—*cont.*													
(5) Railway Labourer	81	–	–	3	7	27	24	11	5	4	–	–	–
Excavator, Navvy	11	–	–	–	–	–	5	2	4	–	–	–	–
Road Contractor, Inspector, Labourer	12	–	–	–	–	–	1	2	2	4	3	–	–
Road Labourer	58	–	–	–	1	2	–	3	11	21	16	4	–
Scavenger	6	–	–	–	–	–	1	–	2	2	1	–	–
Dust Collector	2	–	–	–	–	–	1	1	–	–	–	–	–
Others working in *Stone, Clay*	6	–	–	–	–	1	–	1	1	3	–	–	–
(4) Earthenware manufacture	15	–	1	1	2	1	–	1	2	5	2	–	–
Tobacco-pipe Maker	6	–	–	–	–	1	–	1	3	–	1	–	–
Earthenware and Glass Dealer	15	–	–	2	1	2	2	1	2	3	2	–	–
(5) Glass manufacture	5	–	–	–	–	2	1	–	–	2	–	–	–
(7) Waterworks Service	1	–	–	–	–	–	–	–	–	1	–	–	–
Working or dealing in *Water*	1	–	–	–	–	–	–	–	–	–	–	1	–
(8) Goldsmith, Silversmith, Jeweller	20	–	–	1	1	4	–	2	3	2	7	–	–
Dealing in *Gold, Silver, &c.*	1	–	–	–	–	–	–	–	–	–	1	–	–
(9) Copper manufacture	2	–	1	–	–	–	1	–	–	–	–	–	–
Coppersmith	4	–	–	–	1	–	–	–	3	–	–	–	–
(10) Tin manufacture	26	–	1	5	1	2	–	4	5	5	2	1	–
Tinman, Tinworker, Tinker	26	–	–	1	3	1	1	3	6	8	3	–	–
Tinplate Worker	11	–	–	–	2	1	2	3	–	2	–	1	–
(12) Lead manufacture	5	–	–	1	1	–	–	1	1	–	–	1	–
(13) Brass Founder, Moulder, manufacture	10	–	–	–	–	3	–	2	3	–	1	–	1
Brazier	6	–	–	–	–	–	–	–	2	1	3	–	–
Locksmith, Bellhanger	2	–	–	–	–	–	1	–	–	–	1	–	–
Gasfitter	3	–	–	1	–	2	–	–	–	–	–	–	–
Wire Worker, Weaver	3	–	–	–	1	1	–	–	–	–	1	–	–
Others working in *mixed Metals*	3	–	–	–	–	–	–	–	1	2	–	–	–
(14) Iron manufacture, Moulder, Founder	35	–	–	2	2	5	6	5	3	2	7	3	–
Whitesmith	14	–	–	–	–	2	–	3	3	3	3	–	–
Blacksmith	353	–	2	14	24	50	34	31	49	31	58	10	–
Nail manufacture	2	–	–	–	–	–	1	–	–	1	–	–	–
Anchorsmith, Chainsmith	2	–	–	–	–	–	–	–	2	–	–	–	–
Boiler-maker	6	–	–	–	1	2	2	1	–	–	–	–	–
Ironmonger	14	–	–	–	1	2	2	2	2	4	1	–	–
Hardwareman, Dealer	1	–	–	–	–	–	–	–	–	–	1	–	–
Others working in *Iron, Steel*	2	–	–	–	–	–	–	–	–	2	–	–	–
XVI.													
(1) Labourer	1181	–	2	40	62	116	120	133	206	246	199	51	6
(2) Shopman	3	–	–	–	1	–	1	–	–	1	–	–	–
Others of indefinite Occupations	16	–	–	–	–	4	3	3	4	2	–	–	–
XVII.													
(1) Gentleman, Independent	248	–	–	1	7	13	17	18	40	70	62	18	2
Annuitant	42	–	–	–	1	–	2	4	11	10	11	3	–
XVIII.													
(1) Dependent on Relatives	2	–	–	–	–	–	1	–	–	1	–	–	–
Almsperson (no stated Occupation)	17	–	–	–	–	–	–	1	–	3	11	2	–
Pauper (no stated Occupation)	15	–	–	–	4	–	–	–	4	1	4	1	1
Lunatic (no stated Occupation)	15	–	–	–	1	4	7	1	–	–	2	–	–
Others	40	–	–	–	–	–	3	4	4	10	16	3	–
(2) *Prisoner* (no stated Occupation)	52	–	–	2	8	18	4	5	6	8	1	–	–
(3) *Vagrant, Beggar*	4	–	–	–	–	–	2	–	–	1	1	–	–
Others of no stated Occupation or Condition	43	–	–	1	3	7	11	6	6	6	2	1	–

VI.—WEST MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1.

OCCUPATIONS.	Total.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
Total of Males aged 5 Years and upwards	28710	1704	1012	1232	1452	2729	3138	3423	4222	5061	3749	940	48
Order.													
I.													
(1) Civil Servant not in Revenue Departmt.	11	–	–	–	1	2	3	1	–	2	2	–	–
Post Office	29	–	–	–	–	1	8	8	5	3	3	1	–
Inland Revenue	28	–	–	1	–	1	2	2	2	11	8	1	–
Customs	11	–	–	–	–	–	5	1	1	1	2	1	–
Dockyard Artificers	5	–	–	1	–	2	1	–	–	1	–	–	–
Other *Government* Officers	4	–	–	–	–	1	–	–	2	1	–	–	–
(2) Magistrate	11	–	–	–	–	–	–	–	4	3	3	1	–
Police	48	–	–	1	1	19	11	11	3	1	–	1	–
Prison Officer	8	–	–	–	–	1	1	4	2	–	–	–	–
Union and Parish Officer	40	–	–	–	–	1	2	5	15	7	7	3	–
Officer of Local Board	2	–	–	–	–	–	1	1	–	–	–	–	–
Other *Local* Officers	15	–	–	–	–	1	2	3	2	6	1	–	–
(3) East India and Colonial Service	14	–	–	–	–	–	2	3	2	5	2	–	–
II.													
(1) Army Officer	20	–	–	–	–	1	3	–	5	9	2	–	–
Army Half-pay Officer	24	–	–	–	–	–	–	1	2	8	11	2	–
Soldier	71	–	–	2	13	19	17	3	7	4	5	1	–
Chelsea Pensioner	182	–	–	–	–	12	13	18	15	61	47	16	–
Militia	21	–	–	1	3	5	5	1	1	2	3	–	–
(2) Navy Officer	16	–	–	–	1	1	1	2	3	4	2	2	–
Navy Half-pay Officer	6	–	–	–	–	–	–	–	–	2	4	–	–
Seaman, R.N.	6	–	–	1	1	1	1	–	–	–	2	–	–
Royal Marine	4	–	–	–	1	1	–	2	–	–	–	–	–
Greenwich Pensioner	40	–	–	–	–	3	3	5	2	7	12	8	–
Others	2	–	–	–	–	–	–	–	–	1	1	–	–
III.													
(1) (*a*) Clergyman	78	–	–	–	–	1	4	14	23	19	13	4	–
Protestant Minister	33	–	–	–	2	1	1	2	11	11	5	–	–
Roman Catholic Priest	6	–	–	–	–	–	3	1	1	1	–	–	–
Other *Religious Teachers*	4	–	–	–	–	1	1	1	–	1	–	–	–
(*b*) Parish Clerk	9	–	–	–	1	–	1	3	2	–	1	1	–
Other *Church Officers*	10	–	–	–	–	–	–	–	2	2	6	–	–
(2) (*a*) Barrister	5	–	–	–	–	1	1	1	–	–	1	1	–
Solicitor	46	–	–	–	–	1	6	10	10	12	7	–	–
Other *Lawyers*	1	–	–	–	–	–	–	–	–	1	–	–	–
(*b*) Officers of Law Court	9	–	–	–	–	1	3	1	2	–	2	–	–
Law Clerk	41	–	–	2	6	10	3	4	12	3	1	–	–
Law Stationer	5	–	–	–	1	–	–	2	2	–	–	–	–
(3) (*a*) Physician	8	–	–	–	–	1	2	1	1	1	–	2	–
Surgeon, Apothecary	80	–	–	–	1	9	10	17	14	15	12	2	–
Medical Student, Assistant	5	–	–	–	4	1	–	–	–	–	–	–	–
Dentist	1	–	–	–	–	–	–	–	–	1	–	–	–
(*b*) Druggist	54	–	–	1	9	9	10	5	9	9	1	1	–
Others	3	–	–	–	–	–	–	1	1	1	–	–	–
(4) Author, Editor, Writer	7	–	–	–	–	3	2	–	–	1	1	–	–
Others engaged in *Literature*	5	–	–	–	1	2	–	–	1	–	1	–	–
(5) Artist, Painter	12	–	–	–	1	–	–	5	2	2	2	–	–
Sculptor	2	–	–	–	–	1	1	–	–	–	–	–	–
Engraver	23	–	–	1	3	1	2	4	6	3	1	2	–
Photographic Artist	1	–	–	–	–	1	–	–	–	–	–	–	–
(6) Musician	31	–	–	1	3	11	5	5	–	4	–	2	–
Music-master	5	–	–	–	–	1	1	1	2	–	–	–	–
Connected with *Music*	1	–	–	–	–	1	–	–	–	–	–	–	–
(7) Actor	4	–	–	–	–	–	–	2	2	–	–	–	–
Persons engaged about *Theatres, Exhib.*	5	–	–	–	–	2	1	–	–	1	1	–	–
(8) Schoolmaster	85	–	–	1	8	7	5	13	14	16	17	4	–
Professor, Teacher of Languages	3	–	–	–	–	–	–	–	2	1	–	–	–
Teacher (General)	4	–	–	3	–	–	1	–	–	–	–	–	–
Teacher of Dancing, Gymnastics	1	–	–	–	–	–	–	–	–	–	1	–	–
(9) Civil Engineer	8	–	–	–	1	–	3	–	1	–	2	1	–
IV.													
(3) *Son*, Grandson, *Brother*, Nephew (not otherwise described)	3283	1701	916	560	87	11	1	1	–	–	–	–	–
V.													
(1) Innkeeper, Hotelkeeper	190	–	–	–	1	7	25	41	48	38	25	5	–
Publican	231	–	–	–	3	23	42	58	34	47	21	3	–
Beerseller	56	–	–	–	1	3	9	10	14	10	7	2	–
Lodging, Boarding-house Keeper	16	–	–	–	–	–	–	5	4	4	3	–	–
Coffee-house, Eating-house, Keeper	4	–	–	–	–	–	–	2	1	1	–	–	–
Cook (not Domestic Servant)	4	–	–	–	–	–	–	1	1	1	1	–	–
Others *Boarding and Lodging*	6	–	–	–	–	–	3	1	–	1	1	–	–
(2) *Domestic Servant* (General)	128	–	–	10	14	22	15	13	16	21	14	3	–
Coachman	39	–	–	–	2	6	7	5	9	5	5	–	–
Groom	39	–	–	2	9	5	5	8	3	5	2	–	–
Gardener	25	–	–	–	1	3	1	4	5	4	6	1	–
Inn Servant	32	–	–	1	4	8	9	2	2	5	1	–	–
Hospital, Lun. Asylum, Attendt., Nurse	2	–	–	–	–	–	1	–	1	–	–	–	–
Others	4	–	–	–	–	–	1	1	–	–	2	–	–

Note.—The counties comprised in this Table are Gloucestershire, Herefordshire, Shropshire, Staffordshire, Worcestershire, and Warwickshire.

VI.—WEST MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
VI.													
(1) Merchant	18						1	2	6	3	4	2	
Banker	7								2	3	2		
Insurance, Benefit Society, Officer	1						1						
Stock, Share, Broker, Dealer	2							1			1		
Ship Broker, Agent	2							1		1			
Broker	3					1		1			1		
Agent, Factor	19					2	1	6	5	3	1	1	
Coal, Colliery, Agent, Factor	4							1	2	1			
Iron Merchant, Agent	3							1			1	1	
Auctioneer, Appraiser, Valuer	19					1	5	3	4	3	3		
Accountant	32				1	2		5	10	10	3	1	
Commercial Clerk	106			9	13	23	11	17	9	19	5		
Commercial Traveller	33				2	4	4	10	7	3	3		
Other *Mercantile* Men	9						1		1	6		1	
(2) Pawnbroker	12			1				2	6	1	2		
Marine-store Dealer	12						1	5	4	1	1		
General Dealer, Huckster, Costermonger	15					1	2	2	3	6	1		
Shopkeeper (Branch undefined)	21				1	1	2	1	6	4	5	1	
Hawker, Pedlar	83					8	10	9	22	18	14	2	
VII.													
(1) Railway Engine Driver, Stoker	39				8	11	11	3	3	3			
Railway Official, Clerk, Station-master	50			1	10	8	4	4	2		1		
Railway Servant, Porter, Gatekeeper	95		1	1	21	33	17	10	7	5			
Railway Police	16				1	4	3	5	1	1	1		
Others engaged in *Railways*	3					1		1			1		
(2) Toll-collector, Turnpike-gate Keeper	25					2	1	4	3	11	3	1	
Coach, Omnibus, Cab,—Owner	12					1	3	2	1	3	2		
Livery Stable Keeper	3								1		2		
Coachman (not Domestic)	67			1		7	18	9	11	14	5	2	
Cabman, Flyman	46				3	8	12	11	6	4	1	1	
Carman, Carrier, Carter, Drayman	249		5	7	13	31	50	32	46	42	19	4	
Others engaged in *Road* Conveyance	4							1	1		2		
(3) Canal and Inland Navigation Service	81		5	5	5	7	8	12	17	9	12	1	
Bargeman, Lighterman, Waterman	183		1	6	11	14	27	19	41	43	18	3	
Others connected with *Inland Navigation*	6			1				3	1		1		
(4) Shipowner	5							1	2	1	1		
Seaman (Merchant Service)	86			6	4	24	19	12	7	7	5	2	
Pilot	1								1				
Boatman on Seas	13				1	1	2	4	2	2	1		
Harbour, Dock, Servant, Dock Labourer	11				1	3	3	1	1	1	1		
Wharfinger	3									3			
Others	5					2	2	1					
(5) Warehouseman (not Manchester)	27			1	4	3		6	5	6	2		
Others connected with *Storage*	6						1	3	2				
(6) Messenger, Porter (not Govt.), Errd. Boy	78		2	4	5	6	6	13	16	14	12		
Telegraph Service	2			1		1							
VIII.													
(1) Land Proprietor	105					2	8	6	16	32	29	12	
Farmer, Grazier	1448			2	10	53	87	179	280	402	346	96	2
Farmer's "Son," "Brother," "Grandson"	90			18	28	32	8	2	2				
Farm Bailiff	59					2	7	14	16	12	7	1	
Agricultural Labourer (out-door)	3637	1	5	71	122	277	296	347	529	912	811	249	17
Shepherd (out-door)	33					2	4		10	7	9	1	
Farm Servant (in-door)	17		1	6	5	3	1		1				
Land Surveyor, Land, Estate, Agent	33				1	3	6	2	8	2	7	4	
Others connected with *Agriculture*	5					1	1		1	1	1		
(2) Woodman	16					2		1	1	8	4		
(3) Gardener (not Domestic Servant)	370			4	10	18	26	44	64	99	86	17	2
Nurseryman	58			1	3	1	5	3	11	11	14	9	
IX.													
(1) Horse Proprietor, Dealer	16						3	2	4	4	3		
Horsebreaker	19				1	1	7	3	3	2	2		
Horsekeeper, Groom, Jockey	157			4	10	21	26	25	36	22	9	2	
Farrier, Veterinary Surgeon	36			1	2	7	4	7	5	2	7	1	
Cattle, Sheep,—Dealer, Salesman	25				1	3	4	3	6	7		1	
Drover	27				1	1	5	4	8	4	4		
Pig Merchant, Dealer	16						2	2	3	4	5		
Gamekeeper	53			1	1	5	8	2	9	14	11	2	
Vermin Destroyer, Rat-catcher	6						1	1	1	2			
Fishermen	10					1	2	1	1	2	3		
Others engaged about *Animals*	7					1	1	2	1	1	1		
X.													
(1) Bookseller, Publisher	16				1	2	2	7	2	1	1		
Bookbinder	8				1	2	1		3	1			
Printer	49		1	4	8	10	4	9	6	5	2		
Newspaper Agent, Vendor, &c.	5		1				1		1		2		
Others engaged about *Publications*	2									1	1		
(2) Musical Instrument Maker, Dealer	5				2			1		1	1		
Others connected with *Musical Insts.*	5						1	2	1		1		
(3) Lithographer, Lithographic Printer	2					1	1						
Others	*12				2	4	2	1	1	2			
(4) Others employed about *Carving & Figures*	3							3					

* Of these, 4 are letter cutters, 3 glass stainers, enamellers, and 1 2 copper-plate printers.

VI.—WEST MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
X.—*cont.*													
(5) Toy Maker, Dealer	16	–	–	1	–	1	2	1	2	4	5	–	–
Bow, Bat, Ball, Tackle, &c. Maker	15	–	–	3	3	1	2	1	1	2	2	–	–
(6) Pattern Designer	7	–	–	1	1	1	–	1	2	–	1	–	–
Others engaged about *Designs, Medals*	7	–	–	–	1	1	1	2	1	1	–	–	–
(7) Watchmaker, Clockmaker	116	–	–	7	17	19	19	11	12	16	15	–	–
Optician, Spectacle-maker	12	–	–	–	2	3	1	1	2	3	–	–	–
Weighing Machine, Scale, Measure, Maker	20	–	–	–	2	4	6	1	3	2	2	–	–
Other *Philosophical Instrument Makers*	9	–	–	–	1	3	–	1	–	4	–	–	–
(9) Gunsmith, Gun manufacture	169	–	–	3	11	26	26	20	25	32	22	4	–
Others engaged in manufacturing *Arms*	17	–	–	1	–	5	2	2	3	3	1	–	–
(10) Engine and Machine Maker	137	–	–	6	16	36	23	19	18	9	7	3	–
Needle manufacture	60	–	–	7	4	9	13	10	3	5	7	2	–
Tool Maker, Dealer	59	–	–	1	4	10	10	10	10	6	6	2	–
File-maker	27	–	–	1	1	2	5	7	3	5	2	1	–
Saw Smith, Maker	1	–	–	–	–	–	1	–	–	–	–	–	–
Cutler	9	–	–	–	–	2	1	2	1	2	1	–	–
Blade Maker, Forger	1	–	–	–	–	–	–	–	–	1	–	–	–
Others engaged about *Tools and Machines*	88	–	–	2	9	8	8	11	14	25	10	1	–
(11) Coachmaker	65	–	–	1	3	12	15	15	8	10	1	–	–
Others engaged about *Carriages*	20	–	–	–	2	8	4	3	1	2	–	–	–
(12) Saddler, Harness-maker	100	–	–	3	5	8	18	13	15	22	12	4	–
Whip-maker	11	–	–	–	1	–	1	2	4	2	1	–	–
(13) Shipbuilder, Shipwright	22	–	–	–	1	4	2	5	2	5	3	–	–
Boat, Barge,—Builder	20	–	–	–	–	3	4	1	3	6	3	–	–
Sailmaker	4	–	–	–	1	–	1	1	–	–	1	–	–
(14) House Proprietor	148	–	–	–	–	–	2	7	35	49	43	10	2
House Agent, Rent Collector	17	–	–	–	–	1	1	4	6	4	1	–	–
Architect	11	–	–	–	–	1	2	2	3	2	1	–	–
Surveyor	3	–	–	–	1	–	1	–	–	1	–	–	–
Builder	90	–	–	–	3	5	9	15	14	31	11	2	–
Carpenter, Joiner	613	–	1	17	31	51	59	87	109	132	97	29	–
Bricklayer	389	–	–	8	23	40	64	52	83	71	38	10	–
Marble Mason	9	–	–	1	1	–	1	2	2	1	1	–	–
Mason, Pavior	304	–	–	6	8	29	35	54	56	63	44	8	1
Slater, Tiler	26	–	–	–	–	3	2	3	6	1	10	1	–
Plasterer	66	–	–	1	2	6	7	17	10	13	9	1	–
Paperhanger	8	–	–	–	–	1	3	1	1	2	–	–	–
Plumber, Painter, Glazier	261	–	1	10	20	31	46	64	49	30	8	2	–
Others engaged in *Houses and Buildings*	10	–	–	–	1	2	1	2	2	2	–	–	–
(15) Cabinet-maker, Upholsterer	93	–	–	5	7	13	13	15	15	17	7	1	–
Undertaker	3	–	–	–	–	1	–	–	1	1	–	–	–
Chairmaker	20	–	–	–	2	2	4	4	2	3	1	2	–
Picture-frame Maker	3	–	–	–	–	–	1	1	–	–	1	–	–
Carver, Gilder	8	–	–	–	–	1	–	3	1	2	1	–	–
Bedstead, Mattress, Tick,—Maker	15	–	–	1	2	4	1	3	2	–	2	–	–
Furniture Broker	16	–	–	–	–	1	1	4	3	4	2	1	–
(16) Wheelwright	154	–	–	2	11	15	10	14	39	30	28	5	–
Millwright	40	–	–	1	2	6	2	4	6	10	8	1	–
Other *Implement* Makers	17	–	–	–	1	2	4	1	2	3	3	1	–
(17) Manuf. Chemist, Lab. at Chem. Works	14	–	–	–	–	4	2	3	1	3	–	1	–
Dye, Colour,—manufacture	6	–	–	–	–	1	1	–	3	–	1	–	–
Dyer, Scourer, Calenderer	23	–	–	–	–	3	5	4	4	2	3	2	–
Others manufacturing *Chemicals*	8	–	–	–	–	–	3	3	1	1	–	–	–
XI.													
(1) Woolstapler	5	–	–	–	1	1	–	–	1	2	–	–	–
Woollen Cloth manufacture	102	–	–	5	4	10	2	7	16	23	27	8	–
Clothier	6	–	–	–	–	–	2	–	2	1	1	–	–
Fuller	1	–	–	–	–	–	–	–	1	–	–	–	–
Worsted manufacture	2	–	–	–	–	–	1	–	–	1	–	–	–
Carpet, Rug,—manufacture	61	–	–	1	4	6	11	9	9	11	8	2	–
Working in *Wool, &c.*	1	–	–	–	–	–	–	–	–	–	1	–	–
(2) Silk manufacture	70	–	2	6	1	11	8	12	8	13	8	1	–
Silk Dyer, Printer	10	–	–	1	1	–	4	–	1	2	1	–	–
Silk Mercer	1	–	–	–	–	1	–	–	–	–	–	–	–
Ribbon manufacture	207	–	1	10	10	15	24	38	28	40	35	6	–
Others	3	–	–	1	–	1	–	–	1	–	–	–	–
(3) Flax, Linen,—manufacture	17	–	–	–	–	2	1	4	4	2	2	2	–
Lace manufacture	2	–	–	–	–	–	–	–	2	–	–	–	–
Cotton manufacture	25	–	1	6	2	2	1	–	1	4	6	2	–
Calico, Cotton,—Printer	1	–	–	–	–	–	–	–	–	–	–	–	1
Others	13	–	–	–	–	1	1	1	3	2	4	–	1
(4) Packer and Presser	10	–	–	–	–	–	3	2	2	1	2	–	–
Weaver (not otherwise defined)	77	–	–	2	5	5	9	4	9	18	21	4	–
Manchester Warehouseman	2	–	–	–	–	–	1	1	–	–	–	–	–
Draper, Linendraper, Mercer	123	–	–	9	16	28	14	12	16	16	5	7	–
Others	6	–	–	1	1	–	–	2	–	1	1	–	–
(5) Hairdresser, Wig-maker	49	–	–	2	1	7	8	11	6	6	6	2	–
Hatter, Hat manufacture	95	–	–	1	2	3	3	11	21	25	20	9	–
Straw Plait manufacture	1	–	–	–	–	–	–	–	–	–	–	1	–
Straw Hat, Bonnet,—Maker	1	–	–	–	–	–	–	1	–	–	–	–	–
Furrier	1	–	–	1	–	–	–	–	–	–	–	–	–
Tailor	407	–	–	8	20	39	65	69	53	90	48	14	1
Clothes Dealer, Salesman, Outfitter	11	–	–	–	–	1	2	2	2	3	1	–	–
Button-maker (all Branches)	69	–	–	1	7	10	11	14	16	9	1	–	–
Hose manufacture	21	–	–	–	1	2	2	1	2	5	6	2	–

VI.—WEST MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860-1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XI.—*cont.*													
(5) Hosier, Haberdasher	7	–	–	–	1	2	1	1	1	1	–	–	–
Glover, Leather, and not otherwise des.	27	–	–	–	2	1	1	1	3	9	9	1	–
Shoemaker, Bootmaker	914	–	2	32	51	87	98	118	159	193	135	37	2
Patten, Clog,—Maker	10	–	–	1	–	–	1	1	5	1	1	–	–
Umbrella, Parasol, Stick,—Maker	12	–	–	–	2	–	4	1	2	–	3	–	–
Others providing *Dress*	13	–	–	–	1	2	2	3	1	2	2	–	–
(6) Mat Maker, Seller	5	–	–	–	1	–	–	1	1	1	–	1	–
Rope, Cord,—Maker	30	–	–	1	1	1	4	3	4	7	8	1	–
Others	*11	–	–	–	–	2	2	3	3	–	1	–	–
XII.													
(1) Cowkeeper, Milkseller	56	–	–	–	–	5	3	5	15	16	9	3	–
Cheesemonger	2	–	–	–	–	–	1	–	1	–	–	–	–
Butcher, Meat Salesman	307	–	–	5	12	47	49	50	54	54	32	3	1
Provision Curer, Dealer	25	–	–	–	1	–	5	4	5	7	2	1	–
Poulterer, Game Dealer	5	–	–	–	–	–	1	2	–	2	–	–	–
Fishmonger	23	–	–	–	–	6	7	4	4	1	1	–	–
(2) Corn Merchant, Dealer	22	–	–	1	3	1	2	3	2	6	4	–	–
Miller	105	–	–	3	2	12	12	10	23	27	15	1	–
Flour Dealer, Agent	2	–	–	–	–	–	–	1	–	1	–	–	–
Baker	143	–	–	1	8	20	22	17	30	21	23	1	–
Confectioner, Pastry Cook	32	–	–	–	1	3	1	10	3	9	4	1	–
Greengrocer, Fruiterer	45	–	–	–	2	3	11	9	8	8	2	2	–
Fruit and Flower,—Hawker, Vendor	5	–	–	–	–	–	–	2	1	2	–	–	–
Potato Merchant	5	–	–	–	–	1	2	1	–	–	1	–	–
Seed Merchant, Seedsman	2	–	–	–	–	1	–	–	1	–	–	–	–
Dealing in *Vegetable Food*	1	–	–	–	–	–	–	–	–	–	1	–	–
(3) Maltster	105	–	–	–	–	5	10	14	27	26	19	4	–
Brewer, and others engaged in Brewing	181	–	–	4	4	28	39	33	38	21	12	2	–
Wine and Spirit Merchant	37	–	–	1	2	3	6	6	12	4	1	2	–
Distiller, Rectifier (engaged in Distilling)	3	–	–	–	–	–	–	–	1	1	1	–	–
Cellarman	6	–	1	–	–	3	1	–	–	–	1	–	–
Ginger Beer, Soda, Min. Water, manuf.	4	–	–	–	1	–	1	–	1	1	–	–	–
Sugar Refiner	13	–	–	–	1	–	2	3	2	4	–	1	–
Grocer, Tea Dealer	197	–	–	11	13	24	32	32	29	30	24	2	–
Tobacco, Cigar, Snuff,—manufacture	2	–	–	–	–	–	–	–	1	–	1	–	–
Tobacconist	10	–	–	–	–	2	–	3	1	4	–	–	–
Others dealing in *Drinks and Stimulants*	12	–	–	–	–	2	2	–	2	5	–	1	–
XIII.													
(1) Soap-boiler	6	–	–	–	1	2	1	–	–	1	–	1	–
Tallow-chandler	17	–	–	–	–	2	3	4	4	1	3	–	–
Comb-maker	17	–	–	1	–	–	2	1	1	7	4	1	–
Others	†11	–	–	–	–	1	2	1	6	1	–	–	–
(2) Fellmonger	8	–	–	–	–	1	–	–	2	2	2	1	–
Skinner	7	–	–	1	–	–	1	–	2	1	1	1	–
Tanner	31	–	–	1	1	2	3	6	4	7	5	2	–
Currier	54	–	–	1	2	5	8	7	11	14	5	1	–
Others	13	–	–	–	1	2	3	3	–	3	1	–	–
(3) Hair, Bristle,—manufacture	4	–	–	–	–	–	1	3	–	–	–	–	–
Brush, Broom,—Maker	50	–	–	2	4	7	10	6	6	8	6	1	–
Dealing in *Hair*	1	–	–	–	–	–	–	–	–	1	–	–	–
XIV.													
(1) Oil and Colourman	5	–	–	–	1	1	–	–	1	2	–	–	–
French-polisher	13	–	–	1	–	2	5	3	1	–	1	–	–
Japanner	29	–	–	1	2	6	8	4	3	4	–	1	–
Dealing in *Gums, &c.*	1	–	–	–	–	–	–	–	1	–	–	–	–
(2) Timber Merchant, Dealer	31	–	–	–	2	1	4	3	5	9	5	1	1
Wood Dealer	6	–	–	1	1	1	–	1	–	–	1	1	–
Sawyer	157	–	–	3	4	14	17	20	30	31	27	11	–
Fence, Hurdle,—Maker	4	–	–	–	–	–	–	–	1	1	2	–	–
Lath-maker	6	–	–	–	–	2	1	1	–	–	–	1	1
Turner	46	–	–	1	4	6	8	6	6	7	7	1	–
Box-maker	3	–	–	–	1	–	1	–	–	1	–	–	–
Cooper	86	–	–	2	9	8	10	15	13	20	7	2	–
Hoop Maker, Bender	10	–	–	–	2	2	–	–	3	1	1	1	–
Others	26	–	–	–	–	2	3	5	3	4	9	–	–
(3) Cork Cutter, manufacture	7	–	–	–	–	–	2	–	3	1	1	–	–
Working in *Bark*	1	–	–	–	–	–	–	–	–	1	–	–	–
(4) Basket-maker	45	–	–	1	2	5	–	2	7	13	9	6	–
Hay and Straw Dealer	9	–	–	–	–	1	–	1	2	4	1	–	–
Thatcher	5	–	–	–	–	–	–	1	3	–	1	–	–
Others working in *Cane, Rush, Straw*	7	–	–	–	–	1	1	2	2	1	–	–	–
(5) Rag Gatherer, Dealer	21	–	–	1	–	1	3	4	3	4	3	2	–
Paper manufacture	12	–	–	–	1	–	1	–	3	3	3	1	–
Stationer (not Law)	12	–	–	1	1	1	1	3	3	–	2	–	–
Others working in *Paper*	8	–	–	–	–	1	1	–	3	2	–	1	–
XV.													
(1) Coal-miner	1382	1	41	92	140	236	201	156	198	195	108	14	–
Copper-miner	2	–	–	1	1	–	–	–	–	–	–	–	–
Lead-miner	11	–	–	–	1	3	1	2	3	–	1	–	–
Iron-miner	91	–	2	5	8	14	11	21	19	8	1	2	–
Others	63	–	2	6	5	6	7	6	10	14	5	2	–

* Of these, 4 are floor-cloth manufacturers and 3 sacking, sack, bag makers.
† Of these, 4 are ivory cutters, workers, dealers; 2 horn pressers; and 2 manure manufacturers.

VI.—WEST MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XV.—*cont.*													
(2) Coal Merchant, Dealer	90	–	–	1	2	7	7	11	22	19	15	6	–
Coalheaver, Labourer	48	–	–	1	1	5	9	4	10	10	7	–	1
Coke Burner, Dealer	14	–	–	–	–	2	2	1	2	2	5	–	–
Chimney Sweeper	29	–	–	2	1	4	9	6	4	3	–	–	–
Gas Works Service	33	–	–	–	1	4	8	6	5	7	1	1	–
Others working in *Coal*	6	–	–	–	–	–	–	2	1	2	1	–	–
(3) Stone Quarrier	64	–	–	4	7	6	9	8	12	13	4	1	–
Stone Cutter, Dresser, Polisher	15	–	–	–	2	2	3	2	3	2	1	–	–
Limestone Quarrier, Burner	33	–	–	–	3	1	4	5	9	4	6	1	–
Clay Labourer	6	–	–	1	–	2	1	1	–	1	–	–	–
Brick Maker, Dealer	159	–	–	2	6	20	17	25	30	34	21	4	–
Railway Labourer	95	–	1	–	14	27	21	17	11	3	1	–	–
Platelayer	20	–	–	–	7	2	4	4	2	1	–	–	–
Excavator, Navvy	22	–	–	–	2	3	7	5	1	2	2	–	–
Road Contractor, Inspector, Surveyor	5	–	–	–	–	–	–	1	2	1	1	–	–
Road Labourer	99	–	–	1	1	2	1	9	20	31	26	8	–
Scavenger	7	–	–	–	–	–	–	1	3	2	–	1	–
Others working in *Stone, Clay*	11	–	–	1	–	1	5	4	–	–	–	–	–
(4) Earthenware manufacture	576	1	4	27	55	66	114	115	96	65	28	5	–
Tobacco-pipe Maker	9	–	–	–	–	1	2	2	–	3	–	1	–
Earthenware and Glass Dealer	21	–	–	1	1	1	1	3	3	7	2	1	1
Others	12	–	–	–	–	3	2	2	–	2	2	1	–
(5) Glass Manufacture	107	–	–	2	5	17	21	15	17	19	7	4	–
Working in *Glass*	1	–	–	–	–	–	–	–	–	1	–	–	–
(6) Salt Manufacture	5	–	–	1	1	–	1	–	–	2	–	–	–
Others dealing in *Salt*	3	–	–	–	1	–	–	–	2	–	–	–	–
(7) Waterworks Service	5	–	–	–	1	1	–	1	2	–	–	–	–
Others working or dealing in *Water*	*12	–	–	–	–	–	1	4	4	1	1	1	–
(8) Goldsmith, Silversmith, Jeweller	107	–	–	3	11	23	13	11	18	19	9	–	–
Plater, Plated Ware manufacture	45	–	–	1	2	2	2	10	6	10	11	1	–
Others dealing in *Gold, Silver*	23	–	–	–	1	5	3	7	4	2	1	–	–
(9) Copper manufacture	4	–	–	–	–	1	1	1	1	–	–	–	–
Coppersmith	8	–	–	–	–	1	1	4	1	–	1	–	–
(10) Tin manufacture	1	–	–	–	–	–	–	1	–	–	–	–	–
Tinman, Tinworker, Tinker	37	–	–	–	2	6	3	1	10	11	3	1	–
Tinplate Worker	25	–	–	1	1	2	2	7	6	4	2	–	–
Working and dealing in *Tin*	1	–	–	–	–	1	–	–	–	–	–	–	–
(11) Zinc Manufacture	2	–	–	–	–	–	2	–	–	–	–	–	–
(12) Lead manufacture	10	–	–	–	–	1	4	2	1	2	–	–	–
Others working and dealing in *Lead, &c.*	3	–	–	–	–	–	–	2	–	1	–	–	–
(13) Brass Founder, Moulder, manufacture	142	–	–	–	14	19	29	22	24	23	11	–	–
Brazier	19	–	–	1	–	3	4	1	3	4	2	1	–
Locksmith, Bellhanger	175	–	–	8	11	15	28	15	32	36	27	3	–
Gasfitter	14	–	–	1	–	2	2	3	4	1	1	–	–
Wire Maker, Drawer	33	–	–	1	4	3	3	2	5	10	4	1	–
Wire Worker, Weaver	18	–	–	–	2	2	1	3	4	2	2	2	–
Others working in *mixed Metals*	86	–	–	1	8	11	15	14	11	13	12	1	–
(14) Iron manufacture, Moulder, Founder	685	–	–	30	59	101	96	112	117	109	50	11	–
Whitesmith	53	–	–	–	5	5	5	8	11	10	7	2	–
Blacksmith	396	–	1	9	28	51	38	60	54	80	63	14	3
Nail manufacture	289	–	1	6	12	21	23	37	35	63	55	14	2
Anchor-smith, Chainsmith	40	–	1	–	7	5	7	3	3	5	9	–	–
Boiler maker	25	–	–	–	3	4	5	5	3	2	2	1	–
Ironmonger	26	–	–	2	2	5	6	2	2	3	1	3	–
Hardwareman, Dealer	9	–	–	–	–	1	3	–	4	1	–	–	–
Steel manufacture, Worker	6	–	–	1	–	–	2	1	1	–	1	–	–
Grinder (Branch undefined)	14	–	–	–	–	4	2	3	4	–	1	–	–
Others working in *Iron, Steel*	146	–	2	4	9	17	18	23	21	31	20	1	–
XVI.													
(1) Labourer	1718	–	10	32	78	173	242*	222	280	327	286	63	5
(2) Mechanic	3	–	–	–	–	2	1	–	–	–	–	–	–
Shopman	3	–	–	1	–	–	–	1	1	–	–	–	–
Others of indefinite Occupations	†16	–	–	–	–	2	4	2	5	3	–	–	–
XVII.													
(1) Gentleman, Independent	181	–	–	1	1	8	13	15	23	56	49	14	1
Annuitant	36	–	–	–	–	1	2	–	5	14	10	3	1
XVIII.													
(1) Dependent on Relatives	2	–	–	–	–	1	–	–	–	–	1	–	–
Almsperson (no stated Occupation)	16	–	–	–	–	1	–	–	3	3	6	2	1
Pauper (no stated Occupation)	30	–	–	3	2	4	2	5	5	3	5	1	–
Lunatic (no stated Occupation)	37	–	–	3	3	11	7	6	4	3	–	–	–
Others	47	–	–	–	1	5	5	2	5	9	16	3	1
(2) *Prisoner* (no stated Occupation)	8	–	–	–	–	2	2	–	1	2	1	–	–
(3) *Vagrant, Beggar*	4	–	–	1	–	–	–	2	–	1	–	–	–
Others of no stated Occupation or Condition	59	–	–	1	4	9	17	12	4	6	5	1	–

* Of these, 7 are well sinkers, 2 water sellers, and 2 water carriers.

† Of these, 4 are engine drivers, 3 stampers, and 2 contractors.

VII.—NORTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1.

Order.	OCCUPATIONS.	Total.	Ages of Males. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	Total of Males aged 5 Years and upwards	15291	919	554	753	872	1328	1370	1496	2203	2780	2262	621	33
I.														
(1)	Civil Servant not in Revenue Departmt.	2	–	–	–	–	–	–	–	1	–	1	–	–
	Post Office	20	–	–	–	1	3	1	3	5	3	2	2	–
	Inland Revenue	16	–	–		–	4	1	1	1	5	3	1	–
	Customs	4	–	–	–	–	–	1	1	–	–	1	1	–
	Government Messengers, Workmen	1	–	–	–	–	–		1	–	–	–	–	–
	Dockyard Artificers	1	–	–	–	–	–	1	–	–	–	–	–	–
	Government Officer	1	–	–	–	–	–	–	–	1	–	–	–	–
(2)	Magistrate	1	–	–	–	–	–	–	–	–	1	–	–	–
	Police	15	–	–	–	2	4	5	3	1	–	–	–	–
	Prison Officer	5	–	–	–	1	1	2	–	1	–	–	–	–
	Union and Parish Officer	30	–	–	–	–	1	1	5	8	7	5	3	–
	Other *Local* Officers	5	–	–	–	–	–	1	–	1	2	1	–	–
(3)	East India and Colonial Service	1	–	–	–	–	–	–	–	–	–	1	–	–
II.														
(1)	Army Officer	4	–	–	–	–	1	1	–	–	1	1	–	–
	Army Half-pay Officer	4	–	–	–	–	–	–	–	–	2	2	–	–
	Soldier	35	–	–	4	7	9	9	–	1	2	3	–	–
	Chelsea Pensioner	98	–	–	–	1	1	6	7	11	33	34	5	–
	Militia	10	–	–	2	1	1	4	–	–	–	2	–	–
(2)	Navy Half-pay Officer	1	–	–	–	–	–	–	–	–	–	1	–	–
	Royal Marine	2	–	–	–	–	1	–	–	1	–	–	–	–
	Greenwich Pensioner	11	–	–	–	1		1	1	–	4	4	–	–
	Others	3	–	–	–	–	1	–	1	–	–	1	–	–
III.														
(1)	(*a*) Clergyman	38	–	–	–	–	4	1	4	11	9	9	–	–
	Protestant Minister	23	–	–	–	–	–	4	2	6	6	5	–	–
	Roman Catholic Priest	7	–	–	–	–	1	–	2	1	2	1	–	–
	(*b*) Parish Clerk	10	–	–	–	–	–	–	1	2	2	3	2	–
	Other *Church Officers*	5	–	–	–	–	1	1	–	2	1	–	–	–
(2)	(*a*) Barrister	2	–	–	–		–	–	1	1	–	–	–	–
	Solicitor	27	–	–	–	–	3	–	7	5	9	2	1	–
	(*b*) Officers of Law Court	5	–	–	–		–	–	1	3	–	1	–	–
	Law Clerk	15	–	–	–	5	2	2	1	5	–	–	–	–
	Law Stationer	2	–	–	–	1	1		–	–	–	–	–	–
(3)	(*a*) Physician	1	–	–	–	–	–	–	–	1	–	–	–	–
	Surgeon, Apothecary	37	–	–	–	–	3	8	10	3	7	5	1	–
	Medical Student, Assistant	2	–	–	1	1	–	–	–		–	–	–	–
	Dentist	3	–	–	–	–	–		2	–	1	–	–	–
	(*b*) Druggist	39	–	–	2	8	8	5	8	3	3	2	–	–
	Others	2	–	–	–	–	–	–	–	2	–	–	–	–
(5)	Artist, Painter	3	–	–	–	–	–	–		–	2	1	–	–
	Engraver	5	–	–	–	–	1	–	–	1	2	–	1	–
	Photographic Artist	1	–	–	–	–	1	–	–		–	–	–	–
(6)	Musician	12	–	–	–	2	3	3	2	–	–	2	–	–
	Music-master	1	–	–	–	–	1	–	–	–	–	–	–	–
	Connected with *Music*	1	–	–	–	–	–	–	–	–	–	1	–	–
(7)	Actor	3	–	–	–	1	–	1		1	–	–	–	–
(8)	Schoolmaster	59	–	–	–	5	9	7	8	9	11	7	3	–
	Professor, Teacher of Languages	1	–	–	–	–	–	–	–	1	–	–	–	–
	Teacher (General)	2	–	–	2		–	–	–		–	–	–	–
(9)	Civil Engineer	4	–	–		–	2	1		–	–	–	1	–
IV.														
(3)	*Son*, Grandson, *Brother*, Nephew (not otherwise described)	1840	919	519	336	62	4	–	–	–	–	–	–	–
V.														
(1)	Innkeeper, Hotelkeeper	87	–	–	–	1	1	13	18	17	17	17	3	–
	Publican	144	–	–	–	1	7	32	33	19	31	16	5	–
	Beerseller	18	–	–	–	–	1	1	2	6	6	2	–	–
	Lodging, Boarding-house Keeper	4	–	–	–		–	–	–	1	3	–	–	–
	Coffee-house, Eating-house Keeper	1	–	–	–	–	–	–	–	1	–	–	–	–
(2)	*Domestic Servant* (General)	67	–	–	8	10	13	7	7	7	10	3	2	–
	Coachman	8	–	–	–	1	1	1	2	1	1	1	–	–
	Groom	12	–	–	1	2	3	2	2	1	–	1	–	–
	Gardener	9	–	–	–	–	1	–	–	1	5	1	1	–
	Inn Servant	5	–	–	–	2	2	–	1	–	–	–	–	–
	Hospital, Lun. Asylum, Attendt., Nurse	5	–	–	–		1	1	1	–		2	–	–

Note.—The counties comprised in this Table are Leicestershire, Rutlandshire, Lincolnshire, Nottinghamshire, and Derbyshire.

VII.—NORTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
VI.													
(1) Merchant	6	–	–	–	–	–	–	2	–	1	2	1	–
Banker	2	–	–	–	–	–	–	–	–	–	2	–	–
Insurance, Benefit Society, Officer	1	–	–	–	–	–	–	–	1	–	–	–	–
Ship Broker, Agent	1	–	–	–	–	–	–	–	–	–	–	1	–
Broker	1	–	–	–	–	–	–	–	–	–	1	–	–
Agent, Factor	6	–	–	–	–	–	1	1	2	–	2	–	–
Coal, Colliery, Agent, Factor	5	–	–	–	–	–	–	1	2	2	–	–	–
Iron Merchant, Agent	1	–	–	–	–	–	–	–	–	1	–	–	–
Auctioneer, Appraiser, Valuer	16	–	–	–	–	2	–	3	6	2	2	1	–
Accountant	8	–	–	–	1	1	3	1	–	2	–	–	–
Commercial Clerk	50	–	–	–	8	10	7	8	6	7	4	–	–
Commercial Traveller	9	–	–	–	–	–	3	3	–	1	1	1	–
Other *Mercantile* Men	5	–	–	–	–	–	1	1	2	1	–	–	–
(2) Pawnbroker	5	–	–	–	1	–	1	2	–	–	1	–	–
Marine-store Dea'er	2	–	–	–	–	–	2	–	–	–	–	–	–
General Dealer, Huckster, Costermonger	13	–	–	–	–	–	2	2	2	3	4	–	–
Shopkeeper (Branch undefined)	19	–	–	–	–	1	–	3	5	3	6	1	–
Hawker, Pedlar	67	–	–	–	3	7	10	9	14	14	8	2	–
VII.													
(1) Railway Engine Driver, Stoker	15	–	–	1	–	8	3	2	–	1	–	–	–
Railway Official, Clerk, Station-master	20	–	–	4	6	6	1	2	1	–	–	–	–
Railway Servant, Porter, Gatekeeper	46	–	–	6	10	14	8	3	4	1	–	–	–
(2) Toll-collector, Turnpike-gate Keeper	8	–	–	–	–	–	1	1	1	1	3	1	–
Coach, Omnibus, Cab,—Owner	1	–	–	–	–	–	–	–	–	–	1	–	–
Livery Stable Keeper	1	–	–	–	–	1	–	–	–	–	–	–	–
Coachman (not domestic)	18	–	–	–	1	–	3	2	5	3	2	2	–
Cabman, Flyman	11	–	–	1	–	4	3	2	–	1	–	–	–
Carman, Carrier, Carter, Drayman	55	–	–	1	1	9	12	7	9	9	5	2	–
(3) Canal and Inland Navigation Service	23	–	–	2	1	1	2	4	2	5	5	1	–
Bargeman, Lighterman, Waterman	65	–	–	–	5	7	11	13	12	9	6	1	1
(4) Shipowner	1	–	–	–	–	–	–	–	–	1	–	–	–
Seaman (Merchant Service)	60	–	–	7	6	8	4	5	8	14	6	2	–
Pilot	2	–	–	–	–	–	–	–	–	1	1	–	–
Boatman on Seas	11	–	–	–	–	–	–	1	5	2	2	1	–
Harbour, Dock, Servant, Dock Labourer	3	–	–	–	–	1	–	–	2	–	–	–	–
Wharfinger	4	–	–	–	–	1	–	1	–	1	–	1	–
Others	7	–	–	–	–	3	–	–	3	–	–	1	–
(5) Warehouseman (not Manchester	8	–	–	–	2	1	2	–	–	1	2	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	20	–	1	2	1	3	1	–	3	5	4	–	–
Telegraph Service	1	–	–	–	–	–	–	1	–	–	–	–	–
Others employed about *Messages*	2	–	–	–	–	1	–	–	1	–	–	–	–
VIII.													
(1) Land Proprietor	56	–	–	–	–	4	3	2	7	14	23	3	–
Farmer, Grazier	1343	–	–	1	9	68	84	114	235	365	358	100	9
Farmer's "Son," "Brother," "Grandson"	56	–	1	16	19	17	1	2	–	–	–	–	–
Farm Bailiff	23	–	–	–	–	4	3	6	4	3	3	–	–
Agricultural Labourer (out-door)	2767	–	6	69	120	229	208	270	448	660	572	180	5
Shepherd (out-door)	43	–	–	–	1	1	3	9	3	13	11	2	–
Farm Servant (in-door)	15	–	–	3	6	2	–	2	–	2	–	–	–
Land Surveyor, Land, Estate, Agent	9	–	–	–	–	1	–	–	2	1	3	2	–
Others connected with *Agriculture*	4	–	–	–	–	1	1	1	–	1	–	–	–
(2) Woodman	21	–	–	–	2	1	1	4	3	7	2	1	–
(3) Gardener (not Domestic Servant)	152	–	–	1	–	9	9	18	31	42	32	9	1
Nurseryman	62	–	–	2	4	6	3	6	15	14	9	3	–
IX.													
(1) Horse Proprietor, Dealer	9	–	–	–	–	2	2	–	1	1	3	–	–
Horsebreaker	12	–	–	–	–	–	–	5	2	2	3	–	–
Horsekeeper, Groom, Jockey	94	–	–	3	8	15	18	11	22	6	9	2	–
Farrier, Veterinary Surgeon	19	–	–	–	–	1	3	3	4	3	3	1	1
Cattle, Sheep,—Dealer, Salesman	19	–	–	1	1	3	1	6	2	5	–	–	–
Drover	38	–	–	–	1	–	3	6	14	10	–	4	–
Pig Merchant, Dealer	4	–	–	–	–	–	1	1	2	–	–	–	–
Gamekeeper	26	–	–	–	3	3	3	4	6	3	2	2	–
Vermin Destroyer, Rat-catcher	6	–	–	–	–	–	1	–	3	1	–	1	–
Fisherman	19	–	–	3	3	2	–	2	1	3	5	–	–
Others engaged about *Animals*	7	–	–	–	–	–	2	–	2	2	1	–	–
X.													
(1) Bookseller, Publisher	10	–	–	–	–	–	1	1	4	2	1	1	–
Bookbinder	3	–	–	–	2	–	–	–	–	–	1	–	–
Printer	28	–	1	1	4	5	5	5	3	4	–	–	–
Newspaper Agent, Vendor, &c.	2	–	–	1	–	–	1	–	–	–	–	–	–
(2) Musical Instrument Maker, Dealer	1	–	–	–	1	–	–	–	–	–	–	–	–
Connected with *Musical Insts.*	1	–	–	–	–	–	1	–	–	–	–	–	–

VII.—NORTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
X.—*cont.*													
(3) Lithographer, Lithographic Printer	1	–	–	–	–	1	–	–	–	–	–	–	–
(4) Wood-carver	1	–	–	–	–	–	–	–	1	–	–	–	–
Others employed about *Carving & Figures*	2	–	–	–	–	–	–	–	2	–	–	–	–
Bow, Bat, Ball, Tackle, &c. Maker	3	–	–	–	–	–	–	1	1	1	–	–	–
(6) Engaged about *Designs, Medals*	1	–	–	–	–	1	–	–	–	–	–	–	–
(7) Watchmaker, Clockmaker	31	–	–	–	2	5	2	3	4	8	5	2	–
(8) Surgical Instrument Maker	1	–	–	–	–	–	1	–	–	–	–	–	–
(9) Gunsmith, Gun manufacture	4	–	–	–	–	1	–	–	–	1	2	–	–
(10) Engine and Machine Maker	78	–	–	7	6	14	10	7	15	12	5	2	–
Spindle-maker	2	–	–	–	1	–	–	1	–	–	–	–	–
Needle manufacture	13	–	–	1	1	1	2	2	2	3	1	–	–
Tool Maker, Dealer	4	–	–	1	2	1	–	–	–	–	–	–	–
File-maker	1	–	–	–	–	–	1	–	–	–	–	–	–
Saw Smith, Maker	1	–	–	–	1	–	–	–	–	–	–	–	–
Cutler	9	–	–	1	2	2	1	–	–	3	–	–	–
Blade Maker, Forger	1	–	–	–	–	–	–	–	–	–	1	–	–
Knife-maker	1	–	–	–	–	–	–	1	–	–	–	–	–
Others engaged about *Tools and Machines*	52	–	–	1	6	9	4	7	8	7	9	1	–
(11) Coachmaker	25	–	–	2	1	3	1	8	4	5	1	–	–
Engaged about *Carriages*	1	–	–	–	–	–	–	–	–	1	–	–	–
(12) Saddler, Harness-maker	27	–	–	–	1	1	7	9	3	1	4	1	–
(13) Shipbuilder, Shipwright	3	–	–	–	1	–	–	1	–	–	1	–	–
Boat, Barge,—Builder	4	–	–	–	–	–	–	2	–	2	–	–	–
Engaged in fitting *Ships*	1	–	–	–	–	–	–	1	–	–	–	–	–
(14) House Proprietor	42	–	–	–	–	1	2	3	5	12	16	3	–
House Agent, Rent Collector	3	–	–	–	–	–	1	–	1	1	–	–	–
Architect	6	–	–	–	–	1	–	–	5	–	–	–	–
Surveyor	1	–	–	–	–	–	–	–	–	–	1	–	–
Builder	37	–	–	1	1	4	2	8	2	5	5	2	–
Carpenter, Joiner	286	–	–	11	34	25	27	27	44	52	48	17	1
Bricklayer	174	–	–	4	12	17	21	26	34	29	27	4	–
Marble Mason	7	–	–	1	1	–	–	1	1	1	1	1	–
Mason, Pavior	130	–	–	3	13	14	21	20	31	16	11	–	1
Slater, Tiler	14	–	–	–	–	3	–	1	6	2	2	–	–
Plasterer	15	–	–	1	2	3	–	1	5	2	1	–	–
Paperhanger	1	–	–	1	–	–	–	–	–	–	–	–	–
Plumber, Painter, Glazier	88	–	–	4	5	10	10	21	15	15	8	–	–
Engaged in *Houses and Buildings*	1	–	–	–	1	–	–	–	–	–	–	–	–
(15) Cabinet-maker, Upholsterer	33	–	–	2	5	4	5	4	2	10	1	–	–
Chairmaker	7	–	–	1	–	–	–	–	2	1	2	1	–
Carver, Gilder	4	–	–	–	–	1	1	–	–	2	–	–	–
Furniture Broker	10	–	–	–	–	–	2	2	4	1	1	–	–
(16) Wheelwright	82	–	–	3	7	5	13	12	9	17	10	6	–
Millwright	14	–	–	–	2	–	1	5	2	2	2	–	–
Other *Implement* Makers	3	–	–	–	1	–	–	–	1	1	–	–	–
(17) Manuf. Chemist, Lab. at Chem. Works	3	–	–	–	–	–	–	2	1	–	–	–	–
Dye, Colour,—manufacture	1	–	–	–	–	–	–	–	–	–	1	–	–
Dyer, Scourer, Calenderer	23	–	–	–	3	5	6	3	1	2	1	2	–
Others manufacturing *Chemicals*	5	–	–	–	–	–	–	1	2	2	–	–	–
XI.													
(1) Woolstapler	5	–	–	–	–	1	–	1	1	1	1	–	–
Woollen Cloth manufacture	11	–	–	–	–	–	–	1	1	5	4	–	–
Worsted manufacture	34	–	–	1	1	1	3	4	10	6	5	2	1
Blanket manufacture	1	–	–	–	–	–	–	1	–	–	–	–	–
(2) Silk manufacture	42	–	–	3	6	6	8	8	5	3	3	–	–
Silk Dyer, Printer	3	–	–	–	–	1	–	–	–	2	–	–	–
Silk Mercer	1	–	–	–	1	–	–	–	–	–	–	–	–
Ribbon manufacture	19	–	–	1	5	3	5	2	–	3	–	–	–
Working and dealing in *Silk*	1	–	–	1	–	–	–	–	–	–	–	–	–
(3) Flax, Linen,—manufacture	9	–	–	1	–	–	2	–	–	1	3	2	–
Lace manufacture	188	–	2	15	24	10	26	22	29	33	25	2	–
Cotton manufacture	310	–	1	16	25	30	26	43	53	64	44	8	–
Calico, Cotton,—Printer	44	–	–	4	5	3	10	6	7	4	3	2	–
Others	10	–	–	–	1	1	2	–	3	3	–	–	–
(4) Weaver (not otherwise defined)	7	–	–	–	–	–	1	–	1	1	4	–	–
Manchester Warehouseman	2	–	–	–	–	1	1	–	–	–	–	–	–
Draper, Linendraper, Mercer	62	–	–	5	7	11	7	7	7	9	6	3	–
Others	6	–	–	1	–	3	–	–	–	2	–	–	–
(5) Hairdresser, Wig-maker	20	–	–	–	3	1	5	2	4	3	2	–	–
Hatter, Hat manufacture	18	–	–	–	1	1	–	3	3	5	4	1	–
Straw Hat, Bonnet,—Maker	1	–	–	–	–	–	–	–	–	–	1	–	–

VII.—NORTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
XI.—*cont.*													
(5) Tailor	254	–	–	11	20	41	22	35	35	36	40	14	–
Clothes Dealer, Salesman, Outfitter	6	–	–	–	–	1	1	–	1	2	1	–	–
Button-maker (all Branches)	1	–	–	–	–	–	–	–	–	1	–	–	–
Hose manufacture	945	–	–	19	53	75	91	89	148	244	185	38	3
Hosier, Haberdasher	40	–	–	4	7	9	2	2	5	4	7	–	–
Glover, Leather, and not otherwise des.	10	–	–	1	–	1	2	1	4	1	–	–	–
Shoemaker, Bootmaker	448	–	1	17	27	58	49	62	77	71	65	19	2
Patten, Clog,—Maker	4	–	–	–	–	–	1	1	2	–	–	–	–
Umbrella, Parasol, Stick,—Maker	2	–	–	–	–	–	–	–	2	–	–	–	–
Others providing *Dress*	39	–	–	–	1	3	9	7	7	8	3	1	–
(6) Mat Maker, Seller	1	–	–	–	–	–	–	–	–	1	–	–	–
Rope, Cord,—Maker	20	–	1	–	1	3	–	1	4	6	3	1	–
Canvas Maker, Dealer	2	–	–	–	–	–	–	1	–	–	1	–	–
Others	3	–	–	–	1	–	–	–	–	2	–	–	–
XII.													
(1) Cowkeeper, Milkseller	20	–	–	–	–	–	–	1	9	7	–	3	–
Cheesemonger	3	–	–	–	–	–	–	1	–	2	–	–	–
Butcher, Meat Salesman	161	–	–	3	5	12	19	22	32	43	22	6	–
Provision Curer, Dealer	9	–	–	–	–	2	–	–	4	2	1	–	–
Poulterer, Game Dealer	5	–	–	–	–	–	–	2	1	1	1	–	–
Fishmonger	13	–	–	1	1	–	3	2	3	2	1	–	–
(2) Corn Merchant, Dealer	21	–	–	–	1	1	5	1	4	6	3	–	–
Miller	105	–	–	3	6	9	10	12	21	27	12	5	–
Flour Dealer, Agent	5	–	–	–	–	–	–	1	2	1	–	1	–
Baker	65	–	–	1	3	4	9	12	16	9	9	2	–
Confectioner, Pastry Cook	16	–	–	1	1	3	3	1	2	2	3	–	–
Greengrocer, Fruiterer	15	–	–	–	–	1	3	2	4	3	2	–	–
Fruit and Flower,—Hawker, Vendor	1	–	–	–	–	–	1	–	–	–	–	–	–
Potato Merchant	2	–	–	–	–	–	–	1	–	1	–	–	–
Seed Merchant, Seedsman	1	–	–	–	–	–	–	–	1	–	–	–	–
Others working in *Vegetable Food*	4	–	–	–	–	–	2	1	1	–	–	–	–
(3) Maltster	40	–	–	–	2	4	4	4	10	8	7	1	–
Brewer, and others engaged in Brewing	44	–	–	–	1	6	7	11	12	3	2	2	–
Wine and Spirit Merchant	17	–	–	–	–	2	6	2	6	1	–	–	–
Cellarman	1	–	–	–	–	1	–	–	–	–	–	–	–
Ginger Beer, Soda, Min. Water, manuf.	1	–	–	–	–	–	–	1	–	–	–	–	–
Grocer, Tea Dealer	128	–	–	3	11	12	15	20	20	27	18	2	–
Tobacconist	2	–	–	–	–	–	2	–	–	–	–	–	–
Others dealing in *Drinks and Stimulants*	5	–	–	–	–	1	–	1	–	2	1	–	–
XIII.													
(1) Tallow-chandler	7	–	–	–	–	–	2	–	1	1	2	1	–
Comb-maker	1	–	–	–	1	–	–	–	–	–	–	–	–
Others	3	–	–	–	–	–	1	–	–	2	–	–	–
(2) Fellmonger	9	–	–	1	–	2	1	1	2	2	–	–	–
Tanner	13	–	–	1	–	1	2	2	4	1	1	1	–
Currier	17	–	–	1	1	1	2	3	2	4	3	–	–
Others	2	–	–	–	–	–	–	–	1	1	–	–	–
(3) Brush, Broom,—Maker	6	–	–	–	1	–	–	2	1	1	–	–	1
XIV.													
(1) Oil Miller, Refiner	3	–	–	–	–	1	–	1	1	–	–	–	–
Working in *Gums, &c.*	1	–	–	–	–	–	–	–	–	1	–	–	–
(2) Timber Merchant, Dealer	5	–	–	–	–	1	–	1	2	–	–	1	–
Wood Dealer	4	–	–	–	–	–	1	1	–	1	–	1	–
Sawyer	50	–	–	1	1	4	8	8	8	8	10	2	–
Lath-maker	1	–	–	–	–	–	–	1	–	–	–	–	–
Turner	15	–	–	2	3	2	1	4	1	–	1	1	–
Box-maker	4	–	–	–	–	2	–	2	–	–	–	–	–
Cooper	21	–	–	–	2	1	3	3	1	6	2	3	–
(3) Working in *Bark*	1	–	–	–	–	–	–	–	–	–	1	–	–
(4) Basket-maker	20	–	–	–	–	1	2	1	5	3	5	3	–
Hay and Straw Dealer	2	–	–	–	–	–	–	–	–	1	1	–	–
Thatcher	1	–	–	–	–	–	–	–	–	–	1	–	–
(5) Rag Gatherer, Dealer	18	–	–	–	–	1	3	1	5	6	1	1	–
Paper manufacture	18	–	–	–	4	3	–	1	3	2	5	–	–
Stationer (not Law)	5	–	–	1	–	–	3	–	–	–	1	–	–
Others working in *Paper*	3	–	–	–	–	–	–	1	–	2	–	–	–
XV.													
(1) Coal-miner	430	–	15	47	64	63	57	38	46	55	35	10	–
Lead-miner	81	–	–	4	6	10	8	9	13	14	14	3	–
Iron-miner	38	–	1	3	3	10	5	3	4	6	2	1	–
Others	22	–	2	2	2	4	2	2	–	4	3	1	–

VII.—NORTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
XV.—*cont.*													
(2) Coal Merchant, Dealer	57	–	1	–	–	4	11	6	11	12	11	1	–
Coalheaver, Labourer	39	–	–	1	2	6	5	2	8	9	5	1	–
Coke Burner, Dealer	1	–	–	–	–	1	–	–	–	–	–	–	–
Chimney Sweeper	12	–	–	–	–	2	3	1	2	3	1	–	–
Gas Works Service	7	–	–	–	–	2	2	2	–	–	1	–	–
(3) Stone Quarrier	46	–	–	1	3	5	4	10	12	8	3	–	–
Stone Cutter, Dresser, Polisher	3	–	–	–	–	–	1	1	–	1	–	–	–
Limestone Quarrier, Burner	16	–	–	2	–	1	3	2	1	4	3	–	–
Clay Labourer	2	–	–	–	–	–	–	1	–	1	–	–	–
Brick Maker, Dealer	63	–	–	1	3	11	9	5	11	13	7	3	–
Railway Labourer	62	–	–	7	13	11	14	7	5	4	1	–	–
Platelayer	10	–	–	–	–	3	6	1	–	–	–	–	–
Excavator, Navvy	10	–	–	–	2	1	4	1	–	1	1	–	–
Road Contractor, Inspector, Surveyor	3	–	–	–	–	–	–	–	–	–	3	–	–
Road Labourer	61	–	–	1	–	3	2	2	8	23	16	6	–
Scavenger	3	–	–	–	–	1	1	–	–	–	1	–	–
Others working in *Stone, Clay*	15	–	–	–	1	2	1	6	3	2	–	–	–
(4) Earthenware manufacture	27	–	1	1	1	2	1	3	9	8	–	1	–
Tobacco-pipe Maker	3	–	–	–	–	1	–	1	1	–	–	–	–
Earthenware and Glass Dealer	7	–	–	–	–	–	–	4	1	1	–	1	–
Dealing in *Earthenware*	1	–	–	–	–	–	–	–	–	1	–	–	–
(5) Glass manufacture	1	–	–	–	–	–	–	–	1	–	–	–	–
(6) Salt Dealer	1	–	–	–	–	–	1	–	–	–	–	–	–
(7) Working or dealing in *Water*	2	–	–	–	–	–	–	1	–	1	–	–	–
(8) Goldsmith, Silversmith, Jeweller	8	–	–	–	–	–	1	3	2	1	–	1	–
(9) Coppersmith	1	–	–	–	–	–	–	–	1	–	–	–	–
(10) Tinman, Tinworker, Tinker	16	–	–	–	2	3	3	–	2	2	2	–	2
Tinplate Worker	5	–	–	–	–	–	2	1	–	2	–	–	–
(11) Zinc manufacture	1	–	–	–	–	–	1	–	–	–	–	–	–
(12) Lead manufacture	14	–	–	–	1	3	2	2	2	1	2	1	–
Type Founder	1	–	–	–	1	–	–	–	–	–	–	–	–
(13) Brass Founder, Moulder, manufacture	8	–	–	–	1	3	1	1	2	–	–	–	–
Brazier	9	–	–	1	1	1	–	1	2	1	1	1	–
Locksmith, Bellhanger	7	–	–	–	–	1	2	1	2	–	–	1	–
Gasfitter	4	–	–	–	–	–	–	2	1	1	–	–	–
Wire Maker, Drawer	2	–	–	–	–	–	–	1	–	1	–	–	–
Wire Worker, Weaver	1	–	–	–	–	–	–	–	–	1	–	–	–
Others working in *mixed Metals*	8	–	–	–	1	1	–	3	2	1	–	–	–
(14) Iron manufacture, Moulder, Founder	110	–	1	15	18	23	10	23	8	6	5	1	–
Whitesmith	16	–	–	–	1	1	3	5	3	2	1	–	–
Blacksmith	181	–	–	4	19	20	18	21	35	35	23	5	1
Nail manufacture	43	–	–	3	2	4	1	4	9	8	9	3	–
Anchorsmith, Chainsmith	1	–	–	–	–	–	–	1	–	–	–	–	–
Boiler-maker	7	–	–	1	1	2	2	–	1	–	–	–	–
Ironmonger	6	–	–	–	2	–	1	1	–	–	2	–	–
Hardwareman, Dealer	4	–	–	–	–	–	–	–	3	1	–	–	–
Steel manufacture, Worker	3	–	–	1	–	–	1	1	–	–	–	–	–
Grinder (Branch undefined)	1	–	–	–	–	–	–	–	–	–	1	–	–
Others working in *Iron, Steel*	5	–	–	–	–	1	2	–	–	1	1	–	–
XVI.													
(1) Labourer	575	–	–	9	24	63	60	80	95	118	106	19	1
(2) Mechanic	13	–	–	–	1	1	2	4	1	3	1	–	–
Others of indefinite Occupations	6	–	–	2	–	3	–	1	–	–	–	–	–
XVII.													
(1) Gentleman, Independent	109	–	–	–	–	3	8	6	15	27	30	18	2
Annuitant	21	–	–	–	–	2	–	3	2	4	7	3	–
XVIII.													
(1) Dependent on Relatives	5	–	–	–	2	1	–	–	1	–	1	–	–
Almsperson (no stated Occupation)	9	–	–	–	–	–	–	1	1	–	4	2	1
Pauper (no stated Occupation)	15	–	–	–	2	3	1	1	1	4	3	–	–
Lunatic (no stated Occupation)	8	–	–	1	1	1	2	2	–	1	–	–	–
Others	32	–	–	–	1	3	2	4	2	11	4	5	–
(2) *Prisoner* (no stated Occupation)	3	–	–	1	–	–	–	1	–	1	–	–	–
(3) *Vagrant, Beggar*	1	–	–	–	–	–	–	–	1	–	–	–	–
Visitor (no stated Occupation)	1	–	–	–	–	–	–	–	–	–	1	–	–
Others of no stated Occupation or Condition	40	–	–	–	4	4	10	8	6	5	3	–	–

VIII.—NORTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860-1.

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85– & upwards
Total of Males aged 5 years and upwards	38108	2541	1420	2023	2257	4397	5136	5430	5675	5197	3397	608	27
Order.													
I.													
(1) Civil Servant not in Revenue Departmt.	3	–	–	–	–	–	–	–	–	2	1	–	–
Post Office	23	–	–	2	2	3	5	6	4	5	5	1	–
Inland Revenue	14	–	–	–	–	–	2	1	5	3	2	1	–
Customs	46	–	–	–	–	4	9	9	10	10	3	1	–
Government Messengers, Workmen	2	–	–	–	–	1	1	–	–	–	–	–	–
Other *Government* Officers	2	–	–	–	–	–	2	–	–	–	–	–	–
(2) Magistrate	4	–	–	–	–	–	–	–	2	–	–	2	–
Police	74	–	–	–	3	21	18	16	5	8	3	–	–
Prison Officer	5	–	–	–	–	1	–	2	1	1	–	–	–
Union and Parish Officer	45	–	–	–	1	1	4	11	10	14	3	1	–
Officer of Local Board	10	–	–	–	–	1	2	2	2	1	2	–	–
Other *Local* Officers	19	–	–	–	–	1	4	3	3	6	1	1	–
(3) East India and Colonial Service	2	–	–	–	–	–	–	1	1	–	–	–	–
II.													
(1) Army Officer	7	–	–	–	1	1	–	1	–	4	–	–	–
Army Half-pay Officer	8	–	–	–	–	1	1	–	1	2	3	–	–
Soldier	130	–	–	9	25	53	25	8	4	5	1	–	–
Chelsea Pensioner	264	–	–	–	2	11	34	32	35	81	57	11	1
Militia	13	–	–	2	1	2	3	2	1	–	2	–	–
(2) Navy Officer	2	–	–	–	–	–	–	–	–	1	1	–	–
Navy Half-pay Officer	3	–	–	–	–	–	–	–	–	1	2	–	–
Seaman, R.N.	10	–	–	1	3	3	–	–	–	3	–	–	–
Royal Marine	6	–	–	–	3	2	1	–	–	–	–	–	–
Greenwich Pensioner	15	–	–	–	–	–	–	3	1	6	3	2	–
Connected with the *Navy*	1	–	–	–	1	–	–	–	–	–	–	–	–
III.													
(1) (*a*) Clergyman	33	–	–	–	1	–	6	6	5	6	7	2	–
Protestant Minister	30	–	–	–	2	3	3	3	2	8	8	1	–
Roman Catholic Priest	12	–	–	–	–	1	2	1	5	1	2	–	–
Other *Religious Teachers*	17	–	–	–	–	1	3	3	5	4	–	1	–
(*b*) Parish Clerk	4	–	–	–	–	–	–	–	1	3	–	–	–
Other *Church Officers*	26	–	–	–	–	1	1	5	4	9	3	3	–
(2) Solicitor	58	–	–	–	–	6	14	7	13	18	–	–	–
Law Student	1	–	–	–	–	–	1	–	–	–	–	–	–
(*b*) Officers of Law Court	12	–	–	–	–	1	3	3	2	2	1	–	–
Law Clerk	37	–	–	4	3	11	3	7	7	2	–	–	–
Law Stationer	6	–	–	–	–	1	1	2	1	1	–	–	–
(3) (*a*) Physician	12	–	–	–	–	2	3	2	2	2	1	–	–
Surgeon, Apothecary	58	–	–	–	–	13	6	11	16	8	4	–	–
Medical Student, Assistant	2	–	–	–	1	–	1	–	–	–	–	–	–
Dentist	4	–	–	–	–	–	2	–	1	1	–	–	–
(*b*) Druggist	76	–	–	1	8	17	14	14	10	10	1	1	–
Others	3	–	–	–	–	–	1	–	–	–	2	–	–
(4) Author, Editor, Writer	5	–	–	–	1	1	1	2	–	–	–	–	–
Others engaged in *Literature*	3	–	–	–	–	2	–	1	–	–	–	–	–
(5) Artist, Painter	20	–	–	–	–	4	5	–	5	4	1	1	–
Sculptor	2	–	–	–	–	–	1	–	–	1	–	–	–
Engraver	37	–	–	–	1	9	7	4	10	2	3	1	–
Photographic Artist	5	–	–	–	–	3	1	1	–	–	–	–	–
(6) Musician	61	–	–	–	3	20	13	12	7	5	1	–	–
Music-master	16	–	–	–	1	2	6	1	3	3	–	–	–
(7) Actor	14	–	–	–	1	1	4	4	1	3	–	–	–
Persons engaged about *Theatres, Exhib.*	6	–	–	–	–	2	3	1	–	–	–	–	–
(8) Schoolmaster	111	–	–	2	8	19	15	12	16	22	16	1	–
Professor, Teacher of Languages	6	–	–	–	–	–	2	1	1	–	1	1	–
Teacher (General)	16	–	–	9	3	–	–	1	1	2	–	–	–
Teacher of Dancing, Gymnastics	2	–	–	–	–	–	–	–	–	1	–	1	–
Engaged in *Teaching*	1	–	–	–	–	–	–	–	–	–	1	–	–
(9) Civil Engineer	15	–	–	–	2	1	6	1	1	4	–	–	–
Other *Scientific* Persons	4	–	–	–	–	–	1	1	1	1	–	–	–
IV.													
(3) *Son*, Grandson, *Brother*, Nephew (not otherwise described)	4645	2536	1284	732	88	5	–	–	–	–	–	–	–
V.													
(1) Innkeeper, Hotelkeeper	189	–	–	–	1	15	42	44	44	24	17	2	–
Publican	229	–	–	–	–	22	60	63	36	25	21	2	–
Beerseller	171	–	–	–	1	15	30	48	46	19	9	3	–
Lodging, Boarding-house Keeper	17	–	–	–	–	3	5	4	3	1	1	–	–
Coffee-house, Eating-house, Keeper	9	–	–	–	–	3	2	1	1	2	–	–	–
Cook (not Domestic Servant)	4	–	–	–	–	–	–	1	2	1	–	–	–
Others *Boarding and Lodging*	3	–	–	–	–	1	–	–	–	2	–	–	–
(2) *Domestic Servant* (General)	77	–	–	7	6	14	10	9	10	10	6	5	–
Coachman	46	–	–	1	2	5	7	15	5	8	3	–	–
Groom	12	–	–	–	–	5	3	1	2	1	–	–	–
Gardener	48	–	–	1	–	3	4	4	12	9	13	1	1
Inn Servant	78	–	–	4	9	20	18	10	9	6	1	1	–
Hospital, Lun. Asylum, Attendt., Nurse	1	–	–	–	–	–	–	1	–	–	–	–	–
Others	9	–	–	–	–	1	1	–	1	2	3	1	–

Note.—The Counties comprised in this Table are Cheshire and Lancashire.

VIII.—NORTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85– & upwds.
VI.												
(1) Merchant	87	–	–	–	1	14	10	20	14	13	14	1
Banker	6	–	–	–	–	–	2	2	1	1	–	–
Insurance, Benefit Society, Officer	13	–	–	–	–	2	1	4	1	4	1	–
Stock, Share, Broker, Dealer	6	–	–	–	–	–	–	4	1	–	1	–
Ship Broker, Agent	14	–	–	–	–	2	3	2	4	2	1	–
Broker	26	–	–	–	1	2	5	5	4	5	4	–
Agent, Factor	76	–	–	1	2	9	15	19	14	12	3	1
Coal, Colliery, Agent, Factor	23	–	–	–	–	1	5	6	3	8	–	–
Salesman (not otherwise described)	2	–	–	–	–	1	–	–	1	–	–	–
Auctioneer, Appraiser, Valuer	17	–	–	–	–	–	5	4	6	1	1	–
Accountant	25	–	–	1	–	4	3	5	6	5	–	1
Commercial Clerk	432	–	–	22	51	99	70	67	52	42	25	4
Commercial Traveller	48	–	–	–	3	8	11	9	9	7	1	–
Other *Mercantile* Men	8	–	–	–	–	–	–	3	3	2	–	–
(2) Pawnbroker	33	–	–	3	2	3	8	6	4	4	3	–
Marine-store Dealer	23	–	–	–	3	2	4	5	3	5	–	–
General Dealer, Huckster, Costermonger	10	–	–	–	–	–	2	5	–	2	1	–
Shopkeeper (Branch undefined)	51	–	–	–	1	2	4	10	14	7	11	2
Hawker, Pedlar	222	–	–	1	11	29	33	40	48	32	21	7
VII.												
(1) Railway Engine Driver, Stoker	64	–	–	4	9	11	25	7	6	1	–	1
Railway Official, Clerk, Station-master	61	–	–	6	9	15	16	11	4	–	–	–
Railway Servant, Porter, Gatekeeper	171	–	–	10	25	43	35	31	15	8	4	–
Railway Police	2	–	–	–	–	–	–	–	1	–	1	–
(2) Toll-collector, Turnpike-gate Keeper	26	–	–	–	–	1	1	4	5	12	3	–
Coach, Omnibus, Cab,—Owner	24	–	–	–	–	6	6	5	4	2	1	–
Livery Stable Keeper	5	–	–	–	–	–	–	4	–	1	–	–
Coachman (not domestic)	72	–	–	1	6	9	9	12	22	6	6	–
Cabman, Flyman	61	–	–	–	5	14	19	10	8	2	3	–
Carman, Carrier, Carter, Drayman	721	–	1	11	40	109	147	124	146	100	37	5
Others engaged in *Road* Conveyance	3	–	–	–	1	1	1	–	–	–	–	–
(3) Canal and Inland Navigation Service	31	–	–	–	1	5	2	5	8	5	4	–
Bargeman, Lighterman, Waterman	217	–	4	14	12	24	46	35	23	32	24	3
(4) Shipowner	5	–	–	–	–	1	–	2	–	1	1	–
Seaman (Merchant Service)	607	–	1	33	94	163	103	85	52	47	24	5
Pilot	14	–	–	–	3	2	5	1	2	1	–	–
Harbour, Dock, Servant, Dock Labourer	362	–	–	3	25	74	86	80	60	22	12	–
Wharfinger	2	–	–	–	–	–	1	–	–	–	1	–
Others	*120	–	–	1	9	33	29	18	18	8	4	–
(5) Warehouseman (not Manchester)	96	–	–	3	7	10	16	26	12	14	7	1
Others connected with *Storage*	4	–	–	–	–	1	–	3	–	–	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	338	–	1	14	13	36	47	72	73	61	19	2
Telegraph Service	9	–	1	2	1	2	1	1	–	1	–	–
Others employed about *Messages*	60	–	–	–	–	3	12	15	21	6	3	–
VIII.												
(1) Land Proprietor	95	–	–	–	–	3	6	10	14	21	31	10
Farmer, Grazier	1471	–	–	1	8	40	88	140	262	402	432	96
Farmer's "Son," "Brother," "Grandson"	85	–	1	20	34	18	9	3	–	–	–	–
Farm Bailiff	15	–	–	–	–	1	4	1	3	2	4	–
Agricultural Labourer (out-door)	1742	–	5	43	82	146	177	239	301	364	300	83
Shepherd (out-door)	3	–	–	–	–	1	1	–	–	–	1	–
Farm Servant (in-door)	8	–	1	4	1	1	–	1	–	–	–	–
Land Surveyor, Land Estate Agent	28	–	–	–	–	3	6	2	7	7	3	–
Others connected with *Agriculture*	2	–	–	–	–	–	–	–	–	1	1	–
(2) Woodman	12	–	–	1	–	1	1	1	1	4	3	–
(3) Gardener (not Domestic Servant)	250	–	–	3	1	13	20	36	44	64	56	12
Nurseryman	12	–	–	–	1	1	–	3	3	2	2	–
IX.												
(1) Horse Proprietor, Dealer	11	–	–	–	–	2	4	2	2	–	1	–
Horsebreaker	8	–	–	–	–	1	1	3	1	1	1	–
Horsekeeper, Groom, Jockey	143	–	–	6	9	25	25	27	26	13	11	1
Farrier, Veterinary Surgeon	23	–	–	–	–	6	3	5	5	2	2	–
Cattle, Sheep,—Dealer, Salesman	25	–	–	–	3	1	7	4	3	3	2	2
Drover	15	–	–	–	1	1	2	4	5	1	1	–
Pig Merchant, Dealer	12	–	–	–	–	–	–	6	4	2	–	–
Gamekeeper	20	–	–	–	–	1	4	6	4	10	3	–
Vermin Destroyer, Rat-catcher	1	–	–	–	–	–	–	–	–	1	–	–
Fisherman	46	–	–	2	3	5	9	5	7	6	7	2
Engaged about *Animals*	1	–	–	–	–	–	–	–	–	–	–	1
X.												
(1) Bookseller, Publisher	27	–	–	1	2	4	5	4	5	6	–	–
Bookbinder	28	–	–	2	3	6	4	3	7	3	–	–
Printer	124	–	–	9	12	22	33	21	8	8	9	2
Newspaper Agent, Vendor, &c.	12	–	–	–	2	2	2	1	2	2	1	–
Others engaged about *Publications*	3	–	–	1	–	–	1	–	1	–	–	–
(2) Musical Instrument Maker, Dealer	6	–	–	–	2	–	1	–	2	–	1	–
Connected with *Musical Insts.*	1	–	–	–	–	–	–	–	1	–	–	–
(3) Lithographer, Lithographic Printer	10	–	–	1	1	6	1	–	–	1	–	–
Others	†11	–	–	2	–	1	1	3	–	2	2	–
(4) Wood-carver	5	–	–	1	2	1	1	–	–	–	–	–
Others employed about *Carving & Figures*	7	–	–	–	–	–	3	2	–	1	1	–

* Of these, 30 are Stewards (Ship); 24 Stevedores; 14 Ship Keepers; and 47 Steam Navigation Servants.

† Of these, 3 are copper-plate printers; 2 print sellers, mounters; and 2 herald painters.

VIII.—NORTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
X.—*cont.*													
(5) Toy Maker, Dealer	4	–	–	–	–	–	–	3	–	–	1	–	–
Bow, Bat, Ball, Tackle, &c. Maker	2	–	–	–	–	–	–	1	1	–	–	–	–
(6) Pattern Designer	28	–	–	–	4	4	8	5	7	–	–	–	–
Others engaged about *Designs, Medals*	5	–	–	1	2	1	–	1	–	–	–	–	–
(7) Watchmaker, Clockmaker	138	–	–	3	21	16	21	19	24	18	16	–	–
Optician, Spectacle-maker	7	–	–	–	–	2	1	1	2	–	1	–	–
Weighing Machine, Scale, Measure, Maker	4	–	–	–	1	–	1	–	1	1	–	–	–
Other *Philosophical Instrument Makers*	3	–	–	–	–	–	–	3	–	–	–	–	–
(8) Surgical Instrument Maker	1	–	–	–	–	–	–	1	–	–	–	–	–
(9) Gunsmith, Gun manufacturer	8	–	–	1	1	–	2	1	1	2	–	–	–
Engaged in manufacturing *Arms*	1	–	–	–	–	1	–	–	–	–	–	–	–
(10) Engine and Machine Maker	351	–	1	18	42	67	67	54	55	31	14	2	–
Spindle-maker	56	–	1	6	9	11	13	10	4	1	1	–	–
Tool Maker, Dealer	13	–	–	1	2	2	1	2	4	1	–	–	–
File-maker	35	–	–	1	4	11	5	4	6	1	2	1	–
Saw Smith, Maker	3	–	–	–	–	–	1	–	1	–	1	–	–
Cutler	13	–	–	–	–	4	2	2	3	1	1	–	–
Blade Maker, Forger	1	–	–	–	–	–	–	–	–	–	1	–	–
Knife-maker	1	–	–	–	–	–	–	1	–	–	–	–	–
Others engaged about *Tools and Machines*	130	–	–	5	11	13	17	19	29	25	10	1	–
(11) Coachmaker	62	–	–	3	3	7	12	17	9	6	4	1	–
Others engaged about Carriages	3	–	–	–	–	–	2	–	–	1	–	–	–
(12) Saddler, Harness-maker	60	–	–	4	3	8	15	9	9	7	5	–	–
Whip-maker	1	–	–	–	–	–	–	–	–	1	–	–	–
(13) Shipbuilder, Shipwright	165	–	1	6	17	19	40	11	24	33	11	3	–
Block, Oar, Mast,—Maker	17	–	–	–	3	2	3	2	3	3	1	–	–
Boat, Barge,—Builder	12	–	–	1	1	–	–	1	4	3	2	–	–
Sailmaker	20	–	–	2	–	5	3	2	6	1	–	1	–
Others engaged in fitting *Ships*	52	–	–	1	1	9	9	13	11	4	3	1	–
(14) House Proprietor	121	–	–	–	1	2	5	4	21	42	37	8	1
House Agent, Rent Collector	33	–	–	–	1	2	1	2	12	6	8	1	–
Architect	15	–	–	–	1	3	2	3	4	1	1	–	–
Surveyor	4	–	–	1	1	–	1	–	–	–	1	–	–
Builder	41	–	–	–	–	4	9	9	14	3	2	–	–
Carpenter, Joiner	695	–	1	22	33	86	101	131	121	124	65	8	3
Bricklayer	385	–	1	5	13	41	85	76	68	57	37	2	–
Marble Mason	16	–	–	–	2	3	3	–	7	–	1	–	–
Mason, Pavior	571	–	–	6	36	85	103	137	94	87	19	4	–
Slater, Tiler	61	–	–	3	4	4	6	13	13	7	9	2	–
Plasterer	123	–	–	3	9	12	16	25	26	23	14	–	–
Paperhanger	11	–	–	–	1	4	3	2	–	1	–	–	–
Plumber, Painter, Glazier	407	–	–	17	25	61	89	93	73	35	13	1	–
Others engaged in *Houses and Buildings*	11	–	–	–	1	2	2	1	3	1	1	–	–
(15) Cabinet-maker, Upholsterer	152	–	–	9	9	15	34	34	21	17	10	3	–
Undertaker	5	–	–	–	–	–	1	2	1	1	–	–	–
Chairmaker	43	–	–	–	1	6	8	7	8	6	7	–	–
Picture-frame Maker	8	–	–	2	–	2	2	2	–	–	–	–	–
Carver, Gilder	21	–	–	2	2	5	4	5	3	–	–	–	–
Bedstead, Mattress, Tick,—Maker	1	–	–	–	–	–	–	–	–	1	–	–	–
Furniture Broker	37	–	–	–	1	3	9	5	10	6	3	–	–
(16) Wheelwright	141	–	–	9	9	18	20	20	20	27	17	1	–
Millwright	68	–	1	2	7	7	15	7	16	9	4	–	–
Other *Implement* Makers	5	–	–	–	–	1	2	1	–	–	–	1	–
(17) Manuf. Chemist, Lab. at Chem. Works	89	–	–	3	5	12	26	18	18	5	1	1	–
Dye, Colour,—manufacture	9	–	–	–	2	1	2	2	1	1	–	–	–
Dyer, Scourer, Calenderer	99	–	–	3	7	15	16	11	25	14	7	1	–
Others manufacturing *Chemicals*	34	–	–	1	2	4	8	5	5	3	6	–	–
XI.													
(1) Woolstapler	3	–	–	–	–	–	1	–	2	–	–	–	–
Woollen Cloth manufacture	294	–	2	7	18	26	29	29	60	67	49	7	–
Clothier	5	–	–	–	–	–	–	–	3	1	1	–	–
Fuller	24	–	–	1	3	–	2	1	5	5	5	2	–
Wool, Woollen,—Dyer	10	–	–	1	–	–	4	2	–	2	1	–	–
Worsted manufacture	22	–	–	2	1	2	3	2	4	7	1	–	–
Flannel manufacture	43	–	–	–	3	1	3	6	5	12	12	1	–
Blanket manufacture	1	–	–	–	–	–	–	–	–	–	1	–	–
Carpet, Rug,—manufacture	1	–	–	–	–	–	–	–	–	1	–	–	–
Others	6	–	–	–	–	–	2	2	1	–	–	1	–
(2) Silk manufacture	640	–	9	46	44	68	85	95	109	126	51	7	–
Silk Dyer, Printer	15	–	–	–	–	–	1	3	5	3	2	1	–
Silk Mercer	1	–	–	–	–	–	–	1	–	–	–	–	–
Others	6	–	–	–	–	–	–	3	2	–	1	–	–
(3) Flax, Linen,—manufacture	35	–	–	–	2	3	2	7	4	10	6	1	–
Thread manufacture	1	–	–	–	–	–	–	–	–	1	–	–	–
Lace manufacture	5	–	–	–	–	–	2	1	1	–	1	–	–
Cotton manufacture	4855	5	50	382	443	646	616	631	720	718	543	98	3
Fustian manufacture	110	–	1	1	8	9	22	21	24	15	8	1	–
Muslin manufacture	6	–	–	–	–	–	4	2	–	2	1	1	–
Calico, Cotton,—Printer	289	–	–	8	11	26	28	35	73	52	41	14	1
Calico, Cotton,—Dyer	87	–	–	3	8	13	11	14	14	20	4	–	–
Others	77	–	1	1	1	6	10	17	18	19	3	1	–
(4) Packer and Presser	35	–	–	1	6	20	21	16	13	5	2	1	–
Weaver (not otherwise defined)	85	–	–	2	3	5	6	7	13	32	16	1	–
Manchester Warehouseman	159	–	–	14	12	34	31	25	19	17	7	–	–
Draper, Linendraper, Mercer	145	–	–	7	16	32	24	20	20	16	9	1	–
Others	25	–	–	3	1	2	2	6	8	3	1	–	–

VIII.—NORTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XI.—*cont.*													
(5) Hair-dresser, Wig-maker	55	–	–	2	4	8	8	15	10	5	3	–	–
Hatter, Hat manufacture	254	–	–	3	14	11	34	31	19	68	49	5	–
Straw Hat, Bonnet,—Maker	2	–	–	–	–	–	–	1	–	1	–	–	–
Furrier	2	–	–	–	–	–	–	–	–	2	–	–	–
Tailor	664	–	1	25	36	106	130	122	117	79	42	6	–
Clothes Dealer, Salesman, Outfitter	40	–	–	–	1	3	6	12	6	8	4	–	–
Button-maker (all Branches)	1	–	–	–	–	1	–	–	–	–	–	–	–
Hose manufacture	7	–	–	–	–	–	–	1	–	3	3	–	–
Hosier, Haberdasher	15	–	–	1	–	2	1	2	2	3	4	–	–
Glover, Leather, and not otherwise des.	1	–	–	–	–	–	–	–	–	–	1	–	–
Shoemaker, Bootmaker	968	–	2	32	47	123	131	164	137	149	116	17	–
Patten, Clog,—Maker	86	–	–	8	9	13	12	22	12	8	1	1	–
Umbrella, Parasol, Stick,—Maker	19	–	–	–	1	4	2	5	4	3	–	–	–
Others providing *Dress*	22	–	–	–	1	3	1	4	2	5	6	–	–
(6) Mat Maker, Seller	5	–	–	–	–	–	–	1	2	2	–	–	–
Rope, Cord,—Maker	77	–	–	2	3	8	12	17	20	8	6	1	–
Sailcloth manufacture	6	–	–	–	–	–	1	1	1	1	2	–	–
Others	*14	–	–	–	–	1	5	1	3	4	–	–	–
XII.													
(1) Cowkeeper, Milkseller	52	–	–	1	1	4	8	13	14	8	2	1	–
Cheesemonger	7	–	–	–	–	–	1	1	1	2	2	–	–
Butcher, Meat Salesman	311	–	–	8	12	46	49	65	66	43	17	5	–
Provision Curer, Dealer	176	–	–	–	4	16	19	36	47	32	19	3	–
Poulterer, Game Dealer	17	–	–	–	1	1	2	3	5	4	1	–	–
Fishmonger	47	–	–	–	–	6	10	14	7	7	2	1	–
Others dealing in *Animal Food*	3	–	–	–	–	–	1	1	–	1	–	–	–
(2) Corn Merchant, Dealer	78	–	–	–	1	7	14	22	21	9	4	–	–
Miller	78	–	–	3	2	3	12	16	21	10	11	–	–
Flour Dealer, Agent	17	–	–	–	–	5	1	5	1	2	3	–	–
Baker	133	–	–	3	8	24	32	25	22	14	4	1	–
Confectioner, Pastry Cook	32	–	–	3	–	5	2	6	10	3	3	–	–
Greengrocer, Fruiterer	76	–	–	–	2	3	7	30	15	11	6	2	–
Fruit and Flower,—Hawker, Vendor	2	–	–	–	–	–	1	–	1	–	–	–	–
Potato Merchant	7	–	–	–	–	–	3	3	1	–	–	–	–
Seed Merchant, Seedsman	3	–	–	1	1	–	–	1	–	–	–	–	–
Others dealing in *Vegetable Food*	8	–	–	–	–	–	1	1	2	1	1	1	1
(3) Maltster	12	–	–	–	1	2	1	1	4	2	1	–	–
Brewer, and others engaged in Brewing	149	–	–	–	6	27	26	35	23	22	8	2	–
Wine and Spirit Merchant	68	–	–	1	9	10	16	11	8	10	2	1	–
Distiller, Rectifier (engaged in Distilling)	4	–	–	–	–	–	1	2	–	1	–	–	–
Ginger Beer, Soda, Min. Water, manuf.	9	–	–	–	–	2	2	4	–	1	–	–	–
Sugar Refiner	19	–	–	1	2	6	3	4	3	–	–	–	–
Grocer, Tea Dealer	265	–	1	9	24	29	36	31	55	4	29	5	–
Tobacco, Cigar, Snuff,—manufacture	12	–	–	–	–	4	1	5	1	–	1	–	–
Tobacconist	24	–	–	–	2	2	8	3	5	2	2	–	–
Others dealing in *Drinks and Stimulants*	18	–	–	1	–	1	4	2	6	2	1	1	–
XIII.													
(1) Soap-boiler	17	–	–	2	1	1	3	3	2	3	2	–	–
Tallow-chandler	22	–	–	–	1	2	3	3	6	6	1	–	–
Comb-maker	4	–	–	–	1	–	–	–	–	2	1	–	–
Others	†11	–	–	–	1	2	–	2	1	2	3	–	–
(2) Fellmonger	6	–	–	–	2	–	1	1	–	2	–	–	–
Skinner	8	–	–	–	–	2	1	1	3	1	–	–	–
Tanner	49	–	–	–	2	5	6	11	6	10	8	1	–
Currier	39	–	–	1	2	6	5	14	7	3	1	–	–
Others	5	–	–	–	–	1	1	1	1	1	–	–	–
(3) Hair, Bristle,—manufacture	2	–	–	1	–	–	–	–	1	–	–	–	–
Brush, Broom,—Maker	34	–	–	2	4	5	7	5	6	3	2	–	–
XIV.													
(1) Oil Miller, Refiner	9	–	–	–	–	3	3	2	–	–	1	–	–
Oil and Colourman	5	–	–	–	–	1	4	–	–	–	–	–	–
French-polisher	18	–	–	2	3	2	6	2	1	1	1	–	–
Japanner	1	–	–	–	–	–	–	–	1	–	–	–	–
Others	10	–	–	–	3	3	2	1	1	–	–	–	–
(2) Timber Merchant, Dealer	45	–	–	1	2	5	10	9	6	5	7	–	–
Wood Dealer	2	–	–	–	1	–	–	–	–	–	1	–	–
Sawyer	146	–	–	2	4	11	21	22	31	28	22	5	–
Fence, Hurdle,—Maker	1	–	–	–	–	–	–	1	–	–	–	–	–
Lath-maker	9	–	–	–	–	1	1	1	–	3	3	–	–
Turner	40	–	–	3	7	6	6	6	8	3	1	–	–
Box-maker	2	–	–	–	1	–	–	–	1	–	–	–	–
Cooper	98	–	–	2	5	12	17	22	16	17	7	–	–
Hoop Maker, Bender	5	–	–	–	–	–	1	–	1	–	3	–	–
Others	‡20	–	–	–	2	5	2	–	4	6	–	–	1
(3) Cork Cutter, manufacture	15	–	–	–	1	–	4	4	1	4	1	–	–
(4) Basket-maker	37	–	–	2	1	5	3	6	8	8	3	1	–
Hay and Straw Dealer	6	–	–	–	–	1	1	1	2	–	–	1	–
Thatcher	3	–	–	–	–	–	–	–	–	2	1	–	–
(5) Rag Gatherer, Dealer	25	–	–	–	–	3	1	5	4	6	6	–	–
Paper manufacture	40	–	–	1	1	4	4	5	9	6	8	2	–
Stationer (not Law)	21	–	–	–	–	5	5	2	3	6	–	–	–
Paper Stainer	3	–	–	–	1	–	–	1	1	–	–	–	–
Others working in *Paper*	19	–	–	2	3	3	5	3	2	1	–	–	–

* Of these, 7 are floor-cloth manufacturers; 2 tarpaulin makers; and 3 sacking, sack, bag, makers.

† Of these, 5 are size-makers; 2 manure dealers.

‡ Of these, 4 are wine coopers, cask dealers; 5 are packing-case makers; and 4 logwood grinders.

VIII.—NORTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.											
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upds.
XV.													
(1) Coal-miner	1077	–	36	100	121	203	158	138	120	127	61	12	1
Copper-miner	16	–	–	3	1	2	–	1	1	7	1	–	–
Lead-miner	2	–	–	–	–	–	–	–	1	–	–	1	–
Iron-miner	43	–	–	2	3	7	15	6	5	4	–	1	–
Others	12	–	–	–	–	3	2	1	2	3	1	–	–
(2) Coal Merchant, Dealer	99	–	–	1	3	7	9	24	18	28	8	1	–
Coalheaver, Labourer	63	–	–	1	–	3	13	12	12	17	4	1	–
Coke Burner, Dealer	8	–	–	–	–	1	–	2	1	3	1	–	–
Chimney Sweeper	22	–	–	–	1	4	4	9	3	1	–	–	–
Gas Works Service	44	–	–	1	5	6	8	10	10	3	1	–	–
Others working in *Coal*	2	–	–	–	–	–	–	1	1	–	–	–	–
(3) Stone Quarrier	163	–	–	3	3	14	24	41	39	27	12	–	–
Stone Cutter, Dresser, Polisher	10	–	–	–	–	3	1	2	–	3	1	–	–
Slate Quarrier	11	–	–	–	–	1	1	3	3	1	2	–	–
Limestone Quarrier, Burner	17	–	–	1	–	1	–	3	5	3	4	–	–
Clay Labourer	2	–	–	1	–	–	–	–	1	–	–	–	–
Brick Maker, Dealer	125	–	–	3	8	8	22	19	21	29	13	1	1
Railway Labourer	86	–	1	–	9	18	17	14	16	7	3	1	–
Platelayer	25	–	–	1	1	8	8	4	3	–	–	–	–
Excavator, Navvy	51	–	–	1	1	10	12	12	7	7	1	–	–
Road Contractor, Inspector, Surveyor	5	–	–	–	–	–	1	1	–	2	1	–	–
Road Labourer	57	–	–	–	–	1	7	10	10	21	6	2	–
Scavenger	49	–	–	–	1	3	7	10	14	9	5	–	–
Others working in *Stone, Clay*	23	–	–	1	–	2	3	2	9	4	2	–	–
(4) Earthenware manufacture	33	–	–	2	2	–	6	4	7	9	3	–	–
Tobacco-pipe Maker	22	–	–	–	1	6	3	3	2	5	2	–	–
Earthenware and Glass Dealer	27	–	–	–	–	2	2	7	7	6	3	–	–
(5) Glass manufacture	67	–	1	3	8	11	10	10	10	8	4	2	–
(6) Salt manufacture	45	–	–	2	1	6	7	6	11	5	5	2	–
Others dealing in *Salt*	6	–	–	–	–	–	1	2	1	1	1	–	–
(7) Waterworks Service	12	–	–	–	–	1	3	1	4	2	1	–	–
Others working or dealing in *Water*	*8	–	–	–	–	1	1	4	2	–	–	–	–
(8) Goldsmith, Silversmith, Jeweller	12	–	–	1	1	3	4	1	1	1	–	–	–
Others dealing in *Gold, Silver, &c.*	2	–	–	1	–	–	–	–	–	1	–	–	–
(9) Copper manufacture	7	–	–	1	–	2	1	–	2	1	–	–	–
Coppersmith	9	–	–	–	1	–	1	1	6	–	–	–	–
(10) Tinman, Tinworker, Tinker	22	–	–	1	4	3	3	1	3	6	1	–	–
Tinplate Worker	51	–	–	1	6	12	9	11	7	2	3	–	–
(11) Zinc manufacture	1	–	–	–	–	1	–	–	–	–	–	–	–
(12) Lead manufacture	7	–	–	–	2	2	1	2	–	–	–	–	–
(13) Brass Founder, Moulder, manufacture	33	–	–	3	2	10	3	3	6	–	1	–	–
Brazier	4	–	–	–	–	–	1	1	–	1	1	–	–
Locksmith, Bellhanger	3	–	–	–	–	–	–	1	–	2	–	–	–
Gasfitter	18	–	–	1	2	2	5	3	4	1	–	–	–
Wire Maker, Drawer	12	–	–	1	1	3	1	2	–	2	2	–	–
Wire Worker, Weaver	7	–	–	–	1	1	1	2	2	–	–	–	–
Others working in *mixed Metals*	4	–	–	–	–	–	2	–	–	2	–	–	–
(14) Iron manufacture, Moulder, Founder	563	–	7	34	68	102	114	101	82	40	14	1	–
Whitesmith	45	–	–	3	3	6	7	6	9	6	2	1	–
Blacksmith	433	–	–	20	32	62	81	77	67	58	33	3	–
Nail manufacture	58	–	–	1	–	6	6	11	15	10	9	–	–
Anchorsmith, Chainsmith	6	–	–	1	–	1	1	1	–	2	–	–	–
Boiler-maker	71	–	–	2	8	17	20	15	8	1	–	–	–
Ironmonger	30	–	–	1	1	1	8	6	5	5	2	1	–
Hardwareman, Dealer	10	–	–	–	–	1	2	3	1	3	–	–	–
Grinder (Branch undefined)	2	–	–	1	–	1	–	–	–	–	–	–	–
Others working in *Iron and Steel*	39	–	–	2	2	3	13	6	5	3	5	–	–
XVI.													
(1) Labourer	2126	–	2	48	99	289	349	395	431	285	198	27	3
(2) Mechanic	105	–	–	3	19	23	15	19	16	3	6	1	–
Shopman	16	–	–	–	3	4	4	4	1	–	–	–	–
Apprentice	1	–	–	–	1	–	–	–	–	–	–	–	–
Others of indefinite Occupations	8	–	–	1	–	1	1	2	2	–	1	–	–
XVII.													
(1) Gentleman, Independent	273	–	–	–	3	12	16	30	32	92	74	13	1
Annuitant	31	–	–	–	–	1	7	1	3	11	6	2	–
XVIII.													
(1) Dependent on Relatives	4	–	–	–	–	–	–	–	2	2	–	–	–
Pauper (no stated Occupation)	126	–	1	6	12	22	18	15	17	24	11	–	–
Lunatic (no stated Occupation)	29	–	–	4	4	8	2	5	5	1	–	–	–
Others	39	–	–	–	–	1	4	5	7	15	6	1	–
(2) *Prisoner* (no stated Occupation)	10	–	–	5	1	–	1	1	–	2	–	–	–
(3) *Vagrant, Beggar*	7	–	–	–	–	–	–	3	1	2	1	–	–
Others of no stated Occupation or Condition	118	–	–	3	7	20	33	16	27	10	2	–	–

* Of these, 7 are well-sinkers; and 1 a water-carrier.

IX.—YORKSHIRE.—Deaths of Males of different Occupations registered in the Years 1860–1.

Order	OCCUPATIONS.	Total.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	Total of Males aged 5 Years and upwards	25169	1729	1028	1427	1512	2474	2622	3024	3579	4112	2968	672	22
I.														
(1)	Civil Servant not in Revenue Departmt.	2	–	–	–	–	–	–	2	–	–	–	–	–
	Post Office	17	–	–	–	1	4	4	2	4	2	–	–	–
	Inland Revenue	20	–	–	–	–	1	–	3	2	7	4	3	–
	Customs	9	–	–	–	1	1	1	2	1	–	1	2	–
(2)	Magistrate	6	–	–	–	–	–	–	–	2	2	1	1	–
	Police	26	–	–	–	2	9	4	4	4	1	2	–	–
	Prison Officer	4	–	–	–	–	2	1	–	–	–	1	–	–
	Union and Parish Officer	20	–	–	–	–	1	2	3	3	8	2	1	–
	Officer of Local Board	2	–	–	–	–	1	–	–	1	–	–	–	–
	Other *Local* Officers	6	–	–	–	–	–	–	–	2	2	2	–	–
(3)	East India and Colonial Service	3	–	–	–	–	–	–	1	–	–	2	–	–
II.														
(1)	Army Officer	7	–	–	–	–	1	3	1	1	–	1	–	–
	Army Half-pay Officer	1	–	–	–	–	–	–	–	1	–	–	–	–
	Soldier	89	–	–	4	15	25	19	6	7	4	8	1	–
	Chelsea Pensioner	118	–	–	–	–	2	5	10	22	37	34	8	–
	Militia	11	–	–	–	–	2	1	3	1	3	–	1	–
(2)	Navy Officer	1	–	–	–	–	–	–	–	1	–	–	–	–
	Navy Half pay Officer	1	–	–	–	–	–	–	–	–	1	–	–	–
	Seaman, R. N.	5	–	–	–	3	1	–	–	–	1	–	–	–
	Royal Marine	4	–	–	–	1	2	–	–	1	–	–	–	–
	Greenwich Pensioner	5	–	–	–	–	2	–	–	–	2	1	–	–
	Others	5	–	–	–	–	–	1	–	–	1	3	–	–
III.														
(1)	(*a*) Clergyman	40	–	–	–	–	3	3	4	11	13	5	1	–
	Protestant Minister	25	–	–	–	–	–	3	2	6	7	6	1	–
	Roman Catholic Priest	4	–	–	–	–	–	–	–	1	3	–	–	–
	Other *Religious Teachers*	4	–	–	–	–	1	1	–	2	–	–	–	–
	(*b*) Parish Clerk	4	–	–	–	–	–	–	–	–	2	1	1	–
	Other *Church Officers*	12	–	–	–	–	–	–	4	2	5	1	–	–
(2)	(*a*) Barrister	1	–	–	–	–	–	–	1	–	–	–	–	–
	Solicitor	43	–	–	–	1	5	6	8	14	5	2	2	–
	(*b*) Officers of Law Court	9	–	–	–	1	–	1	1	4	1	1	–	–
	Law Clerk	30	–	–	2	4	6	8	6	2	2	–	–	–
	Law Stationer	1	–	–	1	–	–	–	–	–	–	–	–	–
(3)	(*a*) Physician	4	–	–	–	–	1	–	1	–	–	1	1	–
	Surgeon, Apothecary	47	–	–	–	1	6	7	16	10	5	2	–	–
	Medical Student, Assistant	2	–	–	2	–	–	–	–	–	–	–	–	–
	Dentist	3	–	–	–	–	1	–	1	–	–	1	–	–
	(*b*) Druggist	53	–	–	–	5	11	13	10	6	4	1	3	–
	Others	3	–	–	–	–	–	2	–	1	–	–	–	–
(4)	Author, Editor, Writer	2	–	–	–	–	–	1	–	–	1	–	–	–
(5)	Artist, Painter	5	–	–	–	–	–	1	2	1	–	1	–	–
	Sculptor	1	–	–	–	–	–	–	–	–	1	–	–	–
	Engraver	12	–	–	1	1	5	2	1	–	2	–	–	–
	Photographic Artist	2	–	–	1	–	–	–	1	–	–	–	–	–
(6)	Musician	18	–	–	–	–	6	3	4	4	1	–	–	–
	Music-master	10	–	–	2	–	–	1	2	2	1	2	–	–
(7)	Actor	7	–	–	–	–	4	1	1	1	–	–	–	–
	Persons engaged about *Theatres, Exhib.*	3	–	–	–	–	2	–	–	1	–	–	–	–
(8)	Schoolmaster	103	–	–	1	6	10	15	11	17	25	14	4	–
	Professor, Teacher of Languages	3	–	–	–	–	–	–	1	1	–	1	–	–
	Teacher (General)	11	–	–	6	1	–	1	–	–	1	1	1	–
	Engaged in *Teaching*	1	–	–	–	–	–	–	1	–	–	–	–	–
(9)	Civil Engineer	2	–	–	–	–	–	–	1	–	1	–	–	–
IV.														
(3)	*Son*, Grandson, *Brother*, Nephew (not otherwise described)	3449	1726	952	648	118	5	–	–	–	–	–	–	–
V.														
(1)	Innkeeper, Hotelkeeper	225	–	–	–	–	14	41	44	53	41	27	5	–
	Publican	89	–	–	–	–	3	16	24	20	13	11	2	–
	Beerseller	51	–	–	–	–	5	11	12	17	3	2	1	–
	Lodging, Boarding-house Keeper	13	–	–	–	–	–	–	3	1	4	5	–	–
	Coffee-house, Eating-house, Keeper	4	–	–	–	–	–	–	1	2	–	1	–	–
	Cook (not Domestic Servant)	1	–	–	–	–	1	–	–	–	–	–	–	–
	Others *Boarding and Lodging*	3	–	–	–	–	–	2	–	1	–	–	–	–
(2)	*Domestic Servant* (General)	74	–	1	4	3	14	6	7	13	14	10	1	1
	Coachman	15	–	–	–	–	4	3	1	3	2	2	–	–
	Groom	12	–	–	1	3	5	2	1	–	–	–	–	–
	Gardener	25	–	–	1	3	1	1	3	4	5	4	3	–
	Inn Servant	26	–	–	–	–	5	–	8	8	3	2	–	–
	Hospital, Lun. Asylum, Attendt., Nurse	3	–	–	–	–	–	1	–	1	–	–	1	–
	Others	2	–	–	–	–	–	–	–	–	1	1	–	–

Note.—This Table comprises the West Riding, East Riding (with York), and North Riding.

IX.—YORKSHIRE.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
VI.													
(1) Merchant	34	–	–	–	–	3	7	4	5	9	5	1	–
Banker	4	–	–	–	–	–	–	1	1	–	1	1	–
Insurance, Benefit Society, Officer	6	–	–	–	–	2	–	2	–	1	–	1	–
Stock, Share, Broker, Dealer	2	–	–	–	–	–	1	–	1	–	–	–	–
Ship Broker, Agent	5	–	–	–	–	3	–	–	1	1	–	–	–
Broker	5	–	–	–	–	–	2	1	1	1	–	–	–
Agent, Factor	18	–	–	–	2	1	1	2	8	3	1	–	–
Coal, Colliery, Agent, Factor	15	–	–	–	–	5	1	2	5	1	1	–	–
Iron Merchant, Agent	1	–	–	–	–	–	–	–	1	–	–	–	–
Salesman (not otherwise described)	1	–	–	–	–	–	–	–	1	–	–	–	–
Auctioneer, Appraiser, Valuer	16	–	–	–	–	–	1	4	5	5	–	1	–
Accountant	10	–	–	–	–	–	2	2	2	4	–	–	–
Commercial Clerk	137	–	–	14	20	27	14	19	18	19	6	–	–
Commercial Traveller	38	–	–	–	3	12	8	5	5	2	3	–	–
Other *Mercantile* Men	9	–	–	–	–	1	2	–	2	4	–	–	–
(2) Pawnbroker	6	–	–	–	–	2	1	–	1	2	–	–	–
Marine-store Dealer	5	–	–	–	–	–	–	1	1	3	–	–	–
General Dealer, Huckster, Costermonger	11	–	–	–	1	–	3	–	4	3	–	–	–
Shopkeeper (Branch undefined)	28	–	–	1	–	1	3	2	5	6	7	3	–
Hawker, Pedlar	91	–	–	–	2	6	11	25	20	18	8	1	–
Other *General Dealers*	3	–	–	–	–	1	1	–	1	–	–	–	–
VII.													
(1) Railway Engine Driver, Stoker	28	–	–	3	4	9	7	2	–	3	–	–	–
Railway Official, Clerk, Station-master	34	–	1	3	9	4	10	4	3	–	–	–	–
Railway Servant, Porter, Gatekeeper	84	–	1	4	10	25	17	11	10	5	1	–	–
(2) Toll-collector, Turnpike-gate Keeper	18	–	–	–	1	–	1	4	2	9	1	–	–
Coach, Omnibus, Cab,—Owner	6	–	–	–	–	1	3	–	2	–	–	–	–
Livery Stable Keeper	5	–	–	–	–	–	–	1	–	2	1	1	–
Coachman (not domestic)	33	–	1	–	–	1	5	6	9	6	5	–	–
Cabman, Flyman	29	–	–	–	2	7	8	7	3	1	1	–	–
Carman, Carrier, Carter, Drayman	264	–	–	3	9	45	32	39	60	53	20	3	–
(3) Canal and Inland Navigation Service	14	–	–	–	1	2	2	2	4	1	1	1	–
Bargeman, Lighterman, Waterman	141	–	–	8	9	24	19	16	24	21	18	1	1
Connected with *Inland Navigation*	1	–	–	–	–	–	–	1	–	–	–	–	–
(4) Shipowner	18	–	–	–	1	2	2	3	2	6	1	1	–
Seaman (Merchant Service)	230	–	–	17	16	24	29	34	31	37	35	7	–
Pilot	8	–	–	–	–	–	2	–	1	4	1	–	–
Harbour, Dock, Servant, Dock Labourer	38	–	–	–	2	8	9	11	10	13	4	1	–
Wharfinger	2	–	–	–	–	–	–	–	1	1	–	–	–
Others	14	–	–	–	1	3	4	3	3	–	–	–	–
(5) Warehouseman (not Manchester)	37	–	–	–	3	6	5	5	7	6	5	–	–
Others connected with *Storage*	2	–	–	–	–	–	–	–	1	–	1	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	32	–	2	2	1	3	7	3	5	3	6	–	–
Telegraph Service	4	–	1	1	2	–	–	–	–	–	–	–	–
VIII.													
(1) Land Proprietor	95	–	–	–	–	4	3	11	23	30	16	7	1
Farmer, Grazier	1693	–	–	–	14	61	102	157	272	466	467	148	6
Farmer's "Son," "Brother," "Grandson"	62	–	–	11	28	12	7	2	2	–	–	–	–
Farm Bailiff	16	–	–	–	–	1	1	2	6	3	3	–	–
Agricultural Labourer (out-door)	2120	1	5	62	86	172	150	188	331	495	497	130	3
Shepherd out-door	18	–	–	–	–	2	2	1	2	4	6	1	–
Farm Servant (in-door)	11	–	–	4	3	–	2	2	–	–	–	–	–
Land Surveyor, Land Estate Agent	27	–	–	1	3	3	3	5	2	5	3	2	–
Others connected with *Agriculture*	10	–	–	–	–	2	3	2	1	2	–	–	–
(2) Woodman	20	–	–	–	–	1	–	3	4	4	6	2	–
(3) Gardener (not Domestic Servant)	188	–	–	1	4	13	13	28	41	49	32	7	–
Nurseryman	8	–	–	–	–	2	–	1	2	1	2	–	–
IX.													
(1) Horse Proprietor, Dealer	4	–	–	–	–	–	1	–	1	2	–	–	–
Horsebreaker	12	–	–	–	–	1	4	1	3	1	1	1	–
Horsekeeper, Groom, Jockey	121	–	–	4	6	19	19	25	27	10	10	1	–
Farrier, Veterinary Surgeon	11	–	–	–	1	2	1	–	2	3	2	–	–
Cattle, Sheep,—Dealer, Salesman	38	–	–	–	–	–	5	6	3	11	6	2	–
Drover	16	–	–	–	1	2	2	1	5	4	1	–	–
Pig Merchant, Dealer	6	–	–	–	–	–	–	1	1	4	–	–	–
Gamekeeper	28	–	–	–	–	3	5	1	5	10	4	–	–
Vermin Destroyer, Rat-catcher	3	–	–	–	–	1	–	–	–	1	1	–	–
Fisherman	54	–	–	9	1	10	11	8	5	3	7	–	–
Others engaged about *Animals*	3	–	–	–	–	–	1	1	–	–	1	–	–
X.													
(1) Bookseller, Publisher	16	–	–	1	2	–	4	3	2	1	3	–	–
Bookbinder	13	–	–	2	1	2	1	–	5	2	–	–	–
Printer	34	–	–	4	4	5	3	4	4	9	1	–	–
Newspaper Agent, Vendor	1	–	–	–	–	1	–	–	–	–	–	–	–
Engaged about *Publications*	1	–	–	–	–	–	–	–	–	–	1	–	–
(2) Musical Instrument Maker, Dealer	8	–	–	1	1	1	2	1	1	1	–	–	–
Others connected with *Musical Insts.*	3	–	–	–	1	–	–	1	–	1	–	–	–
(3) Lithographer, Lithographic Printer	2	–	–	–	1	–	–	–	–	1	–	–	–
Others	2	–	–	–	1	–	–	–	1	–	–	–	–
(4) Wood-carver	3	–	–	2	–	1	–	–	–	–	–	–	–
Others employed about *Carving & Figures*	12	–	–	1	2	4	2	1	–	1	–	1	–
(5) Toy Maker, Dealer	2	–	–	–	–	–	–	–	–	1	1	–	–

IX.—YORKSHIRE.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
X.—*cont.*													
(6) Pattern Designer	6	–	–	–	–	1	2	2	1	–	–	–	–
Others engaged about *Designs, Medals*	4	–	–	1	–	2	–	–	–	1	–	–	–
(7) Watchmaker, Clockmaker	38	–	–	4	5	3	2	5	6	5	7	1	–
Optician, Spectacle maker	7	–	–	1	–	1	–	–	2	2	1	–	–
Weighing Machine, Scale, Measure, Maker	13	–	–	–	2	1	1	4	–	3	2	–	–
(8) Surgical Instrument Maker	5	–	–	2	2	–	–	–	–	1	–	–	–
(9) Gunsmith, Gun manufacture	5	–	–	–	1	–	–	1	2	1	–	–	–
Others engaged in manufacturing *Arms*	2	–	–	–	–	–	1	–	1	–	–	–	–
(10) Engine and Machine Maker	186	–	3	18	40	40	25	20	18	15	7	–	–
Spindle Maker	13	–	–	4	–	1	2	1	2	1	2	–	–
Needle manufacture	3	–	–	–	–	1	2	–	–	–	–	–	–
Scissors Maker	44	–	–	–	7	3	5	7	12	5	4	1	–
Tool Maker, Dealer	40	–	–	1	9	5	4	5	5	9	2	–	–
File-maker	176	–	–	11	12	20	41	44	24	17	5	2	–
Saw Smith, Maker	37	–	1	–	3	7	7	4	9	5	1	–	–
Cutler	163	–	1	4	12	21	21	16	36	38	13	1	–
Blade Maker, Forger	77	–	–	6	5	14	14	14	15	7	2	–	–
Knife Maker	118	–	–	6	18	14	21	15	18	15	15	1	–
Razor Maker	27	–	–	1	2	1	8	7	3	4	1	–	–
Others engaged about *Tools and Machines*	120	–	1	4	20	13	17	15	19	19	9	3	–
(11) Coachmaker	31	–	–	3	5	6	6	2	7	1	1	2	–
(12) Saddler, Harness-maker	39	–	1	–	3	7	5	5	4	7	6	1	–
Whip-maker	1	–	–	–	–	–	–	–	–	1	–	–	–
(13) Shipbuilder, Shipwright	48	–	–	1	1	5	4	6	11	12	7	1	–
Block, Oar, Mast,—Maker	4	–	–	–	1	–	–	1	1	–	–	1	–
Boat, Barge,—Builder	7	–	–	–	1	–	1	–	1	1	2	1	–
Sailmaker	8	–	–	–	–	2	2	2	–	2	–	–	–
Others engaged in fitting *Ships*	6	–	–	–	1	–	–	–	1	2	2	–	–
(14) House Proprietor	107	–	–	–	–	2	2	9	7	36	44	7	–
House Agent, Rent Collector	11	–	–	–	–	–	–	2	–	5	3	1	–
Architect	8	–	–	1	1	1	1	2	–	1	1	–	–
Surveyor	2	–	–	–	–	–	–	1	1	–	–	–	–
Builder	20	–	–	–	–	2	1	3	8	3	2	1	–
Carpenter, Joiner	507	–	–	26	45	73	50	56	66	102	71	17	1
Bricklayer	152	–	–	4	8	19	22	30	23	26	19	1	–
Marble Mason	1	–	–	–	–	–	1	–	–	–	–	–	–
Mason, Pavior	463	–	–	8	19	62	84	113	103	54	22	3	–
Slater, Tiler	19	–	–	–	1	3	3	3	3	3	2	1	–
Plasterer	47	–	–	–	1	10	10	6	10	7	2	1	–
Paperhanger	2	–	–	–	1	–	–	–	1	–	–	–	–
Plumber, Painter, Glazier	173	–	1	9	10	31	27	36	34	20	11	1	–
Others engaged in *Houses and Buildings*	3	–	–	–	–	–	–	1	2	–	–	–	–
(15) Cabinet-maker, Upholsterer	93	–	1	5	9	11	15	14	14	15	6	3	–
Chairmaker	4	–	–	1	–	1	1	–	1	–	–	–	–
Picture-frame Maker	1	–	–	–	–	–	1	–	–	–	–	–	–
Carver, Gilder	13	–	–	3	3	1	4	1	1	–	–	–	–
Bedstead, Mattress, Tick,—Maker	3	–	–	–	–	–	1	–	2	–	–	–	–
Furniture Broker	5	–	–	–	–	–	1	1	1	1	1	–	–
(16) Wheelwright	118	–	–	2	8	7	10	20	15	25	27	3	–
Millwright	44	–	–	2	5	3	7	6	7	3	6	–	–
Other *Implement* Makers	3	–	–	–	1	–	1	1	–	–	–	–	–
(17) Manuf. Chemist, Lab. at Chem. Works	30	–	–	–	3	5	4	3	7	3	5	–	–
Dye, Colour,—manufacture	11	–	–	–	–	1	2	1	3	3	1	–	–
Dyer, Scourer, Calenderer	65	–	–	2	2	6	12	22	6	11	3	1	–
Others manufacturing *Chemicals*	9	–	–	–	–	–	2	2	–	3	2	–	–
XI.													
(1) Woolstapler	24	–	–	1	1	1	2	5	6	5	3	–	–
Woollen Cloth manufacture	1785	–	5	68	133	173	173	246	299	385	269	34	–
Clothier	123	–	–	8	12	8	16	14	20	23	19	3	–
Fuller	14	–	–	1	1	3	1	3	1	2	2	–	–
Wool, Woollen, Dyer	57	–	–	1	5	5	11	12	13	7	2	1	–
Worsted manufacture	871	2	16	54	76	86	103	118	155	157	88	16	–
Stuff manufacture	141	–	–	7	11	25	19	16	21	23	18	1	–
Flannel manufacture	6	–	–	–	–	–	–	1	1	2	2	–	–
Blanket manufacture	48	–	–	1	1	3	8	8	4	14	8	1	–
Carpet, Rug,—manufacture	75	–	–	9	8	13	4	14	7	14	5	1	–
Others	29	–	–	–	–	3	5	4	9	5	3	–	–
(2) Silk manufacture	31	–	–	3	3	6	4	6	3	3	3	–	–
Silk Dyer, Printer	2	–	–	–	1	1	–	–	–	–	–	–	–
(3) Flax, Linen,—manufacture	248	–	–	7	10	16	23	31	43	73	38	7	–
Thread manufacture	1	–	–	–	–	–	–	1	–	–	–	–	–
Lace manufacture	3	–	–	–	–	–	–	1	1	–	1	–	–
Cotton manufacture	421	–	5	44	51	48	54	53	51	64	46	5	–
Fustian manufacture	1	–	–	–	–	–	–	1	–	–	–	–	–
Calico, Cotton,—Printer	5	–	–	–	–	1	–	3	–	1	–	–	–
Calico, Cotton,—Dyer	10	–	–	–	2	1	3	3	–	–	1	–	–
Others	12	–	–	–	1	2	1	2	1	4	1	–	–
(4) Packer and Presser	5	–	–	–	1	1	–	1	1	1	–	–	–
Weaver (not otherwise defined)	51	–	–	–	1	5	2	9	10	14	7	3	–
Manchester Warehouseman	4	–	–	–	1	–	–	1	–	1	1	–	–
Draper, Linendraper, Mercer	123	–	–	7	20	32	14	11	15	12	8	4	–
Working in *Mixed Fabrics*	1	–	–	–	–	–	–	1	–	–	–	–	–

IX.—YORKSHIRE.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XI.—*cont.*													
(5) Hairdresser, Wig-maker	41	–	–	2	1	2	14	7	7	5	2	1	–
Hatter, Hat manufacture	22	–	–	–	–	3	2	3	4	7	3	1	–
Furrier	1	–	–	–	–	–	–	–	–	–	–	1	–
Tailor	434	–	–	21	37	55	56	84	53	62	55	10	1
Clothes Dealer, Salesman, Outfitter	17	–	–	–	–	2	–	5	2	4	2	2	–
Button-maker (all Branches)	3	–	–	–	–	–	1	1	–	–	1	–	–
Hose manufacture	7	–	–	–	–	–	–	1	1	3	2	–	–
Hosier, Haberdasher	5	–	–	–	2	–	–	–	2	1	–	–	–
Glover, Leather, and not otherwise des.	2	–	–	–	–	–	–	–	1	–	–	1	–
Shoemaker, Bootmaker	727	–	–	24	39	74	82	105	119	153	97	34	–
Patten, Clog,—Maker	22	–	–	3	4	–	1	4	2	5	3	–	–
Umbrella, Parasol, Stick,—Maker	6	–	–	–	–	1	–	–	1	2	2	–	–
Others providing *Dress*	8	–	–	1	–	1	1	–	3	–	1	1	–
(6) Mat Maker, Seller	6	–	–	2	–	–	–	2	2	–	–	–	–
Rope, Cord,—Maker	29	–	–	–	1	2	–	3	6	9	6	1	1
Canvas Maker, Dealer	11	–	–	–	–	1	–	2	3	4	1	–	–
Sailcloth manufacture	4	–	–	1	–	–	–	–	1	1	1	–	–
Others	3	–	–	–	–	–	–	1	–	2	–	–	–
XII.													
(1) Cowkeeper, Milkseller	36	–	–	–	–	6	3	4	11	9	3	–	–
Cheesemonger	6	–	–	–	–	–	–	3	2	–	1	–	–
Butcher, Meat Salesman	222	–	–	4	4	32	39	34	39	35	25	10	–
Provision Curer, Dealer	38	–	–	–	–	5	3	4	9	12	5	–	–
Poulterer, Game Dealer	7	–	–	–	–	–	–	2	2	1	2	–	–
Fishmonger	24	–	–	–	2	2	4	6	2	5	2	1	–
Others dealing in *Animal Food*	3	–	–	–	–	–	1	2	–	–	–	–	–
(2) Corn Merchant, Dealer	43	–	–	–	2	5	5	7	9	8	4	3	–
Miller	112	–	–	1	5	13	10	16	25	26	13	3	–
Flour Dealer, Agent	6	–	–	–	–	1	–	1	2	–	2	–	–
Baker	36	–	–	1	3	2	3	1	16	6	4	–	–
Confectioner, Pastry Cook	21	–	–	1	2	2	3	6	5	2	–	–	–
Greengrocer, Fruiterer	57	–	–	–	3	9	13	8	10	10	4	–	–
Fruit and Flower,—Hawker, Vendor	1	–	–	–	–	–	1	–	–	–	–	–	–
Potato Merchant	3	–	–	–	–	1	–	1	–	1	–	–	–
Seed Merchant, Seedsman	8	–	–	–	1	–	–	1	1	4	1	–	–
Others dealing in *Vegetable Food*	4	–	–	–	–	–	1	1	–	2	–	–	–
(3) Maltster	36	–	–	–	2	–	5	7	5	13	3	1	–
Brewer, and others engaged in Brewing	62	–	–	–	1	9	15	10	16	6	4	1	–
Wine and Spirit Merchant	42	–	–	–	2	9	7	8	3	9	4	–	–
Distiller, Rectifier (engaged in Distilling)	2	–	–	–	–	–	1	–	1	–	–	–	–
Cellarman	2	–	–	–	–	–	–	1	–	1	–	–	–
Ginger Beer, Soda, Min. Water, manuf.	6	–	–	1	–	–	–	3	–	1	1	–	–
Sugar Refiner	3	–	–	–	–	1	1	–	–	–	1	–	–
Grocer, Tea Dealer	230	–	–	6	9	32	28	37	38	37	39	3	1
Tobacco, Cigar, Snuff,—manufacture	3	–	–	–	–	–	2	–	–	–	1	–	–
Tobacconist	10	–	–	–	2	1	5	1	1	–	–	–	–
Others dealing in *Drinks and Stimulants*	16	–	–	1	–	1	3	3	1	6	1	–	–
XIII.													
(1) Soap-boiler	7	–	–	–	–	–	2	2	1	2	–	–	–
Tallow-chandler	12	–	–	1	1	1	1	2	6	–	–	–	–
Comb-maker	29	–	–	1	1	1	5	4	8	8	1	–	–
Others	22	–	–	–	–	4	4	3	3	6	2	–	–
(2) Fellmonger	8	–	–	–	–	–	1	2	–	1	4	–	–
Skinner	7	–	–	1	–	3	–	1	1	1	–	–	–
Tanner	29	–	–	1	3	1	5	3	4	6	5	1	–
Currier	52	–	–	1	6	10	6	8	13	2	5	1	–
Others	2	–	–	–	–	–	–	2	–	–	–	–	–
(3) Hair, Bristle,—manufacture	3	–	–	–	–	–	–	1	–	1	1	–	–
Brush, Broom,—maker	22	–	–	–	1	2	2	9	3	2	3	–	–
XIV.													
(1) Oil Miller, Refiner	24	–	–	2	2	5	2	4	2	5	1	1	–
Oil and Colourman	1	–	–	–	–	–	1	–	–	–	–	–	–
French-polisher	6	–	–	1	1	2	–	–	2	–	–	–	–
Others	2	–	–	–	–	–	1	–	–	1	–	–	–
(2) Timber Merchant, Dealer	25	–	–	–	3	4	4	5	3	6	–	–	–
Wood Dealer	4	–	–	1	–	1	–	1	1	–	–	–	–
Sawyer	70	–	–	2	4	8	11	9	14	14	6	2	–
Fence, Hurdle,—Maker	1	–	–	–	–	–	–	–	–	–	1	–	–
Lath-maker	9	–	–	–	–	–	6	1	–	1	1	–	–
Turner	26	–	–	2	6	1	5	1	5	4	2	–	–
Cooper	46	–	1	1	5	5	7	9	5	5	3	–	–
Hoop Maker, Bender	1	–	–	–	–	–	–	–	–	–	1	–	–
Others	*10	–	–	–	–	–	2	3	3	2	–	–	–
(3) Cork Cutter, manufacture	4	–	–	–	–	1	1	–	1	1	–	–	–
(4) Basket-maker	18	–	–	2	3	2	3	1	3	3	1	–	–
Hay and Straw Dealer	5	–	–	–	–	–	–	–	4	1	–	–	–
Thatcher	1	–	–	1	–	–	–	–	–	–	–	–	–
Others working in *Cane, Rush, Straw*	3	–	–	–	–	–	–	–	–	1	2	–	–
(5) Rag Gatherer, Dealer	31	–	–	–	1	2	4	6	6	6	5	1	–
Paper manufacture	18	–	–	1	2	1	3	1	2	2	2	–	–
Stationer (not Law)	3	–	–	1	–	–	–	1	–	1	–	–	–
Paper Stainer	6	–	–	1	1	2	2	–	–	–	–	–	–
Others working in *Paper*	6	–	–	1	–	2	1	–	1	1	–	–	–

* Of these, 3 are crate makers, and 2 logwood grinders.

IX.—YORKSHIRE.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.											
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
XV.													
(1) Coal-miner	660	–	16	48	71	119	99	80	76	97	45	9	–
Lead-miner	90	–	1	4	3	15	18	12	17	15	5	–	–
Iron-miner	67	–	2	3	12	17	9	8	3	8	5	–	–
Others	11	–	–	–	–	2	–	4	2	1	2	–	–
(2) Coal Merchant, Dealer	49	–	–	–	1	3	5	6	15	12	6	1	–
Coalheaver, Labourer	41	–	–	3	3	6	6	6	7	9	1	–	–
Coke Burner, Dealer	13	–	–	–	1	4	2	2	3	1	–	–	–
Chimney Sweeper	17	–	–	2	–	3	5	3	3	1	–	–	–
Gas Works Service	26	–	–	1	–	8	5	3	7	1	1	–	–
Others working in *Coal*	4	–	–	–	–	–	1	–	1	–	1	1	–
(3) Stone Quarrier	195	–	–	1	11	27	29	42	47	32	6	–	–
Stone Cutter, Dresser, Polisher	27	–	–	–	–	4	3	9	9	2	–	–	–
Slate Quarrier	2	–	–	–	–	–	1	–	–	–	–	1	–
Limestone Quarrier, Burner	20	–	–	–	–	1	1	2	4	7	5	–	–
Clay Labourer	3	–	–	–	–	–	–	1	1	–	1	–	–
Brick Maker, Dealer	70	–	–	1	2	13	14	10	9	10	10	1	–
Railway Labourer	66	–	–	5	3	21	14	5	11	5	2	–	–
Platelayer	20	–	–	–	2	8	3	3	3	1	–	–	–
Excavator, Navvy	26	–	–	–	1	4	8	5	3	3	2	–	–
Road Contractor, Inspector, Surveyor	10	–	–	–	–	–	1	3	2	2	2	–	–
Road Labourer	91	–	–	–	2	2	3	8	12	34	29	1	–
Scavenger	3	–	–	–	–	–	–	–	–	3	–	–	–
Others working in *Stone, Clay*	30	–	–	–	1	4	6	5	8	5	–	1	–
(4) Earthenware manufacture	47	–	–	–	4	6	6	9	9	6	5	1	1
Tobacco-pipe Maker	14	–	–	–	3	1	1	3	4	1	1	–	–
Earthenware and Glass Dealer	20	–	–	–	4	1	3	4	2	4	2	–	–
Dealing in *Earthenware*	1	–	–	–	–	–	–	1	–	–	–	–	–
(5) Glass Manufacture	34	–	–	4	4	8	7	4	1	5	1	–	–
(6) Salt Dealer	4	–	–	–	–	2	–	1	–	1	–	–	–
(7) Waterworks Service	6	–	–	–	1	–	1	1	2	1	–	–	–
Others working or dealing in *Water*	*7	–	–	–	–	–	1	3	1	1	1	–	–
(8) Goldsmith, Silversmith, Jeweller	53	–	–	3	1	5	9	6	8	12	7	2	–
Plater, Plated Ware manufacture	11	–	–	–	1	2	–	3	2	2	1	–	–
Others dealing in *Gold, Silver*	4	–	–	–	–	–	–	–	–	2	2	–	–
(10) Tinman, Tinworker, Tinker	34	–	–	6	7	2	5	3	2	7	2	–	–
Tinplate Worker	8	–	–	–	1	1	–	3	1	2	–	–	–
(12) Lead manufacture	5	–	–	–	–	–	1	1	–	1	2	–	–
Type Founder	4	–	–	–	–	1	2	–	1	–	–	–	–
(13) Brass Founder, Moulder, manufacture	21	–	–	4	2	5	2	2	3	3	–	–	–
Brazier	6	–	–	1	1	–	1	2	1	–	–	–	–
Locksmith, Bellhanger	2	–	1	–	–	–	–	–	–	–	1	–	–
Gasfitter	4	–	–	–	1	–	–	2	1	–	–	–	–
Wire Maker, Drawer	22	–	–	–	3	3	1	6	3	2	3	1	–
Wire Worker, Weaver	11	–	–	1	–	2	4	2	1	1	–	–	–
Others working in *mixed Metals*	6	–	–	–	–	1	–	3	1	1	–	–	–
(14) Iron manufacture, Moulder, Founder	314	–	3	25	46	49	58	50	36	28	17	2	–
Whitesmith	62	–	–	3	5	8	3	14	11	13	4	1	–
Blacksmith	345	–	–	19	34	39	42	44	60	52	41	13	1
Nail manufacture	52	–	–	–	–	3	3	9	5	13	11	3	–
Anchorsmith, Chainsmith	4	–	–	–	1	–	–	–	–	2	1	–	–
Boiler-maker	26	–	–	1	2	9	5	3	2	2	2	–	–
Tronnonger	13	–	–	–	–	3	2	1	3	–	3	1	–
Hardwareman, Dealer	10	–	–	–	–	3	1	–	3	1	2	–	–
Steel manufacture, Worker	41	–	–	1	3	12	7	10	3	5	–	–	–
Grinder (Branch undefined)	47	–	–	1	6	5	16	11	7	1	–	–	–
Others working in *Iron, Steel*	38	–	–	2	5	10	5	4	6	4	2	–	–
XVI.													
(1) Labourer	860	–	4	22	43	108	118	120	150	152	112	27	4
(2) Mechanic	58	–	–	4	17	11	9	9	5	1	2	–	–
Shopman	2	–	–	–	–	1	–	1	–	–	–	–	–
Apprentice	1	–	–	1	–	–	–	–	–	–	–	–	–
Others of indefinite Occupations	†10	–	–	1	–	2	–	4	1	1	1	–	–
XVII.													
(1) Gentleman, Independent	130	–	–	–	2	1	6	11	19	44	40	7	–
Annuitant	40	–	–	–	–	–	2	4	9	13	9	3	–
XVIII.													
(1) Dependent on Relatives	2	–	–	–	–	–	1	1	–	–	–	–	–
Almsperson (no stated Occupation)	6	–	–	–	–	2	–	–	1	–	1	2	–
Pauper (no stated Occupation)	21	–	1	4	1	2	2	3	2	2	2	2	–
Lunatic (no stated Occupation)	7	–	–	–	–	1	–	1	4	1	–	–	–
Others	14	–	–	–	–	–	–	1	3	4	6	–	–
(2) *Prisoner* (no stated Occupation)	14	–	–	1	5	2	4	–	1	1	–	–	–
(3) *Vagrant, Beggar*	5	–	–	–	–	–	1	2	–	–	1	1	–
Others of no stated Occupation or Condition	67	–	–	3	6	9	17	11	9	6	3	3	–

* Of these, 5 are well-sinkers; 1 water-carrier; and 1 water dealer.

† Of these, 3 are time-keepers; 2 manufacturers.

X.—NORTHERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1.

OCCUPATIONS.	Total.	AGES OF MALES.											
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
Total of Males aged 5 Years and upwards – – –	14389	1274	658	851	899	1530	1508	1568	1905	2078	1679	417	22
Order.													
I.													
(1) Civil Servant not in Revenue Departmt.	3	–	–	–	1	1	–	–	–	1	–	–	–
Post Office – – – – – –	16	–	–	–	–	2	3	3	4	4	–	–	–
Inland Revenue – – – – –	13	–	–	–	1	–	2	1	–	3	3	3	–
Customs – – – – – –	14	–	–	–	1	1	1	2	3	1	4	1	–
Government Messengers, Workmen –	1	–	–	1	–	–	–	–	–	–	–	–	–
Government Officer – – – –	1	–	–	–	–	–	–	–	–	1	–	–	–
(2) Police – – – – – – –	26	–	–	–	7	8	7	2	–	2	–	–	–
Prison Officer – – – – –	2	–	–	–	–	–	–	–	1	–	1	–	–
Union and Parish Officer – – –	14	–	–	–	–	3	3	3	1	1	3	–	–
Other *Local* Officers – – –	7	–	–	1	–	–	1	1	–	1	3	–	–
(3) East India and Colonial Servant – –	2	–	–	–	–	–	–	1	1	–	–	–	–
II.													
(1) Army Officer – – – – – –	3	–	–	–	2	–	–	1	–	–	–	–	–
Army Half-pay Officer – – – –	2	–	–	–	–	–	–	–	–	2	–	–	–
Soldier – – – – – – –	27	–	–	–	3	10	6	1	2	2	2	1	–
Chelsea Pensioner – – – – –	40	–	–	–	–	1	2	3	10	11	8	4	1
Militia – – – – – – –	11	–	–	–	1	3	3	3	1	–	–	–	–
(2) Navy Half-pay Officer – – – –	4	–	–	–	–	–	–	–	1	–	3	–	–
Seaman, R.N. – – – – –	4	–	–	–	–	1	–	–	1	1	–	1	–
Greenwich Pensioner – – – –	5	–	–	–	–	1	–	1	–	1	1	1	–
Others – – – – – – –	6	–	–	–	–	–	–	1	1	4	–	–	–
III.													
(1) (*a*) Clergyman – – – – –	26	–	–	–	–	1	2	6	10	4	3	–	–
Protestant Minister – – – –	14	–	–	–	–	1	1	3	2	–	6	1	–
Roman Catholic Priest – – – –	2	–	–	–	–	–	1	–	–	–	1	–	–
(*b*) Parish Clerk – – – – –	4	–	–	–	–	–	–	–	1	1	1	1	–
Other *Church Officers* – – –	4	–	–	–	–	–	–	1	–	1	2	–	–
(2) (*a*) Barrister – – – – –	1	–	–	–	–	–	–	–	–	1	–	–	–
Solicitor – – – – – – –	24	–	–	–	1	2	5	4	4	4	3	1	–
Other *Lawyers* – – – – –	1	–	–	–	–	–	–	–	–	–	1	–	–
(*b*) Officers of Law Court – –	5	–	–	–	–	–	–	–	3	2	–	–	–
Law Clerk – – – – – – –	23	–	–	1	3	5	5	1	4	–	4	–	–
(3) (*a*) Physician – – – – –	1	–	–	–	–	–	–	–	–	1	–	–	–
Surgeon, Apothecary – – – –	40	–	–	–	–	3	11	6	8	6	5	1	–
Medical Student, Assistant – –	4	–	–	–	2	2	–	–	–	–	–	–	–
Dentist – – – – – – –	4	–	–	–	–	–	–	1	2	–	–	1	–
(*b*) Druggist – – – – – –	20	–	–	4	5	3	4	2	–	1	–	1	–
Others – – – – – – –	2	–	–	–	–	–	–	–	–	2	–	–	–
(4) Author, Editor, Writer – – –	3	–	–	–	–	2	1	–	–	–	–	–	–
Others engaged in *Literature* – –	2	–	–	–	–	1	1	–	–	–	–	–	–
(5) Artist, Painter – – – – –	6	–	–	–	–	–	2	1	–	2	1	–	–
Photographic Artist – – – –	2	–	–	–	–	–	1	–	–	–	1	–	–
(6) Musician – – – – – –	12	–	–	1	–	3	3	2	2	–	1	–	–
Music-master – – – – – –	2	–	–	–	–	2	–	–	–	–	–	–	–
(7) Actor – – – – – – –	2	–	–	–	–	–	2	–	–	–	–	–	–
Persons engaged about *Theatres, Exhib.*	2	–	–	–	–	–	2	–	–	–	–	–	–
(8) Schoolmaster – – – – –	59	–	–	1	3	9	7	5	10	14	7	3	–
Professor, Teacher of Languages –	1	–	–	–	–	–	–	–	–	–	1	–	–
Teacher (General) – – – – –	16	–	–	4	2	4	–	–	4	–	2	–	–
(9) Civil Engineer – – – – –	3	–	–	–	–	–	1	–	1	–	1	–	–
Scientific Person – – – – –	1	–	–	–	–	–	–	–	1	–	–	–	–
IV.													
(3) *Son*, Grandson, *Brother*, Nephew (not otherwise described) – – – –	2186	1272	569	289	51	4	1	–	–	–	–	–	–
V.													
(1) Innkeeper, Hotelkeeper – – – –	178	–	–	–	1	17	28	37	35	34	19	7	–
Publican – – – – – – –	52	–	–	–	1	2	5	16	11	10	6	1	–
Beerseller – – – – – –	8	–	–	–	–	–	3	1	3	1	–	–	–
Lodging, Boarding-house Keeper –	2	–	–	–	–	1	–	–	–	1	–	–	–
Engaged in *Boarding and Lodging* –	1	–	–	–	–	–	–	–	1	–	–	–	–
(2) *Domestic Servant* (General) – –	36	–	–	3	2	4	2	3	4	9	9	–	–
Coachman – – –	5	–	–	–	1	–	1	–	1	1	1	–	–
Groom – – –	9	–	–	–	1	–	3	3	1	1	–	–	–
Gardener – – –	8	–	–	–	–	–	1	2	1	2	2	–	–
Inn Servant – –	15	–	–	1	1	4	4	2	2	–	1	–	–
Engaged in *Attendance* – – –	2	–	–	–	–	–	–	–	–	1	–	1	–

Note.—The Counties comprised in this Table are Durham, Northumberland, Cumberland, and Westmorland.

X.—NORTHERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
VI.													
(1) Merchant	12	–	–	–	–	1	4	4	1	–	2	–	–
Banker	5	–	–	–	–	–	1	2	–	1	1	–	–
Insurance, Benefit Society, Officer	2	–	–	–	1	–	–	–	–	1	–	–	–
Ship Broker, Agent	18	–	–	1	–	5	3	2	3	4	–	–	–
Broker	4	–	–	–	–	1	1	1	–	1	–	–	–
Agent, Factor	8	–	–	1	–	–	1	1	2	3	–	–	–
Coal, Colliery, Agent, Factor	12	–	–	–	1	2	–	1	3	3	2	–	–
Auctioneer, Appraiser, Valuer	7	–	–	–	–	–	–	–	6	1	–	–	–
Accountant	16	–	–	–	2	2	2	2	7	1	–	–	–
Commercial Clerk	43	–	–	2	10	12	7	5	2	4	–	1	–
Commercial Traveller	12	–	–	–	–	2	4	1	2	–	2	1	–
Mercantile Man	1	–	–	–	–	–	–	–	–	–	1	–	–
(2) Pawnbroker	3	–	–	–	–	–	2	–	1	–	–	–	–
Marine-store Dealer	7	–	–	–	2	–	1	3	–	1	–	–	–
General Dealer, Huckster, Costermonger	3	–	–	–	–	–	2	–	–	1	–	–	–
Shopkeeper (Branch undefined)	2	–	–	–	–	–	–	1	–	–	1	–	–
Hawker, Pedlar	69	–	–	–	1	4	7	9	10	17	17	4	–
VII.													
(1) Railway Engine Driver, Stoker	44	–	1	4	10	14	9	2	1	–	3	–	–
Railway Official, Clerk, Station-master	28	–	–	3	4	3	2	5	3	7	1	–	–
Railway Servant, Porter, Gatekeeper	79	–	1	3	9	20	12	10	14	8	2	–	–
Railway Police	1	–	–	–	–	–	–	1	–	–	–	–	–
(2) Toll-collector, Turnpike-gate Keeper	10	–	–	–	–	–	1	–	1	4	4	–	–
Coach, Omnibus, Cab,—Owner	2	–	–	–	–	1	–	–	–	1	–	–	–
Livery Stable Keeper	2	–	–	–	–	1	–	–	1	–	–	–	–
Coachman (not Domestic)	13	–	–	–	–	1	–	2	2	5	3	–	–
Cabman, Flyman	9	–	–	–	2	2	–	–	2	1	2	–	–
Carman, Carrier, Carter, Drayman	166	–	–	7	15	18	17	31	28	26	18	6	–
(3) Bargeman, Lighterman, Waterman	115	–	–	–	1	8	3	10	23	39	27	4	–
(4) Shipowner	55	–	–	–	–	2	3	8	13	18	7	4	–
Seaman (Merchant Service)	680	–	4	57	57	111	97	74	96	109	72	12	–
Pilot	30	–	–	–	2	4	7	5	4	5	3	–	–
Harbour, Dock, Servant, Dock Labourer	31	–	–	–	1	5	6	6	10	2	1	–	–
Wharfinger	2	–	–	–	–	–	–	1	1	–	–	–	–
Others	* 38	–	–	4	6	9	9	2	3	2	1	2	–
(5) Warehouseman (not Manchester)	5	–	–	–	1	2	–	1	1	–	–	–	–
Others connected with *Storage*	2	–	–	–	–	–	–	–	–	2	–	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	10	–	–	–	–	1	2	3	1	1	2	–	–
Telegraph Service	2	–	–	–	1	1	–	–	–	–	–	–	–
VIII.													
(1) Land Proprietor	119	–	–	–	1	6	5	6	28	35	21	17	–
Farmer, Grazier	888	–	–	–	2	28	62	79	141	209	270	91	6
Farmer's "Son," "Brother," "Grandson"	43	–	–	9	15	10	5	2	1	–	1	–	–
Farm Bailiff	22	–	–	–	–	–	1	2	7	9	2	1	–
Agricultural Labourer (out-door)	1036	–	1	27	60	84	68	81	162	237	249	63	4
Shepherd (out-door)	40	–	–	1	1	–	2	3	9	9	10	4	1
Land Surveyor, Land, Estate, Agent	14	–	–	–	–	2	2	–	2	6	1	1	–
Others connected with *Agriculture*	5	–	–	–	–	1	1	1	1	1	–	–	–
(2) Woodman	20	–	–	1	–	2	2	–	6	4	5	–	–
(3) Gardener (not Domestic Servant)	103	–	–	–	4	5	10	10	15	23	28	8	–
Nurseryman	2	–	–	–	–	–	–	–	–	1	1	–	–
IX.													
(1) Horse Proprietor, Dealer	2	–	–	–	–	–	–	1	1	–	–	–	–
Horsebreaker	5	–	–	–	–	–	–	2	–	2	–	1	–
Horsekeeper, Groom, Jockey	51	–	–	–	–	5	10	7	10	9	6	4	–
Farrier, Veterinary Surgeon	10	–	–	–	1	1	1	3	1	2	–	1	–
Cattle, Sheep,—Dealer, Salesman	15	–	–	–	–	–	3	4	1	5	1	1	–
Drover	12	–	–	–	–	2	1	2	1	4	2	–	–
Pig Merchant, Dealer	2	–	–	–	–	–	1	1	–	–	–	–	–
Gamekeeper	13	–	–	–	–	1	–	1	4	2	4	1	–
Vermin Destroyer, Rat-catcher	4	–	–	–	–	–	–	1	–	2	1	–	–
Fisherman	41	–	–	4	5	7	4	5	6	1	9	–	–
Others engaged about *Animals*	2	–	–	–	–	–	–	1	–	–	1	–	–
X.													
(1) Bookseller, Publisher	17	–	–	–	–	2	1	5	1	5	3	–	–
Bookbinder	8	–	–	1	–	1	1	2	1	1	1	–	–
Printer	26	–	–	3	8	5	–	1	–	6	3	–	–
Newspaper Agent, Vendor, &c.	2	–	–	–	–	1	–	1	–	–	–	–	–
(2) Musical Instrument Maker, Dealer	1	–	–	–	–	1	–	–	–	–	–	–	–
(3) Lithographer, Lithographic Printer	3	–	–	1	–	1	–	1	–	–	–	–	–
Others	2	–	–	1	–	–	–	–	–	1	–	–	–

* Of these, 23 are steam navigation servants, 5 ballast keelmen, 4 ballast heavers, and 2 ship stewards.

X.—NORTHERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
X.—*cont.*													
(4) Wood-carver	3	–	–	1	–	2	–	–	–	–	–	–	–
Employed about *Carving and Figures*	1	–	–	–	–	–	–	–	–	–	1	–	–
(5) Toy Maker, Dealer	1	–	–	–	–	–	1	–	–	–	–	–	–
(6) Pattern Designer	1	–	–	–	1	–	–	–	–	–	–	–	–
Others engaged about *Designs, Medals*	3	–	–	2	–	1	–	–	–	–	–	–	–
(7) Watchmaker, Clockmaker	21	–	–	1	1	4	4	5	1	3	2	–	–
Optician, Spectacle-maker	2	–	–	–	–	–	–	2	–	–	–	–	–
Weighing Machine, Scale, Measure, Maker	1	–	–	–	1	–	–	–	–	–	–	–	–
(9) Gunsmith, Gun manufacture	2	–	–	–	–	–	–	1	1	–	–	–	–
Others engaged in manufacturing *Arms*	2	–	–	–	–	–	–	1	1	–	–	–	–
(10) Engine and Machine Maker	126	–	–	17	23	26	26	15	6	9	3	1	–
Tool Maker, Dealer	1	–	–	–	–	–	–	–	–	–	1	–	–
File-maker	4	–	–	1	1	2	–	–	–	–	–	–	–
Saw Smith, Maker	1	–	–	–	–	–	–	1	–	–	–	–	–
Cutler	4	–	–	–	–	–	1	1	1	–	–	–	1
Others engaged about *Tools and Machines*	18	–	1	–	–	3	1	7	2	3	1	–	–
(11) Coachmaker	17	–	–	3	2	2	2	4	3	1	–	–	–
(12) Saddler, Harness-maker	41	–	–	–	2	7	3	9	5	12	2	1	–
(13) Shipbuilder, Shipwright	203	–	1	16	22	25	29	21	28	37	22	2	–
Block, Oar, Mast,—Maker	8	–	–	–	1	2	3	–	–	–	2	–	–
Boat, Barge,—Builder	9	–	–	2	–	–	–	3	–	1	2	1	–
Sailmaker	13	–	–	1	3	–	4	–	1	2	1	1	–
Others engaged in fitting *Ships*	3	–	–	–	–	1	–	1	–	1	–	–	–
(14) House Proprietor	50	–	–	–	1	–	2	7	6	15	13	6	–
House Agent, Rent Collector	6	–	–	–	–	–	–	1	2	1	2	–	–
Architect	4	–	–	–	–	–	2	–	–	1	1	–	–
Surveyor	1	–	–	–	1	–	–	–	–	–	–	–	–
Builder	33	–	–	–	–	2	4	10	7	3	5	2	–
Carpenter, Joiner	331	–	–	17	33	42	35	37	43	65	43	15	1
Bricklayer	36	–	1	3	5	6	1	8	7	3	2	–	–
Marble Mason	6	–	–	1	–	1	–	3	–	1	–	–	–
Mason, Pavior	300	–	1	6	12	44	50	65	53	38	24	6	1
Slater, Tiler	16	–	–	–	1	2	2	4	–	3	3	1	–
Plasterer	11	–	–	1	–	3	–	3	2	1	1	–	–
Paperhanger	1	–	–	–	–	–	–	1	–	–	–	–	–
Plumber, Painter, Glazier	78	–	1	5	9	14	14	16	7	8	4	–	–
Others engaged in *Houses and Buildings*	4	–	–	1	1	–	–	–	–	–	2	–	–
(15) Cabinet-maker, Upholsterer	39	–	–	3	3	8	3	3	6	7	6	–	–
Chairmaker	2	–	–	–	–	–	–	–	–	–	2	–	–
Picture-frame Maker	1	–	–	–	–	1	–	–	–	–	–	–	–
Carver, Gilder	9	–	–	1	1	1	3	2	–	1	–	–	–
Furniture Broker	5	–	–	–	–	–	1	1	1	2	–	–	–
(16) Wheelwright	35	–	–	1	4	1	–	3	5	9	11	1	–
Millwright	20	–	–	–	–	3	2	2	1	5	6	1	–
Implement Maker	1	–	–	–	–	–	–	–	–	–	1	–	–
(17) Manuf. Chemist, Lab. at Chem. Works	44	–	–	5	3	8	5	10	7	2	2	2	–
Dye, Colour,—manufacture	2	–	1	–	–	–	1	–	–	–	–	–	–
Dyer, Scourer, Calenderer	10	–	–	–	1	–	1	1	2	2	1	2	–
Others manufacturing *Chemicals*	4	–	–	–	–	–	–	–	–	2	1	–	1
XI.													
(1) Woollen Cloth manufacture	34	–	–	–	1	2	4	3	3	9	11	1	–
Clothier	1	–	–	–	–	–	1	–	–	–	–	–	–
Wool, Woollen,—Dyer	2	–	–	–	–	–	–	–	2	–	–	–	–
Worsted manufacture	14	–	–	–	–	1	1	3	3	3	3	–	–
Flannel manufacture	5	–	–	–	–	2	1	–	2	–	–	–	–
Carpet, Rug,—manufacture	18	–	–	–	–	1	2	2	5	6	2	–	–
Others	7	–	–	–	–	–	1	–	3	1	–	2	–
(2) Silk manufacture	2	–	–	–	–	–	–	–	–	–	2	–	–
Silk Mercer	1	–	–	–	–	–	–	–	–	–	1	–	–
(3) Flax, Linen,—manufacture	23	–	–	–	1	–	1	1	4	12	5	2	–
Thread manufacture	2	–	–	–	–	1	1	–	–	–	–	–	–
Cotton manufacture	154	–	–	5	7	11	11	15	20	49	33	2	1
Calico, Cotton,—Printer	3	–	–	–	–	–	–	–	1	1	1	–	–
Calico, Cotton,—Dyer	2	–	–	–	–	–	–	–	–	–	2	–	–
Dealing in *Cotton, &c.*	1	–	–	–	–	–	–	–	1	–	–	–	–
(4) Weaver (not otherwise defined)	33	–	–	–	1	2	2	–	3	8	14	3	–
Draper, Linendraper, Mercer	104	–	–	13	17	20	18	12	8	8	6	2	–
(5) Hairdresser, Wig-maker	20	–	–	1	2	5	1	2	2	3	1	3	–
Hatter, Hat-manufacture	27	–	–	–	2	1	7	4	2	4	6	1	–
Tailor	242	–	–	13	19	38	26	28	40	33	32	8	–
Clothes Dealer, Salesman, Outfitter	5	–	–	–	–	–	1	1	1	–	–	2	–
Hose manufacture	3	–	–	–	–	–	–	–	1	–	2	–	–
Hosier, Haberdasher	2	–	–	–	–	2	–	–	–	–	–	–	–

X.—NORTHERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XI.—*cont.*													
(5) Glover, Leather, and not otherwise des.	3	–	–	–	–	–	1	–	1	1	–	–	–
Shoemaker, Bootmaker	381	–	–	19	17	39	31	44	72	82	67	9	1
Patten, Clog, – Maker	11	–	–	1	2	–	1	4	–	1	2	–	–
Umbrella, Parasol, Stick,—Maker	1	–	–	–	–	–	–	–	1	–	–	–	–
(6) Mat Maker, Seller	1	–	–	–	–	–	–	1	–	–	–	–	–
Rope, Cord,—Maker	31	–	–	2	–	5	4	3	8	4	3	2	–
Canvass Maker, Dealer	6	–	–	1	–	–	–	1	2	1	1	–	–
Sailcloth manufacture	6	–	–	–	–	–	–	1	1	1	2	1	–
XII.													
(1) Cowkeeper, Milkseller	8	–	–	–	–	–	–	–	3	4	1	–	–
Cheesemonger	3	–	–	–	1	1	–	2	–	1	1	–	–
Butcher, Meat Salesman	107	–	–	1	4	14	14	20	22	20	8	4	–
Provision Curer, Dealer	22	–	–	–	–	–	2	6	6	4	4	–	–
Fishmonger	7	–	–	–	–	–	–	2	2	2	1	–	–
Dealing in *Animal Food*	1	–	–	–	–	–	–	–	1	–	–	–	–
(2) Corn Merchant, Dealer	10	–	–	–	–	1	2	1	–	3	3	–	–
Miller	67	–	–	1	3	9	8	1	14	15	9	6	1
Flour Dealer, Agent	3	–	–	–	–	–	–	1	2	–	–	–	–
Baker	27	–	–	1	–	3	5	7	5	3	3	–	–
Confectioner, Pastry Cook	15	–	–	–	1	5	2	1	1	4	1	–	–
Greengrocer, Fruiterer	11	–	–	–	–	1	2	–	2	3	2	1	–
Fruit and Flower,—Hawker, Vendor	1	–	–	–	–	–	–	–	1	–	–	–	–
Potato Merchant	3	–	–	–	–	–	–	–	–	2	1	–	–
Seed Merchant, Seedsman	1	–	–	–	–	–	–	1	–	–	–	–	–
Dealing in *Vegetable Food*	1	–	–	–	–	–	–	–	–	1	–	–	–
(3) Maltster	8	–	–	–	–	–	–	4	1	2	1	–	–
Brewer, and others engaged in Brewing	45	–	–	2	–	2	8	12	13	5	3	–	–
Wine and Spirit Merchant	39	–	–	–	3	8	6	5	5	7	3	2	–
Distiller, Rectifier, (engaged in Distilling)	1	–	–	–	–	–	–	–	–	–	–	1	–
Cellarman	1	–	–	–	–	–	–	1	–	–	–	–	–
Ginger Beer, Soda, Min. Water, manuf.	1	–	–	–	–	–	–	1	–	–	–	–	–
Grocer, Tea Dealer	134	–	–	8	10	17	21	22	17	16	21	2	–
Tobacconist	6	–	–	1	–	1	2	–	1	1	–	–	–
Others dealing in *Drinks and Stimulants*	3	–	–	–	–	2	1	–	–	–	–	–	–
XIII.													
(1) Soap-boiler	2	–	–	–	–	–	–	1	1	–	–	–	–
Tallow-chandler	10	–	–	–	–	2	1	2	4	1	–	–	–
Others	3	–	–	–	–	–	2	–	–	1	–	–	–
(2) Fellmonger	3	–	–	–	1	–	–	–	–	2	–	–	–
Skinner	6	–	–	–	–	–	1	2	3	–	–	–	–
Tanner	22	–	–	–	–	3	2	3	4	7	2	1	–
Currier	19	–	–	–	2	3	3	5	2	3	1	–	–
Others	2	–	–	–	–	–	1	–	–	–	1	–	–
(3) Brush, Broom,—Maker	14	–	–	–	–	3	1	2	5	3	–	–	–
XIV.													
(1) Oil Miller, Refiner	1	–	–	1	–	–	–	–	–	–	–	–	–
French-polisher	3	–	–	2	1	–	–	–	–	–	–	–	–
(2) Timber Merchant, Dealer	20	–	–	1	1	5	3	2	3	1	4	–	–
Wood Dealer	1	–	–	–	–	–	–	–	–	–	1	–	–
Sawyer	70	–	–	1	4	7	10	6	16	9	16	1	–
Lath-maker	1	–	–	–	1	–	–	–	–	–	–	–	–
Turner	10	–	–	1	–	4	1	3	1	–	–	–	–
Box-maker	1	–	–	–	–	–	1	–	–	–	–	–	–
Cooper	36	–	–	2	2	4	4	8	4	5	6	1	–
Others	4	–	–	–	–	–	–	1	1	1	1	–	–
(3) Cork Cutter, manufacture	6	–	–	1	–	–	1	1	–	1	2	–	–
Working in *Bark*	1	–	1	–	–	–	–	–	–	–	–	–	–
(4) Basket-maker	10	–	–	–	–	–	1	–	3	2	3	1	–
Thatcher	1	–	–	–	–	–	–	–	–	1	–	–	–
(5) Rag Gatherer, Dealer	7	–	–	–	–	–	1	1	–	4	–	–	1
Paper manufacture	16	–	–	–	1	2	1	1	5	2	3	1	–
Stationer (not Law)	3	–	–	–	–	1	–	1	1	–	–	–	–
Working in *Paper*	1	–	–	–	–	–	–	–	1	–	–	–	–
XV.													
(1) Coal-miner	1498	2	58	140	165	227	192	168	207	207	109	22	1
Copper-miner	1	–	–	–	–	1	–	–	–	–	–	–	–
Lead-miner	231	–	1	12	19	32	36	48	52	23	8	–	–
Iron-miner	30	–	–	1	6	5	6	6	4	2	–	–	–
Others	19	–	–	1	–	2	3	2	7	3	1	–	–
(2) Coal Merchant, Dealer	2	–	–	–	–	–	–	1	1	–	–	–	–
Coalheaver, Labourer	12	–	–	1	2	1	3	–	2	–	2	1	–
Coke Burner, Dealer	25	–	–	–	1	6	10	4	2	2	–	–	–
Chimney Sweeper	9	–	–	–	–	2	2	2	1	2	–	–	–
Gas Works Service	10	–	–	–	1	2	1	2	2	1	–	1	–
Others working in *Coa*	4	–	–	–	–	–	1	1	1	–	1	–	–

X.—NORTHERN COUNTIES.—Deaths of Males of different Occupations registered in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XV.—*cont.*													
(3) Stone Quarrier	60	–	–	–	1	8	7	12	16	10	5	1	–
Stone Cutter, Dresser, Polisher	6	–	–	–	2	–	1	2	–	1	–	–	–
Slate Quarrier	6	–	–	1	–	–	1	–	1	2	1	–	–
Limestone Quarrier, Burner	16	–	–	–	1	2	1	–	4	3	4	1	–
Brick Maker, Dealer	36	–	–	1	3	8	5	6	4	6	3	–	–
Railway Labourer	133	–	–	5	12	40	21	22	22	8	3	–	–
Platelayer	39	–	–	1	2	9	11	4	7	3	1	1	–
Excavator, Navvy	5	–	–	–	–	1	2	1	1	–	–	–	–
Road Contractor, Inspector, Surveyor	2	–	–	–	–	–	1	1	–	–	–	–	–
Road Labourer	36	–	–	–	1	–	–	5	7	12	10	1	–
Scavenger	5	–	–	–	–	–	–	1	–	1	2	–	–
Others working in *Stone, Clay*	6	–	–	–	–	–	1	1	2	1	1	–	–
(4) Earthenware manufacture	53	–	–	2	2	3	14	15	7	8	2	–	–
Tobacco-pipe Maker	9	–	–	–	–	2	1	2	1	2	1	–	–
Earthenware and Glass Dealer	11	–	–	–	–	–	1	2	5	2	1	–	–
(5) Glass manufacture	81	–	2	4	6	16	9	12	9	13	9	1	–
(6) Salt manufacture	2	–	–	–	–	–	2	–	–	–	–	–	–
(7) Waterworks Service	4	–	–	1	–	2	–	–	1	–	–	–	–
Working or dealing in *Water*	1	–	–	–	–	–	–	–	–	–	1	–	–
(8) Goldsmith, Silversmith, Jeweller	3	–	–	–	–	–	–	–	–	1	1	1	–
(9) Coppersmith	2	–	–	–	1	–	–	–	–	1	–	–	–
(10) Tin manufacture	1	–	–	–	–	–	1	–	–	–	–	–	–
Tinman, Tinworker, Tinker	14	–	–	–	–	2	1	2	4	3	2	–	–
Tinplate Worker	3	–	–	–	–	–	–	–	1	1	1	–	–
(12) Lead manufacture	25	–	–	3	2	1	4	6	3	3	3	–	–
(13) Brass Founder, Moulder, manufacture	10	–	–	–	2	2	1	3	2	–	–	–	–
Brazier	4	–	–	1	–	1	–	–	–	2	–	–	–
Locksmith, Bellhanger	2	–	–	–	1	–	1	–	–	–	–	–	–
Gasfitter	2	–	–	–	–	–	1	–	1	–	–	–	–
Wire Worker, Weaver	2	–	–	–	–	–	2	–	–	–	–	–	–
(14) Iron manufacture, Moulder, Founder	277	–	4	18	43	67	50	34	36	17	6	2	–
Whitesmith	15	–	–	1	1	1	2	3	2	2	3	–	–
Blacksmith	290	–	–	19	19	42	43	48	39	37	36	6	1
Nail manufacture	29	–	1	1	1	2	6	3	1	7	6	1	–
Anchorsmith, Chainsmith	28	–	–	2	1	3	5	7	5	5	–	–	–
Boiler-maker	24	–	–	1	3	7	10	2	–	1	–	–	–
Ironmonger	8	–	–	1	–	2	1	1	–	1	2	–	–
Hardwareman, Dealer	2	–	–	–	–	1	–	1	–	–	–	–	–
Steel manufacture, Worker	1	–	–	–	–	–	1	–	–	–	–	–	–
Grinder (Branch undefined)	1	–	–	–	–	–	–	1	–	–	–	–	–
Others working in *Iron, Steel*	6	–	–	–	–	–	1	1	1	2	1	–	–
XVI.													
(1) Labourer	606	–	8	25	45	73	101	80	107	84	66	12	–
(2) Mechanic	1	–	–	–	–	1	–	–	–	–	–	–	–
Shopman	2	–	–	–	–	–	–	–	–	1	–	1	–
Others of indefinite Occupations	2	–	–	–	–	–	–	2	–	–	–	–	–
XVII.													
(1) Gentleman, Independent	73	–	–	–	2	7	2	10	15	14	18	5	–
Annuitant	13	–	–	–	–	–	1	1	1	5	4	1	–
XVIII.													
(1) Dependent on Relatives	3	–	–	–	1	–	–	–	2	–	–	–	–
Almsperson (no stated Occupation)	2	–	–	–	–	–	–	–	–	–	1	1	–
Pauper (no stated Occupation)	14	–	–	–	1	–	3	3	2	3	2	–	–
Lunatic (no stated Occupation)	8	–	1	–	–	1	2	2	1	1	–	–	–
Others	6	–	–	–	–	–	–	2	1	3	–	–	–
(2) *Prisoner* (no stated Occupation)	3	–	–	–	1	–	–	–	1	1	–	–	–
(3) *Vagrant, Beggar*	8	–	–	–	–	1	1	1	2	3	–	–	–
Others of no stated Occupation or Condition	19	–	–	2	2	5	5	3	1	–	–	1	–

XI.—MONMOUTHSHIRE AND WALES.—DEATHS of MALES of different OCCUPATIONS registered in the Years 1860–1.

Order.	OCCUPATIONS.	TOTAL.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	TOTAL OF MALES AGED 5 YEARS AND UPWARDS	17864	1210	856	1075	1312	1978	1709	1848	2168	2616	2811	735	46
I.														
(1)	Post Office	24	–	–	1	2	3	2	4	6	5	1	–	–
	Inland Revenue	14	–	–	–	–	2	2	3	1	3	3	–	–
	Customs	13	–	–	–	–	1	3	3	–	5	1	–	–
	Dockyard Artificers	14	–	–	–	–	3	2	2	1	4	1	1	–
	Government Officer	1	–	–	–	–	–	–	–	–	1	–	–	–
(2)	Magistrate	5	–	–	–	–	–	–	–	1	2	1	1	–
	Police	20	–	–	–	3	8	4	2	1	2	–	–	–
	Prison Officer	2	–	–	–	–	–	–	1	1	–	–	–	–
	Union and Parish Officer	28	–	–	–	2	–	2	3	2	10	9	–	–
	Other *Local* Officers	6	–	–	–	–	–	1	–	2	1	1	1	–
II.														
(1)	Army Officer	5	–	–	–	–	1	1	1	1	1	–	–	–
	Army Half-pay Officer	5	–	–	–	–	–	–	–	–	1	2	2	–
	Soldier	62	–	–	9	19	13	15	3	1	–	2	–	–
	Chelsea Pensioner	46	–	–	–	–	1	1	2	3	19	17	3	–
	Militia	13	–	–	1	5	4	2	–	–	–	1	–	–
(2)	Navy Officer	6	–	–	–	–	1	–	–	1	4	–	–	–
	Navy Half-pay Officer	5	–	–	–	–	–	–	–	–	3	2	–	–
	Seaman, R.N.	9	–	–	–	3	2	3	–	–	1	–	–	–
	Royal Marine	16	–	–	–	–	1	2	–	4	1	5	3	–
	Greenwich Pensioner	5	–	–	–	–	–	–	–	1	1	3	–	–
III.														
(1)	(*a*) Clergyman	53	–	–	–	–	1	5	12	15	11	6	3	–
	Protestant Minister	60	–	–	–	1	4	7	6	11	14	15	2	–
	Roman Catholic Priest	3	–	–	–	–	–	1	–	–	1	1	–	–
	Other *Religious Teachers*	1	–	–	–	–	1	–	–	–	–	–	–	–
	(*b*) Parish Clerk	5	–	–	–	–	–	1	–	1	–	2	1	–
	Other *Church Officers*	9	–	–	–	–	–	–	1	–	5	2	1	–
(2)	(*a*) Solicitor	14	–	–	–	–	1	1	3	4	2	2	1	–
	Law Student	1	–	–	–	–	1	–	–	–	–	–	–	–
	Other *Lawyers*	1	–	–	–	–	–	–	–	1	–	–	–	–
	(*b*) Officers of Law Court	4	–	–	–	–	–	1	1	–	2	–	–	–
	Law Clerk	21	–	1	–	2	6	6	3	2	–	1	–	–
	Law Stationer	1	–	–	–	–	–	–	1	–	–	–	–	–
(3)	(*a*) Physician	2	–	–	–	–	–	1	–	–	–	1	–	–
	Surgeon, Apothecary	25	–	–	–	–	2	4	10	1	2	5	1	–
	Medical Student, Assistant	4	–	–	–	2	2	–	–	–	–	–	–	–
	(*b*) Druggist	27	–	–	3	5	3	6	5	3	1	1	–	–
	Connected with *Medicine*	1	–	–	–	–	–	1	–	–	–	–	–	–
(4)	Author, Editor, Writer	3	–	–	–	–	–	1	–	2	–	–	–	–
	Others engaged in *Literature*	2	–	–	–	–	1	–	–	–	–	1	–	–
(5)	Artist, Painter	6	–	–	–	1	1	1	–	–	2	1	–	–
	Photographic Artist	1	–	–	–	–	–	–	1	–	–	–	–	–
(6)	Musician	14	–	–	–	1	6	–	2	4	–	1	–	–
	Connected with *Music*	1	–	–	–	–	–	–	1	–	–	–	–	–
(7)	Persons engaged about *Theatres, Exhib.*	1	–	–	–	–	1	–	–	–	–	–	–	–
(8)	Schoolmaster	64	–	–	1	12	11	4	9	4	12	10	1	–
	Teacher (General)	5	–	–	3	1	1	–	–	–	–	–	–	–
	Teacher of Dancing, Gymnastics	2	–	–	–	–	1	–	–	1	–	–	–	–
	Engaged in *Teaching*	1	–	–	–	–	–	–	–	–	1	–	–	–
(9)	Civil Engineer	6	–	–	–	1	1	1	–	–	2	1	–	–
IV.														
(3)	*Son*, Grandson, *Brother*, Nephew (not otherwise described)	2435	1209	712	397	109	8	–	–	–	–	–	–	–
V.														
(1)	Innkeeper, Hotelkeeper	137	–	–	–	3	11	17	31	30	24	18	3	–
	Publican	95	–	–	–	3	9	14	12	25	21	10	1	–
	Beersellor	11	–	–	–	–	2	2	1	2	3	1	–	–
	Lodging, Boarding-house Keeper	2	–	–	–	–	–	1	1	–	–	–	–	–
	Cook (not Domestic Servant)	2	–	–	–	–	1	1	–	–	–	–	–	–
(2)	*Domestic Servant* (General)	45	–	3	6	3	5	4	–	7	6	7	4	–
	Coachman	16	–	–	–	–	–	4	1	5	–	4	2	–
	Groom	13	–	1	–	3	3	2	1	2	1	–	–	–
	Gardener	8	–	–	–	–	1	–	1	2	3	1	–	–
	Inn Servant	6	–	–	–	2	2	1	–	–	–	1	–	–
	Others	4	–	–	–	–	–	2	–	–	1	1	–	–
VI.														
(1)	Merchant	7	–	–	–	–	1	1	1	1	2	1	–	–
	Banker	2	–	–	–	–	–	–	–	1	1	–	–	–
	Ship Broker, Agent	9	–	–	–	–	2	2	2	1	1	1	–	–
	Broker	1	–	–	–	–	–	–	–	–	–	1	–	–
	Agent, Factor	13	–	–	–	–	–	1	5	3	2	1	1	–
	Coal, Colliery, Agent, Factor	12	–	–	–	1	–	2	4	3	2	–	–	–
	Auctioneer, Appraiser, Valuer	9	–	–	–	–	1	1	1	2	4	–	–	–
	Accountant	15	–	–	–	1	3	5	2	1	2	1	–	–
	Commercial Clerk	34	–	–	4	6	8	8	2	4	2	–	–	–
	Commercial Traveller	8	–	–	–	–	2	1	1	3	1	–	–	–

NOTE.—The Counties comprised in this Table are Monmouthshire, South and North Wales.

XI.—MONMOUTHSHIRE AND WALES.—DEATHS of MALES of different OCCUPATIONS registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
VI.—*cont.*													
(2) Pawnbroker	3	–	–	1	1	–	–	1	–	–	–	–	–
Marine-store Dealer	2	–	–	–	–	–	–	–	2	–	–	–	–
General Dealer, Huckster, Costermonger	6	–	–	–	–	2	1	2	–	1	–	–	–
Shopkeeper (Branch undefined)	30	–	–	–	2	5	1	6	1	10	5	–	–
Hawker, Pedlar	39	–	–	–	2	6	5	6	8	7	4	–	1
VII.													
(1) Railway Engine Driver, Stoker	25	–	–	3	5	8	5	3	1	–	–	–	–
Railway Official, Clerk, Station-master	11	–	–	–	3	3	2	2	1	–	–	–	–
Railway Servant, Porter, Gatekeeper	38	–	1	1	6	13	9	4	3	–	1	–	–
Railway Police	6	–	–	–	–	3	3	–	–	–	–	–	–
(2) Toll-collector, Turnpike-gate Keeper	9	–	–	–	–	2	1	1	2	1	2	–	–
Coach, Omnibus, Cab,—Owner	3	–	–	–	–	–	1	1	–	1	–	–	–
Coachman (not Domestic)	15	–	–	–	2	1	–	5	3	4	–	–	–
Cabman, Flyman	9	–	–	–	4	1	2	2	–	–	–	–	–
Carman, Carrier, Carter, Drayman	105	–	4	7	11	13	10	18	16	15	9	2	–
(3) Canal and Inland Navigation Service	10	–	–	–	1	–	–	–	2	2	3	2	–
Bargeman, Lighterman, Waterman	56	–	2	–	3	9	14	4	7	5	8	4	–
(4) Seaman (Merchant Service)	419	–	2	47	66	91	57	40	32	34	39	11	–
Pilot	18	–	–	–	1	1	2	3	7	2	1	1	–
Boatman on Seas	2	–	–	1	–	–	–	–	–	–	1	–	–
Harbour, Dock, Servant, Dock Labourer	61	–	–	3	2	12	14	11	8	5	6	–	–
Wharfinger	1	–	–	–	–	–	–	–	–	–	1	–	–
Others	23	–	–	1	2	7	1	7	2	2	1	–	–
(5) Warehouseman (not Manchester)	1	–	–	–	1	–	–	–	–	–	–	–	–
Others connected with *Storage*	3	–	–	–	–	–	1	–	1	1	–	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	11	–	–	–	–	2	–	2	3	–	4	–	–
Telegraph Service	1	–	–	1	–	–	–	–	–	–	–	–	–
Employed about *Messages*	1	–	–	–	–	–	–	–	1	–	–	–	–
VIII.													
(1) Land Proprietor	64	–	–	–	–	3	2	5	13	15	20	6	–
Farmer, Grazier	2030	–	–	–	24	71	131	199	289	509	564	226	17
Farmers "Son," "Brother," "Grandson"	155	–	–	32	60	42	14	4	3	–	–	–	–
Farm Bailiff	24	–	–	–	–	2	2	4	5	6	3	2	–
Agricultural Labourer (out-door)	1875	–	4	78	118	199	132	162	249	391	392	141	9
Shepherd (out-door)	18	–	–	1	1	2	2	1	2	5	2	2	–
Land Surveyor, Land Estate Agent	12	–	–	–	1	1	3	–	2	4	1	–	–
Others connected with *Agriculture*	4	–	–	–	–	1	–	–	2	1	–	–	–
(2) Woodman	34	–	–	1	1	1	3	3	6	7	9	3	–
(3) Gardener (not Domestic Servant)	107	–	–	–	2	5	8	14	16	30	20	12	–
IX.													
(1) Horse Proprietor, Dealer	2	–	–	–	–	–	–	1	1	–	–	–	–
Horsebreaker	13	–	1	–	–	1	1	6	1	1	1	1	–
Horsekeeper, Groom, Jockey	77	–	1	2	2	14	13	12	18	9	4	2	–
Farrier, Veterinary Surgeon	8	–	–	–	–	1	1	1	1	4	–	1	–
Cattle, Sheep,—Dealer, Salesman	12	–	–	–	–	1	–	2	4	3	2	–	–
Drover	8	–	–	–	–	–	–	1	3	3	1	–	–
Pig Merchant, Dealer	6	–	–	–	–	1	–	–	1	1	3	–	–
Gamekeeper	16	–	–	–	–	1	6	1	–	3	3	1	1
Vermin Destroyer, Rat catcher	12	–	–	–	–	1	–	2	1	1	6	1	–
Fisherman	27	–	–	–	–	2	1	–	6	7	6	4	1
Others engaged about *Animals*	3	–	–	–	1	1	–	–	–	–	1	–	–
X.													
(1) Bookseller, Publisher	6	–	–	–	–	1	1	1	1	1	1	–	–
Bookbinder	3	–	–	–	–	–	1	–	1	–	1	–	–
Printer	20	–	–	2	5	3	4	1	1	1	1	–	–
Newspaper Agent, Vendor, &c.	2	–	–	–	1	–	–	–	–	1	–	–	–
(3) Lithographer, Lithographic Printer	1	–	–	1	–	–	–	–	–	–	–	–	–
(5) Toy Maker, Dealer	1	–	–	–	–	–	–	–	–	–	–	1	–
(7) Watchmaker, Clockmaker	27	–	–	2	1	3	2	6	3	6	3	1	–
Philosophical Instrument Maker	1	–	–	–	1	–	–	–	–	–	–	–	–
(8) Surgical Instrument Maker	1	–	–	–	–	–	–	1	–	–	–	–	–
(9) Gunsmith, Gun manufacture	1	–	–	–	–	–	–	–	–	1	–	–	–
(10) Engine and Machine Maker	54	–	–	10	11	12	5	7	3	4	1	1	–
Tool Maker, Dealer	1	–	–	–	–	–	–	1	–	–	–	–	–
File maker	1	–	–	–	–	1	–	–	–	–	–	–	–
Saw Smith, Maker	1	–	–	–	–	–	–	–	1	–	–	–	–
Cutler	1	–	–	–	–	–	–	–	1	–	–	–	–
Others engaged about *Tools and Machines*	6	–	–	–	1	–	–	–	2	1	2	–	–
(11) Coachmaker	7	–	–	1	–	1	2	1	–	1	–	1	–
Engaged about *Carriages*	1	–	–	–	–	–	–	1	–	–	–	–	–
(12) Saddler, Harness maker	58	–	–	2	7	4	7	5	5	17	9	2	–
(13) Shipbuilder, Shipwright	85	–	–	5	16	13	7	7	9	9	16	3	–
Boat, Barge,—Builder	1	–	–	–	–	–	–	–	–	–	–	1	–
Sailmaker	7	–	–	1	–	2	3	–	1	–	–	–	–
Others engaged in fitting *Ships*	3	–	–	–	–	–	1	2	–	–	–	–	–
(14) House Proprietor	28	–	–	–	–	–	–	1	5	9	11	1	1
House Agent, Rent Collector	1	–	–	–	–	–	–	–	1	–	–	–	–
Architect	4	–	–	–	–	–	–	–	–	3	1	–	–
Surveyor	2	–	–	–	–	–	2	–	–	–	–	–	–
Builder	12	–	–	–	1	1	1	3	4	1	1	–	–
Carpenter, Joiner	428	–	–	14	44	62	40	49	53	75	61	27	3

XI.—MONMOUTHSHIRE AND WALES.—DEATHS of MALES of different OCCUPATIONS registered in the Years 1860-1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
X. *cont.*													
(14) Bricklayer	13	–	–	1	1	2	2	1	1	4	1	–	–
Marble Mason	4	–	–	–	1	1	–	–	–	1	1	–	–
Mason, Pavior	374	–	2	7	24	36	42	54	56	70	60	23	–
Slater, Tiler	41	–	–	1	5	6	4	6	4	3	8	4	–
Plasterer	19	–	–	3	1	2	2	2	2	2	5	–	–
Paperhanger	1	–	–	–	–	–	–	–	1	–	–	–	–
Plumber, Painter, Glazier	53	–	–	3	6	11	13	7	7	5	–	1	–
(15) Cabinet-maker, Upholsterer	30	–	–	1	3	4	7	2	3	4	4	2	–
Chairmaker	3	–	–	–	–	1	–	–	1	–	1	–	–
Carver, Gilder	1	–	–	–	–	–	–	–	–	–	1	–	–
Bedstead, Mattress, Tick,—Maker	1	–	–	–	–	–	–	–	–	–	1	–	–
Furniture Broker	2	–	–	–	–	–	–	1	–	–	1	–	–
(16) Wheelwright	62	–	–	2	3	6	4	7	8	15	14	3	–
Millwright	9	–	–	–	2	–	–	1	3	2	1	–	–
Other *Implement* Makers	3	–	–	–	–	2	–	–	1	–	–	–	–
(17) Manuf. Chemist, Lab. at Chem Works	9	–	–	1	2	–	1	1	4	–	–	–	–
Dyer, Scourer, Calenderer	1	–	–	–	–	–	–	–	–	–	–	1	–
XI.													
(1) Woollen Cloth manufacture	48	–	–	–	4	6	5	7	2	10	14	–	–
Clothier	3	–	–	–	–	–	–	–	1	1	1	–	–
Fuller	4	–	–	2	–	–	–	–	–	1	–	1	–
Wool, Woollen,—Dyer	1	–	–	–	–	–	–	–	–	–	1	–	–
Worsted manufacture	2	–	–	–	–	–	–	1	–	1	–	–	–
Stuff manufacture	1	–	–	–	–	–	–	1	–	–	–	–	–
Flannel manufacture	65	–	–	5	6	9	1	5	8	14	13	4	–
(2) Silk Dyer, Printer	1	–	–	–	–	–	–	–	–	–	1	–	–
Silk Mercer	1	–	–	–	–	–	–	–	–	1	–	–	–
(3) Flax, Linen,—manufacture	5	–	–	–	–	–	–	–	–	1	2	2	–
Cotton manufacture	2	–	–	–	–	–	–	–	–	2	–	–	–
(4) Weaver (not otherwise defined)	64	–	–	1	3	4	7	4	8	14	20	3	–
Draper, Linendraper, Mercer	96	–	–	9	24	29	14	6	5	4	5	–	–
(5) Hairdresser, Wig-maker	16	–	–	–	1	2	2	4	3	4	–	–	–
Hatter, Hat manufacture	10	–	–	–	–	2	1	3	2	1	1	–	–
Furrier	1	–	–	–	–	–	1	–	–	–	–	–	–
Tailor	317	–	–	22	38	47	40	39	25	40	51	14	1
Clothes Dealer, Salesman, Outfitter	1	–	–	–	–	–	–	–	1	–	–	–	–
Hosier, Haberdasher	5	–	–	–	–	–	–	–	1	3	1	–	–
Glover, Leather, and not otherwise des.	3	–	–	–	–	–	–	–	3	–	–	–	–
Shoemaker, Bootmaker	486	–	1	19	38	56	60	58	66	83	84	20	1
Patten, Clog,—Maker	9	–	–	–	2	2	–	–	3	1	1	–	–
Umbrella, Parasol, Stick,—Maker	5	–	–	–	–	–	–	3	–	–	2	–	–
Others providing *Dress*	4	–	–	–	–	–	2	1	–	–	1	–	–
(6) Mat Maker, Seller	1	–	–	–	–	–	–	–	–	1	–	–	–
Rope, Cord,—Maker	6	–	–	–	–	–	–	1	1	2	1	1	–
XII.													
(1) Cowkeeper, Milkseller	10	–	1	–	–	–	–	1	2	5	–	1	–
Cheesemonger	7	–	–	–	1	1	1	1	1	1	1	–	–
Butcher, Meat Salesman	125	–	–	1	8	16	22	11	16	25	20	6	–
Provision Curer, Dealer	3	–	–	–	–	1	–	–	–	2	–	–	–
Poulterer, Game Dealer	1	–	–	–	–	–	–	–	–	1	–	–	–
Fishmonger	8	–	–	1	–	3	1	–	–	2	1	–	–
Dealing in *Animal Food*	1	–	–	–	–	–	–	–	–	1	–	–	–
(2) Corn Merchant, Dealer	7	–	–	–	–	2	–	2	1	–	2	–	–
Miller	81	–	1	2	5	6	10	10	16	17	8	6	–
Flour Dealer, Agent	5	–	–	–	–	–	–	1	1	2	1	–	–
Baker	27	–	–	–	2	1	6	3	4	7	4	–	–
Confectioner, Pastry Cook	12	–	–	–	–	1	2	4	1	2	2	–	–
Greengrocer, Fruiterer	11	–	–	–	1	2	3	2	2	1	–	–	–
(3) Maltster	22	–	–	–	–	1	2	2	4	5	5	3	–
Brewer, and others engaged in Brewing	25	–	–	–	1	4	8	4	5	1	–	2	–
Wine and Spirit Merchant	18	–	–	–	1	1	7	4	3	2	–	–	–
Cellarman	1	–	–	–	–	1	–	–	–	–	–	–	–
Ginger Beer, Soda, Min. Water, manuf.	1	–	–	–	–	1	–	–	–	–	–	–	–
Sugar Refiner	1	–	–	–	–	–	–	1	–	–	–	–	–
Grocer, Tea Dealer	118	–	1	7	10	25	20	14	17	11	10	2	1
Others dealing in *Drinks and Stimulants*	2	–	–	–	–	1	–	1	–	–	–	–	–
XIII.													
(1) Tallow-chandler	6	–	–	–	1	–	–	1	–	2	1	–	1
(2) Fellmonger	3	–	–	–	–	–	–	2	–	–	1	–	–
Skinner	10	–	–	1	–	–	1	–	1	5	2	–	–
Tanner	19	–	–	–	1	2	5	1	3	6	–	1	–
Currier	23	–	–	–	–	2	4	5	4	5	3	–	–
Dealing in *Skins*	1	–	–	–	–	–	–	–	–	–	1	–	–
(3) Brush, Broom,—Maker	3	–	–	–	–	–	–	–	–	3	–	–	–
XIV.													
(1) Oil and Colourman	1	–	–	–	–	–	–	–	–	1	–	–	–
Working in *Gums, &c.*	1	–	–	–	–	–	1	–	–	–	–	–	–
(2) Timber Merchant, Dealer	16	–	–	–	3	2	3	2	3	–	3	–	–
Wood Dealer	2	–	–	–	–	–	–	1	1	–	–	–	–
Sawyer	93	–	–	2	5	10	10	15	12	15	20	4	–
Fence, Hurdle,—Maker	2	–	–	–	–	–	–	–	1	–	1	–	–
Lath-maker	5	–	–	1	–	1	1	–	–	1	1	–	–
Turner	13	–	1	–	3	–	1	–	1	2	3	2	–
Cooper	36	–	–	1	–	3	2	7	2	14	5	2	–
Hoop Maker, Bender	3	–	–	1	–	–	–	–	–	1	–	–	1

XI.—MONMOUTHSHIRE AND WALES.—DEATHS of MALES of different OCCUPATIONS registered in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XIV.—*cont.*													
(8) Others working in *Bark*	4	–	–	–	–	–	–	–	1	3	–	–	–
(4) Basket-maker	8	–	–	–	1	1	1	–	–	4	–	1	–
Hay and Straw Dealer	4	–	–	–	–	–	3	1	–	–	–	–	–
Thatcher	10	–	–	–	–	–	–	1	2	2	4	–	1
Others working in *Cane, Rush, Straw*	2	–	–	–	–	–	1	1	–	–	–	–	–
(5) Rag Gatherer, Dealer	4	–	–	–	–	–	1	–	1	–	2	–	–
Paper manufacture	8	–	–	–	–	–	–	–	2	2	4	–	–
Stationer (not Law)	2	–	–	–	–	2	–	–	–	–	–	–	–
XV.													
(1) Coal-miner	1603	1	82	152	188	297	216	224	230	139	62	11	1
Copper-miner	62	–	–	3	10	9	6	7	9	14	3	1	–
Lead-miner	218	–	1	10	24	41	26	35	40	28	11	2	–
Iron-miner	251	–	5	13	28	51	32	31	42	30	17	2	–
Others	97	–	2	7	6	19	14	15	19	10	4	1	–
(2) Coal Merchant, Dealer	20	–	–	1	1	3	2	3	4	3	2	1	–
Coalheaver, Labourer	38	–	4	3	1	7	7	5	4	5	1	1	–
Coke Burner, Dealer	21	–	–	–	–	2	4	4	3	4	2	2	–
Chimney sweeper	6	–	–	–	1	2	–	1	–	2	–	–	–
Gas Works Service	1	–	–	–	–	–	–	1	–	–	–	–	–
Others working in *Coal*	13	–	–	–	–	4	3	1	2	–	2	1	–
(3) Stone Quarrier	58	–	–	2	11	6	7	5	12	9	5	1	–
Stone Cutter, Dresser, Polisher	21	–	–	–	1	5	2	4	2	2	3	2	–
Slate Quarrier	311	–	–	22	49	47	43	52	31	34	29	4	–
Limestone Quarrier, Burner	25	–	–	–	–	3	2	4	5	4	5	2	–
Brick Maker, Dealer	25	–	–	2	2	1	6	3	3	5	1	2	–
Railway Labourer	59	–	–	4	6	16	15	10	1	3	2	2	–
Platelayer	11	–	–	–	1	2	2	3	2	–	–	1	–
Excavator, Navvy	20	–	–	–	2	9	5	3	1	–	–	–	–
Road Contractor, Inspector, Surveyor	4	–	–	–	–	–	–	–	3	1	–	–	–
Road Labourer	52	–	–	–	1	3	4	4	8	21	9	2	–
Scavenger	3	–	–	–	–	–	1	–	–	2	–	–	–
Others working in *Stone, Clay*	9	–	–	–	–	1	1	2	2	2	1	–	–
(4) Earthenware manufacture	13	–	–	1	1	–	3	1	3	3	1	–	–
Tobacco-pipe Maker	2	–	–	–	–	–	1	1	–	–	–	–	–
Earthenware and Glass Dealer	10	–	–	–	–	–	–	2	3	1	4	–	–
(7) Others working or dealing in *Water*	1	–	–	–	–	–	–	–	–	–	1	–	–
(8) Goldsmith, Silversmith, Jeweller	5	–	–	–	–	–	2	–	2	1	–	–	–
Plater, Plated Ware manufacture	1	–	–	–	1	–	–	–	–	–	–	–	–
Dealing in *Gold, Silver, &c.*	1	–	–	–	–	–	–	–	1	–	–	–	–
(9) Copper manufacture	100	–	–	–	10	20	16	20	18	11	4	1	–
Coppersmith	1	–	–	–	1	–	–	–	–	–	–	–	–
(10) Tin manufacture	66	–	1	8	5	9	11	6	8	9	8	1	–
Tinman, Tinworker, Tinker	28	–	–	–	4	4	3	3	4	5	5	–	–
Tinplate Worker	8	–	–	2	1	–	2	1	–	–	1	1	–
(12) Lead manufacture	14	–	–	–	1	–	–	3	5	2	3	–	–
(13) Brass Founder, Moulder, manufacture	4	–	–	–	–	–	2	1	1	–	–	–	–
Brazier	2	–	–	–	–	–	1	–	1	–	–	–	–
Gasfitter	2	–	–	–	1	–	–	–	–	–	1	–	–
Wire Maker, Drawer	5	–	–	–	–	2	–	–	–	–	2	1	–
Others working in *mixed Metals*	4	–	–	–	1	2	1	–	–	–	–	–	–
(14) Iron manufacture, Moulder, Founder	571	–	16	32	43	101	81	85	93	72	42	6	–
Whitesmith	5	–	–	–	–	1	–	1	–	2	1	–	–
Blacksmith	310	–	–	18	31	44	34	37	41	40	59	6	–
Nail manufacture	22	–	–	1	–	3	3	2	4	5	4	–	–
Anchorsmith, Chainsmith	7	–	–	2	1	2	–	2	–	–	–	–	–
Boiler-maker	7	–	–	–	1	4	–	1	–	–	1	–	–
Ironmonger	10	–	–	–	3	3	–	–	–	2	2	–	–
Hardwareman, Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
Grinder (Branch undefined)	2	–	–	–	–	–	–	1	–	1	–	–	–
Others working in *Iron and Steel*	2	–	–	–	–	–	–	2	–	–	–	–	–
XVI.													
(1) Labourer	1279	–	6	51	59	139	131	159	213	248	196	71	6
(2) Shopman	2	–	–	1	1	–	–	–	–	–	–	–	–
Others of indefinite Occupations	* 8	–	–	–	–	–	1	2	–	3	1	1	–
XVII.													
(1) Gentleman, Independent	97	–	–	–	3	9	6	10	24	22	20	3	–
Annuitant	10	–	–	–	–	1	1	1	5	1	–	1	–
XVIII.													
(1) Dependent on Relatives	2	–	–	–	–	–	–	1	–	1	–	–	–
Almsperson (no stated Occupation)	4	–	–	–	1	–	–	–	1	–	2	–	–
Pauper (no stated Occupation)	26	–	–	–	2	4	1	2	5	5	6	1	–
Lunatic (no stated Occupation	8	–	–	2	–	1	1	1	1	1	1	–	–
Others	20	–	–	–	1	3	1	2	1	3	8	1	–
(2) *Prisoner* (no stated Occupation)	2	–	–	1	–	–	1	–	–	–	–	–	–
(3) *Vagrant, Beggar*	2	–	–	–	–	–	–	1	–	1	–	–	–
Others of no stated Occupation or Condition	24	–	–	1	–	4	10	3	1	3	–	2	–

* Of these, 6 are contractors, 1 a manufacturer, and 1 a timekeeper.

ENGLAND.

DEATHS OF MALES

AGED 5 YEARS AND UPWARDS

OF

DIFFERENT OCCUPATIONS

TOWN DISTRICTS

REGISTERED IN THE YEARS

1860–1.

ENGLAND.—Deaths of Males of different Occupations registered in Eighty Town Districts* in the Years 1860–1.

Classes.	CLASSES, ORDERS, AND SUB-ORDERS.	AGES OF MALES.												
		Total 5 Years and upwards.	5 Years and Under 20.	20 Years and upwards.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	ALL PERSONS	104,069	15,007	89,062	6,851	3,387	4,769	6,108	12,131	14,208	14,690	15,572	14,971	9,362	1,917	103
	PERSONS OF SPECIFIED OCCUPATIONS AND CONDITIONS	103,634	14,984	88,650	6,851	3,382	4,751	6,075	12,079	14,103	14,620	15,502	14,918	9,344	1,910	99
	CLASSES.															
I.	PROFESSIONAL CLASS	9,255	261	8,994	–	7	254	743	1,484	1,329	1,173	1,189	1,576	1,226	262	12
II.	DOMESTIC CLASS	15,616	11,753	3,863	6,843	3,087	1,823	374	492	664	763	670	519	320	59	2
III.	COMMERCIAL CLASS	12,692	512	12,180	–	42	470	918	2,033	2,231	2,274	2,003	1,676	866	148	11
IV.	AGRICULTURAL CLASS	7,192	141	7,051	1	7	133	238	567	790	881	1,277	1,601	1,301	377	19
V.	INDUSTRIAL CLASS	50,129	2,063	48,066	5	215	1,843	3,354	6,464	7,824	8,211	8,730	8,069	4,564	812	38
VI.	INDEFINITE AND NON-PRODUCTIVE CLASS	8,750	254	8,496	2	24	228	448	1,019	1,265	1,318	1,633	1,477	1,067	252	17
	ORDERS.															
	Order.															
I.	1. Persons engaged in the GENERAL or LOCAL GOVERNMENT *of the Country*	1864	18	1846	–	1	17	70	248	281	310	269	340	265	59	4
I.	2. Persons engaged in the DEFENCE *of the Country*	4342	164	4178	–	6	158	501	791	596	380	362	724	670	147	7
I.	3. Persons engaged in the LEARNED PROFESSIONS or engaged in LITERATURE, ART, and SCIENCE (with their immediate Subordinates)	3049	79	2970	–	–	79	172	445	452	483	558	512	291	56	1
II.	4. Persons engaged in the DOMESTIC OFFICES or DUTIES of WIVES, MOTHERS, Mistresses of Families, CHILDREN, Relatives (not otherwise returned)	11942	11684	258	6843	3084	1757	224	27	6	1	–	–	–	–	–
II.	5. Persons engaged in ENTERTAINING *and performing* PERSONAL OFFICES *for Man*	3674	69	3605	–	3	66	150	465	658	762	670	519	320	59	2
III.	6. Persons who BUY or SELL, KEEP or LEND *Money, Houses, or Goods of* VARIOUS KINDS	3406	110	3296	–	2	108	221	481	547	588	615	495	282	62	5
III.	7. Persons engaged in the CONVEYANCE *of Men, Animals, Goods, and Messages*	9286	402	8884	–	40	362	697	1572	1684	1686	1388	1181	584	86	6
IV.	8. Persons *possessing or working the* LAND, *and engaged in growing* GRAIN, FRUITS, GRASSES, ANIMALS, *and other Products*	5973	115	5858	1	7	107	183	412	526	643	1038	1442	1216	360	18
IV.	9. Persons engaged about ANIMALS	1219	23	1193	–	–	26	55	155	264	238	219	159	85	17	1
V.	10. Persons engaged in ART *and* MECHANIC *Productions, in which Matters of various kinds are employed in combination*	15945	552	15393	–	20	532	1066	2010	2542	2758	2802	2549	1396	271	8
V.	11. Persons *working and dealing in the* TEXTILE FABRICS and in DRESS	13421	615	12806	1	35	579	882	1574	1852	2104	2319	2360	1461	241	13
V.	12. Persons *working and dealing in* FOOD and DRINKS	5869	128	5741	–	6	122	295	770	1001	1028	1108	946	493	93	7
V.	13. Persons *working and dealing in* ANIMAL SUBSTANCES	1047	29	1018	–	–	29	62	137	157	182	191	180	97	12	–
V.	14. Persons *working and dealing in* VEGETABLE SUBSTANCES	2350	86	2264	–	5	81	144	300	378	351	407	376	258	45	5
V.	15. Persons *working and dealing in* MINERALS	11497	653	10844	4	149	500	905	1673	1894	1788	1905	1667	859	150	5
VI.	16. LABOURERS AND OTHERS—*Branch of Labour undefined*	6561	211	6350	1	20	190	371	876	1092	1107	1231	963	564	136	10
VI.	17. Persons of RANK *or* PROPERTY, *not returned under any Office or Occupation*	1610	4	1606	–	–	4	20	73	97	141	322	421	425	102	5
VI.	18. *Persons* SUPPORTED BY THE COMMUNITY *and of no specified Occupation*	579	39	540	1	4	34	57	70	76	70	80	93	78	14	2
	SUB ORDERS.															
	Order.															
I.	1. 1. Officers of National Government	1156	16	1140	–	1	15	48	137	153	179	152	221	199	47	4
I.	1. 2. Officers of Local Government	563	2	561	–	–	2	19	102	110	109	94	87	35	5	–
I.	1. 3. Officers of East India and Colonial Government	145	–	145	–	–	–	3	9	18	22	23	32	31	7	–
I.	2. 1. Army	2352	80	2552	–	–	80	333	571	399	208	203	401	354	78	5
I.	2. 2. Navy	1710	84	1626	–	6	78	168	220	197	172	159	323	316	69	2
I.	3. 1. Clergymen, Ministers, and Church Officers	435	–	435	–	–	–	3	29	43	60	111	102	73	13	1
I.	3. 2. Lawyers, Law Court Officers, and Law Stationers	778	27	751	–	–	27	46	112	120	131	137	135	59	11	–
I.	3. 3. Physicians, Surgeons, and Druggists	646	12	634	–	–	12	49	91	100	110	98	116	58	12	–
I.	3. 4. Authors and Literary Persons	66	1	65	–	–	1	5	20	10	8	10	8	4	–	–
I.	3. 5. Artists	288	11	277	–	–	11	18	42	51	48	50	36	25	7	–
I.	3. 6. Musicians, Teachers of Music	309	5	304	–	–	5	16	84	47	57	45	31	20	4	–
I.	3. 7. Actors, Actresses	93	–	93	–	–	–	3	17	23	18	21	7	4	–	–
I.	3. 8. Teachers	376	23	353	–	–	23	27	44	43	43	78	67	43	8	–
I.	3. 9. Scientific Persons	58	–	58	–	–	–	5	6	15	8	8	10	5	1	–

* For the names of these towns see page 506.

ENGLAND.—Deaths of Males of different Occupations registered in Eighty Town Districts in the Years 1860–1—*continued.*

Classes.	Order.	Classes, Orders, and Sub-Orders.	Total 5 Years and upwards.	5 Years and Under 20.	20 Years and upwards.	Ages of Males. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
		Sub-Orders—*cont.*															
II.	4.	3. Children and Relatives at home (not otherwise described)	11942	11684	258	6843	3084	1757	224	27	6	1	–	–	–	–	–
	5.	1. In Board and Lodging	1902	–	1902	–	–	–	18	167	364	479	411	273	163	27	–
		2. Attendance (Domestic Servants, &c.)	1772	69	1703	–	3	66	132	298	294	283	259	246	157	32	2
III.	6.	1. Mercantile Men	2340	94	2246	–	–	94	181	354	385	371	408	338	173	36	–
		2. Other General Dealers	1066	16	1050	–	2	14	40	127	162	217	207	157	109	26	3
	7.	1. Carriers on Railways	812	42	770	–	4	38	112	207	194	128	84	31	14	–	–
		2. „ on Roads	2516	38	2478	–	5	33	109	381	524	543	407	342	153	18	1
		3. „ on Canals and Rivers	798	30	768	–	3	27	38	80	129	129	164	140	70	16	2
		4. „ on Seas and Rivers	3631	187	3444	–	13	174	356	730	624	555	462	420	248	46	3
		5. Engaged in Storage	249	10	239	–	–	10	16	33	28	72	33	40	17	–	–
		6. Messengers and Porters	1280	95	1185	–	15	80	66	141	185	259	238	208	82	6	–
IV.	8.	1. In Fields and Pastures (Agriculturists)	4883	107	4776	1	7	99	160	346	431	509	840	1177	1000	302	11
		2. „ Woods (Arboriculturists)	24	1	23	–	–	1	–	2	1	3	3	8	6	–	–
		3. „ Gardens (Horticulturists)	1066	7	1059	–	–	7	28	64	94	131	215	257	210	58	7
	9.	*Persons engaged about* Animals	1219	26	1193	–	–	26	55	155	264	288	219	159	85	17	1
V.	10.	1. In Books	1014	74	940	–	5	69	93	152	186	164	151	129	55	10	–
		2. „ Musical Instruments	154	8	146	–	–	8	17	18	26	27	26	20	8	4	–
		3. „ Prints and Pictures	111	6	105	–	1	5	12	25	20	14	15	11	6	2	–
		4. „ Carving and Figures	79	6	73	–	–	6	5	19	14	13	9	7	4	2	–
		5. „ Tackle for Sports and Games	72	2	70	–	–	2	1	7	8	18	14	10	11	1	–
		6. „ Designs, Medals, and Dies	62	3	59	–	–	3	6	14	13	9	11	5	1	–	–
		7. „ Watches and Philosophical Insts.	574	22	552	–	–	22	70	86	75	75	86	102	57	3	–
		8. „ Surgical Instruments	24	2	22	–	–	2	3	2	2	6	3	3	3	–	–
		9. „ Arms	226	8	218	–	1	7	21	36	33	30	33	29	20	6	–
		10. „ Machines and Tools	1897	100	1797	–	3	97	206	372	327	299	299	236	106	18	–
		11. „ Carriages	429	13	416	–	–	13	22	55	67	101	79	61	26	4	–
		12. „ Harness	273	8	265	–	–	8	14	21	42	43	58	53	30	4	–
		13. „ Ships	929	42	887	–	2	40	71	94	146	120	130	189	109	26	2
		14. „ Houses and Buildings	7944	181	7763	–	4	177	393	941	1209	1470	1515	1314	768	147	6
		15. „ Furniture	1224	42	1182	–	1	41	80	127	208	218	205	214	104	26	–
		16. „ Implements	465	17	448	–	1	16	26	43	77	76	78	80	60	8	–
		17. „ Chemicals	468	18	450	–	2	16	26	57	89	77	90	67	34	10	–
	11.	1. In Wool and Worsted	1418	74	1344	–	7	67	102	133	166	218	245	270	187	22	1
		2. „ Silk	859	47	812	–	7	40	56	80	103	131	159	171	100	11	1
		3. „ Cotton and Flax	2463	171	2292	1	11	159	193	302	306	369	421	401	261	36	3
		4. „ Mixed Materials (1, 2, 3)	1134	62	1072	–	–	62	100	198	190	146	159	181	81	16	1
		5. „ Dress	7232	249	6983	–	8	241	416	834	1045	1197	1267	1276	795	146	7
		6. „ Hemp and other Fibrous Materials	315	12	303	–	2	10	15	27	42	43	68	61	37	10	–
	12.	1. In Animal Food	1913	31	1882	–	–	31	68	235	315	338	375	337	173	41	–
		2. „ Vegetable Food	1824	41	1783	–	1	40	81	212	290	352	369	303	163	28	5
		3. „ Drinks and Stimulants	2132	56	2076	–	5	51	146	323	396	358	364	306	157	24	2
	13.	1. In Grease, Gut, Bones, Horn, Ivory, Whalebone	317	7	310	–	–	7	19	39	55	50	61	56	27	3	–
		2. „ Skins, Feathers, and Quills	506	12	494	–	–	12	26	60	73	91	95	93	50	6	–
		3. „ Hair	224	10	214	–	–	10	17	38	29	41	35	31	20	3	–
	14.	1. In Gums and Resins	296	20	276	–	2	18	21	58	72	40	41	31	10	3	–
		2. „ Wood	1436	45	1391	–	2	43	83	167	223	219	257	233	174	30	5
		3. „ Bark	65	4	61	–	–	4	5	3	13	8	11	11	10	–	–
		4. „ Cane, Rush, and Straw	193	5	188	–	–	5	7	19	19	33	42	40	22	6	–
		5. „ Paper	360	12	348	–	1	11	28	53	51	51	56	61	42	6	–
	15.	1. Miners	2741	321	2420	2	116	203	292	473	373	316	387	370	176	33	–
		2. In Coal	1014	16	998	–	2	14	31	113	196	196	198	169	77	17	1
		3. „ Stone, Clay	1423	22	1401	–	1	21	78	181	257	233	295	230	110	17	–
		4. „ Earthenware	733	32	701	1	3	28	53	85	141	152	115	106	42	7	–
		5. „ Glass	261	12	249	1	2	9	14	46	40	37	37	48	24	3	–
		6. „ Salt	14	–	14	–	–	–	1	1	2	3	7	–	–	–	–
		7. „ Water	69	2	67	–	1	1	1	4	7	22	16	10	5	1	1
		8. „ Gold, Silver, and Precious Stones	489	15	474	–	–	15	35	66	58	70	81	95	60	11	–
		9. „ Copper	65	1	64	–	1	–	8	7	8	6	22	9	3	1	–
		10. „ Tin and Quicksilver	243	13	230	–	–	13	24	28	37	34	41	42	20	3	1
		11. „ Zinc	17	1	16	–	–	1	1	5	5	1	2	–	2	–	–
		12. „ Lead and Antimony	88	5	83	–	–	5	5	14	18	18	14	9	4	1	–
		13. „ Brass and other mixed Metals	823	31	792	–	–	31	66	116	149	112	155	117	65	12	–
		14. „ Iron and Steel	3517	182	3335	–	23	159	298	534	603	588	533	462	271	44	2
VI.	16.	1. General Labourers	6339	200	6139	1	20	179	342	834	1049	1073	1198	940	559	134	10
		2 Other Persons of indefinite Occupations	222	11	211	–	–	11	29	42	43	34	33	23	5	2	–
	17.	*Persons of* Rank *or* Property, *not returned under any Office or Occupation*	1610	4	1606	–	–	4	20	73	97	141	322	421	425	102	5
	18.	1. On Income from voluntary Sources and Rates	486	28	458	1	3	24	35	60	59	59	71	84	74	14	2
		2. Prisoners and others of Criminal Class	67	9	58	–	1	8	21	9	12	4	5	5	2	–	–
		3. Vagrants and Gipsies	26	2	24	–	–	2	1	1	5	7	4	4	2	–	–
		Persons of *no stated Rank, Profession, or Occupation*	435	23	412	–	5	18	33	52	105	70	70	53	18	7	4

ENGLAND.—Deaths of Males of different Occupations registered in Eighty Town Districts in the Years 1860–1.

Occupations.	Total.	Ages of Males.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
Total of Males aged 5 Years and upwards	104,069	6851	3387	4769	6108	12131	14208	14690	15572	14971	9362	1917	103
I.—*Persons engaged in the* General *or* Local Government *of the Country.*													
1. *National Government.*													
Civil Servant not in Post-Office or Revenue Departments	142	–	–	–	14	18	15	26	20	27	18	4	–
Post Office	150	–	–	2	10	23	24	35	22	16	15	3	–
Inland Revenue	125	–	–	1	1	3	5	17	21	35	33	8	1
Customs	178	–	–	–	1	16	32	31	25	36	25	12	–
Government Messengers, Workmen	153	–	1	8	11	26	29	31	20	11	14	2	–
Dockyard Artificers	389	–	–	4	11	50	45	36	42	90	90	18	3
Other *Government* Officers	19	–	–	–	–	1	3	3	2	6	4	–	–
2. *Local Government.*													
Magistrate	19	–	–	–	–	–	–	1	6	3	7	2	–
Police	286	–	–	1	18	80	70	57	25	27	7	1	–
Prison Officer	52	–	–	–	–	8	12	12	10	5	5	–	–
Union and Parish Officer	122	–	–	–	1	8	14	24	35	29	9	2	–
Officer of Local Board	23	–	–	–	–	4	3	5	5	4	2	–	–
Other *Local* Officers	61	–	–	1	–	2	11	10	13	19	5	–	–
3. *East India and Colonial Government.*													
East India and Colonial Service	145	–	–	–	3	9	18	22	23	32	31	7	–
II.—*Persons engaged in the* Defence *of the Country.*													
1. *Army—(at Home).*													
Army Officer	156	–	–	–	7	18	23	18	28	41	16	5	–
Army Half-pay Officer	119	–	–	–	2	3	4	6	7	40	47	9	1
Soldier	1261	–	–	72	300	481	265	47	28	31	33	4	–
Chelsea Pensioner	966	–	–	1	7	48	92	131	135	263	228	57	4
Militia	120	–	–	7	17	21	14	6	4	19	29	3	–
Others connected with the *Army*	10	–	–	–	–	–	1	–	1	7	1	–	–
2. *Navy—(Ashore or in Port).*													
Navy Officer	122	–	2	–	8	12	14	10	13	35	25	2	1
Navy Half-pay Officer	81	–	–	–	–	2	2	9	10	26	30	2	–
Seaman, R.N.	519	–	4	58	112	108	89	51	24	35	29	9	–
Royal Marine	180	–	–	19	44	68	31	9	3	2	3	1	–
Greenwich Pensioner	767	–	–	1	4	26	56	88	105	212	221	53	1
Others connected with the *Navy*	41	–	–	–	–	4	5	5	4	13	8	2	–
III.—*Persons engaged in the* Learned Professions *or in* Literature, Art, *and* Science *(with their immediate Subordinates).*													
1. *Clergymen, Ministers, and Church Officers.*													
(*a*) Clergyman	181	–	–	–	–	12	18	27	49	39	29	7	–
Protestant Minister	111	–	–	–	2	4	10	17	26	29	20	3	–
Roman Catholic Priest	24	–	–	–	1	3	3	–	8	6	3	–	–
Other *Religious Teachers*	41	–	–	–	–	7	7	8	11	4	2	1	1
(*b*) Parish Clerk	16	–	–	–	–	–	–	–	4	5	5	2	–
Other *Church Officers*	62	–	–	–	–	3	5	8	13	19	14	–	–
2. *Lawyers, Law Court Officers, and Law Stationers.*													
(*a*) Barrister	61	–	–	–	–	3	12	12	19	11	3	1	–
Solicitor	289	–	–	–	3	22	35	58	57	72	33	9	–
Law Student	1	–	–	–	–	1	–	–	–	–	–	–	–
Other *Lawyers*	5	–	–	–	–	1	1	–	–	1	2	–	–
(*b*) Officers of Law Court	55	–	–	–	1	6	8	8	15	7	10	–	–
Law Clerk	342	–	–	26	38	75	62	48	39	42	11	1	–
Law Stationer	25	–	–	1	4	4	2	5	7	2	–	–	–

Note.—The following Town Districts are comprised in this Table:—

London.
Medway.
Maidstone.
Canterbury.
Brighton.
Portsea Island.
Alverstoke.
Southampton.
Reading.
Oxford.
Northampton.
Bedford.
Cambridge.
West Ham.
Colchester.
Bury St. Edmunds.
Ipswich.
Yarmouth.
Norwich.
Kings Lynn.
Salisbury.
St. Thomas.
Exeter.
Plymouth.
East Stonehouse.
Stoke Damerel.
Truro.
Bath.
Bedminster.
Bristol.
Clifton.
Gloucester.
Cheltenham.
Hereford.
Shrewsbury.
Stafford.
Wolstanton.
Stoke-upon-Trent.
Wolverhampton.
Dudley.
Worcester.
Kings Norton.
Birmingham.
Aston.
Foleshill.
Coventry.
Warwick.
Leicester.
Lincoln.
Radford.
Nottingham.
Derby.
Stockport.
Macclesfield.
Great Boughton.
Liverpool.
West Derby.
Chorlton.
Salford.
Manchester.
Ashton.
Bradford.
Hunslet.
Leeds.
Ecclesall Bierlow.
Sheffield.
York.
Sculcoates.
Hull.
Scarborough.
Durham.
Sunderland.
South Shields.
Gateshead.
Newcastle-upon-Tyne.
Tynemouth.
Carlisle.
Merthyr Tydfil.
Pembroke.
Holywell.

ENGLAND.—Deaths of Males of different Occupations registered in Eighty Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
Order III.—*continued.*													
3. Physicians, Surgeons, and Druggists.													
(*a*) Physician	66	–	–	–	–	2	5	15	14	16	9	5	–
Surgeon, Apothecary	278	–	–	–	7	36	40	53	41	56	41	4	–
Medical Student, Assistant	25	–	–	2	12	7	2	2	–	–	–	–	–
Dentist	33	–	–	–	3	6	6	3	8	4	2	1	–
(*b*) Chemist and Druggist	229	–	–	10	26	38	45	35	33	37	3	2	–
Others connected with *Medicine*	15	–	–	–	1	2	2	2	2	3	3	–	–
4. Authors and Literary Persons.													
Author, Editor, Writer	35	–	–	–	2	12	8	4	3	4	2	–	–
Others engaged in *Literature*	31	–	–	1	3	8	2	4	7	4	2	–	–
5. Artists.													
Artist, Painter	104	–	–	1	4	12	18	22	17	16	12	2	–
Sculptor	12	–	–	1	–	1	2	1	2	3	2	–	–
Engraver	128	–	–	6	10	19	19	17	27	16	10	4	–
Photographic Artist	39	–	–	3	4	10	11	7	3	–	1	–	–
Others engaged in the *Fine Arts*	5	–	–	–	–	–	1	1	1	1	–	1	–
6. Musicians, Teachers of Music.													
Musician	256	–	–	5	15	76	39	46	33	23	15	4	–
Music-master	42	–	–	–	1	8	8	9	11	8	4	–	–
Others connected with *Music*	4	–	–	–	–	–	–	2	1	–	1	–	–
7. Actors, &c.													
Actor	46	–	–	–	3	7	11	10	8	5	2	–	–
Persons engaged about *Theatres, Exhibitions*	47	–	–	–	–	10	12	8	13	2	2	–	–
8. Teachers.													
Schoolmaster	268	–	–	2	20	36	30	34	57	54	30	5	–
Professor, Teacher of Languages	38	–	–	–	–	2	8	6	12	6	3	1	–
Professor of Mathematics	5	–	–	–	1	1	–	–	1	1	1	–	–
Teacher (General)	42	–	–	21	6	2	4	–	5	2	2	–	–
Teacher of Dancing, Gymnastics	11	–	–	–	–	1	1	1	1	2	3	2	–
Other *Teachers*	12	–	–	–	–	2	–	2	2	2	4	–	–
9. Scientific Persons.													
Civil Engineer	43	–	–	–	5	5	13	5	5	6	3	1	–
Other *Scientific* Persons	15	–	–	–	–	1	2	3	3	4	2	–	–
IV.—*Persons returned (only) as* Children *or* Relatives *and* Scholars.													
3. Children and Relatives at Home (not otherwise described).													
Son, Grandson, *Brother*, Nephew	11942	6843	3084	1757	224	27	6	1	–	–	–	–	–
V.—*Persons engaged in entertaining, and performing* Personal Offices *for Man.*													
1. In Board and Lodging.													
Innkeeper, Hotelkeeper	385	–	–	–	2	23	60	94	97	65	31	13	–
Publican, Licensed Victualler	1001	–	–	–	8	99	203	248	203	141	92	7	–
Beerseller	261	–	–	–	3	25	53	76	60	21	18	5	–
Lodging, Boarding-house Keeper	85	–	–	–	–	4	12	16	17	22	13	1	–
Coffee-house, Eating-house, Keeper	90	–	–	–	1	6	23	25	16	15	4	–	–
Cook (not Domestic Servant)	55	–	–	–	3	7	5	18	12	5	4	1	–
Others engaged in *Boarding and Lodging*	25	–	–	–	1	3	8	2	6	4	1	–	–
2. In Attendance, (Domestic Servants, &c.)													
Domestic Servant (General)	757	–	3	32	52	107	103	96	133	133	79	19	–
Coachman	265	–	–	–	5	36	55	50	43	43	29	4	–
Groom	62	–	–	6	8	12	15	8	4	6	3	–	–
Gardener	144	–	–	2	7	10	18	17	30	29	29	6	1
Inn Servant	456	–	–	26	59	120	98	93	27	23	7	2	1
Hospital, Lunatic Asylum, Attendant, Nurse	38	–	–	–	1	7	5	10	8	2	4	1	–
Others engaged in *Attendance*	50	–	–	–	–	6	5	9	14	10	6	–	–
VI.—*Persons who* buy *or* sell, keep, *or* lend *Money, Houses, or Goods of various kinds.*													
1. Mercantile Men.													
Merchant	266	–	–	1	3	27	44	38	56	45	41	11	–
Banker	80	–	–	–	1	1	4	6	5	5	6	2	–
Insurance, Benefit Society, Officer	28	–	–	–	1	4	3	8	3	6	2	1	–
Stock, Share, Broker, Dealer	47	–	–	–	–	5	3	6	14	10	6	3	–
Ship Broker, Agent	50	–	–	1	–	10	10	6	12	7	4	–	–

ENGLAND.—Deaths of Males of different Occupations registered in Eighty Town Districts in the Years 1860–1—*cont.*

Occupations.	Total.	Ages of Males.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
Order VI. Sub-order 1.—*continued.*													
Broker	51	–	–	–	1	5	9	10	6	10	10	–	–
Agent, Factor	145	–	–	3	5	11	28	30	30	28	9	1	–
Coal, Colliery, Agent, Factor	39	–	–	–	–	4	3	10	10	9	3	–	–
Iron Merchant, Agent	6	–	–	–	–	–	1	1	1	1	1	1	–
Salesman (not otherwise described)	2	–	–	–	1	1	–	–	–	–	–	–	–
Auctioneer, Appraiser, Valuer	88	–	–	3	1	6	14	13	27	18	5	1	–
Accountant	166	–	–	3	7	10	32	24	42	30	15	3	–
Commercial Clerk	1118	–	–	82	155	232	172	151	138	127	52	9	–
Commercial Traveller	272	–	–	1	6	37	55	61	54	37	18	3	–
Other *Mercantile* Men	32	–	–	–	–	1	7	7	10	5	1	1	–
2. *Other General Dealers.*													
Pawnbroker	87	–	1	5	8	10	15	14	15	7	11	1	–
Marine-store Dealer	72	–	–	–	5	9	12	15	12	13	5	1	–
General Dealer, Huckster, Costermonger	293	–	–	5	9	38	46	59	54	45	24	10	3
Shopkeeper (Branch undefined)	93	–	–	1	1	5	4	22	17	20	19	4	–
Hawker, Pedlar	515	–	1	3	17	63	84	106	107	72	50	10	2
Other *General Dealers*	6	–	–	–	–	2	1	1	2	–	–	–	–
VII.—*Persons engaged in the* Conveyance *of Men, Animals, Goods, and Messages.*													
1. *Carriers on Railways.*													
Railway Engine Driver, Stoker	184	–	1	9	24	51	56	21	12	6	4	–	–
Railway Official, Clerk, Stationmaster	183	–	1	10	36	36	37	35	21	4	3	–	–
Railway Servant, Porter, Gatekeeper	415	–	2	19	50	112	95	65	48	20	4	–	–
Railway Police	29	–	–	–	2	8	6	7	3	1	2	–	–
Engaged in *Railways*	1	–	–	–	–	–	–	–	–	–	1	–	–
2. *Carriers on Roads.*													
Toll-collector, Turnpike-gate Keeper	56	–	–	–	3	5	8	10	8	18	4	–	–
Coach, Omnibus, Cab,—Owner	111	–	–	–	1	11	21	27	23	15	13	–	–
Livery Stable Keeper	38	–	–	–	–	2	4	9	4	11	4	4	–
Coachman (not domestic)	460	–	–	17	56	87	97	95	64	40	3	1	–
Cabman, Flyman	480	–	2	20	86	136	123	57	43	10	3	–	–
Carman, Carrier, Carter, Drayman	1312	5	31	68	215	256	263	211	179	76	8	–	–
Others engaged in *Road* Conveyance	59	–	–	–	–	6	12	14	9	12	6	–	–
3. *Carriers on Canals and Rivers.*													
Canal and Inland Navigation Service	85	–	1	1	4	10	14	14	19	13	8	1	1
Bargeman, Lighterman, Waterman	708	–	2	25	34	69	115	112	145	127	62	16	1
Others connected with *Inland Navigation*	5	–	–	1	–	1	–	3	–	–	–	–	–
4. *Carriers on Seas and Rivers.*													
Shipowner	80	–	–	–	1	4	4	18	14	24	11	4	–
Seaman (Merchant Service)	2245	–	13	156	274	499	354	263	227	248	178	31	2
Pilot	69	–	–	–	5	7	15	8	7	15	7	5	–
Boatman on Seas	10	–	–	–	2	1	1	1	2	1	2	–	–
Harbour, Dock, Service, Dock Labourer	948	–	–	10	48	155	184	216	176	113	41	4	1
Wharfinger	32	–	–	1	1	5	3	11	8	1	1	1	–
Others connected with *Seas and Rivers*	247	–	–	7	25	59	63	38	28	18	8	1	–
5. *Engaged in Storage.*													
Warehouseman (not Manchester)	294	–	–	9	14	29	24	56	29	29	14	–	–
Others connected with *Storage*	45	–	–	1	2	4	4	16	4	11	3	–	–
6. *Messengers and Porters.*													
Messenger, Porter (not Govt.), Errand Boy	1186	–	15	76	56	131	169	240	214	200	79	6	–
Telegraph Service	24	–	–	4	10	7	1	1	1	–	–	–	–
Others employed about *Messages*	70	–	–	–	–	3	15	18	23	8	3	–	–
VIII.—*Persons possessing or working the* Land, *and engaged in growing* Grain, Fruits, Grasses, Animals, *and other Products.*													
1. *In Fields and Pastures.*													
Land Proprietor	202	–	–	–	2	6	14	14	48	52	39	26	1
Farmer, Grazier	1506	–	–	1	16	58	94	138	261	419	398	119	2
Farmer's "Son," "Grandson," "Brother," "Nephew"	59	–	–	20	16	16	5	2	–	–	–	–	–
Farm Bailiff	67	–	–	–	–	1	9	10	18	16	11	1	1
Agricultural Labourer (out-door)	2953	1	7	76	120	257	295	388	495	671	530	156	7
Shepherd (out-door)	20	–	–	–	2	1	1	2	3	4	7	–	–
Farm Servant (in-door)	2	–	–	1	–	–	–	–	–	1	–	–	–
Land Surveyor, Land Estate Agent	61	–	–	1	4	5	9	5	11	13	13	–	–
Others connected with *Agriculture*	13	–	–	–	–	2	4	–	4	1	2	–	–
2. *In Woods.*													
Woodman	24	–	–	1	–	2	1	3	3	8	6	–	–
3. *In Gardens.*													
Gardener (not Domestic Servant)	1023	–	–	7	21	60	88	121	206	251	208	56	5
Nurseryman (Horticulturist)	43	–	–	–	2	4	6	10	9	6	2	2	2

ENGLAND.—Deaths of Males of different Occupations registered in Eighty Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
Order IX.—*Persons engaged about* Animals.													
Horse Proprietor, Dealer	47	–	–	–	–	2	11	6	8	11	8	1	–
Horsebreaker	27	–	–	–	1	1	9	5	4	4	3	–	–
Horsekeeper, Groom, Jockey	679	–	–	12	31	97	102	147	125	70	32	3	–
Farrier, Veterinary Surgeon	120	–	–	1	6	19	23	23	22	15	9	2	–
Cattle, Sheep,—Dealer, Salesman	57	–	–	1	1	3	11	8	16	10	4	3	–
Drover	85	–	–	–	4	12	16	17	16	15	4	1	–
Pig Merchant, Dealer	20	–	–	–	–	1	2	6	3	3	4	1	–
Gamekeeper	40	–	–	–	1	5	7	1	12	8	5	1	–
Vermin Destroyer, Rat-catcher	4	–	–	–	–	–	–	2	1	–	1	–	–
Fisherman	124	–	–	11	11	14	19	18	11	20	14	5	1
Others engaged about *Animals*	16	–	–	1	–	1	4	5	1	3	1	–	–
X.—*Persons engaged in* Art *and* Mechanic *Productions, in which Matters of various kinds are employed in combination.*													
1. *In Books.*													
Bookseller, Publisher	155	–	–	6	7	21	20	30	20	33	14	4	–
Bookbinder	187	–	1	11	20	28	23	25	45	24	8	2	–
Printer	589	–	3	47	62	97	128	94	69	63	23	3	–
Newspaper Agent, Vendor, &c.	63	–	1	3	4	5	10	13	13	6	7	1	–
Others engaged about *Publications*	20	–	–	2	–	1	5	2	4	3	3	–	–
2. *In Musical Instruments.*													
Musical Instrument Maker, Dealer	130	–	–	7	14	15	21	28	22	17	7	4	–
Others connected with *Musical Instruments*	24	–	–	1	3	3	5	4	4	3	1	–	–
3. *In Prints and Pictures.*													
Lithographer, Lithographic Printer	33	–	–	3	6	12	6	2	1	2	1	–	–
Others connected with *Prints and Pictures*	78	–	1	2	6	13	14	12	14	9	5	2	–
4. *Carving and Figures.*													
Wood-carver	30	–	–	3	3	11	4	2	4	1	1	1	–
Others employed about *Carving and Figures*	49	–	–	3	2	8	10	11	5	6	3	1	–
5. *In Tackle for Sports and Games.*													
Toy Maker, Dealer	48	–	–	1	1	5	7	10	9	6	9	–	–
Bow, Bat, Ball, Tackle, &c. Maker	24	–	–	1	–	2	1	8	5	4	2	1	–
6. *In Designs, Medals, and Dies.*													
Pattern Designer	38	–	–	–	5	5	10	7	8	2	1	–	–
Others engaged about *Designs, Medals, &c.*	24	–	–	3	1	9	3	2	3	3	–	–	–
7. *In Watches and Philosophical Instruments.*													
Watchmaker, Clockmaker	438	–	–	18	52	62	63	53	66	76	46	2	–
Optician, Spectacle-maker	52	–	–	3	3	11	2	4	12	12	5	–	–
Weighing Machine, Scale, Measure, Maker	52	–	–	–	8	9	9	9	6	5	5	1	–
Other *Philosophical Instrument Makers*	82	–	–	1	7	4	1	7	2	9	1	–	–
8. *In Surgical Instruments.*													
Surgical Instrument Maker	23	–	–	2	3	2	2	5	3	3	3	–	–
Connected with *Surgical Instruments*	1	–	–	–	–	–	–	1	–	–	–	–	–
9. *In Arms.*													
Gunsmith, Gun manufacture	204	–	–	6	21	32	29	27	29	35	19	6	–
Others engaged in manufacturing *Arms*	22	–	1	1	–	4	4	3	4	4	1	–	–
10. *In Machines and Tools.*													
Engine and Machine Maker	811	–	1	50	109	177	161	111	104	66	27	5	–
Spindle-maker	29	–	–	5	4	4	6	3	3	1	3	–	–
Needle manufacture	12	–	–	–	–	2	3	1	1	4	1	–	–
Scissors-maker	42	–	–	–	7	3	4	7	11	5	4	1	–
Tool Maker, Dealer	107	–	–	3	13	14	15	18	19	15	8	2	–
File-maker	195	–	–	14	12	22	39	45	32	22	6	3	–
Saw Smith, Maker	49	–	1	–	5	7	9	8	11	6	2	–	–
Cutler	217	–	1	6	13	23	27	32	43	48	22	2	–
Blade Maker, Forger	75	–	–	6	5	14	12	14	13	8	3	–	–
Knife-maker	110	–	–	6	13	13	19	15	15	15	13	1	–
Razor-maker	24	–	–	–	2	–	8	7	3	3	1	–	–
Others engaged about *Tools and Machines*	226	–	–	7	23	33	24	38	44	43	10	4	–
11. *In Carriages.*													
Coachmaker	403	–	–	13	20	48	60	98	78	56	26	4	–
Others engaged about *Carriages*	26	–	–	–	2	8	7	3	1	5	–	–	–
12. *In Harness.*													
Saddler, Harness-maker	249	–	–	7	12	20	41	39	51	47	28	4	–
Whip-maker	24	–	–	1	2	1	1	4	7	6	2	–	–
13. *In Ships.*													
Shipbuilder, Shipwright	673	–	2	30	60	74	102	83	85	142	76	18	1
Block, Oar, Mast,—Maker	42	–	–	2	6	4	10	5	4	5	5	1	–
Boat, Barge,—Builder	68	–	–	3	2	2	5	8	13	20	12	2	1
Sailmaker	77	–	–	4	1	4	15	10	15	13	12	3	–
Others engaged in *Ship-building*	69	–	–	1	2	10	14	14	13	9	4	2	–

ENGLAND.—Deaths of Males of different Occupations registered in Eighty Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.											
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
Order X.—*continued.*													
14. *In Houses and Buildings.*													
House Proprietor	413	–	–	–	–	6	14	27	62	141	129	32	2
House Agent, Rent Collector	86	–	–	–	–	4	3	13	27	19	18	2	–
Architect	57	–	–	2	6	7	8	11	11	7	5	–	–
Surveyor	31	–	–	–	1	1	4	8	4	9	2	2	–
Builder	338	–	–	1	7	30	37	65	96	81	62	9	–
Carpenter, Joiner	2332	–	–	83	144	250	309	371	403	432	272	65	3
Bricklayer	1450	–	–	21	76	184	258	256	286	235	115	19	–
Marble Mason	56	–	–	3	5	12	7	8	11	6	4	–	–
Mason, Pavior	1084	–	2	16	46	140	180	262	221	142	65	9	1
Slater, Tiler	76	–	–	5	1	12	6	15	15	12	8	2	–
Plasterer	328	–	1	10	16	44	42	72	65	51	25	2	–
Paperhanger	63	–	–	2	5	12	17	11	8	6	2	–	–
Plumber, Painter, Glazier	1541	–	1	34	82	235	317	344	296	169	59	4	–
Others engaged in *Houses and Buildings*	39	–	–	–	4	4	7	7	10	4	2	1	–
15. *In Furniture.*													
Cabinet-maker, Upholsterer	696	–	1	25	48	72	113	115	120	123	61	18	–
Undertaker	47	–	–	1	1	6	5	11	9	10	3	1	–
Chairmaker	123	–	–	4	10	14	28	19	19	15	12	2	–
Picture-frame Maker	31	–	–	1	–	5	10	7	1	5	2	–	–
Carver, Gilder	135	–	–	8	11	15	26	29	16	18	9	3	–
Bedstead, Mattress, Bed-tick,—Maker	50	–	–	2	5	5	5	7	13	7	6	–	–
Furniture Broker	118	–	–	–	2	6	15	27	26	30	10	2	–
Others working and dealing in *Furniture*	24	–	–	–	3	4	6	3	1	6	1	–	–
16. *In Implements.*													
Wheelwright	306	–	–	10	17	25	47	46	55	58	41	7	–
Millwright	137	–	1	6	8	15	25	26	21	19	16	–	–
Other *Implement* Makers	22	–	–	–	1	3	5	4	2	3	3	1	–
17. *In Chemicals.*													
Manufacturing Chemist, Lab. at Chem. Works	112	–	–	6	7	17	22	18	18	14	6	4	–
Dye, Colour,—manufacture	30	–	1	–	1	5	6	4	6	4	3	–	–
Dyer, Scourer, Calenderer	252	–	–	6	13	24	47	44	51	42	19	6	–
Others manufacturing *Chemicals*	74	–	1	4	5	11	14	11	15	7	6	–	–
XI.—*Persons working and dealing in the* Textile Fabrics *and in* Dress.													
1. *In Wool and Worsted.*													
Woolstapler	32	–	–	–	2	2	5	8	11	2	2	–	–
Felt manufacture	2	–	–	–	–	–	1	–	1	–	–	–	–
Woollen Cloth manufacture	757	–	3	29	53	66	82	107	112	162	129	14	–
Clothier	35	–	–	–	3	1	5	10	12	3	1	–	–
Fuller	8	–	–	2	1	–	1	2	1	–	1	–	–
Wool, Woollen,—Dyer	15	–	–	–	–	1	5	3	3	2	–	1	–
Worsted manufacture	375	–	4	26	33	31	42	58	71	70	34	5	1
Stuff manufacture	124	–	–	7	10	21	14	16	19	21	15	1	–
Flannel manufacture	2	–	–	–	–	–	–	–	1	1	–	–	–
Carpet, Rug,—manufacture	48	–	–	3	–	8	8	10	8	8	3	–	–
Others working and dealing in *Wool & Worsted*	20	–	–	–	–	3	3	4	6	1	2	1	–
2. *In Silk.*													
Silk, Satin,—manufacture	612	–	6	35	38	55	72	85	121	125	69	5	1
Silk Dyer, Printer	51	–	–	1	2	6	7	7	11	12	4	1	–
Silk Mercer	13	–	–	–	–	3	–	2	1	5	2	–	–
Ribbon manufacture	172	–	1	3	16	15	23	33	23	29	24	5	–
Others working and dealing in *Silk*	11	–	–	1	–	1	1	4	3	–	1	–	–
3. *In Cotton and Flax.*													
Flax, Linen,—manufacture	97	–	–	2	3	4	16	19	17	25	8	3	–
Thread manufacture	3	–	–	–	–	–	–	2	–	1	–	–	–
Lace manufacture	160	–	2	12	18	11	23	17	29	23	24	1	–
Cotton manufacture	1925	1	8	140	156	261	226	284	319	297	205	27	1
Fustian manufacture	81	–	1	–	6	5	15	16	18	13	7	–	–
Muslin manufacture	1	–	–	–	–	–	–	–	–	–	1	–	–
Calico, Cotton,—Printer	97	–	–	2	4	10	12	17	17	17	12	5	1
Calico, Cotton,—Dyer	57	–	–	2	5	6	8	8	10	16	2	–	–
Others working and dealing in *Cotton & Flax*	42	–	–	1	1	5	6	6	11	9	2	–	1
4. *In Mixed Materials.*													
Packer and Presser	115	–	–	2	7	23	28	23	18	9	3	2	–
Weaver (not otherwise defined)	244	–	–	6	10	11	27	15	41	87	43	4	–
Manchester Warehouseman	146	–	–	12	10	30	26	23	19	18	8	–	–
Draper, Linendraper, Mercer	552	–	–	35	72	118	103	72	67	54	21	10	–
Others working and dealing in *Mixed Fabrics*	77	–	–	7	1	16	6	13	14	13	6	–	1
5. *In Dress.*													
Hairdresser, Wig-maker	271	–	–	9	19	32	49	51	45	35	22	9	–
Hatter, Hat manufacture	376	–	–	8	28	25	53	56	67	78	55	6	–
Straw Plait manufacture	2	–	–	–	–	–	–	1	–	–	–	1	–
Straw Hat, Bonnet,—Maker	13	–	–	–	1	–	2	3	2	2	3	–	–
Furrier	33	–	–	2	1	1	8	3	7	7	2	1	1
Tailor	2121	–	3	67	101	275	352	404	351	331	200	35	2
Clothe Dealer, Salesman, Outfitter	113	–	–	–	3	11	18	24	21	18	13	5	–

ENGLAND.—Deaths of Males of different Occupations registered in Eighty Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
Order XI. Sub-order 5.—*continued.*													
Button-maker (all Branches)	78	–	–	1	8	11	11	20	16	9	2	–	–
Hose manufacture	328	–	–	4	11	23	42	39	55	92	56	5	1
Hosier, Haberdasher	86	–	–	5	14	19	7	11	14	9	7	–	–
Glover, Leather, and not otherwise described	49	–	–	–	2	3	8	3	10	11	10	2	–
Shoemaker, Bootmaker	3476	–	5	133	202	403	448	529	634	649	394	77	2
Patten, Clog,—Maker	63	–	–	6	7	9	11	14	6	7	3	–	–
Umbrella, Parasol, Stick,—Maker	60	–	–	–	8	7	12	6	12	6	7	2	–
Others providing *Dress*	163	–	–	6	11	15	24	33	27	22	21	3	1
6. *Hemp and other Fibrous Materials.*													
Mat Maker, Seller	24	–	–	1	2	1	3	7	5	5	–	–	–
Rope, Cord,—Maker	204	–	2	6	10	18	24	26	40	40	28	10	–
Canvas Maker, Dealer	19	–	–	1	–	1	1	4	5	5	2	–	–
Sailcloth manufacture	4	–	–	–	–	–	–	1	1	2	–	–	–
Others working and dealing in *Hemp*	64	–	–	2	3	7	14	5	17	9	7	–	–
XII.—*Persons working and dealing in* Food *and* Drinks.													
1. *In Animal Food.*													
Cowkeeper, Milkseller	335	–	–	8	10	29	37	50	81	73	36	11	–
Cheesemonger	84	–	–	2	2	10	18	14	14	11	11	2	–
Butcher, Meat Salesman	979	–	–	18	44	135	163	163	186	162	88	20	–
Provision Curer, Dealer	198	–	–	1	3	18	28	47	41	41	16	3	–
Poulterer, Game Dealer	70	–	–	–	3	8	15	17	14	8	5	–	–
Fishmonger	252	–	–	2	6	34	53	40	36	39	17	5	–
Others working and dealing in *Animal Food*	15	–	–	–	–	1	1	7	3	3	–	–	–
2. *In Vegetable Food.*													
Corn Merchant, Dealer	200	–	–	1	7	18	35	44	37	36	18	4	–
Miller	238	–	–	5	8	22	34	32	59	50	22	5	1
Flour Dealer, Agent	29	–	–	–	–	4	2	11	6	3	3	–	–
Baker	772	–	1	22	44	110	127	131	154	109	62	10	2
Confectioner, Pastry Cook	187	–	–	7	8	19	25	34	36	35	22	1	–
Greengrocer, Fruiterer	299	–	–	4	11	31	51	63	53	50	28	7	1
Fruit and Flower,—Hawker, Vendor	22	–	–	–	1	2	3	4	8	2	2	–	–
Potato Merchant	24	–	–	–	–	2	7	4	4	6	1	–	–
Seed Merchant, Seedsman	30	–	–	1	2	4	1	5	9	6	2	–	–
Others dealing in *Vegetable Food*	23	–	–	–	–	–	5	4	3	6	3	1	1
3. *In Drinks and Stimulants.*													
Maltster	125	–	–	–	2	6	23	19	27	31	15	2	–
Brewer, and others engaged in Brewing	560	–	–	6	17	72	121	119	115	69	34	7	–
Wine and Spirit Merchant	247	–	–	6	17	39	44	38	45	40	14	4	–
Distiller, Rectifier (engaged in Distilling)	31	–	–	–	1	5	5	7	6	5	2	–	–
Cellarman	63	–	1	1	1	15	16	11	11	6	1	–	–
Ginger Beer, Soda, Mineral Water,—manuf.	30	–	–	1	2	5	5	10	3	3	1	–	–
Sugar Refiner	93	–	–	1	12	25	15	13	8	12	5	1	1
Grocer, Tea Dealer	723	–	2	33	70	105	106	107	109	115	68	7	1
Tobacco, Cigar, Snuff,—manufacture	73	–	1	1	11	24	17	4	7	3	5	–	–
Tobacconist	91	–	–	–	10	17	21	14	17	8	4	–	–
Others dealing in *Drinks and Stimulants*	96	–	1	2	3	10	23	16	16	14	8	3	–
XIII.—*Persons working and dealing in* Animal Substances.													
1. *In Grease, Gut, Bones, Horn, Ivory, and Whalebone.*													
Soap-boiler	36	–	–	1	2	6	6	11	3	6	–	1	–
Tallow-chandler	128	–	–	2	7	16	21	14	28	24	14	2	–
Comb-maker	54	–	–	3	3	2	9	7	11	13	6	–	–
Others working and dealing in *Grease, &c.*	99	–	–	1	7	15	19	18	19	13	7	–	–
2. *In Skins, Feathers, and Quills.*													
Fellmonger	36	–	–	2	3	7	–	7	8	3	6	–	–
Skinner	26	–	–	2	–	3	–	3	9	6	3	–	–
Tanner	159	–	–	3	9	14	30	27	26	31	16	3	–
Currier	216	–	–	3	10	28	31	44	42	40	15	3	–
Others working and dealing in *Skins, &c.*	69	–	–	2	4	8	12	10	10	13	10	–	–
3. *In Hair.*													
Hair, Bristle,—manufacture	18	–	–	2	1	1	3	5	3	3	–	–	–
Brush, Broom,—Maker	204	–	–	8	16	37	25	36	31	28	20	3	–
Others working and dealing in *Hair*	2	–	–	–	–	–	1	–	1	–	–	–	–
XIV.—*Persons working and dealing in* Vegetable Substances.													
1. *In Gums and Resins.*													
Oil Miller, Refiner	33	–	2	3	2	8	7	5	4	4	2	1	–
Oil and Colourman	70	–	–	–	5	13	9	10	13	15	4	1	–
French-polisher	111	–	–	12	8	23	37	12	12	5	2	–	–
Japanner	33	–	–	1	2	8	10	5	5	4	1	–	–
Others working and dealing in *Gums, &c.*	41	–	–	2	4	6	9	8	7	3	1	1	–

ENGLAND.—Deaths of Males of different Occupations registered in Eighty Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
Order XIV.—*continued.*													
2. In Wood.													
Timber Merchant, Dealer	124	–	–	1	6	18	26	19	22	17	11	4	–
Wood Dealer	58	–	–	6	10	8	7	11	7	5	3	1	–
Sawyer	489	–	–	9	12	41	76	77	92	84	84	12	2
Fence, Hurdle,—Maker	6	–	–	–	–	–	–	1	2	1	2	–	–
Lath-maker	31	–	–	–	2	4	10	4	3	3	4	1	–
Turner	159	–	1	9	19	20	20	25	25	24	12	3	1
Box-maker	44	–	–	2	5	10	8	5	8	3	2	1	–
Cooper	395	–	1	13	22	44	58	64	76	72	38	7	–
Hoop Maker, Bender	13	–	–	–	1	2	1	–	1	5	2	1	–
Others working and dealing in *Wood*	117	–	–	3	6	20	17	13	21	19	16	–	2
3. In Bark.													
Cork Cutter, manufacture	63	–	–	4	5	3	13	8	11	10	9	–	–
Others working and dealing in *Bark*	2	–	–	–	–	–	–	–	–	1	1	–	–
4. In Cane, Rush, and Straw.													
Basket-maker	109	–	–	4	5	16	9	18	19	19	14	5	–
Hay and Straw Dealer	28	–	–	–	–	1	4	5	8	7	2	1	–
Thatcher	16	–	–	1	1	–	–	1	3	5	5	–	–
Others working and dealing in *Cane, Rush, &c.*	40	–	–	–	1	2	6	9	12	9	1	–	–
5. In Paper.													
Rag Gatherer, Dealer	66	–	–	–	2	4	10	13	13	16	6	2	–
Paper manufacture	80	–	–	–	7	12	8	7	12	12	20	2	–
Stationer (not Law)	120	–	–	5	12	23	22	9	20	16	11	2	–
Paper Stainer	30	–	1	1	2	4	5	7	1	5	4	–	–
Others working and dealing in *Paper*	64	–	–	5	5	10	6	15	10	12	1	–	–
XV.—*Persons working and dealing in* Minerals.													
1. In Mining.													
Coal-miner	2326	2	111	187	263	411	323	257	302	305	142	23	–
Copper-miner	82	–	–	8	8	12	9	12	19	10	4	–	–
Tin-miner	44	–	–	3	4	2	3	3	13	7	7	2	–
Lead-miner	67	–	–	–	6	6	10	16	12	10	4	3	–
Iron-miner	143	–	4	8	11	31	15	18	24	22	13	2	–
Others connected with *Mines*	79	–	1	2	–	11	13	10	17	16	6	3	–
2. In Coal.													
Coal Merchant, Dealer	270	–	–	2	6	19	29	38	71	64	33	8	–
Coalheaver, Labourer	362	–	1	5	14	30	79	73	64	67	24	4	1
Coke Burner, Dealer	50	–	–	1	2	13	10	6	9	6	3	–	–
Chimney Sweeper	120	–	1	2	2	18	35	32	15	12	2	1	–
Gas Works Service	200	–	–	4	7	32	41	43	36	19	15	3	–
Others working and dealing in *Coal*	12	–	–	–	–	1	2	4	3	1	–	1	–
3. In Stone, Clay.													
Stone Quarrier	192	–	1	3	12	21	28	35	48	28	12	4	–
Stone Cutter, Dresser, Polisher	64	–	–	1	2	6	12	11	15	12	4	1	–
Limestone Quarrier, Burner	32	–	–	–	4	1	4	3	12	5	2	1	–
Clay Labourer	5	–	–	–	–	–	–	2	2	–	1	–	–
Brick Maker, Dealer	303	–	–	3	13	28	51	42	60	66	35	5	–
Railway Labourer	224	–	–	8	26	54	57	32	28	17	2	–	–
Platelayer	66	–	–	1	6	17	18	16	6	1	–	1	–
Excavator, Navvy	137	–	–	1	6	26	45	28	17	8	6	–	–
Road Contractor, Inspector, Surveyor	22	–	–	–	–	–	1	4	7	9	1	–	–
Road Labourer	173	–	–	1	3	6	14	22	45	50	28	4	–
Scavenger	94	–	–	1	–	6	12	24	22	18	10	1	–
Dust Collector	17	–	–	1	1	2	3	1	5	1	3	–	–
Others working and dealing in *Stone and Clay*	94	–	–	1	5	14	12	18	28	15	6	–	–
4. In Earthenware.													
Earthenware manufacture	575	1	3	24	49	66	119	119	91	71	27	5	–
Tobacco-pipe Maker	66	–	–	1	2	12	13	15	7	11	4	1	–
Earthenware and Glass Dealer	82	–	–	3	2	5	7	17	16	22	9	1	–
Others working and dealing in *Earthenware*	10	–	–	–	–	2	2	1	1	2	2	–	–
5. In Glass.													
Glass manufacture	245	1	2	9	14	45	36	36	34	42	23	3	–
Others working and dealing in *Glass*	16	–	–	–	–	1	4	1	3	6	1	–	–
6. In Salt.													
Salt manufacture	5	–	–	–	–	–	1	1	3	–	–	–	–
Salt Agent, Merchant, Dealer	9	–	–	–	1	1	1	2	4	–	–	–	–
7. In Water.													
Waterworks Service	35	–	1	1	1	4	4	9	7	6	2	–	–
Others working or dealing in *Water*	34	–	–	–	–	–	3	13	9	4	3	1	1
8. In Gold, Silver, and Precious Stones.													
Goldsmith, Silversmith Jeweller	384	–	–	13	25	53	48	49	67	75	43	11	–
Plater, Plated Ware manufacture	46	–	–	1	3	3	1	11	5	10	12	–	–
Others dealing in *Gold, Silver, &c.*	59	–	–	1	5	10	9	10	9	10	5	–	–

ENGLAND.—Deaths of Males of different Occupations registered in Eighty Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
Order XV.—*continued.*													
9. In Copper.													
Copper manufacture	15	–	1	–	2	1	1	1	6	1	1	1	–
Coppersmith	49	–	–	–	6	6	7	5	16	7	2	–	–
Working and dealing in *Copper*	1	–	–	–	–	–	–	–	–	1	–	–	–
10. In Tin and Quicksilver.													
Tin manufacture	4	–	–	1	–	–	1	1	–	1	–	–	–
Tinman, Tinworker, Tinker	135	–	–	6	14	13	18	13	26	31	12	1	1
Tinplate Worker	102	–	–	6	10	14	18	20	14	10	8	2	–
Others working and dealing in *Tin, &c.*	2	–	–	–	–	1	–	–	1	–	–	–	–
11. In Zinc.													
Zinc Manufacture	15	–	–	1	–	5	5	1	2	–	1	–	–
Others working and dealing in *Zinc*	2	–	–	–	1	–	–	–	–	–	1	–	–
12. In Lead and Antimony.													
Lead manufacture	35	–	–	2	3	5	7	8	3	4	2	1	–
Type Founder	37	–	–	3	2	8	8	3	8	3	2	–	–
Others working and dealing in *Lead, &c.*	16	–	–	–	–	1	3	7	3	2	–	–	–
13. In Brass and other Mixed Metals.													
Brass Founder, Moulder, manufacture	270	–	–	11	22	46	47	39	56	33	15	1	–
Brazier	67	–	–	5	6	9	11	9	10	10	6	1	–
Locksmith, Bellhanger	193	–	–	4	14	15	31	21	38	38	26	6	–
Gasfitter	94	–	–	5	7	14	27	15	20	5	1	–	–
Wire Maker, Drawer	45	–	–	2	6	5	5	3	5	14	4	1	–
Wire Worker, Weaver	48	–	–	3	5	10	7	6	9	3	3	2	–
Others working and dealing in *Mixed Metals*	106	–	–	1	6	17	21	19	17	14	10	1	–
14. In Iron and Steel.													
Iron manufacture, Moulder, Founder	1333	–	16	76	133	225	229	226	206	134	78	10	–
Whitesmith	219	–	–	8	18	21	30	35	39	46	21	1	–
Blacksmith	1159	–	3	52	86	160	190	194	173	171	107	22	1
Nail manufacture	181	–	2	3	3	15	19	32	38	40	24	4	1
Anchorsmith, Chainsmith	60	–	1	2	5	9	11	10	6	10	6	–	–
Boiler-maker	155	–	–	7	18	40	45	25	11	7	2	–	–
Ironmonger	131	–	–	5	11	20	26	21	13	17	11	7	–
Hardwaremen, Dealer	21	–	–	–	–	5	3	1	7	4	1	–	–
Steel manufacture, Worker	47	–	–	1	4	12	10	10	5	4	1	–	–
Grinder (Branch undefined)	57	–	–	1	7	9	15	11	11	1	2	–	–
Others working in *Iron and Steel*	154	–	1	4	13	18	25	23	24	28	18	–	–
XVI.—Labourers *and* Others (*Branch of Labour undefined*).													
1. General Labourers.													
Labourer (branch undefined)	6339	1	20	179	342	834	1049	1073	1198	940	559	134	10
2. Other Persons of indefinite Occupations.													
Mechanic	124	–	–	3	20	24	21	20	22	10	3	1	–
Shopman	32	–	–	3	6	7	5	5	3	2	–	1	–
Apprentice	2	–	–	1	1	–	–	–	–	–	–	–	–
Others of Indefinite Occupations	64	–	–	4	2	11	17	9	8	11	2	–	–
XVII.—*Persons of* Rank *or* Property, *not returned under any* Office *or* Occupation.													
Gentleman, Independent	1387	–	–	4	20	67	85	130	267	366	342	82	4
Annuitant	243	–	–	–	–	6	12	11	55	55	83	20	1
XVIII.—*Persons* supported by the Community, *and of no specified* Occupation.													
1. On Income from voluntary Sources and Rates.													
Dependent on Relatives	14	–	–	–	2	3	1	1	5	1	1	–	–
Almsperson (no stated Occupation)	53	–	–	–	1	–	1	2	7	13	21	7	1
Pauper (no stated Occupation)	220	1	3	16	17	29	31	28	33	37	24	1	–
Lunatic (no stated Occupation)	91	–	–	7	12	20	21	15	10	6	–	–	–
Others supported from Voluntary Sources and Rates	108	–	–	1	3	8	5	13	16	27	28	6	1
2. Prisoners and Others of Criminal Class.													
Prisoner (no stated Occupation)	67	–	1	8	21	9	12	4	5	5	2	–	–
3. Vagrants and Gipsies.													
Vagrant, Beggar	26	–	–	2	1	1	5	7	4	4	2	–	–
Visitor (no stated Occupation)	2	–	–	–	–	–	1	–	–	–	1	–	–
Others of no stated Occupation or Condition	433	–	5	18	33	52	104	70	70	53	17	7	4

II.—SOUTH EASTERN COUNTIES.—Deaths of Males of different Occupations registered in Eight Town Districts* in the Years 1860–1.

Order.	OCCUPATIONS.	TOTAL.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
	TOTAL OF MALES AGED 5 YEARS AND UPWARDS	4899	217	121	238	383	700	718	618	608	636	534	118	8
I.														
(1)	Civil Service not in Revenue Departmt.	10	–	–	–	4	2	–	1	–	2	1	–	–
	Post Office	6	–	–	–	–	–	1	2	3	–	–	–	–
	Inland Revenue	4	–	–	–	–	–	–	1	1	1	1	–	–
	Customs	17	–	–	–	–	4	2	3	–	7	1	–	–
	Government Messengers, Workmen	5	–	–	–	1	1	1	2	–	–	–	–	–
	Dockyard Artificers	192	–	–	1	5	20	28	17	23	39	48	9	2
	Other *Government* Officers	2	–	–	–	–	–	–	–	–	2	–	–	–
(2)	Magistrate	3	–	–	–	–	–	–	–	1	1	–	1	–
	Police	14	–	–	–	2	2	6	2	–	1	1	–	–
	Prison Officer	10	–	–	–	–	2	3	2	1	1	1	–	–
	Union and Parish Officer	10	–	–	–	–	–	1	1	4	3	–	1	–
	Officer of Local Board	1	–	–	–	–	1	–	–	–	–	–	–	–
(3)	East India and Colonial Service	11	–	–	–	–	–	3	1	3	2	2	–	–
II.														
(1)	Army Officer	14	–	–	–	–	2	2	–	2	6	1	1	–
	Army Half-pay Officer	13	–	–	–	–	1	1	2	1	3	4	1	–
	Soldier	388	–	–	34	100	148	87	7	2	5	4	1	–
	Chelsea Pensioner	74	–	–	–	3	10	14	10	13	8	13	3	–
	Militia	18	–	–	3	5	8	2	–	–	–	–	–	–
(2)	Navy Officer	27	–	2	–	5	5	4	2	–	4	5	–	–
	Navy Half-pay Officer	24	–	–	–	–	2	2	5	4	5	6	–	–
	Seaman, R.N.	232	–	3	23	46	44	55	23	13	10	11	4	–
	Royal Marine	96	–	–	12	17	39	18	3	2	2	2	1	–
	Greenwich Pensioner	161	–	–	–	1	12	20	33	33	39	18	5	–
	Others	20	–	–	–	–	3	4	2	2	6	2	1	–
III.														
(1)	(*a*) Clergyman	7	–	–	–	–	1	2	2	1	–	1	–	–
	Protestant Minister	5	–	–	–	–	1	–	–	1	–	2	1	–
	Other *Religious Teachers*	1	–	–	–	–	–	–	1	–	–	–	–	–
	(*b*) Parish Clerk	1	–	–	–	–	–	–	–	–	1	–	–	–
	Other *Church Officers*	2	–	–	–	–	–	–	–	–	2	–	–	–
(2)	(*a*) Barrister	5	–	–	–	–	–	1	–	2	2	–	–	–
	Solicitor	11	–	–	–	–	–	2	2	2	3	1	1	–
	(*b*) Officers of Law Court	2	–	–	–	–	–	–	–	1	–	1	–	–
	Law Clerk	8	–	–	1	–	2	1	–	1	2	1	–	–
	Law Stationer	1	–	–	–	–	–	–	1	–	–	–	–	–
(3)	(*a*) Physician	7	–	–	–	–	–	1	2	1	3	–	–	–
	Surgeon, Apothecary	15	–	–	–	1	1	1	3	4	2	3	–	–
	Dentist	7	–	–	–	–	3	2	1	1	–	–	–	–
	(*b*) Druggist	5	–	–	–	1	1	1	–	1	1	–	–	–
	Others	2	–	–	–	1	–	–	–	–	1	–	–	–
(4)	Author, Editor, Writer	2	–	–	–	1	–	–	–	–	1	–	–	–
	Others engaged in *Literature*	2	–	–	–	–	1	–	–	1	–	–	–	–
(5)	Artist, Painter	4	–	–	–	–	1	1	1	–	–	1	–	–
	Engraver	1	–	–	–	–	–	–	1	–	–	–	–	–
	Photographic Artist	4	–	–	–	–	3	–	1	–	–	–	–	–
(6)	Musician	19	–	–	1	2	7	3	3	1	1	1	–	–
	Music-master	1	–	–	–	–	–	–	–	–	1	–	–	–
(7)	Actor	1	–	–	–	–	–	–	1	–	–	–	–	–
	Persons engaged about *Theatres, Exhib.*	3	–	–	–	–	–	1	2	–	–	–	–	–
(8)	Schoolmaster	12	–	–	–	1	2	1	–	4	4	–	–	–
	Professor, Teacher, of Languages	1	–	–	–	–	–	–	1	–	–	–	–	–
	Professor of Mathematics	1	–	–	–	–	–	–	–	–	–	1	–	–
	Teacher (General)	3	–	–	2	–	–	1	–	–	–	–	–	–
	Teacher of Dancing, Gymnastics	1	–	–	–	–	–	–	–	–	–	1	–	–
	Other *Teachers*	2	–	–	–	–	1	–	1	–	–	–	–	–
(9)	Civil Engineer	1	–	–	–	–	1	–	–	–	–	–	–	–
IV.														
(8)	*Son*, Grandson, *Brother*, Nephew (not otherwise described)	412	214	113	71	10	3	1	–	–	–	–	–	–
V.														
(1)	Innkeeper, Hotelkeeper	19	–	–	–	1	–	3	7	1	3	2	2	–
	Publican	50	–	–	–	–	8	12	8	14	5	2	1	–
	Beerseller	23	–	–	–	–	2	2	11	2	–	5	1	–
	Lodging, Boarding, House Keeper	12	–	–	–	–	–	1	1	6	4	–	–	–
	Coffee-house, Eating-house, Keeper	3	–	–	–	–	1	–	–	1	1	–	–	–
	Others *Boarding and Lodging*	3	–	–	–	–	–	–	–	2	1	–	–	–

*Note.—The following Town Districts are comprised in this Table:—

	Male Population in 1861 aged 5 Years and upwards.		Male Population in 1861 aged 5 Years and upwards.
Medway	24,762	Portsea Island	42,034
Maidstone	16,721	Alverstoke	11,121
Canterbury	7,557	Southampton	17,452
Brighton	28,728	Reading	10,254

II.—SOUTH EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in EIGHT TOWN DISTRICTS in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
V.—*cont.*													
(2) *Domestic Servant* (General)	46	–	–	2	4	8	5	5	10	5	6	1	–
Coachman	12	–	–	–	1	3	2	2	1	–	3	–	–
Groom	4	–	–	–	1	2	–	–	1	–	–	–	–
Gardener	7	–	–	–	–	2	–	1	1	1	–	2	–
Inn Servant	15	–	–	1	2	2	3	5	1	1	–	–	–
Hospital, Lun. Asylum, Attendt., Nurse	6	–	–	–	–	2	1	1	1	1	–	–	–
VI.													
(1) Merchant	7	–	–	–	–	–	–	3	3	–	1	–	–
Banker	2	–	–	–	–	–	–	2	–	–	–	–	–
Broker	1	–	–	–	–	–	–	–	–	–	1	–	–
Agent. Factor	1	–	–	–	–	–	–	–	1	–	–	–	–
Auctioneer, Appraiser, Valuer	2	–	–	–	–	–	1	1	–	–	–	–	–
Accountant	2	–	–	–	–	1	–	–	1	–	–	–	–
Commercial Clerk	12	–	–	1	3	4	1	1	1	1	–	–	–
Commercial Traveller	4	–	–	–	–	–	1	1	2	–	–	–	–
Other *Mercantile* Men	1	–	–	–	–	–	–	1	–	–	–	–	–
(2) Pawnbroker	3	–	–	–	–	–	1	–	–	2	–	–	–
Marine-store Dealer	5	–	–	–	–	–	3	1	–	–	1	–	–
General Dealer, Huckster, Costermonger	8	–	–	–	–	1	4	2	1	–	–	–	–
Shopkeeper (Branch undefined)	5	–	–	–	–	–	–	2	–	3	–	–	–
Hawker, Pedlar	21	–	–	1	2	2	3	4	4	4	1	–	–
VII.													
(1) Railway Engine Driver, Stoker	3	–	–	–	–	2	–	1	–	–	–	–	–
Railway Official, Clerk, Station-master	3	–	–	–	–	1	1	1	–	–	–	–	–
Railway Servant, Porter, Gatekeeper	17	–	–	1	3	5	5	2	1	–	–	–	–
Railway Police	1	–	–	–	–	–	1	–	–	–	–	–	–
(2) Toll-collector, Turnpike-gate Keeper	2	–	–	–	–	–	–	–	1	1	–	–	–
Coach, Omnibus, Cab,—Owner	8	–	–	–	–	1	1	1	2	2	1	–	–
Livery Stable Keeper	2	–	–	–	–	–	–	–	–	–	–	2	–
Coachman (not domestic)	15	–	–	–	–	2	–	4	6	1	2	–	–
Cabman, Flyman	26	–	–	–	1	3	5	7	3	5	2	–	–
Carman, Carrier, Carter, Drayman	31	–	–	3	1	4	7	8	3	2	3	–	–
Others engaged in *Road* Conveyance	5	–	–	–	–	–	1	1	1	2	–	–	–
(3) Bargeman, Lighterman, Waterman	53	–	–	–	1	2	8	17	11	8	4	2	–
(4) Shipowner	1	–	–	–	–	–	–	–	1	–	–	–	–
Seaman (Merchant Service)	130	–	–	8	16	29	27	15	13	14	5	3	–
Pilot	2	–	–	–	–	–	–	1	–	–	–	1	–
Harbour, Dock, Servant, Dock Labourer	13	–	–	–	–	3	3	–	4	3	–	–	–
Others	*20	–	–	–	3	4	10	1	1	1	–	–	–
(5) Warehouseman (not Manchester)	1	–	–	–	–	–	–	1	–	–	–	–	–
Others connected with *Storage*	3	–	–	–	–	–	–	1	–	1	1	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	13	–	–	1	–	2	–	2	2	3	3	–	–
VIII.													
(1) Land Proprietor	9	–	–	–	–	–	–	–	3	2	–	4	–
Farmer, Grazier	39	–	–	–	–	1	2	2	6	12	11	5	–
Farm Bailiff	7	–	–	–	–	–	–	1	2	1	2	1	–
Agricultural Labourer (out door)	201	1	1	10	8	13	17	18	39	39	44	10	1
Land Surveyor, Land, Estate, Agent	4	–	–	–	2	1	–	1	–	–	–	–	–
(2) Woodman	1	–	–	–	–	–	–	–	–	–	1	–	–
(3) Gardener (not Domestic Servant)	53	–	–	–	1	2	3	4	14	12	15	2	–
Nurseryman	1	–	–	–	–	–	–	1	–	–	–	–	–
IX.													
(1) Horse Proprietor, Dealer	1	–	–	–	–	–	–	–	–	–	1	–	–
Horsekeeper, Groom, Jockey	24	–	–	–	–	3	10	3	5	1	2	–	–
Farrier, Veterinary Surgeon	3	–	–	–	1	–	–	1	1	–	–	–	–
Cattle, Sheep,—Dealer, Salesman	2	–	–	–	–	1	–	1	–	–	–	–	–
Drover	4	–	–	–	–	1	–	1	–	1	1	–	–
Gamekeeper	1	–	–	–	–	1	–	–	–	–	–	–	–
Vermin Destroyer, Rat-catcher	1	–	–	–	–	–	–	1	–	–	–	–	–
Fisherman	20	–	–	1	4	1	1	3	2	4	3	1	–
X.													
(1) Bookseller, Publisher	7	–	–	–	–	2	–	3	2	–	–	–	–
Bookbinder	4	–	–	–	1	–	1	1	1	–	–	–	–
Printer	16	–	–	2	2	4	5	–	3	–	–	–	–
Newspaper Agent, Vendor, &c.	4	–	–	–	–	–	1	–	1	1	1	–	–
(2) Connected with *Musical Instruments*	1	–	–	–	–	–	1	–	–	–	–	–	–
(3) Connected with *Prints and Pictures*	1	–	–	–	–	–	–	–	–	1	–	–	–
(4) Wood-carver	1	–	–	–	–	–	–	1	–	–	–	–	–
Others employed about *Carving & Figures*	2	–	–	–	–	1	–	–	1	–	–	–	–
(7) Watchmaker, Clockmaker	8	–	–	1	1	1	–	–	2	1	1	1	–
(8) Surgical Instrument Maker	1	–	–	–	–	–	–	1	–	–	–	–	–
(9) Gunsmith, Gun manufacturer	2	–	–	–	–	1	–	–	–	–	1	–	–

* Of these, 7 are steam navigation servants, 4 stewards (ship), 4 stokers, and 3 cooks (ship).

II.—SOUTH EASTERN COUNTIES.—Deaths of Males of different Occupations registered in Eight Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	Ages of Males. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 upwards
X.—*cont.*													
(10) Engine and Machine Maker	18	–	–	1	3	6	4	2	1	–	1	–	–
Need'le manufacture	1	–	–	–	–	–	–	–	1	–	–	–	–
Tool Maker, Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
Cutler	2	–	–	–	–	–	1	–	–	1	–	–	–
(11) Coachmaker	19	–	–	–	1	2	4	7	2	1	2	–	–
Engaged about *Carriages*	1	–	–	–	–	–	–	–	–	1	–	–	–
(12) Saddler, Harness-maker	10	–	–	–	–	1	–	5	2	1	1	–	–
(13) Shipbuilder, Shipwright	49	–	–	3	3	3	5	4	5	14	7	4	1
Boat, Barge,—Builder	3	–	–	–	–	–	1	–	1	–	1	–	–
Sailmaker	5	–	–	–	–	–	1	1	–	1	1	1	–
(14) House Proprietor	22	–	–	–	–	–	–	2	2	7	9	2	–
Architect	3	–	–	1	–	–	–	1	–	1	–	–	–
Surveyor	1	–	–	–	–	–	–	1	–	–	–	–	–
Builder	25	–	–	–	2	2	2	3	6	4	5	1	–
Carpenter, Joiner	110	–	–	4	7	13	9	21	15	21	15	5	–
Bricklayer	96	–	–	3	3	18	9	13	18	17	13	2	–
Mason, Pavior	24	–	–	–	2	4	2	5	6	3	2	–	–
Slater, Tiler	3	–	–	–	–	2	–	–	1	–	–	–	–
Plasterer	8	–	–	–	2	1	1	1	–	2	1	–	–
Paperhanger	3	–	–	–	–	1	1	–	–	1	–	–	–
Plumber, Painter, Glazier	53	–	–	1	5	10	15	10	10	6	–	1	–
Others engaged in *Houses and Buildings*	2	–	–	–	–	–	–	1	1	–	–	–	–
(15) Cabinet-maker, Upholsterer	23	–	–	–	3	3	1	4	1	5	5	1	–
Chairmaker	3	–	–	–	–	–	2	1	–	–	–	–	–
Carver, Gilder	3	–	–	–	–	–	–	1	1	–	–	1	–
Furniture Broker	4	–	–	–	–	1	2	1	–	–	–	–	–
Dealing in *Furniture*	1	–	–	–	–	–	–	–	1	–	–	–	–
(16) Wheelwright	14	–	–	–	–	1	3	3	1	4	2	–	–
Millwright	6	–	–	2	1	1	1	1	–	–	–	–	–
(17) Manuf. Chemist, Lab. at Chem. Works	1	–	–	–	–	–	–	–	–	–	–	1	–
Dyer, Scourer, Calenderer	7	–	–	1	–	–	–	2	1	2	1	–	–
XI.													
(1) Woolstapler	1	–	–	–	–	–	1	–	–	–	–	–	–
(2) Silk manufacture	4	–	–	–	–	–	–	–	2	2	–	–	–
Silk Mercer	1	–	–	–	–	–	–	–	–	1	–	–	–
(4) Weaver (not otherwise defined)	2	–	–	–	–	–	1	–	1	–	–	–	–
Draper, Linendraper, Mercer	26	–	–	–	6	4	10	2	2	–	2	–	–
(5) Hairdresser, Wig-maker	20	–	–	–	2	3	3	2	3	3	4	–	–
Hatter, Hat manufacture	4	–	–	–	–	1	2	–	–	–	1	–	–
Straw Hat, Bonnet,—Maker	1	–	–	–	–	–	–	–	1	–	–	–	–
Tailor	67	–	–	3	3	3	15	13	10	14	5	1	–
Clothes Dealer, Salesman, Outfitter	5	–	–	–	–	–	1	1	1	–	2	–	–
Hose manufacture	1	–	–	–	–	–	–	–	–	–	1	–	–
Hosier, Haberdasher	3	–	–	–	–	2	–	–	1	–	–	–	–
Glover, Leather, and not otherwise des.	4	–	–	–	–	–	–	–	–	2	2	–	–
Shoemaker, Bootmaker	131	–	–	5	9	15	17	15	16	24	27	3	–
Patten, Clog,—Maker	2	–	–	–	–	–	1	–	1	–	–	–	–
Umbrella, Parasol, Stick,—Maker	2	–	–	–	–	–	–	1	1	–	–	–	–
Others providing *Dress*	2	–	–	–	1	–	–	–	–	–	1	–	–
(6) Mat Maker, Seller	2	–	–	–	1	–	1	–	–	–	–	–	–
Rope, Cord,—Maker	15	–	–	1	1	–	1	–	3	2	4	3	–
Others	2	–	–	1	–	–	1	–	–	–	–	–	–
XII.													
(1) Cowkeeper, Milkseller	19	–	–	2	1	1	2	2	3	6	2	–	–
Cheesemonger	1	–	–	–	–	1	–	–	–	–	–	–	–
Butcher, Meat Salesman	59	–	–	–	5	9	4	8	8	13	12	–	–
Provision Curer, Dealer	5	–	–	–	–	–	2	1	–	1	1	–	–
Poulterer, Game Dealer	4	–	–	–	–	2	1	–	–	–	1	–	–
Fishmonger	12	–	–	–	1	2	2	2	2	2	1	–	–
Others dealing in *Animal Food*	3	–	–	–	–	–	–	2	–	1	–	–	–
(2) Corn Merchant, Dealer	5	–	–	–	–	–	–	3	1	1	–	–	–
Miller	11	–	–	–	1	–	3	3	2	2	–	–	–
Baker	61	–	–	2	4	13	8	11	8	7	6	1	1
Confectioner, Pastry Cook	10	–	–	–	–	1	2	2	2	3	–	–	–
Greengrocer, Fruiterer	12	–	–	1	–	–	1	2	4	1	1	1	1
Fruit and Flower,—Hawker, Vendor	1	–	–	–	–	–	–	1	–	–	–	–	–
Potato Merchant	3	–	–	–	–	–	1	–	2	–	–	–	–
Seed Merchant, Seedsman	2	–	–	–	–	–	–	–	1	1	–	–	–
(3) Maltster	8	–	–	–	–	–	2	4	2	–	–	–	–
Brewer, and others engaged in Brewing	45	–	–	1	–	9	7	7	7	9	5	–	–
Wine and Spirit Merchant	15	–	–	1	–	–	5	1	3	3	2	–	–
Sugar Refiner	1	–	–	–	–	–	–	–	1	–	–	–	–
Grocer, Tea Dealer	33	–	–	1	6	3	–	10	6	2	5	–	–
Tobacconist	2	–	–	–	1	–	–	1	–	–	–	–	–
Others dealing in *Drinks and Stimulants*	3	–	–	–	–	–	1	–	1	–	1	–	–

II.—SOUTH EASTERN COUNTIES.—Deaths of Males of different Occupations registered in Eight Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.											
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XIII.													
(1) Tallow-chandler	5	–	–	–	1	1	1	–	1	1	–	–	–
Others	2	–	–	–	–	1	–	–	–	1	–	–	–
(2) Fellmonger	1	–	–	1	–	–	–	–	–	–	–	–	–
Tanner	3	–	–	–	–	–	2	–	1	–	–	–	–
Currier	4	–	–	–	1	–	–	–	–	2	1	–	–
Others	*5	–	–	–	–	–	1	1	1	1	1	–	–
(3) Brush, Broom,—Maker	3	–	–	–	–	–	1	–	1	–	1	–	–
XIV.													
(1) Oil Miller, Refiner	1	–	–	–	–	–	–	–	1	–	–	–	–
French-polisher	3	–	–	–	–	2	1	–	–	–	–	–	–
(2) Timber Merchant, Dealer	4	–	–	–	–	2	1	1	–	–	–	–	–
Sawyer	43	–	–	–	1	3	6	12	3	7	9	1	1
Turner	4	–	–	2	–	1	–	–	–	1	–	–	–
Cooper	3	–	–	–	–	2	–	1	–	–	–	–	–
Others	3	–	–	–	1	–	1	–	1	–	–	–	–
(3) Cork Cutter, manufacture	3	–	–	1	–	–	–	–	1	–	1	–	–
(4) Basket-maker	6	–	–	–	–	2	–	1	1	1	1	–	–
Working in *Cane, Rush, and Straw*	1	–	–	–	–	–	–	–	1	–	–	–	–
(5) Paper manufacture	16	–	–	–	1	3	1	–	2	3	5	1	–
Stationer (not Law)	2	–	–	–	–	1	–	–	–	–	1	–	–
Working in *Paper*	1	–	–	–	–	–	–	–	–	–	1	–	–
XV.													
(1) Lead-miner	1	–	–	–	–	–	1	–	–	–	–	–	–
Connected with *Mines*	1	–	–	–	–	1	–	–	–	–	–	–	–
(2) Coal Merchant, Dealer	8	–	–	–	–	–	1	1	1	2	3	–	–
Coalheaver, Labourer	5	–	–	–	1	–	2	–	1	–	1	–	–
Chimney Sweeper	3	–	–	–	–	2	–	–	–	1	–	–	–
Gas Works Service	7	–	–	–	–	–	2	1	2	1	1	–	–
Working in *Coal*	1	–	–	–	–	–	–	–	–	–	–	1	–
(3) Stone Quarrier	2	–	–	–	1	–	1	–	–	–	–	–	–
Stone Cutter, Dresser, Polisher	1	–	–	–	–	–	–	–	–	1	–	–	–
Limestone Quarrier, Burner	4	–	–	–	2	–	–	1	1	–	–	–	–
Brick Maker, Dealer	14	–	–	–	–	3	6	3	1	1	–	–	–
Railway Labourer	15	–	–	–	2	3	7	2	–	1	–	–	–
Excavator, Navvy	2	–	–	–	–	1	1	–	–	–	–	–	–
Road Labourer	7	–	–	–	–	2	2	1	1	1	–	–	–
Scavenger	8	–	–	–	–	–	–	3	–	2	3	–	–
Dust Collector	1	–	–	–	–	–	–	–	–	–	1	–	–
Others working in *Stone, Clay*	3	–	–	–	1	–	1	–	–	–	1	–	–
(4) Tobacco-pipe Maker	1	–	–	–	–	–	–	–	1	–	–	–	–
Earthenware and Glass Dealer	4	–	–	1	–	1	–	–	–	1	1	–	–
(5) Glass manufacture	2	–	–	–	–	1	1	–	–	–	–	–	–
(7) Waterworks Service	1	–	–	–	–	–	–	–	–	–	1	–	–
Others working or dealing in *Water*	†5	–	–	–	–	–	1	1	–	1	1	–	1
(8) Goldsmith, Silversmith, Jeweller	5	–	–	–	–	–	–	1	4	–	–	–	–
(9) Coppersmith	1	–	–	–	–	–	1	–	–	–	–	–	–
(10) Tinman, Tinworker, Tinker	10	–	–	–	2	1	4	1	2	–	–	–	–
(13) Brass Founder, Moulder, manufacture	3	–	–	–	–	1	–	–	2	–	–	–	–
Brazier	3	–	–	–	1	–	–	–	–	1	–	1	–
Locksmith, Bellhanger	1	–	–	–	–	–	–	–	–	1	–	–	–
Gasfitter	1	–	–	–	–	1	–	–	–	–	–	–	–
(14) Iron manufacture, Moulder, Founder	14	–	–	–	1	3	2	5	2	–	1	–	–
Whitesmith	13	–	–	–	2	1	3	2	1	2	2	–	
Blacksmith	52	–	–	2	3	5	7	9	11	5	8	2	–
Boiler-maker	4	–	–	–	–	2	1	1	–	–	–	–	
Ironmonger	10	–	–	1	1	3	–	–	2	2	1	–	–
Grinder (Branch undefined)	1	–	–	–	–	–	–	–	–	–	1	–	–
Others working in *Iron and Steel*	2	–	–	–	–	–	1	1	–	–	–	–	–
XVI.													
(1) Labourer	308	1	1	10	11	31	58	59	50	48	33	6	–
(2) *Of indefinite Occupation*	1	–	–	–	–	–	–	–	–	1	–	–	–
XVII.													
(1) Gentleman, Independent	103	–	–	–	–	10	4	12	18	27	26	6	–
Annuitant	17	–	–	–	–	–	–	–	3	3	11	–	–
XVIII.													
(1) Dependent on Relatives	2	–	–	–	–	1	–	1	–	–	–	–	–
Pauper (no stated Occupation)	6	1	–	–	1	–	–	–	1	1	2	–	–
Lunatic (no stated Occupation)	4	–	–	–	–	2	1	1	–	–	–	–	–
Others	9	–	–	–	–	1	3	–	2	–	2	1	–
(2) *Prisoner* (no stated Occupation)	17	–	–	1	7	3	3	1	1	1	–	–	–
(3) *Vagrant, Beggar*	5	–	–	1	–	–	2	1	–	–	1	–	–
Others of no stated Occupation or Condition	20	–	1	4	3	2	2	3	1	2	–	2	–

* Of these, 8 are leather case, portmanteau, trunk, makers; 1 feather cleaner; and 1 dealer in skins.

† Of these, 3 are well-sinkers and 2 water-carriers.

III.—SOUTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in Four Town Districts* in the Years 1860–1.

Order	OCCUPATIONS.	TOTAL.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	TOTAL OF MALES AGED 5 YEARS AND UPWARDS	1495	84	51	79	87	170	159	189	228	258	157	32	1
I.														
	(1) Civil Service not in Revenue Departmt.	1	–	–	–	–	–	–	–	–	1	–	–	–
	Post Office	2	–	–	–	1	–	1	–	–	–	–	–	–
	Inland Revenue	1	–	–	–	–	–	–	1	–	–	–	–	–
	Customs	1	–	–	–	–	–	–	–	–	–	1	–	–
	(2) Police	7	–	–	–	–	–	4	1	1	1	–	–	–
	Prison Officer	1	–	–	–	–	–	1	–	–	–	–	–	–
	Union and Parish Officer	1	–	–	–	–	–	–	–	–	1	–	–	–
	Officer of Local Board	1	–	–	–	–	–	–	1	–	–	–	–	–
	(3) East India and Colonial Service	3	–	–	–	–	–	–	1	–	1	1	–	–
II.														
	(1) Army Officer	1	–	–	–	–	–	–	–	1	–	–	–	–
	Army Half-pay Officer	1	–	–	–	–	–	–	–	–	–	1	–	–
	Soldier	12	–	–	–	2	7	3	–	–	–	–	–	–
	Chelsea Pensioner	11	–	–	–	–	3	1	–	2	2	2	1	–
	(2) Greenwich Pensioner	1	–	–	–	–	–	–	–	–	–	1	–	–
III.														
	(1) (*a*) Clergyman	7	–	–	–	–	1	–	–	2	–	3	1	–
	Protestant Minister	2	–	–	–	–	–	–	–	1	–	1	–	–
	Other *Religious Teachers*	1	–	–	–	–	–	–	–	1	–	–	–	–
	(*b*) Parish Clerk	2	–	–	–	–	–	–	–	1	1	–	–	–
	Church Officer	1	–	–	–	–	–	–	–	–	1	–	–	–
	(2) (*a*) Barrister	1	–	–	–	–	–	–	–	–	1	–	–	–
	Solicitor	3	–	–	–	–	1	–	2	–	–	–	–	–
	(*b*) Law Clerk	6	–	–	1	1	2	–	–	1	1	–	–	–
	(3) (*a*) Physician	3	–	–	–	–	–	–	1	1	1	–	–	–
	Surgeon, Apothecary	2	–	–	–	–	–	–	–	1	1	–	–	–
	(*b*) Druggist	5	–	–	–	1	1	–	–	1	2	–	–	–
	(5) Artist, Painter	1	–	–	–	–	–	–	–	1	–	–	–	–
	(6) Musician	4	–	–	–	–	–	–	–	4	–	–	–	–
	(7) Actor	1	–	–	–	–	–	1	–	–	–	–	–	–
	(8) Schoolmaster	8	–	–	–	–	1	–	–	2	4	1	–	–
	Other *Teachers*	5	–	–	–	–	1	–	–	–	2	2	–	–
IV.														
	(3) *Son*, Grandson, *Brother*, Nephew (not otherwise described)	186	84	44	50	8	–	–	–	–	–	–	–	–
V.														
	(1) Innkeeper, Hotelkeeper	11	–	–	–	–	–	2	3	3	3	–	–	–
	Publican	22	–	–	–	–	1	3	12	3	3	–	–	–
	Beerseller	3	–	–	–	–	–	1	2	–	–	–	–	–
	Coffee-house, Eating-house, Keeper	2	–	–	–	–	–	–	1	–	–	1	–	–
	Cook (not Domestic Servant)	5	–	–	–	–	1	–	1	1	1	1	–	–
	(2) *Domestic Servant* (General)	15	–	–	–	–	3	1	5	1	4	1	–	–
	Groom	3	–	–	–	–	2	–	–	–	–	1	–	–
	Gardener	1	–	–	–	–	–	–	–	–	1	–	–	–
	Inn Servant	6	–	–	–	–	1	1	2	–	2	–	–	–
	Hospital, Lun. Asylum, Attendt., Nurse	1	–	–	–	–	1	–	–	–	–	–	–	–
	Others	24	–	–	–	–	6	2	6	7	2	1	–	–
VI.														
	(1) Insurance, Benefit Society, Officer	1	–	–	–	–	–	–	–	–	1	–	–	–
	Auctioneer, Appraiser, Valuer	2	–	–	–	–	–	–	1	1	–	–	–	–
	Accountant	3	–	–	–	–	1	1	–	1	–	–	–	–
	Commercial Clerk	7	–	–	–	–	3	1	–	1	1	1	–	–
	(2) Marine-store Dealer	1	–	–	–	–	–	–	–	–	–	1	–	–
	General Dealer, Huckster, Costermonger	4	–	–	–	–	–	2	–	1	1	–	–	–
	Shopkeeper (Branch undefined)	7	–	–	–	–	–	–	2	–	3	2	–	–
	Hawker, Pedlar	6	–	–	–	–	2	–	1	1	–	2	–	–
VII.														
	(1) Railway Engine Driver, Stoker	4	–	–	–	3	–	1	–	–	–	–	–	–
	Railway Official, Clerk, Station-master	4	–	–	–	1	1	–	1	1	–	–	–	–
	Railway Servant, Porter, Gatekeeper	5	–	–	–	1	2	–	2	–	–	–	–	–
	Railway Police	1	–	–	–	–	1	–	–	–	–	–	–	–
	(2) Toll-collector, Turnpike-gate Keeper	2	–	–	–	–	–	1	–	–	1	–	–	–
	Coachman (not domestic)	8	–	–	–	–	1	1	–	2	2	2	–	–
	Cabman, Flyman	5	–	–	–	–	–	1	2	2	–	–	–	–
	Carman, Carrier, Carter, Drayman	12	–	–	–	1	3	2	–	1	2	3	–	–
	(3) Canal and Inland Navigation Service	1	–	–	–	–	–	–	–	–	–	1	–	–
	Bargeman, Lighterman, Waterman	5	–	–	–	–	–	–	–	3	1	–	1	–
	(5) Connected with *Storage*	1	–	–	–	–	1	–	–	–	–	–	–	–
	(6) Messenger, Porter (not Govt.), Errd. Boy	7	–	–	–	–	–	–	4	1	2	–	–	–
	Telegraph Service	3	–	–	–	1	2	–	–	–	–	–	–	–

* *Note.*—The following Town Districts are comprised in this Table :—

	Male Population in 1861 aged 5 Years and upwards.		Male Population in 1861 aged 5 Years and upwards.
Oxford	8,352	Bedford	15,813
Northampton	17,473	Cambridge	10,738

III.—SOUTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in Four Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	Ages of Males.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
VIII.													
(1) Land Proprietor	2	–	–	–	–	–	–	–	2	–	–	–	–
Farmer, Grazier	42	–	–	–	–	1	2	3	8	15	10	3	–
Farmer's "Son," "Brother," "Grandson"	2	–	–	1	1	–	–	–	–	–	–	–	–
Farm Bailiff	5	–	–	–	–	–	–	–	2	3	–	–	–
Agricultural Labourer (out-door)	179	–	2	9	9	21	19	16	34	34	27	8	–
Land Surveyor, Land, Estate, Agent	1	–	–	–	–	–	–	–	1	–	–	–	–
(2) Woodman	3	–	–	–	–	–	–	1	–	1	1	–	–
(8) Gardener (not Domestic Servant)	18	–	–	–	–	–	1	2	3	7	4	1	–
IX.													
(1) Horsebreaker	3	–	–	–	–	–	–	1	–	1	1	–	–
Horsekeeper, Groom, Jockey	25	–	–	1	2	5	3	5	5	1	2	1	–
Drover	3	–	–	–	–	1	–	–	1	1	–	–	–
Gamekeeper	1	–	–	–	–	–	–	–	1	–	–	–	–
Fisherman	1	–	–	–	–	–	–	–	1	–	–	–	–
X.													
(1) Bookseller, Publisher	2	–	–	–	–	–	1	1	–	–	–	–	–
Bookbinder	3	–	1	–	–	–	–	–	–	2	–	–	–
Printer	9	–	–	–	5	–	–	2	1	1	–	–	–
(2) Musical Instrument Maker, Dealer	1	–	–	–	–	–	–	1	–	–	–	–	–
(7) Watchmaker, Clockmaker	4	–	–	–	–	–	2	–	1	1	–	–	–
(9) Gunsmith, Gun manufacture	2	–	–	–	–	–	–	–	–	1	1	–	–
(10) Engine and Machine Maker	1	–	–	–	–	–	–	–	1	–	–	–	–
Engaged about *Tools and Machines*	1	–	–	–	–	–	–	–	–	1	–	–	–
(11) Coachmaker	8	–	–	–	2	–	2	1	1	1	1	–	–
(12) Saddler, Harness-maker	3	–	–	–	–	–	1	–	–	1	1	–	–
(13) Boat, Barge,—Builder	2	–	–	–	–	–	–	1	–	–	1	–	–
(14) House Proprietor	3	–	–	–	–	–	–	–	–	–	2	1	–
Architect	1	–	–	–	–	–	–	1	–	–	–	–	–
Builder	7	–	–	–	–	–	–	1	–	5	1	–	–
Carpenter, Joiner	44	–	–	–	4	4	7	6	8	11	3	1	–
Bricklayer	15	–	–	1	1	–	2	2	5	–	3	1	–
Marble Mason	1	–	–	–	–	–	1	–	–	–	–	–	–
Mason, Pavior	17	–	–	–	–	3	1	6	5	1	1	–	–
Slater, Tiler	1	–	–	–	–	–	–	1	–	–	–	–	–
Plasterer	5	–	–	–	–	–	1	–	1	3	–	–	–
Plumber, Painter, Glazier	19	–	–	–	1	3	4	5	3	2	1	–	–
(15) Cabinet-maker, Upholsterer	3	–	–	–	–	–	–	2	–	–	–	1	–
Chair-maker	1	–	–	–	–	–	–	–	–	–	1	–	–
Picture-frame Maker	1	–	–	–	–	1	–	1	–	–	–	–	–
Carver, Gilder	1	–	–	–	–	–	–	1	–	–	–	–	–
Furniture Broker	2	–	–	–	–	–	–	–	–	2	–	–	–
(16) Wheelwright	4	–	–	–	1	–	1	–	–	1	1	–	–
Millwright	2	–	–	–	–	–	–	1	–	1	–	–	–
(17) Dyer, Scourer, Calenderer	2	–	–	–	–	–	1	–	–	1	–	–	–
Manufacturing *Chemicals*	1	–	–	–	–	–	–	1	–	–	–	–	–
XI.													
(2) Ribbon manufacture	1	–	–	–	–	–	–	1	–	–	–	–	–
(3) Lace manufacture	1	–	–	–	–	–	–	–	–	–	1	–	–
Working in *Flax*	1	–	–	–	–	–	–	–	1	–	–	–	–
(4) Draper, Linendraper, Mercer	8	–	–	–	1	2	–	1	3	1	–	–	–
(5) Hairdresser, Wig-maker	9	–	–	–	1	1	2	2	–	1	2	–	–
Hatter, Hat manufacture	2	–	–	–	1	–	–	–	1	–	–	–	–
Tailor	42	–	–	–	3	4	14	4	3	9	4	1	–
Clothes Dealer, Salesman, Outfitter	4	–	–	–	–	–	2	–	2	–	–	–	–
Button-maker (all Branches)	1	–	–	–	–	–	–	1	–	–	–	–	–
Hose manufacture	1	–	–	–	–	–	–	–	–	1	–	–	–
Hosier, Haberdasher	2	–	–	–	–	–	1	–	–	1	–	–	–
Glover, Leather, and not otherwise des.	1	–	–	–	–	–	–	–	1	–	–	–	–
Shoemaker, Bootmaker	143	–	–	9	14	26	15	16	24	28	7	4	–
Umbrella, Parasol, Stick,—Maker	1	–	–	–	–	–	–	–	–	–	1	–	–
Providing *Dress*	1	–	–	–	–	–	–	–	–	–	1	–	–
(6) Mat Maker, Seller	2	–	–	–	–	–	–	1	–	1	–	–	–
Rope, Cord,—Maker	1	–	–	–	–	–	–	–	–	1	–	–	–
Sailcloth manufacture	1	–	–	–	–	–	–	–	–	1	–	–	–
XII.													
(1) Cowkeeper, Milkseller	8	–	–	–	–	1	1	1	2	1	–	2	–
Butcher, Meat Salesman	24	–	–	–	1	5	2	4	4	3	5	–	–
Fishmonger	1	–	–	–	–	–	–	–	1	–	–	–	–
(2) Corn Merchant, Dealer	4	–	–	–	–	–	1	1	2	–	–	–	–
Miller	5	–	–	–	–	–	1	2	1	1	–	–	–
Baker	18	–	–	–	–	4	4	2	5	3	–	–	–
Confectioner, Pastry Cook	2	–	–	–	–	–	–	1	–	–	1	–	–
Greengrocer, Fruiterer	1	–	–	–	–	–	–	–	–	1	–	–	–

III.—SOUTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in Four Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XII.—*cont.*													
(3) Maltster	4	–	–	–	1	1	–	–	1	1	–	–	–
Brewer, and others engaged in Brewing	19	–	–	–	–	–	4	3	6	3	2	1	–
Wine and Spirit Merchant	5	–	–	–	–	3	–	–	1	1	–	–	–
Distiller, Rectifier (engaged in Distilling)	1	–	–	–	–	–	–	–	1	–	–	–	–
Ginger Beer, Soda, Min. Water, Manuf.	1	–	–	–	–	–	1	–	–	–	–	–	–
Grocer, Tea Dealer	14	–	–	–	1	4	1	2	3	3	–	–	–
Tobacconist	1	–	–	–	–	–	–	–	1	–	–	–	–
XIII.													
(1) Tallow-chandler	1	–	–	–	–	–	1	–	–	–	–	–	–
(2) Fellmonger	2	–	–	–	1	–	–	–	–	1	–	–	–
Tanner	2	–	–	–	–	1	–	–	–	1	–	–	–
Currier	8	–	–	–	2	1	1	1	2	1	–	–	–
Working in *Leather*	1	–	–	–	–	–	–	–	1	–	–	–	–
XIV.													
(1) French-polisher	1	–	–	–	1	–	–	–	–	–	–	–	–
(2) Sawyer	10	–	–	–	–	1	1	1	1	2	4	–	–
Fence, Hurdle,—Maker	1	–	–	–	–	–	–	–	–	–	1	–	–
Turner	1	–	–	–	–	–	–	1	–	–	–	–	–
Cooper	6	–	–	1	–	1	1	–	2	–	1	–	–
Hoop Maker, Bender	1	–	–	–	–	–	–	–	–	–	1	–	–
Working in *Wood*	1	–	–	–	–	–	–	1	–	–	–	–	–
(3) Cork Cutter, manufacture	1	–	–	–	–	–	–	–	–	1	–	–	–
(4) Basket-maker	5	–	–	–	1	1	1	1	1	–	–	–	–
Thatcher	1	–	–	–	–	–	–	–	–	–	1	–	–
Working in *Cane, Rush, and Straw*	1	–	–	–	1	–	–	–	–	–	–	–	–
(5) Rag Gatherer, Dealer	2	–	–	–	–	–	1	–	–	1	–	–	–
Paper manufacture	1	–	–	–	–	–	–	1	–	–	–	–	–
Stationer (not Law)	1	–	–	–	–	–	1	–	–	–	–	–	–
XV.													
(2) Coal Merchant, Dealer	6	–	–	–	–	1	–	1	1	–	3	–	–
Coalheaver, Labourer	4	–	–	–	–	–	1	2	–	1	–	–	–
Chimney Sweeper	3	–	–	–	–	1	–	–	–	2	–	–	–
Gas Works Service	1	–	–	–	–	–	–	–	–	–	1	–	–
(3) Stone Quarrier	2	–	1	–	–	–	–	–	1	–	–	–	–
Brick Maker, Dealer	7	–	–	–	–	–	2	1	1	3	–	–	–
Railway Labourer	5	–	–	–	1	2	1	1	–	–	–	–	–
Road Contractor, Inspector, Surveyor	1	–	–	–	–	–	–	–	–	1	–	–	–
Road Labourer	2	–	–	–	–	–	–	–	–	–	2	–	–
Scavenger	3	–	–	1	–	–	–	–	1	1	–	–	–
Others working in *Stone, Clay*	2	–	–	–	–	2	–	–	–	–	–	–	–
(4) Tobacco-pipe Maker	3	–	–	1	–	–	2	–	–	–	–	–	–
Earthenware and Glass Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
(5) Glass manufacture	1	–	–	–	–	1	–	–	–	–	–	–	–
(7) Waterworks Service	1	–	1	–	–	–	–	–	–	–	–	–	–
(8) Goldsmith, Silversmith, Jeweller	2	–	–	–	–	–	–	1	–	–	–	1	–
(13) Wire Maker, Drawer	1	–	–	–	–	1	–	–	–	–	–	–	–
Wire Worker, Weaver	2	–	–	–	–	2	–	–	–	–	–	–	–
(14) Iron manufacture, Moulder, Founder	5	–	–	–	–	1	2	1	–	1	–	–	–
Whitesmith	4	–	–	–	1	1	–	1	–	1	–	–	–
Blacksmith	20	–	–	–	4	2	2	3	1	4	4	–	–
XVI.													
(1) Labourer	92	–	1	2	5	12	7	14	16	19	15	1	–
(2) Mechanic	1	–	–	–	–	1	–	–	–	–	–	–	–
Shopman	1	–	–	–	–	–	1	–	–	–	–	–	–
XVII.													
(1) Gentleman, Independent	17	–	–	–	1	–	–	–	2	7	4	2	1
Annuitant	3	–	–	–	–	–	–	–	–	–	3	–	–
XVIII.													
(1) Almsperson (no stated Occupation)	2	–	–	–	–	–	–	–	–	2	–	–	–
Lunatic (no stated Occupation)	1	–	–	–	–	–	1	–	–	–	–	–	–
Others	2	–	–	–	–	–	–	1	–	–	1	–	–
(2) *Prisoner* (no stated Occupation)	4	–	1	1	–	–	2	–	–	–	–	–	–
(3) *Vagrant, Beggar*	1	–	–	–	–	–	–	1	–	–	–	–	–
Others of no stated Occupation or Condition	1	–	–	1	–	–	1	1	–	–	–	–	–

IV.—EASTERN COUNTIES.—Deaths of Males of different Occupations registered in Seven Town Districts* in the Years 1860–1.

	OCCUPATIONS.	TOTAL.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	TOTAL OF MALES AGED 5 YEARS AND UPWARDS	3105	197	86	142	165	327	351	346	448	567	366	104	6
Order I.														
(1)	Civil Service not in Revenue Departmt.	4	–	–	–	–	1	1	–	–	–	1	1	–
	Post Office	7	–	–	–	–	2	–	1	1	2	1	–	–
	Inland Revenue	9	–	–	–	–	–	–	2	3	2	1	1	–
	Customs	8	–	–	–	–	1	1	1	–	2	1	2	–
	Dockyard Artificers	2	–	–	–	–	–	–	–	1	1	–	–	–
(2)	Police	8	–	–	–	–	–	2	2	1	3	–	–	–
	Prison Officer	2	–	–	–	–	–	–	–	2	–	–	–	–
	Union and Parish Officer	3	–	–	–	–	1	–	–	–	1	–	1	–
	Other Local Officers	3	–	–	–	–	–	1	2	–	–	–	–	–
(3)	East India and Colonial Service	4	–	–	–	1	–	–	–	–	1	2	–	–
II.														
(1)	Army Officer	1	–	–	–	–	–	–	–	–	–	1	–	–
	Army Half-pay Officer	1	–	–	–	–	–	–	–	–	–	1	–	–
	Soldier	91	–	–	7	17	41	22	–	1	1	1	1	–
	Chelsea Pensioner	49	–	–	–	–	3	5	9	11	8	13	–	–
	Militia	7	–	–	2	2	2	–	1	–	–	–	–	–
(2)	Navy Officer	1	–	–	–	–	–	1	–	–	–	–	–	–
	Navy Half-pay Officer	2	–	–	–	–	–	–	–	1	–	–	1	–
	Seaman, R.N.	64	–	–	2	4	12	11	4	6	13	9	3	–
	Royal Marine	2	–	–	–	1	–	1	–	–	–	–	–	–
	Greenwich Pensioner	2	–	–	–	–	–	–	–	1	1	–	–	–
	Others	3	–	–	–	–	–	–	–	–	1	2	–	–
III.														
(1)	(*a*) Clergyman	9	–	–	–	–	–	3	2	2	1	1	–	–
	Protestant Minister	5	–	–	–	–	–	1	1	1	2	–	–	–
	Roman Catholic Priest	1	–	–	–	–	–	–	–	1	–	–	–	–
	Other *Religious Teachers*	2	–	–	–	–	–	–	1	1	–	–	–	–
	(*b*) Other *Church Officers*	3	–	–	–	–	–	–	–	1	2	–	–	–
(2)	(*a*) Solicitor	15	–	–	–	–	1	1	1	2	7	2	1	–
	(*b*) Law Clerk	12	–	–	1	1	4	3	1	–	2	–	–	–
	Law Stationer	2	–	–	–	–	–	–	–	2	–	–	–	–
(3)	(*a*) Physician	2	–	–	–	–	1	–	1	–	–	–	–	–
	Surgeon, Apothecary	9	–	–	–	–	1	2	1	1	–	4	–	–
	Dentist	1	–	–	–	–	–	–	–	1	–	–	–	–
	(*b*) Druggist	7	–	–	–	–	1	3	1	–	1	1	–	–
	Connected with *Medicine*	1	–	–	–	–	–	–	–	–	–	1	–	–
(5)	Artist, Painter	1	–	–	–	–	1	–	–	–	–	–	–	–
(6)	Musician	6	–	–	–	–	1	2	1	1	1	–	–	–
	Music-master	1	–	–	–	–	–	–	–	1	–	–	–	–
(7)	Actor	1	–	–	–	–	–	1	–	–	–	–	–	–
	Persons engaged about *Theatres, Exhib.*	1	–	–	–	–	–	–	–	1	–	–	–	–
(8)	Schoolmaster	10	–	–	–	2	–	2	1	3	1	–	1	–
	Professor, Teacher, of Languages	1	–	–	–	–	–	1	–	–	–	–	–	–
	Professor of Mathematics	2	–	–	–	–	1	–	–	–	1	–	–	–
	Teacher (General)	2	–	–	1	1	–	–	–	–	–	–	–	–
(9)	Civil Engineer	1	–	–	–	1	–	–	–	–	–	–	–	–
IV.														
(3)	*Son*, Grandson, *Brother*, Nephew (not otherwise described)	319	197	77	40	5	–	–	–	–	–	–	–	–
V.														
(1)	Innkeeper, Hotelkeeper	27	–	–	–	–	3	3	3	5	4	2	2	–
	Publican	29	–	–	–	–	3	3	6	10	5	2	–	–
	Beerseller	4	–	–	–	–	1	–	1	1	–	1	–	–
	Lodging, Boarding, House Keeper	1	–	–	–	–	–	–	–	1	–	–	–	–
	Cook (not Domestic Servant)	1	–	–	–	–	–	–	1	–	–	–	–	–
(2)	*Domestic Servant* (General)	44	–	–	3	2	3	5	6	7	10	4	4	–
	Coachman	7	–	–	–	–	1	–	4	–	1	1	–	–
	Groom	3	–	–	1	–	–	–	–	–	1	1	–	–
	Gardener	9	–	–	–	1	–	1	1	1	2	3	–	–
	Inn Servant	15	–	–	–	2	2	2	4	1	3	–	1	–
	Engaged in *Attendance*	1	–	–	–	–	–	–	1	–	–	–	–	–

*Note.—The following Town Districts are comprised in this Table:—

	Male Population in 1861 aged 5 Years and upwards.
West Ham	24,717
Colchester	10,636
Bury St. Edmunds	5,268
Ipswich	15,100
Yarmouth	11,525
Norwich	29,103
Kings Lynn	6,491

IV.—EASTERN COUNTIES.—Deaths of Males of different Occupations registered in Seven Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
VI.													
(1) Merchant	4	–	–	–	–	–	–	–	2	–	1	1	–
Banker	3	–	–	–	–	–	–	–	1	–	1	1	–
Ship Broker, Agent	3	–	–	–	–	–	–	–	3	–	–	–	–
Broker	1	–	–	–	–	–	–	–	–	–	1	–	–
Agent, Factor	1	–	–	1	–	–	–	–	–	–	–	–	–
Coal, Colliery, Agent, Factor	1	–	–	–	–	–	–	–	–	1	–	–	–
Auctioneer, Appraiser, Valuer	8	–	–	–	1	–	–	–	3	4	–	–	–
Accountant	8	–	–	–	–	–	3	1	1	1	2	–	–
Commercial Clerk	20	–	–	4	1	4	3	1	3	4	–	–	–
Commercial Traveller	4	–	–	–	–	1	1	–	–	–	2	–	–
Other *Mercantile* Men	2	–	–	–	–	–	2	–	–	–	–	–	–
(2) Pawnbroker	6	–	1	1	1	–	2	–	1	–	–	–	–
Marine-store Dealer	1	–	–	–	–	–	–	–	–	–	–	1	–
General Dealer, Huckster, Costermonger	2	–	–	–	–	–	–	–	2	–	–	–	–
Shopkeeper (Branch undefined)	2	–	–	–	–	–	–	1	1	–	–	–	–
Hawker, Pedlar	12	–	–	–	–	1	1	5	3	2	–	–	–
VII.													
(1) Railway Engine Driver, Stoker	5	–	–	–	–	2	3	–	–	–	–	–	–
Railway Official, Clerk, Station-master	11	–	–	2	2	2	2	2	1	–	–	–	–
Railway Servant, Porter, Gatekeeper	11	–	–	1	–	2	5	2	1	–	–	–	–
(2) Toll-collector, Turnpike-gate Keeper	4	–	–	–	1	–	1	2	–	–	–	–	–
Livery Stable Keeper	3	–	–	–	–	–	1	1	1	–	–	–	–
Coachman (not Domestic)	11	–	–	–	–	2	2	3	2	1	1	–	–
Cabman, Flyman	8	–	–	1	–	2	2	1	–	1	–	1	–
Carman, Carrier, Carter, Drayman	18	–	–	–	–	2	4	2	1	3	6	–	–
(3) Bargeman, Lighterman, Waterman	11	–	–	–	1	–	–	3	2	4	1	–	–
(4) Shipowner	4	–	–	–	–	–	–	2	1	–	1	–	–
Seaman (Merchant Service)	65	–	1	8	10	9	5	10	5	12	5	–	–
Pilot	1	–	–	–	–	–	–	1	–	–	–	–	–
Boatman on Seas	2	–	–	–	–	–	–	–	1	1	–	–	–
Harbour, Dock, Servant, Dock Labourer	20	–	–	1	1	4	1	7	2	2	1	–	1
Wharfinger	1	–	–	–	–	–	–	–	–	–	1	–	–
Others	6	–	–	1	–	1	1	1	–	1	1	–	–
(5) Warehouseman (not Manchester)	3	–	–	1	1	–	–	1	–	–	–	–	–
Connected with *Storage*	1	–	–	–	–	–	–	–	1	–	–	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	27	–	1	–	2	3	–	4	7	7	3	–	–
VIII.													
(1) Land Proprietor	6	–	–	–	–	–	–	1	–	1	4	–	–
Farmer, Grazier	46	–	–	–	1	2	1	3	8	17	12	2	–
Farmer's "Son," "Brother," "Grandson"	3	–	–	1	1	1	–	–	–	–	–	–	–
Farm Bailiff	11	–	–	–	–	–	2	6	1	–	2	–	–
Agricultural Labourer (out-door)	186	–	–	5	5	19	19	18	31	42	33	13	1
Shepherd (out-door)	3	–	–	–	–	–	–	1	–	1	1	–	–
Land Surveyor, Land, Estate, Agent	2	–	–	–	–	–	–	–	–	1	1	–	–
(2) Woodman	4	–	–	–	–	–	–	–	–	2	2	–	–
(3) Gardener (not Domestic Servant)	53	–	–	–	1	1	2	1	9	12	15	11	1
Nurseryman	3	–	–	–	–	1	1	–	–	1	–	–	–
IX.													
(1) Horse Proprietor, Dealer	3	–	–	–	–	–	–	–	1	1	–	1	–
Horsebreaker	2	–	–	–	–	–	1	–	–	1	–	–	–
Horsekeeper, Groom, Jockey	17	–	–	–	–	4	2	3	2	5	1	–	–
Farrier, Veterinary Surgeon	1	–	–	–	–	–	–	1	–	–	–	–	–
Cattle, Sheep,—Dealer, Salesman	3	–	–	–	–	–	–	–	3	–	–	–	–
Drover	8	–	–	–	–	1	1	1	1	2	2	–	–
Pig Merchant, Dealer	1	–	–	–	–	1	–	–	–	–	–	–	–
Gamekeeper	1	–	–	–	1	–	–	–	–	–	–	–	–
Fisherman	21	–	–	–	3	3	5	3	1	3	2	1	–
Engaged about *Animals*	1	–	–	–	–	–	–	–	–	1	–	–	–
X.													
(1) Bookseller, Publisher	8	–	–	–	–	1	–	1	1	5	–	–	–
Bookbinder	5	–	–	1	1	1	–	–	2	–	–	–	–
Printer	9	–	–	2	–	1	4	1	–	1	–	–	–
Newspaper Agent, Vendor, &c.	1	–	–	–	–	–	–	–	–	–	1	–	–
Others engaged about *Publications*	3	–	–	–	–	–	1	1	–	1	–	–	–
(2) Musical Instrument Maker, Dealer	4	–	–	–	–	2	1	1	–	–	–	–	–
Connected with *Musical Insts.*	1	–	–	–	–	–	–	–	–	1	–	–	–
(3) Connected with *Prints and Pictures*	1	–	–	–	–	–	–	1	–	–	–	–	–
(5) Toy Maker, Dealer	1	–	–	–	–	–	1	–	–	–	–	–	–
(6) Pattern Designer	2	–	–	–	1	–	–	–	–	1	–	–	–
(7) Watchmaker, Clockmaker	11	–	–	–	1	1	1	2	2	3	1	–	–
(8) Surgical Instrument Maker	1	–	–	–	–	–	–	–	1	–	–	–	–
(9) Gunsmith, Gun manufacture	5	–	–	–	1	1	–	1	1	–	–	1	–

IV.—EASTERN COUNTIES.—Deaths of Males of different Occupations registered in Seven Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
X.—*cont.*													
(10) Engine and Machine Maker	16	–	–	–	3	1	4	4	1	2	1	–	–
File-maker	1	–	–	–	–	–	1	–	–	–	–	–	–
Cutler	1	–	–	–	–	–	–	–	1	–	–	–	–
(11) Coachmaker	12	–	–	–	1	2	3	1	1	3	1	–	–
Engaged about *Carriages*	1	–	–	–	–	–	1	–	–	–	–	–	–
(12) Saddler, Harness-maker	6	–	–	2	–	1	1	–	2	–	–	–	–
(13) Shipbuilder, Shipwright	29	–	–	1	4	–	5	2	5	6	4	2	–
Block, Oar, Mast,—Maker	2	–	–	1	–	–	–	–	–	1	–	–	–
Boat, Barge,—Builder	5	–	–	–	–	1	–	–	1	1	1	–	1
Engaged in fitting *Ships*	1	–	–	–	–	–	–	–	–	1	–	–	–
(14) House Proprietor	17	–	–	–	–	–	–	2	3	7	3	2	–
House Agent, Rent Collector	1	–	–	–	–	–	–	–	–	1	–	–	–
Architect	3	–	–	1	–	–	–	–	2	–	–	–	–
Surveyor	1	–	–	–	–	–	–	1	–	–	–	–	–
Builder	13	–	–	–	–	–	–	1	1	5	5	1	–
Carpenter, Joiner	100	–	–	4	6	7	13	18	15	21	15	1	–
Bricklayer	78	–	–	–	4	12	11	9	11	23	7	1	–
Mason, Pavior	11	–	–	1	–	3	–	2	2	3	–	–	–
Slater, Tiler	2	–	–	–	–	–	–	–	1	1	–	–	–
Plasterer	4	–	–	–	1	1	–	2	–	–	–	–	–
Paperhanger	1	–	–	–	–	–	–	1	–	–	–	–	–
Plumber, Painter, Glazier	42	–	–	1	2	4	5	6	8	13	3	–	–
(15) Cabinet-maker, Upholsterer	31	–	–	1	–	2	6	3	4	6	7	2	–
Chairmaker	3	–	–	–	1	–	1	–	–	–	1	–	–
Carver, Gilder	2	–	–	–	1	–	–	1	–	–	–	–	–
Furniture Broker	7	–	–	–	–	–	–	1	3	3	–	–	–
(16) Wheelwright	12	–	–	–	–	1	–	2	4	3	1	1	–
Millwright	5	–	–	1	–	–	–	1	2	–	1	–	–
Other *Implement* Makers	2	–	–	–	–	–	–	–	1	–	1	–	–
(17) Manuf. Chemist, Lab. at Chem. Works	2	–	–	–	–	1	–	–	–	–	1	–	–
Dye, Colour,—manufacture	1	–	–	–	–	–	–	–	1	–	–	–	–
Dyer, Scourer, Calenderer	8	–	–	–	–	–	1	–	2	1	3	1	–
Others manufacturing *Chemicals*	5	–	–	1	–	–	–	–	2	1	1	–	–
XI.													
(1) Woolstapler	2	–	–	–	–	1	1	–	–	–	–	–	–
Woollen Cloth manufacture	1	–	–	–	–	–	–	–	–	–	1	–	–
Worsted manufacture	8	–	–	–	–	1	–	2	2	1	2	–	–
Others	4	–	–	–	–	–	–	–	1	–	2	1	–
(2) Silk manufacture	56	–	–	–	–	3	4	3	14	19	13	–	–
Silk Dyer, Printer	10	–	–	–	2	3	2	–	2	1	–	–	–
Ribbon manufacture	2	–	–	–	–	1	–	–	–	–	–	1	–
(3) Cotton manufacture	1	–	–	–	–	–	1	–	–	–	–	–	–
Calico, Cotton,—Dyer	1	–	–	–	–	–	–	–	1	–	–	–	–
Working in *Flax, &c.*	1	–	–	–	–	–	–	1	–	–	–	–	–
(4) Packer and Presser	1	–	–	–	–	–	–	–	1	–	–	–	–
Weaver (not otherwise defined)	19	–	–	1	–	–	1	–	9	5	3	–	–
Draper, Linendraper, Mercer	21	–	–	6	2	1	5	1	1	3	1	1	–
Working in *Mixed Fabrics*	1	–	–	–	–	1	–	–	–	–	–	–	–
(5) Hairdresser, Wig-maker	8	–	–	1	2	–	3	–	2	–	–	–	–
Hatter, Hat manufacture	5	–	–	–	–	–	2	1	1	–	–	1	–
Straw Hat, Bonnet,—Maker	1	–	–	–	–	–	1	–	–	–	–	–	–
Furrier	1	–	–	–	–	–	–	–	–	1	–	–	–
Tailor	64	–	1	2	1	9	7	11	14	6	10	3	–
Clothes Dealer, Salesman, Outfitter	4	–	–	–	–	–	1	–	3	–	–	–	–
Hosier, Haberdasher	1	–	–	–	–	–	–	1	–	–	–	–	–
Glover, Leather, and not otherwise des.	5	–	–	–	–	1	2	–	1	–	1	–	–
Shoemaker, Bootmaker	162	–	–	7	17	26	21	16	28	29	15	3	–
Umbrella, Parasol, Stick,—Maker	1	–	–	–	–	–	–	–	–	–	1	–	–
Others providing *Dress*	3	–	–	–	–	–	–	2	–	1	–	–	–
(6) Rope, Cord,—Maker	13	–	1	1	–	–	–	2	1	4	3	1	–
Others	2	–	–	–	–	1	–	–	–	–	1	–	–
XII.													
(1) Cowkeeper, Milkseller	4	–	–	–	–	–	–	2	1	–	–	1	–
Cheesemonger	2	–	–	–	–	–	1	–	1	–	–	–	–
Butcher, Meat Salesman	38	–	–	–	1	5	5	5	8	11	3	–	–
Provision Curer, Dealer	1	–	–	–	–	–	–	–	–	–	–	1	–
Poulterer, Game Dealer	3	–	–	–	–	–	1	1	1	–	–	–	–
Fishmonger	32	–	–	–	2	3	5	2	6	7	5	2	–
(2) Corn Merchant, Dealer	13	–	–	–	1	–	1	1	3	5	1	1	–
Miller	17	–	–	1	3	1	2	1	2	3	3	1	–
Flour Dealer, Agent	1	–	–	–	–	–	–	–	–	1	–	–	–
Baker	44	–	–	1	2	7	5	7	6	7	7	2	–
Confectioner, Pastry Cook	4	–	–	–	–	1	2	–	–	1	–	–	–
Greengrocer, Fruiterer	8	–	–	–	–	–	3	–	3	1	1	–	–
Fruit and Flower,—Hawker, Vendor	6	–	–	–	–	–	1	1	2	–	2	–	–
Seed Merchant, Seedsman	1	–	–	–	–	–	–	–	1	–	–	–	–
Dealing in *Vegetable Food*	1	–	–	–	–	–	–	–	–	1	–	–	–

IV.—EASTERN COUNTIES.—Deaths of Males of different Occupations registered in Seven Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
XII.—*cont.*													
(3) Maltster	12	–	–	–	–	–	1	1	2	2	6	–	–
Brewer, and others engaged in Brewing	25	–	–	–	1	1	3	7	5	4	4	–	–
Wine and Spirit Merchant	4	–	–	–	–	–	–	1	2	1	–	–	–
Cellarman	1	–	–	–	–	1	–	–	–	–	–	–	–
Sugar Refiner	2	–	–	–	–	–	–	–	–	1	1	–	–
Grocer, Tea Dealer	32	–	–	–	2	4	5	4	4	10	3	–	–
Tobacconist	1	–	–	–	–	–	–	–	–	1	–	–	–
Others dealing in *Drinks and Stimulants*	4	–	–	–	1	1	1	–	–	1	–	–	–
XIII.													
(1) Soap-boiler	1	–	–	–	–	–	–	1	–	–	–	–	–
Tallow-chandler	4	–	–	–	–	1	–	–	1	1	1	–	–
Others	2	–	–	–	–	–	2	–	–	–	–	–	–
(2) Fellmonger	1	–	–	–	–	–	–	1	–	–	–	–	–
Currier	4	–	–	–	–	–	2	–	1	–	1	–	–
Others	1	–	–	–	–	–	1	–	–	–	–	–	–
(3) Brush, Broom,—Maker	7	–	–	–	–	2	1	2	–	–	1	1	–
XIV.													
(1) French-polisher	2	–	–	–	1	–	–	–	–	1	–	–	–
(2) Timber Merchant, Dealer	2	–	–	–	–	–	–	1	–	1	–	–	–
Sawyer	21	–	–	–	2	–	1	3	1	8	6	–	–
Fence, Hurdle,—Maker	1	–	–	–	–	–	–	–	1	–	–	–	–
Lath-maker	2	–	–	–	–	–	1	–	1	–	–	–	–
Turner	3	–	–	–	–	1	–	–	1	1	–	–	–
Cooper	12	–	–	–	–	–	2	1	2	3	3	1	–
Others	2	–	–	–	–	2	–	–	–	–	–	–	–
(4) Basket-maker	6	–	–	–	–	1	–	–	1	1	1	2	–
Hay and Straw Dealer	5	–	–	–	–	–	2	–	1	2	–	–	–
Thatcher	2	–	–	–	–	–	–	–	–	2	–	–	–
Working in *Cane, Rush, Straw*	1	–	–	–	–	–	–	–	1	–	–	–	–
(5) Rag Gatherer, Dealer	2	–	–	–	–	–	–	–	2	–	–	–	–
Working in *Paper*	1	–	–	–	–	–	–	1	–	–	–	–	–
XV.													
(1) *Engaged in Mining*	1	–	–	–	–	–	1	–	–	–	–	–	–
(2) Coal Merchant, Dealer	11	–	–	1	–	–	–	2	–	6	2	–	–
Coalheaver, Labourer	20	–	–	1	–	1	–	2	4	8	4	–	–
Chimney Sweeper	4	–	–	–	–	–	–	2	–	–	1	1	–
Gas Works Service	3	–	–	–	–	1	–	–	1	–	1	–	–
(3) Stone Cutter, Dresser, Polisher	1	–	–	–	–	–	–	–	1	–	–	–	–
Limestone Quarrier, Burner	1	–	–	–	–	–	–	–	1	–	–	–	–
Brick Maker, Dealer	10	–	–	–	–	1	–	–	3	2	3	1	–
Railway Labourer	12	–	–	2	4	1	2	–	2	1	–	–	–
Platelayer	3	–	–	–	–	2	1	–	–	–	–	–	–
Excavator, Navvy	10	–	–	–	3	5	1	–	1	–	–	–	–
Road Contractor, Inspector, Surveyor	1	–	–	–	–	–	–	–	1	–	–	–	–
Road Labourer	2	–	–	–	–	1	–	–	–	1	–	–	–
Scavenger	4	–	–	–	–	–	–	2	1	1	–	–	–
Others working in *Stone, Clay*	5	–	–	–	2	2	1	–	–	–	–	–	–
(4) Earthenware manufacture	1	–	–	–	–	–	–	–	–	–	1	–	–
Tobacco-pipe Maker	2	–	–	–	–	–	–	–	–	1	1	–	–
Earthenware and Glass Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
(5) Glass manufacture	2	–	–	–	–	–	–	1	–	1	–	–	–
(8) Goldsmith, Silversmith, Jeweller	6	–	–	–	1	–	–	1	3	–	1	–	–
(10) Tinman, Tinworker, Tinker	4	–	–	1	–	1	–	–	–	1	1	–	–
Tinplate Worker	1	–	–	–	–	1	–	–	–	–	–	–	–
(13) Brazier	5	–	–	–	2	1	1	–	–	–	1	–	–
Gasfitter	1	–	–	–	–	–	–	1	–	–	–	–	–
Others working in *mixed Metals*	2	–	–	–	–	–	2	–	–	–	–	–	–
(14) Iron manufacture, Moulder, Founder	16	–	–	2	1	3	1	4	3	2	–	–	–
Whitesmith	11	–	–	2	1	–	2	1	1	4	–	–	–
Blacksmith	33	–	–	1	3	2	5	3	7	8	4	–	–
Ironmonger	9	–	–	–	2	1	1	2	–	2	–	1	–
Hardwareman, Dealer	1	–	–	–	–	–	–	–	–	1	–	–	–
XVI.													
(1) Labourer	118	–	3	7	4	17	19	14	12	25	8	9	–
(2) Mechanic	1	–	–	–	–	–	–	1	–	–	–	–	–
Others of indefinite Occupations	2	–	–	–	1	1	–	–	–	–	–	–	–
XVII.													
(1) Gentleman, Independent	52	–	–	–	–	4	1	2	10	18	14	3	–
Annuitant	7	–	–	–	–	–	–	–	–	2	3	2	–
XVIII.													
(1) Pauper (no stated Occupation)	5	–	–	–	–	–	3	1	–	1	–	–	–
Lunatic (no stated Occupation)	2	–	–	2	–	–	–	–	–	–	–	–	–
Others	10	–	–	1	1	–	–	3	–	2	3	–	–
Others of no stated Occupation or Condition	19	–	1	1	–	5	–	3	1	5	–	1	2

V.—SOUTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in Nine Town Districts in the Years 1860–1.

Order	OCCUPATIONS.	Total.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	TOTAL OF MALES AGED 5 YEARS AND UPWARDS	4893	266	158	190	349	478	539	572	685	826	651	166	13
I.														
(1)	Civil Service not in Revenue Departmt.	7	–	–	–	–	–	–	2	–	2	2	1	–
	Post Office	12	–	–	–	–	1	–	3	2	3	2	1	–
	Inland Revenue	12	–	–	–	–	1	–	–	2	6	3	–	–
	Customs	7	–	–	–	–	–	1	1	2	1	–	2	–
	Government Messengers, Workmen	1	–	–	–	–	1	–	–	–	–	–	–	–
	Dockyard Artificers	110	–	–	1	4	12	7	10	6	33	33	4	–
	Government Officer	1	–	–	–	–	–	–	–	–	–	1	–	–
(2)	Magistrate	2	–	–	–	–	–	–	–	–	1	1	–	–
	Police	6	–	–	–	–	1	2	2	–	1	–	–	–
	Prison Officer	2	–	–	–	–	–	1	–	–	1	–	–	–
	Union and Parish Officer	3	–	–	–	–	–	–	–	1	2	–	–	–
	Other *Local* Officers	3	–	–	–	–	–	–	–	1	1	1	–	–
(3)	East India and Colonial Service	7	–	–	–	–	–	1	1	–	3	1	1	–
II.														
(1)	Army Officer	23	–	–	–	1	3	–	3	4	8	2	2	–
	Army Half-pay Officer	13	–	–	–	2	–	1	–	–	4	4	2	–
	Soldier	95	–	–	7	31	36	17	1	2	1	–	–	–
	Chelsea Pensioner	65	–	–	–	–	4	4	10	8	14	18	4	3
	Militia	14	–	–	–	3	–	1	2	2	1	4	1	–
(2)	Navy Officer	32	–	–	–	2	2	7	4	3	5	7	1	1
	Navy Half-pay Officer	18	–	–	–	–	–	–	1	2	6	8	1	–
	Seaman, R.N.	160	–	1	24	49	37	17	23	3	5	1	–	–
	Royal Marine	50	–	–	4	15	18	9	3	–	–	1	–	–
	Greenwich Pensioner	146	–	–	–	3	6	11	28	26	38	26	8	–
	Others	10	–	–	–	–	1	1	2	1	3	1	1	–
III.														
(1)	(*a*) Clergyman	24	–	–	–	–	1	2	1	2	6	8	4	–
	Protestant Minister	8	–	–	–	1	1	–	4	–	2	–	–	–
	Roman Catholic Priest	1	–	–	–	–	–	–	–	–	–	1	–	–
	Other *Religious Teachers*	2	–	–	–	–	–	1	–	–	1	–	–	–
	(*b*) Parish Clerk	2	–	–	–	–	–	–	–	1	–	1	–	–
	Other *Church Officers*	4	–	–	–	–	–	–	–	1	2	1	–	–
(2)	(*a*) Barrister	4	–	–	–	–	–	1	–	2	1	–	–	–
	Solicitor	22	–	–	–	–	2	1	4	6	3	5	1	–
	(*b*) Officers of Law Court	4	–	–	–	–	–	1	2	–	1	–	–	–
	Law Clerk	5	–	–	1	–	2	1	–	1	–	–	–	–
(3)	(*a*) Physician	5	–	–	–	–	–	–	–	1	1	1	2	–
	Surgeon, Apothecary	23	–	–	–	–	2	2	4	2	6	7	–	–
	Dentist	2	–	–	–	1	–	–	–	1	–	–	–	–
	(*b*) Druggist	9	–	–	–	–	–	1	2	4	2	–	–	–
	Connected with *Medicine*	1	–	–	–	–	1	–	–	–	–	–	–	–
(4)	Author, Editor, Writer	1	–	–	–	–	–	–	–	1	–	–	–	–
	Engaged in *Literature*	1	–	–	1	–	–	–	–	–	–	–	–	–
(5)	Artist, Painter	2	–	–	–	–	–	–	–	–	1	1	–	–
	Sculptor	2	–	–	1	–	–	–	–	1	–	–	–	–
	Engraver	2	–	–	–	–	–	–	1	1	–	–	–	–
	Photographic Artist	2	–	–	–	–	–	1	1	–	–	–	–	–
(6)	Musician	14	–	–	–	1	2	2	6	3	–	–	–	–
	Music-master	3	–	–	–	–	–	–	–	1	1	1	–	–
(7)	Actor	2	–	–	–	1	–	–	–	–	–	1	–	–
	Persons engaged about *Theatres, Exhib.*	1	–	–	–	–	1	–	–	–	–	–	–	–
(8)	Schoolmaster	19	–	–	–	4	1	–	1	4	5	2	2	–
	Professor, Teacher, of Languages	2	–	–	–	–	1	1	–	–	–	–	–	–
(9)	Other *Scientific* Persons	2	–	–	–	–	–	–	1	–	1	–	–	–
IV.														
(3)	*Son*, Grandson, *Brother*, Nephew (not otherwise described)	495	266	152	64	10	3	–	–	–	–	–	–	–
V.														
(1)	Innkeeper, Hotelkeeper	33	–	–	–	–	4	5	8	3	4	1	3	–
	Publican	41	–	–	–	1	5	8	11	10	5	1	–	–
	Beerseller	9	–	–	–	–	1	2	4	1	1	–	–	–
	Lodging, Boarding, House Keeper	11	–	–	–	–	–	1	1	1	6	2	–	–
	Coffee-house, Eating-house, Keeper	1	–	–	–	1	–	–	–	–	–	–	–	–
	Cook (not Domestic Servant)	1	–	–	–	–	1	–	–	–	–	–	–	–
(2)	*Domestic Servant* (General)	52	–	–	2	3	7	9	5	9	6	9	2	–
	Coachman	16	–	–	–	1	2	6	1	2	2	1	1	–
	Gardener	9	–	–	–	1	2	–	1	1	1	3	–	–
	Inn Servant	13	–	–	1	–	1	2	3	2	3	1	–	–
	Hospital, Lun. Asylum, Attendt., Nurse	2	–	–	–	–	–	–	1	–	–	1	–	–

* Note.—The following Town Districts are comprised in this Table:—

	Male Population in 1861 aged 5 Years and upwards.
Salisbury	3,538
St. Thomas	19,458
Exeter	13,115
Plymouth	25,207
East Stonehouse	5,915
Stoke Damerel	23,592
Truro	17,219
Bath	24,801
Bedminster	16,752

V.—SOUTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in Nine Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
VI.													
(1) Merchant	12	–	–	–	–	–	1	–	3	3	3	2	–
Banker	3	–	–	–	–	–	1	–	1	–	1	–	–
Stock, Share, Broker, Dealer	2	–	–	–	–	–	–	–	–	2	–	–	–
Ship Broker, Agent	3	–	–	–	–	–	2	–	–	–	1	–	–
Broker	1	–	–	–	–	–	–	1	–	–	–	–	–
Coal, Colliery, Agent, Factor	1	–	–	–	–	–	–	1	–	–	–	–	–
Auctioneer, Appraiser, Valuer	3	–	–	–	–	1	–	–	–	2	–	–	–
Accountant	8	–	–	–	1	–	2	1	1	2	1	–	–
Commercial Clerk	16	–	–	–	2	4	2	3	2	1	2	–	–
Commercial Traveller	10	–	–	–	–	–	2	2	5	1	–	–	–
(2) Pawnbroker	4	–	–	–	–	–	–	2	–	–	1	1	–
Marine-store Dealer	1	–	–	–	–	–	–	–	–	1	–	–	–
General Dealer, Huckster, Costermonger	3	–	–	–	–	1	–	1	–	1	–	–	–
Shopkeeper (Branch undefined)	1	–	–	–	–	–	–	–	–	–	1	–	–
Hawker, Pedlar	22	–	–	–	1	2	2	3	8	2	3	–	1
VII.													
(1) Railway Engine Driver, Stoker	5	–	–	–	–	2	2	–	–	1	–	–	–
Railway Official, Clerk, Station-master	4	–	–	–	–	1	–	2	1	–	–	–	–
Railway Servant, Porter, Gatekeeper	8	–	–	–	2	3	1	–	2	–	–	–	–
Railway Police	1	–	–	–	–	–	–	–	1	–	–	–	–
(2) Toll-collector, Turnpike-gate Keeper	3	–	–	–	–	–	–	1	–	–	2	–	–
Coach, Omnibus, Cab,—Owner	2	–	–	–	–	–	–	–	2	–	–	–	–
Coachman (not domestic)	18	–	–	–	–	1	4	6	–	2	4	1	–
Cabman, Flyman	14	–	–	–	2	4	2	3	2	1	–	–	–
Carman, Carrier, Carter, Drayman	41	–	–	–	3	4	4	7	7	10	4	2	–
Others engaged in *Road* Conveyance	16	–	–	–	–	1	2	1	5	4	3	–	–
(3) Canal and Inland Navigation Service	2	–	–	–	–	–	1	–	–	1	–	–	–
Bargeman, Lighterman, Waterman	40	–	–	1	3	3	5	7	7	5	7	2	–
(4) Shipowner	7	–	–	–	–	–	–	1	2	3	1	–	–
Seaman (Merchant Service)	126	–	2	8	24	21	20	12	11	13	11	4	–
Pilot	6	–	–	–	–	–	–	1	–	2	1	2	–
Boatman on Seas	1	–	–	–	–	–	–	–	–	–	1	–	–
Harbour, Dock, Servant, Dock Labourer	17	–	–	–	1	4	1	5	2	1	3	–	–
Wharfinger	1	–	–	–	–	–	–	1	–	–	–	–	–
Others	2	–	–	–	1	–	–	–	1	–	–	–	–
(5) Warehouseman (not Manchester)	2	–	–	–	–	1	–	1	–	–	–	–	–
Connected with *Storage*	1	–	–	–	–	–	–	–	–	–	1	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	18	–	1	1	–	2	3	3	4	3	–	1	–
Telegraph Service	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII.													
(1) Land Proprietor	34	–	–	–	1	–	4	3	6	6	7	7	–
Farmer, Grazier	159	–	–	–	5	6	19	11	24	39	40	14	1
Farmer's "Son," "Brother," "Grandson"	8	–	–	1	3	2	2	–	–	–	–	–	–
Agricultural Labourer (out-door)	294	–	–	8	7	25	32	33	52	67	61	9	–
Shepherd (out-door)	1	–	–	–	–	–	–	–	1	–	–	–	–
Land Surveyor, Land, Estate, Agent	3	–	–	–	–	–	–	–	1	1	1	–	–
Connected with *Agriculture*	1	–	–	–	–	–	–	–	–	–	1	–	–
(2) Woodman	2	–	–	–	–	–	–	2	–	–	–	–	–
(3) Gardener (not Domestic Servant)	70	–	–	1	4	4	6	7	18	16	11	3	–
Nurseryman	3	–	–	–	–	–	–	–	1	1	–	–	1
IX.													
(1) Horsekeeper, Groom, Jockey	28	–	–	–	2	4	4	6	7	3	2	–	–
Farrier, Veterinary Surgeon	1	–	–	–	–	–	1	–	–	–	–	–	–
Cattle, Sheep,—Dealer, Salesman	2	–	–	–	–	–	–	1	1	–	–	–	–
Drover	1	–	–	–	–	–	–	–	–	1	–	–	–
Pig Merchant, Dealer	1	–	–	–	–	–	–	–	–	–	1	–	–
Gamekeeper	6	–	–	–	–	–	–	–	3	1	–	–	–
Fisherman	13	–	–	1	1	2	1	2	2	3	–	1	–
X.													
(1) Bookseller, Publisher	6	–	–	1	–	–	2	–	2	1	–	–	–
Bookbinder	5	–	–	–	–	1	–	1	2	–	1	–	–
Printer	10	–	–	2	3	3	1	–	1	–	–	–	–
Newspaper Agent, Vendor, &c.	3	–	–	–	–	–	1	–	1	–	1	–	–
(2) Musical Instrument Maker, Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
Connected with *Musical Instruments*	1	–	–	–	–	–	–	–	1	–	–	–	–
(4) Employed about *Carving & Figures*	1	–	–	–	1	–	–	–	–	–	–	–	–
(5) Toy Maker, Dealer	1	–	–	–	–	–	–	1	–	–	–	–	–
Bow, Bat, Ball, Tackle, &c. Maker	1	–	–	–	–	–	–	–	–	1	–	–	–
(7) Watchmaker, Clockmaker	13	–	–	–	1	3	3	–	2	3	1	–	–
(9) Gunsmith, Gun manufacture	2	–	–	–	–	–	–	1	1	–	–	–	–
Engaged in manufacturing *Arms*	1	–	–	–	–	–	–	–	–	1	–	–	–
(10) Engine and Machine Maker	5	–	–	–	1	1	2	–	1	–	–	–	–
Cutler	8	–	–	–	–	1	–	2	–	4	1	–	–
(11) Coachmaker	15	–	–	2	1	–	5	3	–	2	2	–	–
(12) Saddler, Harness-maker	11	–	–	–	–	–	2	1	1	6	1	–	–
Whip-maker	1	–	–	–	–	1	–	–	–	–	–	–	–
(13) Shipbuilder, Shipwright	32	–	–	4	4	2	2	3	1	8	7	1	–
Block, Oar, Mast,—Maker	2	–	–	1	–	–	1	–	–	–	–	–	–
Sailmaker	3	–	–	–	–	–	1	–	1	1	–	–	–
(14) House Proprietor	30	–	–	–	–	1	–	1	4	13	8	3	–
House Agent, Rent Collector	1	–	–	–	–	–	–	–	–	1	–	–	–
Architect	1	–	–	–	–	–	–	1	–	–	–	–	–

V.—SOUTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in NINE TOWN DISTRICTS in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
X.—*cont.*													
(14) Builder	19	–	–	–	–	–	1	2	6	5	4	1	–
Carpenter, Joiner	122	–	–	10	13	15	9	11	20	20	19	5	–
Bricklayer	6	–	–	–	–	1	1	–	–	2	1	1	–
Marble Mason	4	–	–	–	–	–	2	–	–	2	–	–	–
Mason, Pavior	142	–	–	3	6	12	21	19	26	33	19	2	1
Slater, Tiler	1	–	–	–	–	–	–	–	1	–	–	–	–
Plasterer	16	–	–	–	1	–	2	3	4	4	2	–	–
Paperhanger	1	–	–	–	1	–	–	–	–	–	–	–	–
Plumber, Painter, Glazier	53	–	–	–	2	7	6	13	12	9	4	–	–
Engaged in *Houses and Buildings*	1	–	–	–	1	–	–	–	–	–	–	–	–
(15) Cabinet-maker, Upholsterer	33	–	–	1	5	5	9	4	2	3	2	2	–
Chairmaker	2	–	–	–	–	–	1	–	1	–	–	–	–
Carver, Gilder	6	–	–	1	1	1	1	–	–	2	–	–	–
Bedstead, Mattress, Tick,—Maker	1	–	–	–	–	–	–	–	1	–	–	–	–
Furniture Broker	4	–	–	–	–	–	–	1	–	2	1	–	–
Dealing in *Furniture*	1	–	–	–	–	–	–	–	–	1	–	–	–
(16) Wheelwright	10	–	–	–	2	–	3	1	–	1	3	–	–
Millwright	4	–	–	–	1	–	1	1	–	1	–	–	–
(17) Manuf. Chemist, Lab. at Chem. Works	1	–	–	–	–	–	–	–	–	1	–	–	–
Dyer, Scourer, Calenderer	4	–	–	–	–	–	–	2	1	1	–	–	–
Others manufacturing *Chemicals*	3	–	–	–	–	–	1	1	1	–	–	–	–
XI.													
(1) Woolstapler	1	–	–	–	–	–	–	–	1	–	–	–	–
Woollen Cloth manufacture	16	–	–	–	2	–	–	1	3	4	3	3	–
Fuller	1	–	–	–	–	–	–	–	1	–	–	–	–
Worsted manufacture	1	–	–	–	–	–	–	–	–	1	–	–	–
Carpet, Rug,—manufacture	2	–	–	–	–	–	–	1	1	–	–	–	–
Working in *Wool, &c.*	1	–	–	–	–	–	1	–	–	–	–	–	–
(2) Silk Mercer	1	–	–	–	–	–	–	–	–	1	–	–	–
Working in *Silk*	1	–	–	–	–	–	1	–	–	–	–	–	–
(4) Weaver (not otherwise defined)	4	–	–	–	–	–	–	1	1	1	1	–	–
Manchester Warehouseman	1	–	–	–	–	1	–	–	–	–	–	–	–
Draper, Linendraper, Mercer	35	–	–	3	8	10	5	3	1	2	3	–	–
(5) Hairdresser, Wig-maker	11	–	–	–	2	–	2	2	1	1	1	2	–
Hatter, Hat manufacture	7	–	–	–	2	1	–	2	1	1	–	–	–
Tailor	98	–	–	1	9	8	14	9	13	19	22	3	–
Clothes Dealer, Salesman, Outfitter	4	–	–	–	–	1	–	–	–	1	2	–	–
Glover, Leather, and not otherwise des.	1	–	–	–	–	–	–	–	–	1	–	–	–
Shoemaker, Bootmaker	161	–	–	4	7	17	17	28	30	30	23	5	–
Patten, Clog,—Maker	1	–	–	–	–	–	–	–	–	1	–	–	–
Umbrella, Parasol, Stick,—Maker	1	–	–	–	–	–	–	–	–	1	–	–	–
Others providing *Dress*	5	–	–	–	1	1	1	1	1	–	–	–	–
(6) Rope, Cord,—Maker	17	–	–	–	1	–	2	5	2	5	2	–	–
Canvas Maker,—Dealer	4	–	–	–	–	–	1	1	1	1	–	–	–
Others	7	–	–	–	–	–	2	–	4	1	–	–	–
XII.													
(1) Cowkeeper, Milkseller	24	–	–	–	–	–	1	3	5	8	5	2	–
Cheesemonger	5	–	–	–	–	1	–	–	1	1	2	–	–
Butcher, Meat Salesman	45	–	–	–	2	2	5	6	11	7	8	4	–
Provision Curer, Dealer	7	–	–	–	–	1	1	1	1	2	–	1	–
Poulterer, Game Dealer	4	–	–	–	–	–	1	2	1	–	–	–	–
Fishmonger	7	–	–	–	–	–	1	–	–	4	2	–	–
(2) Corn Merchant, Dealer	6	–	–	–	–	–	1	–	1	1	2	1	–
Miller	22	–	–	1	1	1	3	3	7	4	1	1	–
Flour Dealer, Agent	3	–	–	–	–	–	–	2	–	1	–	–	–
Baker	45	–	–	2	3	9	5	6	4	7	8	–	1
Confectioner, Pastrycook	13	–	–	–	–	1	2	3	4	1	2	–	–
Greengrocer, Fruiterer	5	–	–	–	–	1	–	1	1	–	2	–	–
Fruit and Flower,—Hawker, Vendor	1	–	–	–	–	–	–	–	1	–	–	–	–
Seed Merchant, Seedsman	1	–	–	–	–	–	–	–	–	1	–	–	–
Dealing in *Vegetable Food*	1	–	–	–	–	–	–	1	–	–	–	–	–
(3) Maltster	10	–	–	–	–	1	1	1	1	5	1	–	–
Brewer, and others engaged in Brewing	28	–	–	–	–	1	12	4	7	2	2	–	–
Wine and Spirit Merchant	10	–	–	–	–	1	–	5	2	2	–	–	–
Distiller, Rectifier (engaged in Distilling)	1	–	–	–	–	–	–	1	–	–	–	–	–
Cellarman	6	–	–	–	–	1	1	2	2	–	–	–	–
Sugar Refiner	3	–	–	–	–	1	–	1	–	1	–	–	–
Grocer, Tea Dealer	40	–	–	2	7	4	7	4	7	5	4	–	–
Tobacco, Cigar, Snuff,—manufacture	1	–	–	–	–	–	–	–	–	–	1	–	–
Tobacconist	2	–	–	–	–	1	–	–	–	–	1	–	–
Others dealing in *Drinks and Stimulants*	5	–	–	–	1	1	1	–	–	1	–	1	–
XIII.													
(1) Tallow-chandler	7	–	–	–	–	1	2	–	2	1	–	1	–
Comb-maker	1	–	–	–	–	–	–	–	–	–	1	–	–
Others	2	–	–	–	–	1	–	–	1	–	–	–	–
(2) Fellmonger	3	–	–	–	–	–	–	–	2	–	1	–	–
Tanner	13	–	–	–	1	2	–	1	4	1	4	–	–
Currier	8	–	–	–	–	–	4	1	1	1	1	–	–
(3) Brush, Broom,—Maker	8	–	–	–	1	1	1	1	1	2	–	1	–
XIV.													
(1) Oil and Colourman	1	–	–	–	–	1	–	–	–	–	–	–	–
French-polisher	8	–	–	1	–	1	3	1	2	–	–	–	–
Working in *Gums, &c.*	1	–	–	–	–	–	–	1	–	–	–	–	–
(2) Timber Merchant, Dealer	5	–	–	–	–	1	1	–	–	1	–	2	–
Wood Dealer	2	–	–	–	–	–	–	–	1	–	1	–	–
Sawyer	28	–	–	–	–	3	5	2	3	5	7	2	1

V.—SOUTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in Nine Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XIV.—*cont.*													
(2) Fence, Hurdle,—Maker	1	–	–	–	–	–	–	–	–	–	1	–	–
Lath-maker	1	–	–	–	–	–	–	–	–	–	1	–	–
Turner	6	–	–	–	–	1	–	1	–	2	1	1	–
Cooper	21	–	–	2	–	–	1	3	1	9	5	–	–
Others	7	–	–	–	–	–	2	2	–	1	1	–	1
(3) Cork Cutter, manufacture	2	–	–	–	–	–	1	–	1	–	–	–	–
Working in *Bark*	1	–	–	–	–	–	–	–	–	1	–	–	–
(4) Basket-maker	7	–	–	–	–	1	1	–	2	3	–	–	–
Hay and Straw Dealer	3	–	–	–	–	–	1	–	–	1	–	1	–
Thatcher	8	–	–	–	1	–	–	1	2	3	1	–	–
Others working in *Cane, Rush, Straw*	2	–	–	–	–	–	–	1	1	–	–	–	–
(5) Paper manufacture	4	–	–	–	–	2	–	–	1	1	–	–	–
Stationer (not Law)	4	–	–	–	2	–	–	–	1	1	–	–	–
XV.													
(1) Coal-miner	23	–	–	1	6	1	2	3	1	3	4	2	–
Copper-miner	78	–	–	7	7	12	9	12	18	9	4	–	–
Tin-miner	44	–	–	3	4	2	3	3	13	7	7	2	–
Lead-miner	6	–	–	–	1	2	1	1	–	1	–	–	–
Iron-miner	1	–	–	–	–	1	–	–	–	–	–	–	–
Others	8	–	–	–	–	–	3	1	1	2	1	–	–
(2) Coal Merchant, Dealer	7	–	–	–	–	–	1	–	2	4	–	–	–
Coalheaver, Labourer	23	–	–	–	1	1	7	5	2	4	3	–	–
Chimney Sweeper	4	–	–	–	–	2	1	1	–	–	–	–	–
Gas Works Service	7	–	–	–	1	–	2	–	–	1	3	–	–
(3) Stone Quarrier	14	–	–	2	2	–	2	2	2	1	2	1	–
Stone Cutter, Dresser, Polisher	3	–	–	–	–	–	1	1	–	1	–	–	–
Limestone Quarrier, Burner	6	–	–	–	–	–	1	–	3	1	–	1	–
Brick Maker, Dealer	4	–	–	–	2	–	–	1	–	–	1	–	–
Railway Labourer	18	–	–	–	1	6	4	3	2	2	–	–	–
Excavator, Navvy	8	–	–	–	–	–	4	2	2	–	–	–	–
Road Contractor, Inspector, Surveyor	3	–	–	–	–	–	–	–	1	2	–	–	–
Road Labourer	7	–	–	–	–	–	–	1	2	2	1	1	–
Scavenger	4	–	–	–	–	–	1	–	1	2	–	–	–
Dust Collector	2	–	–	–	–	–	1	1	–	–	–	–	–
Others working in *Stone, Clay*	5	–	–	–	–	1	–	1	–	3	–	–	–
(4) Earthenware manufacture	3	–	–	–	1	–	–	–	–	2	–	–	–
Tobacco-pipe Maker	1	–	–	–	–	–	–	–	1	–	–	–	–
Earthenware and Glass Dealer	5	–	–	–	–	1	1	–	–	2	1	–	–
(5) Glass manufacture	2	–	–	–	–	–	–	–	–	2	–	–	–
(7) Waterworks Service	1	–	–	–	–	–	–	–	–	1	–	–	–
Working or dealing in *Water*	1	–	–	–	–	–	–	–	–	–	–	1	–
(8) Goldsmith, Silversmith, Jeweller	12	–	–	–	1	4	–	1	1	1	4	–	–
(9) Copper manufacture	1	–	1	–	–	–	–	–	–	–	–	–	–
Coppersmith	3	–	–	–	–	–	–	–	3	–	–	–	–
(10) Tin manufacture	2	–	–	1	–	–	–	–	–	1	–	–	–
Tinman, Tinworker, Tinker	5	–	–	–	2	–	–	–	1	2	–	–	–
Tinplate Worker	6	–	–	–	–	1	2	1	–	1	–	1	–
(12) Lead manufacture	3	–	–	1	–	–	–	–	1	–	–	1	–
(13) Brass Founder, Moulder, manufacture	7	–	–	–	–	3	–	2	2	–	–	–	–
Brazier	2	–	–	–	–	–	–	–	–	–	2	–	–
Locksmith, Bellhanger	1	–	–	–	–	–	–	–	–	–	1	–	–
Gasfitter	2	–	–	1	–	1	–	–	–	–	–	–	–
Wire Worker, Weaver	3	–	–	–	1	1	–	–	–	–	1	–	–
Working in *mixed Metals*	1	–	–	–	–	–	–	–	–	1	–	–	–
(14) Iron manufacture, Moulder, Founder	7	–	–	–	1	–	2	1	2	–	1	–	–
Whitesmith	3	–	–	–	–	–	–	1	–	1	1	–	–
Blacksmith	58	–	1	4	5	7	11	6	7	5	10	2	–
Nail manufacture	1	–	–	–	–	–	–	–	–	1	–	–	–
Anchor Smith, Chain Smith	1	–	–	–	–	–	–	–	1	–	–	–	–
Boiler-maker	4	–	–	–	–	2	2	–	–	–	–	–	–
Ironmonger	5	–	–	–	1	–	–	2	–	1	1	–	–
XVI.													
(1) Labourer	265	–	–	2	12	30	26	36	48	53	47	9	2
(2) Shopman	2	–	–	–	1	–	1	–	–	–	–	–	–
Others of indefinite Occupations	2	–	–	–	–	–	–	–	1	1	–	–	–
XVII.													
(1) Gentleman, Independent	34	–	–	–	2	1	2	5	5	6	10	3	–
Annuitant	24	–	–	–	–	–	1	2	6	8	5	2	–
XVIII.													
(1) Dependent on Relatives	1	–	–	–	–	–	–	–	–	1	–	–	–
Almsperson (no stated Occupation)	4	–	–	–	–	–	–	–	–	2	2	–	–
Pauper (no stated Occupation)	1	–	–	–	1	–	–	–	–	–	–	–	–
Lunatic (no stated Occupation)	5	–	–	–	–	2	3	–	–	–	–	–	–
Others	5	–	–	–	–	–	–	–	2	2	1	–	–
(2) *Prisoner* (no stated Occupation)	1	–	–	–	1	–	–	–	–	–	–	–	–
(3) *Vagrant, Beggar*	2	–	–	–	–	–	1	–	–	1	–	–	–
Others of no stated Occupation or Condition	10	–	–	–	1	1	3	2	1	2	–	–	–

VI.—WEST MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in Eighteen Town Districts* in the Years 1860–1.

OCCUPATIONS.	TOTAL.	AGES OF MALES.											
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
TOTAL OF MALES AGED 5 YEARS AND UPWARDS – –	14060	841	481	607	788	1493	1798	1900	2160	2280	1405	293	14
Order I.													
(1) Civil Service not in Revenue Departmt.	9	–	–	–	1	2	2	–	–	2	2	–	–
Post Office – – – – – –	13	–	–	–	–	–	4	4	2	1	1	1	–
Inland Revenue – – – – –	15	–	–	1	–	1	1	1	1	4	5	1	–
Customs – – – – – – –	8	–	–	–	–	–	4	1	–	1	2	–	–
Dockyard Artificers – – –	4	–	–	1	–	2	–	–	–	1	–	–	–
Government Officer – – – –	1	–	–	–	–	1	–	–	–	–	–	–	–
(2) Magistrate – – – – – –	5	–	–	–	–	–	–	–	2	–	3	–	–
Police – – – – – – –	20	–	–	1	–	10	6	8	3	1	–	1	–
Prison Officer – – – – –	7	–	–	–	–	1	1	3	2	–	–	–	–
Union and Parish Officer – –	19	–	–	–	–	1	1	1	9	2	5	–	–
Officer of Local Board – – –	2	–	–	–	–	–	1	1	–	–	–	–	–
Other *Local* Officers – – –	10	–	–	–	–	1	2	1	2	3	1	–	–
(3) East India and Colonial Service – –	11	–	–	–	–	–	2	2	1	4	2	–	–
II.													
(1) Army Officer – – – – – –	16	–	–	–	–	1	3	–	4	6	2	–	–
Army Half-pay Officer – – –	18	–	–	–	–	–	–	1	2	6	7	2	–
Soldier – – – – – – –	51	–	–	2	9	12	15	2	4	4	3	–	–
Chelsea Pensioner – – – –	107	–	–	–	–	7	10	14	8	31	26	11	–
Militia – – – – – – –	12	–	–	–	2	3	5	–	–	1	1	–	–
(2) Navy Officer – – – – – –	13	–	–	–	1	1	1	1	3	3	2	1	–
Navy Half-pay Officer – – –	3	–	–	–	–	–	–	–	–	1	2	–	–
Seaman, R.N. – – – – –	6	–	–	1	1	1	1	–	–	–	2	–	–
Royal Marine – – – – –	3	–	–	–	–	1	–	2	–	–	–	–	–
Greenwich Pensioner – – –	18	–	–	–	–	1	3	1	2	3	5	3	–
Connected with the *Navy* – – –	1	–	–	–	–	–	–	–	–	–	1	–	–
III.													
(1) (*a*) Clergyman – – – – –	30	–	–	–	–	1	1	9	9	7	3	–	–
Protestant Minister – – – –	17	–	–	–	–	–	1	2	8	5	1	–	–
Roman Catholic Priest – – –	2	–	–	–	–	–	1	–	–	1	–	–	–
Other *Religious Teachers* – –	3	–	–	–	–	1	–	1	–	1	–	–	–
(*b*) Parish Clerk – – – –	2	–	–	–	–	–	–	–	1	–	1	–	–
Other *Church Officers* – – –	7	–	–	–	–	–	–	–	1	1	5	–	–
(2) (*a*) Barrister – – – – –	3	–	–	–	–	–	1	–	–	–	1	1	–
Solicitor – – – – – –	27	–	–	–	–	1	4	6	4	8	4	–	–
Other *Lawyers* – – – – –	1	–	–	–	–	–	–	–	–	1	–	–	–
(*b*) Officers of Law Court – –	5	–	–	–	–	–	2	1	1	–	1	–	–
Law Clerk – – – – –	24	–	–	1	3	7	2	4	3	3	1	–	–
Law Stationer – – – – –	5	–	–	–	1	–	–	2	2	–	–	–	–
(3) (*a*) Physician – – – – –	5	–	–	–	–	–	1	1	1	–	–	2	–
Surgeon, Apothecary – – – –	43	–	–	–	1	5	4	9	7	10	6	1	–
Medical Student, Assistant – –	3	–	–	–	2	1	–	–	–	–	–	–	–
Dentist – – – – – – –	1	–	–	–	–	–	–	–	–	1	–	–	–
(*b*) Druggist – – – – –	35	–	–	–	4	6	6	3	7	9	–	–	–
Connected with *Medicine* – – –	1	–	–	–	–	–	–	–	1	–	–	–	–
(4) Author, Editor, Writer – – –	6	–	–	–	–	3	1	–	–	1	1	–	–
Others engaged in *Literature* – –	5	–	–	–	1	2	–	–	1	–	1	–	–
(5) Artist, Painter – – – – –	9	–	–	–	1	–	–	4	2	1	1	–	–
Engraver – – – – –	23	–	–	1	3	1	2	4	6	3	1	2	–
Photographic Artist – – – –	1	–	–	–	–	1	–	–	–	–	–	–	–
(6) Musician – – – – – –	27	–	–	1	2	9	5	5	–	3	–	2	–
Music-master – – – – – –	5	–	–	–	–	1	1	1	2	–	–	–	–
(7) Actor – – – – – – –	4	–	–	–	–	–	–	2	2	–	–	–	–
Persons engaged about *Theatres, Exhib.* –	4	–	–	–	–	2	–	–	–	1	1	–	–
(8) Schoolmaster – – – – – –	32	–	–	–	3	1	1	8	8	5	6	–	–
Professor, Teacher, of Languages –	3	–	–	–	–	–	–	–	2	1	–	–	–
Teacher (General) – – – – –	3	–	–	2	–	–	1	–	–	–	–	–	–
Teacher of Dancing, Gymnastics –	1	–	–	–	–	–	–	–	–	–	1	–	–
(9) Civil Engineer – – – – –	6	–	–	–	1	–	3	–	1	–	–	1	–
IV.													
(3) *Son*, Grandson, *Brother*, Nephew (not otherwise described) – – – –	1622	840	440	294	40	6	1	1	–	–	–	–	–
V.													
(1) Innkeeper, Hotelkeeper – – – –	62	–	–	–	–	1	9	13	20	13	5	1	–
Publican – – – – – –	141	–	–	–	2	15	30	37	21	22	14	–	–
Beerseller – – – – – –	31	–	–	–	1	2	4	6	11	2	4	1	–
Lodging, Boarding, House Keeper –	13	–	–	–	–	–	–	4	3	4	2	–	–
Coffee-house, Eating-house, Keeper	3	–	–	–	–	–	–	2	–	1	–	–	–
Cook (not Domestic Servant) – –	3	–	–	–	–	–	–	1	1	1	–	–	–
Others *Boarding and Lodging* – –	5	–	–	–	–	–	3	1	–	–	1	–	–

* Note.—The following Town Districts are comprised in this Table:—

Male Population in 1861 aged 5 Years and upwards.		Male Population in 1861 aged 5 Years and upwards.		Male Population in 1861 aged 5 Years and upwards.	
Bristol – – –	26,606	Stafford – – –	10,892	Kings Norton –	18,659
Clifton – – –	35,389	Wolstanton – –	23,534	Birmingham – –	88,601
Gloucester – –	14,683	Stoke-upon-Trent –	30,384	Aston – – –	42,040
Cheltenham – –	18,622	Wolverhampton –	51,623	Foleshill – – –	8,153
Hereford – –	17,307	Dudley – – –	54,703	Coventry – – –	16,962
Shrewsbury – –	10,613	Worcester – –	12,816	Warwick – – –	17,537

VI.—WEST MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in Eighteen Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	Ages of Males.											
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
V.—*cont.*													
(2) *Domestic Servant* (General)	68	–	–	5	5	10	8	7	9	12	9	3	–
Coachman	27	–	–	–	–	4	5	3	8	4	3	–	–
Groom	19	–	–	2	3	3	3	4	2	1	1	–	–
Gardener	11	–	–	–	–	2	1	2	3	1	2	–	–
Inn Servant	20	–	–	1	3	4	7	2	–	3	–	–	–
Hospital, Lun. Asylum, Attendt., Nurse	2	–	–	–	–	–	1	–	1	–	–	–	–
Others	2	–	–	–	–	–	1	–	–	–	1	–	–
VI.													
(1) Merchant	10	–	–	–	–	–	1	1	3	2	1	2	–
Banker	1	–	–	–	–	–	–	–	–	–	1	–	–
Insurance, Benefit Society, Officer	1	–	–	–	–	–	1	–	–	–	–	–	–
Stock, Share, Broker, Dealer	1	–	–	–	–	–	–	–	–	–	1	–	–
Ship Broker, Agent	2	–	–	–	–	–	–	1	–	1	–	–	–
Broker	2	–	–	–	–	–	–	1	–	–	1	–	–
Agent, Factor	15	–	–	–	–	2	1	5	4	2	–	1	–
Coal, Colliery, Agent, Factor	3	–	–	–	–	–	–	1	1	1	–	–	–
Iron Merchant, Agent	3	–	–	–	–	–	–	1	–	–	1	1	–
Auctioneer, Appraiser, Valuer	12	–	–	–	–	1	4	1	3	2	1	–	–
Accountant	27	–	–	–	1	1	–	5	8	8	3	1	–
Commercial Clerk	88	–	–	8	12	16	10	14	7	17	4	–	–
Commercial Traveller	29	–	–	–	2	4	2	8	7	3	3	–	–
Other *Mercantile* Men	6	–	–	–	–	–	1	–	1	3	–	1	–
(2) Pawnbroker	7	–	–	–	–	–	–	1	4	–	2	–	–
Marine-store Dealer	8	–	–	–	–	–	1	3	3	–	1	–	–
General Dealer, Huckster, Costermonger	6	–	–	–	–	–	1	2	1	1	1	–	–
Shopkeeper (Branch undefined)	9	–	–	–	–	–	–	1	4	2	1	1	–
Hawker, Pedlar	50	–	–	–	–	5	8	7	10	10	9	1	–
VII.													
(1) Railway Engine Driver, Stoker	27	–	–	–	6	8	2	2	1	1	–	–	–
Railway Official, Clerk, Station-master	23	–	–	1	7	7	2	4	1	–	1	–	–
Railway Servant, Porter, Gatekeeper	62	–	1	1	14	20	10	6	5	5	–	–	–
Railway Police	11	–	–	–	1	3	1	4	1	–	1	–	–
Engaged in *Railways*	1	–	–	–	–	–	–	–	–	–	1	–	–
(2) Toll-collector, Turnpike-gate Keeper	6	–	–	–	–	–	–	2	1	3	–	–	–
Coach, Omnibus, Cab,—Owner	12	–	–	–	–	1	3	2	1	3	2	–	–
Livery Stable Keeper	2	–	–	–	–	–	–	–	–	–	2	–	–
Coachman (not domestic)	40	–	–	–	–	3	11	5	8	9	3	1	–
Cabman, Flyman	44	–	–	–	3	8	10	11	6	4	1	1	–
Carman, Carrier, Carter, Drayman	151	–	2	3	6	20	32	21	30	28	8	1	–
Others engaged in *Road* Conveyance	4	–	–	–	–	–	–	1	1	–	2	–	–
(3) Canal and Inland Navigation Service	48	–	1	1	4	6	6	8	11	5	6	–	–
Bargeman, Lighterman, Waterman	98	–	–	3	5	8	16	19	31	16	8	1	–
Others connected with *Inland Navigation*	4	–	–	1	–	–	–	3	–	–	–	–	–
(4) Shipowner	3	–	–	–	–	–	–	1	–	1	1	–	–
Seaman (Merchant Service)	75	–	–	6	4	22	15	9	6	7	4	2	–
Boatman on Seas	4	–	–	–	1	1	1	–	1	–	–	–	–
Harbour, Dock, Servant, Dock Labourer	10	–	–	–	1	3	3	1	1	–	1	–	–
Wharfinger	1	–	–	–	–	–	–	–	–	1	–	–	–
Others	4	–	–	–	–	1	2	1	–	–	–	–	–
(5) Warehouseman (not Manchester)	16	–	–	–	4	3	–	5	3	1	–	–	–
Others connected with *Storage*	6	–	–	–	–	–	1	3	2	–	–	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	65	–	2	3	3	4	6	13	14	13	7	–	–
Telegraph Service	2	–	–	1	–	1	–	–	–	–	–	–	–
VIII.													
(1) Land Proprietor	46	–	–	–	–	2	4	3	8	18	7	4	–
Farmer, Grazier	264	–	–	–	3	7	15	27	45	80	69	18	–
Farmer's "Son," "Brother," "Grandson"	15	–	–	5	4	5	1	–	–	–	–	–	–
Farm Bailiff	13	–	–	–	–	1	2	1	4	3	2	–	–
Agricultural Labourer (out-door)	710	–	–	11	27	59	74	75	96	191	130	43	4
Shepherd (out-door)	5	–	–	–	–	1	–	–	1	2	1	–	–
Land Surveyor, Land, Estate, Agent	14	–	–	–	–	2	3	1	4	–	4	–	–
Connected with *Agriculture*	1	–	–	–	–	1	–	–	–	–	–	–	–
(3) Gardener (not Domestic Servant)	189	–	–	2	3	10	20	23	37	45	36	12	1
Nurseryman	4	–	–	–	–	–	2	1	1	–	–	–	–
IX.													
(1) Horse Proprietor, Dealer	13	–	–	–	–	–	2	2	3	4	2	–	–
Horsebreaker	9	–	–	–	1	–	6	–	–	1	1	–	–
Horsekeeper, Groom, Jockey	86	–	–	3	2	10	13	13	22	15	7	1	–
Farrier, Veterinary Surgeon	18	–	–	1	2	4	1	2	4	1	3	–	–
Cattle, Sheep,—Dealer, Salesman	13	–	–	–	–	1	4	1	3	3	–	1	–
Drover	6	–	–	–	–	–	2	1	2	–	1	–	–
Pig Merchant, Dealer	7	–	–	–	–	–	–	1	2	1	3	–	–
Gamekeeper	13	–	–	–	–	3	3	–	2	3	2	–	–
Vermin Destroyer, Rat-catcher	1	–	–	–	–	–	–	1	–	–	–	–	–
Fisherman	3	–	–	–	–	–	–	1	1	–	1	–	–
Others engaged about *Animals*	4	–	–	–	–	–	1	2	1	–	–	–	–
X.													
(1) Bookseller, Publisher	12	–	–	–	–	2	2	4	2	1	1	–	–
Bookbinder	7	–	–	–	1	2	1	–	2	1	–	–	–
Printer	41	–	1	2	7	3	4	7	6	4	2	–	–
Newspaper Agent, Vendor, &c.	5	–	1	–	–	–	1	–	1	–	2	–	–
Others engaged about *Publications*	2	–	–	–	–	–	–	–	–	1	1	–	–
(2) Musical Instrument Maker, Dealer	4	–	–	–	1	–	–	1	–	1	1	–	–
Others connected with *Musical Insts.*	5	–	–	–	–	–	1	2	1	–	1	–	–

VI.—WEST MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in Eighteen Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
X.—*cont.*													
(3) Lithographer, Lithographic Printer	2	–	–	–	–	1	1	–	–	–	–	–	–
Others	* 10	–	–	–	1	4	2	1	1	1	–	–	–
(4) Others employed about *Carving & Figures*	2	–	–	–	–	–	–	2	–	–	–	–	–
(5) Toy Maker, Dealer	14	–	–	1	–	1	2	1	2	2	5	–	–
Bow, Bat, Ball, Tackle, &c. Maker	3	–	–	–	–	1	1	–	–	1	–	–	–
(6) Pattern Designer	3	–	–	–	1	1	–	–	1	–	–	–	–
Others engaged about *Designs, Medals*	6	–	–	–	1	1	1	1	1	1	–	–	–
(7) Watchmaker, Clockmaker	95	–	–	6	16	15	17	10	9	14	8	–	–
Optician, Spectacle-maker	11	–	–	–	2	3	1	–	2	3	–	–	–
Weighing Machine, Scale, Measure, Maker	20	–	–	–	2	4	6	1	3	2	2	–	–
Other *Philosophical Instrument Makers*	8	–	–	–	1	3	–	–	–	4	–	–	–
(9) Gunsmith, Gun manufacture	131	–	–	2	11	22	23	19	15	24	11	4	–
Others engaged in manufacturing *Arms*	14	–	–	1	–	3	2	1	3	3	1	–	–
(10) Engine and Machine Maker	94	–	–	3	11	27	18	14	10	7	3	1	–
Needle manufacture	3	–	–	–	–	1	1	–	–	1	–	–	–
Tool Maker, Dealer	52	–	–	1	4	6	9	10	10	4	6	2	–
File-maker	19	–	–	1	–	1	3	4	3	4	2	1	–
Saw Smith, Maker	1	–	–	–	–	–	1	–	–	–	–	–	–
Cutler	4	–	–	–	–	1	–	1	–	1	1	–	–
Blade Maker, Forger	1	–	–	–	–	–	–	–	–	1	–	–	–
Others engaged about *Tools and Machines*	52	–	–	1	4	6	5	9	7	15	3	1	–
(11) Coachmaker	45	–	–	1	2	8	10	10	7	7	–	–	–
Others engaged about *Carriages*	20	–	–	–	2	8	4	3	1	2	–	–	–
(12) Saddler, Harness-maker	47	–	–	1	–	3	6	7	7	15	7	1	–
Whip-maker	11	–	–	–	1	–	1	2	4	2	1	–	–
(13) Shipbuilder, Shipwright	20	–	–	–	1	4	2	5	1	4	3	–	–
Boat, Barge,—Builder	14	–	–	–	–	1	3	1	3	5	1	–	–
Sailmaker	3	–	–	–	1	–	1	1	–	–	–	–	–
(14) House Proprietor	86	–	–	–	–	–	1	3	19	32	20	4	1
House Agent, Rent Collector	16	–	–	–	–	1	1	4	6	3	1	–	–
Architect	5	–	–	–	–	–	1	1	1	1	1	–	–
Surveyor	2	–	–	1	–	–	–	–	–	1	–	–	–
Builder	63	–	–	–	2	4	5	11	12	22	7	–	–
Carpenter, Joiner	287	–	–	9	17	21	32	42	56	61	41	8	–
Bricklayer	212	–	–	1	11	23	37	35	50	35	16	4	–
Marble Mason	8	–	–	1	1	–	1	2	2	–	1	–	–
Mason, Pavior	149	–	–	1	5	15	20	30	32	29	15	2	–
Slater, Tiler	6	–	–	–	–	1	1	1	1	1	1	–	–
Plasterer	42	–	–	1	1	5	3	12	9	6	5	–	–
Paperhanger	8	–	–	–	–	1	3	1	1	2	–	–	–
Plumber, Painter, Glazier	159	–	–	7	9	15	32	43	30	18	4	1	–
Others engaged in *Houses and Buildings*	10	–	–	–	1	2	1	2	2	2	–	–	–
(15) Cabinet-maker, Upholsterer	63	–	–	4	3	10	8	9	12	14	3	–	–
Undertaker	3	–	–	–	–	1	–	–	1	1	–	–	–
Chairmaker	15	–	–	–	2	1	3	3	2	2	–	2	–
Picture-frame Maker	3	–	–	–	–	–	1	1	–	–	1	–	–
Carver, Gilder	8	–	–	–	–	1	–	3	1	2	1	–	–
Bedstead, Mattress, Tick,—Maker	15	–	–	1	2	4	1	3	2	–	2	–	–
Furniture Broker	12	–	–	–	–	1	–	4	2	3	1	1	–
(16) Wheelwright	56	–	–	–	4	4	4	6	19	8	9	2	–
Millwright	21	–	–	1	–	3	2	4	3	4	4	–	–
Other *Implement* Makers	9	–	–	–	–	2	3	1	–	1	1	1	–
(17) Manuf. Chemist, Lab. at Chem. Works	8	–	–	–	–	2	1	1	1	3	–	–	–
Dye, Colour,—manufacture	3	–	–	–	–	1	–	–	1	–	1	–	–
Dyer, Scourer, Calenderer	12	–	–	–	–	1	3	4	4	–	–	–	–
Others manufacturing *Chemicals*	8	–	–	–	–	–	3	3	1	1	–	–	–
XI.													
(1) Woolstapler	1	–	–	–	1	–	–	–	–	–	–	–	–
Woollen Cloth manufacture	8	–	–	–	–	1	–	–	1	2	4	–	–
Clothier	2	–	–	–	–	–	1	–	1	–	–	–	–
Carpet, Rug,—manufacture	2	–	–	–	–	–	–	1	–	–	1	–	–
(2) Silk manufacture	13	–	–	–	–	2	1	1	1	7	1	–	–
Silk Dyer, Printer	4	–	–	1	–	–	2	–	–	–	1	–	–
Silk Mercer	1	–	–	–	–	1	–	–	–	–	–	–	–
Ribbon manufacture	148	–	1	2	10	11	18	30	23	26	23	4	–
Working in *Silk*	1	–	–	–	–	–	–	–	1	–	–	–	–
(3) Flax, Linen,—manufacture	10	–	–	–	–	1	1	4	3	1	–	–	–
Lace manufacture	1	–	–	–	–	–	–	–	1	–	–	–	–
Cotton manufacture	11	–	1	3	2	2	1	–	–	–	1	1	–
Calico, Cotton,—Printer	1	–	–	–	–	–	–	–	–	–	–	–	1
Working in *Cotton, &c.*	1	–	–	–	–	–	–	–	–	–	–	–	1
(4) Packer and Presser	9	–	–	–	–	–	3	2	2	1	1	–	–
Weaver (not otherwise defined)	39	–	–	2	3	4	9	1	4	10	4	2	–
Manchester Warehouseman	2	–	–	–	–	–	1	1	–	–	–	–	–
Draper, Linendraper, Mercer	69	–	–	5	7	18	7	7	11	10	2	2	–
Others	4	–	–	–	–	–	–	2	–	1	1	–	–
(5) Hairdresser, Wig-maker	32	–	–	1	–	6	5	8	3	3	5	1	–
Hatter, Hat manufacture	37	–	–	1	2	2	1	7	6	12	4	2	–
Straw Plait manufacture	1	–	–	–	–	–	–	–	–	–	–	1	–
Straw Hat, Bonnet,—Maker	1	–	–	–	–	–	–	1	–	–	–	–	–
Furrier	1	–	–	1	–	–	–	–	–	–	–	–	–

* Of these, 4 are letter-cutters, 2 copperplate printers, and 2 glass stainers, enamellers.

VI.—WEST MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in Eighteen Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XI.—*cont.*													
(5) Tailor	198	–	–	5	11	23	32	43	25	40	16	3	–
Clothes Dealer, Salesman, Outfitter	9	–	–	–	–	1	2	2	1	3	–	–	–
Button-maker (all Branches)	68	–	–	1	7	10	10	14	16	9	1	–	–
Hose manufacture	2	–	–	–	–	–	–	–	1	–	1	–	–
Hosier, Haberdasher	6	–	–	–	1	2	1	1	1	–	–	–	–
Glover, Leather, and not otherwise des.	21	–	–	–	2	1	1	1	2	6	7	1	–
Shoemaker, Bootmaker	488	–	1	15	23	50	60	72	95	98	61	13	–
Patten, Clog,—Maker	6	–	–	1	–	–	1	–	3	–	1	–	–
Umbrella, Parasol, Stick,—Maker	9	–	–	–	2	–	2	1	2	–	2	–	–
Others providing *Dress*	11	–	–	–	1	2	2	3	1	1	1	–	–
(6) Mat Maker, Seller	3	–	–	–	1	–	–	–	1	1	–	–	–
Rope, Cord,—Maker	17	–	–	1	–	1	4	3	3	1	4	–	–
Others	*9	–	–	–	–	2	1	3	2	–	1	–	–
XII.													
(1) Cowkeeper, Milkseller	52	–	–	–	–	4	3	5	14	14	9	3	–
Cheesemonger	2	–	–	–	–	–	1	–	1	–	–	–	–
Butcher, Meat Salesman	130	–	–	2	4	20	22	20	24	25	12	1	–
Provision Curer, Dealer	12	–	–	–	–	–	3	3	3	2	1	–	–
Poulterer, Game Dealer	4	–	–	–	–	–	1	2	–	1	–	–	–
Fishmonger	16	–	–	–	–	4	7	3	2	–	–	–	–
(2) Corn Merchant, Dealer	14	–	–	1	1	1	1	3	1	3	3	–	–
Miller	35	–	–	1	–	4	3	5	8	12	2	–	–
Flour Dealer, Agent	1	–	–	–	–	–	–	1	–	–	–	–	–
Baker	94	–	–	–	8	13	16	11	23	11	11	1	–
Confectioner, Pastry Cook	26	–	–	–	–	3	1	8	3	8	3	–	–
Greengrocer, Fruiterer	35	–	–	–	1	1	8	6	8	8	2	1	–
Fruit and Flower,—Hawker, Vendor	3	–	–	–	–	–	–	1	1	1	–	–	–
Potato Merchant	1	–	–	–	–	–	1	–	–	–	–	–	–
Seed Merchant, Seedsman	2	–	–	–	–	1	–	–	1	–	–	–	–
Dealing in *Vegetable Food*	1	–	–	–	–	–	–	–	–	–	1	–	–
(3) Maltster	43	–	–	–	–	2	6	6	10	13	4	2	–
Brewer, and others engaged in Brewing	113	–	–	–	2	13	25	21	28	16	7	1	–
Wine and Spirit Merchant	27	–	–	1	2	2	5	3	8	4	1	1	–
Distiller, Rectifier (engaged in Distilling)	3	–	–	–	–	–	–	–	1	1	1	–	–
Cellarman	5	–	1	–	–	3	1	–	–	–	–	–	–
Ginger Beer, Soda, Min. Water, manuf.	2	–	–	–	1	–	–	–	1	–	–	–	–
Sugar Refiner	13	–	–	–	1	–	2	3	2	4	–	1	–
Grocer, Tea Dealer	94	–	–	6	6	12	18	13	15	14	8	2	–
Tobacco, Cigar, Snuff,—manufacture	2	–	–	–	–	–	–	–	1	–	1	–	–
Tobacconist	10	–	–	–	–	2	–	3	1	4	–	–	–
Others dealing in *Drinks and Stimulants*	7	–	–	–	–	–	2	–	2	2	–	1	–
XIII.													
(1) Soap-boiler	3	–	–	–	–	2	–	–	–	–	–	1	–
Tallow-chandler	14	–	–	–	–	2	2	4	2	1	3	–	–
Comb-maker	12	–	–	1	–	–	2	1	1	5	2	–	–
Others	†9	–	–	–	–	1	2	1	5	–	–	–	–
(2) Fellmonger	2	–	–	–	–	1	–	–	1	–	–	–	–
Skinner	4	–	–	1	–	–	–	–	1	1	1	–	–
Tanner	15	–	–	–	1	1	3	4	1	5	–	–	–
Currier	31	–	–	–	1	4	3	3	7	10	2	1	–
Others	9	–	–	–	1	2	2	2	–	1	1	–	–
(3) Hair, Bristle,—manufacture	4	–	–	–	–	–	1	3	–	–	–	–	–
Brush, Broom,—Maker	40	–	–	2	4	7	6	5	4	7	5	–	–
XIV.													
(1) Oil and Colourman	5	–	–	–	1	1	–	–	1	2	–	–	–
French-polisher	11	–	–	1	–	2	4	2	1	–	1	–	–
Japanner	27	–	–	1	2	6	8	4	2	4	–	–	–
Working in *Gums, &c.*	1	–	–	–	–	–	–	–	1	–	–	–	–
(2) Timber Merchant, Dealer	17	–	–	–	2	1	2	2	3	4	2	1	–
Wood Dealer	4	–	–	1	1	1	–	1	–	–	–	–	–
Sawyer	73	–	–	1	2	5	7	13	17	11	15	2	–
Fence, Hurdle,—Maker	2	–	–	–	–	–	–	–	1	1	–	–	–
Lath-maker	5	–	–	–	–	2	1	1	–	–	–	1	–
Turner	28	–	–	1	2	4	3	3	4	6	4	1	–
Box-maker	3	–	–	–	1	–	1	–	–	1	–	–	–
Cooper	47	–	–	1	6	2	8	3	10	13	4	–	–
Hoop Maker, Bender	6	–	–	–	1	2	–	–	–	1	1	1	–
Others	21	–	–	–	–	1	3	2	3	4	8	–	–
(3) Cork Cutter, manufacture	7	–	–	–	–	–	2	–	3	1	1	–	–
(4) Basket-maker	19	–	–	1	1	3	–	1	2	6	3	2	–
Hay and Straw Dealer	6	–	–	–	–	–	–	1	1	3	1	–	–
Others working in *Cane, Rush, Straw*	5	–	–	–	–	1	–	2	2	–	–	–	–
(5) Rag Gatherer, Dealer	16	–	–	–	–	–	2	4	3	4	2	1	–
Paper manufacture	5	–	–	–	–	–	1	–	2	–	2	–	–
Stationer (not Law)	8	–	–	1	1	–	1	2	2	–	1	–	–
Others working in *Paper*	5	–	–	–	–	1	–	–	2	2	–	–	–

* Of these, 4 are floor-cloth manufacturers and 2 sacking, sack, bag, makers.

† Of these, 4 are ivory cutters, workers, dealers, and 2 manure manufacturers.

VI.—WEST MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in Eighteen Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XV.													
(1) Coal-miner	695	–	21	41	79	128	101	77	93	97	56	2	–
Copper-miner	1	–	–	–	1	–	–	–	–	–	–	–	–
Iron-miner	20	–	–	–	2	6	3	5	2	1	–	1	–
Others	15	–	–	–	–	–	–	3	4	6	1	1	–
(2) Coal Merchant, Dealer	51	–	–	–	1	4	3	4	17	11	8	3	–
Coalheaver, Labourer	33	–	–	1	1	2	8	2	7	7	4	–	1
Coke Burner, Dealer	11	–	–	–	–	2	2	1	1	2	3	–	–
Chimney Sweeper	16	–	–	–	1	2	7	3	–	3	–	–	–
Gas Works Service	27	–	–	–	1	3	8	6	3	4	1	1	–
Others working in *Coal*	3	–	–	–	–	–	–	1	1	1	–	–	–
(3) Stone Quarrier	31	–	–	1	3	4	8	2	5	5	2	1	–
Stone Cutter, Dresser, Polisher	12	–	–	–	2	2	3	1	2	1	1	–	–
Limestone Quarrier, Burner	7	–	–	–	2	–	1	–	3	1	–	–	–
Brick Maker, Dealer	71	–	–	1	3	5	8	15	14	17	7	1	–
Railway Labourer	43	–	–	–	8	9	13	7	3	2	1	–	–
Platelayer	12	–	–	–	3	2	2	4	–	1	–	–	–
Excavator, Navvy	14	–	–	–	–	2	4	5	1	–	2	–	–
Road Contractor, Inspector, Surveyor	3	–	–	–	–	–	–	1	1	–	1	–	–
Road Labourer	34	–	–	1	–	1	1	4	9	8	7	3	–
Scavenger	6	–	–	–	–	–	–	1	2	2	–	1	–
Others working in *Stone, Clay*	5	–	–	1	–	–	2	2	–	–	–	–	–
(4) Earthenware manufacture	488	1	3	24	44	58	99	98	76	58	23	4	–
Tobacco-pipe Maker	6	–	–	–	–	1	1	2	–	2	–	–	–
Earthenware and Glass Dealer	12	–	–	1	1	–	1	1	2	5	1	–	–
Others	7	–	–	–	–	2	2	1	–	1	1	–	–
(5) Glass manufacture	64	–	–	2	2	10	6	11	13	14	5	1	–
Working in *Glass*	1	–	–	–	–	–	–	–	–	1	–	–	–
(6) Salt Dealer	3	–	–	–	1	–	–	–	2	–	–	–	–
(7) Waterworks Service	4	–	–	–	1	1	–	–	2	–	–	–	–
Others working or dealing in *Water*	*7	–	–	–	–	–	–	3	4	–	–	–	–
(8) Goldsmith, Silversmith, Jeweller	92	–	–	2	10	21	8	11	15	17	8	–	–
Plater, Plated Ware-manufacture	32	–	–	1	2	1	1	7	3	8	9	–	–
Others dealing in *Gold, Silver*	23	–	–	–	1	5	3	7	4	2	1	–	–
(9) Copper manufacture	4	–	–	–	–	1	1	1	1	–	–	–	–
Coppersmith	7	–	–	–	–	1	1	3	1	–	1	–	–
(10) Tin manufacture	1	–	–	–	–	–	–	1	–	–	–	–	–
Tinman, Tinworker, Tinker	28	–	–	–	2	4	3	1	9	6	3	–	–
Tinplate Worker	20	–	–	1	–	2	2	7	4	2	2	–	–
Working and dealing in *Tin*	1	–	–	–	–	1	–	–	–	–	–	–	–
(11) Zinc manufacture	1	–	–	–	–	–	1	–	–	–	–	–	–
(12) Lead manufacture	7	–	–	–	–	1	3	2	–	1	–	–	–
Others working and dealing in *Lead, &c.*	3	–	–	–	–	–	–	2	–	1	–	–	–
(13) Brass Founder, Moulder, manufacture	125	–	–	–	11	15	24	21	24	21	9	–	–
Brazier	14	–	–	1	–	3	3	1	3	2	1	–	–
Locksmith, Bellhanger	150	–	–	4	10	14	25	13	32	28	22	2	–
Gasfitter	7	–	–	–	–	1	1	1	3	–	1	–	–
Wire Maker, Drawer	28	–	–	1	4	3	3	2	3	9	2	1	–
Wire Worker, Weaver	17	–	–	–	2	2	1	2	4	2	2	2	–
Others working in *mixed Metals*	70	–	–	–	5	10	14	11	10	9	10	1	–
(14) Iron manufacture, Moulder, Founder	390	–	–	15	38	53	65	58	72	54	29	6	–
Whitesmith	43	–	–	–	3	5	4	7	8	9	6	1	–
Blacksmith	177	–	1	4	12	24	22	35	20	38	14	6	1
Nail manufacture	128	–	1	3	3	11	14	21	29	25	17	3	1
Anchorsmith, Chainsmith	23	–	1	–	3	5	5	1	–	3	5	–	–
Boiler-maker	16	–	–	–	3	3	2	5	2	1	–	–	–
Ironmonger	10	–	–	1	–	2	4	–	1	1	–	1	–
Hardwareman, Dealer	7	–	–	–	–	1	2	–	3	1	–	–	–
Steel manufacture, Worker	5	–	–	–	–	–	2	1	1	–	1	–	–
Grinder (Branch undefined)	13	–	–	–	–	4	2	2	4	–	1	–	–
Others working in *Iron, Steel*	90	–	–	2	6	11	7	15	17	20	12	–	–
XVI.													
(1) Labourer	874	–	2	19	49	96	132	131	149	157	115	22	2
(2) Shopman (Branch undefined)	3	–	–	1	–	–	–	1	1	–	–	–	–
Others of indefinite Occupations	†14	–	–	–	–	2	4	2	4	2	–	–	–
XVII.													
(1) Gentleman, Independent	69	–	–	–	–	4	3	5	9	22	21	5	–
Annuitant	22	–	–	–	–	1	–	–	5	6	8	2	–
XVIII.													
(1) Dependent on Relatives	1	–	–	–	–	–	–	–	–	–	1	–	–
Almsperson (no stated Occupation)	10	–	–	–	–	–	–	–	–	3	1	4	2
Pauper (no stated Occupation)	23	–	–	3	1	4	2	4	5	1	2	1	–
Lunatic (no stated Occupation)	33	–	–	3	3	9	6	5	4	3	–	–	–
Others	26	–	–	–	1	2	1	2	4	4	10	1	1
(2) *Prisoner* (no stated Occupation)	6	–	–	–	–	1	2	–	1	1	1	–	–
(3) *Vagrant, Beggar*	3	–	–	1	–	–	–	1	–	1	–	–	–
Others of no stated Occupation or Condition	34	–	–	1	2	4	7	9	4	4	2	1	–

* Of these, 5 are well-sinkers and 2 water-sellers.

† Of these, 4 are engine-drivers, 3 stampers, and 2 contractors.

VII.—NORTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in Five Town Districts* in the Years 1860–1.

Order	OCCUPATIONS.	Total.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
	Total of Males aged 5 years and upwards	3281	179	93	159	197	356	382	431	535	519	339	87	4
I.														
	(1) Post Office	4	–	–	–	–	–	–	–	1	1	1	1	–
	Inland Revenue	1	–	–	–	–	1	–	–	–	–	1	–	–
	(2) Police	5	–	–	–	–	3	–	2	–	–	–	–	–
	Prison Officer	3	–	–	–	–	1	1	–	1	–	–	–	–
	Union and Parish Officer	8	–	–	–	–	1	–	1	3	3	–	–	–
	Other *Local* Officers	3	–	–	–	–	–	–	–	–	2	1	–	–
II.														
	(1) Army Officer	1	–	–	–	–	–	–	–	–	1	–	–	–
	Soldier	16	–	–	2	2	5	3	–	1	–	3	–	–
	Chelsea Pensioner	18	–	–	–	–	–	2	2	1	10	3	–	–
	Militia	5	–	–	–	–	1	2	–	–	–	2	–	–
	(2) Royal Marine	1	–	–	–	–	–	–	–	1	–	–	–	–
	Greenwich Pensioner	5	–	–	–	–	–	1	–	–	1	3	–	–
III.														
	(1) (*a*) Clergyman	7	–	–	–	–	–	–	1	3	1	2	–	–
	Protestant Minister	14	–	–	–	–	–	3	2	2	5	2	–	–
	(*b*) Parish Clerk	2	–	–	–	–	–	–	–	–	–	1	1	–
	Church Officer	1	–	–	–	–	1	–	–	–	–	–	–	–
	(2) (*a*) Barrister	1	–	–	–	–	–	–	1	–	–	–	–	–
	Solicitor	12	–	–	–	–	1	–	3	4	3	1	–	–
	(*b*) Officers of Law Court	3	–	–	–	–	–	–	–	2	–	1	–	–
	Law Clerk	5	–	–	–	1	–	1	1	2	–	–	–	–
	Law Stationer	2	–	–	–	1	1	–	–	–	–	–	–	–
	(3) (*a*) Surgeon, Apothecary	10	–	–	–	–	1	4	1	1	1	2	–	–
	Medical Student, Assistant	1	–	–	–	1	–	–	–	–	–	–	–	–
	Dentist	3	–	–	–	–	–	–	2	–	1	–	–	–
	(*b*) Druggist	7	–	–	–	1	1	2	2	–	1	–	–	–
	Connected with *Medicine*	1	–	–	–	–	–	–	–	1	–	–	–	–
	(5) Artist, Painter	1	–	–	–	–	–	–	–	–	1	–	–	–
	Engraver	2	–	–	–	–	–	–	–	1	–	–	1	–
	(6) Musician	8	–	–	–	1	2	2	1	–	–	2	–	–
	Music-master	1	–	–	–	–	1	–	–	–	–	–	–	–
	Connected with *Music*	1	–	–	–	–	–	–	–	–	–	1	–	–
	(7) Actor	2	–	–	–	1	–	–	–	1	–	–	–	–
	(8) Schoolmaster	8	–	–	–	1	1	1	1	–	1	3	–	–
	Teacher (General)	1	–	–	1	–	–	–	–	–	–	–	–	–
	(9) Civil Engineer	1	–	–	–	–	1	–	–	–	–	–	–	–
IV.														
	(3) *Son*, Grandson, *Brother*, Nephew (not otherwise described)	357	179	89	72	17	–	–	–	–	–	–	–	–
V.														
	(1) Innkeeper, Hotelkeeper	12	–	–	–	1	–	2	4	2	1	2	–	–
	Publican	34	–	–	–	–	1	5	9	9	5	4	1	–
	Beerseller	7	–	–	–	–	1	–	1	3	1	1	–	–
	Lodging, Boarding, House Keeper	2	–	–	–	–	–	–	–	1	1	–	–	–
	Coffee-house, Eating-house, Keeper	1	–	–	–	–	–	–	–	1	–	–	–	–
	(2) *Domestic Servant* (General)	23	–	–	2	2	3	2	3	4	5	1	1	–
	Groom	1	–	–	–	–	1	–	–	–	–	–	–	–
	Gardener	2	–	–	–	–	–	–	–	–	–	–	–	–
	Inn Servant	3	–	–	–	1	1	–	1	–	1	1	–	–
	Hospital, Lun. Asylum, Attendt., Nurse	2	–	–	–	–	1	–	1	–	–	–	–	–
VI.														
	(1) Insurance, Benefit Society, Officer	1	–	–	–	–	–	–	–	1	–	–	–	–
	Broker	1	–	–	–	–	–	–	–	–	–	1	–	–
	Agent, Factor	4	–	–	–	–	1	1	–	1	–	2	–	–
	Coal, Colliery, Agent, Factor	3	–	–	–	–	–	–	1	1	1	–	–	–
	Iron Merchant, Agent	1	–	–	–	–	–	–	–	–	1	–	–	–
	Auctioneer, Appraiser, Valuer	5	–	–	–	–	2	–	–	1	1	1	–	–
	Accountant	3	–	–	–	1	1	1	–	–	–	–	–	–
	Commercial Clerk	29	–	–	–	4	6	5	5	4	3	2	–	–
	Commercial Traveller	6	–	–	–	–	–	2	3	–	–	–	1	–
	Mercantile Man	1	–	–	–	–	–	–	1	–	–	–	–	–

Note.—The following Town Districts are comprised in this Table:—

	Male Population in 1861 aged 5 Years and upwards.
Leicester	27,289
Lincoln	20,225
Radford	12,171
Nottingham	29,227
Derby	20,700

VII.—NORTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in Five Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
VI.—*cont.*													
(2) Pawnbroker	4	–	–	–	–	–	1	2	–	–	1	–	–
Marine-store Dealer	1	–	–	–	–	–	1	–	–	–	–	–	–
General Dealer, Huckster, Costermonger	4	–	–	–	–	–	–	1	1	1	1	–	–
Shopkeeper (Branch undefined)	12	–	–	–	–	1	–	2	1	3	4	1	–
Hawker, Pedlar	21	–	–	–	1	5	5	3	4	–	2	1	–
VII.													
(1) Railway Engine Driver, Stoker	5	–	–	–	–	4	–	1	–	–	–	–	–
Railway Official, Clerk, Station-master	7	–	–	–	3	3	1	–	–	–	–	–	–
Railway Servant, Porter, Gatekeeper	23	–	–	2	3	7	6	3	2	–	–	–	–
(2) Toll-collector, Turnpike-gate Keeper	2	–	–	–	–	–	–	–	1	1	–	–	–
Coach, Omnibus, Cab,—Owner	1	–	–	–	–	–	–	–	–	–	1	–	–
Coachman (not domestic)	5	–	–	–	1	–	–	1	2	1	–	–	–
Cabman, Flyman	10	–	–	–	–	4	3	2	–	1	–	–	–
Carman, Carrier, Carter, Drayman	15	–	–	–	–	1	2	4	6	2	–	–	–
(3) Canal and Inland Navigation Service	5	–	–	–	–	–	1	2	1	1	–	–	–
Bargeman, Lighterman, Waterman	19	–	–	–	1	3	4	2	4	3	1	–	1
(4) Seaman (Merchant Service)	3	–	–	–	–	–	–	–	2	–	1	–	–
Boatman on Seas	2	–	–	–	–	–	–	1	–	–	1	–	–
Wharfinger	1	–	–	–	–	–	–	1	–	–	–	–	–
(5) Warehouseman (not Manchester)	3	–	–	–	–	–	1	–	–	1	1	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	9	–	1	1	–	1	1	–	1	2	2	–	–
Telegraph Service	1	–	–	–	–	–	–	1	–	–	–	–	–
VIII.													
(1) Land Proprietor	4	–	–	–	–	1	–	–	1	–	1	1	–
Farmer, Grazier	73	–	–	–	2	4	4	6	12	22	16	7	–
Farmer's "Son," "Brother," "Grandson"	3	–	–	–	–	2	–	1	–	–	–	–	–
Farm Bailiff	1	–	–	–	–	–	–	1	–	–	–	–	–
Agricultural Labourer (out-door)	235	–	–	8	12	28	29	28	48	35	34	13	–
Shepherd (out-door)	1	–	–	–	–	–	–	–	–	–	1	–	–
Connected with *Agriculture*	1	–	–	–	–	–	1	–	–	–	–	–	–
(2) Woodman	2	–	–	–	–	–	–	–	1	–	1	–	–
(3) Gardener (not Domestic Servant)	37	–	–	–	–	2	3	8	7	10	4	3	–
Nurseryman	1	–	–	–	–	–	–	–	1	–	–	–	–
IX.													
(1) Horse Proprietor, Dealer	4	–	–	–	–	–	–	–	1	1	2	–	–
Horsebreaker	1	–	–	–	–	–	–	1	–	–	–	–	–
Horsekeeper, Groom, Jockey	30	–	–	–	4	4	5	6	6	3	1	1	–
Farrier, Veterinary Surgeon	4	–	–	–	–	–	1	1	2	–	–	–	–
Cattle, Sheep,—Dealer, Salesman	3	–	–	1	–	–	–	–	1	1	–	–	–
Drover	9	–	–	–	1	–	1	2	3	1	–	1	–
Pig Merchant, Dealer	1	–	–	–	–	–	1	–	–	–	–	–	–
Fisherman	3	–	–	–	–	–	–	–	–	2	1	–	–
Engaged about *Animals*	1	–	–	–	–	–	1	–	–	–	–	–	–
X.													
(1) Bookseller, Publisher	6	–	–	–	–	–	1	1	1	1	1	1	–
Bookbinder	2	–	–	–	2	–	–	–	–	–	–	–	–
Printer	14	–	1	–	1	1	4	3	1	3	–	–	–
Newspaper Agent, Vendor, &c.	1	–	–	–	–	–	1	–	–	–	–	–	–
(2) Musical Instrument Maker, Dealer	1	–	–	–	1	–	–	–	–	–	–	–	–
(3) Lithographer, Lithographic Printer	1	–	–	–	–	1	–	–	–	–	–	–	–
(4) Wood-carver	1	–	–	–	–	–	–	–	1	–	–	–	–
Employed about *Carving & Figures*	1	–	–	–	–	–	–	–	1	–	–	–	–
(5) *Bow, Bat, Ball, Tackle, &c.* Maker	3	–	–	–	–	–	–	1	1	1	–	–	–
(6) Engaged about *Designs, Medals*	1	–	–	–	–	1	–	–	–	–	–	–	–
(7) Watchmaker, Clockmaker	7	–	–	–	–	1	–	1	2	3	–	–	–
(9) Gunsmith, Gun manufacture	2	–	–	–	–	–	–	–	–	–	2	–	–
(10) Engine and Machine Maker	48	–	–	5	5	7	5	5	9	6	4	2	–
Needle manufacture	5	–	–	–	–	–	1	–	–	3	1	–	–
Tool Maker, Dealer	1	–	–	–	–	1	–	–	–	–	–	–	–
Cutler	2	–	–	–	–	–	–	–	–	2	–	–	–
Knife-maker	1	–	–	–	–	–	–	1	–	–	–	–	–
Others engaged about *Tools and Machines*	21	–	–	–	3	5	1	3	4	1	3	1	–
(11) Coachmaker	8	–	–	–	1	1	–	2	1	2	1	–	–
Engaged about *Carriages*	1	–	–	–	–	–	–	–	–	1	–	–	–
(12) Saddler, Harness-maker	6	–	–	–	–	–	3	2	1	–	–	–	–
(13) Boat, Barge,—Builder	4	–	–	–	–	–	–	2	–	2	–	–	–
(14) House Proprietor	9	–	–	–	–	–	2	–	–	1	5	1	–
House Agent, Rent Collector	1	–	–	–	–	–	–	–	1	–	–	–	–
Architect	2	–	–	–	–	–	–	–	2	–	–	–	–
Builder	14	–	–	–	–	3	1	4	4	1	–	1	–

VII.—NORTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in Five Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
X.—*cont.*													
(14) Carpenter, Joiner	65	–	–	5	6	4	13	6	11	12	5	3	–
Bricklayer	67	–	–	2	2	12	9	13	10	8	8	3	–
Marble Mason	1	–	–	–	–	–	–	–	–	–	1	–	–
Mason, Pavior	30	–	–	–	1	2	4	10	8	4	1	–	–
Slater, Tiler	3	–	–	–	–	1	–	1	–	1	–	–	–
Plasterer	5	–	–	1	1	2	–	–	–	–	1	–	–
Paperhanger	1	–	–	1	–	–	–	–	–	–	–	–	–
Plumber, Painter, Glazier	25	–	–	1	1	4	3	5	6	4	1	–	–
Engaged in *Houses and Buildings*	1	–	–	–	1	–	–	–	–	–	–	–	–
(15) Cabinet-maker, Upholsterer	17	–	–	1	2	2	4	1	1	5	1	–	–
Chairmaker	3	–	–	–	–	–	–	–	1	1	1	–	–
Carver, Gilder	4	–	–	–	–	1	1	–	–	2	–	–	–
Furniture Broker	6	–	–	–	–	–	–	2	3	1	–	–	–
(16) Wheelwright	9	–	–	–	1	1	3	1	1	1	1	–	–
Millwright	6	–	–	–	2	–	1	–	1	1	1	–	–
Implement Makers	1	–	–	–	1	–	–	–	–	–	–	–	–
(17) Manuf. Chemist, Lab. at Chem. Works	2	–	–	–	–	–	–	1	1	–	–	–	–
Dye, Colour,—manufacture	1	–	–	–	–	–	–	–	–	–	1	–	–
Dyer, Scourer, Calenderer	16	–	–	–	1	3	6	3	1	–	–	2	–
Others manufacturing *Chemicals*	3	–	–	–	–	–	–	–	2	1	–	–	–
XI.													
(1) Woolstapler	4	–	–	–	–	–	–	1	1	1	1	–	–
Woollen Cloth manufacture	6	–	–	–	–	–	–	1	1	2	2	–	–
Worsted manufacture	23	–	–	1	1	1	2	3	8	4	–	2	1
(2) Silk manufacture	29	–	–	3	4	3	5	6	5	1	2	–	–
Silk Dyer, Printer	3	–	–	–	–	1	–	–	–	2	–	–	–
Ribbon manufacture	18	–	–	1	5	3	4	2	–	3	–	–	–
Working in *Silk*	1	–	–	1	–	–	–	–	–	–	–	–	–
(3) Lace manufacture	140	–	2	11	18	9	19	15	23	22	20	1	–
Cotton manufacture	91	–	–	4	4	12	2	10	15	22	20	2	–
Others	4	–	–	–	–	1	1	–	1	1	–	–	–
(4) Weaver (not otherwise defined)	1	–	–	–	–	–	1	–	–	–	–	–	–
Draper, Linendraper, Mercer	17	–	–	1	–	4	4	2	2	2	–	2	–
Others	6	–	–	1	–	3	–	–	–	2	–	–	–
(5) Hairdresser, Wig-maker	8	–	–	–	1	–	2	2	3	–	–	–	–
Hatter, Hat manufacture	7	–	–	–	1	–	–	3	–	2	1	–	–
Straw Hat, Bonnet,—Maker	1	–	–	–	–	–	–	–	–	–	1	–	–
Tailor	66	–	–	3	3	16	7	6	12	6	9	4	–
Clothes Dealer, Salesman, Outfitter	3	–	–	–	–	–	–	–	1	2	–	–	–
Hose manufacture	311	–	–	4	10	23	42	37	53	89	48	4	1
Hosier, Haberdasher	26	–	–	2	7	6	1	2	3	2	3	–	–
Glover, Leather, and not otherwise des.	7	–	–	–	–	1	2	–	4	–	–	–	–
Shoemaker, Bootmaker	110	–	–	2	10	23	13	15	25	14	6	2	–
Umbrella, Parasol, Stick,—Maker	1	–	–	–	–	–	–	–	1	–	–	–	–
Others providing *Dress*	21	–	–	–	–	2	5	3	3	5	2	1	–
(6) Rope, Cord,—Maker	2	–	–	–	1	–	–	–	1	–	–	–	–
Working in *Hemp*	1	–	–	–	1	–	–	–	–	–	–	–	–
XII.													
(1) Cowkeeper, Milkseller	12	–	–	–	–	–	–	1	5	4	–	2	–
Cheesemonger	1	–	–	–	–	–	–	–	–	1	–	–	–
Butcher, Meat Salesman	32	–	–	1	2	3	2	5	8	6	4	1	–
Provision Curer, Dealer	6	–	–	–	–	1	–	–	3	1	1	–	–
Poulterer, Game Dealer	2	–	–	–	–	–	–	2	–	–	–	–	–
Fishmonger	6	–	–	–	1	–	1	1	2	1	–	–	–
(2) Corn Merchant, Dealer	10	–	–	–	1	1	2	1	2	3	–	–	–
Miller	20	–	–	–	–	–	3	4	5	5	1	2	–
Baker	22	–	–	–	1	2	3	7	4	3	2	–	–
Confectioner, Pastry Cook	8	–	–	1	1	2	2	1	–	1	–	–	–
Greengrocer, Fruiterer	6	–	–	–	–	1	–	1	2	–	2	–	–
Dealing in *Vegetable Food*	1	–	–	–	–	–	1	–	–	–	–	–	–
(3) Maltster	13	–	–	–	–	1	3	1	3	3	2	–	–
Brewer, and others engaged in Brewing	17	–	–	–	1	2	1	3	8	1	1	–	–
Wine and Spirit Merchant	5	–	–	–	–	2	3	–	–	–	–	–	–
Ginger Beer, Soda, Min. Water, manuf.	1	–	–	–	–	–	–	1	–	–	–	–	–
Grocer, Tea Dealer	28	–	–	–	3	3	3	6	6	5	2	–	–
Tobacconist	1	–	–	–	–	–	1	–	–	–	–	–	–
Others dealing in *Drinks and Stimulants*	2	–	–	–	–	–	–	1	–	1	–	–	–
XIII.													
(1) Tallow-chandler	2	–	–	–	–	–	–	–	1	1	–	–	–
Others	2	–	–	–	–	–	1	–	–	1	–	–	–
(2) Fellmonger	5	–	–	1	–	2	–	1	1	–	–	–	–
Tanner	3	–	–	1	–	–	–	1	1	–	–	–	–
Currier	7	–	–	–	1	–	1	2	–	2	1	–	–
Working in *Skins*	1	–	–	–	–	–	–	–	1	–	–	–	–
(3) Brush, Broom,—Maker	3	–	–	–	1	–	–	1	–	1	–	–	–

VII.—NORTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in Five Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XIV.													
(2) Wood Dealer	1	–	–	–	–	–	1	–	–	–	–	–	–
Sawyer	12	–	–	1	–	–	3	1	4	2	1	–	–
Lath-maker	1	–	–	–	–	–	–	1	–	–	–	–	–
Turner	4	–	–	1	1	2	–	–	–	–	–	–	–
Box-maker	3	–	–	–	–	2	–	1	–	–	–	–	–
Cooper	5	–	–	–	–	–	1	1	1	2	–	–	–
(3) Working in *Bark*	1	–	–	–	–	–	–	–	–	–	1	–	–
(4) Basket-maker	3	–	–	–	–	–	–	–	1	–	2	–	–
Hay and Straw Dealer	1	–	–	–	–	–	–	–	–	–	1	–	–
(5) Rag Gatherer, Dealer	7	–	–	–	–	–	2	1	2	1	1	–	–
Paper manufacture	8	–	–	–	3	2	–	1	–	1	1	–	–
Stationer (not Law)	4	–	–	1	–	–	2	–	–	–	1	–	–
Others working in *Paper*	2	–	–	–	–	–	–	1	–	1	–	–	–
XV.													
(1) Coal-miner	13	–	–	1	1	3	1	1	2	3	1	–	–
Connected with *Mines*	1	–	–	–	–	–	–	1	–	–	–	–	–
(2) Coal Merchant, Dealer	22	–	–	–	–	2	4	4	4	4	3	1	–
Coalheaver, Labourer	8	–	–	1	–	1	2	1	2	1	–	–	–
Chimney Sweeper	3	–	–	–	–	1	1	–	1	–	–	–	–
Gas Works Service	2	–	–	–	–	–	1	–	–	–	1	–	–
(3) Stone Quarrier	1	–	–	–	–	–	–	–	1	–	–	–	–
Brick Maker, Dealer	14	–	–	–	–	1	3	1	4	3	2	–	–
Railway Labourer	8	–	–	1	–	–	1	2	3	1	–	–	–
Platelayer	1	–	–	–	–	1	–	–	–	–	–	–	–
Excavator, Navvy	1	–	–	–	–	–	–	–	–	–	1	–	–
Road Labourer	5	–	–	–	–	–	–	–	2	2	1	–	–
Scavenger	3	–	–	–	–	1	1	–	–	–	1	–	–
Others working in *Stone and Clay*	4	–	–	–	–	1	–	–	2	1	–	–	–
(4) Earthenware manufacture	4	–	–	–	–	–	1	–	2	1	–	–	–
Tobacco-pipe Maker	1	–	–	–	–	1	–	–	–	–	–	–	–
Earthenware and Glass Dealer	4	–	–	–	–	–	–	2	1	1	–	–	–
Working in *Earthenware*	1	–	–	–	–	–	–	–	–	1	–	–	–
(6) Salt Dealer	1	–	–	–	–	–	1	–	–	–	–	–	–
(7) Working or dealing in *Water*	1	–	–	–	–	–	–	–	–	1	–	–	–
(8) Goldsmith, Silversmith, Jeweller	6	–	–	–	–	–	1	2	2	1	–	–	–
(9) Coppersmith	1	–	–	–	–	–	–	–	1	–	–	–	–
(10) Tinman, Tinworker, Tinker	7	–	–	–	1	–	2	–	1	1	1	–	1
(12) Lead manufacture	2	–	–	–	–	1	–	1	–	–	–	–	–
Type Founder	1	–	–	–	1	–	–	–	–	–	–	–	–
(13) Brass Founder, Moulder, manufacture	5	–	–	–	1	3	1	–	–	–	–	–	–
Brazier	1	–	–	–	–	–	–	1	–	–	–	–	–
Locksmith, Bellhanger	5	–	–	–	–	1	1	1	1	–	–	1	–
Gasfitter	3	–	–	–	–	–	–	2	1	–	–	–	–
Wire Worker, Weaver	1	–	–	–	–	–	–	–	–	1	–	–	–
Others working in *mixed Metals*	5	–	–	–	–	1	–	2	1	1	–	–	–
(14) Iron manufacture, Moulder, Founder	38	–	–	3	3	13	5	10	1	1	2	–	–
Whitesmith	7	–	–	–	–	–	2	2	2	1	–	–	–
Blacksmith	25	–	–	–	–	2	4	5	6	5	3	–	–
Nail manufacture	5	–	–	–	–	1	–	–	2	–	2	–	–
Boiler-maker	4	–	–	1	1	1	1	–	–	–	–	–	–
Others working in *Iron and Steel*	2	–	–	–	–	–	–	–	–	1	1	–	–
XVI.													
(1) Labourer	149	–	–	4	5	17	21	29	25	27	15	6	–
(2) Mechanic	6	–	–	–	–	1	–	2	1	2	–	–	–
Others of indefinite Occupations	3	–	–	2	–	1	–	–	–	–	–	–	–
XVII.													
(1) Gentleman, Independent	22	–	–	–	–	1	1	2	4	8	2	4	–
Annuitant	2	–	–	–	–	–	–	1	–	–	1	–	–
XVIII.													
(1) Dependent on Relatives	4	–	–	–	2	1	–	–	1	–	–	–	–
Almsperson (no stated Occupation)	3	–	–	–	–	–	–	1	1	–	1	–	–
Pauper (no stated Occupation)	1	–	–	–	1	–	–	–	–	–	–	–	–
Lunatic (no stated Occupation)	5	–	–	–	1	–	2	1	–	1	–	–	–
Others	22	–	–	–	1	3	1	3	1	8	1	4	–
Visitor (no stated Occupation)	1	–	–	–	–	–	–	–	–	–	1	–	–
Others of no stated Occupation or Condition	14	–	–	–	2	2	3	2	2	2	1	–	–

VIII.—NORTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in Nine Town Districts in the Years 1860–1.

OCCUPATIONS.	Total	Ages of Males. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
Total of Males aged 5 years and upwards	18612	1160	618	912	1105	2392	2821	3023	2883	2248	1238	203	9
Order I.													
(1) Civil Service not in Revenue Departmt.	3	–	–	–	–	–	–	–	–	2	1	–	–
Post Office	19	–	–	2	1	3	1	5	3	1	3	–	–
Inland Revenue	7	–	–	–	–	–	–	–	3	3	1	–	–
Customs	42	–	–	–	–	4	8	8	10	9	2	1	–
Government Messengers, Workmen	2	–	–	–	–	1	1	–	–	–	–	–	–
Other *Government* Officers	2	–	–	–	–	–	2	–	–	–	–	–	–
(2) Police	54	–	–	–	3	14	11	13	4	6	3	–	–
Prison Officer	5	–	–	–	–	1	–	2	1	1	–	–	–
Union and Parish Officer	23	–	–	–	–	1	3	8	5	5	1	–	–
Officer of Local Board	9	–	–	–	–	1	2	2	2	1	1	–	–
Other *Local* Officers	11	–	–	–	–	–	3	2	3	3	–	–	–
(3) East India and Colonial Service	1	–	–	–	–	–	–	–	1	–	–	–	–
II.													
(1) Army Officer	2	–	–	–	–	–	–	–	–	2	–	–	–
Army Half-pay Officer	5	–	–	–	–	1	1	–	–	1	2	–	–
Soldier	85	–	–	2	17	37	15	8	2	4	–	–	–
Chelsea Pensioner	169	–	–	–	2	6	23	22	23	54	33	5	1
Militia	7	–	–	2	1	1	–	1	1	–	1	–	–
(2) Navy Half-pay Officer	2	–	–	–	–	–	–	–	–	–	2	–	–
Seaman, R.N.	5	–	–	1	–	3	–	–	–	1	–	–	–
Royal Marine	3	–	–	–	3	–	–	–	–	–	–	–	–
Greenwich Pensioner	9	–	–	–	–	–	–	2	1	4	2	–	–
III.													
(1) (*a*) Clergyman	8	–	–	–	–	–	3	–	1	2	2	–	–
Protestant Minister	13	–	–	–	1	1	–	2	1	3	4	1	–
Roman Catholic Priest	5	–	–	–	–	–	1	–	3	–	1	–	–
Other *Religious Teachers*	9	–	–	–	–	–	2	2	3	1	–	1	–
(*b*) Parish Clerk	2	–	–	–	–	–	–	–	–	2	–	–	–
Other *Church Officers*	9	–	–	–	–	–	1	3	1	4	–	–	–
(2) Solicitor	32	–	–	–	–	2	8	3	8	11	–	–	–
(*b*) Officers of Law Court	8	–	–	–	–	1	2	3	1	1	–	–	–
Law Clerk	23	–	–	2	2	8	1	4	5	1	–	–	–
Law Stationer	6	–	–	–	–	1	1	2	1	1	–	–	–
(3) (*a*) Physician	10	–	–	–	–	1	3	2	1	2	1	–	–
Surgeon, Apothecary	32	–	–	–	–	11	4	5	6	5	1	–	–
Medical Student, Assistant	1	–	–	–	1	–	–	–	–	–	–	–	–
Dentist	1	–	–	–	–	–	1	–	–	–	–	–	–
(*b*) Druggist	37	–	–	1	5	6	5	9	4	7	–	–	–
Connected with *Medicine*	1	–	–	–	–	–	–	–	–	–	1	–	–
(4) Author, Editor, Writer	2	–	–	–	1	1	–	–	–	–	–	–	–
Others engaged in *Literature*	2	–	–	–	–	1	–	1	–	–	–	–	–
(5) Artist, Painter	13	–	–	–	–	2	4	–	3	3	1	–	–
Sculptor	2	–	–	–	–	–	1	–	–	1	–	–	–
Engraver	27	–	–	–	1	6	6	2	8	2	2	–	–
Photographic Artist	2	–	–	–	–	–	1	1	–	–	–	–	–
(6) Musician	40	–	–	–	3	16	6	7	5	2	1	–	–
Music-master	7	–	–	–	–	1	2	1	2	1	–	–	–
(7) Actor	7	–	–	–	1	1	2	1	1	1	–	–	–
Persons engaged about *Theatres, Exhib.*	2	–	–	–	–	–	2	–	–	–	–	–	–
(8) Schoolmaster	50	–	–	1	5	11	2	5	8	11	7	–	–
Professor, Teacher, of Languages	5	–	–	–	–	–	1	1	1	–	1	1	–
Teacher (General)	6	–	–	3	1	–	–	–	1	1	–	–	–
Teacher of Dancing, Gymnastics	2	–	–	–	–	–	–	–	–	1	–	1	–
Engaged in *Teaching*	1	–	–	–	–	–	–	–	–	–	1	–	–
(9) Civil Engineer	8	–	–	–	1	1	2	1	–	3	–	–	–
Other *Scientific* Persons	4	–	–	–	–	–	1	1	1	1	–	–	–
IV.													
(3) *Son*, Grandson, *Brother*, Nephew (not otherwise described)	2689	1159	587	310	32	1	–	–	–	–	–	–	–
V.													
(1) Innkeeper, Hotelkeeper	57	–	–	–	–	7	11	11	17	9	2	–	–
Publican	136	–	–	–	–	15	37	38	20	14	12	–	–
Beerseller	69	–	–	–	1	8	16	17	22	3	1	1	–
Lodging, Boarding, House Keeper	10	–	–	–	–	3	3	2	2	–	–	–	–
Coffee-house, Eating-house, Keeper	6	–	–	–	–	1	2	1	–	2	–	–	–
Cook (not Domestic Servant)	4	–	–	–	–	–	–	1	2	1	–	–	–
Others *Boarding and Lodging*	2	–	–	–	–	1	–	–	–	1	–	–	–

Note.—The following Town Districts are comprised in this Table:—

	Male Population in 1861 aged 5 Years and upwards.
Stockport	38,231
Macclesfield	25,377
Great Boughton	24,703
Liverpool	115,251
West Derby	89,517
Chorlton	68,547
Salford	42,348
Manchester	99,255
Ashton	54,587

VIII.—NORTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in Nine Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
V.—*cont.*													
(2) *Domestic Servant* (General)	43	–	–	5	5	6	6	4	7	5	3	2	–
Coachman	24	–	–	–	2	4	5	7	2	3	1	–	–
Groom	3	–	–	–	–	1	1	–	–	1	–	–	–
Gardener	34	–	–	1	–	2	3	3	3	8	8	–	1
Inn Servant	55	–	–	3	7	19	13	5	5	2	1	–	–
Hospital, Lun. Asylum, Attendt., Nurse	1	–	–	–	–	–	–	1	–	–	–	–	–
Others	5	–	–	–	–	–	1	–	1	2	1	–	–
VI.													
(1) Merchant	66	–	–	–	1	12	7	14	12	9	10	1	–
Banker	3	–	–	–	–	–	1	1	1	–	–	–	–
Insurance, Benefit Society, Officer	10	–	–	–	–	2	–	4	–	3	1	–	–
Stock, Share, Broker, Dealer	3	–	–	–	–	–	–	2	–	–	1	–	–
Ship Broker, Agent	10	–	–	–	–	1	3	1	2	2	1	–	–
Broker	23	–	–	–	1	2	5	4	4	4	3	–	–
Agent, Factor	55	–	–	1	2	6	11	13	9	10	3	–	–
Coal, Colliery, Agent, Factor	12	–	–	–	–	–	2	4	3	3	–	–	–
Salesman (not otherwise described)	1	–	–	–	–	1	–	–	–	–	–	–	–
Auctioneer, Appraiser, Valuer	4	–	–	–	–	–	1	1	2	–	–	–	–
Accountant	16	–	–	1	–	1	3	3	6	1	–	1	–
Commercial Clerk	329	–	–	18	45	66	50	54	42	29	21	4	–
Commercial Traveller	37	–	–	–	3	6	8	6	7	6	1	–	–
Other *Mercantile* Men	3	–	–	–	–	–	–	2	1	–	–	–	–
(2) Pawnbroker	21	–	–	2	2	3	3	3	4	2	2	–	–
Marine-store Dealer	19	–	–	–	3	2	3	6	1	4	–	–	–
General Dealer, Huckster, Costermonger	7	–	–	–	–	–	2	5	–	–	–	–	–
Shopkeeper (Branch undefined)	20	–	–	–	1	1	1	6	6	–	4	1	–
Hawker, Pedlar	151	–	–	1	9	21	24	32	31	19	10	4	–
VII.													
(1) Railway Engine Driver, Stoker	40	–	–	2	4	6	17	6	4	1	–	–	–
Railway Official, Clerk, Station-master	41	–	–	5	5	10	10	7	4	–	–	–	–
Railway Servant, Porter, Gatekeeper	103	–	–	7	14	24	25	18	9	5	1	–	–
Railway Police	1	–	–	–	–	–	–	–	–	–	1	–	–
(2) Toll-collector, Turnpike-gate Keeper	9	–	–	–	–	–	1	–	2	5	1	–	–
Coach, Omnibus, Cab,- Owner	21	–	–	–	–	5	5	4	4	2	1	–	–
Livery Stable Keeper	4	–	–	–	–	–	–	3	–	1	–	–	–
Coachman (not domestic)	48	–	–	–	5	4	4	7	18	4	5	–	1
Cabman, Flyman	51	–	–	–	3	12	16	9	7	2	2	–	–
Carman, Carrier, Carter, Drayman	376	–	1	6	22	72	87	76	59	38	14	1	–
(3) Canal and Inland Navigation Service	10	–	–	–	–	2	–	1	4	2	–	–	1
Bargeman, Lighterman, Waterman	69	–	2	4	2	8	17	12	12	6	4	2	–
(4) Shipowner	3	–	–	–	–	–	–	2	–	1	–	–	–
Seaman (Merchant Service)	520	–	–	26	82	150	88	72	44	35	19	4	–
Pilot	12	–	–	–	2	2	4	1	2	1	–	–	–
Harbour, Dock, Servant, Dock Labourer	314	–	–	3	20	64	75	72	51	18	11	–	–
Wharfinger	1	–	–	–	–	–	1	–	–	–	–	–	–
Others	* 107	–	–	1	8	28	26	18	16	8	2	–	–
(5) Warehouseman (not Manchester)	73	–	–	3	3	8	12	20	11	11	5	–	–
Others connected with *Storage*	4	–	–	–	–	1	–	3	–	–	–	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	304	–	1	14	13	34	44	69	64	49	14	2	–
Telegraph Service	5	–	–	2	1	1	1	–	–	–	–	–	–
Others employed about *Messages*	60	–	–	–	–	3	12	15	21	6	3	–	–
VIII.													
(1) Land Proprietor	25	–	–	–	–	1	2	3	4	8	4	3	–
Farmer, Grazier	297	–	–	1	1	12	14	31	67	66	80	25	–
Farmer's "Son," "Brother," "Grandson"	14	–	–	7	2	3	1	1	–	–	–	–	–
Farm Bailiff	7	–	–	–	–	–	4	–	2	–	1	–	–
Agricultural Labourer (out-door)	439	–	2	7	23	33	40	82	86	85	64	17	–
Shepherd (out-door)	1	–	–	–	–	–	–	–	–	–	1	–	–
Farm-servant (in-door)	1	–	–	1	–	–	–	–	–	–	–	–	–
Land Surveyor, Land Estate Agent	13	–	–	–	–	–	4	–	3	5	1	–	–
(2) Woodman	1	–	–	–	–	–	–	–	–	1	–	–	–
(3) Gardener (not Domestic Servant)	123	–	–	2	1	7	8	17	20	34	27	6	1
Nurseryman	3	–	–	–	1	–	–	1	–	1	–	–	–
IX.													
(1) Horse Proprietor, Dealer	6	–	–	–	–	1	4	–	–	–	1	–	–
Horsebreaker	4	–	–	–	–	–	–	2	1	–	1	–	–
Horsekeeper, Groom, Jockey	73	–	–	3	6	16	15	13	14	3	3	–	–
Farrier, Veterinary Surgeon	12	–	–	–	–	4	3	2	2	–	1	–	–
Cattle, Sheep,—Dealer, Salesman	12	–	–	–	1	1	4	1	2	1	1	1	–
Drover	11	–	–	–	1	–	2	3	4	1	–	–	–
Pig Merchant, Dealer	4	–	–	–	–	–	–	3	1	–	–	–	–
Gamekeeper	5	–	–	–	–	–	1	1	1	1	1	–	–
Fisherman	9	–	–	–	–	1	2	3	–	1	1	1	–
X.													
(1) Bookseller, Publisher	18	–	–	1	2	3	2	2	4	4	–	–	–
Bookbinder	23	–	–	2	3	5	4	2	5	2	–	–	–
Printer	88	–	–	8	8	14	26	18	4	5	4	1	–
Newspaper Agent, Vendor, &c.	9	–	–	–	2	1	2	1	1	1	1	–	–
Others engaged about *Publications*	3	–	–	1	–	–	1	–	1	–	–	–	–
(2) Musical Instrument Maker, Dealer	3	–	–	–	2	–	–	–	1	–	–	–	–

* Of these, 27 are stewards (ship), 28 stevedores, 14 ship keepers, and 42 steam navigation servants.

VIII.—NORTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in Nine Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
X.—*cont.*													
(3) Lithographer, Lithographic Printer	8	–	–	1	–	5	1	–	–	1	–	–	
Others	* 8	–	–	1	–	1	1	2	–	1	2	–	
(4) Wood-carver	5	–	–	1	2	1	1	–	–	–	–	–	
Others employed about *Carving & Figures*	6	–	–	–	–	–	2	2	–	1	1	–	
(5) Toy Maker, Dealer	3	–	–	–	–	–	–	2	–	–	1	–	
Bow, Bat, Ball, Tackle, &c. Maker	2	–	–	–	–	–	–	1	1	–	–	–	
(6) Pattern Designer	21	–	–	–	1	2	3	5	5	–	–	–	
Others engaged about *Designs, Medals*	2	–	–	–	–	1	–	1	–	–	–	–	
(7) Watchmaker, Clockmaker	78	–	–	–	13	9	12	12	12	12	8	–	
Optician, Spectacle-maker	7	–	–	–	–	2	1	1	2	–	1	–	
Weighing Machine, Scale, Measure, Maker	3	–	–	–	1	–	1	–	1	–	–	–	
Other *Philosophical Instrument Makers*	3	–	–	–	–	–	–	3	–	–	–	–	
(8) Surgical Instrument Maker	1	–	–	–	–	–	–	1	–	–	–	–	
(9) Gunsmith. Gun manufacture	5	–	–	1	1	–	1	–	–	2	–	–	
Engaged in manufacturing *Arms*	1	–	–	–	–	1	–	–	–	–	–	–	
(10) Engine and Machine Maker	180	–	–	9	18	41	34	27	29	16	5	1	
Spindle Maker	19	–	–	3	4	4	4	2	1	–	1	–	
Tool Maker, Dealer	7	–	–	1	–	2	1	1	1	1	–	–	
File-maker	7	–	–	1	–	2	–	1	3	–	–	–	
Saw Smith, Maker	3	–	–	–	–	–	1	–	1	–	1	–	
Cutler	9	–	–	–	–	1	1	2	3	1	1	–	
Blade Maker, Forger	1	–	–	–	–	–	–	–	–	–	1	–	
Knife Maker	1	–	–	–	–	–	–	1	–	–	–	–	
Others engaged about *Tools and Machines*	60	–	–	1	4	9	6	11	16	11	1	1	
(11) Coachmaker	45	–	–	–	–	5	11	14	9	3	2	1	
Others engaged about *Carriages*	3	–	–	–	–	–	2	–	–	1	–	–	
(12) Saddler, Harness-maker	29	–	–	2	3	2	7	3	4	5	3	–	
Whip-maker	1	–	–	–	–	–	–	–	–	1	–	–	
(13) Shipbuilder, Shipwright	135	–	1	5	14	18	35	8	17	27	8	2	
Block, Oar, Mast,—Maker	15	–	–	–	3	2	3	2	2	2	1	–	
Boat, Barge,—Builder	5	–	–	–	1	–	–	–	2	2	–	–	
Sailmaker	16	–	–	2	–	2	2	2	6	1	–	1	
Others engaged in fitting *Ships*	50	–	–	1	1	9	9	12	11	4	2	1	
(14) House Proprietor	49	–	–	–	–	1	2	1	10	13	19	3	
House Agent, Rent Collector	24	–	–	–	–	2	1	1	9	5	5	1	
Architect	10	–	–	–	1	2	1	3	2	–	1	–	
Surveyor	2	–	–	–	–	–	1	–	–	–	1	–	
Builder	24	–	–	–	–	3	6	6	6	3	–	–	
Carpenter, Joiner	369	–	–	14	12	40	60	72	75	63	29	4	
Bricklayer	217	–	–	–	8	24	50	48	35	31	19	2	
Marble Mason	14	–	–	–	2	3	2	–	7	–	–	–	
Mason, Pavior	209	–	–	2	11	33	35	61	38	21	6	2	
Slater, Tiler	27	–	–	2	–	2	2	6	6	2	6	1	
Plasterer	65	–	–	1	4	5	9	18	10	12	6	–	
Paperhanger	11	–	–	–	1	4	3	2	–	1	–	–	
Plumber, Painter, Glazier	276	–	–	9	16	44	62	65	53	19	7	1	
Others engaged in *Houses and Buildings*	6	–	–	–	–	2	2	–	2	–	–	–	
(15) Cabinet-maker, Upholsterer	100	–	–	7	4	7	22	24	16	14	5	1	
Undertaker	4	–	–	–	–	–	1	2	–	1	–	–	
Chairmaker	28	–	–	–	1	4	4	5	6	3	5	–	
Picture-frame Maker	5	–	–	1	–	2	1	1	–	–	–	–	
Carver, Gilder	18	–	–	2	1	4	4	5	2	–	–	–	
Bedstead, Mattress, Tick,—Maker	1	–	–	–	–	–	–	–	–	1	–	–	
Furniture Broker	28	–	–	–	1	3	4	3	8	6	3	–	
(16) Wheelwright	58	–	–	7	2	6	10	10	8	9	6	–	
Millwright	34	–	1	1	4	4	9	4	6	3	2	–	
Other *Implement* Makers	4	–	–	–	–	1	2	1	–	–	–	–	
(17) Manuf. Chemist, Lab. at Chem. Works	25	–	–	1	1	1	8	4	6	3	–	1	
Dye, Colour,—manufacture	4	–	–	–	–	1	1	2	–	–	–	–	
Dyer, Scourer, Calenderer	85	–	–	2	7	11	14	11	23	13	4	–	
Others manufacturing *Chemicals*	22	–	–	1	2	4	7	3	3	1	1	–	
XI.													
(1) Woolstapler	2	–	–	–	–	–	1	–	1	–	–	–	
Woollen Cloth manufacture	25	–	–	–	3	2	–	3	7	6	3	1	
Clothier	3	–	–	–	–	–	–	–	1	1	1	–	
Worsted manufacture	7	–	–	–	–	1	–	2	2	2	–	–	
Others	2	–	–	–	–	–	–	1	1	–	–	–	
(2) Silk manufacture	370	–	6	28	30	42	46	53	63	69	30	3	
Silk Dyer, Printer	14	–	–	–	–	–	1	3	5	2	2	1	
Others	5	–	–	–	–	–	–	3	1	–	1	–	
Flax, Linen,—manufacture	10	–	–	–	1	–	1	3	–	2	2	1	
Thread manufacture	1	–	–	–	–	–	–	–	–	1	–	–	
Lace manufacture	5	–	–	–	–	–	2	1	1	–	1	–	
Cotton manufacture	1657	1	7	124	138	232	209	255	282	227	162	20	
Fustian manufacture	81	–	1	–	6	5	15	16	18	13	7	–	
Muslin manufacture	1	–	–	–	–	–	–	–	–	–	1	–	
Calico, Cotton,—Printer	83	–	–	2	4	9	12	15	15	15	9	2	
Calico Cotton,—Dyer	51	–	–	1	4	6	7	7	9	15	2	–	
Others	20	–	–	1	–	3	3	3	6	4	–	–	

* Of these, 3 are copper-plate printers, and 2 are print sellers, mounters.

VIII.—NORTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in Nine Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XI.—*cont.*													
(4) Packer and Presser	79	–	–	1	6	17	21	15	12	5	1	1	–
Weaver (not otherwise defined)	64	–	–	2	3	4	6	5	9	23	12	–	–
Manchester Warehouseman	126	–	–	10	8	26	24	21	17	15	5	–	–
Draper, Linendraper, Mercer	78	–	–	4	11	17	13	17	6	9	1	–	–
Others	26	–	–	3	1	2	2	6	8	3	1	–	–
(5) Hairdresser, Wig-maker	30	–	–	1	4	5	6	6	5	2	1	–	–
Hatter, Hat manufacture	178	–	–	3	11	6	24	19	35	43	34	3	–
Straw Hat, Bonnet,—Maker	2	–	–	–	–	–	–	1	–	1	–	–	–
Furrier	1	–	–	–	–	–	–	–	–	1	–	–	–
Tailor	414	–	–	18	14	65	81	85	77	47	25	2	–
Clothes Dealer, Salesman, Outfitter	37	–	–	–	1	3	6	12	5	6	4	–	–
Button-maker (all Branches)	1	–	–	–	–	1	–	–	–	–	–	–	–
Hose manufacture	5	–	–	–	–	–	–	–	–	2	3	–	–
Hosier, Haberdasher	7	–	–	–	–	2	–	2	1	1	1	–	–
Shoemaker, Bootmaker	567	–	2	25	29	72	81	109	111	78	52	8	–
Patten, Clog,—Maker	37	–	–	4	4	8	6	10	2	3	–	–	–
Umbrella, Parasol, Stick,—Maker	10	–	–	–	1	2	2	–	2	3	–	–	–
Others providing *Dress*	14	–	–	–	1	2	1	4	–	3	3	–	–
(6) Mat Maker, Seller	3	–	–	–	–	–	–	1	1	1	–	–	–
Rope, Cord,—Maker	49	–	–	2	3	7	7	8	13	5	3	1	–
Others	*12	–	–	–	–	1	4	1	3	3	–	–	–
XII.													
(1) Cowkeeper, Milkseller	37	–	–	1	1	3	8	9	8	5	1	1	–
Cheesemonger	4	–	–	–	–	–	1	1	–	–	2	–	–
Butcher, Meat Salesman	153	–	–	2	6	24	29	32	32	18	8	2	–
Provision Curer, Dealer	104	–	–	–	3	8	13	29	21	20	9	1	–
Poulterer, Gamekeeper	14	–	–	–	1	1	2	3	2	3	1	–	–
Fishmonger	27	–	–	–	–	5	7	8	4	1	1	1	–
Others dealing in *Animal Food*	2	–	–	–	–	–	–	1	–	1	–	–	–
(2) Corn Merchant, Dealer	55	–	–	–	1	4	13	17	12	6	2	–	–
Miller	26	–	–	1	–	1	6	6	7	4	1	–	–
Flour Dealer, Agent	11	–	–	–	–	4	1	4	–	–	2	–	–
Baker	99	–	–	2	5	18	24	19	17	11	2	1	–
Confectioner, Pastry Cook	22	–	–	2	–	1	2	4	8	2	3	–	–
Greengrocer, Fruiterer	42	–	–	–	1	2	4	18	6	9	1	1	–
Fruit and Flower,—Hawker, Vendor	1	–	–	–	–	–	–	–	1	–	–	–	–
Potato Merchant	5	–	–	–	–	–	3	2	–	–	–	–	–
Seed Merchant, Seedsman	3	–	–	1	1	–	–	1	–	–	–	–	–
Others dealing in *Vegetable Food*	7	–	–	–	–	–	1	1	1	1	1	1	1
(3) Maltster	7	–	–	–	1	1	1	1	2	–	1	–	–
Brewer, and others engaged in Brewing	83	–	–	–	5	15	22	18	8	11	2	2	–
Wine and Spirit Merchant	45	–	–	1	8	7	10	8	6	3	2	–	–
Distiller, Rectifier (engaged in Distilling)	4	–	–	–	–	–	1	2	–	1	–	–	–
Ginger Beer, Soda, Min. Water, manuf.	8	–	–	–	–	2	2	3	–	1	–	–	–
Sugar Refiner	18	–	–	1	2	6	2	4	3	–	–	–	–
Grocer, Tea Dealer	95	–	1	4	12	15	11	10	20	18	4	–	–
Tobacco, Cigar, Snuff,—manufacture	11	–	–	–	–	4	1	4	1	–	1	–	–
Tobacconist	20	–	–	–	1	2	7	3	4	1	2	–	–
Others dealing in *Drinks and Stimulants*	14	–	–	1	–	1	2	2	4	2	1	1	–
XIII.													
(1) Soap-boiler	7	–	–	–	1	1	1	3	–	1	–	–	–
Tallow-chandler	16	–	–	–	1	1	2	3	4	5	–	–	–
Comb-maker	1	–	–	–	1	–	–	–	–	–	–	–	–
Others	†7	–	–	–	1	–	–	2	1	1	2	–	–
(2) Fellmonger	4	–	–	–	2	–	–	1	–	1	–	–	–
Skinner	4	–	–	–	–	1	–	1	1	1	–	–	–
Tanner	27	–	–	–	2	2	4	5	2	6	5	1	–
Currier	19	–	–	1	1	3	1	8	2	2	1	–	–
Others	4	–	–	–	–	1	1	1	–	1	–	–	–
(3) Hair, Bristle,—manufacture	2	–	–	1	–	–	–	–	1	–	–	–	–
Brush, Broom,—Maker	30	–	–	1	4	4	5	5	6	3	2	–	–
XIV.													
(1) Oil Miller, Refiner	7	–	–	–	–	3	2	1	–	–	1	–	–
Oil and Colourman	3	–	–	–	–	–	3	–	–	–	–	–	–
French-polisher	15	–	–	2	3	2	5	1	1	1	–	–	–
Japanner	1	–	–	–	–	–	–	–	1	–	–	–	–
Others	10	–	–	–	3	3	2	1	1	–	–	–	–
(2) Timber Merchant, Dealer	31	–	–	–	1	4	9	7	3	4	3	–	–
Wood Dealer	2	–	–	–	1	–	–	–	–	–	1	–	–
Sawyer	80	–	–	1	3	8	13	9	16	16	12	2	–
Fence, Hurdle,—Maker	1	–	–	–	–	–	–	1	–	–	–	–	–
Lath-maker	5	–	–	–	–	1	–	–	–	2	2	–	–
Turner	31	–	–	2	5	5	5	5	5	3	1	–	–
Box-maker	2	–	–	–	1	–	–	–	1	–	–	–	–
Cooper	70	–	–	1	5	11	12	17	11	8	5	–	–
Others	‡18	–	–	–	2	5	2	–	4	4	–	–	1
(3) Cork Cutter, manufacture	14	–	–	–	1	–	4	4	1	3	1	–	–
(4) Basket-maker	16	–	–	1	–	3	2	4	2	2	2	–	–
Hay and Straw Dealer	1	–	–	–	–	–	–	1	–	–	–	–	–
Thatcher	1	–	–	–	–	–	–	–	–	–	1	–	–

* Of these, 7 are floor-cloth manufacturers, 2 tarpaulin makers, and 2 sacking, sack, bag,—makers.

† Of these, 4 are size makers.

‡ Of these, 4 are wine coopers, cask dealers, 4 logwood grinders, and 5 packing case makers.

VIII.—NORTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in Nine Town Districts in the Years 1860-1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XIV.—*cont.*													
(5) Rag Gatherer, Dealer	8	–	–	–	–	1	–	2	2	2	1	–	–
Paper manufacture	11	–	–	–	–	1	–	2	1	2	4	1	–
Stationer (not Law)	15	–	–	–	–	3	4	–	3	5	–	–	–
Paper Stainer	2	–	–	–	1	–	–	1	–	–	–	–	–
Others working in *Paper*	17	–	–	2	3	3	3	3	2	1	–	–	–
XV.													
(1) Coal-miner	168	–	2	16	10	33	29	22	20	24	7	5	–
Copper-miner	2	–	–	1	–	–	–	–	–	1	–	–	–
Lead-miner	2	–	–	–	–	–	–	–	1	–	–	1	–
Others	2	–	–	–	–	–	1	–	1	–	–	–	–
(2) Coal Merchant, Dealer	65	–	–	–	3	6	8	14	14	18	2	–	–
Coalheaver, Labourer	45	–	–	1	–	1	12	9	10	10	2	–	–
Chimney Sweeper	15	–	–	–	1	2	2	7	2	1	–	–	–
Gas Works Service	32	–	–	1	4	5	6	6	8	1	1	–	–
Others working in *Coal*	2	–	–	–	–	–	–	1	1	–	–	–	–
(3) Stone Quarrier	32	–	–	–	–	3	1	8	8	8	4	–	–
Stone Cutter, Dresser, Polisher	4	–	–	–	–	1	1	1	–	1	–	–	–
Limestone Quarrier, Burner	4	–	–	–	–	–	–	1	2	1	–	–	–
Clay Labourer	1	–	–	–	–	–	–	–	1	–	–	–	–
Brick Maker, Dealer	65	–	–	1	4	3	14	8	11	17	7	–	–
Railway Labourer	36	–	–	–	5	9	8	5	6	3	–	–	–
Platelayer	10	–	–	–	–	2	4	3	1	–	–	–	–
Excavator, Navvy	25	–	–	1	1	6	8	7	2	–	–	–	–
Road Contractor, Inspector, Surveyor	2	–	–	–	–	–	–	1	–	1	–	–	–
Road Labourer	19	–	–	–	–	–	4	4	3	5	3	–	–
Scavenger	36	–	–	–	–	3	6	9	11	6	1	–	–
Others working in *Stone, Clay*	16	–	–	–	–	2	2	1	7	2	2	–	–
(4) Earthenware manufacture	6	–	–	–	–	–	–	1	1	3	1	–	–
Tobacco-pipe Maker	10	–	–	–	1	2	1	2	–	3	1	–	–
Earthenware and Glass Dealer	14	–	–	–	–	2	–	3	5	3	1	–	–
(5) Glass manufacture	18	–	–	–	2	2	4	5	1	1	3	–	–
(6) Salt manufacture	4	–	–	–	–	–	–	1	3	–	–	–	–
Others dealing in *Salt*	2	–	–	–	–	–	–	1	1	–	–	–	–
(7) Waterworks Service	4	–	–	–	–	–	1	1	1	1	–	–	–
Others working or dealing in *Water*	*7	–	–	–	–	–	1	4	2	–	–	–	–
(8) Goldsmith, Silversmith, Jeweller	10	–	–	1	1	1	4	1	1	1	–	–	–
Others dealing in *Gold, Silver*	2	–	–	1	–	–	–	–	–	1	–	–	–
(9) Copper manufacture	1	–	–	–	–	–	–	–	1	–	–	–	–
Coppersmith	8	–	–	–	1	–	1	1	5	–	–	–	–
(10) Tinman, Tinworker, Tinker	8	–	–	–	2	2	–	–	2	2	–	–	–
Tinplate Worker	31	–	–	1	3	6	5	7	5	1	3	–	–
(11) Zinc manufacture	1	–	–	–	–	1	–	–	–	–	–	–	–
(12) Lead manufacture	5	–	–	–	2	1	1	1	–	–	–	–	–
(13) Brass Founder, Moulder, manufacture	19	–	–	4	1	7	1	2	4	–	–	–	–
Brazier	2	–	–	–	–	–	–	1	–	1	–	–	–
Locksmith, Bellhanger	1	–	–	–	–	–	–	–	–	1	–	–	–
Gasfitter	16	–	–	1	2	1	5	2	4	1	–	–	–
Wire Maker, Drawer	3	–	–	–	1	–	–	–	–	1	1	–	–
Wire Worker, Weaver	6	–	–	–	–	1	1	2	2	–	–	–	–
Others working in *mixed Metals*	2	–	–	–	–	–	1	–	–	1	–	–	–
(14) Iron manufacture, Moulder, Founder	257	–	1	18	24	44	56	55	33	21	5	–	–
Whitesmith	32	–	–	3	8	3	5	3	8	5	2	–	–
Blacksmith	218	–	–	10	11	37	47	41	35	24	12	1	–
Nail manufacture	13	–	–	–	–	1	–	5	4	3	–	–	–
Anchorsmith, Chainsmith	6	–	–	1	–	1	1	1	–	2	–	–	–
Boiler-maker	44	–	–	2	5	11	13	9	4	–	–	–	–
Ironmonger	24	–	–	–	1	1	7	5	3	4	2	1	–
Hardwareman, Dealer	2	–	–	–	–	–	–	–	–	2	–	–	–
Grinder (branch undefined)	1	–	–	1	–	–	–	–	–	–	–	–	–
Others working in *Iron, Steel*	10	–	–	–	2	–	6	1	–	1	–	–	–
XVI.													
(1) Labourer	1323	–	2	36	69	196	249	264	269	143	76	17	2
(2) Mechanic	63	–	–	1	10	14	9	13	11	2	2	1	–
Shopman	10	–	–	–	2	3	2	3	–	–	–	–	–
Apprentice	1	–	–	–	1	–	–	–	–	–	–	–	–
Others of indefinite Occupations	7	–	–	1	–	1	1	1	2	–	1	–	–
XVII.													
(1) Gentleman, Independent	123	–	–	–	2	7	9	15	16	44	23	7	–
Annuitant	18	–	–	–	–	–	2	–	3	6	5	2	–
XVIII.													
(1) Dependent on Relatives	1	–	–	–	–	–	–	–	1	–	–	–	–
Pauper (no stated Occupation)	105	–	1	5	8	20	17	11	15	19	9	–	–
Lunatic (no stated Occupation)	10	–	–	–	2	2	2	1	2	–	–	–	–
Others	10	–	–	–	–	1	–	1	3	4	1	–	–
(2) *Prisoner* (no stated Occupation)	8	–	–	5	1	–	–	1	–	1	–	–	–
(3) *Vagrant, Beggar*	5	–	–	–	–	–	–	2	1	1	1	–	–
Others of no stated Occupation or Condition	74	–	–	2	3	14	24	9	14	6	2	–	–

* These 7 are well sinkers.

IX.—YORKSHIRE.—Deaths of Males of different Occupations registered in Nine Town Districts in the Years 1860-1.

Order.	OCCUPATIONS.	TOTAL.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	TOTAL OF MALES AGED 5 YEARS AND UPWARDS	10088	679	400	580	627	1109	1250	1380	1515	1504	866	174	4
I.														
(1)	Civil Servant not in Revenue Departmt.	2	–	–	–	–	–	–	2	–	–	–	–	–
	Post Office	6	–	–	–	1	2	2	–	1	–	–	–	–
	Inland Revenue	4	–	–	–	–	1	–	–	–	1	2	–	–
	Customs	5	–	–	–	1	–	1	2	–	–	–	1	–
(2)	Police	11	–	–	–	–	4	3	2	2	–	–	–	–
	Prison Officer	3	–	–	–	–	1	1	–	–	–	1	–	–
	Union and Parish Officer	6	–	–	–	–	–	–	2	1	2	1	–	–
	Officer of Local Board	1	–	–	–	–	1	–	–	–	–	–	–	–
(3)	East India and Colonial Service	1	–	–	–	–	–	–	1	–	–	–	–	–
II.														
(1)	Army Officer	5	–	–	–	–	–	2	1	1	–	1	–	–
	Soldier	55	–	–	4	7	18	14	5	3	1	3	–	–
	Chelsea Pensioner	66	–	–	–	–	2	4	7	11	16	22	4	–
	Militia	7	–	–	–	–	1	1	1	1	2	–	1	–
(2)	Navy Half-pay Officer	1	–	–	–	–	–	–	–	–	1	–	–	–
	Seaman, R.N.	4	–	–	–	3	1	–	–	–	–	–	–	–
	Royal Marine	2	–	–	–	1	1	–	–	–	–	–	–	–
	Greenwich Pensioner	4	–	–	–	–	2	–	–	–	1	1	–	–
III.														
(1)	(*a*) Clergyman	5	–	–	–	–	–	–	1	2	2	–	–	–
	Protestant Minister	9	–	–	–	–	–	1	–	3	3	1	1	–
	Roman Catholic Priest	2	–	–	–	–	–	–	–	–	2	–	–	–
	Other *Religious Teachers*	3	–	–	–	–	1	1	–	1	–	–	–	–
	Other *Church Officers*	4	–	–	–	–	–	–	2	2	–	–	–	–
(2)	(*a*) Barrister	1	–	–	–	–	–	–	1	–	–	–	–	–
	Solicitor	20	–	–	–	–	3	3	4	6	2	1	1	–
	(*b*) Officers of Law Court	5	–	–	–	1	–	–	–	3	–	1	–	–
	Law Clerk	17	–	–	2	3	4	4	3	1	–	–	–	–
	Law Stationer	1	–	–	1	–	–	–	–	–	–	–	–	–
(3)	(*a*) Physician	2	–	–	–	–	–	–	1	–	–	1	–	–
	Surgeon, Apothecary	12	–	–	–	–	2	1	6	1	2	–	–	–
	Medical Student, Assistant	1	–	–	1	–	–	–	–	–	–	–	–	–
	Dentist	1	–	–	–	–	–	–	–	–	–	1	–	–
	(*b*) Druggist	27	–	–	–	1	7	6	6	3	2	1	1	–
	Others	2	–	–	–	–	–	2	–	–	–	–	–	–
(4)	Author, Editor, Writer	1	–	–	–	–	–	1	–	–	–	–	–	–
(5)	Artist, Painter	3	–	–	–	–	–	–	2	1	–	–	–	–
	Sculptor	1	–	–	–	–	–	–	–	–	1	–	–	–
	Engraver	7	–	–	1	1	3	1	–	–	1	–	–	–
	Photographic Artist	1	–	–	1	–	–	–	–	–	–	–	–	–
(6)	Musician	13	–	–	–	–	5	3	2	2	1	–	–	–
	Music-master	5	–	–	–	–	–	1	2	1	–	1	–	–
(7)	Actor	5	–	–	–	–	3	–	1	1	–	–	–	–
	Persons engaged about *Theatres, Exhib.*	3	–	–	–	–	2	–	–	1	–	–	–	–
(8)	Schoolmaster	28	–	–	1	–	5	7	5	6	1	2	1	–
	Professor, Teacher of Languages	3	–	–	–	–	–	–	1	1	–	1	–	–
	Teacher (General)	4	–	–	3	–	–	1	–	–	–	–	–	–
IV.														
(3)	*Son*, Grandson, *Brother*, Nephew (not otherwise described)	1322	679	373	232	37	1	–	–	–	–	–	–	–
V.														
(1)	Innkeeper, Hotelkeeper	72	–	–	–	–	4	10	16	20	13	7	2	–
	Publican	51	–	–	–	–	2	8	15	13	6	6	1	–
	Beerseller	26	–	–	–	–	3	8	5	7	1	1	1	–
	Lodging, Boarding-house Keeper	7	–	–	–	–	–	–	2	–	1	4	–	–
	Coffee-house, Eating house, Keeper	4	–	–	–	–	–	–	1	2	–	1	–	–
	Others *Boarding and Lodging*	3	–	–	–	–	–	2	–	1	–	–	–	–
(2)	*Domestic Servant* (General)	26	–	1	–	–	4	–	3	8	5	4	1	–
	Coachman	6	–	–	–	–	1	3	–	–	2	–	–	–
	Groom	3	–	–	–	1	1	1	–	–	–	–	–	–
	Gardener	10	–	–	1	3	–	–	2	2	1	–	1	–
	Inn Servant	17	–	–	–	–	3	–	7	5	2	–	–	–
	Hospital, Lun. Asylum, Attendt., Nurse	3	–	–	–	–	–	1	–	1	–	–	1	–

NOTE.—The following Town Districts are comprised in this Table:—

	Male Population in 1861 aged 5 Years and upwards.
Bradford	80,266
Hunslet	43,006
Leeds	48,637
Ecclesall Bierlow	26,411
Sheffield	55,070
York	25,000
Sculcoates	20,672
Hull	23,952
Scarborough	12,424

IX.—YORKSHIRE.—Deaths of Males of different Occupations registered in Nine Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.											
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
VI.													
(1) Merchant	20	–	–	–	–	2	3	3	2	5	4	1	–
Banker	2	–	–	–	–	–	–	1	–	–	1	–	–
Insurance, Benefit Society, Officer	5	–	–	–	–	1	–	2	–	1	–	1	–
Stock, Share, Broker, Dealer	1	–	–	–	–	–	1	–	–	–	–	–	–
Ship Broker, Agent	3	–	–	–	–	1	–	–	1	1	–	–	–
Broker	5	–	–	–	–	–	2	1	1	1	–	–	–
Agent, Factor	13	–	–	–	2	1	1	–	6	2	1	–	–
Coal, Colliery, Agent, Factor	6	–	–	–	–	2	–	1	2	–	1	–	–
Iron Merchant, Agent	1	–	–	–	–	–	–	–	1	–	–	–	–
Auctioneer, Appraiser, Valuer	12	–	–	–	–	–	1	4	2	4	–	1	–
Accountant	10	–	–	–	–	–	2	2	2	4	–	–	–
Commercial Clerk	92	–	–	10	15	22	9	9	13	10	4	–	–
Commercial Traveller	18	–	–	–	1	3	6	–	4	2	2	–	–
Other *Mercantile* Men	4	–	–	–	–	–	–	–	2	2	–	–	–
(2) Pawnbroker	5	–	–	–	–	2	1	–	1	1	–	–	–
Marine-store Dealer	2	–	–	–	–	–	–	–	1	1	–	–	–
General Dealer, Huckster, Costermonger	5	–	–	–	–	–	2	–	3	–	–	–	–
Shopkeeper (Branch undefined)	9	–	–	1	–	1	1	1	2	1	1	1	–
Hawker, Pedlar	48	–	–	–	1	1	7	13	14	9	3	–	–
Other *General Dealers*	3	–	–	–	–	1	1	–	1	–	–	–	–
VII.													
(1) Railway Engine Driver, Stoker	17	–	–	1	3	7	3	2	–	1	–	–	–
Railway Official, Clerk, Station-master	18	–	1	–	4	1	6	4	2	–	–	–	–
Railway Servant, Porter, Gatekeeper	41	–	–	1	4	8	12	6	8	1	1	–	–
(2) Toll-collector, Turnpike-gate Keeper	3	–	–	–	1	–	–	–	–	2	–	–	–
Coach, Omnibus, Cab,—Owner	5	–	–	–	–	1	3	–	1	–	–	–	–
Livery Stable Keeper	2	–	–	–	–	–	–	–	–	1	–	1	–
Coachman (not domestic)	18	–	–	–	–	–	1	5	5	5	2	–	–
Cabman, Flyman	18	–	–	–	–	5	4	5	2	1	1	–	–
Carman, Carrier, Carter, Drayman	137	–	–	1	5	23	24	19	32	26	7	–	–
(3) Canal and Inland Navigation Service	1	–	–	–	–	–	1	–	–	–	–	–	–
Bargeman, Lighterman, Waterman	53	–	–	–	5	11	8	8	13	6	2	–	–
(4) Shipowner	10	–	–	–	1	2	–	3	1	2	1	–	–
Seaman (Merchant Service)	137	–	–	8	8	13	12	20	24	26	22	4	–
Pilot	4	–	–	–	–	–	1	–	–	2	1	–	–
Harbour, Dock, Servant, Dock Labourer	48	–	–	–	1	7	6	10	9	11	3	1	–
Wharfinger	1	–	–	–	–	–	–	–	1	–	–	–	–
Others	9	–	–	–	–	2	4	2	1	–	–	–	–
(5) Warehouseman (not Manchester)	20	–	–	–	–	5	1	2	4	4	4	–	–
Others connected with *Storage*	2	–	–	–	–	–	–	–	1	–	1	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	18	–	1	–	–	2	5	3	2	2	3	–	–
Telegraph Service	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII.													
(1) Land Proprietor	17	–	–	–	–	–	1	1	8	3	3	1	–
Farmer, Grazier	269	–	–	–	1	9	18	30	39	81	70	21	–
Farmer's "Son," "Brother," "Grandson"	8	–	–	2	4	1	1	–	–	–	–	–	–
Farm Bailiff	4	–	–	–	–	–	–	–	1	1	2	–	–
Agricultural Labourer (out-door)	332	–	1	8	10	31	24	30	55	92	57	23	1
Shepherd (out-door)	1	–	–	–	–	–	–	–	–	–	1	–	–
Land Surveyor, Land Estate Agent	10	–	–	1	2	–	1	2	2	1	1	–	–
Others connected with *Agriculture*	2	–	–	–	–	–	1	–	–	1	–	–	–
(2) Woodman	4	–	–	–	–	1	–	–	–	2	1	–	–
(3) Gardener (not Domestic Servant)	70	–	–	1	3	6	6	12	12	18	12	–	–
Nurseryman	4	–	–	–	–	2	–	1	1	–	–	–	–
IX.													
(1) Horse Proprietor, Dealer	2	–	–	–	–	–	1	–	–	1	–	–	–
Horsebreaker	4	–	–	–	–	–	2	1	1	–	–	–	–
Horsekeeper, Groom, Jockey	42	–	–	–	–	5	9	15	9	2	2	–	–
Farrier, Veterinary Surgeon	1	–	–	–	–	–	–	–	–	1	–	–	–
Cattle, Sheep,—Dealer, Salesman	9	–	–	–	–	–	1	3	1	2	1	1	–
Drover	6	–	–	–	1	–	2	–	1	2	–	–	–
Pig Merchant, Dealer	2	–	–	–	–	–	–	1	–	1	–	–	–
Gamekeeper	4	–	–	–	–	–	1	–	2	–	1	–	–
Vermin Destroyer, Rat-catcher	1	–	–	–	–	–	–	–	–	–	1	–	–
Fisherman	27	–	–	8	1	6	6	3	2	–	1	–	–
X.													
(1) Bookseller, Publisher	7	–	–	–	–	–	2	2	1	–	2	–	–
Bookbinder	7	–	–	–	–	1	1	–	3	2	–	–	–
Printer	29	–	–	4	3	4	2	4	3	8	1	–	–
Engaged about *Publications*	1	–	–	–	–	–	–	–	–	–	1	–	–
(2) Musical Instrument Maker, Dealer	8	–	–	1	1	1	2	1	1	1	–	–	–
Others connected with *Musical Insts.*	3	–	–	–	1	–	–	1	–	1	–	–	–
(3) Lithographer, Lithographic Printer	2	–	–	–	1	–	–	–	–	1	–	–	–
Connected with *Prints* and *Pictures*	1	–	–	–	1	–	–	–	–	–	–	–	–
(4) Wood-carver	2	–	–	1	–	1	–	–	–	–	–	–	–
Others employed about *Carving & Figures*	7	–	–	1	1	2	1	–	–	1	–	1	–
(5) Toy Maker, Dealer	2	–	–	–	–	–	–	–	–	1	1	–	–

IX.—YORKSHIRE.—Deaths of Males of different Occupations registered in Nine Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
X.—*cont.*													
(6) Pattern Designer	3	–	–	–	–	–	2	–	1	–	–	–	–
Others engaged about *Designs, Medals*	3	–	–	–	–	2	–	–	–	1	–	–	–
(7) Watchmaker, Clockmaker	13	–	–	3	1	2	1	2	1	1	2	–	–
Optician, Spectacle-maker	7	–	–	1	–	1	–	–	2	2	1	–	–
Weighing Machine, Scale, Measure, Maker	12	–	–	–	2	1	–	4	–	3	2	–	–
(8) Surgical Instrument Maker	5	–	–	2	2	–	–	–	–	1	–	–	–
(9) Gunsmith, Gun manufacture	3	–	–	–	1	–	–	–	2	–	–	–	–
Others engaged in manufacturing *Arms*	2	–	–	–	–	–	1	–	1	–	–	–	–
(10) Engine and Machine Maker	131	–	1	13	26	30	18	13	14	10	6	–	–
Spindle maker	10	–	–	2	–	–	2	1	2	1	2	–	–
Needle manufacture	2	–	–	–	–	1	1	–	–	–	–	–	–
Scissors-maker	42	–	–	–	7	3	4	7	11	5	4	1	–
Tool Maker, Dealer	38	–	–	1	8	5	4	5	4	9	2	–	–
File-maker	160	–	–	11	11	18	35	39	23	17	4	2	–
Saw Smith, Maker	35	–	1	–	3	7	7	4	8	4	1	–	–
Cutler	149	–	1	4	12	18	20	13	34	34	12	1	–
Blade Maker, Forger	73	–	–	6	5	14	12	14	13	7	2	–	–
Knife-maker	108	–	–	6	13	13	19	13	15	15	13	1	–
Razor maker	24	–	–	–	2	–	8	7	3	3	1	–	–
Others engaged about *Tools and Machines*	54	–	–	3	11	10	6	7	9	5	2	1	–
(11) Coachmaker	19	–	–	2	1	2	4	1	5	1	1	2	–
(12) Saddler, Harness-maker	11	–	–	–	1	1	2	2	2	2	1	–	–
Whip-maker	1	–	–	–	–	–	–	–	–	1	–	–	–
(13) Shipbuilder, Shipwright	30	–	–	–	1	2	4	3	8	9	3	–	–
Block, Oar, Mast,—Maker	3	–	–	–	1	–	–	1	1	–	–	–	–
Boat, Barge,—Builder	2	–	–	–	–	–	–	–	–	1	1	–	–
Sailmaker	6	–	–	–	–	2	2	–	–	2	–	–	–
Others engaged in fitting *Ships*	5	–	–	–	1	–	–	–	1	2	1	–	–
(14) House Proprietor	37	–	–	–	–	–	2	2	1	17	12	3	–
House Agent, Rent Collector	8	–	–	–	–	–	–	1	–	3	3	1	–
Architect	3	–	–	–	–	–	–	1	–	1	1	–	–
Surveyor	2	–	–	–	–	–	–	1	1	–	–	–	–
Builder	13	–	–	–	–	1	–	1	7	3	1	–	–
Carpenter, Joiner	206	–	–	12	18	29	28	28	26	37	21	6	1
Bricklayer	90	–	–	4	5	10	14	21	19	13	4	–	–
Mason, Pavior	147	–	–	2	4	27	34	34	26	13	5	2	–
Slater, Tiler	7	–	–	–	–	1	–	3	1	2	–	–	–
Plasterer	26	–	–	–	–	6	3	5	6	4	2	–	–
Paperhanger	1	–	–	–	–	–	–	–	1	–	–	–	–
Plumber, Painter, Glazier	86	–	1	1	6	19	16	18	15	7	3	–	–
Others engaged in *Houses and Buildings*	2	–	–	–	–	–	–	–	2	–	–	–	–
(15) Cabinet-maker, Upholsterer	71	–	–	5	7	6	11	11	14	13	2	2	–
Chairmaker	4	–	–	1	–	1	1	–	1	–	–	–	–
Picture frame Maker	1	–	–	–	–	–	1	–	–	–	–	–	–
Carver, Gilder	7	–	–	2	3	–	2	–	–	–	–	–	–
Bedstead, Mattress, Tick,—Maker	2	–	–	–	–	–	1	–	1	–	–	–	–
Furniture Broker	5	–	–	–	–	–	1	1	1	1	1	–	–
(16) Wheelwright	31	–	–	1	2	4	3	6	3	7	5	–	–
Millwright	18	–	–	1	–	1	3	6	2	3	2	–	–
Implement Maker	1	–	–	–	–	–	–	1	–	–	–	–	–
(17) Manuf. Chemist, Lab. at Chem. Works	13	–	–	–	1	4	2	1	2	2	1	–	–
Dye, Colour,—manufacture	10	–	–	–	–	1	2	1	2	3	1	–	–
Dyer, Scourer, Calenderer	42	–	–	2	1	4	9	13	5	6	1	1	–
Others manufacturing *Chemicals*	4	–	–	–	–	–	1	1	–	1	1	–	–
XI.													
(1) Woolstapler	13	–	–	–	1	1	–	5	5	1	–	–	–
Woollen Cloth manufacture	677	–	3	29	47	57	78	97	98	145	113	10	–
Clothier	23	–	–	–	3	1	2	7	9	1	–	–	–
Fuller	6	–	–	1	1	–	1	2	–	–	1	–	–
Wool, Woollen, Dyer	15	–	–	–	–	1	5	3	3	2	–	1	–
Worsted manufacture	328	–	4	25	32	26	40	49	39	61	29	3	–
Stuff manufacture	124	–	–	7	10	21	14	16	19	21	15	1	–
Flannel manufacture	2	–	–	–	–	–	–	–	1	1	–	–	–
Carpet, Rug,—manufacture	13	–	–	–	–	2	2	1	4	3	1	–	–
Others	7	–	–	–	–	1	1	1	3	1	–	–	–
(2) Silk manufacture	12	–	–	2	–	2	4	2	1	–	1	–	–
(3) Flax, Linen,—manufacture	66	–	–	2	2	3	11	10	13	18	6	1	–
Thread manufacture	1	–	–	–	–	–	–	1	–	–	–	–	–
Lace manufacture	2	–	–	–	–	–	–	1	1	–	–	–	–
Cotton manufacture	64	–	–	7	10	7	8	10	7	7	5	3	–
Calico, Cotton,—Printer	1	–	–	–	–	–	–	1	–	–	–	–	–
Calico, Cotton,—Dyer	2	–	–	–	1	–	1	–	–	–	–	–	–
Others	4	–	–	–	–	1	1	–	–	1	1	–	–
(4) Packer, Presser	4	–	–	–	1	1	–	1	1	–	–	–	–
Weaver (not otherwise defined)	9	–	–	–	–	1	–	–	2	6	–	–	–
Manchester Warehouseman	3	–	–	–	1	–	–	–	–	1	1	–	–
Draper, Linendraper, Mercer	56	–	–	2	7	14	7	7	7	7	2	3	–
Working in *Mixed Fabrics*	1	–	–	–	–	–	–	1	–	–	–	–	–

IX.—YORKSHIRE.—Deaths of Males of different Occupations registered in Nine Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XI.—*cont.*													
(5) Hairdresser, Wig-maker	25	–	–	1	1	1	7	7	4	3	–	1	–
Hatter, Hat manufacture	6	–	–	–	–	1	1	2	1	1	–	–	–
Furrier	1	–	–	–	–	–	–	–	–	–	–	1	–
Tailor	201	–	–	5	15	23	32	46	28	29	18	4	1
Clothes Dealer, Salesman, Outfitter	12	–	–	–	–	2	–	4	1	3	1	1	–
Button-maker (all Branches)	3	–	–	–	–	–	1	1	–	–	1	–	–
Hose manufacture	1	–	–	–	–	–	–	–	1	–	–	–	–
Hosier, Haberdasher	2	–	–	–	2	–	–	–	–	–	–	–	–
Glover, Leather, and not otherwise des.	1	–	–	–	–	–	–	–	–	–	–	1	–
Shoemaker, Bootmaker	313	–	–	15	16	34	35	51	55	68	30	9	–
Patten, Clog,—Maker	6	–	–	–	2	–	–	1	–	2	1	–	–
Umbrella, Parasol, Stick,—Maker	3	–	–	–	–	–	–	–	–	2	1	–	–
Others providing *Dress*	5	–	–	1	–	1	–	–	2	–	–	1	–
(6) Mat Maker, Seller	4	–	–	–	–	–	–	2	2	–	–	–	–
Rope, Cord,—Maker	13	–	–	–	–	2	–	2	3	2	3	1	–
Canvas Maker, Dealer	11	–	–	–	–	1	–	2	3	4	1	–	–
Sailcloth manufacture	2	–	–	–	–	–	–	–	1	1	–	–	–
Working in *Hemp*	1	–	–	–	–	–	–	–	–	1	–	–	–
XII.													
(1) Cowkeeper, Milkseller	22	–	–	–	–	4	1	2	9	4	2	–	–
Cheesemonger	3	–	–	–	–	–	–	3	–	–	–	–	–
Butcher, Meat Salesman	91	–	–	2	2	8	20	15	16	17	8	3	–
Provision Curer, Dealer	26	–	–	–	–	5	2	3	5	8	3	–	–
Poulterer, Game Dealer	5	–	–	–	–	–	–	2	2	–	1	–	–
Fishmonger	17	–	–	–	1	–	4	4	1	5	1	1	–
Others dealing in *Animal Food*	3	–	–	–	–	–	1	2	–	–	–	–	–
(2) Corn Merchant, Dealer	26	–	–	–	1	5	5	4	3	3	4	1	–
Miller	28	–	–	1	–	3	1	2	9	7	5	–	–
Flour Dealer, Agent	3	–	–	–	–	–	–	–	2	–	1	–	–
Baker	20	–	–	–	1	2	2	–	11	3	1	–	–
Confectioner, Pastry Cook	12	–	–	–	1	2	–	4	4	1	–	–	–
Greengrocer, Fruiterer	31	–	–	–	1	5	8	5	4	5	3	–	–
Fruit and Flower,—Hawker, Vendor	1	–	–	–	–	–	1	–	–	–	–	–	–
Potato Merchant	2	–	–	–	–	–	–	1	–	1	–	–	–
Seed Merchant, Seedsman	5	–	–	–	1	–	–	1	1	2	–	–	–
Others dealing in *Vegetable Food*	3	–	–	–	–	–	1	–	–	2	–	–	–
(3) Maltster	11	–	–	–	–	–	2	1	3	4	1	–	–
Brewer, and others engaged in Brewing	37	–	–	–	–	7	6	5	12	3	3	1	–
Wine and Spirit Merchant	27	–	–	–	2	8	5	4	2	5	1	–	–
Distiller, Rectifier (engaged in Distilling)	1	–	–	–	–	–	1	–	–	–	–	–	–
Cellarman	2	–	–	–	–	–	–	1	–	1	–	–	–
Ginger Beer, Soda, Min. Water, manuf.	4	–	–	–	–	–	–	2	–	1	1	–	–
Sugar Refiner	3	–	–	–	–	1	1	–	–	–	1	–	–
Grocer, Tea Dealer	93	–	–	2	3	8	15	17	14	14	18	1	1
Tobacco, Cigar, Snuff,—manufacture	3	–	–	–	–	–	2	–	–	–	1	–	–
Tobacconist	7	–	–	–	1	1	4	1	–	–	–	–	–
Others dealing in *Drinks and Stimulants*	10	–	–	–	–	1	3	1	1	3	1	–	–
XIII.													
(1) Soap-boiler	4	–	–	–	–	–	2	1	–	1	–	–	–
Tallow-chandler	5	–	–	1	1	1	–	–	2	–	–	–	–
Comb-maker	27	–	–	1	1	1	5	4	7	7	1	–	–
Others	19	–	–	–	–	4	4	2	3	5	1	–	–
(2) Fellmonger	5	–	–	–	–	–	–	1	–	–	4	–	–
Skinner	3	–	–	1	–	2	–	–	–	–	–	–	–
Tanner	14	–	–	1	3	1	2	1	3	1	2	–	–
Currier	33	–	–	–	1	6	6	6	10	1	2	1	–
Others	2	–	–	–	–	–	–	2	–	–	–	–	–
(3) Hair, Bristle,—manufacture	2	–	–	–	–	–	–	1	–	1	–	–	–
Brush, Broom,—Maker	16	–	–	–	1	1	1	7	3	1	2	–	–
XIV.													
(1) Oil Miller, Refiner	21	–	–	2	2	5	2	4	1	4	–	1	–
Oil and Colourman	1	–	–	–	–	–	1	–	–	–	–	–	–
French-polisher	4	–	–	1	–	2	–	–	1	–	–	–	–
Others	2	–	–	–	–	–	1	–	–	1	–	–	–
(2) Timber Merchant, Dealer	17	–	–	–	3	3	3	4	1	3	–	–	–
Wood Dealer	3	–	–	1	–	–	–	1	1	–	–	–	–
Sawyer	38	–	–	1	2	6	6	4	9	6	2	2	–
Lath-maker	9	–	–	–	–	–	6	1	–	1	1	–	–
Turner	19	–	–	1	5	1	4	1	2	3	2	–	–
Cooper	27	–	1	1	2	4	3	5	6	3	1	1	–
Others	4	–	–	–	–	–	–	1	1	2	–	–	–
(3) Cork Cutter, manufacture	3	–	–	–	–	1	1	–	1	–	–	–	–
(4) Basket-maker	8	–	–	1	2	1	1	1	–	1	1	–	–
Hay and Straw Dealer	3	–	–	–	–	–	–	–	3	–	–	–	–
Thatcher	1	–	–	1	–	–	–	–	–	–	–	–	–
(5) Rag Gatherer, Dealer	14	–	–	–	1	–	2	2	2	4	2	1	–
Paper manufacture	6	–	–	–	–	–	–	–	2	3	1	–	–
Stationer (not Law)	2	–	–	1	–	–	–	1	–	–	–	–	–
Paper Stainer	5	–	–	1	1	2	1	–	–	–	–	–	–
Working in *Paper*	1	–	–	–	–	1	–	–	–	–	–	–	–

IX.—YORKSHIRE.—Deaths of Males of different Occupations registered in Nine Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	TOTAL.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XV.													
(1) Coal-miner	214	–	7	17	21	32	31	25	30	37	14	–	–
Lead-miner	1	–	–	–	–	–	–	1	–	–	–	–	–
Iron-miner	13	–	–	–	–	1	1	1	–	6	4	–	–
Connected with *Mines*	1	–	–	–	–	–	–	–	–	–	1	–	–
(2) Coal Merchant, Dealer	25	–	–	–	1	2	4	3	10	2	3	–	–
Coalheaver, Labourer	22	–	–	–	2	6	2	2	4	6	–	–	–
Coke Burner, Dealer	8	–	–	–	1	2	1	1	2	1	–	–	–
Chimney Sweeper	12	–	–	1	–	3	3	2	2	1	–	–	–
Gas Works Service	20	–	–	1	–	4	4	3	6	1	1	–	–
(3) Stone Quarrier	61	–	–	–	4	6	11	16	18	6	–	–	–
Stone Cutter, Dresser, Polisher	11	–	–	–	–	–	3	3	3	2	–	–	–
Limestone Quarrier, Burner	2	–	–	–	–	–	1	–	1	–	–	–	–
Clay Labourer	3	–	–	–	–	–	–	1	1	–	1	–	–
Brick Maker, Dealer	37	–	–	–	–	5	5	6	7	7	6	1	–
Railway Labourer	21	–	–	2	1	8	4	1	3	2	–	–	–
Platelayer	3	–	–	–	–	1	1	1	–	–	–	–	–
Excavator, Navvy	10	–	–	–	–	2	5	1	1	1	–	–	–
Road Contractor, Inspector, Surveyor	5	–	–	–	–	–	1	1	2	1	–	–	–
Road Labourer	28	–	–	–	–	1	2	3	4	11	7	–	–
Scavenger	1	–	–	–	–	–	–	–	–	1	–	–	–
Others working in *Stone* and *Clay*	14	–	–	–	1	3	2	2	4	2	–	–	–
(4) Earthenware manufacture	17	–	–	–	1	4	2	5	4	1	–	–	–
Tobacco-pipe Maker	10	–	–	–	1	1	1	2	3	1	1	–	–
Farthenware and Glass Dealer	10	–	–	–	1	–	2	2	1	2	2	–	–
(5) Glass manufacture	17	–	–	2	3	3	2	2	1	3	1	–	–
(6) Salt Dealers	2	–	–	–	–	1	–	1	–	–	–	–	–
(7) Waterworks Service	5	–	–	–	–	–	1	1	2	1	–	–	–
Others working or dealing in *Water*	* 6	–	–	–	–	–	1	3	1	–	1	–	–
(8) Goldsmith, Silversmith, Jeweller	50	–	–	2	1	5	9	6	8	10	7	2	–
Plater, Plated Ware manufacture	11	–	–	–	1	2	–	3	2	2	1	–	–
Others dealing in *Gold, Silver*	3	–	–	–	–	–	–	–	–	1	2	–	–
(10) Tinman, Tinworker, Tinker	18	–	–	3	3	1	3	2	2	4	–	–	–
Tinplate Worker	3	–	–	–	1	–	–	1	–	1	–	–	–
(12) Type Founder	4	–	–	–	–	1	2	–	1	–	–	–	–
(13) Brass Founder, Moulder, manufacture	18	–	–	4	2	3	1	2	3	3	–	–	–
Brazier	5	–	–	1	1	–	1	2	–	–	–	–	–
Locksmith, Bellhanger	1	–	–	–	–	–	–	–	–	–	1	–	–
Gasfitter	4	–	–	–	1	–	–	2	1	–	–	–	–
Wire Maker, Drawer	5	–	–	–	1	1	–	1	1	1	–	–	–
Wire Worker, Weaver	8	–	–	1	–	2	3	1	1	–	–	–	–
Others working in *mixed Metals*	5	–	–	–	–	–	–	3	1	1	–	–	–
(14) Iron manufacture, Moulder, Founder	186	–	3	17	23	29	27	28	28	17	13	1	–
Whitesmith	39	–	–	2	3	6	2	7	5	11	3	–	–
Blacksmith	128	–	–	8	9	21	24	19	23	10	11	3	–
Nail manufacture	12	–	–	–	–	–	2	3	1	4	1	1	–
Anchorsmith, Chainsmith	3	–	–	–	1	–	–	–	–	1	1	–	–
Boiler-maker	22	–	–	1	2	7	5	3	1	1	2	–	–
Ironmonger	6	–	–	–	–	2	2	–	1	–	–	1	–
Hardwareman, Dealer	8	–	–	–	–	3	1	–	3	–	1	–	–
Steel manufacture, Worker	38	–	–	1	3	12	6	9	3	4	–	–	–
Grinder (Branch undefined)	41	–	–	–	6	5	13	9	7	1	–	–	–
Others working in *Iron, Steel*	32	–	–	1	5	7	5	4	5	3	2	–	–
XVI.													
(1) Labourer	392	–	1	10	23	66	53	64	67	70	28	10	–
(2) Mechanic	31	–	–	1	9	6	5	4	5	–	1	–	–
Shopman	2	–	–	–	–	1	–	1	–	–	–	–	–
Apprentice	1	–	–	1	–	–	–	–	–	–	–	–	–
Others of indefinite Occupations	† 5	–	–	1	–	1	–	2	1	–	–	–	–
XVII.													
(1) Gentleman, Independent	63	–	–	–	–	–	4	5	11	24	16	3	–
Annuitant	17	–	–	–	–	–	1	–	4	6	5	1	–
XVIII.													
(1) Almsperson (no stated Occupation)	1	–	–	–	–	–	–	–	1	–	–	–	–
Pauper (no stated Occupation)	9	–	–	3	1	1	2	1	–	–	1	–	–
Lunatic (no stated Occupation)	5	–	–	–	–	1	–	1	2	1	–	–	–
Others	8	–	–	–	–	–	–	1	3	–	4	–	–
(2) *Prisoner* (no stated Occupation)	10	–	–	–	3	2	3	–	1	1	–	–	–
(3) *Vagrant, Beggar*	1	–	–	–	–	–	–	1	–	–	–	–	–
Others of no stated Occupation or Condition	35	–	–	2	2	5	10	7	6	2	1	–	–

* Of these, 5 are well sinkers, and 1 water carrier.

† Of these, 3 are timekeepers, and 1 contractor.

X.—NORTHERN COUNTIES.—Deaths of Males of different Occupations registered in Seven Town Districts in the Years 1860–1.

OCCUPATIONS.	TOTAL.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
TOTAL OF MALES AGED 5 YEARS AND UPWARDS	6294	594	266	385	405	741	732	753	819	891	577	126	5
Order I.													
(1) Civil Servant not in Revenue Departmt.	1	–	–	–	1	–	–	–	–	–	–	–	–
Post Office	7	–	–	–	–	1	1	2	1	2	–	–	–
Inland Revenue	8	–	–	–	–	–	1	1	–	2	3	1	–
Customs	8	–	–	–	–	–	1	2	2	–	3	–	–
Government Messengers, Workmen	1	–	–	1	–	–	–	–	–	–	–	–	–
(2) Police	11	–	–	–	2	4	2	2	–	1	–	–	–
Prison Officer	2	–	–	–	–	–	–	–	1	–	1	–	–
Union and Parish Officer	4	–	–	–	–	2	1	1	–	–	–	–	–
Other *Local* Officers	3	–	–	1	–	–	1	–	–	–	1	–	–
II.													
(1) Army Officer	3	–	–	–	2	–	–	1	–	–	–	–	–
Soldier	16	–	–	–	2	6	4	1	1	2	–	–	–
Chelsea Pensioner	19	–	–	–	–	–	–	2	3	7	4	3	–
Militia	5	–	–	–	1	2	2	–	–	–	–	–	–
(2) Navy Half pay Officer	2	–	–	–	–	–	–	–	–	–	2	–	–
Seaman, R.N.	3	–	–	–	–	–	–	–	1	1	–	1	–
Greenwich Pensioner	3	–	–	–	–	1	–	–	–	–	1	1	–
Others	4	–	–	–	–	–	–	–	1	3	–	–	–
III.													
(1) (*a*) Clergyman	3	–	–	–	–	–	2	–	1	–	–	–	–
Protestant Minister	7	–	–	–	–	–	1	2	2	–	2	–	–
(*b*) Parish Clerk	1	–	–	–	–	–	–	–	–	–	–	1	–
Other *Church Officers*	3	–	–	–	–	–	–	1	–	1	1	–	–
(2) Solicitor	12	–	–	–	1	2	3	2	1	2	–	1	–
Other *Lawyers*	1	–	–	–	–	–	–	–	–	–	1	–	–
Law Clerk	15	–	–	–	2	5	2	1	4	–	1	–	–
(3) Surgeon, Apothecary	19	–	–	–	–	–	7	2	3	4	3	–	–
Medical Student, Assistant	2	–	–	–	1	1	–	–	–	–	–	–	–
Dentist	3	–	–	–	–	–	–	–	2	–	–	1	–
(*b*) Druggist	11	–	–	1	3	2	3	1	–	–	–	1	–
Connected with *Medicine*	1	–	–	–	–	–	–	–	–	1	–	–	–
(4) Author, Editor, Writer	2	–	–	–	–	2	–	–	–	–	–	–	–
Others engaged in *Literature*	2	–	–	–	–	1	1	–	–	–	–	–	–
(5) Artist, Painter	4	–	–	–	–	–	1	–	–	2	1	–	–
Photographic Artist	2	–	–	–	–	–	1	–	–	–	1	–	–
(6) Musician	7	–	–	–	–	1	1	2	2	–	1	–	–
(7) Persons engaged about *Theatres, Exhib.*	1	–	–	–	–	–	1	–	–	–	–	–	–
(8) Schoolmaster	17	–	–	–	–	4	2	1	3	6	1	–	–
Teacher (General)	8	–	–	4	1	–	–	–	2	–	1	–	–
(9) Civil Engineer	1	–	–	–	–	–	1	–	–	–	–	–	–
IV.													
(3) *Son*, Grandson, *Brother*, Nephew (not otherwise described)	955	592	220	123	17	3	–	–	–	–	–	–	–
V.													
(1) Innkeeper, Hotelkeeper	55	–	–	–	–	4	12	15	11	8	3	2	–
Publican	37	–	–	–	1	1	4	14	7	7	3	–	–
Beerseller	4	–	–	–	–	–	1	–	2	1	–	–	–
Lodging, Boarding-house Keeper	2	–	–	–	–	1	–	–	–	1	–	–	–
Engaged in *Boarding and Lodging*	1	–	–	–	–	–	–	–	1	–	–	–	–
(2) *Domestic Servant* (General)	11	–	–	1	1	–	1	1	2	5	–	–	–
Coachman	3	–	–	–	–	–	1	–	1	1	–	–	–
Groom	2	–	–	–	1	–	1	–	–	–	–	–	–
Inn Servant	7	–	–	1	–	2	2	1	1	–	–	–	–
VI.													
(1) Merchant	6	–	–	–	–	1	2	3	–	–	–	–	–
Banker	1	–	–	–	–	–	1	–	–	–	–	–	–
Insurance, Benefit Society, Officer	1	–	–	–	1	–	–	–	–	–	–	–	–
Ship Broker, Agent	12	–	–	1	–	4	2	–	3	2	–	–	–
Broker	4	–	–	–	–	1	1	1	–	1	–	–	–
Agent, Factor	4	–	–	1	–	–	–	–	1	2	–	–	–
Coal, Colliery, Agent, Factor	8	–	–	–	–	2	–	1	1	2	2	–	–
Auctioneer, Appraiser, Valuer	3	–	–	–	–	–	–	–	2	1	–	–	–
Accountant	6	–	–	–	–	–	1	1	3	1	–	–	–
Commercial Clerk	24	–	–	1	6	6	5	3	–	2	–	1	–
Commercial Traveller	4	–	–	–	–	–	2	–	1	–	1	–	–
(2) Pawnbroker	2	–	–	–	–	–	1	–	1	–	–	–	–
Marine-store Dealer	6	–	–	–	2	–	1	2	–	1	–	–	–
General Dealer, Huckster, Costermonger	2	–	–	–	–	–	2	–	–	–	–	–	–
Hawker, Pedlar	28	–	–	–	–	3	3	3	5	7	7	–	–

NOTE.—The following Town Districts are comprised in this Table:—

	Male Population in 1861 aged 5 Years and upwards.
Durham	31,022
Sunderland	37,488
South Shields	19,030
Gateshead	25,361
Newcastle-upon-Tyne	47,278
Tynemouth	33,751
Carlisle	18,358

X.—NORTHERN COUNTIES.—Deaths of Males of different Occupations registered in Seven Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
VII.													
(1) Railway Engine Driver, Stoker	22	–	1	2	4	7	5	–	–	–	3	–	–
Railway Official, Clerk, Station-master	9	–	–	1	1	–	1	1	3	2	–	–	–
Railway Servant, Porter, Gatekeeper	41	–	1	1	3	5	9	5	11	5	1	–	–
Railway Police	1	–	–	–	–	–	–	1	–	–	–	–	–
(2) Toll-collector, Turnpike-gate Keeper	4	–	–	–	–	–	1	–	–	2	1	–	–
Coach, Omnibus, Cab,—Owner	1	–	–	–	–	–	–	–	–	1	–	–	–
Livery Stable Keeper	1	–	–	–	–	–	–	–	1	–	–	–	–
Coachman (not domestic)	6	–	–	–	–	1	–	1	1	1	2	–	–
Cabman, Flyman	6	–	–	–	2	1	–	–	2	1	–	–	–
Carman, Carrier, Carter, Drayman	89	–	–	4	8	14	9	21	12	12	7	2	–
(3) Bargeman, Lighterman, Waterman	101	–	–	–	1	7	3	10	21	35	21	3	–
(4) Shipowner	44	–	–	–	–	2	3	7	7	17	6	2	–
Seaman (Merchant Service)	438	–	2	36	40	63	56	44	64	72	53	8	–
Pilot	22	–	–	–	1	4	6	3	2	3	3	–	–
Harbour, Dock, Servant, Dock Labourer	21	–	–	–	–	4	4	4	6	2	1	–	–
Wharfinger	2	–	–	–	–	–	–	1	1	–	–	–	–
Others	30*	–	–	4	4	6	8	1	3	2	1	1	–
(5) Warehouseman (not Manchester)	2	–	–	–	–	–	–	1	1	–	–	–	–
Others connected with *Storage*	2	–	–	–	–	–	–	–	–	2	–	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	8	–	–	–	–	1	2	2	1	–	2	–	–
Telegraph Service	2	–	–	–	1	1	–	–	–	–	–	–	–
VIII.													
(1) Land Proprietor	14	–	–	–	–	2	–	–	3	3	3	3	–
Farmer, Grazier	118	–	–	–	–	9	12	12	15	29	33	7	1
Farmer's "Son," "Brother," "Grandson"	2	–	–	2	–	–	–	–	–	–	–	–	–
Farm Bailiff	4	–	–	–	–	–	–	–	1	3	–	–	–
Agricultural Labourer (out-door)	169	–	–	2	9	9	9	16	28	37	49	10	–
Shepherd (out-door)	1	–	–	–	–	–	–	–	1	–	–	–	–
Land Surveyor, Land Estate Agent	4	–	–	–	–	1	–	–	–	2	1	–	–
Others connected with *Agriculture*	2	–	–	–	–	1	–	–	1	–	–	–	–
(2) Woodman	5	–	–	1	–	1	1	–	1	1	–	–	–
(3) Gardener (not Domestic Servant)	43	–	–	–	1	1	4	3	8	9	13	4	–
IX.													
(1) Horse Proprietor, Dealer	1	–	–	–	–	–	–	1	–	–	–	–	–
Horsebreaker	1	–	–	–	–	–	–	–	–	1	–	–	–
Horsekeeper, Groom, Jockey	23	–	–	–	–	2	6	5	5	3	2	–	–
Farrier, Veterinary Surgeon	5	–	–	–	1	–	1	2	–	1	–	–	–
Cattle, Sheep,—Dealer, Salesman	2	–	–	–	–	–	–	1	–	1	–	–	–
Drover	4	–	–	–	–	1	–	1	–	2	–	–	–
Gamekeeper	2	–	–	–	–	–	–	–	1	–	–	1	–
Fisherman	2	–	–	1	–	–	1	–	–	–	–	–	–
X.													
(1) Bookseller, Publisher	7	–	–	–	–	2	–	2	–	2	1	–	–
Bookbinder	8	–	–	1	–	1	1	2	1	1	1	–	–
Printer	14	–	–	2	3	4	–	–	–	3	2	–	–
(2) Lithographer, Lithographic Printer	3	–	–	1	–	1	–	1	–	–	–	–	–
Connected with *Prints* and *Pictures*	1	–	–	–	–	–	–	–	–	1	–	–	–
(4) Wood-carver	2	–	–	–	–	2	–	–	–	–	–	–	–
Employed about *Carving & Figures*	1	–	–	–	–	–	–	–	–	–	1	–	–
(5) Toy Maker, Dealer	1	–	–	–	–	–	1	–	–	–	–	–	–
(6) Pattern Designer	1	–	–	–	1	–	–	–	–	–	–	–	–
Others engaged about *Designs, Medals*	3	–	–	2	–	1	–	–	–	–	–	–	–
(7) Watchmaker, Clockmaker	5	–	–	–	–	1	1	1	–	1	1	–	–
Optician, Spectacle maker	2	–	–	–	–	–	–	2	–	–	–	–	–
Weighing Machine, Scale, Measure, Maker	1	–	–	–	1	–	–	–	–	–	–	–	–
(10) Engine and Machine Maker	82	–	–	7	15	21	20	9	4	4	2	–	–
File maker	2	–	–	1	–	1	–	–	–	–	–	–	–
Saw Smith, Maker	1	–	–	–	–	–	–	1	–	–	–	–	–
Cutler	1	–	–	–	–	–	–	1	–	–	–	–	–
Others engaged about *Tools and Machines*	2	–	–	–	–	–	–	–	–	2	–	–	–
(11) Coachmaker	13	–	–	3	1	2	1	3	2	1	–	–	–
(12) Saddler, Harness-maker	17	–	–	–	–	3	2	4	4	3	1	–	–
(13) Shipbuilder. Shipwright	159	–	1	13	18	21	21	17	21	31	16	–	–
Block, Oar, Mast, -Maker	7	–	–	–	–	2	3	–	–	–	2	–	–
Boat, Barge,—Builder	7	–	–	2	–	–	–	2	–	1	1	1	–
Sailmaker	8	–	–	1	–	–	3	–	1	2	1	–	–
Others engaged in fitting *Ships*	3	–	–	–	–	1	–	1	–	1	–	–	–
(14) House Proprietor	23	–	–	–	–	–	2	3	3	7	5	3	–
House Agent, Rent Collector	6	–	–	–	–	–	–	1	2	1	2	–	–
Architect	1	–	–	–	–	–	–	–	–	1	–	–	–
Builder	27	–	–	–	–	2	3	8	6	2	4	2	–
Carpenter, Joiner	143	–	–	6	14	16	21	19	18	24	15	9	1
Bricklayer	25	–	–	–	4	5	1	7	6	1	1	–	–
Marble Mason	4	–	–	1	–	1	–	2	–	–	–	–	–
Mason, Pavior	128	–	–	5	4	15	25	38	22	12	6	1	–
Slater, Tiler	5	–	–	–	1	1	2	1	–	–	–	–	–
Plasterer	6	–	–	–	–	3	–	2	1	–	–	–	–
Paperhanger	1	–	–	–	–	–	–	1	–	–	–	–	–
Plumber, Painter, Glazier	44	–	–	2	2	10	6	11	6	6	1	–	–

* Of these, 18 are steam navigation servants, 5 ballast keelmen, and 4 ballast heavers.

X.—NORTHERN COUNTIES.—Deaths of Males of different Occupations registered in Seven Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
X.—*cont.*													
(15) Cabinet-maker, Upholsterer	26	–	–	1	1	6	1	3	5	5	4	–	–
Carver, Gilder	4	–	–	–	–	–	2	2	–	–	–	–	–
Furniture Broker	5	–	–	–	–	–	1	1	1	2	–	–	–
(16) Wheelwright	14	–	–	1	2	–	–	1	3	2	4	1	–
Millwright	13	–	–	–	–	3	2	1	–	3	4	–	–
(17) Manuf. Chemist, Lab. at Chem. Works	41	–	–	5	3	8	5	9	5	2	2	2	–
Dye, Colour,—manufacture	2	–	1	–	–	–	1	–	–	–	–	–	–
Dyer, Scourer, Calenderer	2	–	–	–	1	–	1	–	–	–	–	–	–
Others manufacturing *Chemicals*	2	–	–	–	–	–	–	–	–	2	–	–	–
XI.													
(1) Woollen Cloth manufacture	3	–	–	–	–	1	1	1	–	–	–	–	–
Clothier	1	–	–	–	–	–	1	–	–	–	–	–	–
Worsted manufacture	5	–	–	–	–	1	–	2	–	1	1	–	–
Carpet, Rug,—manufacture	6	–	–	–	–	–	1	–	1	3	1	–	–
(2) Silk manufacture	2	–	–	–	–	–	–	–	–	–	2	–	–
Silk Mercer	1	–	–	–	–	–	–	–	–	–	1	–	–
(3) Flax, Linen,—manufacture	4	–	–	–	–	–	1	–	–	3	–	–	–
Cotton manufacture	89	–	–	2	2	7	4	9	13	36	14	1	1
Calico, Cotton,—Printer	3	–	–	–	–	–	–	–	1	1	1	–	–
(4) Weaver (not otherwise defined)	9	–	–	–	1	1	1	–	1	2	3	–	–
Draper, Linendraper, Mercer	44	–	–	4	5	7	11	8	4	3	2	–	–
(5) Hairdresser, Wig-maker	12	–	–	1	1	1	–	2	2	3	–	2	–
Hatter, Hat manufacture	17	–	–	–	2	1	5	2	1	3	3	–	–
Tailor	108	–	–	5	3	17	13	18	19	19	12	2	–
Clothes Dealer, Salesman, Outfitter	3	–	–	–	–	–	1	–	1	–	–	1	–
Hose manufacture	2	–	–	–	–	–	–	–	–	–	2	–	–
Hosier, Haberdasher	2	–	–	–	–	2	–	–	–	–	–	–	–
Shoemaker, Bootmaker	182	–	–	8	8	16	21	24	30	42	28	4	1
Patten, Clog,—Maker	4	–	–	–	1	–	1	1	–	–	1	–	–
Umbrella, Parasol, Stick,—Maker	1	–	–	–	–	–	–	–	1	–	–	–	–
(6) Rope, Cord,—Maker	15	–	–	–	–	1	2	2	5	3	–	2	–
Canvass Maker, Dealer	3	–	–	1	–	–	–	1	–	–	1	–	–
XII.													
(1) Cowkeeper, Milkseller	7	–	–	–	–	–	–	–	3	3	1	–	–
Cheesemonger	3	–	–	–	1	–	–	1	–	–	1	–	–
Butcher, Meat Salesman	51	–	–	1	3	9	8	10	10	7	1	2	–
Provision Curer, Dealer	17	–	–	–	–	–	2	5	5	4	1	–	–
Fishmonger	5	–	–	–	–	–	–	2	1	1	1	–	–
(2) Corn Merchant, Dealer	5	–	–	–	–	1	1	–	–	3	–	–	–
Miller	23	–	–	–	2	3	3	–	7	5	1	1	1
Flour Dealer, Agent	2	–	–	–	–	–	–	1	1	–	–	–	–
Baker	14	–	–	–	–	3	4	5	1	–	1	–	–
Confectioner, Pastry Cook	9	–	–	–	1	3	2	1	–	1	1	–	–
Greengrocer, Fruiterer	5	–	–	–	–	1	–	–	2	–	1	1	–
Potato Merchant	3	–	–	–	–	–	–	–	–	2	1	–	–
(3) Maltster	4	–	–	–	–	–	–	2	1	1	–	–	–
Brewer, and others engaged in Brewing	24	–	–	2	–	–	3	7	6	4	2	–	–
Wine and Spirit Merchant	22	–	–	–	1	6	3	3	2	4	1	2	–
Cellarman	1	–	–	–	–	–	–	1	–	–	–	–	–
Ginger Beer, Soda, Min. Water manuf.	1	–	–	–	–	–	–	1	–	–	–	–	–
Grocer, Tea Dealer	61	–	–	5	4	10	8	11	6	6	9	2	–
Tobacconist	3	–	–	–	–	–	2	–	–	1	–	–	–
Others dealing in *Drinks and Stimulants*	2	–	–	–	–	1	1	–	–	–	–	–	–
XIII.													
(1) Soap-boiler	2	–	–	–	–	–	–	1	1	–	–	–	–
Tallow-chandler	5	–	–	–	–	2	1	–	1	1	–	–	–
Others	2	–	–	–	–	–	1	–	–	1	–	–	–
(2) Fellmonger	1	–	–	–	–	–	–	–	–	1	–	–	–
Skinner	4	–	–	–	–	–	–	2	2	–	–	–	–
Tanner	10	–	–	–	–	–	2	2	2	2	1	1	–
Currier	12	–	–	–	1	2	–	4	2	3	–	–	–
Others	2	–	–	–	–	–	1	–	–	–	1	–	–
(3) Brush, Broom,—Maker	10	–	–	–	–	3	–	1	3	3	–	–	–
XIV.													
(1) Oil Miller, Refiner	1	–	–	1	–	–	–	–	–	–	–	–	–
French-polisher	3	–	–	2	1	–	–	–	–	–	–	–	–
(2) Timber Merchant, Dealer	11	–	–	1	–	2	–	1	3	1	3	–	–
Sawyer	33	–	–	1	1	–	3	5	10	4	8	1	–
Lath-maker	1	–	–	–	1	–	–	–	–	–	–	–	–
Turner	7	–	–	–	–	2	1	3	1	–	–	–	–
Cooper	22	–	–	2	2	3	3	4	2	2	4	–	–
Others	2	–	–	–	–	–	–	–	–	1	1	–	–
(3) Cork Cutter, manufacture	6	–	–	1	–	–	1	1	–	1	2	–	–
(4) Basket-maker	3	–	–	–	–	–	–	–	1	1	–	1	–
(5) Rag Gatherer, Dealer	2	–	–	–	–	–	–	1	–	1	–	–	–
Paper manufacture	10	–	–	–	–	2	1	–	3	1	3	–	–
Stationer (not Law)	1	–	–	–	–	1	–	–	–	–	–	–	–

X.—NORTHERN COUNTIES.—Deaths of Males of different Occupations registered in Seven Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.											
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
XV.													
(1) Coal-miner	687	2	30	59	85	112	88	73	90	100	39	9	–
Lead-miner	4	–	–	–	–	–	1	2	–	–	1	–	–
Iron-miner	2	–	–	–	–	1	1	–	–	–	–	–	–
Others	8	–	–	–	–	1	2	–	2	2	1	–	–
(2) Coal Merchant, Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
Coalheaver, Labourer	8	–	–	–	2	–	2	–	2	–	2	–	–
Coke Burner, Dealer	17	–	–	–	1	4	5	3	2	2	–	–	–
Chimney Sweeper	5	–	–	–	–	1	1	2	1	–	–	–	–
Gas Works Service	6	–	–	–	1	2	–	1	1	–	–	1	–
Others working in *Coal*	2	–	–	–	–	–	–	1	1	–	–	–	–
(3) Stone Quarrier	31	–	–	–	1	6	1	6	9	4	3	1	–
Limestone Quarrier, Burner	3	–	–	–	–	1	–	–	1	–	1	–	–
Brick Maker, Dealer	28	–	–	–	3	5	3	4	4	6	3	–	–
Railway Labourer	30	–	–	2	4	8	4	5	5	2	–	–	–
Platelayer	15	–	–	1	2	3	5	1	3	–	–	–	–
Excavator, Navvy	4	–	–	–	–	1	1	1	1	–	–	–	–
Road Labourer	16	–	–	–	1	–	–	2	5	7	1	–	–
Scavenger	5	–	–	–	–	–	1	–	1	1	2	–	–
Others working in *Stone, Clay*	4	–	–	–	–	–	–	–	2	1	1	–	–
(4) Earthenware manufacture	36	–	–	–	1	2	11	12	5	4	1	–	–
Tobacco-pipe Maker	5	–	–	–	–	1	–	2	–	1	1	–	–
Earthenware and Glass Dealer	5	–	–	–	–	–	1	2	1	1	–	–	–
(5) Glass manufacture	73	–	2	4	6	15	8	9	8	12	8	1	–
(6) Salt manufacture	1	–	–	–	–	–	1	–	–	–	–	–	–
(7) Waterworks Service	4	–	–	1	–	2	–	–	1	–	–	–	–
(8) Goldsmith, Silversmith, Jeweller	2	–	–	–	–	–	–	–	–	1	–	1	–
(9) Coppersmith	2	–	–	–	1	–	–	–	–	1	–	–	–
(10) Tin manufacture	1	–	–	–	–	–	1	–	–	–	–	–	–
Tinman, Tinworker, Tinker	7	–	–	–	–	1	–	–	2	2	2	–	–
Tinplate Worker	3	–	–	–	–	–	–	–	1	1	1	–	–
(12) Lead manufacture	4	–	–	–	–	–	2	2	–	–	–	–	–
(13) Brass Founder, Moulder, manufacture	10	–	–	–	2	2	1	3	2	–	–	–	–
Brazier	1	–	–	1	–	–	–	–	–	–	–	–	–
Locksmith, Bellhanger	1	–	–	–	1	–	–	–	–	–	–	–	–
Gasfitter	1	–	–	–	–	–	1	–	–	–	–	–	–
(14) Iron manufacture, Moulder, Founder	140	–	1	7	20	33	25	17	21	10	4	2	–
Whitesmith	10	–	–	1	1	–	–	2	2	2	2	–	–
Blacksmith	155	–	–	12	14	29	18	23	18	23	16	2	–
Nail manufacture	17	–	1	–	–	1	3	2	1	6	3	–	–
Anchorsmith, Chainsmith	26	–	–	1	1	3	5	7	5	4	–	–	–
Boiler-maker	14	–	–	–	3	3	5	2	–	1	–	–	–
Ironmonger	4	–	–	–	–	1	1	–	–	1	1	–	–
Hardwareman, Dealer	2	–	–	–	–	1	–	1	–	–	–	–	–
Others working in *Iron* and *Steel*	6	–	–	–	–	–	1	1	1	2	1	–	–
XVI.													
(1) Labourer	362	–	6	15	19	52	66	44	71	49	32	8	–
(2) Shopman	2	–	–	–	–	–	–	–	–	1	–	1	–
Of indefinite Occupation	1	–	–	–	–	–	–	1	–	–	–	–	–
XVII.													
(1) Gentleman, Independent	30	–	–	–	1	1	–	4	6	7	8	3	–
Annuitant	4	–	–	–	–	–	–	–	–	2	1	1	–
XVIII.													
(1) Dependent on Relatives	1	–	–	–	–	–	–	–	1	–	–	–	–
Almsperson (no stated Occupation)	1	–	–	–	–	–	–	–	–	–	1	–	–
Pauper (no stated Occupation)	6	–	–	–	1	–	2	1	–	1	1	–	–
Lunatic (no stated Occupation)	2	–	–	–	–	–	–	1	1	–	–	–	–
Others	4	–	–	–	–	–	–	2	1	1	–	–	–
(2) *Prisoner* (no stated Occupation)	2	–	–	–	1	–	–	–	1	–	–	–	–
(3) *Vagrant, Beggar*	5	–	–	–	–	1	1	1	1	1	–	–	–
Others of no stated Occupation or Condition	3	–	–	1	–	1	1	–	–	–	–	–	–

XI.—WELSH COUNTIES.—Deaths of Males of different Occupations registered in Three Town Districts in the Years 1860–1.

OCCUPATIONS.	Total.	AGES OF MALES. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
Total of Males aged 5 years and upwards	2383	188	138	138	185	310	279	251	324	321	193	54	2
Order I.													
(1) Post Office	5	–	–	–	1	–	1	1	2	–	–	–	–
Inland Revenue	3	–	–	–	–	–	–	1	–	2	–	–	–
Dockyard Artificers	13	–	–	–	–	2	2	2	1	4	1	1	–
Government Officer	1	–	–	–	–	–	–	–	–	1	–	–	–
(2) Police	1	–	–	–	–	–	–	–	1	–	–	–	–
Union and Parish Officer	3	–	–	–	–	–	1	–	–	2	–	–	–
II.													
(1) Army Officer	2	–	–	–	–	–	–	1	1	–	–	–	–
Army Half-pay Officer	1	–	–	–	–	–	–	–	–	–	1	–	–
Soldier	51	–	–	9	18	9	12	1	1	–	1	–	–
Chelsea Pensioner	4	–	–	–	–	–	–	–	1	2	1	–	–
Militia	5	–	–	–	3	1	1	–	–	–	–	–	–
(2) Navy Officer	3	–	–	–	–	1	–	–	1	1	–	–	–
Navy Half-pay Officer	1	–	–	–	–	–	–	–	–	1	–	–	–
Seaman, R.N.	4	–	–	–	1	–	2	–	–	1	–	–	–
Greenwich Pensioner	4	–	–	–	–	–	1	–	2	–	–	1	–
Connected with the *Navy*	1	–	–	–	–	–	–	–	–	–	1	–	–
III.													
(1) (*a*) Clergyman	3	–	–	–	–	1	–	–	–	2	–	–	–
Protestant Minister	2	–	–	–	–	–	–	1	–	–	1	–	–
(*b*) Parish Clerk	1	–	–	–	–	–	–	–	–	–	1	–	–
(2) Solicitor	2	–	–	–	–	1	–	–	–	1	–	–	–
Law Clerk	4	–	–	–	1	2	1	–	–	–	–	–	–
(3) Surgeon, Apothecary	5	–	–	–	–	–	–	3	–	1	1	–	–
(*b*) Druggist	2	–	–	1	–	–	1	–	–	–	–	–	–
(5) Artist, Painter	1	–	–	–	–	–	–	–	–	–	1	–	–
Photographic Artist	1	–	–	–	–	–	–	1	–	–	–	–	–
(6) Musician	7	–	–	–	–	4	–	1	2	–	–	–	–
Connected with *Music*	1	–	–	–	–	–	–	1	–	–	–	–	–
(8) Schoolmaster	6	–	–	–	1	–	1	2	–	1	1	–	–
IV.													
(3) *Son*, Grandson, *Brother*, Nephew (not otherwise described)	283	188	63	28	4	–	–	–	–	–	–	–	–
V.													
(1) Innkeeper, Hotelkeeper	14	–	–	–	–	–	1	2	6	4	1	–	–
Publican	16	–	–	–	–	1	2	3	5	5	–	–	–
(2) *Domestic Servant* (General)	4	–	–	1	1	–	–	–	–	–	1	1	–
Coachman	2	–	–	–	–	–	–	–	1	–	1	–	–
Gardener	1	–	–	–	–	–	–	–	–	1	–	–	–
Engaged in *Attendance*	1	–	–	–	–	–	–	–	–	–	1	–	–
VI.													
(1) Merchant	1	–	–	–	–	–	–	–	–	1	–	–	–
Agent, Factor	2	–	–	–	–	–	–	1	1	–	–	–	–
Coal, Colliery, Agent, Factor	4	–	–	–	–	–	–	1	2	1	–	–	–
Accountant	2	–	–	–	–	–	1	–	–	–	1	–	–
Commercial Clerk	6	–	–	1	2	1	1	–	–	1	–	–	–
(2) Pawnbroker	1	–	–	–	1	–	–	–	–	–	–	–	–
Shopkeeper (Branch undefined)	2	–	–	–	–	–	–	–	–	2	–	–	–
Hawker, Pedlar	7	–	–	–	–	2	2	–	1	–	2	–	–
General Dealer	1	–	–	–	–	–	–	1	–	–	–	–	–
VII.													
(1) Railway Engine Driver, Stoker	5	–	–	–	1	1	1	1	1	–	–	–	–
Railway Official, Clerk, Station-master	2	–	–	–	2	–	–	–	–	–	–	–	–
Railway Servant, Porter, Gatekeeper	2	–	–	–	–	–	1	1	–	–	–	–	–
Railway Police	2	–	–	–	–	2	–	–	–	–	–	–	–

Note.—The following Town Districts are comprised in this Table:—

	Male Population in 1861 aged 5 Years and upwards.
Merthyr Tydfil	48,253
Pembroke	13,017
Holywell	17,396

XI.—WELSH COUNTIES.—Deaths of Males of different Occupations registered in Three Town Districts in the Years 1860–1—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
VII.—*cont.*													
(2) Toll-collector, Turnpike-gate Keeper	1	–	–	–	–	–	–	1	–	–	–	–	–
Coachman (not domestic)	1	–	–	–	–	–	–	1	–	–	–	–	–
Carman, Carrier, Carter, Drayman	16	–	1	3	3	1	3	2	1	2	–	–	–
(3) Bargeman, Lighterman, Waterman	5	–	–	–	1	1	1	1	1	–	–	–	–
(4) Seaman (Merchant Service)	20	–	1	2	2	3	3	–	1	–	8	–	–
Pilot	1	–	–	–	–	–	1	–	–	–	–	–	–
Harbour, Dock, Servant, Dock Labourer	7	–	–	–	–	2	2	3	–	–	–	–	–
Connected with *Seas* and *Rivers*	1	–	–	–	–	–	–	–	–	–	1	–	–
(6) Messenger, Porter (not Govt.), Errd. Boy	1	–	–	–	–	1	–	–	–	–	–	–	–
VIII.													
(1) Land Proprietor	8	–	–	–	–	–	–	1	2	3	2	–	–
Farmer, Grazier	110	–	–	–	1	4	3	6	23	33	31	9	–
Farmer's "Son," "Brother," "Grandson"	3	–	–	1	1	1	–	–	–	–	–	–	–
Farm Bailiff	4	–	–	–	–	–	–	–	1	3	–	–	–
Agricultural Labourer (out door)	83	–	1	1	6	4	8	9	4	28	16	6	–
Shepherd (out-door)	3	–	–	–	1	–	–	–	–	1	1	–	–
(3) Gardener (not Domestic Servant)	8	–	–	–	–	1	–	2	1	3	1	–	–
IX.													
(1) Horse Proprietor, Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
Horsekeeper, Groom, Jockey	13	–	–	–	–	4	3	1	3	2	–	–	–
Cattle, Sheep,—Dealer, Salesman	1	–	–	–	–	–	–	–	1	–	–	–	–
Gamekeeper	1	–	–	–	–	1	–	–	–	–	–	–	–
Fisherman	3	–	–	–	–	–	–	–	–	1	–	1	1
X.													
(1) Printer	1	–	–	–	–	–	1	–	–	–	–	–	–
(7) Watchmaker, Clockmaker	3	–	–	–	–	1	–	–	1	1	–	–	–
(10) Engine and Machine Maker	15	–	–	3	2	3	3	1	2	1	–	–	–
(12) Saddler, Harness-maker	7	–	–	–	–	–	2	1	–	2	1	1	–
(13) Shipbuilder, Shipwright	19	–	–	–	3	3	2	3	2	3	2	1	–
Boat, Barge,—Builder	1	–	–	–	–	–	–	–	–	–	–	1	–
(14) House Proprietor	3	–	–	–	–	–	–	–	1	2	–	–	–
House Agent, Rent Collector	1	–	–	–	–	–	–	–	1	–	–	–	–
Carpenter, Joiner	43	–	–	1	3	7	5	4	7	10	3	2	1
Bricklayer	4	–	–	1	–	1	1	–	–	1	–	–	–
Marble Mason	1	–	–	–	–	1	–	–	–	–	–	–	–
Mason, Pavior	38	–	2	–	3	2	7	4	12	5	3	–	–
Slater, Tiler	3	–	–	–	–	1	–	–	1	–	–	1	–
Plasterer	3	–	–	–	–	1	–	1	–	–	1	–	–
Plumber, Painter, Glazier	9	–	–	1	1	2	1	2	1	1	–	–	–
(15) Cabinet-maker, Upholsterer	4	–	–	–	–	1	2	–	–	–	–	1	–
Chairmaker	1	–	–	–	–	–	–	–	1	–	–	–	–
Furniture Broker	1	–	–	–	–	–	–	–	–	–	1	–	–
(16) Wheelwright	7	–	–	–	–	–	1	2	1	1	2	–	–
(17) Manuf. Chemist, Lab. at Chem. Works	3	–	–	–	–	–	1	–	2	–	–	–	–
XI.													
(1) Woollen Cloth manufacture	3	–	–	–	1	1	–	–	–	–	1	–	–
Clothier	1	–	–	–	–	–	–	–	1	–	–	–	–
Fuller	1	–	–	1	–	–	–	–	–	–	–	–	–
(3) Flax, Linen,—manufacture	1	–	–	–	–	–	–	–	–	–	–	1	–
Cotton manufacture	2	–	–	–	–	–	–	–	–	2	–	–	–
(4) Weaver (not otherwise defined)	1	–	–	–	–	–	1	–	–	–	–	–	–
Draper, Linendraper, Mercer	8	–	–	1	2	4	–	–	–	1	–	–	–
(5) Hairdresser, Wig-maker	1	–	–	–	–	1	–	–	–	–	–	–	–
Hatter, Hat manufacture	1	–	–	–	–	–	–	–	–	–	1	–	–
Tailor	23	–	–	1	4	4	3	3	2	3	2	1	–
Shoemaker, Bootmaker	51	–	–	1	1	8	3	9	10	7	10	2	–
Patten, Clog,—Maker	1	–	–	–	–	1	–	–	–	–	–	–	–
Others providing *Dress*	3	–	–	–	–	–	2	1	–	–	–	–	–
(6) Rope, Cord,—Maker	3	–	–	–	–	–	–	–	1	1	1	–	–
XII.													
(1) Cheesemonger	2	–	–	–	1	–	–	–	1	–	–	–	–
Butcher, Meat Salesman	14	–	–	–	1	2	5	–	–	4	–	2	–
Fishmonger	3	–	–	–	–	1	1	–	–	1	–	–	–
(2) Miller	4	–	–	–	–	–	–	–	1	2	1	–	–
Flour Dealer, Agent	1	–	–	–	–	–	–	–	–	1	–	–	–
Baker	2	–	–	–	–	–	–	–	–	1	1	–	–
Confectioner, Pastry Cook	2	–	–	–	–	–	1	1	–	–	–	–	–
Greengrocer, Fruiterer	1	–	–	–	–	–	1	–	–	–	–	–	–

XI.—WELSH COUNTIES.—Deaths of Males of different Occupations registered in Three Town Districts in the Years 1860–1.—*cont.*

OCCUPATIONS.	Total.	AGES OF MALES.										
		5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
XII.—*cont.*													
(3) Maltster	2	–	–	–	–	–	2	–	–	–	–	–	–
Brewer, and others engaged in Brewing	1	–	–	–	–	–	1	–	–	–	–	–	–
Wine and Spirit Merchant	2	–	–	–	–	–	–	1	1	–	–	–	–
Sugar Refiner	1	–	–	–	–	–	–	1	–	–	–	–	–
Groger, Tea Dealer	21	–	1	1	1	4	4	5	2	3	–	–	–
XIII.													
(2) Skinner	1	–	–	–	–	–	–	–	–	1	–	–	–
Tanner	3	–	–	–	–	–	1	–	–	2	–	–	–
Currier	2	–	–	–	–	–	–	1	1	–	–	–	–
XIV.													
(2) Timber Merchant, Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
Sawyer	9	–	–	–	–	3	–	2	1	1	2	–	–
Turner	2	–	1	–	1	–	–	–	–	–	–	–	–
Cooper	1	–	–	–	–	–	–	–	–	–	–	1	–
(4) Hay and Straw Dealer	1	–	–	–	–	–	1	–	–	–	–	–	–
Thatcher	1	–	–	–	–	–	–	–	–	–	1	–	–
Working in *Cane, Rush,* and *Straw*	1	–	–	–	–	–	1	–	–	–	–	–	–
(5) Rag Gatherer, Dealer	1	–	–	–	–	–	–	–	1	–	–	–	–
Paper manufacture	1	–	–	–	–	–	–	–	–	–	1	–	–
XV.													
(1) Coal-miner	523	–	51	52	60	102	70	56	65	41	21	5	–
Lead-miner	53	–	–	–	5	4	7	12	11	9	3	2	–
Iron-miner	106	–	4	3	8	22	10	12	22	15	9	1	–
Others	35	–	1	2	–	8	3	5	8	5	2	1	–
(2) Coalheaver, Labourer	1	–	–	–	–	–	–	–	–	1	–	–	–
Coke Burner, Dealer	3	–	–	–	–	1	1	–	1	–	–	–	–
(3) Stone Quarrier	17	–	–	–	1	2	3	1	4	4	1	1	–
Stone Cutter, Dresser, Polisher	1	–	–	–	–	–	1	–	–	–	–	–	–
Limestone Quarrier, Burner	2	–	–	–	–	–	–	–	–	1	1	–	–
Brick Maker, Dealer	9	–	–	1	1	–	2	–	1	3	–	1	–
Railway Labourer	9	–	–	1	–	2	4	–	–	1	1	–	–
Platelayer	3	–	–	–	–	1	–	1	–	–	–	1	–
Excavator, Navvy	2	–	–	–	–	1	–	–	1	–	–	–	–
Road Labourer	9	–	–	–	–	1	1	–	1	6	–	–	–
Scavenger	1	–	–	–	–	–	–	–	–	1	–	–	–
Working in *Stone* and *Clay*	1	–	–	–	–	–	–	1	–	–	–	–	–
(4) Earthenware and Glass Dealer	2	–	–	–	–	–	–	–	–	1	1	–	–
(9) Copper manufacture	6	–	–	–	1	–	–	–	2	1	1	1	–
(10) Tinman, Tinworker, Tinker	3	–	–	–	–	–	–	2	1	–	–	–	–
Tinplate Worker	2	–	–	1	–	–	–	–	–	–	–	1	–
(12) Lead manufacture	8	–	–	–	1	–	–	1	2	2	2	–	–
(13) Brass Founder, Moulder, manufacture	3	–	–	–	–	–	1	1	1	–	–	–	–
Gasfitter	1	–	–	–	1	–	–	–	–	–	–	–	–
(14) Iron manufacture, Moulder, Founder	206	–	11	12	17	36	30	32	34	17	16	1	–
Blacksmith	35	–	–	5	4	4	6	3	3	5	4	1	–
Nail manufacture	3	–	–	–	–	1	–	1	–	–	1	–	–
Anchorsmith, Chainsmith	1	–	–	–	–	–	–	1	–	–	–	–	–
Boiler-maker	2	–	–	–	1	1	–	–	–	–	–	–	–
XVI.													
(1) Labourer	182	–	1	3	10	16	27	27	38	36	19	5	–
(2) *Others of Indefinite Occupations*	4*	–	–	–	–	–	1	1	–	2	–	–	–
XVII.													
(1) Gentleman, Independent	5	–	–	–	–	–	2	–	2	1	–	–	–
Annuitant	4	–	–	–	–	1	–	–	3	–	–	–	–
XVIII.													
(1) Pauper (no stated Occupation)	4	–	–	–	–	2	–	–	1	1	–	–	–
Supported from *Voluntary Sources, &c.*	1	–	–	–	–	1	–	–	–	–	–	–	–
Others of no stated Occupation or Condition	3	–	–	–	–	1	1	–	–	1	–	–	–

* These are contractors.

INDEX OF DISTRICTS.

[The following Index furnishes a reference to the *Number* of each DISTRICT in the topographical arrangement adopted in the preceding Tables, the numbers running consecutively from 1 to 623. In forming the alphabetical arrangement the principle is adopted of placing compound names in the order in which they are pronounced: thus, East Ashford will be found under the letter E, and *not* under A, as Ashford, East.]

A

Aberayron, 596.
Abergavenny, 578.
Aberystwith, 597.
Abingdon, 123.
Alcester, 405.
Alderbury, 263.
Alnwick, 559.
Alresford, 113.
Alston, 564.
Alton, 114.
Altrincham, 454.
Alverstoke, 97.
Amersham, 148.
Amesbury, 262.
Ampthill, 181.
Andover, 118.
Anglesey, 623.
Ashborne, 447.
Ashby-de-la-Zouch, 414.
Ashton-under-Lyne, 474.
Askrigg, 537.
Aston, 395.
Atcham, 359.
Atherstone, 397.
Auckland, 542.
Axbridge, 324.
Axminster, 279.
Aylesbury, 151.
Aylsham, 232.

B

Bakewell, 449.
Bala, 616.
Banbury, 163.
Bangor, 621.
Barnet, 136.
Barnsley, 505.
Barnstaple, 295.
Barrow-on-Soar, 416.
Barton-upon-Irwell, 470.
Basford, 438.
Basingstoke, 116.
Bath, 326.
Battle, 77.
Beaminster, 277.
Bedale, 535.
Bedford, 179.
Bedminster, 328.
Belford, 560.
Bellingham, 557.
Belper, 446.
Berkhampstead, 147.
Bermondsey, 28.
Berwick, 561.
Bethnal Green, 21.
Beverley, 518.
Bicester, 159.
Bideford, 297.
Biggleswade, 180.
Billericay, 199.
Billesdon, 410.
Bingham, 443.
Birmingham, 394.
Bishop Stortford, 139.
Blaby, 411.
Blackburn, 480.
Blandford, 270.
Blean, 66.
Blofield, 237.
Blything, 225.
Bodmin, 304.
Bolton, 468.
Bootle, 572.
Bosmere, 220.
Boston, 425.
Bourn, 422.
Brackley, 164.
Bradfield, 126.
Bradford-on-Avon, 258.
Bradford (Yorkshire), 499.
Braintree, 208.
Brampton, 566.
Brecknock, 600.
Brentford, 134.
Bridge, 64.
Bridgend, 583.
Bridgnorth, 356.
Bridgwater, 316.
Bridlington, 524.
Bridport, 278.
Brighton, 85.
Bristol, 329.
Brixworth, 170.
Bromley, 49.
Bromsgrove, 392.
Bromyard, 350.
Buckingham, 154.
Builth, 599.
Burnley, 478.
Burton-upon-Trent, 375.
Bury, 469.
Bury St. Edmunds, 215

C

Caistor, 432.
Calne, 254.
Camberwell, 33.
Cambridge, 187.
Camelford, 300.
Canterbury, 65.
Cardiff, 581.
Cardigan, 593.
Carlisle, 568.
Carmarthen, 589.
Carnarvon, 620.
Castle Ward, 554.
Catherington, 111.
Caxton, 185.
Chapel-en-le-Frith, 450.
Chard, 318.
Cheadle, 373.
Chelmsford, 200.
Chelsea, 2.
Cheltenham, 344.
Chepstow, 576.
Chertsey, 38.
Chesterfield, 448.
Chester-le-Street, 548.
Chesterton, 186.
Chichester, 92.
Chippenham, 253.
Chipping Norton, 162.
Chipping Sodbury, 331.
Chorley, 481.
Chorlton, 471.
Christchurch, 101.
Church Stretton, 354.
Cirencester, 340.
Cleobury Mortimer, 355.
Clerkenwell, 15.
Clifton, 330.
Clitheroe, 479.
Clun, 353.
Clutton, 325.
Cockermouth, 570.
Colchester, 204.
Congleton, 457.
Conway, 622.
Cookham, 129.
Corwen, 615.
Cosford, 213.
Coventry, 400.
Cranbrook, 60.
Crediton, 292.
Crickhowell, 601.
Cricklade, 251.
Croydon, 46.
Cuckfield, 83.

D

Darlington, 540.
Dartford, 50.
Daventry, 169.
Depwade, 239.
Derby, 445.
Devizes, 256.
Dewsbury, 502.
Docking, 244.
Dolgelly, 617.
Doncaster, 510.
Dorchester, 275.
Dorking, 43.
Dover, 72.
Downham, 247.
Driffield, 523.
Droitwich, 391.
Droxford, 110.
Dudley, 382.
Dulverton, 313 *b*.
Dunmow, 209.
Durham, 545.
Dursley, 333.

E

Easington, 546.
Easingwold, 527.
East Ashford, 63.
Eastbourne, 78.
East Grinstead, 82.
Easthampstead, 130.
East London, 17.
East Retford, 435.
Eastry, 71.
East Stonehouse, 288.
East Ward, 573.
Ecclesall Bierlow, 507.
Edmonton, 137.
Elham, 73.
Ellesmere, 362.
Ely, 190.
Epping, 195.
Epsom, 37.
Erpingham, 231.
Eton, 149.
Evesham, 389.
Exeter, 282.

F

Falmouth, 308.
Fareham, 98.
Faringdon, 122.
Farnborough, 41.
Farnham, 40.
Faversham, 67.
Festiniog, 618.
Flegg, 229.
Foleshill, 399.
Fordingbridge, 103.
Forehoe, 235.
Freebridge Lynn, 245.
Frome, 321.
Fylde, 483.

G

Gainsborough, 434.
Garstang, 484.
Gateshead, 551.
Glanford Brigg, 433.
Glendale, 562.
Gloucester, 336.
Godstone, 45.
Goole, 512.
Gower, 585 *b*.
Grantham, 427.
Gravesend, 51.
Great Boughton (Chester), 459.
Great Ouseburn, 492 *a*.
Greenwich, 35.
Guildford, 39.
Guiltcross, 240.
Guisbrough, 532.

H

Hackney, 11.
Hailsham, 79.
Halifax, 498.
Halstead, 207.
Haltwhistle, 556.
Hambledon, 42.
Hampstead, 8.
Hardingstone, 167.
Hartismere, 218.
Hartlepool, 541 *b*.
Hartley Wintney, 115.
Haslingden, 477.
Hastings, 76.
Hatfield, 143.
Havant, 95.
Haverfordwest, 592.
Hay, 602.
Hayfield, 451.
Headington, 157.
Helmsley, 529.
Helston, 309.
Hemel Hempstead, 146.
Hemsworth, 504 *b*.
Hendon, 135.
Henley, 155.
Henstead, 236.
Hereford, 348.
Hertford, 142.
Hexham, 555.
Highworth, 250.
Hinckley, 412.
Hitchin, 141.
Holbeach, 424.
Holborn, 14.
Hollingbourn, 59.
Holsworthy, 298.
Holywell, 610.
Honiton, 280.
Hoo, 53.
Horncastle, 429.
Horsham, 87.
Houghton-le-Spring, 547.
Howden, 517.
Hoxne, 219.
Huddersfield, 497.
Hull, 520.
Hungerford, 121.
Hunslet, 500.
Huntingdon, 176.

I

Ipswich, 222.
Isle of Wight, 99.
Islington, 10.

K

Keighley, 494.
Kendal, 575.
Kensington, 1.
Kettering, 172.
Keynsham, 327.
Kidderminster, 384.
Kingsbridge, 285.
Kingsclere, 119.
Kings Lynn, 246.
Kings Norton, 393.
Kingston, 47.
Knaresborough, 492 *b*.
Knighton, 604.

L

Lambeth, 31.
Lampeter, 595.
Lancaster, 485.
Langport, 317.
Launceston, 301.
Ledbury, 346.
Leeds, 501.
Leek, 372.
Leicester, 417.
Leigh, 467.
Leighton Buzzard, 183.
Leominster, 351.
Lewes, 84.
Lewisham, 36.
Lexden, 205.
Leyburn, 536.
Lichfield, 377.
Lincoln, 428.
Linton, 188.
Liskeard, 303.
Liverpool, 461.
Llandilofawr, 588.
Llandovery, 587.
Llanelly, 586.

Llanfyllin, 609.
Llanrwst, 614.
Loddon, 238.
London City, 19.
Longtown, 567.
Loughborough, 415.
Louth, 431.
Ludlow, 352.
Luton, 184.
Lutterworth, 408.
Lymington, 100.

M

Macclesfield, 453.
Machynlleth, 606.
Madeley, 358.
Maidstone, 58.
Maldon, 202.
Malling, 55.
Malmsbury, 252.
Malton, 526.
Manchester, 473.
Mansfield, 437.
Market Bosworth, 413.
Market Drayton, 364.
Market Harborough, 409.
Marlborough, 255.
Martley, 386.
Marylebone, 7.
Medway, 54.
Melksham, 257.
Melton Mowbray, 418.
Mere, 267.
Meriden, 396.
Merthyr Tydfil, 582.
Midhurst, 93.
Mildenhall, 216.
Mile End Old Town, 24 *b*.
Milton, 68.
Mitford, 242.
Monmouth, 577.
Montgomery, 608.
Morpeth, 558.
Mutford, 227.

N

Nantwich, 458.
Narberth, 590.
Neath, 584.
Newark, 442.
Newbury, 120.
Newcastle-in-Emlyn, 594.
Newcastle-under-Lyme, 369.
Newcastle-upon-Tyne, 552.
Newent, 335.
New Forest, 104.
Newington, 30.
Newmarket, 189.
Newport (Monmouth), 580.
Newport (Salop), 366.
Newport Pagnell, 153.
Newton Abbot, 283.
Newtown, 607.
Northallerton, 534.
Northampton, 168.
North Aylesford, 52.
Northleach, 341.
Northwich, 456.
North Witchford, 191.
Norwich, 234.
Nottingham, 440.
Nuneaton, 398.

O

Oakham, 419.
Okehampton, 291.
Oldham, 475.
Ongar, 196.
Ormskirk, 464.
Orsett, 198.
Oswestry, 361.
Otley, 493 *a*.
Oundle, 174.
Oxford, 158.

P

Pancras, 9.
Pateley Bridge, 490.
Patrington, 521.
Pembroke, 591.
Penkridge, 378.
Penrith, 565.
Penzance, 311.
Pershore, 390.
Peterborough, 175.
Petersfield, 112.
Petworth, 88.
Pewsey, 251.
Pickering, 530.
Plomesgate, 224.
Plymouth, 287.
Plympton St. Mary, 286.
Pocklington, 516.
Pontefract, 504 *a*.
Pontypool, 579.
Poole, 272.
Poplar, 25.
Portsea Island, 96.
Potterspury, 166.
Prescot, 463.
Presteigne, 603.
Preston, 482.
Pwllheli, 619.

R

Radford, 439.
Reading, 127.
Redruth, 310.
Reeth, 538.
Reigate, 44.
Rhayader, 605.
Richmond (Surrey), 48.
Richmond (Yorkshire), 539.
Ringwood, 102.
Ripon, 491.
Risbridge, 211.
Rochdale, 476.
Rochford, 201.
Romford, 197.
Romney Marsh, 74.
Romsey, 107.
Ross, 347.
Rothbury, 563.
Rotherham, 509.
Rotherhithe, 34.
Royston, 140.
Rugby, 401.
Runcorn, 455.
Ruthin, 612.
Rye, 75.

S

Saddleworth, 496.
Saffron Walden, 210.
St. Albans, 144.
St. Asaph, 613.
St. Austell, 306.
St. Columb, 305.
St. Faiths, 233.
St. George Hanover Sq., 3.
St. George in-the-East, 23.
St. George Southwark, 29.
St. Germans, 302.
St. Giles, 12.
St. Ives, 177.
St. James Westminster, 6.
St. Luke, 16.
St. Martin-in-the-Fields, 5.
St. Neots, 178.
St. Olave, 27.
St. Saviour, 26.
St. Thomas, 281.
Salford, 472.
Salisbury, 264.
Samford, 221.
Scarborough, 525.
Scilly Islands, 312.
Sculcoates, 519.
Sedbergh, 487.
Selby, 513.
Settle, 488.
Sevenoaks, 56.
Shaftesbury, 268.
Shardlow, 444.
Sheffield, 508.
Sheppey, 69.
Shepton Mallet, 322.
Sherborne, 276.
Shiffnal, 357.
Shipston-on-Stour, 406.
Shoreditch, 20.
Shrewsbury, 360.
Skipton, 489.
Skirlaugh, 522.
Sleaford, 426.
Solihull, 402.
Southam, 407.
Southampton, 105.
South Molton, 294.

South Shields, 550.
South Stoneham, 106.
Southwell, 441.
Spalding, 423.
Spilsby, 430.
Stafford, 367.
Staines, 132.
Stamford, 421.
Stepney, 24 *a*.
Steyning, 86.
Stockbridge, 108.
Stockport, 452.
Stockton, 541 *a*.
Stoke Damerel, 289.
Stokesley, 533.
Stoke-upon-Trent, 371.
Stone, 368.
Stourbridge, 383.
Stow, 217.
Stow-on-the-Wold, 342.
Strand, 13.
Stratford-on-Avon, 404.
Stratton, 299.
Stroud, 338.
Sturminster, 269.
Sudbury, 212.
Sunderland, 549.
Swaffham, 248.
Swansea, 585 *a*.

T

Tadcaster, 514.
Tamworth, 376.
Taunton, 315.
Tavistock, 290.
Teesdale, 543.
Tenbury, 385.
Tendring, 203.
Tenterden, 61.
Tetbury, 339.
Tewkesbury, 345.
Thakeham, 89.
Thame, 156.
Thanet, 70.
Thetford, 249.
Thingoe, 214.
Thirsk, 528.
Thornbury, 332.
Thorne, 511.
Thrapston, 173.
Ticehurst, 80.
Tisbury, 266.
Tiverton, 293.
Todmorden, 495.
Torrington, 296.
Totnes, 284.
Towcester, 165.
Tregaron, 598.
Truro, 307.
Tunbridge, 57.
Tunstead, 230.
Tynemouth, 553.

U

Uckfield, 81.
Ulverston, 486.
Uppingham, 420.
Upton-on-Severn, 388.
Uttoxeter, 374.
Uxbridge, 133.

W

Wakefield, 503.
Wallingford, 125.
Walsall, 380.
Walsingham, 243.
Wandsworth, 32.
Wangford, 226.
Wantage, 124.
Ware, 138.
Wareham, 273.
Warminster, 260.
Warrington, 466.
Warwick, 403.
Watford, 145.
Wayland, 241.
Weardale, 544.
Wellingborough, 171.
Wellington (Salop), 365.
Wellington (Somerset), 314.
Wells, 323.
Wem, 363 *a*.
Weobly, 349.
West Ashford, 62.
Westbourne, 94.
West Bromwich, 381.
Westbury, 259.
Westbury-on-Severn, 334.
West Derby, 462.
West Ham, 194.
Westhampnett, 91.
West London, 18.
Westminster, 4.
West Ward, 574.
Wetherby, 492 *c*.
Weymouth, 274.
Wheatenhurst, 337.
Whitby, 531.
Whitchurch (Hants), 117.
Whitchurch (Salop), 363 *b*.
Whitechapel, 22.
Whitehaven, 571.
Whittlesey, 192.
Wigan, 465.
Wigton, 569.
Williton, 313 *a*.
Wilton, 265.
Wimborne, 271.
Wincanton, 320.
Winchcomb, 343.
Winchester, 109.
Windsor, 131.
Winslow, 152.
Wirral, 460.
Wisbech, 193.
Witham, 206.
Witney, 161.
Woburn, 182.
Wokingham, 128.
Wolstanton, 370.
Wolverhampton, 379.
Woodbridge, 223.
Woodstock, 160.
Worcester, 387.
Worksop, 436.
Worthing, 90.
Wortley, 506.
Wrexham, 611.
Wycombe, 150.

Y

Yarmouth, 228.
Yeovil, 319.
York, 515.

INDEX OF CERTAIN TOWNS,

Whose Names differ from that of the District in which they are respectively situated.

NAME OF TOWN.	SUPERINTENDENT REGISTRAR'S DISTRICT.	Number of District.
Aberavon	Neath	584
Bacup	Haslingden	477
	Rochdale	476
Bedworth	Foleshill	399
Blackpool	Fylde	483
Bognor	Chichester	92
Brandon	Thetford	249
Chatham	Medway	54
Church (*Lanc.*)	Blackburn	480
Claycross	Chesterfield	448
Crewe	Nantwich	458
Dawlish	Newton Abbot	283
Dereham	Mitford	242
Devonport	East Stonehouse	288
	Stoke Damerel	289
Droylesden	Ashton-under-Lyne	474
Fleetwood	Fylde	483
Godmanchester	Huntingdon	176
Gosport	Alverstoke	97
Guiseley *	Otley	493
Heckmondwike	Dewsbury	502
Hounslow	Brentford	134
Ironbridge	Madeley	358
Llanidloes	Newtown	607
Maidenhead	Cookham	129
Malvern, Great	Upton-on-Severn	388
Melcombe Regis	Weymouth	274
Middlesborough	Stockton	541 *a*
	Guisbrough	532
New Brighton †	Wirrall	460
Redditch	Bromsgrove	392
	Alcester	405
Seaham Harbor	Easington	546
Sheerness	Sheppey	69
Sidmouth	Honiton	280
Slough	Eton	149
Southport	Ormskirk	464
Southwold	Blything	225
Staleybridge	Ashton-under-Lyne	474
Staveley	Chesterfield	448
Tyldesley	Leigh	467
Ventnor	Isle of Wight	99
Welchpool	Montgomery	608
	Llanfyllin	609
Weston-super-Mare	Axbridge	324
Widnes	Prescot	463

* Guiseley was constituted part of the new District of Wharfedale in 1861.

† New Brighton was constituted part of the new District of Birkenhead in 1861.

ALPHABETICAL INDEX

TO THE

SUPPLEMENT to the TWENTY-FIFTH ANNUAL REPORT.

PAGE

AGES. (*See* DEATHS AND MORTALITY.)

AREA, POPULATION, DENSITY, and PROXIMITY of Districts grouped in the order of their Mortality (Table XXI.) xxxii

ASHTON-UNDER-LYNE, Mortality of District of xxxi

BAKERS AND CONFECTIONERS, Mortality of xxxv

BIRMINGHAM, Mortality of District of xxx

BLACKSMITHS, Mortality of xxxv

BOLTON, Mortality of District of xxxi

BOYHOOD, Diseases and Mortality of xv

BRISTOL, Mortality of District of xxx

BUTCHERS, Mortality of xxxv

CANCER, more fatal to women than to men xvii

CARPENTERS AND JOINERS, Mortality of xxxv

CAUSES OF DEATH in Infancy vii
in Childhood viii
often undistinguished after age 75 xx

CHANGES IN DISTRICTS: Note explaining correction for lx

CHILDBEARING AGE, Diseases and Mortality of xxi
(*See also* REPRODUCTIVE AGE.)

CHILDHOOD:—
Causes of Death in viii
Death in, an unnatural event ix
(*See also* MORTALITY AT DIFFERENT STAGES OF LIFE.)

CITIES, MORTALITY OF, Relation between Density and Death-rate . . . xxxiii

CLERGY, Mortality of Children of xii

CONSUMPTION (Phthisis), more fatal to young women than to young men . xv
Causes of, in young women xv

CRICKHOWELL, great Mortality of Mothers in Childbirth xxii

DEATHS, CAUSES OF, in Infancy vii
in Childhood viii
often undistinguished after age 75 xx

DEATHS OF MALES OF CERTAIN OCCUPATIONS, aged 15 years and upwards, in England, 1860–1 (Table XXII.) xxxiii

DEATHS OF MALES OF DIFFERENT OCCUPATIONS AT DIFFERENT AGES, from 5 years and upwards, registered in England and in each of the Eleven Registration Divisions in the two years 1860–1 . . 439–554

PAGE

Deaths of Males and Females from different Causes at different Ages in the 10 years 1851–60, in the Registration Divisions, Counties, and Districts of England 1–437

Density and Mortality, Constant relation between xxxiii

Density and Proximity of Districts, grouped in the order of their Mortality (Table XXI.) xxxii

Density of Population in the two Decenniads 1841–50 and 1851–60 in the Registration Divisions, Counties, and Districts of England . xxxvii–lviii

Derby, Mortality of District of xxxi

Diphtheria is now one of the fatal diseases of England xv

Diseases :—

Consumption, more fatal to young women than to young men . . xv

,, Causes of, in young women xv

Diphtheria is now one of the fatal diseases of England . . . xv

Pythogenic Fever (*See* Typhus) xvi

Scarlatina, Mortality from, in Childhood xv

Typhus, Typhia, and Typhinia, classed under the head of "Typhus" in Tables xv

Typhoid Fever (Typhia) classed under "Typhus" xv

Cancer, more fatal to women than to men xvii

Monorganic Diseases (Local Diseases) more frequent after age 35 . xvii

Districts, Changes in ; Note explaining correction for lx

Districts, Index of 555

Divisions, Mortality in. (*See* Mortality.)

Dying, Probability of (*Death-chance*), as distinguished from true rate of Mortality iv

Embryonic Mortality, no data for determining vi

Emigration from Towns, effect of, on Mortality xxv

Exeter, Mortality of District of xxx

Farmers and Graziers, Mortality of xxxv

France : Mortality of Children under 1 year of age vi

Grocers and Shopkeepers, Mortality of xxxv

Hospitals of London : —

Mortality in and out of (Tables XI. and XII.) xviii

Years of Life, and Deaths at different Ages, in the 10 years 1851–60, in the 24 principal Hospitals lxi

Formula for correcting Mortality of Districts on account of Deaths in Hospitals lx

Hull, Mortality of District of xxxi

Immigrants, exposure to fever in Towns xvi

Immigration into Towns reduces the rate of Mortality xxv

Infancy, Causes of Death in vii

(*See also* Mortality at different Stages of Life.)

Institutions, Public. Corrections in the Mortality of Districts containing large Institutions ; see notes to Table . . . . . xl–lviii

Labourers, &c., Mortality of xxxv

Leeds, Mortality of District of xxxi

PAGE

LINCOLN, Mortality of District of xxxi

LIVERPOOL, Mortality of District of xxxi

LIVING, PROBABILITY OF (*Life-chance*) iv

LONDON HOSPITALS :—

Mortality in and out of (Tables XI. and XII.) xviii

Years of Life, and Deaths at different Ages, in the 10 years 1851–60, in the 24 principal Hospitals lxi

Formula for correcting Mortality of Districts on account of Deaths in Hospitals lx

LONDON, MORTALITY OF MEN IN xxiii

Causes why it is so high xxiv

LONDON, Reduced Rate of Mortality in the last 10 years (1851–60) the result of sanitary improvements xxix

MANCHESTER, Mortality of District of xxxi

MANHOOD, Diseases and Mortality of xvii

MATURITY, Diseases and Mortality of the Age of xix

MEAN LIFETIME of the English Population xxv

MEAN POPULATION 1851–61 at different Ages in the Registration Divisions, Counties, and Districts of England 1–437

MEN AGED 45–55, probable Causes of excessive Mortality of xix

MERTHYR TYDFIL, Mortality of District of xxxii

METAL MANUFACTURERS, Mortality of xxxv

MINERS, Mortality of xxxv

MONORGANIC DISEASES (LOCAL DISEASES) more frequent after age 35 . . xvii

MORTALITY :—

Determination of the law of, requires an extensive area of observation iii

True Rate, as distinguished from the *Probability of Dying* . . iv–v

Of various populations will differ according to the proportion of the ages of the living xxv

Calculated on Mean Population and Deaths at All Ages is lower in a rapidly increasing population than in a stationary population . xxv

Example of the mode of calculating the rate of, from any disease, from the facts given in the Tables xxxii

At All Ages without distinction xxv

At All Ages to a considerable extent made up of children's deaths . xxvii

How far the general rate of, is affected by the Deaths at different Ages xxvii

MORTALITY AT DIFFERENT STAGES OF LIFE v

Embryonic Mortality, no data for determining vi

Still-born, want of statistics of the . . . . . v. vii

Premature Birth, Deaths of Children from, in the years 1858–63 (Table I.) vi

Infants (under 1 year of Age) v

Great fluctuations in mortality rate v

Monthly Life Table for the first year of Age (*Table II.*) . . vii

Mortality in each month of the first year of Age (*Table II.*) . vii

France : Mortality of Children in the first month of Age . . vi

„ *Mortality of Children under 1 year of Age* . . . vi

Causes of Death in Infancy vii

PAGE

MORTALITY AT DIFFERENT STAGES OF LIFE—*continued.*

Children under 5 years of Age (0—5) viii
Mortality in different Districts ix
Death in Childhood an unnatural event ix
28 *Districts in which the Mortality was below* 4 *per cent. Numbers Living, and Deaths* (*Tables VII. and VIII.*) . . xi
Peerage Families, Mortality of Children xii
Society of Friends, Mortality of Children xii
Clergy, Mortality of Children xii
151 *Districts in which the Mortality was* 7 *per cent. and upwards* (*Tables IX. and X.*) . . . . . xiii–xiv
Mortality of Children in each of the 11 *Divisions* (*Table XIII.*) xx

Childhood (5—10 years) xv
Zymotic diseases cause more than half the Mortality . . . xv
Mortality from Scarlatina xv

Boyhood (10—15 years) xv

Youth (15—20 and 20—25) xvi

Reproductive Age (25—35) xvii
Mortality of Women of the Childbearing Age xxi
Mortality of Women in each of the 11 *Divisions* (*Table XIII.*) xx
58 *Districts in which the Mortality of Women was* 1·200 *per cent. and upwards* (*Table XIV.*) xxi
Relation between Rates of Mortality of Children and Mothers . xxii
Crickhowell, great Mortality of Mothers in Childbirth in . . xxii

Manhood (35—45 years) xvii

Manhood (45—55 years) xviii
Probable causes of excessive Mortality of xix

Maturity (55—65 years) xix

Maturity (65—75 years) xix

Ripeness (75—85 years) xx
Causes of Death often undistinguished after age 75 . . . xx

Old Age (Monumental Age) (85 and upwards) xx

MORTALITY OF PERSONS AT ALL AGES in the TWO DECENNIADS 1841–50 and 1851–60 in Registration Divisions and Districts . . . xxviii

1. London xxviii
2. South Eastern Division xxix
3. South Midland Division xxix
4. Eastern Division xxix
5. South Western Division xxx
6. West Midland Division xxx
7. North Midland Division xxx
8. North Western Division xxxi
9. Yorkshire xxxi
10. Northern Division xxxi
11. Wales (including Monmouthshire) xxxi

MORTALITY OF PERSONS AT ALL AGES; Average Annual Rate in the two Decenniads 1841–50 and 1851–60 in the Registration Divisions, Counties, and Districts of England . . . . xxxvii–lviii

MORTALITY OF MALES AND FEMALES FROM ALL CAUSES AT DIFFERENT AGES; Average Annual Rate in the 10 years 1851–60 in the Registration Divisions, Counties, and Districts of England . lix–cxv

PAGE

Mortality of Males and Females from different Causes at All Ages; Average Annual Rate in the 10 years 1851–60 in the Registration Divisions, Counties, and Districts of England . lix–cxv

Mortality of Males and Females from different Causes at different Ages in England, 1851–60 (Tables III. and IV.) . . . viii–ix

Mortality of Persons in different Occupations xxxv

Mortality of Males aged 15 and upwards in different Occupations at different Ages (Tables XXIII. and XXIV.) . . xxxiv. xxxv

Mortality of Cities; relation between Density and Death-rate . . . xxxiii

Mortality of Men in Towns requires careful investigation . . . xxiv

Mortality of Towns reduced by Immigration xxv

Mortality in 30 large Town Districts at different Ages, and excess over Healthy District Rates (Tables XVII. and XVIII.) . . . xxvi

Mortality of Town and Country Districts; comparison of, without distinction of Age, is favourable to the Towns xxvii

Mortality of Men in London, compared with the Men of other parts of the Country (Tables XV. and XVI.) . . . xxiii–xxiv

Much higher than of Women xxiv

Causes why it is so high xxiv

Mortality of London; the reduced Rate in the last 10 Years the result of sanitary improvements xxix

Mortality in London Hospitals at different Ages (Tables XI. and XII.) . xviii

Mortality of Salisbury; great reduction in rate xxx

Mortality and Density; constant relation between xxxiii

Mortality and Mean Lifetime of the English Population . . . xxv

Mortality Tables; reference to those published in previous Reports . . iii

Newcastle-upon-Tyne, Mortality of District of xxxi

Norwich, Mortality of District of xxix

Nottingham, Mortality of District of xxxi

Occupations:—

Males aged 15 and upwards in certain, living in 1861 (Table XXII.) . xxxiii

Males aged 15 and upwards in certain, who died in two years 1860–1 (Table XXII.) xxxiii

Mortality of Males aged 15 and upwards in certain, in two years 1860–1 (Tables XXIII. and XXIV.) . . . . . xxxiv–xxxv

Mortality of Persons in certain xxxv

Old Age (Monumental Age), Character of Diseases of xx

Peerage Families, Mortality of Children of xii

Phthisis (Consumption) more fatal to young women than to young men . xv

Causes of, in young women xv

Population, Density of, in the two Decenniads 1841–50 and 1851–60, in the Registration Divisions, Counties, and Districts of England . xxxvii–lviii

Population: Mean of Enumerations of 1851 and 1861 at different Ages, in the Registration Divisions, Counties, and Districts of England 1–437

PAGE

Premature Birth, Deaths of Children from, in 1858–63 (Table I.) . . vi

Preston, Mortality of District of xxxi

Probability of Dying (*Death-chance*) as distinguished from the true rate of Mortality iv

Probability of Living (*Life-chance*) iv

Proportion of Deaths from different Causes at different Ages to 1,000,000 Deaths from all Causes (1851–60) (Tables V. and VI.) x

Proportion of Deaths at different Ages to 1000 Living at All Ages, in England, in 30 Town Districts, and in Healthy Districts (Table XIX.) xxvii

Proportion of Deaths at different Ages to 100 Deaths at All Ages, in England, in 30 Town Districts, and in Healthy Districts (Table XX.) xxviii

Proximity of Dwellings alone does not necessarily involve a high rate of Mortality xxxiv

Proximity and Density of Districts, grouped in the order of their Mortality xxxii

Public Institutions. Corrections in the Mortality of Districts containing large Institutions; see notes to Table . . . . . xl-lviii

Publicans, Mortality of xxxv

Pythogenic Fever (*See* Typhus) xvi

Quakers (Society of Friends), Mortality of Children of . . . xii

Reproductive Age, Diseases and Mortality of . . . . xvii. xxi

Ripeness (Age 75–85), Diseases and Mortality of xx

Salford, Mortality of District of xxxi

Salisbury, great reduction in Mortality xxx

Scarlatina, Mortality from, in Childhood xv

Sheffield, Mortality of District of xxxi

Shoemakers, Mortality of xxxv

Society of Friends (Quakers), Mortality of Children of xii

Southampton, Mortality of District of xxix

Still-born, want of statistics of . . . . . v. vii

Tailors, Mortality of xxxv

Towns:—

Mortality of Men in, requires careful investigation xxiv

Mortality in, reduced by immigration xxv

Exposure of Immigrants to fever in xvi

Emigration from, effect of, on Mortality xxv

Index of certain, whose names differ from that of the District in which they are situated 559

Town Districts:—

Loss of life in dense xxvi

Mortality in, at different Ages, and excess over Healthy District rates (Tables XVII. and XVIII.) xxvi

Comparison of Mortality with Country Districts, without distinction of Age, is favourable to Towns xxvii

Computed sacrifice of lives in 30 Towns xxvii

(*See also* Mortality.)

PAGE

Typhus, Typhoid Fever (Typhia), Typhinia, classed under the head of Typhus in the Tables xv

Violent Deaths less frequently happen to girls than to boys . . . xv

Wigan, Mortality of District of xxxi

Wives, proportion to 100 Women in 1861 (Table XIII.) xx

Wolverhampton, Mortality of District of xxx

Women of the Childbearing Age :—
Mortality of, in each of the 11 Divisions (Table XIII.) . . . xx
Diseases and Mortality of xxi
Relation between Mortality of Mothers and Children . . . xxii
Great Mortality of Mothers from Childbirth in Crickhowell . . xxii

Wool, Cotton, Flax, Silk Manufacturers, Mortality of xxxv

Yarmouth, Mortality of District of xxix

Youth, Diseases and Mortality of xvi

Zymotic Diseases cause more than half the Mortality in Childhood . . xv

RE[illegible] CLUB
PALL MALL

LONDON:
Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE,
Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.